
3 2044 075 099 630

BOSTON
MEDICAL LIBRARY

IN THE
Francis A. Countway
Library of Medicine
BOSTON

# THIRTY-SIXTH

# DETAILED ANNUAL REPORT

OF THE

# REGISTRAR-GENERAL

OF

# BIRTHS, DEATHS, AND MARRIAGES

# IN SCOTLAND.

[ABSTRACTS OF 1890.]

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY NEILL & Co., OLD FISHMARKET CLOSE.

And to be purchased, either directly or through any Bookseller, from
JOHN MENZIES & CO., 12 HANOVER STREET, EDINBURGH, and
90 WEST NILE STREET, GLASGOW; or
EYRE & SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
HODGES, FIGGIS, & CO., LIMITED, 104 GRAFTON STREET, DUBLIN.

1892.

[C. 6754.]—*Price* 2*s.*

W
2
FS2
G4a
1890
Copy 1

# THIRTY-SIXTH DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

# BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

[ABSTRACTS OF 1890.]

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
By NEILL & Co., Old Bamsaret Close.

And to be purchased either directly or through any Bookseller, from
JOHN MENZIES & CO., 12 Hanover Street, Edinburgh, and
30 West Nile Street, Glasgow; or
EYRE & SPOTTISWOODE, East Harding Street, Fetter Lane, E.C.; or
HODGES, FIGGIS, & CO., Limited, 104 Grafton Street, Dublin.

1892.

# REPORT.

TO THE RIGHT HON.

SIR GEORGE OTTO TREVELYAN, BART., M.P.,

*Her Majesty's Secretary for Scotland.*

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, *23rd December* 1892.

SIR,

I had the honour in 1891, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict., cap. 90, to transmit to your predecessor in Office, as Her Majesty's Secretary for Scotland, General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1890, along with the usual explanation and commentary.

At the same time, my Twenty-sixth Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict., cap. 108.

I have now the honour to transmit the Detailed Annual Report, together with the relative Tables, regarding the Births, Deaths, and Marriages registered in Scotland during the same year (1890).

I have the honour to be,

SIR,

Your most obedient Servant,

STAIR AGNEW,

*Registrar-General.*

BOSTON MEDICAL
JAN 11 1904
LIBRARY.
CATALOGUED
JAN 11 1904
J. F. B.

# CONTENTS.


Page

Report of Registrar-General to the Secretary for Scotland, . . . . . iii

Report by Dr Cunynghame to the Registrar-General, . . . . . ix

Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855–1890 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths, . . . . . ix

Population, . . . . . x

Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1890, . . . . . x & xi

BIRTHS.

Table showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Towns of Scotland during 1890, . . . . . xii

Occasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1890, . . . . . xii

Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Groups of Districts, Divisions, and Counties of Scotland during the year 1890, . xiii

Births in 1890, and their Proportion to the Population, with relative Tables, . . . xiv

Tables showing particulars relative to the Births during each of the years 1855 to 1890 inclusive, . . . . . xiv

Number and Proportion of Twins and Triplets, . . . . . xiv & xv

MARRIAGES.

Number of Marriages in 1890, and their Proportion to the Total Marriages, . . . xv

Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1890, and 1855–1890, with relative Tables, . . xvii–xix

Proportion of Legitimate Children to the Marriages in Scotland and England, . . xix

Number and Proportion of Persons marrying at different Ages, with relative Tables, . . xx & xxi

Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables, . . . . . xxiii & xxiv

Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark, . . xxv

Percentage of Men and Women who signed by Mark during the Ten Years 1880–89, . . xxvi

DEATHS.

Number of Deaths in Scotland in 1890, and their Proportion to the Population, . . xxix

Page

Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1890, with relative Tables, . . . . . xxx

Death-rates in Principal Towns of Scotland during each of the years 1880–1890, . . xxxi

Mortality in Principal Towns, . . . . . xxxi

Series of Tables of the Deaths at different Ages in Scotland, and its Five Great Groups of Districts, during the year 1889, . . . . . xxxii

Causes of Death in 1890, with relative Tables, . . . . . xxxiv

Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables, . xxxiv

Deaths from Influenza in 1890, . . . . . xlv

Small-pox Deaths in Scotland for thirty-six years, . . . . . xlviii

Vaccinations in Scotland, 1880–1890, . . . . . xlix

Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths, . . . li

The Twenty-two most fatal Diseases in Scotland in 1890, . . . . . lii

Deaths by Suicide, . . . . . lii

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1890.

Weather, Weekly and Monthly, and its Influence on the Mortality, . . . . liii

Table showing the Meteorology of Scotland during each month of the year 1890, together with the Monthly and Daily Number of Births, Deaths, and Marriages, . . . liv

Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland during each Month of the year 1890, . . lv

Deaths, Temperatures, and Fall of Rain in Eight of the Principal Towns of Scotland, during each week of the year 1890, . . . . . lvi

Influence of Season, etc., on the Mortality at different Ages, . . . . . lvii

## APPENDIX.

Vaccinations in the several Counties of Scotland during the year 1890, . . . lx

Numbers of Certified and Uncertified Deaths during 1890, . . . . . lxii

Distribution of Deaths according to months, or the influence of season on the mortality, . lxiii

## ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1890, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1881 and 1891, the Excess of Births over Deaths, and the Area in Square Miles of each County, . . . . . 1

Tables of the Population in 1881 and 1891, and of the Births, Deaths, and Marriages during the year 1890, also of the Illegitimate Births in every Registration District, . . 2-23

## MARRIAGES.

Page

Table of the Marriages in Scotland and its Counties in 1890; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, . . . . . 24

Table of the Civil Condition of the parties who married in 1890; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25

Table of the Ages of all Males who married in Scotland and its Counties in 1890, . . 27

Table of the Ages of all Females who married in Scotland and its Counties in 1890, . . . 28

## DEATHS.

Table of the Ages of all persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Town Districts of Scotland in 1890, together with the Populations in 1881 and 1891, . . . . . 30

Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Town Districts of Scotland in 1890, together with the Male Populations in 1881 and 1891, . . . . . 32

Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Town Districts of Scotland in 1890, together with the Female Populations in 1881 and 1891, . . . . . 34

Deaths at different Ages in both Sexes in each of the Large Town Districts, and in the Small Town Districts of the Counties of Scotland in 1890, . . . . . 36
Do. Males, . . . . . 38
Do. Females, . . . . . 40

Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular-Rural Districts of Scotland in 1890, . . . . . 42
Do. Males, . . . . . 44
Do. Females, . . . . . 46

Summary Table of the Causes of Death in each of the Counties of Scotland in 1890—
Males, . . . . . 48
Females, . . . . . 49

Summary Table of the Causes of Death in each of the Principal Town Districts of Scotland in 1890—
Males, . . . . . 68
Females, . . . . . 69

Summary Table of the Causes of Death in each of the Large Town Districts of Scotland in 1890—
Males, . . . . . 78
Females, . . . . . 79

Summary Table of the Causes of Death in each of the Small Town Districts of the Counties of Scotland in 1890—
Males, . . . . . 88
Females, . . . . . 89

Summary Table of the Causes of Death in the Mainland-Rural Districts of Scotland in 1890— . . . . . 108
Males, . . . . . 109
Females, . . . . . 109

Summary Table of the Causes of Death in the Insular-Rural Districts of Scotland in 1890—
Males and Females, . . . . . 128

Table of the Causes of Death in all Scotland at different Periods of Life—. . . . . 134
Males, . . . . . 135
Females, . . . . . 135

Page

Table of the Causes of Death in the Principal Town Districts of Scotland at different Periods of Life—
Males, . . . . . 154
Females, . . . . . 155

Table of the Causes of Death in the Large Town Districts of Scotland at different Periods of Life—
Males, . . . . . 174
Females, . . . . . 175

Table of the Causes of Death in the Small Town Districts of Scotland at different Periods of Life—
Males, . . . . . 194
Females, . . . . . 195

Table of the Causes of Death in the Mainland-Rural Districts of Scotland at different Periods of Life—
Males, . . . . . 214
Females, . . . . . 215

Table of the Causes of Death in the Insular-Rural Districts of Scotland at different Periods of Life—
Males, . . . . . 234
Females, . . . . . 235

Table of the Causes of Death in Glasgow at different Periods of Life—
Males, . . . . . 254
Females, . . . . . 255

Table of the Causes of Death in Glasgow (Landward and Suburban) at different Periods of Life—
Males, . . . . . 274
Females, . . . . . 275

Table of the Causes of Death in Edinburgh at different Periods of Life—
Males, . . . . . 294
Females, . . . . . 295

Table of the Causes of Death in Dundee at different Periods of Life—
Males, . . . . . 314
Females, . . . . . 315

Table of the Causes of Death in Aberdeen at different Periods of Life—
Males, . . . . . 334
Females, . . . . . 335

Table of the Causes of Death in Leith at different Periods of Life—
Males, . . . . . 354
Females, . . . . . 355

Table of the Causes of Death in Greenock at different Periods of Life
Males, . . . . . 374
Females, . . . . . 375

Table of the Causes of Death in Paisley at different periods of Life—
Males, . . . . . 394
Females, . . . . . 395

Table of the Causes of Death in Perth at different periods of Life—
Males, . . . . . 414
Females, . . . . . 415

Table of the Causes of Death in Kilmarnock at different periods of Life—
Males, . . . . . 434
Females, . . . . . 435

---

Constitution of the Compound Districts, . . . . . 454

List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof bearing a different name from the Districts in which they are situated, . . . . . 455

Districts, Index to, . . . . . 456

# REPORT TO THE REGISTRAR-GENERAL,

BY R. J. BLAIR CUNYNGHAME, M.D., F.R.S.E.

SIR,

The general condition of the weather throughout Scotland during the year (1890), and which has a distinct bearing upon the wellbeing of a community, is as follows. The temperature was above the average of past years; the rainfall in the northern half of the country was also above the average, while over the southern half it was somewhat the reverse. The hours of sunshine were under the average of past years, and particularly so during the summer months. The winds which prevailed were from the east and west; while those from the northern and southern points of the compass were under the average.

TABLE I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the Years 1855 to 1890, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

| YEARS | Estimated Population. | BIRTHS. | | Deaths. | Marriages. | Excess of Births over Deaths. | Percentage to Population. | | | Percent. of Illegit. to Total Births. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Total. | Illegit. | | | | Births. | Deaths. | Marriages. | |
| 1855 | 2,978,065 | 93,349 | 7,357 | 62,004 | 19,680 | 31,345 | 3·1491 | 2·0820 | 0·6608 | 7·8 |
| 1856 | 2,995,771 | 101,821 | 8,695 | 58,529 | 20,740 | 43,292 | 3·3988 | 1·9537 | 0·6923 | 8·5 |
| 1857 | 3,012,310 | 103,415 | 8,869 | 61,906 | 21,369 | 41,509 | 3·4331 | 2·0551 | 0·7094 | 8·5 |
| 1858 | 3,027,665 | 104,018 | 9,354 | 63,539 | 19,655 | 40,479 | 3·4356 | 2·0986 | 0·6492 | 8·9 |
| 1859 | 3,041,812 | 106,543 | 9,715 | 61,714 | 21,201 | 44,829 | 3·5026 | 2·0288 | 0·6969 | 9·1 |
| 1860 | 3,054,738 | 105,629 | 9,736 | 68,170 | 21,225 | 37,359 | 3·5578 | 2·2316 | 0·6948 | 9·2 |
| 1861 | 3,069,404 | 107,009 | 9,929 | 62,341 | 20,896 | 44,668 | 3·4863 | 2·0310 | 0·6808 | 9·2 |
| 1862 | 3,097,009 | 107,069 | 10,376 | 67,195 | 20,597 | 39,874 | 3·4572 | 2·1697 | 0·6651 | 9·7 |
| 1863 | 3,126,879 | 109,341 | 10,948 | 71,481 | 22,234 | 37,860 | 3·4968 | 2·2860 | 0·7160 | 10·0 |
| 1864 | 3,156,021 | 112,333 | 11,197 | 74,416 | 22,725 | 37,917 | 3·5594 | 2·3579 | 0·7200 | 9·9 |
| 1865 | 3,185,437 | 113,070 | 11,262 | 70,891 | 23,611 | 42,179 | 3·5496 | 2·2255 | 0·7412 | 9·9 |
| 1866 | 3,215,129 | 113,667 | 11,673 | 71,348 | 23,688 | 42,319 | 3·5354 | 2·2191 | 0·7367 | 10·2 |
| 1867 | 3,245,098 | 114,044 | 11,148 | 69,067 | 22,618 | 44,976 | 3·5063 | 2·1284 | 0·6970 | 9·7 |
| 1868 | 3,275,350 | 115,514 | 11,354 | 69,416 | 21,855 | 46,098 | 3·5267 | 2·1193 | 0·6673 | 9·8 |
| 1869 | 3,305,885 | 113,354 | 11,066 | 75,875 | 22,144 | 37,479 | 3·4288 | 2·2951 | 0·6698 | 9·7 |
| 1870 | 3,336,707 | 115,390 | 11,108 | 74,165 | 23,854 | 41,225 | 3·4582 | 2·2227 | 0·7149 | 9·6 |
| 1871 | 3,368,921 | 116,128 | 11,077 | 74,712 | 24,019 | 41,416 | 3·4470 | 2·2177 | 0·7130 | 9·5 |
| 1872 | 3,404,798 | 118,765 | 10,927 | 75,794 | 25,641 | 42,971 | 3·4882 | 2·2261 | 0·7531 | 9·2 |
| 1873 | 3,441,056 | 119,700 | 10,925 | 76,946 | 26,748 | 42,754 | 3·4786 | 2·2361 | 0·7773 | 9·1 |
| 1874 | 3,477,704 | 123,711 | 10,991 | 80,720 | 26,390 | 42,991 | 3·5573 | 2·3211 | 0·7588 | 8·9 |
| 1875 | 3,514,744 | 123,578 | 10,786 | 81,767 | 25,974 | 41,811 | 3·5160 | 2·3264 | 0·7390 | 8·75 |
| 1876 | 3,552,183 | 126,534 | 11,029 | 74,129 | 26,579 | 52,405 | 3·5621 | 2·0869 | 0·7482 | 8·72 |
| 1877 | 3,590,022 | 126,822 | 10,568 | 73,937 | 25,817 | 52,885 | 3·5326 | 2·0595 | 0·7191 | 8·33 |
| 1878 | 3,628,268 | 126,773 | 10,641 | 76,793 | 24,358 | 49,980 | 3·4940 | 2·1165 | 0·6713 | 8·39 |
| 1879 | 3,665,443 | 125,730 | 10,727 | 73,347 | 23,519 | 52,383 | 3·4301 | 2·0010 | 0·6416 | 8·53 |
| 1880 | 3,705,995 | 124,570 | 10,589 | 75,803 | 24,505 | 48,767 | 3·3613 | 2·0454 | 0·6612 | 8·50 |
| 1881 | 3,742,564 | 126,171 | 10,484 | 72,325 | 26,004 | 53,846 | 3·3712 | 1·9325 | 0·6948 | 8·31 |
| 1882 | 3,770,657 | 126,158 | 10,546 | 72,989 | 26,596 | 53,169 | 3·3458 | 1·9357 | 0·7053 | 8·36 |
| 1883 | 3,798,961 | 124,458 | 10,114 | 76,891 | 26,869 | 47,567 | 3·2761 | 2·0240 | 0·7073 | 8·13 |
| 1884 | 3,827,478 | 129,157 | 10,439 | 75,168 | 26,106 | 53,989 | 3·3745 | 1·9639 | 0·6821 | 8·12 |
| 1885 | 3,856,307 | 126,100 | 10,680 | 74,607 | 25,304 | 51,493 | 3·2700 | 1·9347 | 0·6562 | 8·47 |
| 1886 | 3,885,155 | 127,927 | 10,503 | 73,622 | 24,469 | 54,305 | 3·2927 | 1·8950 | 0·6298 | 8·21 |
| 1887 | 3,914,318 | 124,375 | 10,365 | 74,500 | 24,851 | 49,875 | 3·1774 | 1·9033 | 0·6349 | 8·33 |
| 1888 | 3,943,701 | 123,269 | 9,968 | 71,174 | 25,305 | 52,095 | 3·1257 | 1·8048 | 0·6417 | 8·09 |
| 1889 | 3,973,305 | 122,783 | 9,770 | 73,238 | 26,344 | 49,545 | 3·0902 | 1·8433 | 0·6630 | 7·96 |
| 1890 | 4,003,132 | 121,526 | 9,241 | 79,004 | 27,469 | 42,522 | 3·0358 | 1·9736 | 0·6862 | 7·60 |

# POPULATION.

The population of Scotland at the middle of the present year 1890, as

TABLE II.—Population of Scotland, in its Five Groups of Districts, by the Censuses of 1881 and 1891, and estimated to the middle of 1890.

| FIVE GROUPS OF DISTRICTS. | CENSUS 1881. | | | CENSUS 1891. | | | Estimated to 30th June 1890. | | |
|---|---|---|---|---|---|---|---|---|---|
| | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. |
| Principal Town | 669,189 | 740,071 | 1,409,260 | 756,698 | 833,612 | 1,590,310 | 750,866 | 827,197 | 1,578,063 |
| Large Town | 196,370 | 207,932 | 404,302 | 228,678 | 239,194 | 467,872 | 225,781 | 236,420 | 462,201 |
| Small Town | 377,834 | 406,820 | 784,654 | 405,239 | 435,100 | 840,339 | 402,562 | 432,427 | 834,989 |
| Mainland-Rural | 494,903 | 512,066 | 1,006,969 | 493,346 | 507,828 | 1,001,174 | 493,462 | 508,145 | 1,001,607 |
| Insular-Rural | 61,179 | 69,209 | 130,388 | 58,756 | 67,196 | 125,952 | 58,918 | 67,354 | 126,272 |
| SCOTLAND | 1,799,475 | 1,936,098 | 3,735,573 | 1,942,717 | 2,082,930 | 4,025,647 | 1,931,589 | 2,071,543 | 4,003,132 |

TABLE III.—Births, Deaths, and Marriages in the Five Groups of Districts in Scotland, 1855–1890.

| YEARS. | PRINCIPAL TOWN. | | | LARGE TOWN. | | | SMALL TOWN. | | | MAINLAND-RURAL. | | | INSULAR-RURAL. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Births. | Deaths | Marriages. | Births. | Deaths. | Marriages. | Births. | Deaths | Marriages. | Births. | Deaths | Marriages. | Births. | Deaths | Marriages. |
| 1855 | 28113 | 22706 | 6937 | 8374 | 8954 | 1980 | 16042 | 10015 | 3371 | 37994 | 21656 | 6829 | 2826 | 1673 | 563 |
| 1856 | 31719 | 22254 | 7507 | 9221 | 5374 | 1975 | 17289 | 19542 | 3428 | 39649 | 19462 | 7106 | 3943 | 1897 | 724 |
| 1857 | 32674 | 23363 | 7476 | 9387 | 5860 | 2113 | 17848 | 10009 | 3442 | 39466 | 20706 | 7483 | 4040 | 1968 | 855 |
| 1858 | 32563 | 23445 | 6865 | 9282 | 6163 | 1824 | 17678 | 10076 | 3133 | 40307 | 21789 | 7044 | 4188 | 2066 | 789 |
| 1859 | 33027 | 22352 | 7554 | 9545 | 5775 | 1918 | 18533 | 10045 | 3643 | 41210 | 21090 | 7222 | 4228 | 2452 | 864 |
| 1860 | 32958 | 26066 | 7688 | 9223 | 6042 | 1983 | 18239 | 11070 | 3443 | 41043 | 22593 | 7408 | 4166 | 2399 | 703 |
| 1861 | 34351 | 23149 | 7753 | 9695 | 5831 | 1940 | 18453 | 10366 | 3365 | 40432 | 20820 | 7032 | 4078 | 2175 | 806 |
| 1862 | 34436 | 24960 | 7724 | 9618 | 6566 | 1837 | 18376 | 10933 | 3289 | 40621 | 22108 | 6998 | 4018 | 2628 | 749 |
| 1863 | 35888 | 27045 | 8544 | 9895 | 6780 | 2086 | 18707 | 11542 | 3521 | 40975 | 23509 | 7416 | 3876 | 2605 | 667 |
| 1864 | 37058 | 28845 | 8897 | 10263 | 7132 | 2234 | 19389 | 12294 | 3750 | 41704 | 23805 | 7178 | 3919 | 2341 | 666 |
| 1865 | 38109 | 28515 | 9347 | 10594 | 6896 | 2304 | 19283 | 11256 | 3775 | 40449 | 22080 | 7512 | 4635 | 2144 | 669 |
| 1866 | 38541 | 27466 | 9458 | 10453 | 6906 | 2279 | 19326 | 11809 | 3839 | 41485 | 22905 | 7430 | 3862 | 2262 | 682 |
| 1867 | 39012 | 26519 | 8870 | 10651 | 6776 | 2156 | 19178 | 11557 | 3607 | 41339 | 21986 | 7271 | 3864 | 2230 | 714 |
| 1868 | 39492 | 28037 | 8589 | 10733 | 6684 | 2101 | 19563 | 11392 | 3469 | 41840 | 21164 | 7090 | 3886 | 2139 | 606 |
| 1869 | 39517 | 31467 | 9156 | 10618 | 7486 | 2201 | 18895 | 11901 | 3398 | 40640 | 22616 | 6806 | 3684 | 2405 | 583 |
| 1870 | 40452 | 28508 | 9733 | 10999 | 7712 | 2369 | 18958 | 12097 | 3762 | 41378 | 23654 | 7383 | 3603 | 2194 | 607 |
| 1871 | 40442 | 31426 | 9819 | 12599 | 8071 | 2656 | 26507 | 16200 | 5081 | 32825 | 17180 | 5863 | 3755 | 1835 | 600 |
| 1872 | 41673 | 30199 | 10427 | 13318 | 8940 | 2967 | 28059 | 16478 | 5545 | 32157 | 18093 | 6063 | 3558 | 2084 | 639 |
| 1873 | 41500 | 30008 | 10594 | 14033 | 9306 | 3140 | 28841 | 17357 | 6130 | 31963 | 18098 | 6291 | 3363 | 2177 | 593 |
| 1874 | 42631 | 32124 | 10574 | 15189 | 10026 | 3051 | 29557 | 17560 | 5695 | 32877 | 18816 | 6443 | 3457 | 2194 | 627 |
| 1875 | 43621 | 30983 | 10670 | 14638 | 9802 | 2995 | 28926 | 18285 | 5594 | 33104 | 20303 | 6160 | 3289 | 2394 | 555 |
| 1876 | 44265 | 27977 | 10722 | 15439 | 9024 | 3116 | 29601 | 16826 | 5773 | 33802 | 18192 | 6351 | 3427 | 2110 | 617 |
| 1877 | 44575 | 28227 | 10706 | 15863 | 9057 | 2938 | 29510 | 16060 | 5434 | 33596 | 18475 | 6207 | 3278 | 2118 | 532 |
| 1878 | 44329 | 29425 | 9727 | 16228 | 10188 | 2942 | 29499 | 17005 | 5150 | 33422 | 18212 | 5938 | 3295 | 1963 | 601 |
| 1879 | 42613 | 27144 | 9490 | 15896 | 9433 | 2781 | 30048 | 16562 | 5096 | 32886 | 18039 | 5569 | 3287 | 2169 | 583 |
| 1880 | 42903 | 28873 | 9763 | 15734 | 9840 | 3091 | 29843 | 17482 | 5562 | 32790 | 17557 | 5554 | 3300 | 2051 | 535 |
| 1881 | 51157 | 32140 | 12157 | 14026 | 7704 | 2985 | 27072 | 14746 | 5017 | 30643 | 15712 | 5338 | 3273 | 2023 | 507 |
| 1882 | 52296 | 32697 | 12547 | 14236 | 8054 | 2909 | 26713 | 14785 | 5067 | 29710 | 15436 | 5525 | 3203 | 2017 | 548 |
| 1883 | 52154 | 35306 | 13114 | 13899 | 8217 | 2878 | 26152 | 15169 | 5111 | 29112 | 16087 | 5241 | 3141 | 2112 | 525 |
| 1884 | 54156 | 34025 | 12242 | 14549 | 8248 | 2877 | 27497 | 14917 | 5166 | 29740 | 16024 | 5232 | 3215 | 1954 | 589 |
| 1885 | 52058 | 32727 | 11618 | 14262 | 8103 | 2909 | 27094 | 15412 | 5033 | 29477 | 16287 | 5214 | 3209 | 2078 | 530 |
| 1886 | 52324 | 32236 | 11574 | 15178 | 8436 | 2750 | 27555 | 15116 | 4792 | 29569 | 15860 | 4922 | 3264 | 1992 | 477 |
| 1887 | 50849 | 32676 | 11767 | 15018 | 8911 | 2841 | 26219 | 15144 | 4838 | 29176 | 15801 | 4988 | 3156 | 2014 | 442 |
| 1888 | 50571 | 30505 | 12328 | 14992 | 8400 | 2958 | 26346 | 14284 | 4847 | 28293 | 15927 | 4755 | 3067 | 2058 | 422 |
| 1889 | 51028 | 32436 | 12903 | 14974 | 8462 | 3200 | 25989 | 14613 | 5018 | 27786 | 15863 | 4773 | 3006 | 1864 | 450 |
| 1890 | 50861 | 35262 | 13312 | 15233 | 9431 | 3367 | 25640 | 15657 | 5270 | 26978 | 16678 | 5103 | 2814 | 1976 | 417 |

Principal Towns above 25000 inhabitants. Large Towns above 10000 and under 25000 inhabitants. The Small Towns from 3000 to 10000 inhabitants from 1855 to 1881—but from 1881 and upwards the Small Towns have from 2000 to 10000 of population.

estimated from the number of the inhabitants enumerated at the Census of 1881 and of 1891, amounts to a total of 4,003,132, the males 1,931,589, and the females 2,071,543.

This population is distributed as follows, the whole country being divided into five great Registration Districts. In the Principal Town Districts there is a total of 1,578,063, the males numbering 750,866, and the females 827,197; the Large Town Districts have a gross population of 462,201, the males 225,781, and the females 236,420; in the Small Town Districts both sexes together amount to 834,989, the males 402,562, the females 432,427; the inhabitants of the Mainland-Rural Districts number 1,001,607, the males being 493,462, and the females 508,145; the Insular-Rural Districts having a total of 126,272, males 58,918, females 67,354.

## BIRTHS.

The total Births registered throughout Scotland during 1890 amount to 121,526, a smaller number than for 1889 by 1257, and forming a birth-rate of 3·04 per cent. or 304 births in every ten thousand of the estimated

TABLE IV.—Percentage of Births, Deaths, and Marriages in the Five Groups of Districts of Scotland, to the Population during each of the Years 1855–1890.

| YEARS. | Principal Town. | | | Large Town. | | | Small Town. | | | Mainland-Rural. | | | Insular-Rural. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Births. | Deaths. | Marriages. | Births. | Deaths. | Marriages. | Births. | Deaths. | Marriages. | Births. | Deaths. | Marriages. | Births. | Deaths. | Marriages. |
| 1855 | 3·397 | 2·747 | 0·838 | 3·525 | 2·506 | 0·833 | 3·324 | 2·075 | 0·698 | 2·955 | 1·684 | 0·531 | 2·192 | 1·298 | 0·437 |
| 1856 | 3·787 | 2·657 | 0·896 | 3·835 | 2·235 | 0·821 | 3·554 | 1·962 | 0·705 | 3·080 | 1·512 | 0·552 | 3·078 | 1·481 | 0·565 |
| 1857 | 3·855 | 2·757 | 0·882 | 3·858 | 2·409 | 0·868 | 3·641 | 2·042 | 0·702 | 3·062 | 1·606 | 0·580 | 3·173 | 1·546 | 0·672 |
| 1858 | 3·797 | 2·734 | 0·801 | 3·717 | 2·504 | 0·741 | 3·579 | 2·040 | 0·634 | 3·052 | 1·689 | 0·546 | 3·310 | 1·633 | 0·623 |
| 1859 | 3·807 | 2·577 | 0·871 | 3·833 | 2·319 | 0·770 | 3·724 | 2·018 | 0·732 | 3·190 | 1·632 | 0·559 | 3·362 | 1·950 | 0·688 |
| 1860 | 3·756 | 2·971 | 0·876 | 3·662 | 2·398 | 0·787 | 3·637 | 2·207 | 0·686 | 3·173 | 1·747 | 0·573 | 3·334 | 1·920 | 0·563 |
| 1861 | 3·863 | 2·603 | 0·872 | 3·797 | 2·284 | 0·760 | 3·663 | 2·058 | 0·668 | 3·121 | 1·607 | 0·543 | 3·282 | 2·115 | 0·603 |
| 1862 | 3·809 | 2·761 | 0·854 | 3·701 | 2·521 | 0·705 | 3·621 | 2·155 | 0·648 | 3·122 | 1·703 | 0·539 | 3·177 | 2·126 | 0·606 |
| 1863 | 3·887 | 2·929 | 0·925 | 3·724 | 2·552 | 0·767 | 3·631 | 2·240 | 0·683 | 3·150 | 1·807 | 0·569 | 3·153 | 2·119 | 0·543 |
| 1864 | 3·939 | 3·073 | 0·946 | 3·699 | 2·631 | 0·824 | 3·751 | 2·378 | 0·725 | 3·199 | 1·826 | 0·550 | 3·205 | 1·914 | 0·545 |
| 1865 | 3·975 | 2·906 | 0·975 | 3·831 | 2·493 | 0·833 | 3·718 | 2·170 | 0·728 | 3·096 | 1·690 | 0·562 | 3·810 | 1·762 | 0·550 |
| 1866 | 3·945 | 2·811 | 0·968 | 3·705 | 2·448 | 0·808 | 3·699 | 2·260 | 0·735 | 3·169 | 1·750 | 0·567 | 3·191 | 1·869 | 0·563 |
| 1867 | 3·958 | 2·691 | 0·900 | 3·701 | 2·354 | 0·749 | 3·645 | 2·196 | 0·685 | 3·151 | 1·675 | 0·554 | 3·210 | 1·852 | 0·593 |
| 1868 | 3·893 | 2·763 | 0·866 | 3·656 | 2·276 | 0·716 | 3·690 | 2·149 | 0·654 | 3·182 | 1·610 | 0·539 | 3·245 | 1·786 | 0·487 |
| 1869 | 3·822 | 3·044 | 0·886 | 3·545 | 2·499 | 0·735 | 3·539 | 2·229 | 0·636 | 3·085 | 1·717 | 0·517 | 3·092 | 2·019 | 0·478 |
| 1870 | 3·836 | 2·763 | 0·923 | 3·559 | 2·524 | 0·775 | 3·525 | 2·249 | 0·699 | 3·134 | 1·791 | 0·559 | 3·040 | 1·851 | 0·512 |
| 1871 | 3·739 | 2·906 | 0·907 | 3·821 | 2·448 | 0·806 | 3·432 | 2·097 | 0·658 | 3·117 | 1·632 | 0·557 | 2·846 | 1·891 | 0·455 |
| 1872 | 3·811 | 2·762 | 0·954 | 3·913 | 2·627 | 0·872 | 3·587 | 2·107 | 0·709 | 3·046 | 1·714 | 0·574 | 2·700 | 1·581 | 0·485 |
| 1873 | 3·754 | 2·715 | 0·958 | 3·994 | 2·649 | 0·894 | 3·641 | 2·191 | 0·774 | 3·020 | 1·710 | 0·594 | 2·555 | 1·654 | 0·450 |
| 1874 | 3·815 | 2·874 | 0·946 | 4·188 | 2·764 | 0·841 | 3·685 | 2·189 | 0·710 | 3·099 | 1·773 | 0·607 | 2·629 | 1·669 | 0·477 |
| 1875 | 3·861 | 2·742 | 0·944 | 3·910 | 2·618 | 0·800 | 3·561 | 2·251 | 0·689 | 3·112 | 1·909 | 0·579 | 2·505 | 1·823 | 0·423 |
| 1876 | 3·875 | 2·449 | 0·939 | 3·995 | 2·335 | 0·806 | 3·599 | 2·046 | 0·702 | 3·169 | 1·706 | 0·596 | 2·613 | 1·609 | 0·470 |
| 1877 | 3·860 | 2·444 | 0·927 | 3·976 | 2·270 | 0·736 | 3·543 | 1·928 | 0·652 | 3·142 | 1·728 | 0·581 | 2·503 | 1·617 | 0·406 |
| 1878 | 3·797 | 2·520 | 0·833 | 3·941 | 2·474 | 0·714 | 3·497 | 2·016 | 0·611 | 3·118 | 1·699 | 0·554 | 2·519 | 1·480 | 0·459 |
| 1879 | 3·694 | 2·299 | 0·804 | 3·738 | 2·218 | 0·654 | 3·517 | 1·939 | 0·596 | 3·060 | 1·678 | 0·518 | 2·516 | 1·660 | 0·446 |
| 1880 | 3·596 | 2·420 | 0·818 | 3·581 | 2·239 | 0·703 | 3·448 | 2·020 | 0·643 | 3·043 | 1·629 | 0·515 | 2·529 | 1·572 | 0·410 |
| 1881 | 3·613 | 2·270 | 0·859 | 3·477 | 1·910 | 0·740 | 3·451 | 1·876 | 0·638 | 3·043 | 1·560 | 0·530 | 2·512 | 1·553 | 0·389 |
| 1882 | 3·649 | 2·282 | 0·876 | 3·477 | 1·967 | 0·711 | 3·375 | 1·868 | 0·640 | 2·950 | 1·533 | 0·549 | 2·467 | 1·554 | 0·422 |
| 1883 | 3·596 | 2·434 | 0·904 | 3·345 | 1·978 | 0·693 | 3·281 | 1·904 | 0·641 | 2·890 | 1·597 | 0·520 | 2·428 | 1·632 | 0·406 |
| 1884 | 3·689 | 2·318 | 0·834 | 3·450 | 1·956 | 0·682 | 3·427 | 1·859 | 0·644 | 2·952 | 1·590 | 0·519 | 2·494 | 1·516 | 0·457 |
| 1885 | 3·504 | 2·203 | 0·782 | 3·332 | 1·893 | 0·680 | 3·354 | 1·908 | 0·623 | 2·925 | 1·616 | 0·517 | 2·498 | 1·617 | 0·413 |
| 1886 | 3·479 | 2·144 | 0·770 | 3·494 | 1·942 | 0·633 | 3·388 | 1·858 | 0·589 | 2·934 | 1·574 | 0·488 | 2·549 | 1·556 | 0·373 |
| 1887 | 3·341 | 2·147 | 0·773 | 3·406 | 2·021 | 0·644 | 3·201 | 1·849 | 0·591 | 2·895 | 1·568 | 0·495 | 2·473 | 1·578 | 0·346 |
| 1888 | 3·283 | 1·980 | 0·800 | 3·350 | 1·877 | 0·661 | 3·195 | 1·732 | 0·588 | 2·807 | 1·580 | 0·472 | 2·412 | 1·619 | 0·332 |
| 1889 | 3·272 | 2·080 | 0·827 | 3·296 | 1·863 | 0·704 | 3·129 | 1·759 | 0·604 | 2·756 | 1·573 | 0·473 | 2·372 | 1·471 | 0·355 |
| 1890 | 3·223 | 2·235 | 0·844 | 3·296 | 2·040 | 0·728 | 3·071 | 1·875 | 0·631 | 2·693 | 1·665 | 0·509 | 2·229 | 1·565 | 0·330 |

population, the lowest rate which has been given in these Reports since 1855, the year they were first issued.

The mean birth-rate for the last ten years, 1880 to 1889, is 3·27 per cent. or 327 per ten thousand population.

The male births for the present year number 62,187, the female 59,339, giving a preponderance to the former of 2848.

---

TABLE V*a*.—Number of Births, Deaths, and Marriages in the Principal Towns of Scotland during 1890, and their Proportion to the Estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

| Towns. | Estimated Population, 1890. | Births. | | Illegitimate Births. | | Deaths. | | Marriages. | |
|---|---|---|---|---|---|---|---|---|---|
| | | Births. | Per cent. to Pop. | Illegit. Births. | Per cent. to Total Births. | Deaths. | Per cent. to Pop. | Marriages. | Per cent. to Pop. |
| Glasgow | 561,561 | 19,279 | 3·433 | 1,460 | 7·6 | 13,374 | 2·382 | 5,420 | 0·965 |
| Edinburgh | 259,110 | 7,177 | 2·770 | 602 | 8·4 | 5,423 | 2·093 | 2,150 | 0·830 |
| Dundee | 154,642 | 4,774 | 3·087 | 488 | 10·2 | 3,688 | 2·385 | 1,213 | 0·784 |
| Aberdeen | 120,546 | 3,715 | 3·082 | 394 | 10·6 | 2,603 | 2·159 | 953 | 0·791 |
| Leith | 69,162 | 2,325 | 3·362 | 139 | 6·0 | 1,517 | 2·193 | 526 | 0·761 |
| Greenock | 66,175 | 2,302 | 3·478 | 110 | 4·7 | 1,419 | 2·144 | 488 | 0·737 |
| Paisley | 65,548 | 2,172 | 3·314 | 120 | 5·5 | 1,355 | 2·067 | 565 | 0·862 |
| Perth | 30,691 | 778 | 2·535 | 68 | 8·7 | 681 | 2·219 | 242 | 0·788 |
| Kilmarnock | 27,804 | 875 | 3·147 | 42 | 4·8 | 619 | 2·226 | 243 | 0·874 |
| Glasgow Landward &Suburban | 222,824 | 7,464 | 3·350 | 323 | 4·3 | 4,583 | 2·057 | 1,512 | 0·679 |

OCCASIONAL TABLE V*b*.—Showing the state of Illegitimacy in all Scotland, in the Five Groups of Registration Districts, in the Principal Towns, and in two Counties, in 1890.

| Localities. | Estimated Number of Unmarried Women and of Widows living between the ages of 15 and 45 at middle of 1890. | Number of Illegitimate Children born during 1890. | Percentage of Illegitimate Children to the Unmarried and Widowed Women aged 15–45. | Percentage of Illegitimate to Total Births. |
|---|---|---|---|---|
| Scotland | 525,926 | 9,241 | 1·76 | 7·60 |
| Principal Town Districts | 221,371 | 3,746 | 1·69 | 7·4 |
| Large Town Districts | 57,265 | 906 | 1·58 | 5·9 |
| Small Town Districts | 105,637 | 1,848 | 1·75 | 7·2 |
| Mainland-Rural Districts | 123,319 | 2,594 | 2·10 | 9·6 |
| Insular-Rural Districts | 18,334 | 147 | 0·80 | 5·2 |
| Glasgow | 73,264 | 1,460 | 1·99 | 7·6 |
| Edinburgh | 43,460 | 602 | 1·39 | 8·4 |
| Dundee | 25,732 | 488 | 1·90 | 10·2 |
| Aberdeen | 17,374 | 394 | 2·27 | 10·6 |
| Leith | 7,331 | 139 | 1·90 | 6·0 |
| Greenock | 6,849 | 110 | 1·61 | 4·7 |
| Paisley | 10,037 | 120 | 1·20 | 5·5 |
| Perth | 4,528 | 68 | 1·50 | 8·7 |
| Kilmarnock | 3,299 | 42 | 1·27 | 4·8 |
| Glasgow Landward and Suburban | 29,497 | 323 | 1·10 | 4·3 |
| County Banff | 7,748 | 273 | 3·52 | 14·9 |
| County Wigtown | 5,062 | 154 | 3·04 | 15·9 |

The births are in excess of the deaths during the year by 42,522.

The number of illegitimate births registered is 9241, equal to 7·60 per cent. of the total natal events, a lower proportion than for any previous year. The male illegitimates are 4715, the female 4526.

The births are registered as follows in the five Registration Districts:

TABLE VI.—Number of Births, Deaths, and Marriages in 1890, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

| Divisions and Counties. | Population Estimated to middle of Year 1890. | Total Births. | | Births. Illegit. | | Deaths. | | Marriages. | |
|---|---|---|---|---|---|---|---|---|---|
| | | No. | Per cent to Pop. | No. | Per cent to Births | No. | Per cent to Pop. | No. | Per cent to Pop. |
| SCOTLAND | 4,003,132 | 121526 | 3·0248 | 9241 | 7·60 | 79004 | 1·9736 | 27469 | 0·6862 |
| 1. Principal Town Dists. | 1,578,063 | 50861 | 3·2230 | 3746 | 7·36 | 35262 | 2·2345 | 13312 | 0·8436 |
| 2. Large Town Districts | 462,201 | 15233 | 3·2957 | 906 | 5·94 | 9431 | 2·0404 | 3367 | 0·7285 |
| 3. Small Town Districts | 834,989 | 25640 | 3·0707 | 1848 | 7·21 | 15657 | 1·8751 | 5270 | 0·6311 |
| 4. Mainland-Rural Dists. | 1,001,607 | 26978 | 2·6935 | 2594 | 9·62 | 16678 | 1·6651 | 5103 | 0·5095 |
| 5. Insular Rural Dists. | 126,272 | 2814 | 2·2285 | 147 | 5·22 | 1976 | 1·5649 | 417 | 0·3302 |
| **Divisions.** | | | | | | | | | |
| I. Northern | 118,659 | 2645 | 2·2291 | 193 | 7·30 | 2090 | 1·7613 | 503 | 0·4239 |
| II. North-Western | 163,585 | 3926 | 2·3941 | 238 | 6·06 | 2727 | 1·6665 | 649 | 0·3955 |
| III. North-Eastern | 432,411 | 12770 | 2·9532 | 1684 | 13·19 | 7776 | 1·7983 | 2490 | 0·5758 |
| IV. East-Midland | 627,071 | 17167 | 2·7376 | 1383 | 8·06 | 12418 | 1·9803 | 4014 | 0·6401 |
| V. West Midland | 312,406 | 9045 | 2·8953 | 521 | 5·76 | 5999 | 1·9202 | 1720 | 0·5506 |
| VI. South-Western | 1,549,836 | 53810 | 3·4341 | 3230 | 6·07 | 32628 | 2·1050 | 12669 | 0·8171 |
| VII. South-Eastern | 595,514 | 17443 | 2·9291 | 1288 | 7·38 | 11629 | 1·9526 | 4291 | 0·7205 |
| VIII. Southern | 203,718 | 5320 | 2·6114 | 704 | 13·23 | 3741 | 1·8364 | 1133 | 0·5562 |
| **Counties.** | | | | | | | | | |
| 1 Shetland | 28,784 | 605 | 2·1019 | 18 | 2·97 | 477 | 1·6572 | 130 | 0·4516 |
| 2 Orkney | 30,570 | 625 | 2·0445 | 31 | 4·96 | 502 | 1·6421 | 126 | 0·4122 |
| 3 Caithness | 38,202 | 970 | 2·5391 | 113 | 11·65 | 733 | 1·9187 | 163 | 0·4267 |
| 4 Sutherland | 21,103 | 445 | 2·1087 | 31 | 6·97 | 378 | 1·7912 | 84 | 0·3980 |
| 5 Ross and Cromarty | 78,702 | 1893 | 2·4053 | 87 | 4·60 | 1299 | 1·6505 | 303 | 0·3850 |
| 6 Inverness | 85,285 | 2033 | 2·3838 | 151 | 7·43 | 1424 | 1·6697 | 346 | 0·4057 |
| 7 Nairn | 8,575 | 205 | 2·3907 | 21 | 10·24 | 142 | 1·6560 | 42 | 0·4898 |
| 8 Elgin (or Moray) | 44,851 | 1237 | 2·7580 | 157 | 12·69 | 816 | 1·8238 | 233 | 0·5195 |
| 9 Banff | 61,102 | 1837 | 3·0064 | 273 | 14·86 | 1059 | 1·7290 | 318 | 0·5204 |
| 10 Aberdeen | 280,977 | 8436 | 3·0024 | 1095 | 12·98 | 5205 | 1·8523 | 1743 | 0·6203 |
| 11 Kincardine | 36,906 | 1055 | 2·8586 | 138 | 13·08 | 556 | 1·5065 | 154 | 0·4173 |
| 12 Forfar | 279,268 | 7990 | 2·8610 | 769 | 9·62 | 5997 | 2·1474 | 1921 | 0·6879 |
| 13 Perth | 128,095 | 2876 | 2·2452 | 266 | 9·25 | 2361 | 1·8431 | 699 | 0·5457 |
| 14 Fife | 186,430 | 5341 | 2·8665 | 295 | 5·52 | 3480 | 1·8666 | 1153 | 0·6185 |
| 15 Kinross | 6,769 | 173 | 2·5558 | 13 | 7·51 | 124 | 1·8319 | 57 | 0·8421 |
| 16 Clackmannan | 26,509 | 784 | 2·9575 | 40 | 5·10 | 456 | 1·7202 | 154 | 0·5809 |
| 17 Stirling | 118,213 | 3790 | 3·2061 | 239 | 6·31 | 2386 | 2·0184 | 770 | 0·6514 |
| 18 Dumbarton | 96,406 | 3065 | 3·1793 | 138 | 4·50 | 1883 | 1·9532 | 583 | 0·6047 |
| 19 Argyll | 79,450 | 1803 | 2·2693 | 120 | 6·66 | 1360 | 1·7118 | 282 | 0·3549 |
| 20 Bute | 18,337 | 387 | 2·1105 | 24 | 6·20 | 370 | 2·0178 | 85 | 0·4635 |
| 21 Renfrew | 243,666 | 7842 | 3·2182 | 398 | 5·08 | 4861 | 1·9949 | 1778 | 0·7297 |
| 22 Ayr | 225,772 | 7299 | 3·2329 | 513 | 7·03 | 4241 | 1·8784 | 1679 | 0·7439 |
| 23 Lanark | 1,079,898 | 38069 | 3·5252 | 2319 | 6·09 | 23526 | 2·1785 | 9221 | 0·8539 |
| 24 Linlithgow | 52,673 | 2058 | 3·9071 | 143 | 6·95 | 951 | 1·8055 | 399 | 0·7575 |
| 25 Edinburgh | 430,247 | 12571 | 2·9218 | 933 | 7·42 | 8908 | 2·0704 | 3266 | 0·7591 |
| 26 Haddington | 37,579 | 968 | 2·5759 | 70 | 7·23 | 623 | 1·6578 | 194 | 0·5162 |
| 27 Berwick | 32,527 | 787 | 2·4195 | 74 | 9·40 | 475 | 1·4603 | 178 | 0·5472 |
| 28 Peebles | 14,580 | 302 | 2·0713 | 17 | 5·63 | 198 | 1·3580 | 78 | 0·5350 |
| 29 Selkirk | 27,938 | 757 | 2·7096 | 51 | 6·74 | 474 | 1·6966 | 176 | 0·6300 |
| 30 Roxburgh | 52,931 | 1343 | 2·5373 | 138 | 10·27 | 876 | 1·6550 | 246 | 0·4647 |
| 31 Dumfries | 74,397 | 1962 | 2·6372 | 264 | 13·46 | 1469 | 1·9745 | 486 | 0·6532 |
| 32 Kirkcudbright | 40,323 | 1044 | 2·5891 | 148 | 14·18 | 729 | 1·8079 | 232 | 0·5753 |
| 33 Wigtown | 36,067 | 971 | 2·6922 | 154 | 15·86 | 667 | 1·8493 | 169 | 0·4685 |

in the Principal Town Districts the sexes conjoined amount to 50,861, of which 26,012 are males, and 24,849 females, together giving a birth-rate of 3·22 per cent., the mean for the last ten years 1880 to 1889 being 3·50 per cent. In the Large Town Districts the total births are 15,233—the males 7803, the females 7430, or at the rate of 3·30 per cent., the mean for the

TABLE VII.—Births in Scotland, 1855–1890; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year; and the Proportion of Mothers who had Multiple Births.

| YEARS. | TOTAL BIRTHS. | | LEGITIMATE BIRTHS. | | ILLEGIT. BIRTHS. | | TWIN BIRTHS. | TRIPLET BIRTHS. | Proportion of Males to every 100 Females in the | | | Proportion of Mothers who had Multiple Births. One in every |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | | | Total Births. | Legit. Births. | Illeg. Births. | |
| 1855 | 47804 | 45545 | 44044 | 41948 | 3760 | 3597 | ... | ... | 104·9 | 104·9 | 104·5 | ... |
| 1856 | 52239 | 49582 | 47761 | 45365 | 4478 | 4217 | 1267 | 12 | 105·3 | 105·2 | 106·1 | 77 |
| 1857 | 53158 | 50257 | 48632 | 45924 | 4526 | 4333 | 1300 | 16 | 105·7 | 105·8 | 104·4 | 76 |
| 1858 | 53694 | 50324 | 48743 | 45921 | 4951 | 4403 | 1262 | 17 | 106·6 | 106·1 | 110·2 | 79 |
| 1859 | 54628 | 51915 | 49539 | 47289 | 5089 | 4626 | 1335 | 11 | 105·2 | 104·7 | 110·0 | 77 |
| 1860 | 54409 | 51220 | 49370 | 46523 | 5039 | 4697 | 1247 | 23 | 106·2 | 106·1 | 107·3 | 80 |
| 1861 | 54606 | 52403 | 49438 | 47642 | 5168 | 4761 | 1249 | 18 | 104·2 | 103·7 | 108·5 | 82 |
| 1862 | 55257 | 51812 | 49886 | 46807 | 5371 | 5005 | 1279 | 18 | 106·6 | 106·5 | 107·3 | 80 |
| 1863 | 56226 | 53115 | 50559 | 47834 | 5667 | 5281 | 1267 | 6 | 105·8 | 105·7 | 107·3 | 84 |
| 1864 | 57374 | 54959 | 51644 | 49492 | 5730 | 5467 | 1332 | 12 | 104·4 | 104·3 | 104·8 | 82 |
| 1865 | 58220 | 54850 | 52441 | 49367 | 5779 | 5483 | 1364 | 9 | 106·1 | 106·2 | 105·4 | 81 |
| 1866 | 58360 | 55307 | 52386 | 49608 | 5974 | 5699 | 1366 | 12 | 105·5 | 105·6 | 104·8 | 81 |
| 1867 | 58517 | 55527 | 52751 | 50145 | 5766 | 5382 | 1365 | 13 | 105·4 | 105·1 | 107·1 | 82 |
| 1868 | 59222 | 56292 | 53375 | 50785 | 5847 | 5507 | 1443 | 15 | 105·2 | 105·1 | 106·1 | 78 |
| 1869 | 58321 | 55033 | 52711 | 49577 | 5610 | 5456 | 1407 | 15 | 105·9 | 106·3 | 102·8 | 78 |
| 1870 | 58959 | 56431 | 53254 | 51028 | 5705 | 5403 | 1384 | 9 | 104·4 | 104·3 | 105·6 | 81 |
| 1871 | 60029 | 56099 | 54220 | 50831 | 5809 | 5268 | 1299 | 17 | 107·0 | 106·7 | 110·3 | 87 |
| 1872 | 61293 | 57472 | 55641 | 52197 | 5652 | 5275 | 1383 | 11 | 106·6 | 106·6 | 107·1 | 85 |
| 1873 | 61467 | 58233 | 55925 | 52850 | 5542 | 5383 | 1410 | 15 | 105·5 | 105·6 | 103·0 | 84 |
| 1874 | 63602 | 60109 | 57960 | 54760 | 5642 | 5349 | 1512 | 13 | 105·8 | 105·8 | 105·5 | 81 |
| 1875 | 63432 | 60146 | 57886 | 54906 | 5546 | 5240 | 1477 | 9 | 105·5 | 105·4 | 105·8 | 83 |
| 1876 | 64819 | 61715 | 59113 | 56392 | 5706 | 5323 | 1463 | 20 | 105·0 | 104·8 | 107·2 | 85 |
| 1877 | 65089 | 61733 | 59657 | 56597 | 5432 | 5136 | 1429 | 12 | 105·4 | 105·4 | 105·8 | 77 |
| 1878 | 65200 | 61573 | 59716 | 56416 | 5484 | 5157 | 1367 | 12 | 105·9 | 105·8 | 106·3 | 91 |
| 1879 | 64346 | 61384 | 58796 | 56207 | 5550 | 5177 | 1452 | 20 | 104·8 | 104·6 | 107·2 | 84 |
| 1880 | 63786 | 60784 | 58239 | 55742 | 5547 | 5042 | 1438 | 8 | 104·9 | 104·4 | 110·0 | 85 |
| 1881 | 64720 | 61451 | 59472 | 56215 | 5248 | 5236 | 1418 | 13 | 105·3 | 105·8 | 100·2 | 87 |
| 1882 | 64505 | 61653 | 59109 | 56503 | 5396 | 5150 | 1415 | 7 | 104·6 | 104·6 | 104·8 | 88 |
| 1883 | 63879 | 60579 | 58637 | 55707 | 5242 | 4872 | 1370 | 18 | 105·4 | 105·3 | 107·6 | 89 |
| 1884 | 66379 | 62778 | 60958 | 57760 | 5421 | 5018 | 1457 | 19 | 105·7 | 105·5 | 108·0 | 86 |
| 1885 | 64543 | 61557 | 59123 | 56297 | 5420 | 5260 | 1423 | 14 | 104·9 | 105·0 | 103·0 | 87 |
| 1886 | 65910 | 61980 | 60489 | 56895 | 5421 | 5085 | 1331 | 10 | 106·3 | 106·3 | 106·6 | 94 |
| 1887 | 63842 | 60576 | 58500 | 55538 | 5342 | 5038 | 1335 | 18 | 105·4 | 105·3 | 106·0 | 91 |
| 1888 | 63129 | 60140 | 58048 | 55253 | 5081 | 4887 | 1380 | 12 | 105·0 | 105·1 | 104·0 | 88 |
| 1889 | 63303 | 59480 | 58230 | 54783 | 5073 | 4697 | 1423 | 10 | 106·4 | 106·3 | 108·0 | 85 |
| 1890 | 62187 | 59339 | 57472 | 54813 | 4715 | 4526 | 1421 | 13 | 104·8 | 104·8 | 104·2 | 83 |

TABLE VIII.—Births, 1890. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the number of Twin and Triplet Births.

| FIVE GROUPS OF DISTRICTS. | TOTAL BIRTHS. | | | Legitimate Births. | | | Illegitimate Births. | | | Twin Births. | Triplet Births. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | | |
| Principal Town | 26012 | 24849 | 50861 | 24107 | 23008 | 47115 | 1905 | 1841 | 3746 | 576 | 7 |
| Large Town | 7803 | 7430 | 15233 | 7348 | 6979 | 14327 | 455 | 451 | 906 | 166 | 1 |
| Small Town | 13127 | 12513 | 25640 | 12155 | 11637 | 23792 | 972 | 876 | 1848 | 322 | 2 |
| Mainland-Rural | 13791 | 13187 | 26978 | 12482 | 11902 | 24384 | 1309 | 1285 | 2594 | 329 | 3 |
| Insular-Rural | 1454 | 1360 | 2814 | 1380 | 1287 | 2667 | 74 | 73 | 147 | 28 | - |
| SCOTLAND . . | 62187 | 59339 | 121536 | 57472 | 54813 | 112285 | 4715 | 4526 | 9241 | 1421 | 13 |

last ten years being 3·18 per cent. The births in the Small Town Districts amount to 25,640—the males 13,127, the females 12,513, a rate of 3·07 per cent., the mean for the last ten years being 3·32 per cent. In the Mainland-Rural Districts the births are 26,978—the males 13,791, the females 13,187, giving a rate of 2·70 per cent., the mean for the last ten years being 2·92 per cent. In the Insular-Rural Districts they amount to a total of 2814—males 1454, females 1360, together giving a rate of 2·23 per cent., the mean for the last ten years being 2·46 per cent.

As to the illegitimate births alone, Tables VIII. and IX. indicate how they were registered in the above districts. In the Principal Town Districts they form 3746 of the total births which occurred therein, or 7·4 per cent. of the whole—the males numbering 1905, the females 1841. In the Large Town Districts they are 906 in all, equivalent to 5·9 per cent. of births in the same—males 455, females 451. In the Small Town Districts they amount to 1848, *i.e.*, 7·2 per cent. of the whole—males 972, females 876. In the Mainland-Rural Districts they are in all 2594, equal to 9·6 per cent. of the total births registered in the same—males 1309, females 1285. In the Insular-Rural Districts they are 147, or 5·2 per cent. of the total births—males 74, females 73. In other words, one child in every twelve born throughout Scotland during 1890 was illegitimate; in the Principal Town Districts the ratio was one in every thirteen and a half; in the Large Town Districts it was one in nearly every seventeen; in the Small Town Districts it was one in nearly every fourteen; in the Mainland-Rural Districts it was one in every ten; and in the Insular-Rural Districts one in every nineteen.

Information of a similar nature as to the Principal Towns is afforded in Tables V*a*. and V*b*. Thus in Aberdeen 10·6 per cent. of the births during 1890 were illegitimate; in Dundee the proportion was 10·2 per cent.; in Perth it was 8·7 per cent.; in Edinburgh it was 8·4 per cent.; in Glasgow it was 7·6 per cent.; in Leith it was 6·0 per cent.; in Paisley it was 5·5 per cent.; in Kilmarnock it was 4·8 per cent.; in Greenock it was 4·7 per cent.; in Glasgow Landward and Suburban, it was 4·3 per cent.

Table VI. enables a comparison being made as to the number and proportion of such births in the counties of Scotland, the latter varying from 2·97 per cent. in Shetland to 15·86 per cent. in Wigtown, Banff coming next with 14·86 per cent., followed by Kirkcudbright with

TABLE IX.—Proportion of Births in 1890. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportion of Mothers who bare Twins and Triplets in Scotland, and its Five Groups of Districts in 1890.

| FIVE GROUPS OF DISTRICTS. | Per-centage of Births to Population. | Per-centage of Illegit. to Total Births. | Proportion of Males to every 100 Females in the | | | Proportion of MOTHERS who bare TWINS. — One in every | Proportion of MOTHERS who bare TRIPLETS. — One in every |
|---|---|---|---|---|---|---|---|
| | | | Total Births. | Legitimate Births. | Illegit. Births. | | |
| Principal Town | 3·223 | 7·4 | 104·7 | 104·8 | 103·5 | 87·3 | 7182 |
| Large Town | 3·296 | 5·9 | 105·0 | 105·3 | 100·9 | 90·2 | 15065 |
| Small Town | 3·071 | 7·2 | 104·9 | 104·5 | 111·0 | 78·6 | 12657 |
| Mainland-Rural | 2·650 | 9·6 | 104·6 | 104·9 | 101·9 | 79·7 | 8735 |
| Insular-Rural | 2·229 | 5·2 | 106·9 | 107·2 | 101·4 | 99·5 | – |
| SCOTLAND . . . | 3·025 | 7·60 | 104·8 | 104·8 | 104·2 | 84·2 | 9203 |

14·18 per cent., Dumfries with 13·46 per cent., and Kincardine with 13·1 per cent. In twenty counties the ratio is under 8 per cent., the lowest occurring in Orkney with 4·96 per cent., in Ross and Cromarty with 4·60 per cent., in Dumbarton with 4·50 per cent., and in Shetland with 2·97 per cent.

Of the total 121,526 live births reported throughout Scotland during the year, 62,187 are male and 59,339 female children, which gives a proportion of 104·8 of the former to every 100 of the latter. The corresponding ratios among the legitimate births alone is just the same, 104·8, and among the illegitimate alone it is 104·2 males to every 100 females. This proportion does not vary much in the districts, the greatest difference being in the Insular-Rural, where for every 100 females born there were 106·9 males.

During the year 1421 mothers bore twins, and 13 bore triplets, so that of the total mothers who bore children one in every 84 bore two, and one in every 9203 bore three at a birth.

The largest proportion of the births in Scotland was registered during the month of May:—viz., 9·00 per cent. of the whole, followed by April with 8·67 per cent., January with 8·63 per cent., December with 8·61 per cent., July with 8·57 per cent., March with 8·50 per cent., June with 8·49 per cent., October with 8·30 per cent., August with 8·18 per cent., September with 8·17 per cent., February with 7·66 per cent., and November with 7·21 per cent. When the months are equalized to a similar length of 31 days, 8·92 per cent. of the births were reported during April, 8·82 per cent. during May, 8·60 per cent. during June, 8·45 per cent. during January, 8·44 per cent. during December, 8·40 per cent. during July, 8·33 per cent. during March, 8·30 per cent. during February, 8·28 per cent. during September, 8·14 per cent. during October, 8·02 per cent. during August, and 7·30 per cent. during November.

The birth-rate for each ten thousand of population in the following European States is, for the year under review, 367 in Austria, 366 in Prussia, 359 in Italy, 357 in German Empire, 329 in the Netherlands, 306 in Denmark, 300 in Norway, 287 in Belgium, 266 in Switzerland, and 218 in France.

---

TABLE X.—Marriages, 1890. Number of Marriages contracted in Scotland and its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

| | Religious Denominations. | Number of Marriages. | | | | | | Proportion in every 100 Marriages. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Scotland. | Principal Town. | Large Town. | Small Town. | Mainland-Rural. | Insular-Rural. | Scotland. | Principal Town. | Large Town. | Small Town. | Mainland-Rural. | Insular-Rural. |
| Regular Marriages | Established Church . | 12408 | 4866 | 1548 | 2609 | 3203 | 182 | 45·17 | 36·55 | 45·98 | 49·51 | 62·77 | 43·65 |
| | Free Church . . . | 5347 | 2470 | 554 | 974 | 1178 | 171 | 19·47 | 18·56 | 16·45 | 18·48 | 23·08 | 41·01 |
| | United Presb. Church | 3097 | 1607 | 374 | 687 | 392 | 37 | 11·27 | 12·07 | 11·11 | 13·04 | 7·68 | 8·87 |
| | Roman Catholic Ch. . | 2791 | 1572 | 471 | 601 | 133 | 14 | 10·16 | 11·81 | 13·99 | 11·40 | 2·61 | 3·36 |
| | Episcopal Church . | 768 | 532 | 101 | 92 | 43 | – | 2·80 | 4·00 | 3·00 | 1·75 | 0·84 | 0·00 |
| | Other Denominations | 2025 | 1306 | 262 | 292 | 152 | 13 | 7·37 | 9·81 | 7·78 | 5·54 | 2·98 | 3·11 |
| | Denomin. not stated | – | – | – | – | – | – | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 |
| | Irregular Marriages . | 1033 | 959 | 57 | 15 | 2 | – | 3·76 | 7·20 | 1·69 | 0·28 | 0·04 | 0·00 |
| | Total Marriages . | 27469 | 13312 | 3367 | 5270 | 5103 | 417 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

## MARRIAGES.

27,469 marriages in all were registered throughout Scotland during the year 1890, an increase over those for the previous year by 1125, and equal to a marriage-rate of 6·62 per ten thousand of the inhabitants, the highest since 1883. The mean average rate for the last ten years, 1880 to 1889, is 6·7 per ten thousand of population. The marriage-rate in England for the present year is 7·7·5 per ten thousand.

TABLE XX.—Marriages, 1890. Number of Marriages contracted in Scotland and each of the Counties and Principal Towns according to the Rites of the Several Religious Denominations, and their proportion to the Total Marriages in each.

| | Population estimated to the middle of 1890. | Marriages according to each Denomination. | | | | | | | | | Percentage to Total. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total Marriages. | Established Church. | Free Church. | United Presb. Church. | Roman Catholic Church. | Episcopal Church. | Other Denominations. | Not Stated. | Irregular Marriages. | Established Church. | Free Church. | United Presb. Church. | Roman Catholic Church. | Episcopal Church. | Other Denominations. | Not Stated. | Irregular Marriages. |
| SCOTLAND, . . | 4063132 | 27469 | 12408 | 5357 | 3097 | 2701 | 753 | 2025 | – | 108 | 45·17 | 19·47 | 11·27 | 10·16 | 2·80 | 7·37 | 0·00 | 0·76 |
| COUNTIES. | | | | | | | | | | | | | | | | | | |
| Shetland . . . | 28784 | 130 | 106 | 8 | 6 | – | 1 | 9 | – | – | 81·54 | 6·15 | 4·62 | 0·00 | 0·77 | 6·92 | 0·00 | 0·00 |
| Orkney . . . | 30570 | 126 | 49 | 26 | 40 | – | – | 9 | – | 2 | 38·89 | 20·63 | 31·75 | 0·00 | 0·00 | 7·14 | 0·00 | 1·59 |
| Caithness . . . | 38202 | 163 | 65 | 84 | 1 | – | – | 12 | – | 1 | 39·88 | 51·53 | 0·61 | 0·00 | 0·00 | 7·36 | 0·00 | 0·61 |
| Sutherland . . | 21165 | 84 | 14 | 70 | – | – | – | – | – | – | 16·67 | 83·33 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 |
| Ross and Cromarty. | 78702 | 303 | 42 | 248 | 6 | – | 2 | 5 | – | – | 13·86 | 81·85 | 1·98 | 0·00 | 0·66 | 1·65 | 0·00 | 0·00 |
| Inverness. . . | 85285 | 346 | 111 | 197 | 1 | 21 | 8 | 3 | – | 5 | 32·08 | 56·94 | 0·29 | 6·07 | 2·31 | 0·87 | 0·00 | 1·44 |
| Nairn . . . | 8575 | 42 | 12 | 19 | 8 | 2 | – | 1 | – | – | 28·57 | 45·23 | 19·05 | 4·76 | 0·00 | 2·39 | 0·00 | 0·00 |
| Elgin (or Moray) . | 44851 | 233 | 126 | 70 | 14 | 6 | 1 | 15 | – | 1 | 54·08 | 30·04 | 6·01 | 2·58 | 0·43 | 6·43 | 0·00 | 0·43 |
| Banff . . . | 61102 | 318 | 192 | 53 | 25 | 15 | 7 | 25 | – | 1 | 60·37 | 16·67 | 7·86 | 4·72 | 2·21 | 7·86 | 0·00 | 0·31 |
| Aberdeen . . . | 280977 | 1743 | 1043 | 327 | 81 | 23 | 66 | 160 | – | 43 | 59·84 | 18·76 | 4·65 | 1·32 | 3·79 | 9·18 | 0·00 | 2·46 |
| Kincardine . . | 36996 | 154 | 108 | 30 | 5 | – | 3 | 3 | – | – | 70·13 | 19·48 | 3·25 | 0·00 | 5·19 | 1·95 | 0·00 | 0·00 |
| Forfar . . . | 279268 | 1921 | 871 | 338 | 168 | 135 | 193 | 172 | – | 76 | 45·34 | 17·60 | 8·75 | 10·05 | 5·36 | 8·95 | 0·00 | 3·95 |
| Perth . . . | 128695 | 689 | 394 | 160 | 70 | 24 | 25 | 14 | – | 12 | 56·67 | 22·38 | 10·01 | 3·43 | 3·58 | 2·00 | 0·00 | 1·73 |
| Fife . . . | 186430 | 1183 | 712 | 187 | 172 | 87 | 13 | 57 | – | 5 | 60·19 | 15·81 | 14·54 | 8·13 | 1·10 | 4·82 | 0·00 | 0·42 |
| Kinross . . . | 6762 | 57 | 32 | 12 | 11 | – | 1 | 1 | – | – | 56·14 | 21·05 | 19·30 | 0·00 | 1·76 | 1·76 | 0·00 | 0·00 |
| Clackmannan . . | 26509 | 154 | 93 | 16 | 23 | 9 | 5 | 8 | – | – | 60·39 | 10·39 | 14·94 | 5·84 | 3·25 | 5·19 | 0·00 | 0·00 |
| Stirling . . . | 118213 | 770 | 383 | 137 | 88 | 81 | 5 | 68 | – | 8 | 49·74 | 17·79 | 11·43 | 10·52 | 0·65 | 8·83 | 0·00 | 1·04 |
| Dumbarton . . | 90406 | 583 | 225 | 89 | 82 | 135 | 13 | 37 | – | 2 | 38·59 | 15·27 | 14·07 | 23·16 | 2·23 | 6·35 | 0·00 | 0·34 |
| Argyll . . . | 79450 | 282 | 158 | 79 | 12 | 16 | 10 | 7 | – | – | 56·03 | 28·01 | 4·26 | 5·67 | 3·55 | 2·48 | 0·00 | 0·00 |
| Bute . . . | 18337 | 85 | 37 | 30 | 11 | 3 | – | 3 | – | 1 | 43·53 | 35·30 | 12·94 | 3·53 | 0·00 | 3·53 | 0·00 | 1·17 |
| Renfrew . . . | 243666 | 1758 | 554 | 304 | 232 | 324 | 79 | 158 | – | 27 | 36·78 | 17·10 | 13·05 | 18·22 | 4·44 | 8·89 | 0·00 | 1·52 |
| Ayr . . . | 225772 | 1670 | 906 | 342 | 164 | 115 | 19 | 110 | – | 14 | 54·25 | 20·48 | 9·82 | 6·89 | 1·14 | 6·59 | 0·00 | 0·84 |
| Lanark . . . | 1079898 | 9221 | 3819 | 1409 | 725 | 1448 | 187 | 905 | – | 638 | 35·99 | 16·28 | 16·29 | 15·71 | 2·03 | 8·81 | 0·00 | 6·91 |
| Linlithgow . . | 52673 | 339 | 218 | 69 | 47 | 55 | – | 9 | – | 1 | 54·64 | 17·29 | 11·78 | 13·78 | 0·00 | 2·26 | 0·00 | 0·28 |
| Edinburgh . . | 430247 | 5266 | 1473 | 682 | 370 | 215 | 182 | 153 | – | 191 | 45·10 | 20·88 | 11·33 | 6·58 | 5·67 | 4·69 | 0·00 | 5·85 |
| Haddington . . | 37579 | 194 | 135 | 31 | 15 | 10 | 2 | 3 | – | – | 69·59 | 15·98 | 7·73 | 5·15 | 0·00 | 1·55 | 0·00 | 0·00 |
| Berwick . . . | 32527 | 178 | 94 | 28 | 39 | – | 2 | 15 | – | – | 52·81 | 15·73 | 21·91 | 0·00 | 1·12 | 8·43 | 0·00 | 0·00 |
| Peebles . . . | 14580 | 78 | 44 | 17 | 8 | 5 | 1 | 3 | – | – | 56·41 | 21·79 | 10·26 | 6·41 | 1·28 | 3·85 | 0·00 | 0·00 |
| Selkirk . . . | 27938 | 176 | 75 | 19 | 47 | 13 | 7 | 15 | – | – | 42·61 | 10·80 | 26·70 | 7·39 | 3·98 | 8·52 | 0·00 | 0·00 |
| Roxburgh . . | 52931 | 246 | 128 | 39 | 49 | 10 | 8 | 12 | – | – | 52·03 | 15·85 | 19·92 | 4·07 | 3·25 | 4·88 | 0·00 | 0·00 |
| Dumfries . . . | 74397 | 486 | 312 | 76 | 50 | 17 | 12 | 16 | – | 3 | 64·20 | 15·64 | 10·29 | 3·50 | 2·47 | 3·29 | 0·00 | 0·62 |
| Kirkcudbright . | 40323 | 232 | 159 | 37 | 18 | 10 | 1 | 5 | – | 2 | 68·53 | 15·95 | 7·76 | 4·31 | 0·43 | 2·16 | 0·00 | 0·86 |
| Wigtown . . . | 36067 | 169 | 118 | 24 | 9 | 4 | 2 | 12 | – | – | 69·82 | 14·20 | 5·33 | 2·37 | 1·18 | 7·10 | 0·00 | 0·00 |
| PRINCIPAL TOWNS. | | | | | | | | | | | | | | | | | | |
| Glasgow . . . | 561561 | 5420 | 1754 | 826 | 739 | 806 | 142 | 585 | – | 567 | 32·36 | 15·24 | 13·64 | 14·87 | 2·64 | 10·79 | 0·00 | 10·46 |
| Edinburgh . . | 259110 | 2150 | 803 | 530 | 249 | 123 | 152 | 124 | – | 169 | 37·35 | 24·65 | 11·58 | 5·72 | 7·07 | 5·77 | 0·00 | 7·86 |
| Dundee . . . | 154642 | 1213 | 419 | 206 | 97 | 191 | 77 | 154 | – | 69 | 34·54 | 16·98 | 8·00 | 15·75 | 6·35 | 12·69 | 0·00 | 5·69 |
| Aberdeen . . . | 120546 | 953 | 498 | 191 | 49 | 16 | 43 | 114 | – | 42 | 52·26 | 20·04 | 5·14 | 1·68 | 4·51 | 11·96 | 0·00 | 4·41 |
| Leith . . . | 69162 | 526 | 279 | 82 | 77 | 26 | 21 | 20 | – | 21 | 53·04 | 15·59 | 14·63 | 4·91 | 3·99 | 3·80 | 0·00 | 3·99 |
| Greenock . . . | 66175 | 488 | 170 | 104 | 52 | 80 | 23 | 40 | – | 19 | 34·84 | 21·31 | 10·66 | 16·39 | 4·71 | 8·20 | 0·00 | 3·89 |
| Paisley . . . | 65548 | 565 | 202 | 96 | 80 | 85 | 33 | 62 | – | 7 | 35·75 | 16·99 | 14·16 | 15·04 | 5·84 | 10·97 | 0·00 | 1·24 |
| Perth . . . | 30691 | 242 | 112 | 56 | 24 | 14 | 15 | 9 | – | 12 | 46·28 | 23·14 | 9·92 | 5·79 | 6·20 | 3·71 | 0·00 | 4·96 |
| Kilmarnock . . | 27804 | 243 | 102 | 56 | 27 | 23 | 5 | 25 | – | 5 | 41·98 | 23·05 | 11·11 | 9·46 | 2·06 | 10·29 | 0·00 | 2·06 |
| Glasgow(Landward and Suburban) . . | 222824 | 1512 | 527 | 223 | 13 | 208 | 20 | 173 | – | 48 | 34·86 | 21·36 | 14·09 | 13·76 | 1·32 | 11·44 | 0·00 | 3·17 |

This rate varies in the different Registration Districts and counties in Scotland. Thus among the former the Principal Town Districts show the highest rate of 84·36 per ten thousand of the inhabitants of the same, the mean for the last ten years being 82; in the Large Town Districts the rate is 72·85 per ten thousand, the mean for the last ten years, 68; in the Small Town Districts the rate is 63·11 per ten thousand, the mean for the last ten years, 62; in the Mainland-Rural Districts the rate is 50·95 per ten thousand, the mean for the last ten years, 51; and in the Insular-Rural Districts the rate is 33·02 per ten thousand of the population of the same, the mean for the last ten years being 39. When compared with the proportion for last year, an increase is seen in each, with the exception of the Insular-Rural Districts, in which the rate is lower for the present than what it was for the previous year.

In the counties also the marriage-rate varies much—from 85 per ten thousand of estimated population in Lanark and 84 in Kinross, the highest, to 35, the lowest, in Argyll. In seven counties the rate is above that for Scotland—viz., in Lanark and Kinross as just mentioned, in Edinburgh and

---

TABLE XI.—Marriages, 1855–1890. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1890.

| YEARS. | TOTAL MARRIAGES. | | REGULAR MARRIAGES according to Rites of the | | | | | | | IRREGULAR MARRIAGES. |
|---|---|---|---|---|---|---|---|---|---|---|
| | Number. | Percentage to Population. | Established Church. | Free Church. | United Presbyterian Church. | Rom. Cath. Church. | Episcopal Church. | Other Denominations. | Denomination not stated. | |
| 1855 | 19680 | 0·660 | 8879 | 4665 | 2952 | 1826 | 350 | 923 | 76 | 9 |
| 1856 | 20740 | 0·692 | 9863 | 4645 | 2875 | 1953 | 360 | 984 | 24 | 36 |
| 1857 | 21369 | 0·709 | 10194 | 4789 | 2926 | 1919 | 416 | 1017 | 101 | 7 |
| 1858 | 19655 | 0·649 | 9104 | 4650 | 2707 | 1697 | 379 | 1034 | 57 | 27 |
| 1859 | 21201 | 0·697 | 9769 | 4861 | 2936 | 1822 | 378 | 1175 | 243 | 17 |
| 1860 | 21225 | 0·695 | 9705 | 4870 | 2837 | 1857 | 414 | 1217 | 309 | 16 |
| 1861 | 20896 | 0·681 | 9332 | 4969 | 2925 | 1806 | 386 | 1290 | 163 | 25 |
| 1862 | 20597 | 0·666 | 9307 | 4930 | 2846 | 1778 | 371 | 990 | 348 | 27 |
| 1863 | 22234 | 0·711 | 9929 | 5242 | 3249 | 2119 | 487 | 1113 | 76 | 19 |
| 1864 | 22725 | 0·720 | 9907 | 5507 | 3198 | 2276 | 469 | 1231 | 115 | 22 |
| 1865 | 23611 | 0·743 | 10177 | 5636 | 3345 | 2399 | 476 | 1516 | 30 | 32 |
| 1866 | 23688 | 0·737 | 10392 | 5570 | 3385 | 2259 | 516 | 1483 | 41 | 42 |
| 1867 | 22618 | 0·697 | 10066 | 5347 | 3247 | 2039 | 488 | 1323 | 65 | 43 |
| 1868 | 21855 | 0·667 | 9736 | 5015 | 3244 | 1872 | 467 | 1403 | 58 | 60 |
| 1869 | 22144 | 0·669 | 9761 | 5095 | 3277 | 2043 | 450 | 1393 | 56 | 69 |
| 1870 | 23854 | 0·7149 | 10678 | 5465 | 3422 | 2121 | 538 | 1496 | 60 | 74 |
| 1871 | 24019 | 0·7102 | 10985 | 5404 | 3325 | 2087 | 551 | 1498 | 64 | 105 |
| 1872 | 25641 | 0·7543 | 11794 | 5661 | 3312 | 2461 | 579 | 1681 | 5 | 148 |
| 1873 | 26748 | 0·7796 | 12187 | 5806 | 3596 | 2451 | 648 | 1853 | 10 | 197 |
| 1874 | 26390 | 0·7621 | 11820 | 5922 | 3586 | 2267 | 643 | 1923 | 13 | 216 |
| 1875 | 25974 | 0·7431 | 11587 | 5889 | 3443 | 2254 | 658 | 1899 | 9 | 235 |
| 1876 | 26579 | 0·7534 | 11996 | 5944 | 3603 | 2279 | 719 | 1703 | 37 | 298 |
| 1877 | 25817 | 0·7251 | 11773 | 5833 | 3313 | 2368 | 651 | 1477 | 47 | 355 |
| 1878 | 24358 | 0·6778 | 11330 | 5431 | 3013 | 2181 | 653 | 1350 | 12 | 388 |
| 1879 | 23519 | 0·6416 | 10744 | 5314 | 2878 | 2171 | 653 | 1415 | 18 | 326 |
| 1880 | 24505 | 0·6346 | 11275 | 5287 | 2981 | 2337 | 700 | 1529 | 33 | 363 |
| 1881 | 26004 | 0·6948 | 12179 | 5402 | 3088 | 2537 | 695 | 1638 | 46 | 419 |
| 1882 | 26596 | 0·7052 | 12356 | 5481 | 3128 | 2697 | 746 | 1678 | 59 | 451 |
| 1883 | 26869 | 0·7070 | 12384 | 5478 | 3252 | 2726 | 728 | 1699 | 11 | 591 |
| 1884 | 26106 | 0·6817 | 12000 | 5499 | 3001 | 2606 | 705 | 1678 | 0 | 617 |
| 1885 | 25304 | 0·6557 | 11692 | 5344 | 2915 | 2443 | 700 | 1642 | 0 | 568 |
| 1886 | 24515 | 0·6304 | 11507 | 5036 | 2821 | 2241 | 723 | 1597 | 0 | 590 |
| 1887 | 24876 | 0·6348 | 11639 | 4866 | 2928 | 2422 | 685 | 1655 | 2 | 629 |
| 1888 | 25305 | 0·6402 | 11647 | 5052 | 2876 | 2464 | 783 | 1724 | 0 | 759 |
| 1889 | 26344 | 0·6620 | 11846 | 5263 | 3004 | 2653 | 791 | 1943 | 3 | 841 |
| 1890 | 27469 | 0·6862 | 12408 | 5347 | 3097 | 2791 | 768 | 2025 | 0 | 1033 |

Linlithgow each with one of 76, in Ayr with one of 74, in Renfrew with one of 73, and in Forfar with one of 69 per ten thousand of population. The lowest rate occurs in Orkney and Inverness, each with one of about 41, in Sutherland with one of about 40, in Ross and Cromarty with one of about 39, and in Argyll with one of 35. In twenty counties the rate is higher for the present than for the past year; in thirteen it is lower.

Table V*a*. shows the marriage-rate in the Principal Towns to be in Glasgow 96·5 per ten thousand of the estimated population, in Edinburgh 83·0, in Dundee 78·4, in Aberdeen 79·1, in Leith 76·1, in Greenock 73·7, in Paisley 86·2, in Perth 78·8, in Kilmarnock 87·4, and in Glasgow Landward and Suburban, 67·9.

The fertility of the marriages for the year is estimated as usual. The number of marriages registered during 1884 amounted to 26,106, and the legitimate births recorded during the present year (1890) amount to 112,285, so that $\frac{112285}{26106}$ gives 4·30 as the average fertility of each marriage, or 430 children were born to every 100 marriages. In England the average number of children born to each marriage for the same period is 3·90, or 390 to each 100 marriages.

TABLE XII.—Proportion of Marriages, 1855–1890. Percentage of Marriages contracted in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1890.

| YEARS. | PERCENTAGE of REGULAR MARRIAGES according to the Rites of the | | | | | | | IRREGULAR MARRIAGES. |
|---|---|---|---|---|---|---|---|---|
| | Established Church. | Free Church. | United Presbyterian Church. | Rom. Cath. Church. | Episcopal Church. | Other Denominations. | Denomination not stated. | |
| 1855 | 45·12 | 23·70 | 15·00 | 9·28 | 1·78 | 4·70 | 0·38 | 0·07 |
| 1856 | 47·55 | 22·40 | 13·87 | 9·42 | 1·73 | 4·74 | 0·12 | 0·14 |
| 1857 | 47·71 | 22·41 | 13·69 | 8·98 | 1·95 | 4·76 | 0·47 | 0·03 |
| 1858 | 46·32 | 23·66 | 13·77 | 8·63 | 1·93 | 5·26 | 0·30 | 0·13 |
| 1859 | 46·08 | 22·93 | 13·85 | 8·59 | 1·78 | 5·54 | 1·15 | 0·08 |
| 1860 | 45·73 | 22·95 | 13·36 | 8·75 | 1·95 | 5·73 | 1·45 | 0·08 |
| 1861 | 44·66 | 23·78 | 14·00 | 8·65 | 1·85 | 6·18 | 0·76 | 0·12 |
| 1862 | 45·19 | 23·94 | 13·81 | 8·64 | 1·80 | 4·80 | 1·69 | 0·13 |
| 1863 | 44·66 | 23·58 | 14·61 | 9·53 | 2·19 | 5·01 | 0·34 | 0·08 |
| 1864 | 43·60 | 24·24 | 14·06 | 10·02 | 2·07 | 5·41 | 0·51 | 0·09 |
| 1865 | 43·10 | 23·87 | 14·17 | 10·16 | 2·02 | 6·42 | 0·13 | 0·13 |
| 1866 | 43·87 | 23·52 | 14·29 | 9·54 | 2·18 | 6·26 | 0·17 | 0·17 |
| 1867 | 44·51 | 23·65 | 14·36 | 9·02 | 2·15 | 5·84 | 0·28 | 0·19 |
| 1868 | 44·55 | 22·95 | 14·85 | 8·57 | 2·13 | 6·42 | 0·26 | 0·27 |
| 1869 | 44·08 | 23·01 | 14·80 | 9·23 | 2·03 | 6·29 | 0·25 | 0·31 |
| 1870 | 44·76 | 22·91 | 14·35 | 8·89 | 2·26 | 6·26 | 0·26 | 0·31 |
| 1871 | 45·73 | 22·50 | 13·85 | 8·69 | 2·29 | 6·24 | 0·26 | 0·44 |
| 1872 | 46·00 | 22·08 | 12·92 | 9·60 | 2·26 | 6·55 | 0·02 | 0·57 |
| 1873 | 45·56 | 21·71 | 13·44 | 9·16 | 2·42 | 6·93 | 0·04 | 0·74 |
| 1874 | 44·79 | 22·44 | 13·59 | 8·59 | 2·44 | 7·29 | 0·05 | 0·81 |
| 1875 | 44·61 | 22·67 | 13·26 | 8·68 | 2·53 | 7·31 | 0·03 | 0·91 |
| 1876 | 45·13 | 22·36 | 13·56 | 8·57 | 2·71 | 6·41 | 0·14 | 1·12 |
| 1877 | 45·60 | 22·59 | 12·83 | 9·17 | 2·58 | 5·72 | 0·18 | 1·33 |
| 1878 | 46·51 | 22·30 | 12·37 | 8·96 | 2·68 | 5·54 | 0·05 | 1·59 |
| 1879 | 45·68 | 22·59 | 12·24 | 9·23 | 2·78 | 6·02 | 0·08 | 1·38 |
| 1880 | 46·02 | 21·58 | 12·17 | 9·53 | 2·85 | 6·24 | 0·13 | 1·48 |
| 1881 | 46·83 | 20·77 | 11·88 | 9·76 | 2·67 | 6·30 | 0·18 | 1·61 |
| 1882 | 46·46 | 20·61 | 11·76 | 10·14 | 2·80 | 6·31 | 0·22 | 1·70 |
| 1883 | 46·09 | 20·39 | 12·10 | 10·15 | 2·71 | 6·32 | 0·04 | 2·20 |
| 1884 | 45·97 | 21·06 | 11·50 | 9·98 | 2·70 | 6·43 | 0·00 | 2·36 |
| 1885 | 46·21 | 21·12 | 11·52 | 9·65 | 2·77 | 6·49 | 0·00 | 2·24 |
| 1886 | 46·94 | 20·54 | 11·51 | 9·14 | 2·95 | 6·51 | 0·00 | 2·41 |
| 1887 | 46·99 | 19·56 | 11·77 | 9·74 | 2·75 | 6·65 | 0·01 | 2·53 |
| 1888 | 46·03 | 19·96 | 11·37 | 9·74 | 3·09 | 6·81 | 0·00 | 3·00 |
| 1889 | 44·97 | 19·98 | 11·40 | 10·07 | 3·00 | 7·38 | 0·01 | 3·19 |
| 1890 | 45·17 | 19·47 | 11·27 | 10·16 | 2·80 | 7·37 | 0·00 | 3·76 |

The marriages as solemnized by clergymen of the more prominent denominations throughout Scotland, during the year, are, by those of the Established Church 12,408, or 45·17 per cent. of the whole; by those of the Free Church 5347, or 19·47 per cent. of the whole; by those of the United Presbyterian Church 3097, or 11·27 per cent. of all; by those of the Roman Catholic Church 2791, or 10·16 per cent. of all; by those of the Episcopal Church 768, or 2·80 per cent. of all; by those of other denominations than the above, 2025, or 7·37 per cent. of the whole; while marriages of an irregular nature have increased to 1033, and form 3·76 per cent. of the total celebrations.

These ratios indicate an increase during the present year over those of 1889 in the case of the Established Church, of the Roman Catholic Church, and of marriages of an irregular nature, a decrease being evident in the case of the remainder.

On inquiry as to the relative proportions in which the marriage ceremony has been performed under the auspices of the various denominations since registration began in 1855, it is found that of the whole, 45·53 per cent. come under Established Church, 22·13 per cent. under the Free Church, 13·07 per cent. under the United Presbyterian Church, 9·32 per cent. under the Roman Catholic Church, 2·41 per cent. under the Episcopal Church, 6·18 per cent. under other denominations, 0·24 per cent. in which the denomination was not stated, and 1·12 per cent. were irregular in character. Table X*a*. gives the number of marriages celebrated according to the rites of the several religious denominations, and the proportion thereof in the Registration Counties and Principal Towns of Scotland. Marriages

TABLE XIII.—Marriages, 1890. Ages of Men and Women at Marriage.

| Ages. | Scotland. | | Principal Town Districts. | | Large Town Districts. | | Small Town Districts. | | Mainland-Rural Districts. | | Insular-Rural Districts. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. |
| Under 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| 15—16 | – | 2 | – | 1 | – | 1 | – | – | – | – | – | – |
| 16—17 | 1 | 69 | 1 | 29 | – | 11 | – | 14 | – | 14 | – | 1 |
| 17—18 | 22 | 346 | 16 | 195 | 1 | 41 | 3 | 63 | 1 | 44 | 1 | 3 |
| 18—19 | 150 | 1014 | 100 | 542 | 8 | 144 | 23 | 167 | 18 | 153 | 1 | 8 |
| 19—20 | 529 | 1759 | 292 | 859 | 82 | 252 | 85 | 368 | 69 | 276 | 1 | 4 |
| 20—21 | 1011 | 2238 | 537 | 1116 | 148 | 306 | 180 | 434 | 142 | 353 | 4 | 29 |
| 21—25 | 8807 | 10213 | 4187 | 4834 | 1214 | 1298 | 1812 | 2084 | 1557 | 1886 | 37 | 111 |
| 25—30 | 9028 | 7040 | 4197 | 3282 | 1070 | 790 | 1870 | 1357 | 1739 | 1464 | 152 | 147 |
| 30—35 | 3830 | 2455 | 1869 | 1170 | 416 | 269 | 647 | 432 | 788 | 519 | 110 | 65 |
| 35—40 | 1783 | 1116 | 882 | 609 | 179 | 113 | 302 | 166 | 360 | 202 | 60 | 26 |
| 40—45 | 942 | 601 | 492 | 321 | 100 | 73 | 145 | 86 | 180 | 108 | 25 | 13 |
| 45—50 | 594 | 329 | 321 | 184 | 73 | 45 | 77 | 57 | 115 | 42 | 8 | 1 |
| 50—55 | 337 | 166 | 168 | 97 | 42 | 15 | 65 | 23 | 54 | 24 | 8 | 7 |
| 55—60 | 211 | 68 | 124 | 45 | 15 | 4 | 25 | 8 | 38 | 9 | 9 | 2 |
| 60—65 | 131 | 38 | 78 | 24 | 15 | 3 | 15 | 7 | 22 | 4 | 1 | – |
| 65—70 | 49 | 9 | 29 | 2 | 3 | 1 | 8 | 3 | 9 | 3 | – | – |
| 70—75 | 32 | 3 | 14 | 1 | 1 | 1 | 7 | – | 10 | 1 | – | – |
| 75—80 | 7 | – | 3 | – | – | – | 3 | – | 1 | – | – | – |
| 80—85 | 2 | – | – | – | – | – | 2 | – | – | – | – | – |
| 85—90 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Not stated | 2 | 3 | 1 | 1 | – | – | 1 | 1 | – | 1 | – | – |
| TOTAL | 27469 | 27469 | 13312 | 13312 | 3367 | 3367 | 5270 | 5270 | 5103 | 5103 | 417 | 417 |

solemnized under the auspices of the Established Church bulk most largely in the counties of Shetland, Banff, Kincardine, Fife, Clackmannan, Haddington, Dumfries, Kirkcudbright, and Wigtown, in each of which over 60 of every 100 couples married during the year were united by clergy of this Church, while in ten more the percentage is over 50; in two counties only is the rate under 20 per cent. Marriages by clergy of the Free Church show the largest proportion in Sutherland, and in Ross and Cromarty, in each of which over 60 per cent. may be so accounted for, and in two more the rate is between 50 and 60 per cent.; in nineteen counties the rate is under 20 per cent. The greatest proportion of marriages performed by ministers of the United Presbyterian Church occur in Orkney 32 per cent., Selkirk 27 per cent., and Berwick 22 per cent. A ratio of between 10 and 20 per cent. is found in Nairn, Perth, Fife, Kinross, Clackmannan, Stirling, Dumbarton, Bute, Renfrew, Lanark, Linlithgow, Edinburgh, Peebles, Roxburgh, and Dumfries; while in the remaining fifteen counties the rate is under 10 per cent. Marriages in accordance with the rites of the Roman Catholic Church occur in largest proportion in the counties of Forfar, Stirling, Dumbarton, Renfrew, Lanark, and Linlithgow, where in every 100 celebrations over 10 are so described; between 5 and 10 per cent. occur in Inverness, Clackmannan, Argyll, Ayr, Edinburgh, Haddington, Peebles and Selkirk; and in the remainder the ratio is under 5 per cent., or there were no marriages registered under this heading. Those celebrated in accordance with the rites of the Episcopal Church show the largest proportion in Kincardine, Forfar, and Edinburgh, in all of which the rate is over 5 per cent. There are no marriages of this nature in Orkney, Caithness, Sutherland, Nairn, Bute, Linlithgow and Haddington. Marriages as performed by clergymen of other denominations than those mentioned are most noticeable in Aberdeen, Forfar, Stirling, Renfrew, Lanark, Berwick and Selkirk. Irregular marriages were most marked in Aberdeen, Forfar, Perth, Renfrew, Lanark and Edinburgh.

In the towns the largest proportion of marriages performed by clergy of the Established Church occur in Perth 46 per cent., Aberdeen 52 per cent. and Leith 53 per cent., the smallest in Glasgow Landward and Suburban,

TABLE XIV.—Marriages, 1890. Percentage of Men and Women at different Ages who contracted Marriage in Scotland and its Groups of Districts in 1890.

| AGES. | MEN. | | | | | | WOMEN. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | SCOTLAND. | Principal Town. | Large Town. | Small Town. | Mainland-Rural. | Insular-Rural. | SCOTLAND. | Principal Town. | Large Town. | Small Town. | Mainland-Rural. | Insular-Rural. |
| 15—20 years | 2·56 | 3·07 | 2·70 | 2·11 | 1·72 | 0·72 | 11·61 | 12·21 | 13·34 | 11·61 | 9·54 | 3·84 |
| 20—25 | 35·74 | 35·48 | 40·15 | 37·80 | 33·29 | 9·83 | 45·33 | 44·70 | 47·64 | 47·78 | 43·88 | 33·57 |
| 25—30 | 32·87 | 31·53 | 31·78 | 35·48 | 34·08 | 36·45 | 25·63 | 24·65 | 23·46 | 25·75 | 28·69 | 35·25 |
| 30—35 | 13·94 | 14·04 | 12·36 | 12·28 | 15·44 | 26·38 | 8·94 | 8·79 | 7·99 | 8·20 | 10·17 | 15·59 |
| 35—40 | 6·49 | 6·63 | 5·32 | 5·73 | 7·05 | 14·39 | 4·06 | 4·57 | 3·36 | 3·15 | 3·96 | 6·24 |
| 40—45 | 3·43 | 3·70 | 2·97 | 2·75 | 3·53 | 6·00 | 2·19 | 2·41 | 2·17 | 1·63 | 2·12 | 3·12 |
| 45—50 | 2·16 | 2·41 | 2·17 | 1·46 | 2·25 | 1·92 | 1·20 | 1·38 | 1·33 | 1·08 | 0·82 | 0·24 |
| 50 and above | 2·80 | 3·14 | 2·25 | 2·37 | 2·63 | 4·32 | 1·03 | 1·27 | 0·71 | 0·78 | 0·80 | 2·16 |
| Not stated | 0·01 | 0·01 | 0·00 | 0·02 | 0·00 | 0·00 | 0·01 | 0·01 | 0·00 | 0·02 | 0·02 | 0·00 |
| TOTAL | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

Dundee, and Greenock each with 35 per cent., and in Glasgow with 32 per cent. Marriages celebrated by ministers of the Free Church bulk most largely in Kilmarnock and Perth, each with 23 per cent., and Edinburgh 25 per cent., being least apparent in Paisley and Dundee, each with 17 per cent., Leith with 16 per cent., and Glasgow with 15 per cent. Marriages performed by ministers of the United Presbyterian Church have their highest proportions in Glasgow Landward and Suburban, and Paisley, each with 14 per cent., and Leith with 15 per cent., being lowest in Dundee 8 per cent., and Aberdeen 5 per cent. Marriages performed under the auspices of the Roman Catholic Church are most marked in Glasgow and Paisley, each with 15 per cent., and in Dundee and Greenock each with 16 per cent., least so in Edinburgh and Perth, each with 6 per cent., and Aberdeen 2 per cent. Marriages in accordance with the rites of the Episcopal Church are in greatest proportion in Perth and Dundee, each with 6 per cent., and in Edinburgh 7 per cent., least so in Glasgow 3 per cent., in Kilmarnock 2 per cent., and in Glasgow Landward and Suburban, 1 per cent. Marriages solemnized by ministers of other denominations than those mentioned are in greatest proportion in Glasgow Landward and Suburban, 11 per cent., and in Aberdeen and Dundee each with 12 per cent., least so in Edinburgh 6 per cent., and in Perth and Leith each with 4 per cent. Irregular marriages are most apparent in Dundee 6 per cent., in Edinburgh 8 per cent., and in Glasgow 10 per cent., least so in Kilmarnock 2 per cent., and Paisley 1 per cent.

Of the whole 54,938 persons married during the year, but 2 men and 3 women omitted to state their age upon the occasion. 1713 or 6·24 per cent. of the men committed themselves to matrimony ere attaining the age of 21 years, and of these one took to himself a wife before he was 17 years of age; while two of the brides became wives while still under 16 years of age.

From Table XIV. it is seen that of the men married during the year in Scotland 2·56 in every 100 had not attained a greater age than 20 years, the corresponding proportion among the females being 11·61; these ratios are exceeded in the case of both sexes in the Principal and Large Town Districts. At ages 20–25 years, 35·74 per cent. of the men and 45·33 per cent. of the women were married in Scotland, ratios exceeded

---

TABLE XV.—Marriages, 1855–1890. Number and Proportion of Men and Women in Scotland at each Quinquennial Period of Age who contracted Marriage during the Years 1855–1890.

| AGES. | MEN. | | WOMEN. | |
|---|---|---|---|---|
| | Number who married at each Age. | Percentage at each Age to Total Marriages. | Number who married at each Age. | Percentage at each Age to Total Marriages. |
| 15—20 years | 25430 | 2·96 | 110262 | 12·82 |
| 20—25 | 328153 | 38·15 | 392939 | 45·68 |
| 25—30 | 261406 | 30·39 | 206524 | 24·01 |
| 30—35 | 108549 | 12·62 | 73819 | 8·58 |
| 35—40 | 55831 | 6·49 | 38259 | 4·45 |
| 40—45 | 32553 | 3·78 | 20216 | 2·35 |
| 45—50 | 20375 | 2·37 | 10311 | 1·20 |
| 50 and above | 27267 | 3·17 | 6751 | 0·78 |
| Not stated | 685 | 0·07 | 1168 | 0·14 |
| TOTAL | 860249 | 100·00 | 860249 | 100·00 |

in the case of both sexes in the Large and Small Town Districts. Between 25–30 years, 32·87 per cent. of the husbands and 25·63 per cent. of the wives married in Scotland, a proportion exceeded in the case of both sexes in the Small Town Districts, Mainland-Rural, and Insular-Rural Districts. At ages between 30–35 years, 13·94 per cent. of the men and 8·94 per cent. of the women married throughout Scotland, exceeded in the case of both sexes in the Mainland and Insular-Rural Districts, as also slightly in the case of the men in the Principal Town Districts. But 6·49 per cent. of the men and 4·06 per cent. of the women were married at ages between 35–40 years, the greatest proportion of marriages at this age occurring in the Insular-Rural Districts and that in the case of both sexes. At ages after this the rate falls steadily and in each district.

The relations of the contracting parties to each other are as follow:—23,715 bachelors espoused spinsters, 747 bachelors married widows, 2178 widowers were united to spinsters, and 816 widowers re-entered matrimony with a like number of widows; or 86·33 per cent. of the marriages during the year were between bachelors and spinsters, 2·72 per cent. between bachelors and widows, 7·93 per cent. between widowers and spinsters, and 2·97 per cent. between widowers and widows.

TABLE XVI.—Marriages in Scotland, 1855–1890. Numbers.

| Years. | Number who Married | | | | | | Number who Signed | | | | Number of Marriages between | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 21 years. | | Under 25 years. | | Above 25 years. | | By Writing. | | By Mark. | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| | Men. | Women | Men. | Women | Men. | Women | Men. | Women | Men. | Women | | | | |
| 1855 | ? | ? | 7724 | 11118 | 11858 | 8390 | 17436 | 15174 | 2244 | 4506 | 15251 | 557 | 1863 | 619 |
| 1856 | ? | ? | 8433 | 12033 | 12307 | 8797 | 18485 | 15772 | 2455 | 4968 | 17035 | 536 | 1721 | 605 |
| 1857 | 1593 | 4568 | 8995 | 12513 | 12374 | 8856 | 18781 | 16064 | 2588 | 5305 | 17030 | 521 | 1648 | 601 |
| 1858 | 1448 | 4172 | 8096 | 11492 | 11511 | 8084 | 17328 | 14929 | 2327 | 4726 | 16196 | 492 | 1624 | 533 |
| 1859 | 1571 | 4565 | 8726 | 12425 | 12443 | 8704 | 18992 | 16494 | 2209 | 4707 | 17536 | 567 | 1864 | 603 |
| 1860 | 1561 | 4607 | 8666 | 12459 | 12525 | 8695 | 19036 | 16616 | 2189 | 4609 | 18157 | 508 | 1738 | 558 |
| 1861 | 1480 | 4403 | 8550 | 12235 | 12323 | 8601 | 18679 | 16439 | 2217 | 4457 | 17431 | 441 | 1768 | 517 |
| 1862 | 1569 | 4496 | 8663 | 12205 | 11912 | 8358 | 18535 | 16405 | 2062 | 4192 | 17392 | 464 | 1747 | 501 |
| 1863 | 1756 | 4897 | 8731 | 13304 | 12488 | 8896 | 19819 | 17319 | 2415 | 4915 | 19142 | 348 | 1856 | 584 |
| 1864 | 1695 | 4989 | 9662 | 13547 | 13033 | 9132 | 20120 | 17298 | 2605 | 5427 | 19383 | 497 | 1922 | 631 |
| 1865 | 1690 | 5010 | 9859 | 13864 | 13724 | 9696 | 20914 | 18364 | 2697 | 5247 | 20158 | 593 | 2055 | 642 |
| 1866 | 1706 | 4896 | 9923 | 13843 | 13752 | 9812 | 21032 | 18483 | 2656 | 5205 | 20080 | 601 | 2094 | 715 |
| 1867 | 1532 | 4611 | 9180 | 12991 | 13414 | 9595 | 20224 | 17931 | 2394 | 4687 | 19067 | 578 | 2075 | 689 |
| 1868 | 1459 | 4463 | 8668 | 12439 | 13169 | 9384 | 19712 | 17701 | 2143 | 4154 | 18609 | 484 | 1966 | 671 |
| 1869 | 1576 | 4622 | 8792 | 12699 | 13352 | 9445 | 19911 | 17723 | 2233 | 4421 | 18818 | 625 | 1949 | 651 |
| 1870 | 1744 | 5175 | 9657 | 13723 | 14176 | 10102 | 21403 | 19194 | 2451 | 4660 | 20262 | 653 | 2132 | 759 |
| 1871 | 1821 | 5321 | 9895 | 13945 | 14124 | 10074 | 21630 | 19315 | 2389 | 4704 | 20140 | 610 | 2099 | 778 |
| 1872 | 1978 | 5666 | 10714 | 14953 | 14927 | 10688 | 22965 | 20380 | 2676 | 5261 | 21637 | 798 | 2269 | 889 |
| 1873 | 2229 | 6129 | 11573 | 15938 | 15175 | 10810 | 24175 | 21754 | 2573 | 4994 | 22648 | 813 | 2368 | 851 |
| 1874 | 2176 | 6000 | 11425 | 15675 | 14965 | 10715 | 23989 | 21643 | 2401 | 4747 | 22291 | 840 | 2330 | 855 |
| 1875 | 2103 | 5829 | 11061 | 15252 | 14913 | 10722 | 23740 | 21581 | 2234 | 4393 | 21877 | 860 | 2353 | 837 |
| 1876 | 2173 | 6014 | 11472 | 15750 | 15107 | 10829 | 24586 | 22291 | 1993 | 4288 | 22438 | 794 | 2432 | 896 |
| 1877 | 2060 | 5767 | 11118 | 15349 | 14699 | 10468 | 23865 | 21839 | 1952 | 3978 | 21945 | 795 | 2285 | 778 |
| 1878 | 1877 | 5436 | 10418 | 14555 | 13940 | 9803 | 22684 | 20839 | 1674 | 3519 | 20809 | 691 | 2083 | 752 |
| 1879 | 1797 | 5188 | 9905 | 13877 | 13614 | 9642 | 21725 | 19919 | 1794 | 3600 | 19915 | 782 | 2083 | 725 |
| 1880 | 1769 | 5393 | 10220 | 14628 | 14285 | 9877 | 22696 | 20777 | 1809 | 3728 | 20848 | 764 | 2122 | 750 |
| 1881 | 1815 | 5792 | 10818 | 15522 | 15186 | 10482 | 24168 | 22380 | 1836 | 3624 | 22320 | 700 | 2151 | 826 |
| 1882 | 2062 | 5994 | 11131 | 15987 | 15465 | 10609 | 24774 | 23097 | 1822 | 3499 | 22984 | 684 | 2134 | 791 |
| 1883 | 2026 | 5935 | 11137 | 16010 | 15735 | 10859 | 25159 | 23617 | 1710 | 3252 | 23112 | 757 | 2224 | 805 |
| 1884 | 1925 | 5821 | 10631 | 15376 | 15472 | 10730 | 24498 | 23149 | 1608 | 2957 | 22354 | 745 | 2186 | 794 |
| 1885 | 1825 | 5430 | 10183 | 14782 | 15121 | 10522 | 23936 | 22854 | 1368 | 2459 | 21761 | 681 | 2063 | 768 |
| 1886 | 1687 | 5039 | 9505 | 14182 | 15007 | 10327 | 23374 | 22485 | 1141 | 2030 | 20917 | 659 | 2178 | 758 |
| 1887 | 1661 | 5063 | 9555 | 14137 | 15321 | 10739 | 23758 | 22836 | 1118 | 2040 | 21271 | 677 | 2166 | 758 |
| 1888 | 1664 | 5168 | 9708 | 14206 | 15597 | 10769 | 24305 | 23437 | 1000 | 1868 | 21807 | 672 | 2078 | 741 |
| 1889 | 1632 | 5154 | 10009 | 14869 | 16335 | 11475 | 25211 | 24401 | 1133 | 1943 | 22621 | 724 | 2176 | 808 |
| 1890 | 1713 | 5428 | 10520 | 15641 | 16949 | 11828 | 26391 | 25706 | 1078 | 1763 | 23715 | 747 | 2178 | 816 |

Table XVIII. among other things affords some information as to the educational status of those marrying during the year, giving the proportion of husbands and wives who signed the Register upon that occasion, or who did this by "*mark*" only. Thus in Scotland 96·08 per cent. of the men and 93·58 per cent. of the women wrote their names, leaving 3·92 per cent. of the former and 6·42 per cent. of the latter who simply adhibited their "*mark*" in lieu of their name. In the Mainland-Rural Districts 98·02 per cent. of the men and 96·98 per cent. of the women signed their names; in the Small Town Districts 96·34 per cent. of the men and 93·98 per cent. of the women signed; in the Principal Town Districts the corresponding ratios were 95·79 per cent. and 92·84 per cent.; in the Large Town Districts they were 94·89 per cent. and 93·53 per cent. respectively; and in the Insular-Rural Districts 87·77 per cent. and 70·98 per cent., leaving the large ratio of 12·23 per cent. of the men and 29·02 per cent. of the women married in these latter parts who were apparently unable to write.

Among the counties the inhabitants of which fail most in this manner are Ross and Cromarty, where 14·52 per cent. of the husbands and 42·24 per cent. of the wives used "*mark*," Inverness where 9·25 per cent. of the

TABLE XVII.—Marriages in Scotland, 1855–1890. Proportions.

| YEARS. | Percentage who Married | | | | | | Percentage who signed | | | | Proportion in every 100 Marriages between | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 21 years | | Under 25 years | | Above 25 years | | By Writing. | | By Mark. | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| | Men. | Women | Men. | Women | Men. | Women | Men. | Women | Men. | Women | | | | |
| 1855 | ? | ? | 39·44 | 57·99 | 60·56 | 42·01 | 88·60 | 77·10 | 11·40 | 22·90 | 83·48 | 3·04 | 10·20 | 3·38 |
| 1856 | ? | ? | 40·79 | 58·44 | 59·21 | 41·56 | 89·13 | 76·05 | 10·87 | 23·95 | 85·62 | 2·69 | 8·65 | 3·04 |
| 1857 | 7·47 | 21·43 | 42·19 | 58·84 | 57·81 | 41·16 | 87·89 | 75·34 | 12·11 | 24·66 | 86·01 | 3·63 | 8·32 | 3·04 |
| 1858 | 7·38 | 21·23 | 41·25 | 58·70 | 58·75 | 41·30 | 88·16 | 75·95 | 11·84 | 24·05 | 85·95 | 2·61 | 8·62 | 2·82 |
| 1859 | 7·42 | 21·60 | 41·22 | 58·80 | 58·78 | 41·20 | 89·58 | 77·80 | 10·42 | 22·10 | 85·25 | 2·76 | 9·06 | 2·93 |
| 1860 | 7·36 | 21·77 | 40·89 | 58·89 | 59·11 | 41·11 | 89·68 | 78·28 | 10·32 | 21·72 | 86·62 | 2·42 | 8·29 | 2·67 |
| 1861 | 7·09 | 21 13 | 40·96 | 58·72 | 59·04 | 41·28 | 89·39 | 78·67 | 10·61 | 21·33 | 86·48 | 2·19 | 8·77 | 2·56 |
| 1862 | 7·62 | 21·86 | 42·11 | 59·35 | 57·89 | 40·65 | 89·99 | 79·65 | 10·01 | 20·35 | 86·51 | 2·31 | 8·69 | 2·49 |
| 1863 | 7·91 | 22·05 | 43·79 | 59·93 | 56·21 | 40·07 | 89·14 | 77·89 | 10·86 | 22·11 | 87·29 | 1·59 | 8·46 | 2·66 |
| 1864 | 7·46 | 21·99 | 42·57 | 59·73 | 57·42 | 40·26 | 88·54 | 76·12 | 11·46 | 23·88 | 86·41 | 2·21 | 8·57 | 2·81 |
| 1865 | 7·16 | 21·26 | 41·38 | 58·84 | 58·62 | 41·16 | 88·58 | 77·78 | 11·42 | 22·22 | 85·97 | 2·53 | 8·77 | 2·73 |
| 1866 | 7·20 | 20·69 | 41·91 | 58·52 | 58·09 | 41·48 | 88·78 | 78·50 | 11·22 | 22·00 | 85·49 | 2·55 | 8·92 | 3·04 |
| 1867 | 6·77 | 20·41 | 40·63 | 57·47 | 59·37 | 42·53 | 89·41 | 79·27 | 10·59 | 20·73 | 85·09 | 2·58 | 9·26 | 3·07 |
| 1868 | 6·68 | 20·45 | 39·69 | 57·00 | 60·31 | 43·00 | 90·19 | 80·99 | 9·81 | 19·01 | 85·64 | 2·22 | 9·05 | 3·09 |
| 1869 | 7·08 | 20·87 | 39·70 | 57·34 | 60·30 | 42·66 | 89·92 | 80·04 | 10·08 | 19·96 | 85·38 | 2·83 | 8·84 | 2·95 |
| 1870 | 7·32 | 21·72 | 40·52 | 57·60 | 59·48 | 42·40 | 89·73 | 80·46 | 10·27 | 19·54 | 85·11 | 2·74 | 8·96 | 3·19 |
| 1871 | 7·58 | 22·15 | 41·20 | 58·06 | 58·80 | 41·94 | 90·05 | 80·42 | 9·95 | 19·58 | 85·10 | 2·54 | 8·74 | 3·24 |
| 1872 | 7·71 | 22·10 | 41·78 | 58·32 | 58·22 | 41·68 | 89·56 | 79·48 | 10·44 | 20·52 | 84·38 | 3·11 | 8·35 | 3·47 |
| 1873 | 8·33 | 22·91 | 43·26 | 59·58 | 56·74 | 40·42 | 90·38 | 81·33 | 9·62 | 18·67 | 84·89 | 3·05 | 8·88 | 3·18 |
| 1874 | 8·25 | 22·73 | 43·29 | 59·40 | 56·71 | 40·60 | 90·90 | 82·01 | 9·10 | 17·99 | 84·47 | 3·18 | 8·83 | 3·24 |
| 1875 | 8·10 | 22·44 | 42·58 | 58·72 | 57·42 | 41·28 | 91·40 | 83·09 | 8·60 | 16·91 | 84·23 | 3·31 | 9·06 | 3·22 |
| 1876 | 8·18 | 22·63 | 43·16 | 59·26 | 56·84 | 40·74 | 92·50 | 83·87 | 7·50 | 16·13 | 84·42 | 2·99 | 9·15 | 3·37 |
| 1877 | 7·98 | 22·34 | 43·06 | 59·46 | 56·94 | 40·54 | 92·44 | 84·59 | 7·56 | 15·41 | 85·00 | 3·08 | 8·89 | 3·01 |
| 1878 | 7·71 | 22·32 | 42·77 | 59·75 | 57·23 | 40·25 | 93·13 | 85·55 | 6·87 | 14·45 | 85·43 | 2·84 | 8·55 | 3·09 |
| 1879 | 7·64 | 22·06 | 42·11 | 59·00 | 57·89 | 41·00 | 92·37 | 84·69 | 7·63 | 15·31 | 84·68 | 3·32 | 8·86 | 3·08 |
| 1880 | 7·22 | 22·01 | 41·71 | 59·69 | 58·29 | 40·31 | 92·62 | 84·79 | 7·38 | 15·21 | 85·07 | 3·12 | 8·66 | 3·06 |
| 1881 | 6·98 | 22·27 | 41·60 | 59·69 | 58·40 | 40·31 | 92·94 | 86·06 | 7·06 | 13·94 | 85·83 | 2·69 | 8·27 | 3·18 |
| 1882 | 7·75 | 22·54 | 41·85 | 60·11 | 58·15 | 39·89 | 93·15 | 86·84 | 6·85 | 13·16 | 86·42 | 2·57 | 8·02 | 2·97 |
| 1883 | 7·54 | 22·09 | 41·45 | 59·59 | 58·55 | 40·41 | 93·64 | 87·90 | 6·36 | 12·10 | 86·02 | 2·82 | 8·28 | 2·85 |
| 1884 | 7·37 | 22·30 | 40·72 | 58·90 | 59·28 | 41·10 | 93·84 | 88·67 | 6·16 | 11·33 | 85·63 | 2·85 | 8·37 | 3·10 |
| 1885 | 7·21 | 21·46 | 40·24 | 58·42 | 59·76 | 41·58 | 94·59 | 90·32 | 5·41 | 9·68 | 85·93 | 2·69 | 8·15 | 3·14 |
| 1886 | 6·88 | 20·55 | 38·77 | 57·85 | 61·21 | 42·12 | 95·35 | 91·72 | 4·65 | 8·28 | 85·32 | 2·69 | 8·88 | 3·09 |
| 1887 | 6·68 | 20·35 | 38·41 | 56 83 | 61·59 | 43·17 | 95·51 | 91·80 | 4·49 | 8·20 | 85·51 | 2·72 | 8·71 | 3·05 |
| 1888 | 6·58 | 20·42 | 38·36 | 57·44 | 61·64 | 42·56 | 96·05 | 92·62 | 3·95 | 7·38 | 86·18 | 2·66 | 8·21 | 2·93 |
| 1889 | 6·19 | 19·56 | 34·20 | 56·44 | 65·80 | 43·56 | 95·70 | 92·62 | 4·30 | 7·38 | 85·37 | 2·75 | 8·26 | 3·06 |
| 1890 | 6·24 | 19·76 | 38·30 | 56·94 | 61·70 | 43·06 | 96·08 | 93·58 | 3·92 | 6·42 | 86·33 | 2·72 | 7·93 | 2·97 |

former and 18·21 per cent. of the latter did likewise, Sutherland with 8·33 per cent. of the men and 14·29 per cent. of the women, and Dumbarton

TABLE XVIII.—Marriages, 1890. Percentage of Men and Women who signed by Writing or by Mark, of persons under 21 years of age, and of Marriages between persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

| 1890. | Signed by Writing. | | Signed by Mark. | | Persons under 21 Years. | | Percentage of Marriages between | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Per cent. of Men. | Per cent. of Women. | Per cent. of Men. | Per cent. of Women. | Per cent. of Men. | Per cent. of Women. | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| SCOTLAND. | 96·08 | 93·58 | 3·92 | 6·42 | 6·24 | 19·76 | 86·33 | 2·72 | 7·93 | 2·97 |
| GROUPS. | | | | | | | | | | |
| PRINCIPAL TOWN DIST. | 95·79 | 92·84 | 4·21 | 7·16 | 7·11 | 20·60 | 84·19 | 3·25 | 8·67 | 3·87 |
| LARGE TOWN DISTRICTS | 94·89 | 93·53 | 5·11 | 6·47 | 7·10 | 22·42 | 86·40 | 3·00 | 7·57 | 2·91 |
| SMALL TOWN DISTRICTS | 96·34 | 93·98 | 3·66 | 6·02 | 5·53 | 19·85 | 88·12 | 2·45 | 4·99 | 2·52 |
| MAINLAND-RURAL | 98·02 | 96·98 | 1·98 | 3·02 | 4·51 | 16·46 | 89·95 | 1·45 | 7·27 | 1·29 |
| INSULAR-RURAL | 87·77 | 70·98 | 12·23 | 29·02 | 1·68 | 10·79 | 87·53 | 2·40 | 8·39 | 0·96 |
| DIVISIONS. | | | | | | | | | | |
| I. NORTHERN | 97·22 | 92·05 | 2·78 | 7·95 | 1·79 | 12·52 | 88·27 | 1·99 | 8·55 | 0·79 |
| II. NORTH-WESTERN | 88·29 | 70·57 | 11·71 | 29·43 | 0·46 | 10·17 | 88·14 | 2·00 | 8·63 | 1·08 |
| III. NORTH-EASTERN | 99·44 | 97·47 | 0·56 | 2·53 | 4·78 | 17·23 | 89·44 | 1·73 | 7·03 | 1·73 |
| IV. EAST-MIDLAND | 97·86 | 95·04 | 2·14 | 4·96 | 6·50 | 17·74 | 87·74 | 1·89 | 8·15 | 2·19 |
| V. WEST-MIDLAND | 94·13 | 93·02 | 5·87 | 6·98 | 5·00 | 18·37 | 87·38 | 2·44 | 6·74 | 3·31 |
| VI. SOUTH-WESTERN | 94·65 | 91·94 | 5·35 | 8·06 | 7·65 | 23·02 | 84·63 | 3·39 | 8·11 | 3·84 |
| VII. SOUTH-EASTERN | 97·81 | 97·41 | 2·19 | 2·59 | 4·99 | 17·59 | 86·41 | 2·80 | 7·99 | 2·75 |
| VIII. SOUTHERN | 98·68 | 98·41 | 1·32 | 1·59 | 4·50 | 15·09 | 89·76 | 1·15 | 7·94 | 1·15 |
| COUNTIES. | | | | | | | | | | |
| 1 Shetland | 98·46 | 89·23 | 1·54 | 10·77 | 1·54 | 10·77 | 86·15 | 0·77 | 10·00 | 1·54 |
| 2 Orkney | 100·00 | 99·21 | 0·00 | 0·79 | 3·17 | 15·87 | 88·10 | 3·17 | 7·94 | 0·79 |
| 3 Caithness | 96·93 | 92·02 | 3·07 | 7·98 | 1·84 | 13·50 | 87·73 | 1·84 | 9·82 | 0·61 |
| 4 Sutherland | 91·67 | 85·71 | 8·33 | 14·29 | 0·00 | 8·33 | 92·86 | 2·38 | 4·76 | 0·00 |
| 5 Ross & Cromarty | 85·48 | 57·76 | 14·52 | 42·24 | 0·66 | 9·57 | 87·46 | 1·32 | 9·90 | 1·32 |
| 6 Inverness | 90·75 | 81·79 | 9·25 | 18·21 | 2·50 | 10·65 | 88·73 | 2·60 | 7·51 | 0·87 |
| 7 Nairn | 97·62 | 92·86 | 2·38 | 7·14 | 7·14 | 16·66 | 95·24 | 0·00 | 0·00 | 4·76 |
| 8 Elgin (or Moray) | 99·57 | 98·71 | 0·43 | 1·29 | 3·43 | 14·59 | 90·13 | 0·86 | 8·58 | 0·43 |
| 9 Banff | 100·00 | 97·48 | 0·00 | 2·52 | 4·72 | 17·30 | 90·57 | 0·63 | 6·92 | 1·57 |
| 10 Aberdeen | 99·37 | 97·76 | 0·63 | 2·24 | 5·28 | 18·59 | 88·76 | 2·01 | 7·40 | 1·78 |
| 11 Kincardine | 99·35 | 97·40 | 0·65 | 2·60 | 0·65 | 5·81 | 92·20 | 2·60 | 2·60 | 2·60 |
| 12 Forfar | 96·98 | 92·87 | 3·02 | 7·13 | 7·29 | 19·47 | 87·56 | 1·93 | 8·43 | 2·08 |
| 13 Perth | 99·00 | 96·57 | 1·00 | 3·43 | 4·29 | 11·59 | 86·41 | 1·29 | 10·16 | 2·14 |
| 14 Fife | 98·48 | 97·21 | 1·52 | 2·79 | 6·68 | 18·68 | 87·91 | 2·20 | 7·35 | 2·45 |
| 15 Kinross | 100·00 | 100·00 | 0·00 | 0·00 | 1·75 | 7·02 | 94·74 | 1·75 | 1·75 | 1·75 |
| 16 Clackmannan | 98·05 | 96·75 | 1·95 | 3·25 | 7·14 | 20·78 | 92·20 | 1·95 | 3·90 | 1·95 |
| 17 Stirling | 95·58 | 94·81 | 4·42 | 5·19 | 6·49 | 20·65 | 88·57 | 2·34 | 6·23 | 2·60 |
| 18 Dumbarton | 90·74 | 89·54 | 9·26 | 10·46 | 5·49 | 19·01 | 84·91 | 2·41 | 8·06 | 4·63 |
| 19 Argyll | 95·74 | 94·68 | 4·26 | 5·32 | 0·71 | 12·06 | 90·78 | 3·19 | 3·90 | 2·13 |
| 20 Bute | 98·82 | 95·29 | 1·18 | 4·71 | 2·36 | 14·12 | 82·35 | 1·18 | 11·76 | 4·71 |
| 21 Renfrew | 94·77 | 90·83 | 5·23 | 9·17 | 6·92 | 20·02 | 84·76 | 2·92 | 8·21 | 4·11 |
| 22 Ayr | 96·59 | 95·21 | 3·41 | 4·79 | 7·31 | 21·62 | 85·81 | 2·63 | 9·16 | 2·34 |
| 23 Lanark | 94·27 | 91·56 | 5·73 | 8·44 | 7·86 | 23·85 | 84·39 | 3·62 | 7·91 | 4·06 |
| 24 Linlithgow | 95·24 | 96·49 | 4·76 | 3·51 | 6·26 | 28·81 | 89·47 | 3·51 | 4·76 | 2·26 |
| 25 Edinburgh | 98·01 | 97·37 | 1·99 | 2·63 | 5·14 | 17·61 | 85·76 | 2·79 | 8·33 | 3·06 |
| 26 Haddington | 98·45 | 96·91 | 1·55 | 3·09 | 4·64 | 11·34 | 86·60 | 3·09 | 8·76 | 1·55 |
| 27 Berwick | 98·31 | 98·88 | 1·69 | 1·12 | 2·81 | 10·67 | 91·01 | 2·81 | 5·62 | 0·56 |
| 28 Peebles | 100·00 | 100·00 | 0·00 | 0·00 | 1·28 | 10·25 | 89·74 | 2·56 | 7·69 | 0·00 |
| 29 Selkirk | 97·73 | 98·30 | 2·27 | 1·70 | 3·41 | 9·09 | 85·23 | 1·14 | 10·80 | 2·84 |
| 30 Roxburgh | 97·97 | 98·78 | 2·03 | 1·22 | 4·88 | 14·63 | 93·09 | 1·63 | 4·88 | 0·40 |
| 31 Dumfries | 98·77 | 99·38 | 1·23 | 0·62 | 3·70 | 13·79 | 88·27 | 1·23 | 9·67 | 0·82 |
| 32 Kirkcudbright | 99·14 | 98·71 | 0·86 | 1·29 | 4·31 | 13·79 | 90·52 | 0·86 | 6·90 | 1·72 |
| 33 Wigtown | 98·82 | 94·67 | 1·18 | 5·33 | 6·51 | 21·30 | 88·17 | 0·59 | 8·88 | 2·37 |
| EDINBURGH | 98·79 | 97·72 | 1·21 | 2·28 | 4·51 | 16·14 | 83·72 | 3·35 | 9·44 | 3·40 |
| GLASGOW | 94·45 | 90·86 | 5·55 | 9·04 | 8·21 | 22·56 | 83·10 | 3·80 | 8·49 | 4·61 |

with 9·26 per cent. of the men and 10·46 per cent. of the women doing the same, while 10·77 per cent. of the brides in Shetland and 9·17 per cent. of them in Renfrew come under the like category. In Kinross and Peebles

TABLE XVIII*a*.—Percentage of Men and Women who signed the

| | 1880. | | 1881. | | 1882. | | 1883. | | 1884. | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. |
| SCOTLAND | 7·38 | 15·21 | 7·06 | 13·93 | 6·85 | 13·16 | 6·36 | 12·10 | 6·16 | 11·33 |
| GROUPS. | | | | | | | | | | |
| 1. PRINCIPAL TOWN DISTS. | 7·71 | 17·84 | 7·56 | 16·45 | 7·38 | 15·37 | 6·54 | 13·64 | 6·43 | 12·34 |
| 2. LARGE TOWN DISTRICTS. | 9·67 | 17·95 | 9·08 | 14·67 | 8·87 | 14·64 | 7·61 | 12·44 | 6·81 | 11·19 |
| 3. SMALL TOWN DISTRICTS | 7·68 | 14·90 | 6·56 | 13·43 | 7·18 | 13·40 | 6·95 | 12·60 | 6·68 | 12·18 |
| 4. MAINLAND RURAL DISTS. | 4·03 | 6·91 | 4·10 | 6·20 | 3·33 | 5·45 | 3·66 | 5·08 | 3·50 | 5·20 |
| 5. INSULAR RURAL DISTS. | 19·81 | 40·75 | 19·33 | 35·70 | 16·42 | 29·93 | 16·57 | 37·14 | 16·47 | 37·86 |
| DIVISIONS. | | | | | | | | | | |
| I. NORTHERN | 4·40 | 10·46 | 3·62 | 10·14 | 4·17 | 6·60 | 3·76 | 7·14 | 1·80 | 9·49 |
| II. NORTH-WESTERN | 20·44 | 43·89 | 20·40 | 35·57 | 18·85 | 36·52 | 19·01 | 41·23 | 20·64 | 42·60 |
| III. NORTH-EASTERN | 2·08 | 5·95 | 1·04 | 5·13 | 1·45 | 4·28 | 1·62 | 4·19 | 1·77 | 3·89 |
| IV. EAST MIDLAND | 3·57 | 8·98 | 3·59 | 9·36 | 3·72 | 10·04 | 4·08 | 8·94 | 3·07 | 8·16 |
| V. WEST-MIDLAND | 9·88 | 15·69 | 8·62 | 13·06 | 9·90 | 14·87 | 8·17 | 15·05 | 8·34 | 11·63 |
| VI. SOUTH-WESTERN | 10·62 | 22·10 | 10·46 | 20·19 | 9·63 | 17·97 | 8·47 | 15·97 | 8·54 | 14·89 |
| VII. SOUTH-EASTERN | 3·92 | 6·87 | 3·22 | 5·68 | 3·09 | 5·94 | 3·67 | 5·31 | 3·07 | 4·79 |
| VIII. SOUTHERN | 2·85 | 5·78 | 2·80 | 5·12 | 3·12 | 4·94 | 3·04 | 3·85 | 2·50 | 3·22 |
| COUNTIES. | | | | | | | | | | |
| 1 Shetland | 6·31 | 18·92 | 1·44 | 16·55 | 4·76 | 11·56 | 3·75 | 13·13 | 2·29 | 16·57 |
| 2 Orkney | 1·15 | 1·15 | 0·70 | 2·11 | 1·79 | 1·79 | 1·38 | 0·69 | 0·00 | 0·57 |
| 3 Caithness | 4·57 | 11·43 | 4·95 | 7·42 | 6·95 | 6·95 | 5·20 | 4·62 | 3·37 | 9·55 |
| 4 Sutherland | 8·23 | 16·47 | 10·14 | 21·74 | 1·35 | 6·76 | 5·56 | 14·81 | 1·20 | 13·25 |
| 5 Ross and Cromarty | 22·31 | 50·69 | 24·59 | 47·21 | 21·59 | 44·32 | 20·91 | 46·65 | 26·08 | 53·59 |
| 6 Inverness | 18·58 | 37·16 | 17·50 | 27·50 | 16·50 | 29·85 | 17·11 | 35·83 | 15·24 | 31·67 |
| 7 Nairn | 5·40 | 21·62 | 4·88 | 9·75 | 4·55 | 15·91 | 9·76 | 7·07 | 6·67 | 13·33 |
| 8 Elgin | 2·92 | 7·30 | 1·93 | 3·86 | 1·19 | 7·51 | 1·12 | 4·48 | 2·72 | 5·84 |
| 9 Banff | 3·26 | 7·71 | 0·30 | 5·93 | 3·01 | 7·10 | 4·07 | 6·23 | 1·79 | 5·12 |
| 10 Aberdeen | 1·70 | 5·06 | 1·01 | 4·72 | 1·07 | 2·98 | 1·02 | 3·46 | 1·46 | 3·03 |
| 11 Kincardine | 1·47 | 5·88 | 0·54 | 8·06 | 1·72 | 4·02 | 1·42 | 3·77 | 2·12 | 4·23 |
| 12 Forfar | 5·17 | 13·47 | 5·02 | 14·08 | 5·53 | 15·69 | 6·00 | 14·04 | 4·09 | 12·84 |
| 13 Perth | 1·08 | 2·84 | 1·58 | 5·28 | 2·14 | 3·75 | 2·43 | 3·71 | 1·49 | 4·34 |
| 14 Fife | 2·12 | 5·45 | 1·91 | 4·01 | 1·77 | 4·78 | 1·62 | 3·52 | 2·45 | 4·02 |
| 15 Kinross | 2·78 | 0·00 | 2·22 | 0·00 | 0·00 | 0·00 | 0·00 | 2·63 | 0·00 | 1·92 |
| 16 Clackmannan | 6·52 | 10·14 | 8·51 | 12·05 | 4·72 | 13·39 | 4·48 | 4·48 | 3·52 | 5·63 |
| 17 Stirling | 7·70 | 12·12 | 7·02 | 9·27 | 7·29 | 10·80 | 7·92 | 11·21 | 6·97 | 7·40 |
| 18 Dumbarton | 14·53 | 22·31 | 10·53 | 17·68 | 15·32 | 23·78 | 10·87 | 22·91 | 11·52 | 16·41 |
| 19 Argyll | 9·70 | 12·71 | 10·09 | 15·27 | 7·22 | 10·96 | 6·87 | 13·73 | 7·40 | 13·61 |
| 20 Bute | 13·98 | 18·28 | 5·62 | 10·11 | 8·97 | 8·97 | 0·00 | 4·17 | 4·44 | 10·00 |
| 21 Renfrew | 9·72 | 21·76 | 10·47 | 21·00 | 8·48 | 15·24 | 7·23 | 11·90 | 7·90 | 12·43 |
| 22 Ayr | 8·10 | 15·73 | 8·01 | 13·52 | 6·16 | 12·75 | 6·40 | 11·18 | 6·07 | 12·27 |
| 23 Lanark | 11·32 | 23·46 | 10·94 | 21·33 | 10·55 | 19·57 | 9·12 | 17·72 | 9·13 | 15·89 |
| 24 Linlithgow | 8·53 | 15·02 | 8·63 | 12·95 | 9·03 | 11·81 | 8·46 | 11·91 | 7·34 | 8·04 |
| 25 Edinburgh | 3·78 | 6·83 | 2·93 | 5·22 | 2·65 | 5·58 | 3·16 | 4·71 | 2·62 | 4·49 |
| 26 Haddington | 4·00 | 6·86 | 4·22 | 8·45 | 4·13 | 8·26 | 6·38 | 8·51 | 5·80 | 8·70 |
| 27 Berwick | 2·20 | 1·65 | 0·69 | 3·45 | 1·22 | 3·05 | 2·41 | 2·41 | 2·30 | 2·30 |
| 28 Peebles | 2·82 | 1·41 | 2·67 | 2·67 | 0·00 | 1·49 | 2·22 | 1·11 | 1·37 | 1·37 |
| 29 Selkirk | 0·61 | 1·22 | 0·61 | 1·83 | 2·68 | 3·36 | 1·92 | 4·49 | 1·85 | 3·70 |
| 30 Roxburgh | 1·35 | 6·06 | 2·57 | 4·04 | 2·17 | 5·07 | 2·85 | 2·03 | 1·59 | 3·17 |
| 31 Dumfries | 2·56 | 5·12 | 1·43 | 4·51 | 3·77 | 4·81 | 1·93 | 2·79 | 2·52 | 1·83 |
| 32 Kirkcudbright | 2·41 | 3·38 | 1·59 | 3·19 | 2·25 | 1·80 | 2·35 | 3·76 | 1·77 | 1·77 |
| 33 Wigton | 6·49 | 9·73 | 7·11 | 9·62 | 3·95 | 9·04 | 6·77 | 8·85 | 4·41 | 7·84 |
| EDINBURGH | 2·72 | 4·89 | 2·22 | 3·99 | 1·84 | 4·15 | 2·43 | 4·00 | 2·35 | 3·94 |
| GLASGOW | 11·14 | 26·13 | 10·67 | 23·66 | 10·61 | 21·47 | 9·16 | 19·66 | 9·27 | 17·52 |

every person married during the year wrote his or her name, and in Orkney and Banff all the husbands did this and but a small proportion of their partners had recourse to their "*mark.*"

Marriage Registers by "Mark" during the Ten Years 1880–89.

| 1885. | | 1886. | | 1887. | | 1888. | | 1889. | | Mean for Ten Years. | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. |
| 5·41 | 9·68 | 4·65 | 8·28 | 4·49 | 8·20 | 3·95 | 7·38 | 4·30 | 7·38 | 5·66 | 10·67 |
| 5·74 | 10·69 | 4·86 | 9·29 | 4·59 | 9·10 | 4·10 | 8·05 | 4·29 | 7·84 | 5·92 | 12·06 |
| 5·33 | 9·93 | 5·31 | 7·78 | 6·09 | 8·24 | 5·38 | 7·91 | 5·41 | 8·38 | 6·96 | 11·31 |
| 6·12 | 9·58 | 5·03 | 8·62 | 4·84 | 8·31 | 3·69 | 7·26 | 4·62 | 7·29 | 5·94 | 10·76 |
| 2·90 | 4·87 | 2·68 | 3·76 | 2·15 | 3·81 | 1·91 | 3·30 | 2·26 | 3·33 | 3·05 | 4·79 |
| 16·42 | 34·53 | 12·37 | 29·98 | 14·48 | 32·35 | 15·64 | 31·52 | 14·67 | 30·89 | 16·22 | 34·07 |
| 3·26 | 9·62 | 2·42 | 6·22 | 4·31 | 7·30 | 1·98 | 8·13 | 2·73 | 7·14 | 3·25 | 8·22 |
| 18·13 | 35·36 | 16·20 | 35·64 | 15·61 | 31·38 | 14·24 | 29·24 | 14·97 | 32·41 | 17·85 | 36·38 |
| 1·57 | 3·38 | 1·73 | 3·22 | 1·69 | 3·39 | 1·05 | 2·76 | 1·08 | 2·69 | 1·51 | 3·59 |
| 2·91 | 7·03 | 2·65 | 6·71 | 2·41 | 6·42 | 1·92 | 6·12 | 2·50 | 5·66 | 3·05 | 7·74 |
| 6·65 | 10·90 | 5·56 | 7·99 | 5·51 | 8·58 | 4·82 | 7·03 | 5·12 | 8·55 | 7·26 | 11·34 |
| 7·58 | 12·96 | 6·52 | 10·75 | 6·17 | 10·79 | 5·63 | 9·61 | 5·93 | 9·18 | 7·96 | 14·44 |
| 2·70 | 4·22 | 2·24 | 4·08 | 2·20 | 3·61 | 1·79 | 3·21 | 1·95 | 3·41 | 2·79 | 4·71 |
| 2·46 | 2·71 | 2·25 | 2·25 | 2·34 | 3·79 | 2·10 | 2·65 | 1·97 | 2·25 | 2·54 | 3·66 |
| 3·85 | 18·68 | 2·38 | 7·74 | 2·17 | 11·59 | 3·54 | 17·70 | 0·95 | 8·57 | 3·14 | 14·10 |
| 0·61 | 1·23 | 0·62 | 1·23 | 1·46 | 2·19 | 0·71 | 1·42 | 0·70 | 1·39 | 0·91 | 1·38 |
| 3·70 | 5·82 | 1·67 | 7·22 | 5·35 | 3·74 | 1·95 | 3·90 | 2·41 | 4·82 | 4·01 | 6·55 |
| 6·33 | 15·19 | 8·70 | 11·59 | 11·11 | 18·06 | 2·13 | 19·15 | 11·48 | 24·59 | 6·62 | 16·16 |
| 22·40 | 44·26 | 18·59 | 47·44 | 18·25 | 42·46 | 15·86 | 37·24 | 17·21 | 41·23 | 20·78 | 45·51 |
| 14·29 | 27·34 | 14·17 | 25·61 | 13·54 | 22·65 | 12·97 | 22·97 | 13·16 | 25·26 | 15·31 | 28·58 |
| 7·50 | 12·50 | 3·45 | 6·90 | 4·76 | 11·90 | 5·45 | 5·45 | 2·38 | 11·90 | 5·48 | 11·63 |
| 2·33 | 2·71 | 2·35 | 5·10 | 2·25 | 3·60 | 2·87 | 2·87 | 2·55 | 5·11 | 2·22 | 4·84 |
| 2·13 | 5·07 | 2·89 | 5·49 | 2·74 | 3·95 | 0·60 | 3·93 | 1·95 | 2·61 | 2·27 | 5·31 |
| 1·19 | 2·92 | 1·27 | 2·41 | 1·51 | 3·07 | 0·69 | 2·20 | 0·70 | 2·22 | 1·16 | 3·21 |
| 1·54 | 3·08 | 2·59 | 3·11 | 0·00 | 3·16 | 1·42 | 4·72 | 1·03 | 2·06 | 1·39 | 4·21 |
| 3·99 | 11·23 | 4·03 | 11·42 | 3·49 | 10·04 | 2·37 | 9·59 | 2·93 | 8·46 | 4·26 | 12·09 |
| 2·11 | 4·22 | 1·18 | 2·20 | 1·04 | 3·40 | 0·75 | 2·41 | 1·87 | 3·27 | 1·57 | 3·54 |
| 1·78 | 2·58 | 1·51 | 2·73 | 1·13 | 2·54 | 1·81 | 2·76 | 2·40 | 3·03 | 1·85 | 3·54 |
| 0·00 | 5·88 | 0·00 | 2·50 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·50 | 1·29 |
| 2·90 | 2·90 | 2·98 | 5·36 | 5·84 | 5·19 | 3·20 | 5·60 | 1·32 | 2·65 | 4·10 | 6·74 |
| 4·64 | 7·10 | 4·66 | 6·77 | 4·10 | 5·86 | 4·17 | 7·22 | 3·45 | 5·37 | 5·79 | 8·31 |
| 9·57 | 15·32 | 6·19 | 8·51 | 6·37 | 8·37 | 3·07 | 5·56 | 7·32 | 13·75 | 9·53 | 15·46 |
| 7·89 | 14·79 | 6·00 | 9·57 | 6·92 | 13·49 | 9·58 | 9·58 | 6·29 | 8·23 | 7·80 | 12·19 |
| 4·12 | 7·22 | 5·00 | 8·75 | 6·90 | 14·94 | 6·67 | 6·67 | 1·33 | 4·00 | 5·70 | 9·31 |
| 7·85 | 12·69 | 5·58 | 9·38 | 4·42 | 8·21 | 3·74 | 6·82 | 6·07 | 9·51 | 7·15 | 12·89 |
| 5·44 | 11·17 | 4·73 | 7·24 | 4·67 | 7·69 | 3·56 | 6·43 | 3·86 | 6·46 | 5·70 | 10·44 |
| 7·92 | 13·35 | 7·05 | 11·71 | 6·83 | 11·92 | 6·41 | 10·77 | 6·25 | 9·56 | 8·55 | 15·53 |
| 7·07 | 8·70 | 6·53 | 7·12 | 4·09 | 7·08 | 3·94 | 5·92 | 4·37 | 8·46 | 6·80 | 9·70 |
| 2·17 | 3·65 | 1·89 | 4·04 | 2·23 | 3·55 | 1·74 | 3·05 | 1·90 | 3·08 | 2·51 | 4·42 |
| 4·93 | 7·17 | 3·63 | 4·66 | 2·26 | 5·08 | 0·60 | 4·76 | 2·03 | 5·08 | 3·80 | 6·75 |
| 1·19 | 3·57 | 1·09 | 1·09 | 0·60 | 0·60 | 1·52 | 0·00 | 0·67 | 0·67 | 1·39 | 1·88 |
| 4·23 | 4·23 | 0·00 | 2·27 | 0·00 | 0·00 | 0·00 | 2·86 | 0·00 | 1·15 | 1·33 | 1·86 |
| 0·72 | 1·44 | 0·00 | 1·43 | 0·00 | 0·00 | 0·00 | 1·46 | 0·00 | 1·24 | 0·84 | 2·02 |
| 1·10 | 2·21 | 1·52 | 4·17 | 1·67 | 2·50 | 1·24 | 0·83 | 0·00 | 2·83 | 1·61 | 3·29 |
| 1·95 | 1·95 | 2·30 | 1·04 | 2·15 | 2·80 | 1·42 | 2·12 | 2·04 | 2·49 | 2·21 | 2·95 |
| 0·84 | 0·84 | 1·74 | 0·43 | 0·49 | 1·48 | 0·89 | 2·23 | 1·40 | 0·93 | 1·57 | 1·98 |
| 7·18 | 7·18 | 3·78 | 4·86 | 5·47 | 9·95 | 5·85 | 6·34 | 3·42 | 2·41 | 5·44 | 7·58 |
| 2·13 | 3·33 | 1·49 | 3·84 | 1·62 | 2·45 | 1·34 | 2·36 | 1·45 | 2·58 | 1·96 | 3·55 |
| 8·25 | 15·01 | 7·21 | 12·77 | 6·71 | 13·60 | 6·31 | 11·75 | 5·61 | 10·59 | 8·49 | 17·23 |

As to the two cities Edinburgh and Glasgow, in Edinburgh 98·79 per cent. of the bridegrooms signed the Register and 97·72 per cent. of the brides did the same, leaving 1·21 per cent. of the former and 2·28 per cent. of the latter who adhibited their "*mark*," and in Glasgow 94·45 per cent. of the husbands and 90·86 per cent. of the wives signed, leaving 5·55 per cent. of the former and 9·04 per cent. of the latter who preferred to use their "*mark*."

On Table XVIII*a*. are given the percentages of those who signed the Register on the occasion of their marriage by means of "*mark*" only, and that for Scotland for the five Registration Districts, for the eight divisions into which the county is geographically divided, in each county and in the two cities Edinburgh and Glasgow, for each of the ten years 1880–1889, as also the mean of the same, which enables one to see at a glance how the standard of education, as judged of by this means at our disposal, is being raised in a more or less gratifying manner throughout these different divisions of the country.

14·62 per cent. of the whole marriages during the year were registered during the month of June, 13·18 per cent. during January, 11·86 per cent. during December, 11·19 per cent. during July, 8·39 per cent. during November, 7·54 per cent. during April, 6·68 per cent. during September, 6·20 per cent. during March, 5·96 per cent. during October, 5·75 per cent. during August, 4·99 per cent. during February, and 3·36 per cent. during May.

The proportion of marriages per ten thousand of the respective populations was in the following European States during 1890 as follows:—82 in Prussia, 80 in the German Empire, 75 in Austria, 73 in Italy, 72 in Belgium, 71 in the Netherlands, 70 in Switzerland and France, 69 in Denmark, and 64 in Norway.

## DEATHS.

During the year 79,004 deaths were registered throughout Scotland, being at the rate of 197 for every ten thousand of the population, or one death in every 51 of the inhabitants, the highest rate since 1883. The male deaths number 39,130, the female 39,874, the rate among the former being 203, and among the latter 193 per ten thousand of the respective number of each sex estimated to be alive at the middle of the year. The mean death-rate for the last ten years is 193 per ten thousand of the population.

The number of deaths and the mortality-rate in each of the five great Registration Districts are as follow:—In the Principal Town Districts the deaths number 35,262, which is at the rate of 223 in each ten thousand of estimated population (the mean for the last ten years being 222), the male deaths alone number 17,594, and the female 17,668; in the Large Town Districts the deaths are 9431, giving a rate of 204 per ten thousand of the population (the mean for the last ten years being 198), male deaths are 4654, female 4777; in the Small Town Districts the total mortality is 15,657, or 188 per ten thousand (the mean for the last ten years is exactly the same, 188), the male deaths numbering 7752, the female 7905; in the Mainland-Rural Districts the deaths are 16,678, or at a rate of 167 as above (the mean for the last ten years being 159), males being 8194, females 8484; and in the Insular-Rural Districts the total is 1976, or 156 per ten thousand

(the mean for the last ten years is 158), male deaths number 936, female 1040. The mortality-rate in the Urban Districts together is 210 per ten thousand of their inhabitants as estimated, that in the Rural Districts being 165.

Table XX. gives the death-rate of males and females in each district of Scotland, and indicates how the female rate in the Mainland-Rural Districts alone is above that of the male, and that the male and female death-rate in the Principal Town and Large Town Districts is above that for Scotland as a whole, the reverse holding good in the other three districts.

Tables XXI. and XXII. show the deaths and mortality-rate in each of the Principal Towns. Thus in Glasgow 13,374 deaths are registered, which is at the rate of 23·8 per thousand of the population; in Edinburgh the deaths are 5423, a rate of 20·9 per thousand; in Dundee they are 3688, equivalent to 23·8 per thousand; in Aberdeen they number 2603, or 21·6 per thousand; in Leith they are 1517, or 21·9 per thousand; in Greenock they are 1419, or 21·4 per thousand; in Paisley they are 1355, or at the rate of 20·7 per thousand; in Perth they are 681, or 22·2 per thousand; in Kilmarnock they are 619, or 22·3 per thousand; and in Glasgow Landward and Suburban, they number 4583, being a mortality-rate of 20·6 per thousand.

Table XIX.—Deaths of Males and Females in Scotland, and its Five Groups of Districts, during each of the Years 1855-1890.

| Years. | Scotland. | | Principal Town. | | Large Town. | | Small Town. | | Mainland-Rural. | | Insular-Rural. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| 1855 | 30626 | 31373 | 11189 | 11517 | 2972 | 2982 | 4963 | 5052 | 10681 | 10975 | 821 | 852 |
| 1856 | 29418 | 29111 | 11155 | 11099 | 2703 | 2671 | 4785 | 4757 | 9855 | 9607 | 920 | 977 |
| 1857 | 30057 | 30369 | 11692 | 11671 | 2917 | 2943 | 4911 | 5098 | 10421 | 10285 | 996 | 972 |
| 1858 | 30652 | 31357 | 11770 | 11675 | 3034 | 3129 | 5046 | 5030 | 10792 | 10997 | 1010 | 1056 |
| 1859 | 30888 | 31126 | 11975 | 11977 | 2946 | 2920 | 4975 | 5070 | 10433 | 10672 | 1174 | 1278 |
| 1860 | 33610 | 34360 | 12814 | 13252 | 2972 | 3079 | 5436 | 5396 | 11169 | 11429 | 1175 | 1224 |
| 1861 | 30890 | 31451 | 11464 | 11685 | 2869 | 2962 | 5150 | 5216 | 10346 | 10474 | 1061 | 1114 |
| 1862 | 33179 | 34016 | 12270 | 12690 | 3286 | 3280 | 5268 | 5565 | 10967 | 11141 | 1288 | 1340 |
| 1863 | 35631 | 35850 | 13624 | 13421 | 3358 | 3122 | 5862 | 5680 | 11510 | 11999 | 1277 | 1328 |
| 1864 | 37010 | 37406 | 14504 | 14341 | 3544 | 3588 | 6132 | 6162 | 11722 | 12082 | 1108 | 1233 |
| 1865 | 35190 | 35701 | 14263 | 14252 | 3352 | 3544 | 5598 | 5658 | 10906 | 11174 | 1071 | 1073 |
| 1866 | 35355 | 35993 | 13742 | 13724 | 3378 | 3528 | 5777 | 6032 | 11334 | 11571 | 1124 | 1138 |
| 1867 | 34363 | 34705 | 13219 | 13300 | 3322 | 3454 | 5786 | 5771 | 10964 | 11022 | 1072 | 1158 |
| 1868 | 34662 | 34754 | 14154 | 13883 | 3359 | 3325 | 5640 | 5752 | 10522 | 10642 | 987 | 1152 |
| 1869 | 37868 | 38007 | 15744 | 15723 | 3647 | 3839 | 6022 | 5879 | 11274 | 11342 | 1181 | 1224 |
| 1870 | 36866 | 37299 | 14234 | 14274 | 3858 | 3854 | 5929 | 6168 | 11760 | 11894 | 1085 | 1109 |
| 1871 | 36827 | 37885 | 15478 | 15948 | 4003 | 4068 | 7913 | 8287 | 8527 | 8653 | 906 | 929 |
| 1872 | 37939 | 37355 | 15192 | 15097 | 4363 | 4240 | 8500 | 8315 | 8876 | 9217 | 1008 | 1076 |
| 1873 | 39037 | 37909 | 15227 | 14781 | 4766 | 4540 | 8869 | 8488 | 9155 | 8943 | 1020 | 1157 |
| 1874 | 40678 | 40042 | 16245 | 15879 | 5079 | 4947 | 8852 | 8708 | 9419 | 9397 | 1083 | 1111 |
| 1875 | 40323 | 41414 | 15272 | 15711 | 4984 | 4818 | 9026 | 9259 | 9925 | 10378 | 1116 | 1278 |
| 1876 | 37404 | 36725 | 14256 | 13721 | 4500 | 4524 | 8420 | 8406 | 9177 | 9015 | 1051 | 1059 |
| 1877 | 37173 | 36764 | 14190 | 14037 | 4521 | 4536 | 8052 | 8008 | 9383 | 9092 | 1027 | 1091 |
| 1878 | 38389 | 38401 | 14707 | 14718 | 5157 | 5031 | 8512 | 8493 | 9072 | 9140 | 941 | 1022 |
| 1879 | 36296 | 37051 | 13397 | 13747 | 4682 | 4751 | 8217 | 8345 | 8999 | 9040 | 1001 | 1168 |
| 1880 | 38055 | 37748 | 14578 | 14295 | 5019 | 4821 | 8635 | 8847 | 8801 | 8757 | 1023 | 1028 |
| 1881 | 36097 | 36228 | 15996 | 16144 | 3814 | 3890 | 7318 | 7428 | 7970 | 7742 | 999 | 1024 |
| 1882 | 36325 | 36664 | 16343 | 16354 | 4057 | 3997 | 7328 | 7457 | 7644 | 7792 | 953 | 1064 |
| 1883 | 38296 | 38595 | 17728 | 17578 | 4074 | 4143 | 7422 | 7747 | 7987 | 8100 | 1085 | 1027 |
| 1884 | 37556 | 37612 | 17058 | 16967 | 4042 | 4206 | 7403 | 7514 | 8105 | 7919 | 948 | 1006 |
| 1885 | 36932 | 37675 | 16206 | 16521 | 3952 | 4151 | 7620 | 7792 | 8152 | 8135 | 1002 | 1076 |
| 1886 | 36432 | 37208 | 15996 | 16240 | 4179 | 4257 | 7412 | 7704 | 7874 | 7986 | 971 | 1021 |
| 1887 | 36805 | 37741 | 16009 | 16667 | 4453 | 4458 | 7574 | 7570 | 7784 | 8017 | 985 | 1029 |
| 1888 | 34953 | 36221 | 15100 | 15405 | 4153 | 4247 | 6923 | 7361 | 7851 | 8076 | 926 | 1132 |
| 1889 | 36328 | 36910 | 16046 | 16390 | 4259 | 4203 | 7067 | 7546 | 8012 | 7851 | 944 | 920 |
| 1890 | 39130 | 39874 | 17594 | 17668 | 4654 | 4777 | 7752 | 7905 | 8194 | 8484 | 936 | 1040 |

Tables XXIII. and XXIV. give the number of persons dying throughout the country and in the five Registration Districts at a series of ages, with the proportions to those estimated to be alive at the like ages. Thus in Scotland the rate of mortality among male infants under one year of age is 14·789 per cent. of the sex presumed to be alive at this age during 1890, the corresponding rate among the females being 12·202 per cent., ratios exceeded in the case of both sexes in the Principal and Large Town Districts, the rate among the males in the former at like age being 17·474 per cent., and of the females 14·424 per cent., and in the Large Town Districts 16·492 per cent. and 13·655 per cent. respectively, being on the other hand in the Insular-Rural Districts but 6·394 per cent. and 5·678 per cent. In each district the female death-rate at this age is below that of the male.

Under two years of age, the mortality-rate has fallen very much, being in the case of the males alive at that age 6·225 per cent., and of the females 6·102 per cent., proportions alone exceeded in the case of both sexes in the Principal Town Districts, and of the females alone in the Large Town Districts. In these latter districts and the two Rural the female rate is above that for the male.

Under three years of age, the rate throughout Scotland for the male children is 2·398 per cent., and for the female 2·371 per cent., exceeded only in the Principal Town Districts; the female rate in the Large Town Districts and Insular-Rural Districts is above that of the male.

TABLE XX.—Percentage of Male and Female Deaths to the Population in Scotland, and its Five Groups of Districts, during each of the Years 1855–1890.

| YEARS. | SCOTLAND. | | PRINCIPAL TOWN. | | LARGE TOWN. | | SMALL TOWN. | | MAINLAND-RURAL. | | INSULAR-RURAL. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| 1855 | 2·162 | 2·003 | 2·929 | 2·584 | 2·644 | 2·382 | 2·163 | 1·995 | | | | |
| 1856 | 2·065 | 1·850 | 2·887 | 2·460 | 2·378 | 2·107 | 2·070 | 1·863 | | | | |
| 1857 | 2·161 | 1·958 | 2·991 | 2·556 | 2·539 | 2·292 | 2·109 | 1·981 | | | | |
| 1858 | 2·202 | 2·005 | 2·976 | 2·527 | 2·612 | 2·407 | 2·152 | 1·939 | | | | |
| 1859 | 2·120 | 1·940 | 2·769 | 2·412 | 2·509 | 2·179 | 2·107 | 1·938 | | | | |
| 1860 | 2·321 | 2·150 | 3·168 | 2·801 | 2·336 | 2·304 | 2·304 | 2·125 | | | | |
| 1861 | 2·125 | 1·946 | 2·796 | 2·438 | 2·386 | 2·193 | 2·157 | 1·924 | | | | |
| 1862 | 2·260 | 2·087 | 2·931 | 2·603 | 2·675 | 2·384 | 2·231 | 2·085 | | | | |
| 1863 | 2·402 | 2·181 | 3·188 | 2·706 | 2·676 | 2·441 | 2·363 | 2·114 | | | | |
| 1864 | 2·470 | 2·256 | 3·324 | 2·842 | 2·764 | 2·512 | 2·510 | 2·277 | | | | |
| 1865 | 2·325 | 2·135 | 3·202 | 2·777 | 2·559 | 2·435 | 2·274 | 2·076 | | | | |
| 1866 | 2·313 | 2·134 | 3·021 | 2·628 | 2·524 | 2·379 | 2·329 | 2·198 | | | | |
| 1867 | 2·226 | 2·040 | 2·853 | 2·504 | 2·430 | 2·286 | 2·315 | 2·088 | | | | |
| 1868 | 2·222 | 2·025 | 2·985 | 2·569 | 2·405 | 2·159 | 2·240 | 2·067 | | | | |
| 1869 | 2·404 | 2·196 | 3·252 | 2·860 | 2·556 | 2·448 | 2·374 | 2·098 | | | | |
| 1870 | 2·317 | 2·137 | 2·880 | 2·552 | 2·647 | 2·412 | 2·319 | 2·185 | | | | |
| 1871 | 2·290 | 2·151 | 3·039 | 2·786 | 2·544 | 2·359 | 2·143 | 2·055 | 1·669 | 1·596 | 1·484 | 1·309 |
| 1872 | 2·333 | 2·100 | 2·949 | 2·594 | 2·682 | 2·386 | 2·271 | 2·038 | 1·731 | 1·698 | 1·651 | 1·521 |
| 1873 | 2·372 | 2·111 | 2·923 | 2·529 | 2·834 | 2·479 | 2·338 | 2·056 | 1·778 | 1·645 | 1·671 | 1·639 |
| 1874 | 2·444 | 2·208 | 3·083 | 2·688 | 2·921 | 2·620 | 2·303 | 2·085 | 1·822 | 1·727 | 1·773 | 1·578 |
| 1875 | 2·394 | 2·263 | 2·865 | 2·632 | 2·772 | 2·476 | 2·317 | 2·191 | 1·913 | 1·905 | 1·826 | 1·820 |
| 1876 | 2·196 | 1·986 | 2·644 | 2·274 | 2·421 | 2·255 | 2·133 | 1·965 | 1·762 | 1·652 | 1·719 | 1·512 |
| 1877 | 2·157 | 1·969 | 2·603 | 2·302 | 2·352 | 2·194 | 2·012 | 1·850 | 1·794 | 1·664 | 1·680 | 1·562 |
| 1878 | 2·202 | 2·037 | 2·667 | 2·389 | 2·595 | 2·361 | 2·099 | 1·939 | 1·728 | 1·671 | 1·539 | 1·467 |
| 1879 | 2·059 | 1·947 | 2·401 | 2·208 | 2·278 | 2·162 | 1·999 | 1·883 | 1·707 | 1·651 | 1·637 | 1·680 |
| 1880 | 2·133 | 1·964 | 2·584 | 2·272 | 2·359 | 2·127 | 2·072 | 1·972 | 1·663 | 1·597 | 1·672 | 1·482 |
| 1881 | 2·002 | 1·868 | 2·374 | 2·172 | 1·948 | 1·874 | 1·933 | 1·823 | 1·610 | 1·512 | 1·635 | 1·481 |
| 1882 | 1·998 | 1·877 | 2·401 | 2·174 | 2·040 | 1·899 | 1·923 | 1·818 | 1·542 | 1·524 | 1·566 | 1·543 |
| 1883 | 2·090 | 1·961 | 2·572 | 2·309 | 2·017 | 1·940 | 1·934 | 1·876 | 1·608 | 1·586 | 1·790 | 1·494 |
| 1884 | 2·032 | 1·897 | 2·441 | 2·202 | 1·970 | 1·942 | 1·916 | 1·807 | 1·629 | 1·553 | 1·570 | 1·467 |
| 1885 | 1·983 | 1·887 | 2·295 | 2·119 | 1·897 | 1·889 | 1·958 | 1·861 | 1·636 | 1·597 | 1·666 | 1·574 |
| 1886 | 1·940 | 1·850 | 2·238 | 2·058 | 1·976 | 1·910 | 1·891 | 1·828 | 1·578 | 1·570 | 1·621 | 1·498 |
| 1887 | 1·944 | 1·863 | 2·213 | 2·087 | 2·073 | 1·972 | 1·919 | 1·784 | 1·557 | 1·578 | 1·652 | 1·514 |
| 1888 | 1·832 | 1·775 | 2·062 | 1·906 | 1·904 | 1·852 | 1·742 | 1·723 | 1·568 | 1·592 | 1·559 | 1·671 |
| 1889 | 1·888 | 1·796 | 2·164 | 2·004 | 1·884 | 1·806 | 1·766 | 1·754 | 1·598 | 1·549 | 1·596 | 1·362 |
| 1890 | 2·026 | 1·925 | 2·343 | 2·136 | 2·061 | 2·021 | 1·926 | 1·828 | 1·661 | 1·670 | 1·589 | 1·544 |

Under four years of age the rate for Scotland is in the case of the males 1·515 per cent., and of the females 1·481 per cent. exceeded in both cases in the Principal Town Districts, and in these same and the Insular-Rural Districts the female death-rate at this age is higher than the male.

Under five years of age the rate of mortality throughout Scotland is in the case of the males 1·078 per cent., and of the females 1·097 per cent., proportions which are exceeded in the Principal Town Districts in the case of both sexes and of the male in the Large Town Districts, the female rate overtopping the male in the Principal Town Districts and in both the Rural.

The percentage of deaths in Scotland registered as occurring during the first five years of life is 5·362 in the case of the males, and 4·762 in that of the females, proportions which have fallen during the succeeding quinquennial period (5–10 years) to 0·594 per cent. in the case of the males and 0·603 per cent. in that of the females, exceeded in the case of both sexes in the Principal Town Districts, and of the females in the Large Town Districts. Between 10–15 years the death-rate is at its lowest, being for the males in Scotland 0·380 per cent., and for the females 0·439 per cent., exceeded in the case of both sexes in the Principal and Large Town

TABLE XXI.—Town Deaths, 1880–1890. Annual Number of Deaths in the Principal Towns of Scotland.

| Towns. | 1880. | 1881. | 1882. | 1883. | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow . . . | 13304 | 12916 | 13046 | 14577 | 13942 | 13492 | 13104 | 12135 | 11681 | 13139 | 13374 |
| Edinburgh . . . | 4946 | 4613 | 4565 | 4544 | 4865 | 4554 | 4889 | 5098 | 4738 | 4815 | 5423 |
| Dundee . . . | 3464 | 2966 | 3054 | 3532 | 3119 | 3078 | 2848 | 3351 | 2957 | 2984 | 3688 |
| Aberdeen . . . | 2078 | 2052 | 2176 | 2082 | 2455 | 2030 | 2230 | 2550 | 2179 | 2287 | 2603 |
| Leith . . . . | 1378 | 1281 | 1177 | 1321 | 1252 | 1149 | 1236 | 1265 | 1175 | 1386 | 1517 |
| Greenock . . . | 1620 | 1525 | 1590 | 1786 | 1493 | 1546 | 1290 | 1504 | 1230 | 1352 | 1419 |
| Paisley . . . . | 1424 | 1274 | 1455 | 1391 | 1509 | 1476 | 1359 | 1582 | 1593 | 1359 | 1355 |
| Perth . . . . | 659 | 641 | 710 | 584 | 609 | 540 | 579 | 591 | 588 | 584 | 681 |
| Kilmarnock . . | – | 538 | 511 | 567 | 561 | 571 | 560 | 510 | 566 | 588 | 619 |
| Glasgow Landward and Suburban | – | 4039 | 4088 | 4589 | 4220 | 4291 | 4141 | 4090 | 3798 | 3942 | 4583 |

TABLE XXII.—Proportion of Town Deaths, 1880–1890. Annual Percentage of Deaths to the Population in the Principal Towns in Scotland.

| Towns. | 1880. | 1881. | 1882. | 1883. | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | Mean Annual Mortality. | 1890. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow . | 2·61 | 2·52 | 2·52 | 2·78 | 2·64 | 2·53 | 2·43 | 2·23 | 2·12 | 2·36 | 2·47 | 2·38 |
| Edinburgh | 2·19 | 1·96 | 1·92 | 1·89 | 2·00 | 1·86 | 1·97 | 2·03 | 1·87 | 1·88 | 1·96 | 2·09 |
| Dundee . | 2·46 | 2·08 | 2·12 | 2·43 | 2·13 | 2·08 | 1·91 | 2·23 | 1·95 | 1·95 | 2·13 | 2·38 |
| Aberdeen | 2·00 | 1·94 | 2·03 | 1·92 | 2·21 | 1·81 | 1·96 | 2·21 | 1·86 | 1·92 | 1·99 | 2·16 |
| Leith . . | 2·30 | 2·10 | 1·90 | 2·11 | 1·97 | 1·78 | 1·89 | 1·91 | 1·75 | 2·04 | 1·97 | 2·19 |
| Greenock | 2·36 | 2·29 | 2·39 | 2·70 | 2·27 | 2·36 | 1·98 | 2·32 | 1·91 | 2·11 | 2·27 | 2·14 |
| Paisley . | 2·59 | 2·28 | 2·56 | 2·40 | 2·56 | 2·46 | 2·23 | 2·55 | 2·52 | 2·11 | 2·43 | 2·07 |
| Perth . . | 2·23 | 2·15 | 2·38 | 1·95 | 2·02 | 1·79 | 1·91 | 1·95 | 1·93 | 1·91 | 2·02 | 2·22 |
| Kilmarnock | – | 2·08 | 1·96 | 2·15 | 2·11 | 2·14 | 2·08 | 1·88 | 2·07 | 2·13 | 2·07 | 2·23 |
| Glasgow Landward and Suburban | – | 2·30 | 2·27 | 2·48 | 2·21 | 2·20 | 2·07 | 1·99 | 1·80 | 1·82 | 2·13 | 2·06 |

Districts, and in that of the females in the Small Town Districts; in each district except the Insular-Rural the female mortality-rate is higher than that of the male. After this the death-rate rises slowly but steadily, and between 15–20 years the female rate is in each case under that for the male. Between 20–30 years the rate for both sexes in the Principal and Large Town Districts is above the corresponding for Scotland, and in each district except the Insular-Rural Districts the female mortality-rate is above that of the male. After 40 years of age the percentage of male deaths is in all cases in excess of that of the female. On the lower line of this table the mortality-rate at all ages for males and females is given. Thus in Scotland, while the male rate is 203 deaths in every ten thousand of the estimated population, the female rate is 193; in the Principal Town Districts the male death-rate is 234 per ten thousand, the female 214; in the Large Town Districts the male rate is 206, and the female 202; in the Small Town Districts the male rate is 193, and the female 183; in the Mainland-Rural Districts the male rate is 166 and the female 167; and in the Insular-Rural Districts the male death-rate is 159 and the female 154 per ten thousand of those of each sex presumed to be alive at the middle of the year.

Table XXVII. affords similar information as to the Principal Towns; thus the highest infantile mortality (under one year of age) occurred in Dundee, where in every hundred children of that age 21·98 died during the year, followed by Leith with 16·94, Glasgow 16·49, Aberdeen 16·22, Kilmarnock 14·40, Edinburgh 14·38, Glasgow Landward and Suburban, 14·37, Greenock 13·98, Perth 12·54, and Paisley 11·39. During the second year of life the highest mortality was in Glasgow, 10·70 per cent., followed by Dundee 9·12 per cent., Greenock 8·65 per cent., Kilmarnock 8·41 per cent., Leith 7·89 per cent., Perth 7·80 per cent., Edinburgh 7·64

TABLE XXIII.—Ages of Males and Females who died in Scotland, and in each of its Groups of Districts, during the Year 1890.

| AGES. | SCOTLAND. | | PRINCIPAL TOWN. | | LARGE TOWN. | | SMALL TOWN. | | MAINLAND-RURAL. | | INSULAR-RURAL. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 8785 | 7092 | 4282 | 3435 | 1170 | 966 | 1759 | 1409 | 1477 | 1211 | 97 | 80 |
| — 2 | 3345 | 3105 | 1925 | 1733 | 392 | 405 | 610 | 541 | 393 | 397 | 25 | 29 |
| — 3 | 1333 | 1285 | 746 | 712 | 151 | 171 | 235 | 224 | 190 | 163 | 11 | 15 |
| — 4 | 834 | 794 | 453 | 452 | 97 | 77 | 156 | 139 | 120 | 117 | 8 | 9 |
| — 5 | 578 | 573 | 282 | 299 | 77 | 67 | 121 | 100 | 88 | 96 | 10 | 11 |
| 0– 5 | 14875 | 12849 | 7688 | 6631 | 1887 | 1686 | 2881 | 2404 | 2268 | 1984 | 151 | 144 |
| 5–10 | 1452 | 1434 | 713 | 689 | 148 | 186 | 286 | 264 | 283 | 275 | 22 | 20 |
| 10–15 | 839 | 935 | 343 | 373 | 111 | 120 | 183 | 225 | 179 | 203 | 23 | 14 |
| 15 20 | 1246 | 1149 | 507 | 508 | 165 | 138 | 288 | 247 | 259 | 231 | 27 | 25 |
| 20 30 | 2519 | 2747 | 1136 | 1262 | 298 | 336 | 469 | 531 | 530 | 549 | 86 | 69 |
| 30-40 | 2391 | 2689 | 1193 | 1309 | 258 | 300 | 453 | 500 | 438 | 528 | 49 | 52 |
| 40–50 | 2833 | 2648 | 1459 | 1285 | 315 | 320 | 515 | 471 | 491 | 507 | 53 | 65 |
| 50–60 | 3297 | 3209 | 1585 | 1517 | 394 | 378 | 606 | 653 | 646 | 598 | 66 | 63 |
| 60–70 | 3873 | 4218 | 1505 | 1794 | 480 | 497 | 804 | 849 | 980 | 950 | 104 | 128 |
| 70–80 | 3687 | 4772 | 1094 | 1527 | 421 | 530 | 796 | 1051 | 1203 | 1442 | 173 | 222 |
| 80–90 | 1853 | 2741 | 340 | 696 | 159 | 244 | 416 | 610 | 795 | 1006 | 143 | 185 |
| 90–100 | 240 | 468 | 30 | 76 | 18 | 41 | 50 | 96 | 108 | 205 | 34 | 50 |
| 100 and above | 8 | 12 | – | 1 | – | 1 | 1 | 1 | 4 | 6 | 3 | 3 |
| Not stated | 17 | 3 | 1 | – | – | – | 4 | 3 | 10 | – | 2 | – |
| ALL AGES. | 39130 | 39874 | 17594 | 17668 | 4654 | 4777 | 7752 | 7905 | 8194 | 8484 | 936 | 1040 |

per cent., Glasgow Landward and Suburban, 7·35 per cent., Paisley 6·43 per cent., and Aberdeen 5·31 per cent. For the period of childhood (0–5 years) the largest ratio of deaths were registered in Dundee 7·90 per cent., followed by Glasgow 7·50 per cent., Leith 6·55 per cent., Kilmarnock 6·32 per cent., Edinburgh 5·98 per cent., Aberdeen 5·85 per cent., Greenock 5·84 per cent., Glasgow Landward and Suburban, 5·69 per cent., Perth 5·53 per cent., and Paisley 4·92 per cent.

Table XXV. gives the percentage of deaths at the same ages as in Table XXIV., but in this case calculated as to the total deaths in Scotland and each of the five Registration Districts. In Scotland, as a whole, 22·45 per cent. of the male deaths and 17·79 per cent. of the female occurred during the first year of life; in the Principal Town Districts the ratios were 24·34 per cent. and 19·44 per cent. respectively; in the Large Town Districts they are higher, viz., 25·14 per cent. and 20·22 per cent.; while in the Insular-Rural Districts they are but 10·36 per cent. and 7·69 per cent. At ages 0–5 years the rate in the Principal Town Districts is 43·70 per cent. of deaths among the males, and 37·53 per cent. among the females, and are the top mortality-rates at this age, the lowest occurring in the Insular-Rural Districts, 16·13 per cent. for the former sex, and 13·84 per cent. for the latter. As has been before noted, at ages over 60 years a larger proportion of the total deaths, and that in the case of both sexes, occurs in the Rural than in the Urban Districts, the reverse being the case at ages under 60 years.

The death-rate per ten thousand population during 1890 is in the undernoted European States as follows:—294 in Austria, 264 in Italy, 244 in the German Empire, 240 in Prussia, 228 in France, 209 in Switzerland, 206 in Belgium, 205 in the Netherlands, 190 in Denmark, and 178 in Norway.

---

TABLE XXIV.—Percentage of Deaths to the Population at each Age in 1890.

| AGE. | SCOTLAND. | | PRINCIPAL TOWN. | | LARGE TOWN. | | SMALL TOWN. | | MAINLAND-RURAL. | | INSULAR-RURAL. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 14·789 | 12·202 | 17·474 | 14·424 | 16·492 | 13·655 | 14·064 | 11·350 | 10·561 | 8·869 | 6·394 | 5·678 |
| — 2 | 6·225 | 6·102 | 9·049 | 8·321 | 5·891 | 6·482 | 5·305 | 4·902 | 3·009 | 3·215 | 1·810 | 2·252 |
| — 3 | 2·398 | 2·371 | 3·403 | 3·313 | 2·221 | 2·518 | 1·984 | 1·953 | 1·388 | 1·238 | 0·762 | 1·074 |
| — 4 | 1·515 | 1·481 | 2·126 | 2·176 | 1·452 | 1·212 | 1·296 | 1·191 | 0·882 | 0·875 | 0·537 | 0·625 |
| — 5 | 1·078 | 1·097 | 1·379 | 1·492 | 1·168 | 1·066 | 1·052 | 0·880 | 0·647 | 0·735 | 0·656 | 0·740 |
| 0– 5 | 5·362 | 4·762 | 7·024 | 6·201 | 5·580 | 5·148 | 4·851 | 4·156 | 3·339 | 3·024 | 2·052 | 2·052 |
| 5–10 | 0·594 | 0·603 | 0·784 | 0·765 | 0·502 | 0·659 | 0·535 | 0·508 | 0·448 | 0·456 | 0·304 | 0·288 |
| 10–15 | 0·380 | 0·439 | 0·432 | 0·469 | 0·427 | 0·479 | 0·378 | 0·485 | 0·302 | 0·368 | 0·321 | 0·206 |
| 15–20 | 0·612 | 0·569 | 0·654 | 0·609 | 0·686 | 0·597 | 0·673 | 0·589 | 0·489 | 0·486 | 0·438 | 0·407 |
| 20–30 | 0·773 | 0·781 | 0·798 | 0·891 | 0·781 | 0·839 | 0·728 | 0·755 | 0·712 | 0·728 | 1·047 | 0·690 |
| 30–40 | 1·061 | 1·052 | 1·210 | 1·138 | 0·978 | 1·045 | 1·019 | 0·978 | 0·854 | 0·912 | 0·829 | 0·665 |
| 40–50 | 1·607 | 1·273 | 2·023 | 1·542 | 1·561 | 1·373 | 1·453 | 1·100 | 1·134 | 1·014 | 0·966 | 0·918 |
| 50–60 | 2·616 | 2·094 | 3·548 | 2·234 | 2·749 | 2·269 | 2·311 | 2·059 | 1·811 | 1·482 | 1·447 | 0·990 |
| 60–70 | 4·706 | 3·886 | 6·028 | 4·861 | 5·439 | 4·379 | 4·627 | 3·730 | 3·700 | 3·017 | 2·826 | 2·517 |
| 70–80 | 9·459 | 8·645 | 11·885 | 9·775 | 11·185 | 9·432 | 9·412 | 8·660 | 8·305 | 7·953 | 7·754 | 7·779 |
| 80–90 | 19·192 | 17·639 | 21·505 | 19·556 | 21·172 | 16·921 | 19·914 | 18·897 | 19·543 | 17·312 | 17·044 | 16·459 |
| 90–100 | 39·669 | 37·440 | 39·474 | 34·545 | 42·857 | 39·423 | 43·103 | 38·247 | 39·706 | 40·514 | 46·575 | 39·062 |
| 100 and above | 44·444 | 27·907 | 0·000 | 16·667 | 0·000 | 100·000 | 20·000 | 16·666 | 100·000 | 42·857 | 100·000 | 20·000 |
| Not stated | 0·000 | 0·000 | 0·000 | 0·000 | 0·000 | 0·000 | 0·000 | 0·000 | 0·000 | 0·000 | 0·000 | 0·000 |
| TOTAL. . | 2·026 | 1·925 | 2·343 | 2·136 | 2·061 | 2·021 | 1·926 | 1·828 | 1·661 | 1·670 | 1·589 | 1·544 |

## CAUSES OF DEATH.

79,004 deaths were registered throughout Scotland during 1890, of which the cause was properly specified in 78,254, leaving 750 not specified or ill-defined as to their proper nature.

The death-rate for the whole country per hundred thousand of the estimated population was in the case of both sexes 1974, that of the males alone being 2026, and of the females 1925. In the Principal and Large Town Districts the rate is in the case of both sexes conjointly, and of each sex separately, above the same for Scotland. In the Small Town and in both Rural Districts the death-rate is lower than that for the whole country. The highest rate occurs in the Principal Town Districts, viz., 2235 per hundred thousand of population; the lowest 1565, in the Insular-Rural Districts.

11,737 deaths from Zymotics were registered in Scotland during the year, which is 1994 more than during the previous year, and is in the proportion of 296 in every hundred thousand of the population, the male and female rate being also exactly the same as this, and constitutes 15·00 per cent. of the total specified deaths (Tables XXVIII. and XXIX.). This proportion is exceeded in the Principal and Large Town Districts; and in the Mainland and Insular-Rural Districts, the female rate is higher than that of the male.

Tables XXXII. and XXXIII. indicate the number and proportion of deaths from the chief Zymotics and other ordinary diseases at five different periods of life. Of the whole 11,737 deaths from Zymotics at all ages, 7917 occurred during the first five years of life, 964 between 5–10 years, 288 between 10–15 years, 1788 between 15–60 years, and 780 above 60 years of age; or 67·5 per cent. of the whole were between 0–5 years, 8·2

TABLE XXV.—Percentage of Deaths at each Age to the Total Deaths in 1890.

| AGE. | SCOTLAND. | | PRINCIPAL TOWN DISTRICTS. | | LARGE TOWN DISTRICTS. | | SMALL TOWN DISTRICTS. | | MAINLAND-RURAL DISTRICTS. | | INSULAR-RURAL DISTRICTS. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 22·45 | 17·79 | 24·34 | 19·44 | 25·14 | 20·22 | 22·69 | 17·71 | 18·03 | 14·27 | 10·36 | 7·69 |
| — 2 | 8·55 | 7·79 | 10·94 | 9·81 | 8·42 | 8·48 | 7·87 | 6·84 | 4·80 | 4·68 | 2·67 | 2·79 |
| — 3 | 3·41 | 3·22 | 4·24 | 4·03 | 3·24 | 3·58 | 3·03 | 2·83 | 2·32 | 1·92 | 1·18 | 1·44 |
| — 4 | 2·13 | 1·99 | 2·58 | 2·56 | 2·08 | 1·61 | 2·01 | 1·76 | 1·46 | 1·38 | 0·85 | 0·87 |
| — 5 | 1·48 | 1·44 | 1·60 | 1·69 | 1·66 | 1·40 | 1·56 | 1·27 | 1·07 | 1·13 | 1·07 | 1·05 |
| 0– 5 | 38·02 | 32·23 | 43·70 | 37·53 | 40·54 | 35·29 | 37·16 | 30·41 | 27·68 | 23·38 | 16·13 | 13·84 |
| 5–10 | 3·71 | 3·60 | 4·05 | 3·90 | 3·18 | 3·89 | 3·69 | 3·34 | 3·45 | 3·24 | 2·35 | 1·92 |
| 10–15 | 2·14 | 2·34 | 1·95 | 2·11 | 2·39 | 2·51 | 2·36 | 2·85 | 2·19 | 2·39 | 2·46 | 1·35 |
| 15–20 | 3·18 | 2·88 | 2·88 | 2·88 | 3·55 | 2·89 | 3·72 | 3·12 | 3·16 | 2·72 | 2·89 | 2·40 |
| 20–30 | 6·44 | 6·89 | 6·46 | 7·14 | 6·40 | 7·03 | 6·05 | 6·72 | 6·47 | 6·47 | 9·19 | 6·63 |
| 30–40 | 6·11 | 6·74 | 6·78 | 7·41 | 5·54 | 6·28 | 5·84 | 6·32 | 5·35 | 6·22 | 5·24 | 5·00 |
| 40–50 | 7·24 | 6·64 | 8·29 | 7·27 | 6·77 | 6·70 | 6·64 | 5·96 | 5·99 | 5·98 | 5·66 | 6·25 |
| 50–60 | 8·43 | 8·05 | 9·01 | 8·59 | 8·46 | 7·91 | 7·82 | 8·26 | 7·88 | 7·05 | 7·05 | 6·06 |
| 60–70 | 9·90 | 10·58 | 8·55 | 10·15 | 10·31 | 10·41 | 10·37 | 10·74 | 11·96 | 11·20 | 11·11 | 12·31 |
| 70–80 | 9·42 | 11·97 | 6·22 | 8·64 | 9·05 | 11·10 | 10·27 | 13·30 | 14·68 | 17·00 | 18·48 | 21·35 |
| 80–90 | 4·74 | 6·87 | 1·93 | 3·94 | 3·42 | 5·11 | 5·37 | 7·72 | 9·70 | 11·80 | 15·28 | 17·79 |
| 90–100 | 0·61 | 1·17 | 0·17 | 0·43 | 0·39 | 0·86 | 0·65 | 1·21 | 1·32 | 2·42 | 3·63 | 4·81 |
| 100 and above | 0·02 | 0·03 | 0·00 | 0·01 | 0·00 | 0·02 | 0·01 | 0·01 | 0·05 | 0·07 | 0·32 | 0·29 |
| Not stated | 0·04 | 0·01 | 0·01 | 0·00 | 0·00 | 0.00 | 0·05 | 0·04 | 0·12 | 0·00 | 0·21 | 0·00 |
| TOTAL . . | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

per cent. between 5–10 years, 2·5 per cent. between 10–15 years, 15·2 per cent. between 15–60 years, and 6·6 per cent. at ages over this, so that 78·2 per cent. of all occurred at ages under 15 years. Table XXXIII. shows that 28·31 per cent. of the deaths occurring during the first 15 years of life were due to Zymotics, 5·51 being the percentage at ages over 15 years. Hooping-Cough caused 3039 deaths, 2885 or 94·9 per cent. of the whole during the

TABLE XXV*a*.—Percentage of Deaths at each Age to the Total Deaths in Scotland, for the ten years 1880–89, and the mean of the same. Also the percentage for 1890.

| Ages. | 1880. | | 1881. | | 1882. | | 1883. | | 1884. | | 1885. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year. | 22·63 | 18·31 | 21·97 | 17·30 | 22·81 | 17·99 | 21·42 | 17·13 | 22·87 | 17·65 | 23·04 | 17·76 |
| — 2 | 9·08 | 8·55 | 7·47 | 6·98 | 8·89 | 8·07 | 8·16 | 7·47 | 8·35 | 7·74 | 8·03 | 7·22 |
| — 3 | 3·97 | 3·98 | 3·50 | 3·38 | 3·57 | 3·55 | 3·49 | 3·56 | 3·44 | 3·55 | 3·59 | 3·10 |
| — 4 | 2·52 | 2·59 | 2·39 | 2·19 | 2·47 | 2·34 | 2·41 | 2·37 | 2·26 | 2·06 | 2·10 | 2·20 |
| — 5 | 1·81 | 1·82 | 1·55 | 1·54 | 1·78 | 1·65 | 1·67 | 1·59 | 1·60 | 1·57 | 1·46 | 1·50 |
| 0– 5 | 40·01 | 35·25 | 36·88 | 31·09 | 39·22 | 33·55 | 37·15 | 32·12 | 38·52 | 32·57 | 38·22 | 31·78 |
| 5–10 | 5·16 | 4·52 | 4·48 | 4·21 | 4·75 | 4·40 | 4·22 | 4·35 | 4·49 | 4·38 | 4·09 | 3·87 |
| 10–15 | 2·47 | 2·03 | 2·48 | 2·45 | 2·30 | 2·57 | 2·35 | 2·51 | 2·45 | 2·64 | 2·43 | 2·51 |
| 15–20 | 3·35 | 3·22 | 3·31 | 3·42 | 3·16 | 3·41 | 3·55 | 3·29 | 3·36 | 3·28 | 3·23 | 3·36 |
| 20–30 | 6·49 | 6·89 | 7·04 | 7·60 | 6·92 | 7·29 | 6·72 | 7·36 | 6·73 | 7·19 | 6·65 | 7·60 |
| 30–40 | 5·66 | 6·39 | 6·06 | 6·68 | 5·84 | 6·50 | 5·99 | 6·69 | 5·93 | 6·76 | 5·83 | 6·65 |
| 40–50 | 6·57 | 6·16 | 7·10 | 6·77 | 6·96 | 6·58 | 7·09 | 6·50 | 6·78 | 6·66 | 6·90 | 6·52 |
| 50–60 | 7·56 | 6·97 | 8·17 | 7·97 | 7·72 | 7·59 | 8·48 | 7·82 | 8·10 | 7·65 | 8·27 | 7·93 |
| 60–70 | 8·98 | 9·84 | 9·94 | 10·68 | 9·28 | 9·74 | 9·72 | 10·10 | 9·44 | 10·22 | 9·62 | 10·39 |
| 70–80 | 8·76 | 10·71 | 9·10 | 11·17 | 8·74 | 10·61 | 9·05 | 11·21 | 8·87 | 10·94 | 9·24 | 11·01 |
| 80–90 | 4·46 | 6·31 | 4·82 | 6·90 | 4·50 | 6·66 | 4·91 | 6·85 | 4·72 | 6·59 | 5·00 | 7·20 |
| 90–100 | 0·49 | 1·05 | 0·57 | 1·00 | 0·57 | 1·04 | 0·64 | 1·14 | 0·55 | 1·04 | 0·47 | 1·12 |
| 100 and above | 0·02 | 0·05 | 0·01 | 0·05 | 0·02 | 0·06 | 0·02 | 0·06 | 0·01 | 0·07 | 0·02 | 0·06 |
| Not stated | 0·02 | 0·01 | 0·04 | 0·01 | 0·02 | 0·00 | 0·11 | 0·00 | 0·05 | 0·01 | 0·03 | 0·00 |
| TOTAL | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

| Ages. | 1886. | | 1887. | | 1888. | | 1889. | | Mean of ten years. | | 1890. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 22·64 | 17·60 | 22·93 | 17·92 | 22·22 | 17·05 | 23·03 | 17·69 | 22·56 | 17·64 | 22·45 | 17·79 |
| — 2 | 7·74 | 6·95 | 8·41 | 7·75 | 7·48 | 6·80 | 8·31 | 7·55 | 8·16 | 7·47 | 8·55 | 7·79 |
| — 3 | 3·26 | 3·13 | 3·79 | 3·54 | 3·28 | 2·96 | 3·33 | 3·26 | 3·52 | 3·40 | 3·41 | 3·22 |
| — 4 | 2·05 | 1·84 | 2·28 | 2·06 | 2·02 | 1·91 | 2·02 | 2·09 | 2·25 | 2·17 | 2·13 | 1·99 |
| — 5 | 1·37 | 1·34 | 1·61 | 1·53 | 1·34 | 1·35 | 1·47 | 1·49 | 1·57 | 1·54 | 1·48 | 1·44 |
| 0– 5 | 37·06 | 30·86 | 39·02 | 32·80 | 36·34 | 30·07 | 38·16 | 32·08 | 38·06 | 32·22 | 38·02 | 32·23 |
| 5–10 | 4·05 | 3·83 | 4·16 | 4·18 | 3·83 | 3·85 | 3·62 | 3·74 | 4·28 | 4·13 | 3·71 | 3·60 |
| 10–15 | 2·46 | 2·46 | 2·50 | 2·52 | 2·43 | 2·50 | 2·24 | 2·32 | 2·41 | 2·51 | 2·14 | 2·34 |
| 15–20 | 3·12 | 3·29 | 3·01 | 3·00 | 3·23 | 3·14 | 3·25 | 3·35 | 3·26 | 3·28 | 3·18 | 2·88 |
| 20–30 | 6·61 | 7·11 | 6·44 | 6·70 | 6·20 | 6·92 | 6·34 | 6·79 | 6·61 | 7·14 | 6·44 | 6·89 |
| 30–40 | 5·98 | 6·61 | 5·85 | 6·58 | 5·87 | 6·74 | 5·97 | 6·39 | 5·90 | 6·60 | 6·11 | 6·74 |
| 40–50 | 7·17 | 6·59 | 6·68 | 6·27 | 7·22 | 6·48 | 7·02 | 6·55 | 6·95 | 6·51 | 7·24 | 6·64 |
| 50–60 | 8·35 | 8·11 | 7·90 | 7·87 | 8·46 | 8·27 | 8·06 | 8·23 | 8·11 | 7·84 | 8·43 | 8·05 |
| 60–70 | 9·82 | 11·12 | 10·02 | 10·52 | 10·62 | 11·21 | 10·23 | 10·64 | 9·77 | 10·45 | 9·90 | 10·58 |
| 70–80 | 9·61 | 11·55 | 9·08 | 11·16 | 9·93 | 12·12 | 9·54 | 11·68 | 9·19 | 11·21 | 9·42 | 11·97 |
| 80–90 | 5·05 | 7·25 | 4·77 | 7·19 | 5·27 | 7·46 | 4·91 | 7·07 | 4·84 | 6·95 | 4·74 | 6·87 |
| 90–100 | 0·67 | 1·17 | 0·52 | 1·14 | 0·58 | 1·20 | 0·63 | 1·11 | 0·57 | 1·10 | 0·61 | 1·17 |
| 100 and above | 0·03 | 0·04 | 0·01 | 0·06 | 0·01 | 0·03 | 0·02 | 0·04 | 0·02 | 0·05 | 0·02 | 0·03 |
| Not stated | 0·02 | 0·01 | 0·04 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·03 | 0·01 | 0·04 | 0·01 |
| TOTAL | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

first five years of life, 150 or 5 per cent. dying during the following quinquennial period (5–10 years), and 3 deaths from the same occurred at ages 10–15 years. Measles caused the next highest mortality from this class of diseases, 2509 in all succumbing; of these 2283 or 91·0 per cent. died during the first five years of life, 183 or 7·3 per cent. during the following five years, and 1 death from the same is accounted for at an age between 75 and 80 years. Diarrhœa and Dysenteric conditions caused 1585 exits, 1078 or 68·0 per cent. of these during 0–5 years of life, 201 or 12·7 per cent. between 15-60 years, and 279 or 17·6 per cent. at ages over 60 years. To Diphtheria 1018 deaths are ascribed, 653 or 64·2 per cent. between 0-5 years, 259 or 25·4 per cent. between 5–10 years, the remainder at ages above 10 years. Scarlet-Fever caused 739 deaths, 454 or 61·4 per cent. during the first five years of life, 201 or 27·2 per cent. between 5–10 years, 47 between 10–15 years, and 37 between this and 60 years. Fevers caused 887 deaths. Of these 777 are due to Typhoid or Enteric, 67 or 8·6 per cent. of them during the first five years of life, 97 or 12·5 per cent. between 5–10 years, 112 or 14·4 per cent. between 10–15 years, 479 or 61·7 per cent. between 15–60 years, and 22 or 2·8 per cent. at ages over 60. Typhus caused 77 deaths, 57 or 74·0 per cent. of these occurring between 15–60 years. Simple or Ill-Defined Fever caused 30 deaths and Cerebro-Spinal Fever 3. Simple Cholera caused 57 deaths, 44 or 77·2 per cent. of them occurring during the years of childhood. Syphilis caused 196 deaths, of which 171 or 87·3 per cent. occurred during ages 0–5 years, 22 or 11·2 per cent. between 15–60 years. Erysipelas caused 340 deaths, 102 of which, or 30·0 per cent., are registered as during the first five years of life, 121 or 35·6 per cent. between 15–60, and 111 or 32·6 per cent. at ages over 60. Croup caused 744 deaths, 643 or 86·4 per cent. of them occurring between 0–5 years, and 92 or 12·4 per cent. between 5–10 years.

Out of every hundred thousand of the inhabitants of Scotland, 296 are

TABLE XXVI.—Deaths at different Ages in the Principal Towns of Scotland during the Year 1890.

| AGE. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Leith. | Greenock. | Paisley. | Perth. | Kilmarnock. | Glasgow Landward and Suburban |
|---|---|---|---|---|---|---|---|---|---|---|
| Under 1 Year | 2880 | 1032 | 994 | 589 | 381 | 303 | 224 | 105 | 128 | 1081 |
| — 2 | 1605 | 479 | 366 | 173 | 164 | 158 | 109 | 56 | 66 | 482 |
| — 3 | 651 | 188 | 137 | 76 | 63 | 60 | 43 | 25 | 31 | 184 |
| — 4 | 412 | 124 | 77 | 46 | 40 | 33 | 33 | 13 | 15 | 112 |
| — 5 | 223 | 77 | 57 | 33 | 34 | 25 | 25 | 12 | 16 | 79 |
| 0– 5 | 5771 | 1900 | 1631 | 917 | 682 | 579 | 434 | 211 | 256 | 1938 |
| 5–10 | 538 | 203 | 128 | 84 | 76 | 65 | 69 | 20 | 26 | 193 |
| 10–15 | 246 | 104 | 72 | 57 | 35 | 32 | 37 | 20 | 5 | 108 |
| 15–20 | 383 | 138 | 101 | 79 | 44 | 51 | 47 | 26 | 21 | 125 |
| 20–30 | 935 | 403 | 220 | 205 | 86 | 111 | 91 | 42 | 35 | 270 |
| 30–40 | 1008 | 412 | 218 | 166 | 85 | 110 | 103 | 37 | 45 | 318 |
| 40–50 | 1117 | 454 | 263 | 166 | 117 | 94 | 126 | 48 | 40 | 319 |
| 50–60 | 1200 | 493 | 362 | 194 | 121 | 125 | 123 | 61 | 33 | 390 |
| 60–70 | 1168 | 544 | 327 | 275 | 121 | 131 | 145 | 96 | 66 | 426 |
| 70–80 | 738 | 488 | 259 | 303 | 104 | 81 | 118 | 79 | 70 | 381 |
| 80–90 | 250 | 253 | 96 | 140 | 43 | 35 | 56 | 37 | 20 | 106 |
| 90–100 | 20 | 29 | 11 | 17 | 3 | 5 | 6 | 4 | 2 | 9 |
| 100 and above | – | 1 | – | – | – | – | – | – | – | – |
| Not stated | – | 1 | – | – | – | – | – | – | – | – |
| ALL AGES. | 13374 | 5423 | 3688 | 2603 | 1517 | 1419 | 1355 | 681 | 619 | 4583 |

estimated to have died from Zymotic Disease during the year, which is equal to 15·00 per cent. of the specified causes of death. In the Principal Town Districts the rate is 370 per hundred thousand, or 16·57 per cent.; in the Large Town Districts it is 300 per hundred thousand of population, or 14·68 per cent. of all the deaths; in the Small Town Districts the rate is 274 per hundred thousand, or 14·61 per cent. of the deaths; in the Mainland-Rural Districts it is 213 to population, or 12·81 per cent. of the total deaths; and in the Insular-Rural Districts the rate is 146 per hundred thousand, or 9·35 per cent. of the specified deaths are of this nature.

Tables XXX. and XXXI. exhibit the same points in the case of the Principal Towns as XXVIII. and XXIX. do for Scotland and its districts. In Glasgow the deaths from Zymotics in each hundred thousand of its estimated population is 398, equal to 16·72 per cent. of the total specified deaths. Hooping-Cough accounts for 127 in like ratio to population, Measles for 115, Diarrhœa and Dysentery for 47, Diphtheria for 24, as also Fevers (21 of those being Typhoid), and Scarlet-Fever for 23.

In Edinburgh the proportion of Zymotics in every hundred thousand of the population is 351, and constituting 16·78 per cent. of the total mortality; Hooping-Cough accounts for 97 in like ratio, Measles for 93, Diarrhœal Affections for 37, Diphtheria for 33, Fevers for 20 (19 of these Typhoid), and Scarlet-Fever for 19.

In Dundee the proportion of Zymotic deaths is the same as in Edinburgh, 351 per hundred thousand of population, and forms 14·73 per cent. of all the deaths; Measles accounts for 106 of the above, Hooping-Cough for 89, Diarrhœa and Dysentery for 69, Diphtheria for 33, Fevers for 15 (13 being Typhoid), and Scarlet-Fever for 6.

In Aberdeen 366 is the proportional mortality from these diseases, equal to 16·94 per cent. of all the deaths. Hooping-Cough causes 121 of this proportion, Diarrhœa and Dysentery 48, Measles 45, Fevers 24 (21 being Typhoid), Scarlet-Fever 15, and Diphtheria 10.

In Leith the proportion of such deaths is 419 per hundred thousand

TABLE XXVII.—Percentage of Deaths to the Population at each Age in the Principal Towns of Scotland in 1890.

| AGE. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Leith. | Greenock. | Paisley. | Perth. | Kilmarnock. | Glasgow Landward and Suburban. |
|---|---|---|---|---|---|---|---|---|---|---|
| Under 1 Year | 16·49 | 14·38 | 21·98 | 16·22 | 16·94 | 13·98 | 11·39 | 12·54 | 14·40 | 14·37 |
| — 2 | 10·70 | 7·64 | 9·12 | 5·31 | 7·89 | 8·65 | 6·43 | 7·80 | 8·41 | 7·35 |
| — 3 | 4·22 | 2·99 | 3·43 | 2·28 | 3·00 | 2·96 | 2·43 | 3·20 | 3·32 | 2·63 |
| — 4 | 2·76 | 2·01 | 1·87 | 1·42 | 2·07 | 1·75 | 1·90 | 1·77 | 1·92 | 1·71 |
| — 5 | 1·59 | 1·31 | 1·42 | 1·06 | 1·71 | 1·31 | 1·51 | 1·61 | 2·03 | 1·20 |
| 0– 5 | 7·50 | 5·98 | 7·90 | 5·85 | 6·55 | 5·84 | 4·92 | 5·53 | 6·32 | 5·69 |
| 5–10 | 0·86 | 0·74 | 0·69 | 0·59 | 0·90 | 0·79 | 0·91 | 0·58 | 0·73 | 0·70 |
| 10–15 | 0·45 | 0·42 | 0·43 | 0·44 | 0·49 | 0·47 | 0·53 | 0·64 | 0·16 | 0·49 |
| 15–20 | 0·66 | 0·51 | 0·62 | 0·63 | 0·70 | 0·83 | 0·66 | 0·83 | 0·71 | 0·58 |
| 20–30 | 0·85 | 0·78 | 0·80 | 0·99 | 0·68 | 0·91 | 0·73 | 0·79 | 0·74 | 0·62 |
| 30–40 | 1·33 | 1·17 | 1·11 | 1·15 | 0·90 | 1·23 | 1·36 | 0·96 | 1·40 | 1·01 |
| 40–50 | 1·96 | 1·73 | 1·63 | 1·49 | 1·68 | 1·38 | 2·01 | 1·59 | 1·64 | 1·54 |
| 50–60 | 3·28 | 2·78 | 3·43 | 2·30 | 2·91 | 3·20 | 2·82 | 2·51 | 1·92 | 3·28 |
| 60–70 | 5·56 | 4·81 | 5·57 | 4·60 | 4·87 | 5·65 | 5·11 | 5·83 | 5·41 | 6·22 |
| 70–80 | 10·18 | 9·78 | 10·83 | 10·00 | 10·42 | 9·85 | 9·58 | 10·76 | 11·61 | 14·31 |
| 80–90 | 18·63 | 21·70 | 20·96 | 20·77 | 24·43 | 19·55 | 21·13 | 16·97 | 15·75 | 21·16 |
| 90–100 | 22·22 | 53·70 | 55·00 | 44·74 | 42·86 | 50·00 | 27·27 | 80·00 | 15·38 | 29·03 |
| 100 and above | 0·00 | 100·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 |
| Not stated | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 |

of the population, equivalent to 19·12 per cent. of all; 85 of these fall to

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 100,000 Persons Living. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SCOTLAND. | | | PRINCIPAL TOWN DISTRICTS. | | | LARGE TOWN DISTRICTS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| TOTAL DEATHS | 1974 | 2026 | 1925 | 2235 | 2343 | 2136 | 2040 | 2061 | 2021 |
| 1. Zymotic | 296 | 296 | 296 | 370 | 376 | 365 | 300 | 303 | 296 |
| 2. Constitutional | 343 | 333 | 353 | 401 | 407 | 397 | 347 | 315 | 378 |
| 3. Developmental | 173 | 156 | 189 | 143 | 134 | 152 | 179 | 158 | 199 |
| 4. Nervous System | 230 | 235 | 226 | 252 | 269 | 236 | 254 | 256 | 252 |
| 5. Organs of Circulation | 155 | 153 | 157 | 159 | 161 | 158 | 156 | 153 | 159 |
| 6. Respiratory Organs | 404 | 431 | 380 | 496 | 537 | 460 | 428 | 453 | 404 |
| 7. Organs of Digestion | 136 | 138 | 134 | 148 | 147 | 149 | 141 | 150 | 133 |
| 8. Urinary Organs | 50 | 62 | 39 | 57 | 68 | 47 | 47 | 55 | 40 |
| 9. Reproductive Organs | 15 | 1 | 28 | 17 | 1 | 31 | 14 | 1 | 27 |
| 10. Organs of Locomotion | 12 | 14 | 10 | 15 | 17 | 12 | 13 | 14 | 13 |
| 11. Integumentary Syst. | 5 | 5 | 5 | 5 | 5 | 4 | 7 | 5 | 8 |
| 12. Violent Deaths | 72 | 111 | 36 | 78 | 115 | 45 | 54 | 87 | 23 |
| Small-pox | – | – | – | – | – | – | – | – | – |
| Measles | 63 | 70 | 57 | 96 | 107 | 86 | 56 | 61 | 51 |
| Scarlet Fever | 19 | 20 | 18 | 23 | 23 | 23 | 14 | 17 | 11 |
| Influenza | 21 | 23 | 19 | 10 | 10 | 10 | 15 | 14 | 15 |
| Hooping-cough | 77 | 72 | 81 | 108 | 105 | 110 | 88 | 82 | 93 |
| Diphtheria | 26 | 25 | 26 | 30 | 30 | 29 | 21 | 21 | 21 |
| All FEVERS, viz. | 22 | 25 | 20 | 24 | 26 | 22 | 29 | 37 | 22 |
| Typhus | 2 | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 2 |
| Enteric | 20 | 21 | 18 | 20 | 22 | 19 | 26 | 33 | 20 |
| Relapsing | – | – | – | – | – | – | – | – | – |
| Cerebro-Spinal | – | – | – | – | – | – | – | – | – |
| Simple or Ill-defi. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | + |
| Simple Cholera | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 |
| DIARRHŒA AND DYSENTERY | 40 | 41 | 39 | 46 | 48 | 44 | 48 | 52 | 43 |
| Erysipelas | 9 | 8 | 9 | 9 | 9 | 9 | 9 | 7 | 11 |
| Puer. Fever (Metria) | 8 | – | 16 | 8 | – | 16 | 9 | – | 17 |
| Rheumatism | 10 | 9 | 11 | 11 | 10 | 12 | 8 | 8 | 9 |
| Cancer | 61 | 47 | 74 | 65 | 50 | 78 | 54 | 35 | 71 |
| Tubercular Dis., viz. | 260 | 267 | 252 | 313 | 337 | 292 | 271 | 266 | 276 |
| Tabes Mesenterica | 21 | 24 | 19 | 28 | 33 | 23 | 26 | 26 | 26 |
| Tuber. Meningitis | 29 | 33 | 25 | 37 | 44 | 31 | 31 | 34 | 27 |
| PHTHISIS | 193 | 191 | 195 | 228 | 233 | 224 | 197 | 185 | 207 |
| Scrofula | 17 | 20 | 14 | 19 | 26 | 14 | 18 | 21 | 15 |
| Dev. Dis. of Children | 56 | 65 | 48 | 66 | 79 | 54 | 69 | 77 | 63 |
| Age | 117 | 91 | 141 | 77 | 55 | 88 | 109 | 81 | 137 |
| Apoplexy | 66 | 62 | 70 | 67 | 63 | 70 | 79 | 75 | 83 |
| Paralysis | 47 | 45 | 49 | 46 | 47 | 45 | 45 | 44 | 46 |
| Epilepsy | 7 | 8 | 6 | 7 | 8 | 6 | 8 | 11 | 6 |
| Convulsions | 30 | 33 | 27 | 41 | 46 | 36 | 30 | 30 | 30 |
| Croup | 19 | 20 | 18 | 17 | 17 | 16 | 25 | 22 | 27 |
| BRONCHITIS | 203 | 200 | 206 | 249 | 248 | 249 | 220 | 225 | 216 |
| Pneumonia | 124 | 145 | 104 | 166 | 197 | 139 | 131 | 147 | 116 |
| Dentition | 12 | 13 | 11 | 16 | 17 | 16 | 13 | 14 | 11 |
| Enteritis | 28 | 29 | 26 | 30 | 32 | 29 | 31 | 34 | 27 |
| All Liver Diseases | 24 | 25 | 22 | 24 | 25 | 24 | 25 | 29 | 20 |
| Dropsy | 4 | 3 | 4 | 3 | 2 | 3 | 4 | 4 | 5 |
| Organs of Generation | 6 | 1 | 10 | 7 | 1 | 13 | 4 | 1 | 6 |
| Organs of Parturition (Childbirth) | 9 | – | 18 | 9 | – | 18 | 10 | – | 20 |
| Atrophy and Debility | 61 | 69 | 54 | 71 | 81 | 62 | 78 | 86 | 69 |
| Poisoning (including Suicide) | 2 | 3 | 1 | 3 | 4 | 2 | 2 | 4 | 1 |
| Burns and Scalds | 8 | 9 | 7 | 9 | 9 | 9 | 6 | 7 | 5 |
| Drowning | 17 | 30 | 4 | 10 | 19 | 2 | 10 | 18 | 2 |

**Scarlet-Fever, 84 to Hooping-Cough, 72 to Measles, 56 to Diphtheria,**

Hundred Thousand Persons of the Population in 1889, allowing for Causes not Specified.

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 100,000 Persons Living. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SMALL TOWN DISTRICTS. | | | MAINLAND-RURAL DISTRICTS. | | | INSULAR-RURAL DISTRICTS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| TOTAL DEATHS . | 1875 | 1926 | 1828 | 1665 | 1661 | 1670 | 1565 | 1589 | 1544 |
| 1. Zymotic . . . | 274 | 279 | 269 | 213 | 204 | 223 | 146 | 128 | 162 |
| 2. Constitutional . . | 329 | 314 | 344 | 270 | 250 | 291 | 261 | 278 | 247 |
| 3. Developmental . . | 161 | 144 | 176 | 208 | 183 | 223 | 395 | 312 | 467 |
| 4. Nervous system . . | 230 | 234 | 226 | 198 | 183 | 212 | 132 | 148 | 117 |
| 5. Organs of Circulation | 162 | 154 | 169 | 150 | 145 | 154 | 102 | 124 | 83 |
| 6. Respiratory Organs . | 359 | 385 | 334 | 305 | 318 | 292 | 250 | 247 | 253 |
| 7. Organs of Digestion. | 133 | 131 | 135 | 122 | 128 | 117 | 104 | 126 | 84 |
| 8. Urinary Organs . . | 46 | 58 | 35 | 45 | 60 | 32 | 35 | 54 | 19 |
| 9. Reproductive Organs | 12 | 1 | 23 | 13 | 1 | 26 | 16 | – | 31 |
| 10. Organs of Locomotion | 13 | 15 | 10 | 8 | 9 | 8 | 5 | 11 | – |
| 11. Integumentary Syst. | 5 | 6 | 4 | 5 | 5 | 6 | 6 | 9 | 3 |
| 12. Violent Deaths . . | 76 | 120 | 36 | 69 | 108 | 30 | 63 | 108 | 24 |
| Small-pox . . . | – | – | – | – | – | – | – | – | – |
| Measles . . . . | 53 | 63 | 43 | 29 | 29 | 28 | 19 | 15 | 23 |
| Scarlet Fever . . . | 20 | 23 | 17 | 14 | 15 | 13 | 7 | 4 | 10 |
| Influenza . . . | 22 | 27 | 17 | 36 | 38 | 33 | 61 | 69 | 55 |
| Hooping-cough . . | 62 | 57 | 68 | 42 | 36 | 48 | 9 | 7 | 10 |
| Diphtheria . . . | 22 | 20 | 24 | 27 | 25 | 28 | 7 | 4 | 10 |
| All FEVERS, viz. . | 26 | 28 | 24 | 15 | 16 | 15 | 15 | 17 | 13 |
| Typhus . . | 1 | 2 | 1 | 1 | 1 | 1 | 3 | 4 | 3 |
| Enteric . . | 25 | 24 | 21 | 14 | 15 | 13 | 9 | 11 | 6 |
| Relapsing . . | – | – | – | – | – | – | – | – | – |
| Cerebro-Spinal . | – | 1 | – | – | – | – | – | – | – |
| Simple or Ill-defi. | 1 | 1 | 2 | – | – | – | 3 | 2 | 3 |
| Simple Cholera . . | 2 | 3 | 1 | 2 | 1 | 2 | – | – | – |
| DIARRHŒA AND DYSENTERY . | 41 | 42 | 40 | 29 | 29 | 29 | 12 | 9 | 15 |
| Erysipelas . . . . | 7 | 8 | 7 | 8 | 8 | 9 | 7 | 2 | 11 |
| Puer. Fever (Metria) | 9 | – | 18 | 7 | – | 13 | 7 | – | 13 |
| Rheumatism . . . | 10 | 9 | 11 | 9 | 7 | 11 | 16 | 13 | 19 |
| Cancer . . . . | 61 | 45 | 76 | 61 | 51 | 71 | 46 | 41 | 50 |
| Tubercular Dis. viz. | 247 | 251 | 242 | 189 | 182 | 196 | 194 | 219 | 172 |
| Tabes Mesenterica | 21 | 25 | 18 | 10 | 10 | 10 | 7 | 6 | 8 |
| Tuber Meningitis | 27 | 32 | 21 | 18 | 20 | 17 | 8 | 7 | 8 |
| PHTHISIS . . | 183 | 177 | 189 | 148 | 139 | 156 | 171 | 199 | 148 |
| Scrofula . . . | 16 | 18 | 15 | 13 | 13 | 13 | 8 | 7 | 8 |
| Dev. Dis. of Children | 56 | 63 | 48 | 41 | 47 | 36 | 13 | 13 | 13 |
| Age . . . . . | 105 | 81 | 127 | 162 | 137 | 187 | 382 | 299 | 454 |
| Apoplexy . . . | 68 | 64 | 71 | 62 | 58 | 67 | 27 | 28 | 26 |
| Paralysis . . . . | 45 | 43 | 47 | 51 | 42 | 60 | 51 | 56 | 47 |
| Epilepsy . . . . | 8 | 9 | 7 | 7 | 6 | 7 | 7 | 9 | 5 |
| Convulsions . . . | 27 | 29 | 25 | 18 | 18 | 17 | 13 | 20 | 6 |
| Croup . . . . . | 21 | 23 | 20 | 17 | 20 | 15 | 24 | 24 | 24 |
| BRONCHITIS . . | 181 | 183 | 180 | 151 | 138 | 164 | 123 | 111 | 133 |
| Pneumonia . . . | 96 | 113 | 80 | 86 | 102 | 71 | 53 | 63 | 44 |
| Dentition . . . . | 9 | 11 | 8 | 8 | 9 | 6 | 4 | 9 | – |
| Enteritis . . . . | 63 | 33 | 32 | 21 | 23 | 18 | 9 | 9 | 8 |
| All Liver Diseases . | 24 | 23 | 24 | 23 | 25 | 22 | 20 | 32 | 10 |
| Dropsy . . . . . | 3 | 2 | 4 | 4 | 3 | 5 | 13 | 13 | 13 |
| Organs of Generation | 5 | 1 | 8 | 5 | 1 | 8 | 4 | – | 8 |
| Organs of Parturition (Childbirth) . | 8 | – | 15 | 9 | – | 17 | 12 | – | 23 |
| Atrophy and Debility | 58 | 66 | 51 | 44 | 50 | 38 | 30 | 28 | 32 |
| Poisoning (including Suicide) . . . | 2 | 2 | 2 | 1 | 1 | 1 | – | – | – |
| Burns and Scalds . | 7 | 9 | 6 | 7 | 9 | 5 | 6 | 7 | – |
| Drowning . . . . | 24 | 43 | 7 | 22 | 37 | 6 | 41 | 84 | 3 |

45 to Diarrhœal Affections, and 36 to Fevers (14 of these being Typhus and 22 Typhoid).

TABLE XXIX.—Proportion of Deaths from different

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 10,000 Specified Causes of Death. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SCOTLAND. | | | PRINCIPAL TOWN DISTRICTS. | | | LARGE TOWN DISTRICTS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| 1. Zymotic | 1500 | 1460 | 1539 | 1657 | 1603 | 1710 | 1468 | 1470 | 1467 |
| 2. Constitutional | 1739 | 1643 | 1833 | 1797 | 1735 | 1858 | 1702 | 1530 | 1869 |
| 3. Developmental | 878 | 771 | 982 | 642 | 571 | 712 | 877 | 765 | 985 |
| 4. Nervous System | 1166 | 1158 | 1174 | 1126 | 1147 | 1106 | 1244 | 1242 | 1246 |
| 5. Organs of Circulation | 786 | 757 | 814 | 713 | 686 | 739 | 763 | 741 | 785 |
| 6. Respiratory Organs | 2049 | 2128 | 1972 | 2221 | 2290 | 2153 | 2097 | 2196 | 2001 |
| 7. Organs of Digestion | 690 | 683 | 698 | 661 | 625 | 697 | 692 | 726 | 659 |
| 8. Urinary Organs | 253 | 305 | 203 | 253 | 289 | 218 | 232 | 264 | 200 |
| 9. Reproductive Organs | 75 | 5 | 143 | 75 | 6 | 145 | 69 | 4 | 133 |
| 10. Organs of Locomotion | 62 | 69 | 54 | 64 | 72 | 56 | 65 | 67 | 63 |
| 11. Integumentary Syst. | 26 | 26 | 27 | 21 | 21 | 21 | 33 | 26 | 40 |
| 12. Violent Deaths | 365 | 546 | 189 | 350 | 489 | 211 | 267 | 423 | 116 |
| Small-pox | – | – | – | – | – | – | – | – | – |
| Measles | 321 | 345 | 297 | 430 | 459 | 402 | 274 | 295 | 255 |
| Scarlet Fever | 94 | 97 | 92 | 105 | 99 | 110 | 67 | 82 | 53 |
| Influenza | 106 | 113 | 99 | 46 | 43 | 48 | 72 | 67 | 76 |
| Hooping-cough | 388 | 354 | 422 | 483 | 448 | 517 | 429 | 397 | 461 |
| Diphtheria | 130 | 123 | 137 | 133 | 127 | 138 | 105 | 104 | 105 |
| All FEVERS, viz. | 113 | 121 | 106 | 107 | 109 | 104 | 142 | 178 | 107 |
| Typhus | 10 | 11 | 8 | 12 | 15 | 9 | 10 | 11 | 8 |
| Enteric | 99 | 106 | 93 | 91 | 92 | 91 | 128 | 160 | 97 |
| Relapsing | – | – | – | – | – | – | – | – | – |
| Cerebro-Spinal | – | 1 | – | – | – | – | – | – | – |
| Simple or Ill-def. | 4 | 3 | 5 | 3 | 2 | 4 | 4 | 7 | 2 |
| Simple Cholera | 7 | 7 | 8 | 5 | 5 | 5 | 9 | 9 | 8 |
| DIARRHŒA AND DYSENTERY | 203 | 204 | 201 | 206 | 204 | 207 | 234 | 254 | 215 |
| Erysipelas | 43 | 40 | 47 | 42 | 41 | 44 | 45 | 35 | 55 |
| Puer. Fever (Metria) | 41 | – | 82 | 38 | – | 75 | 43 | – | 85 |
| Rheumatism | 52 | 44 | 59 | 49 | 42 | 57 | 40 | 37 | 42 |
| Cancer | 310 | 232 | 387 | 289 | 211 | 367 | 263 | 171 | 351 |
| Tubercular Dis. viz. | 1315 | 1320 | 1311 | 1400 | 1434 | 1366 | 1329 | 1292 | 1366 |
| Tabes Mesenterica | 107 | 117 | 97 | 124 | 140 | 109 | 128 | 126 | 130 |
| Tuber. Meningitis | 146 | 164 | 127 | 167 | 189 | 146 | 151 | 167 | 135 |
| PHTHISIS | 979 | 942 | 1015 | 1022 | 996 | 1047 | 963 | 900 | 1025 |
| Scrofula | 84 | 97 | 71 | 87 | 109 | 64 | 88 | 100 | 76 |
| Dev. Dis. of Children | 286 | 322 | 251 | 295 | 337 | 254 | 341 | 373 | 309 |
| Age | 592 | 449 | 731 | 346 | 234 | 458 | 536 | 392 | 676 |
| Apoplexy | 335 | 308 | 361 | 299 | 271 | 328 | 387 | 362 | 410 |
| Paralysis | 238 | 220 | 257 | 206 | 199 | 213 | 220 | 215 | 225 |
| Epilepsy | 37 | 41 | 33 | 31 | 36 | 26 | 42 | 52 | 32 |
| Convulsions | 153 | 164 | 143 | 183 | 198 | 168 | 147 | 145 | 149 |
| Croup | 95 | 96 | 94 | 74 | 75 | 73 | 121 | 106 | 135 |
| BRONCHITIS | 1030 | 986 | 1072 | 1113 | 1060 | 1166 | 1078 | 1090 | 1067 |
| Pneumonia | 629 | 718 | 542 | 744 | 839 | 650 | 642 | 711 | 574 |
| Dentition | 60 | 64 | 56 | 73 | 73 | 73 | 62 | 67 | 57 |
| Enteritis | 141 | 146 | 136 | 136 | 136 | 135 | 151 | 167 | 135 |
| All Liver Diseases | 121 | 125 | 116 | 109 | 108 | 110 | 121 | 141 | 101 |
| Dropsy | 18 | 14 | 22 | 12 | 9 | 15 | 21 | 17 | 25 |
| Organs of Generation | 28 | 5 | 51 | 33 | 6 | 60 | 18 | 4 | 32 |
| Organs of Parturition | 46 | – | 92 | 42 | – | 85 | 51 | – | 101 |
| Atrophy and Debility | 310 | 341 | 280 | 319 | 348 | 290 | 380 | 418 | 343 |
| Poisoning (including Suicide) | 10 | 13 | 7 | 13 | 19 | 8 | 11 | 17 | 4 |
| Burns and Scalds | 39 | 43 | 35 | 40 | 39 | 41 | 28 | 33 | 23 |
| Drowning | 85 | 149 | 22 | 45 | 79 | 11 | 48 | 89 | 8 |

In Greenock the proportion of deaths from Zymotics to population is 331, forming 15·42 per cent. of all. Of this, Measles accounts for 119,

Diseases to the Total Deaths from Specified Causes in 1890.

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 10,000 Specified Causes of Death. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SMALL TOWN DISTRICTS. | | | MAINLAND-RURAL DISTRICTS. | | | INSULAR-RURAL DISTRICTS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| 1. Zymotic | 1461 | 1447 | 1474 | 1281 | 1226 | 1335 | 935 | 806 | 1050 |
| 2. Constitutional | 1757 | 1631 | 1880 | 1627 | 1507 | 1743 | 1670 | 1752 | 1597 |
| 3. Developmental | 857 | 750 | 962 | 1222 | 1103 | 1337 | 2522 | 1963 | 3025 |
| 4. Nervous System | 1224 | 1214 | 1234 | 1188 | 1104 | 1268 | 841 | 935 | 756 |
| 5. Organs of Circulation | 862 | 799 | 923 | 899 | 876 | 921 | 653 | 782 | 536 |
| 6. Respiratory Organs | 1913 | 2002 | 1826 | 1830 | 1913 | 1749 | 1598 | 1554 | 1639 |
| 7. Organs of Digestion | 711 | 681 | 740 | 735 | 772 | 698 | 663 | 794 | 546 |
| 8. Urinary Organs | 244 | 300 | 189 | 276 | 362 | 193 | 227 | 339 | 126 |
| 9. Reproductive Organs | 66 | 3 | 128 | 80 | 5 | 153 | 105 | – | 200 |
| 10. Organs of Locomotion | 68 | 79 | 57 | 51 | 56 | 47 | 33 | 70 | – |
| 11. Integumentary Syst. | 28 | 31 | 24 | 32 | 29 | 35 | 39 | 58 | 21 |
| 12. Violent Deaths | 406 | 623 | 194 | 412 | 652 | 180 | 404 | 678 | 158 |
| Small-pox | – | – | – | – | – | – | – | – | – |
| Measles | 281 | 325 | 238 | 172 | 174 | 170 | 122 | 93 | 147 |
| Scarlet Fever | 107 | 118 | 95 | 82 | 89 | 76 | 44 | 23 | 63 |
| Influenza | 116 | 138 | 95 | 214 | 232 | 197 | 393 | 432 | 357 |
| Hooping-cough | 333 | 294 | 371 | 252 | 216 | 288 | 55 | 47 | 63 |
| Diphtheria | 118 | 105 | 132 | 160 | 152 | 168 | 44 | 23 | 63 |
| All FEVERS, viz. | 136 | 143 | 130 | 92 | 95 | 89 | 94 | 105 | 84 |
| Typhus | 8 | 9 | 6 | 6 | 5 | 7 | 22 | 23 | 21 |
| Enteric | 120 | 126 | 115 | 85 | 89 | 80 | 55 | 70 | 42 |
| Relapsing | – | – | – | – | – | – | – | – | – |
| Cerebro-Spinal | 2 | 4 | – | – | – | – | – | – | – |
| Simple or Ill-def. | 6 | 4 | 9 | 1 | 1 | 1 | 17 | 12 | 21 |
| Simple Cholera | 10 | 13 | 8 | 10 | 6 | 13 | – | – | – |
| DIARRHŒA AND DYSENTERY | 220 | 220 | 220 | 175 | 176 | 175 | 77 | 58 | 95 |
| Erysipelas | 39 | 39 | 39 | 49 | 47 | 52 | 44 | 12 | 74 |
| Puer. Fever (Metria) | 50 | – | 99 | 40 | – | 79 | 44 | – | 84 |
| Rheumatism | 54 | 48 | 60 | 55 | 43 | 67 | 105 | 82 | 126 |
| Cancer | 327 | 234 | 417 | 369 | 307 | 428 | 293 | 257 | 326 |
| Tubercular Dis. viz. | 1315 | 1305 | 1325 | 1135 | 1096 | 1172 | 1239 | 1379 | 1113 |
| Tabes Mesenterica | 112 | 127 | 97 | 60 | 62 | 59 | 44 | 35 | 53 |
| Tuber. Meningitis | 141 | 168 | 116 | 111 | 119 | 103 | 50 | 47 | 53 |
| PHTHISIS | 976 | 918 | 1033 | 887 | 838 | 934 | 1095 | 1250 | 956 |
| Scrofula | 86 | 92 | 80 | 77 | 78 | 77 | 50 | 47 | 53 |
| Dev. Dis. of Children | 296 | 328 | 264 | 249 | 280 | 218 | 83 | 82 | 84 |
| Age | 561 | 422 | 697 | 973 | 823 | 1118 | 2439 | 1881 | 2941 |
| Apoplexy | 361 | 333 | 389 | 374 | 347 | 399 | 171 | 175 | 168 |
| Paralysis | 238 | 221 | 256 | 309 | 253 | 363 | 326 | 350 | 305 |
| Epilepsy | 42 | 47 | 38 | 41 | 38 | 44 | 44 | 58 | 32 |
| Convulsions | 145 | 151 | 139 | 110 | 120 | 101 | 83 | 129 | 42 |
| Croup | 114 | 121 | 107 | 101 | 107 | 95 | 155 | 152 | 158 |
| BRONCHITIS | 967 | 949 | 986 | 908 | 832 | 983 | 785 | 701 | 861 |
| Pneumonia | 512 | 589 | 436 | 519 | 616 | 426 | 337 | 397 | 284 |
| Dentition | 49 | 56 | 43 | 45 | 52 | 38 | 28 | 58 | – |
| Enteritis | 174 | 172 | 176 | 124 | 138 | 111 | 55 | 58 | 53 |
| All Liver Diseases | 125 | 118 | 132 | 140 | 151 | 129 | 127 | 199 | 63 |
| Dropsy | 15 | 9 | 20 | 24 | 20 | 29 | 83 | 82 | 84 |
| Organs of Generation | 24 | 3 | 46 | 27 | 5 | 49 | 28 | – | 53 |
| Organs of Parturition | 42 | – | 83 | 53 | – | 104 | 77 | – | 147 |
| Atrophy and Debility | 310 | 343 | 279 | 264 | 299 | 230 | 194 | 175 | 210 |
| Poisoning (including Suicide) | 9 | 9 | 9 | 5 | 4 | 7 | – | – | – |
| Burns and Scalds | 40 | 47 | 33 | 42 | 52 | 32 | 39 | 47 | 32 |
| Drowning | 129 | 224 | 37 | 130 | 224 | 38 | 260 | 526 | 21 |

Hooping-Cough for 69, Diarrhœa and Dysentery for 40, Diphtheria for 34, Scarlet-Fever for 18, and Fevers for 15 (2 of these being Typhus and 13 Typhoid).

In Paisley the mortality from Zymotics is at the rate of 235 per hundred thousand of population, and equal to 11·38 per cent. of the whole. Scarlet-Fever accounts for 50 of the above, Diarrhœal Affection for 46, Hooping-Cough for 44, Diphtheria for 38, Fevers for 31 (9 of these Typhus and 21 Typhoid), and Measles for 6.

In Perth the rate for this class is 370, as estimated to the inhabitants, forming 16·69 per cent. of the total mortality. Hooping-Cough accounts for 138 of this, Measles for 72, Diarrhœa and Dysentery for 59, Diphtheria for 36, Scarlet-Fever and Fevers each for 16 (the whole of the latter being Typhoid).

In Kilmarnock 535 in every hundred thousand of the inhabitants succumbed to Zymotics during the year, forming 24·03 per cent. of the

---

TABLE XXX.—Proportion of Deaths from different Diseases to the Population in the Principal Towns of Scotland during the Year 1890, allowing for Causes not Specified.

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 100,000 Persons living. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Leith. | Greenock. | Paisley. | Perth. | Kilmarnock. | Glasgow Landward & Suburban. |
| TOTAL DEATHS | 2382 | 2093 | 2385 | 2159 | 2193 | 2144 | 2067 | 2219 | 2226 | 2057 |
| Zymotic | 398 | 351 | 351 | 366 | 419 | 331 | 235 | 370 | 535 | 353 |
| Constitutional | 428 | 388 | 421 | 339 | 453 | 422 | 379 | 390 | 340 | 364 |
| Developmental | 135 | 128 | 162 | 190 | 132 | 120 | 165 | 187 | 94 | 148 |
| Nervous System | 252 | 242 | 246 | 283 | 195 | 261 | 298 | 236 | 170 | 264 |
| Organs of Circulation | 148 | 178 | 173 | 159 | 169 | 145 | 147 | 243 | 202 | 143 |
| Respiratory Organs | 572 | 405 | 579 | 453 | 450 | 453 | 437 | 446 | 488 | 431 |
| Organs of Digestion | 161 | 136 | 163 | 149 | 166 | 136 | 144 | 131 | 137 | 119 |
| Violent Deaths | 90 | 84 | 82 | 65 | 61 | 94 | 64 | 69 | 98 | 48 |
| Small-pox | – | – | – | – | – | – | – | – | – | – |
| Measles | 115 | 93 | 106 | 45 | 72 | 119 | 6 | 72 | 137 | 99 |
| SCARLET FEVER | 23 | 19 | 6 | 15 | 85 | 18 | 50 | 16 | 47 | 19 |
| HOOPING-COUGH | 127 | 97 | 89 | 121 | 84 | 69 | 44 | 138 | 166 | 105 |
| Diphtheria | 24 | 33 | 33 | 10 | 56 | 34 | 38 | 36 | 33 | 33 |
| All FEVERS, viz. | 24 | 20 | 15 | 24 | 36 | 15 | 31 | 16 | 40 | 28 |
| Typhus | 2 | 1 | 1 | 1 | 14 | 2 | 9 | – | – | 3 |
| Enteric | 21 | 19 | 13 | 21 | 22 | 13 | 21 | 16 | 33 | 25 |
| Relapsing | – | – | – | – | – | – | – | – | – | – |
| Cerebro-Spinal | – | – | – | – | – | – | – | – | – | – |
| Simple or Ill-defined | 1 | – | 1 | 2 | – | – | – | – | 7 | 1 |
| Simple Cholera | 1 | – | 1 | 1 | 6 | – | – | – | – | 1 |
| DIARRHŒA AND DYSENTERY | 47 | 37 | 69 | 48 | 45 | 40 | 46 | 59 | 65 | 35 |
| Rheumatism | 11 | 11 | 14 | 10 | 9 | 14 | 17 | 10 | 7 | 9 |
| Cancer | 56 | 88 | 67 | 63 | 78 | 47 | 60 | 85 | 94 | 54 |
| PHTHISIS | 251 | 190 | 252 | 202 | 210 | 271 | 228 | 216 | 173 | 214 |
| Dev. Dis. of Children | 67 | 60 | 86 | 77 | 74 | 66 | 32 | 49 | 58 | 62 |
| Age | 68 | 68 | 76 | 113 | 58 | 55 | 133 | 138 | 36 | 87 |
| Apoplexy | 63 | 71 | 78 | 72 | 59 | 59 | 58 | 82 | 58 | 67 |
| Paralysis | 46 | 36 | 43 | 43 | 51 | 37 | 81 | 59 | 25 | 50 |
| Croup | 12 | 12 | 16 | 26 | 14 | 21 | 43 | 23 | 36 | 17 |
| BRONCHITIS | 288 | 220 | 316 | 216 | 195 | 206 | 231 | 187 | 257 | 197 |
| Pneumonia | 189 | 126 | 206 | 144 | 200 | 187 | 108 | 170 | 159 | 142 |
| Dentition | 19 | 14 | 14 | 10 | 14 | 17 | 43 | 7 | 18 | 10 |
| All Liver Diseases | 27 | 24 | 21 | 23 | 20 | 27 | 20 | 16 | 51 | 21 |
| Dropsy | 5 | – | 2 | 2 | – | – | 3 | – | – | 3 |

total mortality; 166 of this proportion is due to Hooping-Cough, 137 to Measles, 65 to Diarrhœal Affections, 47 to Scarlet-Fever, 40 to Fever (33 being Typhoid), and 33 to Diphtheria.

In Glasgow Landward and Suburban, 353 deaths in every hundred thousand of the population were ascribed to Zymotics during the year, being 17·16 per cent. of the total mortality; 105 of these are due to Hooping-Cough, 99 to Measles, 35 to Diarrhœa and Dysentery, 33 to Diphtheria, 28 to Fevers (3 Typhus and 25 Typhoid), and 19 to Scarlet-Fever.

Not a single death from Small Pox has been recorded in Scotland during 1890.

Hooping-Cough is the Zymotic which caused the largest number of deaths during the year, viz., 3039, being in the proportion of 77 in every hundred thousand of the inhabitants, and constituting 3·88 per cent. of the total specified deaths. The male exits are 1372, the female 1667. The greatest ratio of deaths from this disease occurred in the Principal and Large Town Districts, in both of which it exceeds that for Scotland; the

---

TABLE XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in the Principal Towns of Scotland, during the Year 1890.

| Diseases and Classes of Disease. | Proportion of DEATHS in every 10,000 Specified Causes of Death. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Leith. | Greenock. | Paisley. | Perth. | Kilmarnock. | Glasgow Landward & Suburban. |
| Zymotic | 1672 | 1678 | 1473 | 1694 | 1912 | 1542 | 1138 | 1669 | 2403 | 1716 |
| Constitutional | 1798 | 1855 | 1763 | 1571 | 2063 | 1969 | 1833 | 1758 | 1526 | 1769 |
| Developmental | 567 | 613 | 678 | 878 | 600 | 561 | 798 | 842 | 422 | 721 |
| Nervous System | 1056 | 1157 | 1081 | 1311 | 890 | 1215 | 1441 | 1034 | 763 | 1282 |
| Organs of Circulation | 621 | 823 | 727 | 735 | 771 | 675 | 710 | 1093 | 909 | 697 |
| Respiratory Organs | 2401 | 1936 | 2428 | 2097 | 2050 | 2111 | 2174 | 2009 | 2192 | 2098 |
| Organs of Digestion | 676 | 648 | 684 | 689 | 758 | 633 | 695 | 591 | 617 | 581 |
| Violent Deaths | 380 | 402 | 345 | 302 | 277 | 441 | 310 | 310 | 438 | 232 |
| Small-pox | – | – | – | – | – | – | – | – | – | – |
| Measles | 481 | 145 | 445 | 209 | 330 | 554 | 30 | 325 | 617 | 482 |
| SCARLET FEVER | 96 | 90 | 24 | 70 | 389 | 85 | 244 | 74 | 211 | 92 |
| HOOPING-COUGH | 583 | 465 | 374 | 561 | 382 | 320 | 214 | 620 | 747 | 509 |
| Diphtheria | 103 | 159 | 138 | 46 | 257 | 156 | 185 | 162 | 146 | 162 |
| All FEVERS, viz. | 103 | 94 | 62 | 112 | 165 | 71 | 148 | 74 | 179 | 138 |
| Typhus | 11 | 4 | 5 | 4 | 66 | 7 | 44 | – | – | 13 |
| Enteric | 89 | 90 | 54 | 100 | 99 | 64 | 104 | 74 | 146 | 121 |
| Relapsing | – | – | – | – | – | – | – | – | – | – |
| Cerebro-Spinal | – | – | – | – | – | – | – | – | – | – |
| Simple or Ill-defined | 3 | – | 3 | 8 | – | – | – | – | 33 | 4 |
| Simple Cholera | 5 | 2 | 3 | 4 | 26 | – | – | – | – | 7 |
| DIARRHŒA AND DYSENTERY | 197 | 179 | 288 | 221 | 204 | 185 | 222 | 266 | 292 | 169 |
| Rheumatism | 46 | 52 | 57 | 46 | 40 | 64 | 81 | 44 | 32 | 44 |
| Cancer | 236 | 419 | 282 | 290 | 356 | 220 | 288 | 384 | 422 | 263 |
| PHTHISIS | 1056 | 908 | 1058 | 936 | 956 | 1265 | 1101 | 975 | 779 | 1039 |
| Dev. Dis. of Children | 281 | 286 | 361 | 356 | 336 | 306 | 155 | 222 | 260 | 300 |
| Age | 286 | 327 | 317 | 522 | 264 | 256 | 643 | 620 | 162 | 421 |
| Apoplexy | 265 | 341 | 326 | 333 | 270 | 277 | 281 | 369 | 260 | 327 |
| Paralysis | 193 | 173 | 201 | 201 | 231 | 171 | 392 | 266 | 114 | 241 |
| Croup | 50 | 59 | 68 | 120 | 66 | 100 | 207 | 103 | 162 | 81 |
| BRONCHITIS | 1208 | 1050 | 1334 | 1002 | 890 | 959 | 1116 | 842 | 1153 | 960 |
| Pneumonia | 794 | 600 | 863 | 665 | 910 | 874 | 525 | 768 | 714 | 688 |
| Dentition | 81 | 66 | 60 | 46 | 66 | 78 | 207 | 30 | 81 | 48 |
| All Liver Diseases | 112 | 116 | 87 | 108 | 92 | 128 | 96 | 74 | 227 | 103 |
| Dropsy | 20 | – | 8 | 8 | – | – | 15 | – | – | 15 |

rate is but 9 in the Insular-Rural Districts. Measles caused 2509 deaths, at the rate of 63 in each hundred thousand of the population, and forming 3·21 per cent. of the total mortality—males 1337, females 1172, most marked in the Principal Town Districts, where the rate is above that for the whole country, the Insular-Rural Districts again showing the lowest rate, viz., 19 in like proportion. Diarrhœa and Dysentery caused 1585 deaths, or 40 per hundred thousand of population, and equivalent to a rate of 2·03 per cent. of all—males 791, females 794. This rate is exceeded in the three Urban Districts, being highest in the Large Town Districts, 48, and but 12 in the Insular-Rural Districts.

Diphtheria is the ascribed cause of 1018 exits, which is 26 per hundred thousand of population, and 1·30 per cent. of the total deaths—males 475, females 543. The rate for the country is exceeded in this case in the Principal Town Districts and Mainland-Rural Districts, that in the other three being below.

Fevers cause 887 deaths, or 22 per hundred thousand of population, and equal to 1·13 per cent. of the total deaths—males 469, females 418. The rate in each of the Urban Districts is higher than that for Scotland. From Typhus Fever there are 77 deaths during the year—males 44, females 33, and from Typhoid 777 deaths—410 males and 367 females, equal to 20 per hundred thousand of population. Table XXXVII. shows that in the Rural Districts 8·33 per cent. of the Fever deaths were due to Typhus, and 88·69 per cent. to Typhoid, in the Town Districts the corresponding ratios were 8·76 per cent. and 87·34 per cent.

Scarlet-Fever caused 739 deaths during the year, at the rate of 19 per hundred thousand of population, or 0·94 per cent. of the total—males 377,

---

TABLE XXXII.—Number and Proportion of Deaths at different Ages from the Zymotic and Ordinary Diseases in Scotland in 1890.

| DISEASES. | NUMBER OF DEATHS AT EACH AGE. | | | | | | PERCENTAGE AT EACH AGE. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 years. | 5–10. | 10–15. | 15–60. | Above 60. | Total. | 0–5. | 5–10 | 10–15 | 15–60 | Above 60. | Total. |
| Small-pox | – | – | – | – | – | – | 0·0 | 0·0 | 0·0 | 0·0 | 0·0 | 000 |
| Measles | 2283 | 183 | 12 | 30 | 1 | 2509 | 91·0 | 7·3 | 0·5 | 1·2 | 0·0 | 100 |
| Scarlet Fever | 454 | 201 | 47 | 37 | – | 739 | 61·4 | 27·2 | 6·4 | 5·0 | 0·0 | 100 |
| Hooping-cough | 2885 | 150 | 3 | 1 | – | 3039 | 94·9 | 5·0 | 0·1 | 0·0 | 0·0 | 100 |
| Diphtheria | 653 | 259 | 57 | 48 | 1 | 1018 | 64·2 | 25·4 | 5·6 | 4·7 | 0·1 | 100 |
| All Fevers, viz.. | 84 | 109 | 117 | 547 | 30 | 887 | 9·5 | 12·3 | 13·2 | 61·6 | 3·4 | 100 |
| Typhus | 5 | 7 | 3 | 57 | 5 | 77 | 6·5 | 9·1 | 3·9 | 74·0 | 6·5 | 100 |
| Enteric | 67 | 97 | 112 | 479 | 22 | 777 | 8·6 | 12·5 | 14·4 | 61·7 | 2·8 | 100 |
| Relapsing | – | – | – | – | – | – | 0·0 | 0·0 | 0·0 | 0·0 | 0·0 | 000 |
| Cerebro-Spinal | 3 | – | – | – | – | 3 | 100·0 | 0·0 | 0·0 | 0·0 | 0·0 | 100 |
| Simple or ill-def. | 9 | 5 | 2 | 11 | 3 | 30 | 30·0 | 16·7 | 6·7 | 36·6 | 10·0 | 100 |
| Simple Cholera | 44 | 1 | 1 | 7 | 4 | 57 | 77·2 | 1·8 | 1·8 | 12·2 | 7·0 | 100 |
| Diarrhœa & Dysentery | 1078 | 10 | 17 | 201 | 279 | 1585 | 68·0 | 0·6 | 1·1 | 12·7 | 17·6 | 100 |
| Syphilis | 171 | – | 1 | 22 | 2 | 196 | 87·3 | 0·0 | 0·5 | 11·2 | 1·0 | 100 |
| Erysipelas | 102 | 2 | 4 | 121 | 111 | 340 | 30·0 | 0·6 | 1·2 | 35·6 | 32·6 | 100 |
| Puerperal Fever | – | – | – | 324 | – | 324 | 0·0 | 0·0 | 0·0 | 100·0 | 0·0 | 100 |
| Zymotic Diseases | 7917 | 964 | 288 | 1788 | 780 | 11737 | 67·5 | 8·2 | 2·5 | 15·2 | 6·6 | 100 |
| Croup | 643 | 92 | 7 | – | 2 | 744 | 86·4 | 12·4 | 0·9 | 0·0 | 0·3 | 100 |
| All other Diseases, excluding Zymotics | 19164 | 1830 | 1479 | 22940 | 21110 | 66523 | 28·8 | 2·8 | 2·2 | 34·5 | 31·7 | 100 |
| Total Deaths | 27724 | 2886 | 1774 | 24728 | 21892 | 79004 | 35·1 | 3·7 | 2·2 | 31·3 | 27·7 | 100 |

females 362. The highest proportion of deaths of this nature occurred in the Principal and Small Town Districts.

The wave of Influenza which had commenced its rise during the previous year, 1889 (when there were in all 62 deaths from it), became greatly intensified as a cause of mortality at the commencement of 1890, and 830 deaths were registered as occurring directly from it in Scotland during the year—436 males and 394 females. In addition, there were 73 deaths—40 males and 33 females, in which, although not the immediate, it was mentioned as one cause, and we have included those in our numbers in Table XXXII*a*, giving a grand total of 903 deaths—476 males and 427 females. In this Table the distribution of these is given as they occurred during each month of the year in Scotland in the five Registration Districts and in each county. During the month of November 1889 there were 8 deaths from this disease in all Scotland, and in December there were 15—the two highest numbers for any month of that year—while during January 1890 they had increased to 143—males 70, females 73. Of these, 58 occurred in the Principal Town Districts—24 males and 34 females; 17 occurred in the Large Town Districts—6 males and 11 females; 23 occurred in the Small Town Districts—14 males and 9 females; 44 occurred in the Mainland-Rural Districts—28 males and 16 females; and the death of 1 male was registered in the Insular-Rural Districts during the same month. In February 262 deaths from Influenza were registered—144 being males and 118 females. Of this number 47 occurred in the Principal Town Districts—22 males and 25 females; 18 occurred in the Large Town Districts—11 males and 7 females; 72 occurred in the Small Town Districts—48 males and 24 females; 112 occurred in the Mainland-Rural Districts—58 males and 54 females; and 13 occurred in the Insular-Rural Districts—5 males and 8 females. During March 235 deaths from the same disease are reported—130 males and 105 females. Of these, 34 occurred in the Principal Town Districts—16 males and 18 females; 21 occurred in the Large Town Districts—12 males and 9 females; 49 occurred in the Small Town Districts—30 males and 19 females; 107 occurred in the Mainland-Rural Districts—59 males and 48 females; and 24 occurred in the Insular-Rural Districts—13 males and 11 females. During April 111 deaths are registered—52 males and 59 females. Of these, 10 occur in the Principal Town Districts—4 males and 6 females; 8 occur in the Large Town Districts—2 males and 6 females; 30 occur in the Small Town Districts—14 males and 16 females; 44 occur in the Mainland-Rural Districts—23 males and 21 females; and 19 occur in the Insular-Rural Districts—9 males and 10 females. During May such deaths have declined to 55—males 22, females 33, in June they are a total of 22, in July of 19, in August of 9, in September of 12, in October of 14, in November of 13, and in December of 8. The total deaths during the year from Influenza in the five districts are 174 in the Principal Town Districts—80 males and 94 females; 78 in the Large Town Districts—36 males and 42 females; 201 in the Small Town Districts—121 males and 80 females; 374 in the Mainland-Rural Districts—199 males and 175 females; and 76 in the Insular-Rural Districts—40 males and 36 females. In the counties 19 deaths from Influenza occurred in Shetland, 20 in Orkney, 55 in Caithness, 30 in Sutherland, 55 in Ross and Cromarty, 52 in Inverness, 1 in Nairn, 22 in Elgin, 30 in Banff, 131 in Aberdeen, 10 in Kincardine, 60 in Forfar, 30 in Perth, 25 in Fife, 0 in Kinross, 4 in Clackmannan, 19 in Stirling, 16 in Dumbarton, 39 in Argyll, 5 in Bute, 14 in Renfrew, 40 in Ayr, 78 in Lanark, 11 in Linlithgow, 49 in Edinburgh, 6

in Haddington, 6 in Berwick, 7 in Peebles, 9 in Selkirk, 17 in Roxburgh, 20 in Dumfries, 15 in Kirkcudbright, and 8 in Wigtown.

Cancer is the ascribed cause of 2428 deaths, in the proportion of 61 in every hundred thousand of the population, or 3·10 per cent. of the specified deaths—the males numbering 899, the females 1529. The highest proportion of these occurred in the Principal, Small Town and Mainland-Rural

TABLE XXXIIa.—Deaths from Influenza in Scotland, its

| | | Jan. | | Feb. | | March. | | April. | | May. | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| | SCOTLAND | 73 | 70 | 144 | 118 | 130 | 105 | 52 | 59 | 22 | 33 |
| | GROUPS. | | | | | | | | | | |
| 1 | PRINCIPAL TOWN DISTRICTS | 24 | 34 | 22 | 25 | 16 | 18 | 4 | 6 | 4 | 8 |
| 2 | LARGE TOWN DISTRICTS | 6 | 11 | 11 | 7 | 12 | 9 | 2 | 6 | 1 | 3 |
| 3 | SMALL TOWN DISTRICTS | 14 | 9 | 48 | 24 | 30 | 19 | 14 | 16 | 4 | 3 |
| 4 | MAINLAND-RURAL DISTRICTS | 28 | 16 | 58 | 54 | 59 | 48 | 23 | 21 | 6 | 18 |
| 5 | INSULAR-RURAL DISTRICTS | 1 | – | 5 | 8 | 13 | 11 | 9 | 10 | 7 | 1 |
| | COUNTIES. | | | | | | | | | | |
| | I. *Northern Division.* | | | | | | | | | | |
| 1 | Shetland | – | – | 4 | – | 4 | 3 | 1 | 1 | 1 | – |
| 2 | Orkney | 1 | – | 2 | – | 3 | 2 | 3 | 4 | 2 | – |
| 3 | Caithness | 1 | 2 | 15 | 10 | 6 | 5 | 3 | 1 | 1 | 1 |
| 4 | Sutherland | – | 1 | 1 | 3 | 5 | 5 | 2 | 3 | – | 3 |
| | II. *North-Western Division.* | | | | | | | | | | |
| 5 | Ross and Cromarty | 3 | – | 11 | 3 | 13 | 8 | 4 | 2 | 2 | 1 |
| 6 | Inverness | 2 | 2 | 7 | 7 | 8 | 6 | 8 | 6 | 3 | – |
| | III. *North-Eastern Division.* | | | | | | | | | | |
| 7 | Nairn | – | – | – | 1 | – | – | – | – | – | – |
| 8 | Elgin (or Moray) | 2 | – | 6 | 3 | 2 | 4 | – | 3 | 1 | 1 |
| 9 | Banff | 2 | 1 | 4 | 3 | 8 | 4 | 1 | 3 | – | 1 |
| 10 | Aberdeen | 9 | 10 | 31 | 19 | 20 | 13 | 9 | 4 | 1 | 7 |
| 11 | Kincardine | 1 | 2 | – | – | 1 | 2 | – | – | – | – |
| | IV. *East-Midland Division.* | | | | | | | | | | |
| 12 | Forfar | 6 | 11 | 11 | 5 | 10 | 7 | – | 3 | – | 3 |
| 13 | Perth | 1 | – | 5 | 5 | 5 | 5 | 3 | 1 | 1 | 1 |
| 14 | Fife | 8 | 6 | 2 | 3 | 1 | 2 | – | – | – | – |
| 15 | Kinross | – | – | – | – | – | – | – | – | – | – |
| 16 | Clackmannan | – | – | 1 | – | – | – | 1 | 1 | – | – |
| | V. *West-Midland Division.* | | | | | | | | | | |
| 17 | Stirling | 1 | 3 | 3 | – | 3 | 3 | 1 | 1 | 1 | 1 |
| 18 | Dumbarton | 1 | – | 1 | 3 | 1 | 3 | 1 | 2 | 1 | 1 |
| 19 | Argyll | 1 | – | 5 | 6 | 5 | 5 | 5 | 6 | 1 | 1 |
| 20 | Bute | – | – | – | – | 2 | 1 | 1 | 1 | – | – |
| | VI. *South-Western Division.* | | | | | | | | | | |
| 21 | Renfrew | 2 | – | 3 | 2 | 1 | 4 | – | 1 | – | 1 |
| 22 | Ayr | 2 | 2 | 7 | 11 | 4 | 7 | – | 2 | – | – |
| 23 | Lanark | 5 | 12 | 8 | 8 | 10 | 7 | 2 | 6 | 4 | 4 |
| | VII. *South-Eastern Division.* | | | | | | | | | | |
| 24 | Linlithgow | 2 | 1 | 4 | 3 | – | – | – | – | – | – |
| 25 | Edinburgh | 15 | 9 | 3 | 6 | 3 | 3 | – | 2 | 1 | 1 |
| 26 | Haddington | 2 | – | 1 | 3 | – | – | – | – | – | – |
| 27 | Berwick | 1 | – | – | 1 | 1 | – | – | 1 | 1 | 1 |
| 28 | Peebles | 1 | – | – | 1 | 1 | 1 | 1 | 1 | – | – |
| 29 | Selkirk | 2 | 5 | 1 | 1 | – | – | – | – | – | – |
| | VIII. *Southern Division.* | | | | | | | | | | |
| 30 | Roxburgh | 2 | 2 | 3 | 1 | 3 | – | 3 | 1 | – | – |
| 31 | Dumfries | – | 1 | 4 | 6 | 2 | 2 | 1 | 3 | – | – |
| 32 | Kirkcudbright | – | – | 1 | 3 | 4 | 2 | 2 | – | 1 | 1 |
| 33 | Wigtown | – | – | – | 1 | 4 | 1 | – | – | – | 1 |

Districts, the rate in the former being 65 and in the two latter 61, the same as for Scotland; the rate in the other districts being 54 per hundred thousand of the inhabitants of the Large Town Districts, and 46 in the Insular-Rural Districts. Tables XXX. and XXXI. show the rates from this disease, in proportion to population as above estimated, to be 94 in Kilmarnock, 88 in Edinburgh, 85 in Perth, 78 in Leith, 67 in Dundee, 63

five Registration Districts and Counties during the Year 1890.

| June. | | July. | | Aug. | | Sept. | | Oct. | | Nov. | | Dec. | | Male. | Female. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | |
| 10 | 12 | 14 | 5 | 5 | 4 | 8 | 4 | 6 | 8 | 7 | 6 | 5 | 3 | 476 | 427 | 903 |
| 1 | – | 2 | 1 | – | – | 3 | – | 1 | – | 2 | 1 | 1 | 1 | 80 | 94 | 174 |
| 1 | 2 | – | – | 1 | 1 | – | – | – | 2 | 2 | 1 | – | – | 36 | 42 | 78 |
| 3 | 2 | 3 | 1 | 1 | 1 | 1 | 2 | 1 | 3 | – | – | 2 | – | 121 | 80 | 201 |
| 5 | 8 | 6 | 1 | 3 | 2 | 4 | 1 | 2 | 2 | 3 | 2 | 2 | 2 | 199 | 175 | 374 |
| – | – | 3 | 2 | – | – | – | 1 | 2 | 1 | – | 2 | – | – | 40 | 36 | 76 |
| – | – | 2 | 1 | – | – | – | – | – | – | – | 2 | – | – | 12 | 7 | 19 |
| – | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – | 14 | 6 | 20 |
| – | 3 | – | – | – | – | 1 | – | 2 | – | – | – | 1 | – | 30 | 25 | 55 |
| 1 | – | 1 | – | – | 1 | 2 | – | 1 | 1 | – | – | – | – | 13 | 17 | 30 |
| – | 1 | 1 | – | – | – | – | 2 | – | 2 | – | 1 | – | 1 | 34 | 21 | 55 |
| 1 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | 30 | 22 | 52 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | 11 | 11 | 22 |
| – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | 17 | 13 | 30 |
| 2 | 1 | 1 | – | – | – | – | 1 | – | – | 1 | 2 | – | – | 74 | 57 | 131 |
| – | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | 3 | 7 | 10 |
| 1 | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 29 | 31 | 60 |
| – | – | 1 | – | – | 1 | – | – | – | – | – | – | 1 | – | 17 | 18 | 30 |
| – | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | 13 | 12 | 25 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 2 | 2 | 4 |
| – | – | – | – | – | 1 | + | – | – | – | 1 | – | – | – | 10 | 9 | 19 |
| – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | 6 | 10 | 16 |
| 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | 19 | 20 | 39 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | 3 | 2 | 5 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | 6 | 8 | 14 |
| 1 | – | 2 | – | – | – | – | 1 | – | – | 1 | – | – | – | 17 | 23 | 40 |
| – | 2 | 1 | 1 | 1 | – | 3 | – | 1 | 1 | 1 | 1 | – | – | 36 | 42 | 78 |
| – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 7 | 4 | 11 |
| 1 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 27 | 22 | 49 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | 3 | 3 | 6 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | 3 | 3 | 6 |
| – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 4 | 3 | 7 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | 3 | 6 | 9 |
| – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 13 | 4 | 17 |
| – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | 7 | 13 | 20 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | 9 | 6 | 15 |
| 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 4 | 4 | 8 |
| – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | | | |

in Aberdeen, 60 in Paisley, 56 in Glasgow, 54 in Glasgow, Landward and Suburban, and 47 in Greenock.

From diseases of a Tubercular nature there are 10,294 deaths, equivalent to 260 in every hundred thousand of population, or 13·15 per cent. of all—males numbering 5114, females 5180. The corresponding ratios in the five districts are:—in the Principal Town Districts 313 to population, or 14·00 per cent. of the total deaths; in the Large Town Districts they are 271 or 13·29 per cent.; in the Small Town Districts 247 or 13·15 per cent.; in the Mainland-Rural Districts 189 or 11·35 per cent.; and in the Insular-Rural Districts 194 or 12·39 per cent. Phthisis accounts for 7660 of these deaths—males 3648, females 4012, and forms a mortality-rate of 193 in every hundred thousand of population, or 9·79 per cent. of the total deaths. The highest rate from this disease to population is 228 in the Principal Town Districts, next 197 in the Large Town Districts, 183 in the Small Town

---

TABLE XXXIII.—Number and Percentage of Deaths from the Zymotic and Ordinary Diseases at each Age.

| AGE. | NUMBER OF DEATHS. | | | PERCENTAGE OF DEATHS AT EACH AGE FROM | |
|---|---|---|---|---|---|
| | Total Deaths. | Zymotic Deaths. | All other Diseases. | Zymotic Diseases. | All other Diseases. |
| 0— 5 | 27,724 | 7,917 | 19,807 | 28·56 | 71·44 |
| 5—10 | 2,886 | 964 | 1,922 | 33·40 | 66·60 |
| 10—15 | 1,774 | 288 | 1,486 | 16·23 | 83·77 |
| 15—60 | 24,728 | 1,788 | 22,940 | 7·23 | 92·77 |
| Above 60 | 21,892 | 780 | 21,112 | 3·56 | 96·44 |
| 0—15 | 32,384 | 9,169 | 23,215 | 28·31 | 71·69 |
| 15 and upwards | 46,620 | 2,568 | 44,052 | 5·51 | 94·49 |

TABLE XXXIV.— Small-pox Deaths in Scotland.

| YEAR. | Small-pox Deaths. | YEAR. | Small-pox Deaths. |
|---|---|---|---|
| 1855 | 1,309 | 1873 | 1,126 |
| 1856 | 1,306 | 1874 | 1,246 |
| 1857 | 845 | 1875 | 76 |
| 1858 | 332 | 1876 | 39 |
| 1859 | 682 | 1877 | 38 |
| 1860 | 1,495 | 1878 | 4 |
| 1861 | 766 | 1879 | 8 |
| 1862 | 426 | 1880 | 10 |
| 1863 | 1,648 | 1881 | 19 |
| 1864 | 1,741 | 1882 | 3 |
| 1865 | 383 | 1883 | 11 |
| 1866 | 200 | 1884 | 14 |
| 1867 | 100 | 1885 | 39 |
| 1868 | 15 | 1886 | 24 |
| 1869 | 64 | 1887 | 17 |
| 1870 | 114 | 1888 | 3 |
| 1871 | 1,442 | 1889 | 8 |
| 1872 | 2,448 | 1890 | 0 |

Districts, 171 in the Insular-Rural Districts, and 148 in the Mainland-Rural Districts. In every hundred deaths from Phthisis among the males 10·5 died under 15 years of age, 70·1 between 15 and 45, and 19·4 at ages over this, the corresponding ratios among the females being 14·4 under 15 years, 71·5 between 15 and 45, and 14·1 at ages over 45 years. On comparing the death-rate from Phthisis with the total death-rate of each Principal Town it is found that for every hundred thousand of the inhabitants of Greenock as estimated, 271 died from Phthisis during the year, in Dundee the rate is 252, in Glasgow 251, in Paisley 228, in Perth 216, in Glasgow Landward and Suburban, 214, in Leith 210, in Aberdeen 202, in Edinburgh 190, and in Kilmarnock 173. Tabes Mesenterica caused throughout Scotland 838 deaths—males 454, females 384; Tubercular Meningitis 1140—males 637, females 503; and Scrofula 656—males 375, females 281.

To diseases of the Brain and Nervous System 9125 deaths are ascribed, males 4487, females 4638, which is equal to a rate of 230 in every hundred thousand of the population, and forming 11·66 per cent. of the total mortality, proportions exceeded in the Principal and Large Town Districts, the lowest rate being found in the Insular-Rural Districts, viz., 132. Among the towns the highest death-rate from this class of diseases was in Paisley, 298 per hundred thousand of the inhabitants, followed by Aberdeen 283, Glasgow Landward and Suburban 264, Greenock 261, Glasgow 252, Dundee 246, Edinburgh 242, Perth 236, Leith 195, Kilmarnock 170. Apoplexy was the cause of 2619 deaths in the persons of 1192 males and 1427 females; 1866 were due to Paralysis—males 852, females 1014; and 1200 to Convulsions—males 637, females 563.

TABLE XXXV.—Vaccinations in Scotland, 1880–1890, and Proportion to the Births each Year.

| Years. | | Successfully Vaccinated. | Vaccination Postponed. | Insusceptible of Vaccination— From Constitutional Insusceptibility. | From having had Small-pox. | From previous Vaccination. | Died before Vaccination. | Removed from District before Vaccination or otherwise unaccounted for. | Total Births. |
|---|---|---|---|---|---|---|---|---|---|
| 1880 | Numbers . | 109381 | 1404 | 155 | 0 | 359 | 11016 | 2359 | 1 4674 |
| 1881 | Numbers . | 111008 | 1586 | 150 | 0 | 352 | 10587 | 2594 | 126277 |
| 1882 | Numbers . | 110263 | 1713 | 192 | 4 | 280 | 11073 | 2637 | 126162 |
| 1883 | Numbers . | 108906 | 1884 | 194 | 2 | 365 | 10713 | 2452 | 124516 |
| 1884 | Numbers . | 112122 | 1964 | 242 | 0 | 265 | 11694 | 2836 | 129123 |
| 1885 | Numbers . | 109866 | 2073 | 225 | 0 | 228 | 10872 | 2888 | 126152 |
| 1886 | Numbers . | 110364 | 2325 | 201 | 0 | 241 | 11282 | 3055 | 127968 |
| 1887 | Numbers . | 107077 | 2465 | 236 | 0 | 373 | 11269 | 3047 | 124467 |
| 1888 | Numbers . | 106734 | 2417 | 216 | 0 | 397 | 10434 | 3096 | 123294 |
| 1889 | Numbers . | 104931 | 2692 | 235 | 0 | 286 | 11479 | 3226 | 122849 |
| 10 Years. | Average . | 109115 | 2052 | 205 | 1 | 314 | 11042 | 2819 | 125548 |
| 1890 | Numbers . | 103635 | 2710 | 222 | 2 | 248 | 11779 | 3016 | 121612 |
| 1880 | Percentage | 87·734 | 1·126 | 0·124 | 0·003 | 0·288 | 8·836 | 1·892 | 100·000 |
| 1881 | Percentage | 87·908 | 1·256 | 0·119 | 0·000 | 0·279 | 8·384 | 2·054 | 100·000 |
| 1882 | Percentage | 87·399 | 1·358 | 0·152 | 0·000 | 0·222 | 8·776 | 2·090 | 100·000 |
| 1883 | Percentage | 87·463 | 1·513 | 0·156 | 0·003 | 0·293 | 8·603 | 1·970 | 100·000 |
| 1884 | Percentage | 86·834 | 1·521 | 0·187 | 0·002 | 0·205 | 9·057 | 2·195 | 100·000 |
| 1885 | Percentage | 87·090 | 1·643 | 0·179 | 0·000 | 0·181 | 8·618 | 2·289 | 100·000 |
| 1886 | Percentage | 86·634 | 1·817 | 0·157 | 0·000 | 0·189 | 8·816 | 2·387 | 100·000 |
| 1887 | Percentage | 86·028 | 1·980 | 0·190 | 0·000 | 0·300 | 9·054 | 2·448 | 100·000 |
| 1888 | Percentage | 86·569 | 1·960 | 0·175 | 0·000 | 0·322 | 8·463 | 2·511 | 100·000 |
| 1889 | Percentage | 85·415 | 2·191 | 0·191 | 0·000 | 0·233 | 9·344 | 2·626 | 100·000 |
| 10 Years | Percentage | 86·907 | 1·637 | 0·163 | 0·001 | 0·251 | 8·795 | 2·246 | 100·000 |
| 1890 | Percentage | 85·217 | 2·229 | 0·183 | 0·002 | 0·204 | 9·685 | 2·480 | 100·000 |

Diseases of the Heart and Circulatory Organs caused 6151 deaths—males 2933, females 3218, equal to 155 per hundred thousand of the population of Scotland, and 7·86 per cent. of the total deaths. In the three Urban Districts the rate is higher than for the county, the reverse holding good in the Rural Districts. Among the towns the death-rate from these affections is highest in Perth, 243 per hundred thousand of the inhabitants, followed by Kilmarnock 202, Edinburgh 178, Dundee 173, Leith 169, Aberdeen 159, Glasgow 148, Paisley 147, Greenock 145, and Glasgow Landward and Suburban, 143. Disease of the Heart caused 5625 deaths—males 2646, females 2979.

From diseases of the Respiratory Organs, exclusive of Phthisis, there are 16,032 deaths—males 8241, females 7791, forming a mortality-rate of 404 per hundred thousand of population, and 20·49 per cent. of the total deaths. These proportions are exceeded in the Principal Town Districts, where they are 496 and 22·21 per cent. respectively, and in the Large Town Districts 428, and 20·97 per cent.; in the Small Town Districts the rate to population is 359 and percentage 19·13; in the Mainland-Rural Districts 305 and 18·30 per cent., and in the Insular-Rural Districts 250 to population and 15·98 per cent. of the deaths. Bronchitis caused 8057 deaths—males 3820, females 4237. Pneumonia caused 4923 deaths—males 2781, females 2142; and Croup 744—males 373, females 371. Among the Principal Towns, Dundee comes first with the highest ratio of deaths to population from such diseases, viz., 579 per hundred thousand or 24·28 per cent. of all the deaths, followed by Glasgow with 572 or 24·01 per cent. as the corresponding

---

TABLE XXXVI.—Vaccinations in Scotland, 1880–1890, deducting from the Births those who died before they could be Vaccinated, and giving the Proportion of the Vaccinated to the surviving Births of each Year.

| Years. | | Successfully Vaccinated. | Vaccination Postponed. | Insusceptible of Vaccination. | | | Removed from District before Vaccination, or otherwise unaccounted for. | TOTAL LIVING. |
|---|---|---|---|---|---|---|---|---|
| | | | | From Constitutional Insusceptibility. | From having had Small-pox. | From previous Vaccination. | | |
| 1880 | Numbers . | 109381 | 1404 | 155 | 0 | 359 | 2359 | 113658 |
| 1881 | Numbers . | 111008 | 1586 | 150 | 0 | 352 | 2594 | 115690 |
| 1882 | Numbers . | 110263 | 1713 | 192 | 4 | 280 | 2637 | 115089 |
| 1883 | Numbers . | 108906 | 1884 | 194 | 2 | 365 | 2452 | 113803 |
| 1884 | Numbers . | 112122 | 1964 | 242 | 0 | 265 | 2836 | 117429 |
| 1885 | Numbers . | 109866 | 2073 | 225 | 0 | 228 | 2888 | 115280 |
| 1886 | Numbers . | 110864 | 2325 | 201 | 0 | 241 | 3055 | 116686 |
| 1887 | Numbers . | 107077 | 2465 | 236 | 0 | 373 | 3047 | 113198 |
| 1888 | Numbers . | 106734 | 2417 | 216 | 0 | 397 | 3096 | 112860 |
| 1889 | Numbers . | 104931 | 2692 | 235 | 0 | 286 | 3226 | 111370 |
| 10 Years. | Average . | 109115 | 2052 | 205 | 1 | 314 | 2819 | 114506 |
| 1890 | Numbers . | 103635 | 2710 | 222 | 2 | 248 | 3016 | 109833 |
| 1880 | Percentage | 96·237 | 1·235 | 0·136 | 0·000 | 0·316 | 2·076 | 100·000 |
| 1881 | Percentage | 95·953 | 1·371 | 0·130 | 0·000 | 0·304 | 2·242 | 100·000 |
| 1882 | Percentage | 95·807 | 1·488 | 0·167 | 0·004 | 0·243 | 2·291 | 100·000 |
| 1883 | Percentage | 95·697 | 1·655 | 0·170 | 0·002 | 0·321 | 2·155 | 100·000 |
| 1884 | Percentage | 95·481 | 1·672 | 0·206 | 0·000 | 0·226 | 2·415 | 100·000 |
| 1885 | Percentage | 95·304 | 1·799 | 0·195 | 0·000 | 0·197 | 2·505 | 100·000 |
| 1886 | Percentage | 95·011 | 1·993 | 0·172 | 0·000 | 0·206 | 2·618 | 100·000 |
| 1887 | Percentage | 94·593 | 2·178 | 0·208 | 0·000 | 0·329 | 2·692 | 100·000 |
| 1888 | Percentage | 94·572 | 2·142 | 0·191 | 0·000 | 0·352 | 2·743 | 100·000 |
| 1889 | Percentage | 94·218 | 2·417 | 0·211 | 0·000 | 0·257 | 2·897 | 100·000 |
| 10 Years. | Percentage | 95·287 | 1·795 | 0·179 | 0·001 | 0·275 | 2·463 | 100·000 |
| 1890 | Percentage | 94·356 | 2·468 | 0·202 | 0·002 | 0·226 | 2·746 | 100·000 |

ratios, Kilmarnock with 488 or 21·92 per cent.; Aberdeen and Greenock each with 453 to population, the former 20·97 per cent. and the latter 21·11 per cent. to total deaths; Leith with 450 or 20·50 per cent., Perth with 446 or 20·09 per cent.; Paisley with 437 or 21·14 per cent.; Glasgow Landward and Suburban 431 or 20·98 per cent.; and Edinburgh 405 or 19·36 per cent.

Diseases of the Digestive System caused 5401 deaths—males 2645, females 2756, and forming a rate of 136 per hundred thousand of population or 6·90 per cent. of all deaths. In the districts the highest rate from such occurs in the three Urban, the lowest in the two Rural. Among the Principal Towns, Leith indicates the highest rate, viz., 166 to population, followed by Dundee 163, Glasgow 161, Aberdeen 149, Paisley 144, Kilmarnock 137, Edinburgh and Greenock each with 136, Perth 131, and Glasgow Landward and Suburban 119. Enteritis caused 1101 deaths, Peritonitis 732, Hernia 137, Liver Diseases 924, Ileus, Stricture of Intestine, and Intussusception together 380.

From diseases of the Urinary Organs there are 1981 exits—males 1180, females 801, forming a death-rate of 50 per hundred thousand of the population, and 2·53 per cent. of the total mortality. Acute Nephritis caused 376 deaths, Bright's Disease 759, Calculus 33, other diseases of the Bladder and Prostate 344, and in 299 cases the special form of disease is not stated.

Diseases of the Reproductive Organs cause 584 deaths—males 18,

---

TABLE XXXVII.—Deaths from Fever in 1890.

| FEVERS. | RURAL DISTRICTS. | | TOWN DISTRICTS. | |
|---|---|---|---|---|
| | Deaths from each Fever. | Percentage to Total Fever Deaths. | Deaths from each Fever. | Percentage to Total Fever Deaths. |
| Typhus | 14 | 8·33 | 63 | 8·76 |
| Enteric | 149 | 88·69 | 628 | 87·34 |
| Relapsing | – | – | – | – |
| Cerebro-Spinal | – | – | 3 | 0·42 |
| Simple or Ill-defined | 5 | 2·98 | 25 | 3·48 |
| ALL FEVERS | 168 | 100·00 | 719 | 100·00 |

TABLE XXXVIII.—Monthly Deaths from Fever in Eight of the Principal Towns of Scotland during the Ten Years 1881–1890; specifying those from Typhus and Enteric Fever.

| MONTHS. | Total Fever Deaths. | Typhus. | Enteric. | MONTHS. | Total Fever Deaths. | Typhus. | Enteric. |
|---|---|---|---|---|---|---|---|
| January | 336 | 71 | 255 | July | 229 | 46 | 169 |
| February | 292 | 80 | 196 | August | 276 | 55 | 213 |
| March | 278 | 81 | 184 | September | 376 | 58 | 307 |
| April | 283 | 79 | 192 | October | 351 | 38 | 308 |
| May | 252 | 68 | 173 | November | 326 | 58 | 257 |
| June | 240 | 56 | 174 | December | 368 | 61 | 289 |

females 566, Ovarian Disease caused 61 deaths, Uterine Affections and Diseases of Menstruation 106, and diseases incidental to Parturition other than Puerperal Fever, to which 324 are due, cause 363, together giving a total of 687.

From diseases affecting the Organs of Locomotion (the Bones and Joints), there are 482 deaths—males 269, females 213, and from diseases of the Skin 207—males 101, females 106.

From diseases connected with Development (excluding Old Age) there are 2239 deaths—males 1247, females 992, of which Premature Birth accounts for 1830, Atelectasis for 109, Cyanosis, Spina Bifida, and other Congenital Defects for 300—males 172, females 128.

To Old Age 4629 deaths are ascribed—males 1741, females 2888, and giving a mortality-rate of 117 in every hundred thousand of the population. 36 of the men and 83 of the women died at ages between 95 and 100, and 8 of the former and 12 of the latter are registered as being over 100 years at death. Of the men who died at these most advanced ages, two are 100 years of age, and one at each of the following, 101, 102, 103, 104, 106 and 108 years, while of the women one was 100 years, five were 101 years, two 102 years, two 103 years, and two 105 years of age at death.

From Violence 2859 persons met their end—males 2114, females 745, in the proportion of 72 per hundred thousand of population, the male rate 111, the female 36, and forming 3·65 per cent. of the total deaths. On the present occasion the nomenclature of such causes of death is somewhat altered from what it was formerly, to be more in accordance with that as used by the Registrar-General of England in his Reports. Deaths caused by Accident or Negligence amount to 2630—males 1952, females 678, while to those caused by other forms of Violence than the above 229 deaths are due in the persons of 162 males and 67 females, 22 of them being Homicidal, 206 Suicidal, and one male was judicially executed during the year. Of the Accidents, 122 deaths occurred in connexion with mines and quarries, while 336 individuals met their death accidentally on railways, or in connexion with other kinds of vehicles, and horses. From Burning and Scalding 305 persons died, and to Drowning 665 deaths are ascribed—64 of these latter being Suicidal—males 37, females 27. From Poisoning 80 deaths in all occur—60 of these being Accidental and 20 Suicidal, the latter

TABLE XXXIX.—The Twenty-two most fatal Causes of Death in Scotland in 1890, arranged in the order of their fatality.

| DISEASES. | Proportion of Deaths to 100,000 living. | DISEASES. | Proportion of Deaths to 100,000 living. |
|---|---|---|---|
| Bronchitis | 203 | Developmental Diseases of Children | 56 |
| Phthisis | 193 | Paralysis | 47 |
| Diseases of Heart, &c. | 155 | Diarrhœa and Dysentery | 40 |
| Pneumonia | 124 | Convulsions | 30 |
| Age | 117 | Tubercular Meningitis | 29 |
| Hooping-cough | 77 | Enteritis | 28 |
| Violent Deaths | 72 | Diphtheria | 26 |
| Apoplexy | 66 | All Liver Diseases | 24 |
| Measles | 63 | Influenza | 21 |
| Cancer | 61 | Tabes Mesenterica | 21 |
| Atrophy and Debility | 61 | Enteric Fever | 20 |

in the persons of 13 males and 7 females. The poisons which accidentally caused death were Opium in one form or other in the case of 19 males and 10 females, Chloroform 3 males and 2 females, Belladonna 1 male, Strychnia 1 male, Chloral Hydrate 1 male, Carbolic Acid 1 male and 1 female, Sulphuric Acid 1 female, Hydrochloric Acid 1 male, Oxalic Acid 1 male and 1 female, Brass Polish Liquid 1 female, Alcohol 1 male, Methylated Spirit 1 female, Lead 2 males, Mercury 1 male and 1 female, Caustic Soda 1 male, Savin 1 female, Laburnum Pods 1 female, Coal Gas 2 males, Foul Gas in a drain 1 male, and in a Biscuit-Tank 1 male, while in the case of 1 male and 2 females the special form is not stated. Of the poisons taken by suicides, Opium was used by 7 males and 2 females, Chlorodyne by 1 male, Chloroform by 1 male, Hydrocyanic Acid by 1 male, Carbolic Acid by 1 female, Cyanide of Potassium by 2 males, Oxalic Acid and Salt of Sorrel each by 1 female, Arsenic by 1 male, Phosphorus by 1 female, another female having used an "irritant poison," name not given.

59 Males and 23 females committed suicide in the Principal Town Districts, 11 males and 6 females in the Large Town Districts, 39 males and 11 females in the Small Town Districts, 40 males and 15 females in the Mainland-Rural Districts, and 2 females in the Insular-Rural Districts.

---

## WEATHER AND ITS INFLUENCE ON THE MORTALITY.

The following remarks on the weather of 1890 are extracted from the Notes of the Astronomer-Royal, appended to the monthly Reports issued by the Registrar-General.

*January* was remarkable for extraordinarily high mean temperature, associated with a low barometer, a large preponderance of westerly winds, and very heavy rainfall at the three western towns.

*February*, in contrast to the preceding month, was remarkable for extremely high barometric pressure, very light rainfall, restricted to a few days of falling, and a decided preponderance of light easterly winds.

---

TABLE XL.—Monthly Mortality and Mean Temperature in Scotland during 1890, compared with the Mean of the Ten Years 1871–1880.

| | Year 1890. | | | 1871–1880. | |
|---|---|---|---|---|---|
| Months. | Mean Temperature. | Actual Deaths. | Proportion to 12,000 per Annum, or 1000 per Month. | Monthly Proportion of Deaths. | Mean Temperature. |
| | ° | | | | ° |
| January . . . . | 41·0 | 7977 | 1212 | 1154 | 37·5 |
| February . . . . | 37·8 | 7596 | 1154 | 1061 | 38·6 |
| March . . . . . | 41·6 | 7743 | 1177 | 1138 | 40·2 |
| April . . . . . | 43·6 | 6966 | 1059 | 1064 | 44·2 |
| May . . . . . | 51·0 | 6650 | 1010 | 1040 | 48·4 |
| June . . . . . | 53·9 | 5991 | 910 | 939 | 54·7 |
| July . . . . . | 54·7 | 5854 | 890 | 921 | 57·8 |
| August . . . . . | 55·2 | 5222 | 793 | 893 | 57·3 |
| September . . . . | 56·4 | 5592 | 850 | 834 | 52·6 |
| October . . . . . | 48·4 | 5943 | 903 | 885 | 46·5 |
| November . . . . | 41·0 | 5992 | 910 | 949 | 40·2 |
| December . . . . | 35·2 | 7452 | 1132 | 1122 | 37·0 |
| Year . . . . | 46·7 | 78,978 | 12,000 | 12,000 | 46·2 |

*March* was characterised by decidedly low barometric pressure, with usual range of the same exceptionally high and variable temperature; winds normal as to distribution, but somewhat light on the whole, in spite of occasional gales.

*April* was a dry, calm month, normal as to temperature and barometric pressure, although the temperature varied more than usually, while the pressure was subject to but moderate changes. East and North-east winds were strongly predominant, associated with an average number of showery days, but with only a very small rainfall.

During *May* barometric pressure was somewhat low, but decidedly limited as to range. The mean temperature, although 1°·9 above the average, was 0°·8 below that of the phenomenally warm weather of the same month last year. Rain was slightly in excess of the average for the season both as to the quantity and number of days of falling. One half of the total winds blew from the Eastern quarter of the compass.

In *June* the barometric pressure, although but slightly below the mean, was somewhat more than usually disturbed. The mean temperature was appreciably below the average, but the range decidedly small. Rainfall above an inch in excess of the average of past years, and spread over more than the usual number of days in the proportion of 3 to 2. Damp, West winds prevailed for nearly half the times on which the direction of the wind was recorded.

In *July* the mean barometric pressure was somewhat low for the month, and more than usually limited in range.

---

TABLE XLI.—Meteorology of Scotland for 1890, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1890, as stated in the Quarterly Reports.

| 1889. | Jan. | Feb. | Mar. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. | YEAR |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Highest Temp. in shade | 59°·0 | 60°·0 | 61°·3 | 66°·0 | 79°·0 | 74°·8 | 77°·9 | 78°·0 | 79°·0 | 69°·2 | 59°·0 | 60°·2 | 79°·0 |
| Lowest Temp. in do. | 14°·0 | 11°·8 | 9°·8 | 15°·4 | 27°·0 | 28°·0 | 33°·0 | 27°·0 | 30°·0 | 19°·0 | 10°·0 | 11°·0 | 9°·8 |
| Mean Day Temp. . . | 46°·1 | 43°·2 | 48°·0 | 51°·6 | 58°·9 | 61°·1 | 62°·2 | 62°·7 | 63°·8 | 54°·3 | 46°·9 | 39°·5 | 53°·2 |
| Mean Night Temp. . | 35°·8 | 32°·4 | 35°·3 | 35°·5 | 43°·1 | 46°·7 | 47°·3 | 47°·7 | 48°·9 | 42°·4 | 35°·1 | 31°·1 | 40°·1 |
| Daily Range . . . . | 10°·3 | 10°·8 | 12°·8 | 16°·1 | 15°·9 | 14°·4 | 14°·9 | 15°·0 | 14°·9 | 12°·0 | 11°·8 | 8°·4 | 13°·1 |
| Mean Temperature . | 41°·0 | 37°·8 | 41°·6 | 43°·6 | 51°·0 | 53°·9 | 54°·7 | 55°·2 | 56 ·4 | 48°·4 | 41°·0 | 35°·2 | 46°·7 |
| Highest Temp. in sun | 95°·6 | 117°·0 | 122°·0 | 130°·0 | 132°·0 | 138°·0 | 137°·9 | 131°·0 | 145°·0 | 123°·8 | 97°·2 | 82°·0 | 145°·0 |
| Lowest on grass at night . . . . . | 10°·0 | 9°·0 | 5°·0 | 12°·0 | 19°·0 | 20°·0 | 29°·5 | 24°·0 | 29°·5 | 15°·5 | 0°·0 | 6°·5 | 0°·0 |
| Wet-bulb Temperature | 39°·1 | 35°·2 | 39°·2 | 40°·3 | 47°·7 | 50°·9 | 51°·6 | 52°·2 | 53°·5 | 46°·1 | 39°·5 | 34°·0 | 44°·1 |
| Dew-point Temp. . . | 36°·7 | 32°·9 | 36°·5 | 36°·8 | 44°·6 | 47°·9 | 48°·6 | 49°·8 | 51°·3 | 43°·7 | 37°·5 | 31°·5 | 41°·5 |
| Humidity of Air . . | 85 | 86 | 84 | 78 | 80 | 81 | 80 | 83 | 85 | 85 | 88 | 85 | 83 |
| Elastic force of Vapour (inches) . . . . | ·218 | ·188 | ·217 | ·218 | ·296 | ·334 | ·344 | ·358 | ·380 | ·285 | ·225 | ·178 | ·270 |
| Number of Rainy Days | 22 | 9 | 18 | 12 | 14 | 19 | 20 | 19 | 14 | 19 | 21 | 12 | 199 |
| Amount of Rain (inch) | 5·80 | 1·08 | 3·38 | 1·44 | 2·19 | 3·96 | 3·79 | 3·90 | 3·84 | 4·45 | 6·77 | 1·67 | 42·27 |
| Amount of Cloud . . | 6·5 | 6·4 | 6·4 | 5·8 | 6·5 | 7·2 | 7·0 | 6·7 | 6·4 | 6·8 | 6·6 | 7·0 | 6·6 |
| Hours of Sunshine . | 47 | 81 | 104 | 171 | 175 | 147 | 155 | 151 | 129 | 87 | 61 | 30 | 1338 |
| Mean Barometer (inch) | 30·081 | 30·215 | 29·678 | 29·819 | 29·850 | 29·878 | 29·798 | 29·805 | 29·997 | 29·938 | 29·734 | 30·083 | 29·866 |
| Easterly Winds (days) | 2 | 11 | 7 | 11 | 15 | 7 | 5 | 6 | 5 | 2 | 7 | 14 | 92 |
| Westerly Winds (days) | 21 | 9 | 17 | 10 | 8 | 17 | 19 | 17 | 17 | 21 | 13 | 7 | 176 |
| Births . . . . . | 10483 | 9305 | 10336 | 10536 | 10936 | 10317 | 10417 | 9947 | 9936 | 10090 | 8763 | 10464 | 121530 |
| Deaths . . . . . | 7977 | 7596 | 7743 | 6966 | 6650 | 5991 | 5854 | 5222 | 5592 | 5943 | 5992 | 7452 | 78978 |
| Marriages . . . . . | 3616 | 1369 | 1702 | 2069 | 997 | 4013 | 3071 | 1577 | 1832 | 1636 | 2303 | 3256 | 27441 |
| Daily Births . . . . | 338 | 332 | 333 | 351 | 353 | 344 | 336 | 321 | 331 | 326 | 292 | 337 | 333 |
| Daily Deaths . . . . | 257 | 271 | 250 | 232 | 215 | 200 | 189 | 169 | 186 | 192 | 200 | 240 | 216 |

*August* was characterised by low barometric pressure, accompanied by large barometric range, low mean temperature, rainfall somewhat less than usual, though spread over a greater number of days, and wind lighter as to force but nearly normal in direction.

*September* was remarkable for the very high and steady barometric pressure, accompanied generally by winds, lighter than usual, and a mean temperature far above the average for the season, while rain was normal in mean quantity, though very irregular in distribution.

*October* was a relatively warm and rather dry month, with high barometric pressure, limited in range. Indeed the barometric range for this month has not been so small since 1880, when it was 1·183 inch.

*November* was, above all, a wet month, with a rather large range of temperature, and a slight preponderance of light South-east winds. The barometric pressure, although but 0·086 inch below the average, was marked by several sudden depressions, notably on the 4th, 7th to 11th, and again on the 23rd.

*December* was a relatively dry cold month, with a very marked prevalence of light winds from the East. The barometric pressure was unusually high, and the temperature exceptionally low; while the range in both factors was very restricted.

In Table XL. will be found in a succinct form the main features regarding the mean temperature and mortality experienced throughout Scotland during each month of 1890, and for comparison's sake the corresponding for a decennial period (1871–1880). The Table shows how the mean temperature of the months of February, April, June, July, August, and December are somewhat under that of the same months during the ten years, it being above the same in the case of the others. When the rates of monthly deaths are noted, it is found that 10·10 per cent. of the whole

---

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in Eight of the Principal Towns of Scotland, during each Month of the Year 1890.

| 1890. | Jan. | Feb. | Mar. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature | 41°·8 | 37°·9 | 42°·5 | 44°·5 | 51°·5 | 55°·2 | 56°·2 | 56°·6 | 57°·7 | 45°·2 | 41°·5 | 35°·8 |
| Highest Temperature | 59°·0 | 56°·0 | 61°·3 | 65°·0 | 74°·3 | 72°·0 | 76°·3 | 74°·1 | 76°·3 | 69°·2 | 58°·6 | 55°·6 |
| Lowest Temperature | 18°·0 | 22°·5 | 20°·5 | 25°·0 | 33°·5 | 36°·8 | 41°·0 | 33°·5 | 39°·0 | 24°·1 | 12°·0 | 13°·0 |
| Rainfall in inches | 4·76 | 1·08 | 2·71 | 1·23 | 2·49 | 3·49 | 3·52 | 3·12 | 3·44 | 3·14 | 6·30 | 1·93 |
| Easterly Winds (days) | 4 | 13 | 8 | 12 | 17 | 9 | 6 | 9 | 6 | 2 | 9 | 16 |
| Westerly Winds (days) | 22 | 9 | 16 | 10 | 8 | 17 | 19 | 19 | 18 | 24 | 15 | 6 |
| Total Deaths | 3099 | 2815 | 2860 | 2767 | 2606 | 2352 | 2230 | 1985 | 2121 | 2297 | 2309 | 2720 |
| Daily Deaths | 100 | 101 | 92 | 92 | 84 | 78 | 72 | 64 | 71 | 74 | 74 | 88 |
| Miasmatic Diseases | 393 | 394 | 398 | 385 | 418 | 335 | 312 | 187 | 215 | 240 | 252 | 229 |
| Small-pox | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 140 | 105 | 137 | 171 | 188 | 148 | 107 | 32 | 35 | 47 | 66 | 58 |
| Scarlet Fever | 38 | 31 | 21 | 19 | 25 | 19 | 16 | 18 | 32 | 41 | 30 | 26 |
| Hooping-cough | 107 | 155 | 156 | 144 | 153 | 126 | 152 | 98 | 87 | 66 | 67 | 75 |
| Diphtheria | 43 | 32 | 38 | 22 | 27 | 25 | 17 | 23 | 24 | 46 | 52 | 36 |
| All Fevers | 27 | 27 | 26 | 21 | 15 | 14 | 18 | 13 | 34 | 39 | 36 | 32 |
| Simple Cholera | – | – | – | – | – | 1 | – | 3 | 5 | 5 | – | – |
| Diarrhœa and Dysentery | 31 | 22 | 33 | 27 | 46 | 35 | 49 | 118 | 119 | 100 | 39 | 29 |
| Phthisis | 302 | 286 | 331 | 292 | 280 | 249 | 242 | 212 | 192 | 207 | 189 | 254 |
| Croup | 29 | 23 | 17 | 18 | 15 | 19 | 17 | 14 | 13 | 17 | 20 | 19 |
| Diseases Respiratory Organs | 874 | 742 | 661 | 622 | 520 | 441 | 378 | 304 | 361 | 448 | 544 | 747 |
| Heart, etc., Diseases | 226 | 197 | 173 | 205 | 169 | 158 | 174 | 143 | 141 | 150 | 173 | 227 |
| Brain, etc., Diseases | 311 | 302 | 332 | 306 | 292 | 255 | 236 | 236 | 240 | 254 | 209 | 339 |
| Premature Births | 66 | 61 | 68 | 72 | 72 | 63 | 66 | 53 | 57 | 56 | 51 | 59 |
| Age | 118 | 106 | 99 | 82 | 87 | 86 | 77 | 75 | 97 | 97 | 98 | 112 |

are registered during January, 9·80 per cent. during March, 9·62 per cent. during February, 9·44 per cent. during December, 8·82 per cent. during April, 8·42 per cent. during May, 7·59 per cent. during June, as also November, 7·52 per cent. during October, 7·41 per cent. during July, 7·08 per cent. during September, and 6·61 per cent. during August.

Table XLII. enables one to trace in a general way how far each of the more ordinary causes of death contributed to the mortality among the inhabitants of the Principal Towns, during each month of the year.

From Small Pox there is no death during the year.

Measles and its sequelæ caused their heaviest mortality during the months of April, May and June, although in every month ending with July the deaths were much more numerous than during the latter five months of the year.

Hooping-Cough, which causes a larger number of deaths than any other Zymotic, follows much the same lines, the colder January and February apparently giving the disease a decided impetus; the minimum number occur during the latter three months of the year.

Scarlet-Fever attains its maximum during the earliest and latest months of the year, as also is the case with Diphtheria, the smallest number of deaths from those being registered during April, July, and August. Fevers, under which Typhus and Typhoid are chiefly included, attain their maximum during the autumnal and early winter months.

Diarrhœal Affections, as usual, indicate their greatest mortality during the later summer and the autumnal months of August, September, and October, rapidly falling thereafter, and chiefly telling upon the younger portion of the inhabitants of the Large Towns.

Phthisis or Consumption takes a heavy toll out of the population and that for every month of the year, the largest number of deaths from this

---

TABLE XLIII.—Deaths, Temperature, and Fall of Rain in Eight of the Principal Towns of Scotland during each Week of the Year 1890; also the Proportion of Deaths to every Thousand of the Population.

| No. of Week. | Week ending | Deaths. | Proportion to every 1000 of Population. | Temperature. Mean. | Highest | Lowest | Rain, in inches | No. of Week. | Week ending | Deaths. | Proportion to every 1000 of Population. | Temperature. Mean. | Highest | Lowest | Rain, in inches |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | ° | ° | ° | | | | | | ° | ° | ° | |
| 1 | January 4 | 686 | 28·5 | 38·5 | 49·4 | 25·3 | 0·61 | 27 | July 5 | 314 | 13·0 | 54·1 | 67·4 | 42·5 | 0·81 |
| 2 | 11 | 750 | 29·0 | 44·7 | 55·0 | 32·2 | 1·61 | 28 | 12 | 309 | 12·7 | 53·0 | 71·0 | 41·0 | 0·24 |
| 3 | 18 | 705 | 27·2 | 45·5 | 58·7 | 36·6 | 0·71 | 29 | 19 | 304 | 12·6 | 54·3 | 72·4 | 41·0 | 0·42 |
| 4 | 25 | 683 | 26·4 | 47·2 | 52·9 | 21·0 | 1·37 | 30 | 26 | 343 | 14·1 | 55·5 | 73·4 | 41·8 | 0·07 |
| 5 | February 1 | 681 | 26·3 | 41·7 | 56·0 | 27·3 | 0·44 | 31 | August 2 | 298 | 12·3 | 56·2 | 73·0 | 43·0 | 0·71 |
| 6 | 8 | 646 | 25·0 | 38·8 | 52·2 | 24·5 | 0·06 | 32 | 9 | 345 | 14·3 | 54·5 | 74·1 | 44·4 | 0·12 |
| 7 | 15 | 742 | 28·7 | 44·8 | 49·2 | 29·6 | 0·35 | 33 | 16 | 420 | 17·4 | 55·0 | 72·1 | 43·7 | 0·01 |
| 8 | 22 | 732 | 28·3 | 47·9 | 47·1 | 28·3 | 0·49 | 34 | 23 | 488 | 18·8 | 56·4 | 73·3 | 46·2 | 0·03 |
| 9 | March 1 | 697 | 26·9 | 39·0 | 56·8 | 27·4 | 0·06 | 35 | 30 | 434 | 16·8 | 56·2 | 73·2 | 45·0 | 0·08 |
| 10 | 8 | 630 | 24·7 | 36·1 | 52·4 | 25·7 | 0·71 | 36 | September 6 | 428 | 16·5 | 56·2 | 73·3 | 45·0 | 0·02 |
| 11 | 15 | 632 | 24·2 | 44·8 | 51·6 | 32·1 | 0·38 | 37 | 13 | 408 | 15·8 | 55·0 | 73·5 | 43·0 | 0·02 |
| 12 | 22 | 641 | 24·8 | 42·7 | 49·1 | 29·6 | 0·71 | 38 | 20 | 388 | 15·0 | 54·3 | 71·0 | 42·0 | 0·02 |
| 13 | 29 | 627 | 24·2 | 45·9 | 57·4 | 29·6 | 0·49 | 39 | 27 | 432 | 16·7 | 53·2 | 71·3 | 40·5 | 0·07 |
| 14 | April 5 | 624 | 24·0 | 46·1 | 55·0 | 30·0 | 0·12 | 40 | October 4 | 487 | 18·8 | 52·6 | 68·4 | 38·0 | 0·41 |
| 15 | 12 | 591 | 22·8 | 43·6 | 59·0 | 29·0 | 0·12 | 41 | 11 | 471 | 18·2 | 53·3 | 68·3 | 39·4 | 0·14 |
| 16 | 19 | 574 | 22·1 | 47·5 | 59·8 | 35·0 | 0·19 | 42 | 18 | 502 | 19·4 | 51·4 | 66·2 | 36·4 | 0·01 |
| 17 | 26 | 627 | 24·2 | 49·3 | 59·3 | 37·0 | 0·01 | 43 | 25 | 545 | 21·0 | 50·4 | 66·2 | 34·4 | 0·01 |
| 18 | May 3 | 597 | 23·0 | 48·7 | 59·8 | 35·0 | 0·19 | 44 | November 1 | 544 | 21·0 | 48·3 | 63·3 | 29·4 | 0·56 |
| 19 | 10 | 605 | 23·3 | 49·0 | 57·9 | 38·3 | 0·38 | 45 | 8 | 544 | 21·0 | 46·0 | 59·5 | 34·5 | 1·36 |
| 20 | 17 | 594 | 22·9 | 51·0 | 59·8 | 39·0 | 0·49 | 46 | 15 | 527 | 20·4 | 45·7 | 59·4 | 32·4 | 1·36 |
| 21 | 24 | 560 | 21·6 | 50·0 | 74·0 | 40·0 | 0·49 | 47 | 22 | 501 | 19·4 | 45·1 | 59·4 | 29·4 | 0·61 |
| 22 | 31 | 600 | 23·1 | 50·2 | 74·0 | 38·0 | 0·12 | 48 | 29 | 501 | 19·3 | 44·3 | 58·3 | 29·4 | 0·61 |
| 23 | June 7 | 568 | 22·0 | 54·5 | 69·6 | 37·0 | 0·56 | 49 | December 6 | 571 | 22·1 | 43·6 | 58·3 | 28·4 | 0·24 |
| 24 | 14 | 516 | 19·9 | 54·7 | 74·6 | 36·5 | 1·10 | 50 | 13 | 559 | 21·6 | 43·4 | 58·3 | 28·4 | 0·24 |
| 25 | 21 | 542 | 20·9 | 53·3 | 68·0 | 39·3 | 0·35 | 51 | 20 | 566 | 21·9 | 43·7 | 58·3 | 28·4 | 0·24 |
| 26 | 28 | 524 | 20·3 | 56·9 | 70·6 | 39·0 | 0·71 | 52 | 27 | 637 | 24·6 | 43·2 | 60·3 | 28·4 | 0·38 |

fall disease being registered during the month of March 381, January 302, April 292, February 286, and May 280.

Diseases of the Respiratory Organs, as Bronchitis and Pneumonia, were especially fatal during the early and later months of the year, those most markedly so being November with 544 deaths, April with 522, March with 501, February with 742, December with 747, and January with 274. Very much the same occurs in the case of diseases of the Heart and Blood-Vessels, January and December showing the largest mortality therefrom, viz., 226 in the former and 220 in the latter. It is so also with diseases of the Brain and Nervous System, deaths from this cause being most numerous during the colder and more inclement months of the year.

---

TABLE XLIV.—Monthly Mortality at Four Periods of Life in Eight of the Principal Towns of Scotland during the Year 1891, and Proportion at each Age in every Hundred Deaths per Month.

| Months. | Annual Number of Deaths in 1891. | | | | | Proportion at each Age in every Hundred Deaths per Month. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 0-5 years. | 5-20. | 20-60. | 60 and above. | Total Deaths. | 0-5 years. | 5-20. | 20-60. | 60 and above. | Total. |
| January . | 2044 | 202 | 1098 | 1441 | 4785 | 27·3 | 4·5 | 23·5 | 30·8 | 100 |
| February . | 1880 | 197 | 1016 | 1274 | 4367 | 27·4 | 4·4 | 23·8 | 29·7 | 100 |
| March . | 2135 | 209 | 1098 | 1342 | 4784 | 26·5 | 4·3 | 22·9 | 28·0 | 100 |
| April . | 1990 | 202 | 1056 | 1317 | 4565 | 26·1 | 4·4 | 23·1 | 28·8 | 100 |
| May . | 1844 | 202 | 1041 | 1277 | 4364 | 25·4 | 4·6 | 23·8 | 29·2 | 100 |
| June . | 1744 | 201 | 1000 | 1211 | 4156 | 25·1 | 4·8 | 24·0 | 29·1 | 100 |
| July . | 1676 | 196 | 1021 | 1245 | 4138 | 24·5 | 4·7 | 24·7 | 30·1 | 100 |
| August . | 1670 | 191 | 1011 | 1231 | 4103 | 24·4 | 4·6 | 24·6 | 30·0 | 100 |
| Sept. . | 1615 | 191 | 1011 | 1231 | 4048 | 24·4 | 4·7 | 24·9 | 30·4 | 100 |
| October . | 1744 | 198 | 1041 | 1277 | 4260 | 24·5 | 4·6 | 24·4 | 30·0 | 100 |
| November . | 1844 | 202 | 1041 | 1277 | 4364 | 25·4 | 4·6 | 23·8 | 29·2 | 100 |
| December . | 1990 | 202 | 1098 | 1441 | 4785 | 27·3 | 4·5 | 23·5 | 30·8 | 100 |
| Year . | 21,125 | 2,357 | 12,530 | 15,679 | 50,091 | 42·8 | 4·4 | 25·0 | 31·8 | 100 |

TABLE XLV.—Monthly-registered 24 Hours and Deaths at each Age corrected thereby in order to show the relative Mortality at each Age in Eight of the Principal Towns during each Month of the Year 1891.

| Months. | Relative Number of Deaths in 1891. | | | | | Monthly Deaths corresponding to 1000 per Month or 12,000 per annum. |
|---|---|---|---|---|---|---|
| | 0-5 years. | 5-20. | 20-60. | 60 and above. | Total. | |
| January . | 1784 | 208 | 1098 | 944 | 4034 | 1012 |
| February . | 1771 | 204 | 1016 | 878 | 3869 | 1113 |
| March . | 1864 | 206 | 1098 | 942 | 4110 | 1119 |
| April . | 1746 | 207 | 1056 | 926 | 3939 | 1118 |
| May . | 1644 | 208 | 1041 | 899 | 3792 | 1109 |
| June . | 1566 | 205 | 1000 | 870 | 3640 | 1051 |
| July . | 1513 | 202 | 1021 | 886 | 3622 | 973 |
| August . | 1502 | 197 | 1011 | 876 | 3586 | 1000 |
| Sept. . | 1447 | 197 | 1011 | 876 | 3531 | 967 |
| October . | 1566 | 204 | 1041 | 899 | 3710 | 1000 |
| November . | 1644 | 208 | 1041 | 899 | 3792 | 1051 |
| December . | 1784 | 208 | 1098 | 944 | 4034 | 1012 |
| Year . | 19,986 | 2,411 | 9,493 | 8,246 | 39,078 | 12,000 |

From Old Age as a cause of death, 106 succumbed during February in these towns, 112 during December, and 118 during January.

Tables XLIV. and XLV. illustrate the main facts brought out as to the comparative mortality at each of four periods of life experienced during each successive month of 1890. In accordance with the latter Table, in which the months are equalised, children under 5 years of age died in largest proportion during the months of February and April, the mortality being at its lowest during August, which was by no means a warm month as compared with those of previous years, and such as is apt to induce Diarrhœal affections among the very young.

Among adolescents (5 to 20 years) deaths occurred in largest proportion during April, January and February, those months in which the weather was changeable both as regards rainfall and temperature, when, in fact, deaths from diseases of the Respiratory Organs may be presumed to be numerous. The lowest mortality was during August and September.

Among adults (20 to 60 years) the maximum mortality occurred during the two first months of the year, January and February, the minimum during August.

Among the aged (60 years and over) December shows the greatest mortality, followed by February and January, months as before stated in which climatic variations were marked, and before which those at advanced ages were obliged to succumb. The lowest mortality among the old occurred during the warmer months of August, July, and September.

I have the honour to be,

SIR,

Your most obedient Servant,

R. J. BLAIR CUNYNGHAME, M.D.

GENERAL REGISTRY OFFICE OF BIRTHS, &c.
EDINBURGH, 13*th December* 1892.

# APPENDIX TABLES.

# VACCINATIONS IN SCOTLAND—1890.

| No. of Division, &c. | REGISTRATION GROUPS, DIVISIONS, AND COUNTIES. | Successfully Vaccinated. | Vaccination Postponed. | Insusceptible of Vaccine Disease: On the ground of Constitutional Insusceptibility. | Insusceptible of Vaccine Disease: In respect of the Children having already had Small-pox. | Insusceptible of Vaccine Disease: On the ground of previous Successful Vaccination. | Died before Vaccination. | Removed from District before Vaccination, or otherwise unaccounted for. | Total Births for 1890. |
|---|---|---|---|---|---|---|---|---|---|
| | **SCOTLAND,** | 103635 | 2710 | 222 | 2 | 248 | 11779 | 3016 | 121612 |
| | GROUPS OF DISTRICTS. | | | | | | | | |
| 1 | PRINCIPAL TOWN, | 43152 | 619 | 88 | 2 | 180 | 5537 | 1278 | 50856 |
| 2 | LARGE TOWN, | 13074 | 282 | 22 | 0 | 11 | 1597 | 251 | 15237 |
| 3 | SMALL TOWN, | 21839 | 651 | 54 | 0 | 32 | 2414 | 671 | 25661 |
| 4 | MAINLAND-RURAL, | 23705 | 812 | 52 | 0 | 19 | 2013 | 432 | 27033 |
| 5 | INSULAR-RURAL, | 1865 | 346 | 6 | 0 | 6 | 218 | 384 | 2825 |
| | *DIVISIONS.* | | | | | | | | |
| I. | NORTHERN, | 2146 | 163 | 11 | 0 | 1 | 218 | 118 | 2657 |
| II | NORTH-WESTERN, | 2626 | 421 | 10 | 0 | 15 | 351 | 503 | 3926 |
| III. | NORTH-EASTERN, | 11135 | 320 | 24 | 0 | 1 | 1187 | 112 | 12779 |
| IV. | EAST-MIDLAND, | 14649 | 336 | 29 | 2 | 6 | 1824 | 334 | 17180 |
| V. | WEST-MIDLAND, | 7529 | 379 | 13 | 0 | 2 | 801 | 331 | 9055 |
| VI. | SOUTH-WESTERN, | 45960 | 550 | 102 | 0 | 204 | 5274 | 1146 | 53236 |
| VII. | SOUTH-EASTERN, | 14943 | 435 | 22 | 0 | 7 | 1631 | 417 | 17455 |
| VIII. | SOUTHERN, | 4647 | 106 | 11 | 0 | 12 | 493 | 55 | 5324 |
| | *COUNTIES.* | | | | | | | | |
| | I. NORTHERN. | | | | | | | | |
| 1 | Shetland, | 480 | 37 | 0 | 0 | 1 | 39 | 54 | 611 |
| 2 | Orkney, | 551 | 26 | 3 | 0 | 0 | 42 | 6 | 628 |
| 3 | Caithness, | 752 | 88 | 8 | 0 | 0 | 99 | 29 | 971 |
| 4 | Sutherland, | 363 | 17 | 0 | 0 | 0 | 38 | 29 | 447 |
| | II. NORTH-WESTERN. | | | | | | | | |
| 5 | Ross and Cromarty, | 1300 | 260 | 4 | 0 | 12 | 160 | 156 | 1892 |
| 6 | Inverness, | 1326 | 161 | 6 | 0 | 3 | 191 | 347 | 2034 |
| | III. NORTH-EASTERN. | | | | | | | | |
| 7 | Nairn, | 177 | 4 | 1 | 0 | 0 | 21 | 2 | 205 |
| 8 | Elgin (or Moray), | 1052 | 25 | 8 | 0 | 0 | 117 | 36 | 1238 |
| 9 | Banff, | 1606 | 56 | 5 | 0 | 0 | 160 | 11 | 1838 |
| 10 | Aberdeen, | 7335 | 214 | 9 | 0 | 1 | 824 | 60 | 8443 |
| 11 | Kincardine, | 965 | 21 | 1 | 0 | 0 | 65 | 3 | 1055 |
| | IV. EAST-MIDLAND. | | | | | | | | |
| 12 | Forfar, | 6658 | 121 | 17 | 2 | 1 | 1023 | 168 | 7990 |
| 13 | Perth, | 2493 | 71 | 5 | 0 | 0 | 213 | 98 | 2880 |
| 14 | Fife, | 4699 | 113 | 6 | 0 | 5 | 470 | 58 | 5351 |
| 15 | Kinross, | 146 | 5 | 0 | 0 | 0 | 20 | 2 | 173 |
| 16 | Clackmannan, | 653 | 26 | 1 | 0 | 0 | 98 | 8 | 786 |
| | V. WEST-MIDLAND. | | | | | | | | |
| 17 | Stirling, | 3219 | 107 | 3 | 0 | 1 | 364 | 104 | 3798 |
| 18 | Dumbarton, | 2562 | 104 | 2 | 0 | 1 | 300 | 95 | 3064 |
| 19 | Argyll, | 1422 | 138 | 5 | 0 | 0 | 114 | 125 | 1804 |
| 20 | Bute, | 326 | 30 | 3 | 0 | 0 | 28 | 7 | 389 |
| | VI. SOUTH-WESTERN. | | | | | | | | |
| 21 | Renfrew, | 6575 | 171 | 27 | 0 | 45 | 775 | 251 | 7844 |
| 22 | Ayr, | 6501 | 89 | 6 | 0 | 3 | 632 | 72 | 7303 |
| 23 | Lanark, | 32884 | 290 | 69 | 0 | 156 | 3867 | 823 | 38089 |
| | VII. SOUTH-EASTERN. | | | | | | | | |
| 24 | Linlithgow, | 1730 | 74 | 2 | 0 | 0 | 188 | 62 | 2056 |
| 25 | Edinburgh, | 10745 | 296 | 15 | 0 | 3 | 1213 | 308 | 12580 |
| 26 | Haddington, | 865 | 17 | 4 | 0 | 4 | 64 | 15 | 969 |
| 27 | Berwick, | 697 | 19 | 0 | 0 | 0 | 69 | 4 | 789 |
| 28 | Peebles, | 271 | 7 | 1 | 0 | 0 | 24 | 0 | 303 |
| 29 | Selkirk, | 635 | 22 | 0 | 0 | 0 | 73 | 28 | 758 |
| | VIII. SOUTHERN. | | | | | | | | |
| 30 | Roxburgh, | 1155 | 37 | 1 | 0 | 0 | 136 | 14 | 1343 |
| 31 | Dumfries, | 1715 | 23 | 1 | 0 | 10 | 189 | 26 | 1964 |
| 32 | Kirkcudbright, | 924 | 15 | 3 | 0 | 2 | 96 | 5 | 1045 |
| 33 | Wigtown, | 853 | 31 | 6 | 0 | 0 | 72 | 10 | 972 |

DEATHS in 1890.—NUMBER of CERTIFIED and UNCERTIFIED DEATHS, with the Proportion of Uncertified Deaths, in the Groups of Districts, Counties, and Principal Towns of Scotland.

| | | POPULATION. | | Total Deaths. | Certified. | Uncertified. | Per Centage of Uncertified to Total Deaths. |
|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | | | | |
| | **SCOTLAND,** | 3,735,573 | 4,025,647 | 79,004 | 74,435 | 4,569 | 5·8 |
| | GROUPS OF DISTRICTS. | | | | | | |
| 1 | PRINCIPAL TOWN | 1,295,384 | 1,454,327 | 35,262 | 34,085 | 1,177 | 3·3 |
| 2 | LARGE TOWN | 415,827 | 477,496 | 9,431 | 9,098 | 333 | 3·5 |
| 3 | SMALL TOWN | 766,243 | 826,620 | 15,657 | 15,114 | 543 | 3·5 |
| 4 | MAINLAND-RURAL | 1,127,731 | 1,141,252 | 16,678 | 15,092 | 1,586 | 9·5 |
| 5 | INSULAR-RURAL | 130,388 | 125,952 | 1,976 | 1,046 | 930 | 47·1 |
| | *COUNTIES.* | | | | | | |
| | I. NORTHERN. | | | | | | |
| 1 | Shetland, | 29,705 | 28,711 | 477 | 224 | 253 | 53·0 |
| 2 | Orkney, | 32,044 | 30,453 | 502 | 385 | 117 | 23·3 |
| 3 | Caithness, | 38,865 | 37,177 | 733 | 645 | 88 | 12·0 |
| 4 | Sutherland, | 23,370 | 21,696 | 378 | 244 | 134 | 35·4 |
| | II. NORTH-WESTERN. | | | | | | |
| 5 | Ross and Cromarty, | 79,467 | 78,640 | 1,299 | 782 | 517 | 39·8 |
| 6 | Inverness | 86,389 | 85,196 | 1,424 | 929 | 495 | 34·8 |
| | III. NORTH-EASTERN. | | | | | | |
| 7 | Nairn, | 8,847 | 8,554 | 142 | 137 | 5 | 3·5 |
| 8 | Elgin, | 45,108 | 44,829 | 818 | 748 | 70 | 8·6 |
| 9 | Banff, | 59,783 | 61,209 | 1,055 | 1,012 | 43 | 4·1 |
| 10 | Aberdeen | 270,263 | 283,547 | 5,205 | 5,053 | 152 | 2·9 |
| 11 | Kincardine, | 34,249 | 35,441 | 556 | 539 | 17 | 3·1 |
| | IV. EAST-MIDLAND. | | | | | | |
| 12 | Forfar, | 268,653 | 280,098 | 5,997 | 5,797 | 200 | 3·3 |
| 13 | Perth, | 130,282 | 127,895 | 2,361 | 2,216 | 145 | 6·1 |
| 14 | Fife, | 172,131 | 187,601 | 3,480 | 3,283 | 197 | 5·7 |
| 15 | Kinross, | 7,330 | 6,725 | 124 | 111 | 13 | 10·5 |
| 16 | Clackmannan, | 24,025 | 26,716 | 456 | 436 | 20 | 4·4 |
| | V. WEST-MIDLAND. | | | | | | |
| 17 | Stirling, | 106,883 | 119,129 | 2,386 | 2,313 | 73 | 3·1 |
| 18 | Dumbarton, | 78,182 | 98,014 | 1,883 | 1,803 | 80 | 4·2 |
| 19 | Argyll, | 80,761 | 79,310 | 1,360 | 1,042 | 318 | 23·4 |
| 20 | Bute, | 17,634 | 18,387 | 370 | 356 | 14 | 3·8 |
| | VI. SOUTH-WESTERN. | | | | | | |
| 21 | Renfrew, | 225,611 | 245,147 | 4,861 | 4,671 | 190 | 3·9 |
| 22 | Ayr, | 217,630 | 226,403 | 4,241 | 4,170 | 71 | 1·7 |
| 23 | Lanark, | 942,206 | 1,091,703 | 23,526 | 22,910 | 616 | 2·6 |
| | VII. SOUTH-EASTERN. | | | | | | |
| 24 | Linlithgow, | 44,005 | 53,441 | 951 | 910 | 41 | 4·3 |
| 25 | Edinburgh, | 388,836 | 433,646 | 8,908 | 8,406 | 502 | 5·6 |
| 26 | Haddington, | 38,510 | 37,500 | 623 | 581 | 42 | 6·7 |
| 27 | Berwick, | 35,273 | 32,311 | 475 | 466 | 9 | 1·9 |
| 28 | Peebles, | 13,688 | 14,654 | 198 | 192 | 6 | 3·0 |
| 29 | Selkirk, | 25,924 | 27,618 | 474 | 469 | 5 | 1·1 |
| | VIII. SOUTHERN. | | | | | | |
| 30 | Roxburgh, | 53,014 | 53,404 | 876 | 867 | 9 | 1·0 |
| 31 | Dumfries, | 76,171 | 74,249 | 1,469 | 1,412 | 57 | 3·9 |
| 32 | Kirkcudbright, | 42,286 | 40,163 | 729 | 691 | 38 | 5·2 |
| 33 | Wigtown, | 38,448 | 35,880 | 667 | 635 | 32 | 4·8 |
| | PRINCIPAL TOWNS. | | | | | | |
| | Glasgow, | 511,415 | 565,839 | 13,374 | 12,970 | 404 | 3·0 |
| | Edinburgh, | 234,402 | 261,225 | 5,423 | 5,010 | 413 | 7·6 |
| | Dundee, | 142,455 | 155,675 | 3,688 | 3,584 | 104 | 2·8 |
| | Aberdeen, | 105,076 | 121,895 | 2,603 | 2,578 | 25 | 1·0 |
| | Leith, | 60,843 | 69,885 | 1,517 | 1,474 | 43 | 2·8 |
| | Greenock, | 66,816 | 63,512 | 1,419 | 1,348 | 71 | 5·0 |
| | Paisley, | 55,688 | 66,425 | 1,355 | 1,310 | 45 | 3·3 |
| | Perth, | 29,756 | 30,768 | 681 | 668 | 13 | 1·9 |
| | Kilmarnock, | 25,864 | 27,968 | 619 | 608 | 11 | 1·8 |
| | Glasgow, Landward & Suburb., | 174,573 | 227,118 | 4,583 | 4,535 | 48 | 1·1 |

TABLE showing the Distribution of DEATHS according to Months, or the influence of the SEASON on the MORTALITY, 1890.

| | | DEATHS IN 1890. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Jan. | Feb. | Mar. | Apr. | May. | Jun. | Jul. | Aug. | Sep. | Oct. | Nov. | Dec. | Year. |
| | **SCOTLAND.** - - | 7977 | 7596 | 7743 | 6966 | 6650 | 5991 | 5854 | 5222 | 5592 | 5943 | 5992 | 7452 | 78978 |
| | Mean Temperature in 1890 | 41°·0 | 37°·8 | 41°·6 | 43°·6 | 51°·0 | 53°·9 | 54°·7 | 55°·2 | 56°·4 | 48°·4 | 41°·0 | 35°·2 | 46°·7 |
| | GROUPS OF DISTRICTS. | | | | | | | | | | | | | |
| 1 | PRINCIPAL TOWN, - - | 3559 | 3259 | 3379 | 3215 | 3100 | 2800 | 2643 | 2321 | 2492 | 2679 | 2603 | 3204 | 35258 |
| 2 | LARGE TOWN, - - | 976 | 883 | 837 | 817 | 776 | 693 | 654 | 575 | 706 | 748 | 776 | 992 | 9433 |
| 3 | SMALL TOWN, - - | 1557 | 1530 | 1565 | 1313 | 1225 | 1134 | 1175 | 1061 | 1109 | 1177 | 1257 | 1553 | 15656 |
| 4 | MAINLAND-RURAL, - | 1688 | 1732 | 1751 | 1444 | 1349 | 1221 | 1262 | 1112 | 1140 | 1186 | 1184 | 1531 | 16650 |
| 5 | INSULAR-RURAL, - - | 197 | 192 | 211 | 173 | 180 | 143 | 120 | 153 | 145 | 153 | 172 | 172 | 1981 |
| | DIVISIONS. | | | | | | | | | | | | | |
| I. | NORTHERN, - - - | 173 | 244 | 224 | 187 | 178 | 154 | 140 | 152 | 144 | 151 | 170 | 176 | 2093 |
| II. | NORTH-WESTERN, - - | 271 | 256 | 325 | 226 | 229 | 197 | 169 | 202 | 204 | 179 | 197 | 268 | 2723 |
| III. | NORTH-EASTERN, - - | 764 | 866 | 812 | 706 | 680 | 556 | 599 | 469 | 490 | 592 | 556 | 676 | 7766 |
| IV. | EAST-MIDLAND, - - | 1446 | 1298 | 1178 | 1064 | 1051 | 940 | 890 | 838 | 835 | 866 | 869 | 1136 | 12411 |
| V. | WEST-MIDLAND, - - | 548 | 560 | 581 | 527 | 448 | 437 | 456 | 428 | 451 | 490 | 505 | 614 | 5995 |
| VI. | SOUTH-WESTERN, - - | 3067 | 2934 | 3128 | 2922 | 2823 | 2585 | 2465 | 2151 | 2370 | 2481 | 2555 | 3144 | 32625 |
| VII. | SOUTH-EASTERN, - - | 1358 | 1073 | 1130 | 1020 | 921 | 829 | 858 | 751 | 842 | 918 | 871 | 1055 | 11626 |
| VIII. | SOUTHERN, - - - | 350 | 365 | 415 | 314 | 320 | 293 | 277 | 231 | 256 | 266 | 269 | 383 | 3739 |
| | COUNTIES. | | | | | | | | | | | | | |
| | I. NORTHERN. | | | | | | | | | | | | | |
| 1 | Shetland, - - - - | 37 | 57 | 52 | 34 | 31 | 26 | 24 | 30 | 36 | 45 | 61 | 44 | 477 |
| 2 | Orkney, - - - - | 51 | 51 | 55 | 49 | 46 | 37 | 26 | 36 | 33 | 39 | 34 | 45 | 502 |
| 3 | Caithness, - - - - | 55 | 103 | 80 | 57 | 77 | 56 | 57 | 54 | 48 | 47 | 44 | 59 | 737 |
| 4 | Sutherland, - - - | 30 | 33 | 37 | 47 | 24 | 35 | 33 | 32 | 27 | 20 | 31 | 28 | 377 |
| | II. NORTH-WESTERN. | | | | | | | | | | | | | |
| 5 | Ross and Cromarty - - | 119 | 127 | 150 | 104 | 95 | 99 | 84 | 115 | 106 | 74 | 98 | 135 | 1306 |
| 6 | Inverness, - - - - | 152 | 129 | 175 | 122 | 134 | 98 | 85 | 87 | 98 | 105 | 99 | 133 | 1417 |
| | III. NORTH-EASTERN. | | | | | | | | | | | | | |
| 7 | Nairn, - - - | 9 | 21 | 16 | 10 | 11 | 7 | 12 | 15 | 12 | 6 | 6 | 17 | 142 |
| 8 | Elgin (or Moray), - - | 59 | 102 | 89 | 73 | 85 | 65 | 64 | 42 | 59 | 55 | 57 | 68 | 818 |
| 9 | Banff, - - - - | 108 | 125 | 118 | 103 | 91 | 71 | 85 | 62 | 59 | 74 | 76 | 81 | 1053 |
| 10 | Aberdeen, - - - - | 537 | 566 | 527 | 477 | 447 | 375 | 401 | 311 | 332 | 410 | 369 | 445 | 5197 |
| 11 | Kincardine, - - - | 51 | 52 | 62 | 43 | 46 | 38 | 37 | 39 | 28 | 47 | 48 | 65 | 556 |
| | IV. EAST-MIDLAND. | | | | | | | | | | | | | |
| 12 | Forfar, - - - - | 713 | 652 | 545 | 510 | 530 | 465 | 416 | 418 | 415 | 418 | 397 | 516 | 5995 |
| 13 | Perth, - - - - | 216 | 231 | 259 | 214 | 184 | 173 | 190 | 155 | 153 | 184 | 167 | 233 | 2359 |
| 14 | Fife, - - - - | 460 | 355 | 308 | 286 | 284 | 254 | 245 | 233 | 228 | 231 | 262 | 331 | 3477 |
| 15 | Kinross, - - - - | 14 | 17 | 12 | 7 | 12 | 12 | 9 | 7 | 7 | 5 | 9 | 13 | 124 |
| 16 | Clackmannan, - - - | 43 | 43 | 54 | 47 | 41 | 36 | 30 | 25 | 32 | 28 | 34 | 43 | 456 |
| | V. WEST-MIDLAND. | | | | | | | | | | | | | |
| 17 | Stirling, - - - - | 210 | 223 | 205 | 200 | 169 | 146 | 184 | 164 | 187 | 208 | 230 | 260 | 2386 |
| 18 | Dumbarton, - - - | 188 | 172 | 153 | 168 | 149 | 146 | 159 | 117 | 146 | 148 | 146 | 189 | 1881 |
| 19 | Argyll, - - - - | 119 | 139 | 139 | 120 | 105 | 110 | 80 | 109 | 83 | 104 | 111 | 138 | 1357 |
| 20 | Bute, - - - - | 31 | 26 | 34 | 39 | 25 | 35 | 33 | 38 | 35 | 30 | 18 | 27 | 371 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | | |
| 21 | Renfrew, - - - - | 442 | 472 | 499 | 410 | 410 | 334 | 360 | 309 | 326 | 364 | 421 | 516 | 4863 |
| 22 | Ayr, - - - - | 405 | 411 | 393 | 334 | 352 | 310 | 322 | 291 | 296 | 317 | 383 | 427 | 4241 |
| 23 | Lanark, - - - - | 2220 | 2051 | 2236 | 2178 | 2061 | 1941 | 1783 | 1551 | 1748 | 1800 | 1751 | 2201 | 23521 |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | | |
| 24 | Linlithgow, - - - | 112 | 91 | 84 | 70 | 78 | 68 | 79 | 68 | 73 | 66 | 77 | 82 | 948 |
| 25 | Edinburgh, - - - | 1065 | 799 | 878 | 803 | 715 | 641 | 630 | 588 | 636 | 720 | 637 | 794 | 8906 |
| 26 | Haddington, - - - | 66 | 63 | 63 | 56 | 30 | 47 | 48 | 38 | 53 | 46 | 53 | 60 | 623 |
| 27 | Berwick, - - - - | 48 | 48 | 39 | 37 | 38 | 30 | 46 | 31 | 31 | 47 | 34 | 48 | 477 |
| 28 | Peebles, - - - - | 13 | 23 | 18 | 17 | 25 | 15 | 17 | 4 | 14 | 12 | 22 | 18 | 198 |
| 29 | Selkirk, - - - - | 34 | 49 | 48 | 37 | 35 | 28 | 38 | 22 | 35 | 27 | 48 | 53 | 474 |
| | VIII. SOUTHERN. | | | | | | | | | | | | | |
| 30 | Roxburgh, - - - - | 82 | 63 | 82 | 79 | 88 | 75 | 71 | 54 | 59 | 64 | 75 | 85 | 877 |
| 31 | Dumfries, - - - - | 129 | 165 | 154 | 121 | 116 | 105 | 107 | 96 | 98 | 101 | 106 | 169 | 1467 |
| 32 | Kirkcudbright, - - - | 71 | 70 | 95 | 62 | 64 | 51 | 44 | 46 | 51 | 55 | 50 | 69 | 728 |
| 33 | Wigtown, - - - - | 68 | 67 | 84 | 52 | 52 | 62 | 55 | 35 | 48 | 46 | 38 | 60 | 667 |

Quarterly Reports, which, being made up from

TABLE showing the Distribution of the

| | Jan. | Feb. | Mar. | Apr. | May. | | |
|---|---|---|---|---|---|---|---|
| SCOTLAND. - - | 7977 | 7706 | 7749 | 6406 | 6020 | 6087 | 4444 |

# BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1890.

| 1890. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. | Excess of Birth over Deaths. | Areas in Square Miles.* |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1881. | 1891. | Male. | Fem. | Total. | Mal. | Fem. | Total. | Male. | Fem. | Total. | | | |
| SCOTLAND, | 3,735,573 | 4,025,647 | 62187 | 59339 | 121526 | 4715 | 4526 | 9241 | 39130 | 39874 | 79004 | 27469 | 42522 | 29785·1 |
| GROUPS OF DISTRICTS. | | | | | | | | | | | | | | |
| PRINCIPAL TOWNS | 1,409,260 | 1,590,310 | 26012 | 24849 | 50861 | 1905 | 1841 | 3746 | 17594 | 17668 | 35262 | 13312 | 15599 | |
| LARGE TOWNS | 404,502 | 467,872 | 7803 | 7430 | 15233 | 455 | 451 | 906 | 4654 | 4777 | 9431 | 3367 | 5802 | |
| SMALL TOWNS | 784,654 | 840,389 | 13127 | 12513 | 25640 | 972 | 876 | 1848 | 7752 | 7905 | 15657 | 5270 | 9983 | |
| MAINLAND-RURAL | 1,006,969 | 1,001,174 | 13791 | 13187 | 26978 | 1309 | 1285 | 2594 | 8194 | 8484 | 16678 | 5103 | 10300 | |
| INSULAR-RURAL | 130,188 | 125,952 | 1454 | 1360 | 2814 | 74 | 73 | 147 | 936 | 1040 | 1976 | 417 | 838 | |
| DIVISIONS. | | | | | | | | | | | | | | |
| NORTHERN | 123,984 | 118,237 | 1346 | 1299 | 2645 | 99 | 94 | 193 | 976 | 1114 | 2090 | 503 | 555 | 3640·8 |
| NORTH-WESTERN | 165,856 | 168,886 | 2011 | 1915 | 3926 | 119 | 119 | 238 | 1300 | 1423 | 2723 | 649 | 1203 | 7166·5 |
| NORTH-EASTERN | 418,250 | 433,580 | 6574 | 6196 | 12770 | 869 | 815 | 1684 | 3763 | 4013 | 7776 | 2770 | 4994 | 3650·7 |
| EAST-MIDLAND | 602,421 | 629,035 | 8786 | 8381 | 17167 | 717 | 666 | 1383 | 5986 | 6432 | 12418 | 4014 | 4749 | 4015·5 |
| WEST-MIDLAND | 283,460 | 314,840 | 4723 | 4322 | 9045 | 288 | 233 | 521 | 3037 | 2962 | 5999 | 1720 | 3046 | 4111·0 |
| SOUTH-WESTERN | 1,355,447 | 1,563,257 | 27147 | 26063 | 53210 | 1604 | 1626 | 3230 | 16615 | 16013 | 32628 | 12669 | 20582 | 2255·2 |
| SOUTH-EASTERN | 346,658 | 399,620 | 8881 | 8562 | 17443 | 658 | 630 | 1288 | 5729 | 5900 | 11629 | 4291 | 5814 | 1825·3 |
| SOUTHERN | 209,497 | 203,246 | 2719 | 2601 | 5320 | 361 | 343 | 704 | 1724 | 2017 | 3741 | 1133 | 1579 | 3111·3 |
| COUNTIES. | | | | | | | | | | | | | | |
| I. NORTHERN. | | | | | | | | | | | | | | |
| Shetland | 29,505 | 28,711 | 317 | 288 | 605 | 9 | 9 | 18 | 215 | 262 | 477 | 130 | 128 | 551·4 |
| Orkney | 32,044 | 30,453 | 318 | 307 | 625 | 17 | 14 | 31 | 229 | 273 | 502 | 126 | 123 | 375·7 |
| Caithness | 39,859 | 38,070 | 491 | 479 | 970 | 58 | 55 | 113 | 357 | 376 | 733 | 163 | 237 | 685·7 |
| Sutherland | 22,376 | 21,003 | 220 | 225 | 445 | 15 | 16 | 31 | 175 | 203 | 378 | 84 | 67 | 2027·9 |
| II. NORTH-WESTERN. | | | | | | | | | | | | | | |
| Ross and Cromarty | 79,467 | 78,619 | 966 | 927 | 1893 | 41 | 46 | 87 | 628 | 671 | 1299 | 303 | 594 | 3078·1 |
| Inverness | 86,389 | 89,136 | 1045 | 988 | 2033 | 78 | 73 | 151 | 672 | 752 | 1424 | 346 | 609 | 4088·3 |
| III. NORTH-EASTERN. | | | | | | | | | | | | | | |
| Nairn | 8,847 | 8,554 | 94 | 111 | 205 | 8 | 13 | 21 | 69 | 73 | 142 | 42 | 63 | 195·3 |
| Elgin (or Moray) | 45,108 | 44,829 | 598 | 639 | 1237 | 81 | 76 | 157 | 387 | 431 | 818 | 233 | 419 | 475·9 |
| Banff | 59,783 | 61,209 | 956 | 881 | 1837 | 138 | 120 | 258 | 514 | 541 | 1055 | 318 | 782 | 640·8 |
| Aberdeen | 269,047 | 281,264 | 4405 | 4031 | 8436 | 566 | 529 | 1095 | 2515 | 2690 | 5205 | 1743 | 3231 | 1955·4 |
| Kincardine | 36,465 | 37,024 | 521 | 534 | 1055 | 61 | 77 | 138 | 278 | 278 | 556 | 154 | 499 | 383·3 |
| IV. EAST-MIDLAND. | | | | | | | | | | | | | | |
| Forfar | 268,653 | 280,098 | 4073 | 3917 | 7990 | 393 | 376 | 769 | 2813 | 3184 | 5997 | 1921 | 1993 | 875·2 |
| Perth | 130,282 | 127,896 | 1492 | 1384 | 2876 | 142 | 124 | 266 | 1168 | 1198 | 2366 | 699 | 515 | 2527·8 |
| Fife | 172,151 | 187,601 | 2736 | 2605 | 5341 | 158 | 137 | 295 | 1722 | 1736 | 3458 | 1183 | 1864 | 492·1 |
| Kinross | 7,330 | 6,725 | 92 | 81 | 173 | 8 | 5 | 13 | 65 | 69 | 124 | 57 | 49 | 72·6 |
| Clackmannan | 24,025 | 26,716 | 393 | 391 | 784 | 16 | 24 | 40 | 223 | 233 | 456 | 154 | 328 | 47·6 |
| V. WEST MIDLAND. | | | | | | | | | | | | | | |
| Stirling | 106,883 | 119,129 | 1954 | 1836 | 3790 | 130 | 109 | 239 | 1199 | 1187 | 2386 | 770 | 1404 | 447·4 |
| Dumbarton | 78,182 | 98,044 | 1603 | 1462 | 3065 | 83 | 55 | 138 | 970 | 913 | 1883 | 583 | 1182 | 241·5 |
| Argyll | 80,761 | 79,310 | 964 | 839 | 1803 | 62 | 58 | 120 | 694 | 666 | 1360 | 282 | 443 | 3213·1 |
| Bute | 17,634 | 18,387 | 202 | 185 | 387 | 13 | 11 | 24 | 174 | 196 | 370 | 85 | 17 | 217·9 |
| VI. SOUTH-WESTERN. | | | | | | | | | | | | | | |
| Renfrew | 225,611 | 245,147 | 3971 | 3871 | 7842 | 191 | 207 | 398 | 2456 | 2405 | 4861 | 1778 | 2981 | 245·0 |
| Ayr | 217,630 | 226,403 | 3724 | 3575 | 7299 | 260 | 253 | 513 | 2118 | 2123 | 4241 | 1670 | 3058 | 1128·5 |
| Lanark | 942,206 | 1,091,707 | 19452 | 18611 | 38063 | 1153 | 1166 | 2319 | 12041 | 11185 | 23226 | 9221 | 14543 | 881·7 |
| VII. SOUTH-EASTERN. | | | | | | | | | | | | | | |
| Linlithgow | 44,005 | 53,441 | 1050 | 1008 | 2058 | 70 | 73 | 143 | 475 | 476 | 951 | 399 | 1107 | 120·0 |
| Edinburgh | 388,836 | 433,646 | 6410 | 6161 | 12571 | 487 | 446 | 933 | 4425 | 4483 | 8908 | 3266 | 3663 | 362·1 |
| Haddington | 38,510 | 37,500 | 475 | 493 | 968 | 29 | 41 | 70 | 309 | 314 | 623 | 194 | 345 | 271·0 |
| Berwick | 35,273 | 32,311 | 394 | 393 | 787 | 34 | 40 | 74 | 213 | 262 | 475 | 178 | 312 | 460·6 |
| Peebles | 13,688 | 14,654 | 154 | 148 | 302 | 7 | 10 | 17 | 92 | 106 | 198 | 78 | 104 | 354·5 |
| Selkirk | 26,346 | 28,068 | 398 | 359 | 757 | 31 | 20 | 51 | 215 | 259 | 474 | 176 | 283 | 257·1 |
| VIII. SOUTHERN. | | | | | | | | | | | | | | |
| Roxburgh | 52,592 | 52,954 | 692 | 651 | 1343 | 67 | 71 | 138 | 419 | 457 | 876 | 246 | 467 | 665·1 |
| Dumfries | 76,167 | 74,249 | 987 | 975 | 1962 | 140 | 124 | 264 | 689 | 780 | 1469 | 486 | 493 | 1062·8 |
| Kirkcudbright | 42,290 | 40,163 | 565 | 479 | 1044 | 79 | 69 | 148 | 335 | 394 | 729 | 232 | 315 | 897·8 |
| Wigtown | 38,448 | 35,880 | 475 | 496 | 971 | 75 | 79 | 154 | 281 | 386 | 667 | 169 | 304 | 485·5 |

*The acreage of Scotland, excluding inland waters and foreshore, as furnished by the Ordnance Survey Department, Southampton, is 32,482 acres.

A

JAN 11 1904

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. |
| | NORTHERN. | | | | | | | | | | | |
| | 1. Shetland. | | | | | | | | | | | |
| 1 | Bressay, etc.—(1) Bressay, | 850 | 802 | 13 | 7 | 20 | – | 1 | 1 | 5 | 5 | 10 |
| | (2) Burra and Quarff | 918 | 987 | 15 | 16 | 31 | – | – | – | 9 | 7 | 16 |
| 2 | Delting, | 1654 | 1512 | 13 | 21 | 34 | – | – | – | 15 | 14 | 29 |
| 3 | Dunrossness, etc.— | | | | | | | | | | | |
| | (1) Dunrossness, | 1604 | 1415 | 17 | 16 | 33 | – | – | – | 8 | 8 | 16 |
| | (2) Sandwick and Cunningsburgh, | 2308 | 2114 | 23 | 13 | 36 | 1 | 2 | 3 | 18 | 20 | 38 |
| | (3) Fair Isle, | 214 | 223 | 5 | 1 | 6 | 1 | – | 1 | 1 | – | 1 |
| 4 | Fetlar, etc.— | | | | | | | | | | | |
| | (1) Fetlar, | 431 | 368 | 5 | 2 | 7 | – | – | – | 6 | – | 6 |
| | (2) North Yell, | 821 | 712 | 3 | 8 | 11 | – | – | – | 8 | 3 | 11 |
| 5 | Lerwick, | 4772 | 4770 | 57 | 59 | 116 | 1 | 1 | 2 | 38 | 48 | 86 |
| 6 | Mid and South Yell, | 1708 | 1798 | 15 | 20 | 35 | – | 2 | 2 | 10 | 18 | 28 |
| 7 | Nesting, etc.— | | | | | | | | | | | |
| | (1) Nesting, | 816 | 776 | 8 | 6 | 14 | – | – | – | 1 | 4 | 5 |
| | (2) Lunnasting, | 783 | 719 | 5 | 4 | 9 | – | – | – | 8 | 16 | 24 |
| | (3) Whalsay & Skerries, | 1027 | 1094 | 17 | 10 | 27 | – | – | – | 9 | 7 | 16 |
| 8 | Northmavine, | 2269 | 2197 | 22 | 17 | 39 | 1 | 1 | 2 | 14 | 18 | 32 |
| 9 | Sandsting and Aithsting, | 2702 | 2562 | 33 | 25 | 58 | – | 1 | 1 | 23 | 25 | 48 |
| 10 | Tingwall, etc.— | | | | | | | | | | | |
| | (1) Tingwall, | 1484 | 1515 | 20 | 15 | 35 | 2 | – | 2 | 10 | 14 | 24 |
| | (2) Whiteness & Weisdale, | 901 | 814 | 7 | 11 | 18 | – | – | – | 8 | 12 | 20 |
| 11 | Unst, | 2181 | 2280 | 19 | 19 | 38 | 1 | 1 | 2 | 15 | 28 | 43 |
| 12 | Walls, etc.—(1) Walls, | 1166 | 1062 | 7 | 6 | 13 | – | | – | 5 | 14 | 19 |
| | (2) Sandness, | 575 | 512 | 7 | 5 | 12 | 2 | – | 2 | 2 | 3 | 5 |
| | (3) Papa-Stour, | 254 | 241 | 3 | 5 | 8 | – | – | – | 1 | 2 | 3 |
| | (4) Foula, | 267 | 230 | 3 | 2 | 5 | – | – | – | 1 | 1 | 2 |
| | —— Total, | 29705 | 28711 | 317 | 288 | 605 | 9 | 9 | 18 | 215 | 262 | 477 |
| | 2. Orkney. | | | | | | | | | | | |
| †13 | Birsay (part of Harray & Birsay) | 1581 | 1524 | 17 | 14 | 31 | 1 | 1 | 2 | 6 | 13 | 19 |
| *14 | Deerness, | 867 | 844 | 8 | 8 | 16 | 1 | – | 1 | 5 | 7 | 12 |
| *15 | Eday and Pharay, | 802 | 705 | 5 | 10 | 15 | – | 1 | 1 | 6 | 6 | 12 |
| 16 | Evie and Rendall, | 1351 | 1233 | 8 | 6 | 14 | – | – | – | 14 | 13 | 27 |
| 17 | Firth and Stennes, | 1362 | 1325 | 14 | 14 | 28 | – | 1 | 1 | 5 | 15 | 20 |
| †18 | Harray (part of Harray & Birsay) | 745 | 735 | 14 | 7 | 21 | 1 | – | 1 | 7 | 6 | 13 |
| 19 | Holm and Paplay, | 1090 | 950 | 17 | 9 | 26 | 1 | – | 1 | 12 | 11 | 23 |
| 20 | Hoy and Græmsay, | 603 | 537 | 9 | 7 | 16 | – | – | – | – | 4 | 4 |
| 21 | KIRKWALL and St Ola, | 4801 | 4755 | 62 | 48 | 110 | 7 | 5 | 12 | 50 | 44 | 94 |
| *22 | North Ronaldshay, | 547 | 501 | 3 | 5 | 8 | – | – | – | 3 | 4 | 7 |
| 23 | Orphir, | 1015 | 1001 | 10 | 15 | 25 | – | – | – | 5 | 8 | 13 |
| 24 | Rousay and Egilshay, | 1118 | 988 | 5 | 12 | 17 | – | – | – | 5 | 9 | 14 |
| †25 | St Andrews, | 828 | 763 | 13 | 2 | 15 | 1 | – | 1 | 5 | 10 | 15 |
| *26 | Sanday, | 2082 | 1929 | 15 | 25 | 40 | 1 | 2 | 3 | 10 | 18 | 28 |
| 27 | Sandwick, | 1198 | 1109 | 11 | 16 | 27 | 1 | 1 | 2 | 7 | 10 | 17 |
| 28 | Shapinshay, | 974 | 903 | 5 | 6 | 11 | 1 | – | 1 | 6 | 2 | 8 |
| 29 | South Ronaldshay and Burray, | 3314 | 3059 | 34 | 25 | 59 | 1 | 1 | 2 | 24 | 23 | 47 |
| 30 | Stromness, | 2410 | 2333 | 22 | 30 | 52 | – | 1 | 1 | 14 | 33 | 47 |
| †31 | Stronsay, | 1305 | 1309 | 10 | 16 | 26 | – | 1 | 1 | 3 | 4 | 7 |
| 32 | Walls, etc.—(1) Walls, | 1013 | 1006 | 9 | 8 | 17 | 1 | – | 1 | 9 | 3 | 12 |
| | (2) Flotta, | 493 | 499 | 3 | 3 | 6 | – | – | | 6 | 6 | 12 |
| 33 | Westray, etc.—(1) Westray | 2200 | 2108 | 19 | 20 | 39 | – | – | – | 24 | 21 | 45 |
| | (2) Papa-Westray, | 345 | 337 | 5 | 1 | 6 | – | – | – | 3 | 3 | 6 |
| | Total, | 32044 | 30453 | 318 | 307 | 625 | 17 | 14 | 31 | 229 | 272 | 502 |

Districts containing Parliamentary and Royal Burghs are printed in capitals, thus:—EDINBURGH. Districts containing T
of 2000 Inhabitants and upwards are printed in small capitals, thus:—Carluke.
*N.B.*—An asterisk "*" is prefixed to those Districts which comprise one or more Parishes or parts of Parishes, and the
ponent parts of these Districts will be found at page 454.
A dagger "†" is prefixed to those Districts which consist of only a part of a Parish of the same name,

| Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 3. Caithness. | | | | | | | | | | | | |
| Bower, | 1608 | 1506 | 19 | 16 | 35 | 2 | 2 | 4 | 10 | 12 | 22 | 2 |
| Canisbay, | 2873 | 2168 | 26 | 26 | 52 | 2 | 3 | 5 | 12 | 14 | 26 | 6 |
| Dunnet, | 1607 | 1488 | 15 | 18 | 33 | – | 2 | 2 | 12 | 17 | 29 | 6 |
| Halkirk, | 2705 | 2564 | 36 | 42 | 78 | 4 | 3 | 7 | 26 | 21 | 47 | 12 |
| Keiss, | 1348 | 1266 | 15 | 15 | 30 | 1 | 2 | 3 | 13 | 12 | 25 | 7 |
| Latheron, | 6875 | 5875 | 72 | 63 | 135 | 13 | 5 | 18 | 60 | 65 | 125 | 24 |
| Olrig, | 2002 | 1837 | 22 | 19 | 41 | 3 | 5 | 8 | 16 | 15 | 31 | 4 |
| Reay, | 2191 | 2075 | 25 | 23 | 48 | 3 | 3 | 6 | 23 | 23 | 46 | 5 |
| Thurso, | 6217 | 5858 | 61 | 81 | 142 | 12 | 11 | 23 | 55 | 53 | 108 | 35 |
| Watten, | 1406 | 1300 | 10 | 19 | 29 | 2 | 2 | 4 | 8 | 16 | 24 | 2 |
| WICK, | 11727 | 12063 | 190 | 157 | 347 | 16 | 17 | 33 | 122 | 128 | 250 | 60 |
| Total, | 38559 | 38070 | 491 | 479 | 970 | 58 | 55 | 113 | 357 | 376 | 733 | 163 |
| 4. Sutherland. | | | | | | | | | | | | |
| Assynt—(1) Kirkton, | 498 | 400 | 2 | 3 | 5 | – | – | – | 1 | 2 | 3 | 2 |
| (2) Stoer, | 2283 | 2151 | 22 | 18 | 40 | 1 | – | 1 | 22 | 26 | 48 | 12 |
| Clyne, | 1812 | 1713 | 28 | 16 | 44 | 2 | 3 | 6 | 13 | 26 | 39 | 7 |
| Creich—(1) Bonar, | 1571 | 1436 | 11 | 18 | 29 | – | 3 | 3 | 15 | 20 | 35 | 4 |
| (2) Rosehall, | 652 | 577 | 8 | 4 | 12 | 1 | – | 1 | 8 | 3 | 11 | 3 |
| DORNOCH, | 2525 | 2404 | 25 | 30 | 55 | 1 | – | 1 | 17 | 20 | 37 | 10 |
| Durness, | 987 | 960 | 16 | 7 | 23 | 1 | 1 | 2 | 10 | 9 | 19 | 2 |
| Eddrachillis—(1) Scourie, | 605 | 511 | 3 | 6 | 9 | – | 1 | 1 | 5 | – | 5 | – |
| (2) Kinlochbervie, | 920 | 898 | 16 | 8 | 24 | 2 | 1 | 3 | 4 | 8 | 12 | 1 |
| Farr—(1) Kirkton, | 1140 | 1081 | 11 | 12 | 23 | 2 | 3 | 5 | 10 | 11 | 21 | 1 |
| (2) Strathy, | 790 | 776 | 6 | 8 | 14 | – | – | – | 5 | 6 | 11 | 7 |
| Golspie, | 1556 | 1451 | 11 | 19 | 30 | 2 | 1 | 3 | 10 | 15 | 25 | 7 |
| Kildonan, | 1942 | 1828 | 15 | 25 | 40 | – | 1 | 1 | 15 | 9 | 24 | 11 |
| Lairg, | 1355 | 1139 | 14 | 14 | 28 | 1 | – | 1 | 14 | 12 | 26 | 9 |
| Roth, | 584 | 528 | 7 | 4 | 11 | – | – | – | 2 | 4 | 6 | 1 |
| Rogart, | 1227 | 1195 | 7 | 11 | 18 | – | 1 | 1 | 11 | 15 | 26 | 5 |
| Tongue, | 1929 | 1925 | 18 | 22 | 40 | 1 | 1 | 2 | 13 | 17 | 30 | 2 |
| —— Total, | 22376 | 21003 | 220 | 225 | 445 | 15 | 16 | 31 | 175 | 203 | 378 | 84 |
| II. North-Western. | | | | | | | | | | | | |
| 5. Ross and Cromarty. | | | | | | | | | | | | |
| *Mainland.* | | | | | | | | | | | | |
| Alness, | 1033 | 1059 | 10 | 14 | 24 | 1 | 3 | 4 | 9 | 13 | 22 | 2 |
| Applecross— | | | | | | | | | | | | |
| (1) Applecross, | 958 | 890 | 17 | 4 | 21 | – | – | – | 7 | 10 | 17 | 4 |
| (2) Shieldaig, | 1396 | 1239 | 14 | 8 | 22 | – | – | – | 15 | 13 | 28 | 5 |
| Avoch, | 1691 | 1817 | 30 | 23 | 53 | – | – | – | 11 | 17 | 28 | 6 |
| Carnoch, | 296 | 249 | 2 | 2 | 4 | – | – | – | 3 | 2 | 5 | – |
| Contin, | 708 | 592 | 3 | 6 | 9 | – | – | – | 4 | 4 | 8 | 2 |
| CROMARTY, | 2009 | 2007 | 28 | 24 | 52 | 3 | 2 | 5 | 5 | 24 | 29 | 12 |
| DINGWALL, | 2220 | 2607 | 33 | 37 | 70 | 3 | 2 | 5 | 23 | 15 | 38 | 19 |
| Edderton, | 789 | 642 | 4 | 4 | 8 | – | 1 | 1 | 1 | 4 | 5 | 5 |
| Fearn, | 2135 | 1900 | 20 | 19 | 39 | 5 | 3 | 8 | 19 | 14 | 33 | 4 |
| Fodderty, | 1880 | 1866 | 24 | 15 | 39 | 2 | – | 2 | 18 | 16 | 34 | 2 |
| Gairloch, (1) Northern, | 1461 | 1317 | 12 | 12 | 24 | 1 | 1 | 2 | 7 | 6 | 13 | 3 |
| (2) Southern, | 3018 | 2773 | 28 | 32 | 60 | – | 2 | 2 | 23 | 20 | 43 | 3 |
| Glenshiel, | 424 | 394 | 5 | 4 | 9 | – | – | – | 8 | 2 | 10 | 1 |
| Killearnan, | 1059 | 920 | 9 | 9 | 18 | – | 3 | 3 | 6 | 13 | 19 | 3 |
| Kilmuir-Easter, | 1146 | 1024 | 8 | 11 | 19 | – | 2 | 2 | 8 | 7 | 15 | 1 |
| Kiltearn, | 1182 | 1301 | 16 | 11 | 27 | – | 1 | 1 | 6 | 15 | 21 | 2 |
| Kincardine— | | | | | | | | | | | | |
| (1) Kincardine, | 1148 | 1078 | 13 | 15 | 28 | – | 1 | 1 | 11 | 7 | 18 | 6 |
| (2) Strathoykel, | 324 | 339 | 2 | 4 | 6 | – | – | – | 1 | 3 | 4 | – |
| Kinlochluichart, | 632 | 630 | 7 | 8 | 15 | – | – | – | 1 | 2 | 3 | 1 |
| Kintail, | 688 | 588 | 3 | 13 | 16 | 1 | – | 1 | 5 | 4 | 9 | 1 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. |
| 73 | Knockbain, | 1866 | 1698 | 11 | 19 | 30 | 1 | 2 | 3 | 17 | 14 | 31 |
| 74 | Lochalsh, | 2050 | 1868 | 15 | 8 | 23 | 1 | – | 1 | 21 | 15 | 36 |
| 75 | Lochbroom— | | | | | | | | | | | |
| | (1) Lochbroom, | 3024 | 2856 | 29 | 35 | 64 | – | 1 | 1 | 19 | 23 | 42 |
| | (2) Coigach, | 1167 | 1074 | 11 | 7 | 18 | – | 1 | 1 | 11 | 7 | 18 |
| 76 | Lochcarron, | 1456 | 1390 | 16 | 17 | 33 | 1 | – | 1 | 11 | 13 | 24 |
| 77 | Logie-Easter, | 827 | 870 | 11 | 14 | 25 | – | 1 | 1 | 5 | 4 | 9 |
| 78 | Nigg, | 1000 | 930 | 7 | 12 | 19 | – | – | – | 5 | 6 | 11 |
| 79 | Resolis, | 1424 | 1339 | 12 | 13 | 25 | 1 | 1 | 2 | 8 | 14 | 22 |
| 80 | ROSEMARKIE, | 1357 | 1343 | 14 | 16 | 30 | – | 2 | 2 | 7 | 12 | 19 |
| 81 | Rosskeen, | 3773 | 3480 | 34 | 33 | 67 | 3 | 3 | 6 | 26 | 43 | 69 |
| 82 | TAIN, | 3009 | 2818 | 31 | 30 | 61 | 3 | 4 | 7 | 29 | 33 | 62 |
| 83 | Tarbat, | 1878 | 1703 | 22 | 25 | 47 | – | 2 | 2 | 16 | 11 | 27 |
| 84 | Urquhart & Logie-Wester | 2525 | 2328 | 20 | 18 | 38 | 4 | – | 4 | 14 | 21 | 35 |
| †85 | Urray, | 2427 | 2161 | 17 | 26 | 43 | 2 | 1 | 3 | 23 | 15 | 38 |
| | *Insular.* | | | | | | | | | | | |
| 86*a* | Barvas, | 5325 | 5699 | 87 | 78 | 165 | 1 | 2 | 3 | 32 | 31 | 63 |
| *86*b* | Carloway, | 2974 | 2959 | 39 | 37 | 76 | – | – | – | 24 | 21 | 45 |
| *87 | Lochs, | 4543 | 4717 | 72 | 67 | 139 | 2 | 3 | 5 | 44 | 36 | 80 |
| 88 | STORNOWAY, | 10389 | 11799 | 200 | 166 | 366 | 6 | 2 | 8 | 103 | 120 | 223 |
| †89 | Uig, | 2256 | 2416 | 30 | 31 | 61 | – | – | – | 22 | 21 | 43 |
| | Total, | 79467 | 78640 | 966 | 927 | 1893 | 41 | 46 | 87 | 628 | 671 | 1299 |
| | 6. INVERNESS. *Mainland.* | | | | | | | | | | | |
| 90*a* | Abernethy & Kincardine. | 1530 | 1354 | 14 | 14 | 28 | 4 | 4 | 8 | 11 | 12 | 23 |
| 90*b* | Alvie, | 707 | 656 | 4 | 6 | 10 | – | 1 | 1 | 4 | 7 | 11 |
| 91 | Ardersier, | 2086 | 1914 | 22 | 16 | 38 | 1 | – | 1 | 17 | 14 | 31 |
| 92 | Boleskine, etc.— | | | | | | | | | | | |
| | (1) Boleskine, | 575 | 499 | 4 | 9 | 13 | – | – | – | 5 | 4 | 9 |
| | (2) Fort-Augustus or Abertarff, | 873 | 930 | 16 | 7 | 23 | – | – | – | 6 | 9 | 15 |
| 93 | Cromdale and Inverallan. (Now 128*b infra.*) | | | | | | | | | | | |
| 94 | Croy and Dalcross, | 1709 | 1516 | 14 | 23 | 37 | – | 2 | 2 | 13 | 12 | 25 |
| 95 | Daviot and Dunlichty, | 1252 | 1106 | 17 | 9 | 26 | – | 2 | 2 | 4 | 6 | 10 |
| 96*a* | Dores, | 1148 | 932 | 10 | 16 | 26 | 1 | 1 | 2 | 5 | 2 | 7 |
| 96*b* | Duthil, etc.—(1) Duthil, | 1371 | 1728 | 17 | 10 | 27 | 1 | 2 | 3 | 13 | 13 | 26 |
| | (2) Rothiemurchus, | 293 | 266 | – | 2 | 2 | – | – | – | 5 | 3 | 8 |
| 97 | Glenelg—(1) Glenelg, | 658 | 644 | 5 | 11 | 16 | – | – | – | 6 | 2 | 8 |
| | (2) Knoydart, | 458 | 415 | 3 | 2 | 5 | – | – | – | 1 | 1 | 2 |
| | (3) North Morar, | 485 | 444 | 4 | 12 | 16 | – | – | – | 3 | 4 | 7 |
| 98 | INVERNESS, | 21725 | 23895 | 317 | 281 | 598 | 24 | 22 | 46 | 236 | 247 | 483 |
| 99 | Kilmonivaig— | | | | | | | | | | | |
| | (1) Glengarry, | 553 | 501 | 7 | 8 | 15 | – | – | – | 3 | 1 | 4 |
| | (2) Lochaber, | 1375 | 1704 | 18 | 15 | 33 | 3 | – | 3 | 9 | 16 | 25 |
| 100 | Kilmorack, | 2618 | 2224 | 27 | 21 | 48 | 3 | 2 | 5 | 20 | 23 | 43 |
| 101 | Kiltarlity, | 2134 | 1878 | 15 | 17 | 32 | 3 | – | 3 | 14 | 15 | 29 |
| 102 | Kingussie and Insh, | 1987 | 1948 | 22 | 24 | 46 | 3 | 3 | 6 | 15 | 15 | 30 |
| 103 | Kirkhill, | 1480 | 1307 | 18 | 16 | 34 | 1 | – | 1 | 16 | 22 | 38 |
| 104 | Laggan, | 917 | 850 | 9 | 7 | 16 | 2 | – | 2 | 4 | 5 | 9 |
| 105 | Moy and Dalarossie, | 822 | 741 | 9 | 7 | 16 | 1 | 1 | 2 | 5 | 6 | 11 |
| 106 | Petty, | 1531 | 1298 | 16 | 23 | 39 | 1 | 3 | 4 | 6 | 13 | 19 |
| 107 | Urquhart, etc.— | | | | | | | | | | | |
| | (1) Urquhart, | 2013 | 1663 | 13 | 18 | 31 | 3 | – | 3 | 8 | 19 | 27 |
| | (2) Glenmoriston, *Insular.* | 425 | 377 | 7 | 4 | 11 | – | – | – | 3 | 5 | 8 |
| 108 | Barra, | 2161 | 2365 | 33 | 39 | 72 | 2 | 4 | 6 | 9 | 14 | 23 |
| 109 | Bracadale, | 929 | 920 | 8 | 9 | 17 | – | 1 | 1 | 4 | 6 | 10 |

| Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| Duirinish, (1) Duirinish, | 3313 | 3050 | 42 | 28 | 70 | 2 | – | 2 | 20 | 22 | 42 | 7 |
| (2) Waternish, | 1006 | 877 | 14 | 7 | 21 | 1 | – | 1 | 4 | 8 | 12 | 2 |
| Harris—(1) North Harris, | 2844 | 2981 | 43 | 46 | 89 | 2 | 3 | 5 | 17 | 16 | 33 | 17 |
| (2) South Harris, | 1439 | 1468 | 12 | 19 | 31 | 1 | 1 | 2 | 4 | 6 | 10 | 4 |
| (3) Berneray, | 454 | 504 | 8 | 5 | 13 | 1 | – | 1 | 7 | 6 | 13 | 4 |
| (4) St Kilda, | 77 | 71 | 1 | 1 | 2 | – | – | – | 1 | 2 | 3 | 1 |
| Kilmuir—(1) Kilmuir, | 1265 | 1148 | 20 | 10 | 30 | 1 | 3 | 4 | 10 | 6 | 16 | 5 |
| (2) Stenscholl, | 1314 | 1261 | 22 | 18 | 40 | – | – | – | 6 | 12 | 18 | 9 |
| North Uist, | 4264 | 4187 | 58 | 51 | 109 | 4 | 5 | 9 | 23 | 26 | 49 | 8 |
| Portree—(1) Portree, | 2483 | 2506 | 34 | 31 | 65 | 3 | 3 | 6 | 26 | 23 | 49 | 9 |
| (2) Raasay, | 708 | 670 | 9 | 10 | 19 | – | – | – | 4 | 8 | 12 | 1 |
| Sleat, | 2060 | 1850 | 18 | 24 | 42 | – | – | – | 17 | 21 | 38 | 5 |
| Small Isles, | 550 | 436 | 6 | 5 | 11 | – | – | – | 5 | 6 | 11 | 1 |
| Snizort—(1) North, | 731 | 665 | 7 | 12 | 19 | – | – | – | 4 | 7 | 11 | – |
| (2) South, | 1372 | 1228 | 7 | 11 | 18 | 1 | 1 | 2 | 16 | 19 | 35 | 4 |
| South Uist— | | | | | | | | | | | | |
| (1) Benbecula, | 1781 | 1659 | 13 | 18 | 31 | 1 | 2 | 3 | 6 | 14 | 20 | 4 |
| (2) Howmore, | 1968 | 1879 | 19 | 21 | 40 | 2 | 3 | 5 | 16 | 14 | 30 | 1 |
| (3) Boisdale, | 2329 | 2283 | 33 | 20 | 53 | 4 | 3 | 7 | 17 | 19 | 36 | 8 |
| Strath, | 2616 | 2392 | 30 | 25 | 55 | 2 | 1 | 3 | 24 | 21 | 45 | 7 |
| —— Total, | 86389 | 85196 | 1045 | 988 | 2033 | 78 | 73 | 151 | 672 | 752 | 1424 | 346 |
| III. NORTH-EASTERN | | | | | | | | | | | | |
| 7. Nairn. | | | | | | | | | | | | |
| Ardclach, | 1117 | 991 | 8 | 9 | 17 | – | – | – | 11 | 8 | 19 | 1 |
| Auldearn, | 1292 | 1315 | 16 | 18 | 34 | 2 | 1 | 3 | 9 | 5 | 14 | 7 |
| Cawdor, | 1070 | 1028 | 9 | 12 | 21 | 1 | 1 | 2 | 5 | 9 | 14 | 3 |
| NAIRN, | 5368 | 5222 | 61 | 72 | 133 | 5 | 11 | 16 | 44 | 51 | 95 | 31 |
| Total, | 8847 | 8551 | 94 | 111 | 205 | 8 | 13 | 21 | 69 | 73 | 142 | 42 |
| 8. Elgin (or Moray). | | | | | | | | | | | | |
| Abernethy and Kincardine.—(Now 90*a supra*.) | | | | | | | | | | | | |
| Alves, | 1117 | 1096 | 10 | 24 | 34 | – | 1 | 1 | 5 | 9 | 14 | 1 |
| Bellie, | 2047 | 1914 | 22 | 22 | 44 | 5 | – | 5 | 16 | 18 | 34 | 6 |
| Birnie, | 367 | 405 | 13 | 4 | 17 | 2 | 1 | 3 | 2 | – | 2 | 4 |
| Boharm, | 1166 | 1266 | 19 | 24 | 43 | 4 | 4 | 8 | 9 | 18 | 27 | 8 |
| Cromdale, etc.,— | | | | | | | | | | | | |
| (1) Cromdale & Advie, | 1166 | 1016 | 14 | 14 | 28 | 1 | 2 | 3 | 8 | 16 | 24 | 6 |
| (2) Inverallan, | 2476 | 2447 | 34 | 30 | 64 | 4 | – | 4 | 20 | 27 | 47 | 14 |
| Dallas, | 915 | 860 | 14 | 8 | 22 | 3 | 5 | 8 | 9 | 10 | 19 | 6 |
| Drainie, | 3991 | 3922 | 60 | 71 | 131 | 11 | 9 | 20 | 30 | 38 | 68 | 25 |
| Duffus, | 3985 | 4293 | 53 | 75 | 128 | 4 | 8 | 12 | 28 | 30 | 58 | 18 |
| Duthil, etc.–(Now 96*b sup.*) | | | | | | | | | | | | |
| Dyke, | 1236 | 1044 | 7 | 10 | 17 | – | 1 | 1 | 6 | 11 | 17 | 4 |
| Edinkillie, | 1175 | 983 | 8 | 12 | 20 | 2 | 1 | 3 | 6 | 5 | 11 | 5 |
| ELGIN, | 9868 | 10473 | 143 | 145 | 288 | 23 | 16 | 39 | 105 | 99 | 204 | 47 |
| New Spynie, | 544 | 548 | 2 | 11 | 13 | – | 2 | 2 | 4 | 5 | 9 | 2 |
| FORRES, | 4752 | 4801 | 70 | 63 | 133 | 10 | 8 | 18 | 62 | 70 | 132 | 31 |
| Kinloss, | 1072 | 958 | 10 | 17 | 27 | – | – | – | 6 | 16 | 22 | 7 |
| Knockando, | 838 | 1712 | 19 | 20 | 39 | 3 | 3 | 6 | 12 | 4 | 16 | 8 |
| Rafford, | 1052 | 982 | 16 | 15 | 31 | 1 | 3 | 4 | 1 | 9 | 10 | 10 |
| Rothes, | 2201 | 2299 | 42 | 40 | 82 | 3 | 7 | 10 | 21 | 22 | 43 | 15 |
| St. Andrews-Lhanbryde, | 1345 | 1277 | 14 | 10 | 24 | 2 | 1 | 3 | 10 | 6 | 16 | 8 |
| Speymouth | 656 | 616 | 7 | 7 | 14 | – | – | – | 5 | 1 | 6 | 2 |
| Urquhart— | | | | | | | | | | | | |
| (1) Urquhart | 1187 | 1149 | 15 | 11 | 26 | 3 | 3 | 6 | 16 | 5 | 21 | 3 |
| (2) Garmouth | 952 | 768 | 6 | 6 | 12 | – | 1 | 1 | 6 | 12 | 18 | 3 |
| Total, | 45108 | 44829 | 598 | 639 | 1237 | 81 | 76 | 157 | 387 | 431 | 818 | 233 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| | **9. Banff.** | | | | | | | | | | | | |
| †145 | Aberlour, | 1794 | 2072 | 21 | 22 | 43 | 3 | 3 | 6 | 26 | 20 | 46 | |
| 146 | Alvah, | 1356 | 1332 | 13 | 19 | 32 | 4 | 2 | 6 | 13 | 7 | 20 | |
| 147 | BANFF, | 5218 | 4763 | 74 | 52 | 126 | 13 | 5 | 18 | 47 | 49 | 96 | |
| 148 | Botriphnie, | 696 | 729 | 13 | 14 | 27 | 3 | 1 | 4 | 4 | 4 | 8 | |
| 149 | Boyndie, | 2004 | 2113 | 38 | 29 | 67 | 6 | 4 | 10 | 16 | 15 | 31 | |
| †150 | CULLEN, | 2083 | 2100 | 29 | 27 | 56 | – | 1 | 1 | 29 | 15 | 44 | |
| 151 | Deskford, | 849 | 745 | 8 | 11 | 19 | 1 | 4 | 5 | 5 | 3 | 8 | |
| *152 | Enzie, | 2413 | 2460 | 47 | 40 | 87 | 6 | 5 | 11 | 23 | 20 | 43 | |
| 153 | FORDYCE—(1) Fordyce, | 1976 | 1994 | 19 | 27 | 46 | 3 | 4 | 7 | 15 | 13 | 28 | |
| | (2) PORTSOY, | 2313 | 2274 | 43 | 41 | 84 | 8 | 4 | 12 | 20 | 18 | 38 | |
| 154 | Forglen, | 744 | 714 | 14 | 9 | 23 | 3 | – | 3 | 3 | 6 | 9 | |
| 155*a* | GAMRIE—(1) Gamrie, | 2652 | 2839 | 46 | 40 | 86 | 7 | 3 | 10 | 14 | 20 | 34 | |
| | (2) MACDUFF, | 4104 | 4164 | 71 | 67 | 138 | 8 | 5 | 13 | 32 | 43 | 75 | |
| *155*b* | Glenrinnes, | 401 | 374 | 4 | 7 | 11 | 1 | 1 | 2 | 2 | 4 | 6 | |
| 156 | Grange, | 1754 | 1685 | 23 | 23 | 46 | 2 | 8 | 10 | 6 | 12 | 18 | |
| 157 | Inveravon—(1) Inveravon, | 952 | 842 | 16 | 12 | 28 | 2 | 4 | 6 | 7 | 8 | 15 | |
| | (2) Glenlivat, | 1616 | 1477 | 29 | 15 | 44 | 7 | 5 | 12 | 12 | 14 | 26 | |
| 158 | Inverkeithny, | 909 | 826 | 9 | 9 | 18 | 1 | 4 | 5 | 5 | 5 | 10 | |
| 159 | KEITH, | 6396 | 6630 | 116 | 107 | 223 | 23 | 15 | 38 | 52 | 61 | 113 | |
| 160 | Kirkmichael, etc.— | | | | | | | | | | | | |
| | (1) Kirkmichael, | 387 | 348 | 2 | 2 | 4 | 2 | – | 2 | 3 | 2 | 5 | |
| | (2) Tomintoul, | 686 | 695 | 10 | 5 | 15 | 5 | 1 | 6 | 5 | 7 | 12 | |
| 161 | Marnoch, | 3230 | 3006 | 49 | 40 | 89 | 13 | 6 | 19 | 23 | 33 | 56 | |
| †162 | Mortlach, | 2651 | 2754 | 40 | 34 | 74 | 8 | 6 | 14 | 22 | 27 | 49 | |
| 163 | Ordiquhill, | 714 | 684 | 11 | 10 | 21 | 2 | 3 | 5 | 4 | 2 | 6 | |
| †164 | RATHVEN, | 7396 | 9095 | 142 | 157 | 299 | 12 | 18 | 30 | 83 | 85 | 168 | |
| 165 | Rothiemay, | 1363 | 1291 | 17 | 14 | 31 | 5 | 3 | 8 | 13 | 11 | 24 | |
| 166 | St. Fergus, | 1527 | 1318 | 27 | 15 | 42 | 4 | 2 | 6 | 13 | 19 | 32 | |
| *167 | SEAFIELD, | 1649 | 1885 | 25 | 33 | 58 | 1 | 3 | 4 | 17 | 18 | 35 | |
| | Total, | 59783 | 61209 | 956 | 881 | 1837 | 153 | 120 | 273 | 514 | 541 | 1055 | 3 |
| | **10. Aberdeen.** | | | | | | | | | | | | |
| 168 | ABERDEEN— | | | | | | | | | | | | |
| | (1) St. Nicholas, | 50525 | 51748 | 942 | 845 | 1787 | 118 | 99 | 217 | 658 | 682 | 1340 | 5 |
| | (2) Aberdeen, | 36020 | 61436 | 866 | 794 | 1660 | 70 | 68 | 138 | 493 | 602 | 1095 | 3 |
| | (3) Woodside, | 5722 | 6108 | 107 | 88 | 195 | 17 | 14 | 31 | 56 | 59 | 115 | |
| | Do. (Landward), | 412 | 438 | 8 | 6 | 14 | – | – | – | 4 | 5 | 9 | |
| | (4) Old Aberdeen, | 2800 | 2603 | 37 | 36 | 73 | 5 | 3 | 8 | 27 | 26 | 53 | |
| | Do. (Landward), | 1039 | 994 | 18 | 10 | 28 | 2 | – | 2 | 6 | 10 | 16 | |
| †169 | Aberdour, | 1931 | 1835 | 25 | 20 | 45 | 10 | 4 | 14 | 11 | 10 | 21 | |
| 170 | Aboyne, | 1427 | 1465 | 18 | 17 | 35 | 1 | 4 | 5 | 5 | 8 | 13 | |
| 171 | Alford, | 1472 | 1402 | 29 | 20 | 49 | 4 | 5 | 9 | 13 | 7 | 20 | |
| 172 | Auchindoir, | 1514 | 1374 | 28 | 18 | 46 | 1 | 4 | 5 | 15 | 14 | 29 | |
| †173 | Auchterless, | 1948 | 1698 | 30 | 28 | 58 | 4 | 5 | 9 | 16 | 13 | 29 | |
| 174 | Belhelvie, | 1850 | 1613 | 17 | 22 | 39 | 3 | 3 | 6 | 11 | 7 | 18 | |
| 175 | Birse, | 1093 | 1094 | 12 | 19 | 31 | 3 | 2 | 5 | 5 | 9 | 14 | |
| 176 | Bourtie, | 463 | 454 | 5 | 3 | 8 | – | – | – | 3 | 2 | 5 | |
| 177 | Cabrach, | 682 | 646 | 9 | 12 | 21 | – | 1 | 1 | 3 | 8 | 11 | |
| 178 | Cairney, | 1565 | 1473 | 28 | 21 | 49 | 5 | 5 | 10 | 7 | 4 | 11 | |
| 179 | Chapel of Garioch, | 1923 | 1690 | 23 | 29 | 52 | 4 | 4 | 8 | 12 | 15 | 27 | |
| 180 | Clatt, | 452 | 458 | 4 | 3 | 7 | – | 1 | 1 | 3 | 1 | 4 | |
| 181 | Cluny, | 1298 | 1217 | 18 | 19 | 37 | 3 | 1 | 4 | 11 | 7 | 18 | |
| 182 | Coull, | 783 | 746 | 10 | 15 | 25 | 3 | 3 | 6 | 3 | 3 | 6 | |
| 183 | Crathie and Braemar, | 1611 | 1534 | 8 | 13 | 21 | – | 3 | 3 | 14 | 10 | 24 | |
| †184 | Crimond, | 815 | 808 | 10 | 11 | 21 | 1 | 1 | 2 | 3 | 11 | 14 | |
| 185 | Cruden, | 3444 | 3595 | 58 | 44 | 102 | 8 | 2 | 10 | 24 | 22 | 46 | |
| 186 | Culsamond, | 828 | 791 | 14 | 10 | 24 | 4 | 1 | 5 | 7 | 7 | 14 | |
| 187 | Daviot, | 515 | 520 | 5 | 5 | 10 | 2 | 2 | 4 | 3 | 2 | 5 | |
| 188 | Drumblade, | 943 | 956 | 16 | 14 | 30 | 8 | – | 8 | 7 | 5 | 12 | |
| 189 | Drumoak, | 930 | 869 | 9 | 9 | 18 | 2 | – | 2 | 6 | 4 | 10 | |
| 190 | Dyce, | 1162 | 1343 | 23 | 17 | 40 | 1 | 1 | 2 | 13 | 14 | 27 | |
| 191 | Echt, | 1297 | 1207 | 8 | 19 | 27 | 2 | 1 | 3 | 9 | 12 | 21 | |
| 192 | Ellon, | 3057 | 3212 | 49 | 43 | 92 | 5 | 4 | 9 | 23 | 20 | 43 | |

| Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| Fintray, | 1082 | 999 | 19 | 17 | 36 | 2 | – | 2 | 7 | 7 | 14 | 4 |
| Forgue, | 1303 | 1258 | 20 | 18 | 38 | 2 | 1 | 3 | 13 | 7 | 20 | 4 |
| Foveran, | 2042 | 1945 | 34 | 31 | 65 | 5 | 2 | 7 | 18 | 22 | 40 | 11 |
| Fraserburgh, | 7596 | 8352 | 162 | 142 | 304 | 15 | 19 | 34 | 58 | 85 | 143 | 53 |
| Fyvie, | 3317 | 3060 | 38 | 33 | 71 | 5 | 5 | 10 | 15 | 21 | 36 | 13 |
| Gartly, | 890 | 928 | 20 | 10 | 30 | 3 | 1 | 4 | 6 | 6 | 12 | 3 |
| Glass, | 1020 | 964 | 6 | 13 | 19 | 3 | 3 | 6 | 7 | 10 | 17 | 5 |
| Glenbucket, | 506 | 408 | 4 | 6 | 10 | 2 | 1 | 3 | 2 | 6 | 8 | – |
| Glenmuick, Tullich, and Glengairn, | 1946 | 2152 | 30 | 27 | 57 | 4 | 4 | 8 | 12 | 13 | 25 | 3 |
| Huntly, | 4388 | 4583 | 81 | 74 | 155 | 11 | 18 | 29 | 44 | 46 | 90 | 17 |
| Insch, | 1536 | 1384 | 12 | 22 | 34 | 1 | 8 | 9 | 1 | 17 | 30 | 4 |
| Inverurie, | 3038 | 2954 | 52 | 24 | 76 | 8 | 5 | 13 | 27 | 27 | 54 | 17 |
| Keig, | 776 | 748 | 3 | 13 | 16 | – | – | – | 6 | 4 | 10 | 3 |
| Keithhall, | 880 | 822 | 6 | 9 | 15 | – | 1 | 1 | 5 | 8 | 13 | 3 |
| Kemnay, | 1836 | 1799 | 34 | 30 | 64 | 3 | – | 3 | 12 | 17 | 29 | 6 |
| Kildrummy, | 656 | 569 | 6 | 3 | 9 | 2 | – | 2 | 9 | 7 | 16 | 4 |
| Kincardine O'Neil, | 1931 | 1830 | 22 | 16 | 38 | 2 | 2 | 4 | 18 | 13 | 31 | 3 |
| King Edward— | | | | | | | | | | | | |
| (1) King Edward, | 1164 | 1085 | 16 | 13 | 29 | 1 | 2 | 3 | 9 | 4 | 13 | 3 |
| (2) New Byth, | 1904 | 1732 | 23 | 29 | 52 | 6 | 7 | 13 | 9 | 12 | 21 | 15 |
| Kininmonth, | 1116 | 1004 | 12 | 20 | 32 | 6 | 10 | 16 | 5 | 13 | 18 | 6 |
| Kinnellar, | 580 | 580 | 8 | 10 | 18 | 2 | 1 | 3 | 7 | 3 | 10 | 4 |
| Kinnethmont, | 999 | 932 | 12 | 10 | 22 | 1 | 3 | 4 | 7 | 6 | 13 | 8 |
| Kintore, | 2327 | 2409 | 34 | 33 | 67 | 2 | 8 | 10 | 17 | 26 | 43 | 17 |
| Leochel-Cushnie, | 1217 | 1146 | 17 | 19 | 36 | 2 | 4 | 6 | 12 | 7 | 19 | 8 |
| Leslie, | 523 | 461 | 6 | 6 | 12 | 2 | 2 | 4 | 2 | 4 | 6 | – |
| Logie-Buchan, | 767 | 763 | 12 | 14 | 26 | 1 | – | 1 | 2 | 11 | 13 | 7 |
| Logie Coldstone & Cromar, | 1071 | 945 | 8 | 13 | 21 | 5 | 5 | 10 | 5 | 12 | 17 | 3 |
| Longside, | 3211 | 3018 | 36 | 45 | 81 | 8 | 6 | 14 | 20 | 20 | 40 | 16 |
| Lonmay, | 1767 | 1710 | 28 | 27 | 55 | – | 3 | 3 | 27 | 22 | 49 | 6 |
| Lumphanan, | 1130 | 992 | 17 | 8 | 25 | – | 1 | 1 | 6 | 7 | 13 | 7 |
| Methlic, | 2162 | 2067 | 31 | 27 | 58 | 4 | 10 | 14 | 20 | 12 | 32 | 10 |
| Midmar, | 1041 | 1060 | 17 | 16 | 33 | 3 | 2 | 5 | 4 | 3 | 7 | 5 |
| Millbrex, | 1406 | 1291 | 24 | 19 | 43 | 1 | 4 | 5 | 8 | 10 | 18 | 4 |
| Monquhitter, | 2474 | 2220 | 43 | 29 | 72 | 11 | 6 | 17 | 15 | 17 | 32 | 15 |
| Monymusk, | 1155 | 1025 | 17 | 16 | 33 | 3 | 3 | 6 | 6 | 8 | 14 | 3 |
| New Deer, | 4097 | 3732 | 52 | 61 | 113 | 10 | 12 | 22 | 42 | 26 | 68 | 20 |
| Newhills, | 5480 | 5526 | 77 | 71 | 148 | 8 | 9 | 17 | 47 | 42 | 89 | 27 |
| New Machar, | 1505 | 1397 | 14 | 13 | 27 | 2 | 1 | 3 | 9 | 12 | 21 | 3 |
| New Pitsligo, | 2964 | 2436 | 41 | 32 | 73 | 16 | 5 | 21 | 26 | 33 | 59 | 19 |
| Old Deer, | 4274 | 3882 | 48 | 57 | 105 | 6 | 8 | 14 | 36 | 24 | 60 | 20 |
| Old Meldrum, | 2254 | 2019 | 41 | 22 | 63 | 8 | 4 | 12 | 17 | 15 | 32 | 11 |
| Oyne, | 962 | 883 | 12 | 8 | 20 | 4 | – | 4 | 7 | 7 | 14 | 6 |
| Peterculter, | 1908 | 2052 | 23 | 29 | 52 | 2 | 5 | 7 | 10 | 16 | 26 | 9 |
| Peterhead— | | | | | | | | | | | | |
| (1) Peterhead, | 12491 | 13975 | 263 | 238 | 501 | 20 | 22 | 42 | 156 | 157 | 313 | 92 |
| (2) Boddam, | 1766 | 1855 | 31 | 32 | 63 | 5 | 3 | 8 | 15 | 13 | 28 | 7 |
| Pitsligo, | 2582 | 2290 | 44 | 32 | 76 | 5 | 6 | 11 | 16 | 16 | 32 | 16 |
| Premnay, | 930 | 930 | 22 | 17 | 39 | 6 | 3 | 9 | 5 | 12 | 17 | 4 |
| Rathen,—(1) Rathen, | 1248 | 1164 | 20 | 12 | 32 | 4 | 4 | 8 | 13 | 5 | 18 | 7 |
| (2) Inverallochy, | 1577 | 1463 | 21 | 28 | 49 | 3 | – | 3 | 12 | 12 | 24 | 8 |
| Rayne, | 1284 | 1225 | 23 | 15 | 38 | 5 | 1 | 6 | 9 | 10 | 19 | 5 |
| Rhynie, | 1126 | 1043 | 10 | 19 | 29 | 3 | 7 | 10 | 7 | 9 | 16 | 4 |
| Savoch, | 2040 | 1953 | 30 | 19 | 49 | 5 | 2 | 7 | 13 | 16 | 29 | 13 |
| Skene, | 1787 | 1673 | 21 | 25 | 46 | 3 | 7 | 10 | 15 | 19 | 34 | 4 |
| Slains, | 1256 | 1279 | 23 | 20 | 43 | 2 | 3 | 5 | 12 | 9 | 21 | 6 |
| Strathdon, | 1542 | 1391 | 11 | 12 | 23 | – | 2 | 2 | 10 | 9 | 19 | 2 |
| Strichen, | 2013 | 1902 | 27 | 24 | 51 | 8 | 5 | 13 | 5 | 13 | 18 | 17 |
| Tarland, | 947 | 910 | 10 | 14 | 24 | 1 | 2 | 3 | 10 | 3 | 13 | 3 |
| Tarves, | 2389 | 2196 | 33 | 31 | 64 | 4 | 5 | 9 | 25 | 12 | 37 | 5 |
| Tough, | 681 | 675 | 8 | 7 | 15 | – | 3 | 3 | 8 | 3 | 11 | 3 |
| Towie, | 759 | 734 | 13 | 9 | 22 | 3 | 2 | 5 | 1 | 6 | 7 | |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 246 | Tullynessle and Forbes, | 981 | 975 | 22 | 12 | 34 | – | 3 | 3 | 6 | 7 | 13 | |
| 247 | Turriff, | 4343 | 4253 | 69 | 78 | 147 | 14 | 12 | 26 | 44 | 45 | 89 | |
| †248 | Tyrie, | 871 | 795 | 10 | 7 | 17 | 1 | 1 | 2 | 3 | 8 | 11 | |
| †249*a* | Udny, | 1638 | 1712 | 27 | 22 | 49 | 4 | 2 | 6 | 5 | 10 | 15 | |
| †249*b* | Ythan Wells, | 1315 | 1136 | 15 | 13 | 28 | 3 | 3 | 6 | 7 | 9 | 16 | |
| | Total, | 269047 | 281964 | 4405 | 4031 | 8436 | 566 | 529 | 1095 | 2515 | 2690 | 5205 | 11 |
| | 11. Kincardine. | | | | | | | | | | | | |
| 250 | Arbuthnot, | 809 | 795 | 12 | 15 | 27 | – | 1 | 1 | 7 | 6 | 13 | |
| 251 | BANCHORY-DEVENICK— | | | | | | | | | | | | |
| | (1) BANCHORY-DEVENICK, | 1707 | 2083 | 22 | 28 | 50 | 2 | 2 | 4 | 15 | 19 | 34 | |
| | (2) Portlethen, | 1610 | 1481 | 20 | 17 | 37 | 6 | 5 | 11 | 16 | 9 | 25 | |
| 252 | Banchory-Ternan, | 3066 | 3193 | 42 | 35 | 77 | 2 | 1 | 3 | 22 | 22 | 44 | |
| 253 | BENHOLM, | 1527 | 1552 | 20 | 30 | 50 | 2 | 4 | 6 | 11 | 11 | 22 | |
| 254 | BERVIE, | 2107 | 2387 | 47 | 36 | 83 | 4 | 3 | 7 | 19 | 25 | 44 | |
| 255 | Dunnottar, | 2498 | 2739 | 52 | 52 | 104 | 10 | 8 | 18 | 28 | 19 | 47 | |
| 256 | Durris, | 1014 | 918 | 10 | 13 | 23 | 1 | 5 | 6 | 4 | 3 | 7 | |
| 257 | Fettercairn, | 1508 | 1376 | 20 | 17 | 37 | 1 | 4 | 5 | 8 | 6 | 14 | |
| 258 | Fetteresso— | | | | | | | | | | | | |
| | (1) Fetteresso, | 3565 | 3743 | 58 | 32 | 90 | 11 | 4 | 15 | 42 | 36 | 78 | |
| | (2) Cookney, | 1976 | 1784 | 18 | 23 | 41 | 3 | 8 | 11 | 10 | 14 | 24 | |
| 259 | Fordoun, | 1992 | 2004 | 16 | 26 | 42 | – | 4 | 4 | 13 | 8 | 21 | |
| 260 | Garvock, | 428 | 415 | 5 | 9 | 14 | – | 2 | 2 | 3 | 3 | 6 | |
| 261 | Glenbervie, | 972 | 887 | 11 | 12 | 23 | – | 1 | 1 | 2 | 3 | 5 | |
| 262 | KINNEFF AND CATTERLINE, | 997 | 907 | 14 | 16 | 30 | 1 | 4 | 5 | 3 | 6 | 9 | |
| 263 | Laurencekirk, | 2045 | 1934 | 21 | 35 | 56 | 6 | 4 | 10 | 18 | 16 | 34 | |
| 264 | Maryculter, | 1072 | 1024 | 8 | 7 | 15 | – | – | – | 8 | 5 | 13 | |
| 265 | Marykirk, | 1461 | 1307 | 25 | 21 | 46 | 3 | 4 | 7 | 6 | 5 | 11 | |
| 266 | Nigg, | 2935 | 4513 | 68 | 75 | 143 | 5 | 10 | 15 | 36 | 46 | 82 | |
| 267 | St. Cyrus, | 1487 | 1327 | 19 | 26 | 45 | 2 | 3 | 5 | 5 | 13 | 18 | |
| 268 | Strachan, | 694 | 655 | 13 | 9 | 22 | 2 | – | 2 | 2 | 3 | 5 | |
| | Total, | 35465 | 37024 | 521 | 534 | 1055 | 61 | 77 | 138 | 278 | 278 | 556 | 1 |
| | IV. EAST-MIDLAND. | | | | | | | | | | | | |
| | 12. Forfar. | | | | | | | | | | | | |
| 269 | Aberlemno, | 993 | 926 | 15 | 10 | 25 | 2 | – | 2 | 6 | 2 | 8 | |
| 270 | Airlie, | 844 | 741 | 12 | 12 | 24 | 1 | – | 1 | 4 | 6 | 10 | |
| 271 | Arbirlot, | 822 | 848 | 14 | 9 | 23 | 2 | 2 | 4 | 7 | 5 | 12 | |
| *272 | ARBROATH, | 21995 | 23008 | 306 | 303 | 609 | 22 | 21 | 43 | 239 | 263 | 502 | 1 |
| 273 | Auchterhouse, | 661 | 547 | 9 | 11 | 20 | – | – | – | 5 | 6 | 11 | |
| 274 | Barry, | 3238 | 3787 | 46 | 42 | 88 | – | 2 | 2 | 35 | 44 | 79 | |
| 275 | BRECHIN, | 10499 | 10453 | 138 | 119 | 257 | 14 | 14 | 28 | 81 | 107 | 188 | |
| 276 | Carmylie, | 1137 | 1083 | 21 | 16 | 37 | 3 | 3 | 6 | 10 | 7 | 17 | |
| 277 | Careston, | 194 | 198 | – | 10 | 10 | – | 2 | 2 | 2 | 1 | 3 | |
| 278 | Cortachy and Clova, | 442 | 440 | 10 | 5 | 15 | – | 1 | 1 | 3 | 3 | 6 | |
| †279 | Coupar-Angus, | 2546 | 2496 | 20 | 34 | 54 | 1 | 2 | 3 | 19 | 19 | 38 | |
| 280 | CRAIG, | 2589 | 2472 | 30 | 38 | 68 | 5 | 4 | 9 | 17 | 23 | 40 | |
| †281 | Dun, | 541 | 552 | 8 | 6 | 14 | – | – | – | 4 | 7 | 11 | |
| *282 | DUNDEE, | | | | | | | | | | | | |
| | (1) St. Peter, | 28014 | 30079 | 495 | 415 | 910 | 51 | 39 | 90 | 297 | 345 | 642 | |
| | (2) St. Mary, | 25320 | 26803 | 430 | 405 | 835 | 65 | 55 | 120 | 388 | 413 | 801 | |
| | (3) St. Clement, | 25978 | 28929 | 446 | 432 | 878 | 34 | 40 | 74 | 316 | 327 | 643 | |
| | (4) St. Andrew, | 50773 | 55997 | 836 | 881 | 1717 | 74 | 82 | 156 | 559 | 701 | 1260 | |
| | (5) Lochee, | 12370 | 13867 | 216 | 218 | 434 | 21 | 27 | 48 | 155 | 187 | 342 | |
| 283 | Dunnichen, | 1422 | 1308 | 12 | 20 | 32 | 2 | 3 | 5 | 13 | 13 | 26 | |
| 284 | Eassie and Nevay, | 561 | 553 | 10 | 11 | 21 | – | 2 | 2 | 3 | 1 | 4 | |

| Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| Edzell, | 823 | 745 | 7 | 6 | 13 | – | – | – | 10 | 6 | 16 | 8 |
| Farnell, | 615 | 627 | 0 | 9 | 19 | 1 | – | 1 | 1 | 3 | 4 | 4 |
| Fearn, | 316 | 277 | 2 | 9 | 11 | – | – | – | 1 | – | 1 | 2 |
| FORFAR, | 14476 | 13665 | 177 | 185 | 362 | 16 | 20 | 36 | 124 | 132 | 256 | 75 |
| Glamis, | 1631 | 1464 | 16 | 13 | 29 | 1 | 2 | 3 | 10 | 15 | 25 | 11 |
| Glenisla, | 791 | 676 | 7 | 9 | 16 | – | 3 | 3 | 5 | – | 5 | 3 |
| Guthrie, | 439 | 402 | 1 | 4 | 5 | – | – | – | 3 | 2 | 5 | 4 |
| Inverarity, | 862 | 769 | 15 | 9 | 24 | 1 | – | 1 | 5 | 3 | 8 | 4 |
| Inverkeilor, | 1671 | 1531 | 23 | 16 | 39 | 2 | 1 | 3 | 8 | 7 | 15 | 7 |
| Kettins, | 903 | 827 | 8 | 9 | 17 | – | 2 | 2 | 4 | 4 | 8 | 2 |
| Kingoldrum, | 389 | 368 | 7 | 4 | 11 | 2 | – | 2 | 2 | 4 | 6 | – |
| Kinnell, | 696 | 643 | 11 | 6 | 17 | 2 | 1 | 3 | 4 | 6 | 10 | 4 |
| Kinnettles, | 418 | 340 | 2 | 2 | 4 | – | – | – | 3 | 3 | 6 | 3 |
| Kirkden, | 1682 | 1488 | 20 | 19 | 39 | 3 | – | 3 | 10 | 15 | 25 | 4 |
| Kirriemuir, | 6616 | 6266 | 92 | 74 | 166 | 17 | 11 | 28 | 47 | 89 | 136 | 35 |
| Lethnott and Navar, | 288 | 239 | 4 | 2 | 6 | 1 | – | 1 | – | – | – | 1 |
| Liff, Benvie, and Invergowrie, | 1333 | 1816 | 14 | 13 | 27 | – | 3 | 3 | 36 | 36 | 72 | 7 |
| Lintrathen, | 641 | 558 | 8 | 5 | 13 | – | 1 | 1 | 5 | 3 | 8 | 1 |
| Lochlee, | 359 | 343 | 2 | 3 | 5 | – | 1 | 1 | 4 | 3 | 7 | – |
| Logie-Pert, | 995 | 979 | 14 | 17 | 31 | 2 | 2 | 4 | 11 | 9 | 20 | 6 |
| Lunan, | 243 | 253 | 2 | 4 | 6 | – | – | – | – | – | – | 1 |
| Lundie, | 317 | 301 | 2 | 6 | 8 | – | – | – | 2 | 3 | 5 | 2 |
| MAINS, etc.—(1) MAINS, (2) Strathmartine, | 2292 | 2672 | 34 | 31 | 65 | 1 | 1 | 2 | 22 | 23 | 45 | 15 |
| | 1198 | 1326 | 17 | 10 | 27 | 2 | – | 2 | 8 | 6 | 14 | 4 |
| Marytown, | 389 | 376 | 4 | 5 | 9 | – | – | – | 1 | 1 | 2 | 2 |
| Menmuir, | 755 | 664 | 7 | 4 | 11 | 1 | – | 1 | 2 | 2 | 4 | 4 |
| MONIFIETH, | 9521 | 10531 | 162 | 144 | 306 | 8 | 8 | 16 | 94 | 75 | 169 | 53 |
| Monikie, | 1412 | 1328 | 23 | 18 | 41 | 3 | 1 | 4 | 6 | 9 | 15 | 8 |
| MONTROSE, | 16303 | 14428 | 191 | 154 | 345 | 18 | 12 | 30 | 164 | 179 | 343 | 81 |
| Murroes, | 749 | 773 | 6 | 10 | 16 | – | 1 | 1 | 4 | 3 | 7 | 1 |
| Newtyle, | 911 | 833 | 11 | 10 | 21 | 1 | 2 | 3 | 4 | 7 | 11 | 3 |
| Oathlaw, | 440 | 399 | 4 | 5 | 9 | – | – | – | 1 | 2 | 3 | 3 |
| PANBRIDE, | 1395 | 1625 | 27 | 20 | 47 | 1 | 1 | 2 | 12 | 11 | 23 | 12 |
| Rescobie, | 685 | 660 | 10 | 10 | 20 | 3 | 1 | 4 | 2 | 3 | 5 | 3 |
| Ruthven, | 195 | 188 | – | 2 | 2 | – | – | – | 1 | – | 1 | 1 |
| St. Vigeans, | 2480 | 2361 | 26 | 36 | 62 | 4 | 1 | 5 | 23 | 27 | 50 | 14 |
| Stracathro, | 487 | 505 | 6 | 2 | 8 | 1 | – | 1 | 2 | 2 | 4 | 2 |
| Tannadice, | 1254 | 1117 | 15 | 21 | 36 | 2 | 1 | 3 | 4 | 4 | 8 | 7 |
| Tealing, | 757 | 649 | 12 | 14 | 26 | 3 | 1 | 4 | 4 | 7 | 11 | 6 |
| Total, | 268653 | 280098 | 4073 | 3917 | 7990 | 393 | 376 | 769 | 2813 | 3184 | 5997 | 1921 |
| **18. PERTH.** | | | | | | | | | | | | |
| Aberdalgie, | 297 | 280 | 1 | 6 | 7 | – | – | – | 2 | – | 2 | 2 |
| Aberfeldy, | 2268 | 2278 | 26 | 19 | 45 | 2 | – | 2 | 16 | 22 | 38 | 6 |
| Aberfoyle, | 465 | 1023 | 16 | 7 | 23 | – | – | – | 4 | 5 | 9 | 6 |
| Abernethy, | 1714 | 1585 | 31 | 17 | 48 | 3 | 1 | 4 | 11 | 16 | 27 | 9 |
| Abernyte, | 275 | 263 | 4 | 5 | 9 | – | – | – | – | 1 | 1 | 1 |
| ALYTH, | 3372 | 3324 | 44 | 39 | 83 | 8 | 4 | 12 | 31 | 28 | 59 | 18 |
| Ardoch, | 1102 | 959 | 10 | 9 | 19 | – | – | – | 5 | 8 | 13 | 8 |
| AUCHTERARDER, | 3648 | 3494 | 34 | 43 | 77 | 4 | 8 | 12 | 35 | 39 | 74 | 13 |
| Auchtergaven, | 1339 | 1263 | 18 | 13 | 31 | 1 | 2 | 3 | 12 | 11 | 23 | 6 |
| Balquhidder, | 759 | 728 | 5 | 7 | 12 | – | 1 | 1 | 9 | 1 | 10 | 3 |
| Bendochy, | 499 | 478 | 7 | 4 | 11 | 3 | – | 3 | 3 | 1 | 4 | 5 |
| Blackford, | 1595 | 1522 | 19 | 15 | 34 | 3 | 1 | 4 | 9 | 8 | 17 | 8 |
| Blair-Athol, | 1687 | 1560 | 16 | 8 | 24 | 1 | – | 1 | 12 | 11 | 23 | 2 |
| BLAIRGOWRIE, | 4936 | 4561 | 52 | 37 | 89 | 12 | 5 | 17 | 33 | 36 | 69 | 30 |
| Callander, | 2167 | 2279 | 22 | 17 | 39 | 3 | 1 | 4 | 23 | 26 | 49 | 9 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. |
| †337 | Caputh, | 1509 | 1301 | 14 | 10 | 24 | 1 | 4 | 5 | 10 | 15 | 25 |
| 338 | Cargill, | 1348 | 1238 | 13 | 15 | 28 | 3 | – | 3 | 16 | 13 | 29 |
| 339 | Clunie, | 582 | 489 | 10 | 3 | 13 | 1 | – | 1 | 2 | 2 | 4 |
| 340 | Collace, | 409 | 388 | 9 | – | 9 | – | – | – | 1 | 4 | 5 |
| †341 | Comrie, | 1726 | 1413 | 16 | 11 | 27 | 1 | 3 | 4 | 14 | 18 | 32 |
| 342 | Crieff, | 4852 | 5296 | 50 | 55 | 105 | 6 | 3 | 9 | 44 | 71 | 115 |
| 343 | Culross, | 1130 | 1096 | 15 | 19 | 34 | 2 | 4 | 6 | 12 | 12 | 24 |
| *†344 | Dowally, | 431 | 393 | 3 | 5 | 8 | 1 | 3 | 4 | 6 | 4 | 10 |
| 345 | Dron, | 335 | 298 | 6 | 6 | 12 | – | 2 | 2 | 5 | 1 | 6 |
| †346 | Dull, | 618 | 548 | 7 | 4 | 11 | 2 | – | 2 | 3 | 4 | 7 |
| 347 | Dunbarney, | 756 | 829 | 11 | 9 | 20 | – | 1 | 1 | 7 | 6 | 13 |
| 348 | Dunblane, | 3123 | 3220 | 51 | 40 | 91 | 3 | 2 | 5 | 29 | 20 | 49 |
| *†349 | Dunkeld, | 882 | 740 | 3 | 5 | 8 | – | – | – | 10 | 7 | 17 |
| 350 | Dunning, | 1635 | 1345 | 13 | 15 | 28 | – | 2 | 2 | 17 | 23 | 40 |
| 351 | Errol, | 2421 | 2158 | 29 | 28 | 57 | 3 | 2 | 5 | 14 | 23 | 37 |
| 352 | Findo-Gask, | 364 | 361 | 6 | 9 | 15 | 1 | 1 | 2 | 2 | 4 | 6 |
| 353 | Forgandenny, | 627 | 574 | 3 | 9 | 12 | – | 1 | 1 | 1 | 3 | 4 |
| 354 | Forteviot, | 618 | 539 | 10 | 7 | 17 | – | – | – | 4 | 3 | 7 |
| *†355 | *a* Fortingall, | | | | | | | | | | | |
| | (1) Innerwick in Glenlyon | 355 | 297 | 1 | 4 | 5 | – | – | – | 3 | 4 | 7 |
| | (2) Fortingall, | 568 | 476 | 4 | 4 | 8 | 1 | – | 1 | 5 | 7 | 12 |
| *355 | *b* Foss, | 226 | 210 | 3 | 1 | 4 | 1 | – | 1 | – | 1 | 1 |
| 356 | Fowlis-Easter, | 311 | 283 | 3 | 5 | 8 | – | – | – | 5 | 3 | 8 |
| †357 | Fowlis-Wester, | 979 | 853 | 12 | 11 | 23 | 3 | – | 3 | 7 | 7 | 14 |
| 358 | Glendevon, | 147 | 109 | 2 | 1 | 3 | – | – | – | – | 1 | 1 |
| 359 | Inchture, | 650 | 624 | 7 | 12 | 19 | 1 | – | 1 | 5 | 2 | 7 |
| *†360 | Kenmore, | 1112 | 1039 | 10 | 10 | 20 | 2 | 1 | 3 | 9 | 8 | 17 |
| *†361 | Killin, | 1379 | 1395 | 17 | 12 | 29 | – | – | – | 7 | 8 | 15 |
| 362 | Kilmadock, | 3012 | 2837 | 30 | 30 | 60 | 1 | 1 | 2 | 22 | 28 | 50 |
| 363 | Kilspindie, | 693 | 630 | 13 | 9 | 22 | – | 2 | 2 | – | 6 | 6 |
| 364 | Kincardine, | 1351 | 1200 | 26 | 13 | 39 | 2 | 1 | 3 | 7 | 11 | 18 |
| †365 | Kinclaven, | 490 | 511 | 6 | 6 | 12 | – | 1 | 1 | 6 | 7 | 13 |
| 366 | Kinfauns, | 583 | 566 | 5 | 8 | 13 | 1 | 1 | 2 | 5 | 1 | 6 |
| *367 | Kinloch-Rannoch, | 894 | 837 | 6 | 9 | 15 | – | – | – | 11 | 7 | 18 |
| 368 | Kinnaird, | 260 | 225 | 5 | 2 | 7 | – | – | – | 2 | – | 2 |
| †369 | Kinnoul, | 734 | 660 | 13 | 9 | 22 | – | 1 | 1 | 4 | 2 | 6 |
| †370 | Kirkmichael— | | | | | | | | | | | |
| | (1) Kirkmichael, | 568 | 531 | 7 | 7 | 14 | 1 | 1 | 2 | 4 | 3 | 7 |
| | (2) Glenshee, | 226 | 163 | 3 | 2 | 5 | 1 | 1 | 2 | – | – | – |
| 371 | Lecropt, | 602 | 613 | 8 | 6 | 14 | 2 | – | 2 | 8 | 3 | 11 |
| †372 | Lethendy, and Kinloch, | 401 | 327 | 2 | – | 2 | 1 | – | 1 | 5 | 2 | 7 |
| †373 | Little Dunkeld, | 2149 | 2068 | 15 | 18 | 33 | – | 2 | 2 | 25 | 20 | 45 |
| 374 | Logie, | 4606 | 4976 | 41 | 43 | 84 | 4 | – | 4 | 43 | 46 | 89 |
| *375 | Logiealmond, | 623 | 551 | 6 | 4 | 10 | – | 3 | 3 | 4 | 5 | 9 |
| †376 | Logierait, | 1697 | 1450 | 9 | 13 | 22 | 2 | 3 | 5 | 12 | 17 | 29 |
| 377 | Longforgan, | 1854 | 1779 | 24 | 20 | 44 | 4 | – | 4 | 19 | 12 | 31 |
| 378 | Madderty, | 527 | 483 | 7 | 3 | 10 | – | – | – | 7 | 2 | 9 |
| *379 | Meigle, | 966 | 924 | 8 | 11 | 19 | – | 1 | 1 | 4 | 9 | 13 |
| †380 | Methven, | 1848 | 1619 | 17 | 15 | 32 | 3 | 2 | 5 | 10 | 14 | 24 |
| 381 | Moneydie, | 233 | 243 | 3 | 3 | 6 | – | 1 | 1 | 1 | 2 | 3 |
| †382 | Monzie, | 381 | 274 | 1 | 1 | 2 | – | – | – | 2 | 2 | 4 |
| 383 | Monzievaird and Strowan | 700 | 608 | 8 | 3 | 11 | – | – | – | 9 | 3 | 12 |
| †384 | Moulin,—(1) Moulin, | 1623 | 1993 | 23 | 22 | 45 | – | – | – | 19 | 15 | 34 |
| | (2) Strathloch, | 213 | 202 | – | 3 | 3 | – | – | – | – | – | – |
| 385 | Muckart, | 601 | 542 | 3 | 4 | 7 | – | – | – | 2 | – | 2 |
| 386 | *a* Muthill, | 1702 | 1622 | 18 | 23 | 41 | 1 | – | 1 | 20 | 25 | 45 |
| *386 | *b* Persie, | 715 | 596 | 7 | 5 | 12 | 1 | – | 1 | 3 | 1 | 4 |
| *387 | PERTH, | 29756 | 30768 | 396 | 382 | 778 | 29 | 39 | 68 | 344 | 337 | 681 |
| 388 | Port of Menteith | 1175 | 1092 | 9 | 10 | 19 | – | 1 | 1 | 10 | 10 | 20 |

| Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| Rattray, | 3018 | 2667 | 34 | 35 | 69 | 9 | 3 | 12 | 22 | 33 | 55 | 9 |
| Redgorton, | 1100 | 996 | 12 | 14 | 26 | 1 | 2 | 3 | 7 | 3 | 10 | 6 |
| Rhynd, | 297 | 270 | 7 | 2 | 9 | 1 | – | 1 | 2 | – | 2 | 3 |
| St. Madoes, | 316 | 299 | 1 | 3 | 4 | – | – | – | 4 | 1 | 5 | 2 |
| St. Martins, | 741 | 663 | 8 | 9 | 17 | – | 1 | 1 | 5 | 4 | 9 | 5 |
| Stanley, | 1276 | 1304 | 8 | 16 | 24 | – | 1 | 1 | 9 | 15 | 24 | 9 |
| Scone, | 2306 | 2093 | 26 | 17 | 43 | 1 | 1 | 2 | 12 | 20 | 32 | 7 |
| Strathfillan, | 327 | 1362 | 5 | 7 | 12 | – | 1 | 1 | 4 | 6 | 10 | 2 |
| Tenandry, | 497 | 389 | 2 | 3 | 5 | 1 | 1 | 2 | 9 | 5 | 14 | – |
| Tibbermore, | 1131 | 1129 | 10 | 8 | 18 | 2 | – | 2 | 14 | 5 | 19 | 5 |
| Trinity-Gask, | 396 | 386 | 3 | 5 | 8 | – | – | – | 1 | 2 | 3 | – |
| Tullichan, | 2207 | 2177 | 23 | 25 | 48 | 2 | 1 | 3 | 22 | 24 | 46 | 13 |
| Weem, | 181 | 164 | 1 | – | 1 | – | – | – | 1 | 3 | 4 | 1 |
| Total, | 130282 | 127895 | 1492 | 1384 | 2876 | 142 | 124 | 266 | 1163 | 1198 | 2361 | 699 |
| **14. Fife.** | | | | | | | | | | | | |
| Abbotshall (merged in 442), | | | | | | | | | | | | |
| Abdie, | 862 | 778 | 8 | 6 | 14 | 1 | – | 1 | 6 | 2 | 8 | 6 |
| Aberdour, | 1736 | 1977 | 35 | 31 | 66 | 2 | 3 | 5 | 19 | 20 | 39 | 8 |
| Anstruther-Easter, | 1349 | 1142 | 6 | 16 | 22 | 1 | – | 1 | 7 | 11 | 18 | 4 |
| Anstruther-Wester, | 673 | 593 | 4 | 4 | 8 | – | – | – | 6 | 6 | 12 | 4 |
| Arngask, | 547 | 564 | 9 | 11 | 20 | – | 1 | 1 | 8 | 3 | 11 | 3 |
| Auchterderran, | 4332 | 6185 | 127 | 117 | 244 | 7 | 7 | 14 | 45 | 54 | 99 | 52 |
| Auchtermuchty, | 2322 | 2002 | 28 | 16 | 44 | 4 | 4 | 8 | 24 | 20 | 44 | 10 |
| Auchtertool, | 706 | 721 | 20 | 12 | 32 | 3 | 1 | 4 | 2 | 5 | 7 | 4 |
| Ballingry, | 1065 | 2275 | 51 | 40 | 91 | 3 | 3 | 6 | 21 | 19 | 40 | 16 |
| Balmerino, | 664 | 688 | 12 | 5 | 17 | 2 | – | 2 | 9 | 5 | 14 | 1 |
| Beath, | 5442 | 8298 | 186 | 164 | 350 | 8 | 7 | 15 | 93 | 81 | 174 | 64 |
| Burntisland, | 4821 | 6174 | 105 | 97 | 202 | 6 | 2 | 8 | 56 | 48 | 104 | 30 |
| Cameron, | 1003 | 886 | 14 | 10 | 24 | – | 1 | 1 | 4 | 5 | 9 | 3 |
| Carnbee, | 1057 | 952 | 9 | 8 | 17 | 1 | 1 | 2 | 10 | 5 | 15 | 1 |
| Carnock, | 1055 | 987 | 14 | 14 | 28 | 2 | – | 2 | 9 | 15 | 24 | 5 |
| Ceres, | 2063 | 1677 | 22 | 23 | 45 | 4 | 2 | 6 | 17 | 27 | 44 | 9 |
| Collessie, | 1989 | 2073 | 31 | 30 | 61 | – | 2 | 2 | 12 | 18 | 30 | 11 |
| Crail, | 1644 | 1625 | 25 | 21 | 46 | – | 2 | 2 | 7 | 20 | 27 | 11 |
| Creich, | 386 | 325 | 4 | 7 | 11 | – | 1 | 1 | 1 | 1 | 2 | 3 |
| Cults, | 704 | 700 | 7 | 11 | 18 | – | 2 | 2 | 9 | 7 | 16 | 5 |
| Cupar, | 7404 | 6990 | 72 | 63 | 135 | 10 | 5 | 15 | 82 | 96 | 178 | 43 |
| Dairsie, | 693 | 606 | 7 | 9 | 16 | 1 | – | 1 | 2 | 5 | 7 | 4 |
| Dalgetty, | 1321 | 1341 | 28 | 21 | 49 | – | – | – | 10 | 10 | 20 | 20 |
| Dunbog, | 386 | 346 | 4 | 2 | 6 | – | – | – | 4 | 1 | 5 | 3 |
| Dunfermline, | 26246 | 28659 | 387 | 389 | 776 | 19 | 15 | 34 | 242 | 272 | 514 | 219 |
| Dunino, | 415 | 383 | 1 | 7 | 8 | 1 | 1 | 2 | 1 | 2 | 3 | 6 |
| Dysart, | 11601 | 13626 | 205 | 185 | 390 | 8 | 8 | 16 | 131 | 130 | 261 | 101 |
| Elie, | 670 | 764 | 11 | 6 | 17 | – | – | – | 7 | 6 | 13 | 3 |
| Falkland, | 2698 | 2470 | 25 | 23 | 48 | 2 | 4 | 6 | 23 | 18 | 41 | 17 |
| Ferry-Port-on-Craig, | 2818 | 3008 | 35 | 36 | 71 | 4 | 1 | 5 | 21 | 31 | 52 | 12 |
| Flisk, | 213 | 192 | 5 | 2 | 7 | – | 1 | 1 | – | – | – | – |
| Forgan, | 3308 | 3763 | 27 | 22 | 49 | 3 | – | 3 | 22 | 22 | 44 | 20 |
| Inverkeithing, | 2787 | 2960 | 65 | 51 | 116 | 2 | 5 | 7 | 29 | 28 | 57 | 10 |
| Kemback, | 853 | 794 | 10 | 6 | 16 | 2 | 1 | 3 | 5 | 6 | 11 | 11 |
| Kennoway, | 1560 | 1458 | 18 | 15 | 33 | 2 | 3 | 5 | 7 | 13 | 20 | 8 |
| Kettle, | 2054 | 1939 | 24 | 26 | 50 | 5 | 3 | 8 | 15 | 14 | 29 | 19 |
| Kilconquhar, | 2053 | 2050 | 18 | 17 | 35 | – | 1 | 1 | 15 | 15 | 30 | 7 |
| Kilmany, | 634 | 588 | 7 | 4 | 11 | – | – | – | 5 | 1 | 6 | 5 |
| Kilrenny, | 3097 | 2889 | 54 | 38 | 92 | 4 | 1 | 5 | 32 | 28 | 60 | 12 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total |
| †439 | KINGHORN, | 2773 | 2768 | 51 | 52 | 103 | 6 | 3 | 9 | 36 | 35 | 71 |
| 440 | Kinglassie, | 1292 | 1372 | 25 | 15 | 40 | 1 | 3 | 4 | 11 | 11 | 22 |
| 441 | Kingsbarns, | 795 | 753 | 8 | 7 | 15 | – | – | – | 2 | 1 | 3 |
| *442 | KIRKCALDY and ABBOTSHALL, | 15840 | 17975 | 250 | 269 | 519 | 11 | 10 | 21 | 173 | 158 | 331 |
| 443 | Largo, | 2284 | 2324 | 34 | 23 | 57 | 1 | 1 | 2 | 12 | 13 | 25 |
| 444 | Leslie, | 4345 | 3886 | 45 | 38 | 83 | 3 | 2 | 5 | 28 | 33 | 61 |
| 445 | Leuchars, | 2185 | 2370 | 31 | 31 | 62 | 2 | 1 | 3 | 13 | 20 | 33 |
| 446 | Logie, | 390 | 360 | 2 | 1 | 3 | – | – | – | 2 | – | 2 |
| 447 | Markinch, | 5863 | 6377 | 100 | 91 | 191 | 4 | 4 | 8 | 86 | 61 | 147 |
| 448 | Monimail, | 834 | 769 | 8 | 9 | 17 | – | 2 | 2 | 10 | 8 | 18 |
| 449 | Moonzie, | 148 | 128 | 6 | 1 | 7 | – | – | – | 1 | – | 1 |
| 450 | NEWBURGH, | 2191 | 1812 | 23 | 22 | 45 | 2 | 1 | 3 | 20 | 21 | 41 |
| 451 | Newburn, | 344 | 322 | 1 | 5 | 6 | 1 | – | 1 | 2 | 1 | 3 |
| 452 | PITTENWEEM, | 2119 | 1991 | 29 | 45 | 74 | 4 | 1 | 5 | 17 | 17 | 34 |
| 453 | ST. ANDREWS and ST. LEONARDS, | 8604 | 8755 | 102 | 99 | 201 | 5 | 6 | 11 | 67 | 81 | 148 |
| 454 | St. Monance (or Abercrombie), | 2054 | 1998 | 29 | 39 | 68 | 2 | 1 | 3 | 22 | 21 | 43 |
| 455 | Saline, | 954 | 879 | 5 | 10 | 15 | – | | – | 13 | 11 | 24 |
| 456 | Scoonie, | 3730 | 4693 | 78 | 82 | 160 | 2 | 3 | 5 | 39 | 52 | 91 |
| 457 | Strathmiglo, | 2061 | 1753 | 17 | 21 | 38 | 1 | 3 | 4 | 18 | 24 | 42 |
| 458 | Torryburn, | 737 | 913 | 11 | 7 | 18 | 1 | 1 | 2 | 9 | 9 | 18 |
| 459 | Wemyss—(1) Wemyss, | 2711 | 3024 | 47 | 37 | 84 | – | 2 | 2 | 34 | 28 | 62 |
| | (2) Buckhaven, | 4596 | 6931 | 114 | 139 | 253 | 5 | 5 | 10 | 89 | 83 | 172 |
| | Total, | 172131 | 187601 | 2736 | 2608 | 5344 | 158 | 137 | 295 | 1722 | 1758 | 3480 |
| | 15. Kinross. | | | | | | | | | | | |
| 460 | Cleish, | 498 | 530 | 9 | 9 | 18 | 1 | – | 1 | 5 | 7 | 12 |
| 461 | Fossoway and Tulliebole, | 1267 | 1085 | 13 | 10 | 23 | 2 | 1 | 3 | 4 | 5 | 9 |
| 462 | Kinross, | 2492 | 2385 | 34 | 27 | 61 | 4 | 1 | 5 | 23 | 25 | 48 |
| 463 | Orwell, | 2031 | 1852 | 26 | 24 | 50 | 1 | 2 | 3 | 21 | 17 | 38 |
| 464 | Portmoak, | 1042 | 873 | 10 | 11 | 21 | – | 1 | 1 | 12 | 5 | 17 |
| | Total, | 7330 | 6725 | 92 | 81 | 173 | 8 | 5 | 13 | 65 | 59 | 124 |
| | 16. Clackmannan. | | | | | | | | | | | |
| 465 | Alloa, | 11638 | 13728 | 209 | 218 | 427 | 7 | 19 | 26 | 109 | 129 | 238 |
| 466 | Clackmannan, | 4543 | 5072 | 86 | 91 | 177 | 2 | 3 | 5 | 45 | 37 | 82 |
| 467 | Dollar, | 2500 | 2221 | 16 | 16 | 32 | 3 | 1 | 4 | 16 | 20 | 36 |
| 468 | Tillicoultry, | 5344 | 5695 | 82 | 66 | 148 | 4 | 1 | 5 | 53 | 47 | 100 |
| | Total, | 24025 | 26716 | 393 | 391 | 784 | 16 | 24 | 40 | 223 | 233 | 456 |
| | V. WEST-MIDLAND. 17. Stirling. | | | | | | | | | | | |
| 469 | Airth, | 1362 | 1325 | 17 | 17 | 34 | 1 | 4 | 5 | 9 | 17 | 26 |
| 470 | Alva, | 5113 | 5360 | 72 | 76 | 148 | 6 | 8 | 14 | 43 | 57 | 100 |
| 471 | Baldernock, | 569 | 553 | 9 | 6 | 15 | 2 | – | 2 | 2 | 3 | 5 |
| 472 | Balfron, | 1327 | 1203 | 12 | 6 | 18 | 2 | 1 | 3 | 9 | 8 | 17 |
| †473 | Bothkennar, | 1798 | 2025 | 42 | 34 | 76 | 2 | – | 2 | 16 | 18 | 34 |
| 474 | Buchanan, | 550 | 658 | 6 | 6 | 12 | 1 | – | 1 | 4 | 5 | 9 |
| 475 | Campsie, | 5873 | 5338 | 79 | 87 | 166 | 4 | 9 | 13 | 48 | 59 | 107 |
| 476 | Denny—(1) Denny, | 4228 | 4813 | 80 | 93 | 173 | 4 | 3 | 7 | 55 | 54 | 109 |
| | (2) Haggs, | 1500 | 1560 | 25 | 26 | 51 | 4 | 2 | 6 | 16 | 11 | 27 |
| 477 | Drymen, | 1431 | 1512 | 19 | 23 | 42 | – | 4 | 4 | 12 | 10 | 22 |
| 478 | Dunipace, | 1874 | 1716 | 31 | 44 | 75 | 2 | 6 | 8 | 22 | 18 | 40 |

| Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fe | Total. | |
| FALKIRK—(1) BURGH, | 13170 | 16620 | 293 | 257 | 550 | 23 | 16 | 39 | 203 | 193 | 396 | 123 |
| (2) LANDWARD, | 8980 | 10108 | 165 | 158 | 323 | 5 | 8 | 13 | 102 | 104 | 206 | 50 |
| Fintry, | 414 | 357 | 2 | 3 | 5 | – | – | – | 2 | 4 | 6 | – |
| Gargunnock, | 698 | 674 | 8 | 6 | 14 | – | – | – | 7 | 8 | 15 | 3 |
| Grangemouth, | 4669 | 6354 | 124 | 112 | 236 | 4 | 1 | 5 | 78 | 63 | 141 | 33 |
| Killearn, | 1181 | 1182 | 18 | 11 | 29 | 5 | – | 5 | 14 | 6 | 20 | 5 |
| KILSYTH, | 6840 | 7424 | 158 | 131 | 289 | 11 | 5 | 16 | 67 | 70 | 137 | 60 |
| Kippen, | 1449 | 1456 | 18 | 15 | 33 | 2 | 3 | 5 | 18 | 16 | 34 | 2 |
| LARBERT, | 6346 | 8340 | 154 | 118 | 272 | 7 | 3 | 10 | 94 | 87 | 181 | 46 |
| Muiravonside, | 2713 | 3671 | 72 | 64 | 136 | 4 | 5 | 9 | 25 | 25 | 50 | 25 |
| Polmont, | 3861 | 4707 | 71 | 72 | 143 | 3 | 1 | 4 | 38 | 30 | 68 | 26 |
| ST. NINIANS— | | | | | | | | | | | | |
| (1) ST. NINIANS, | 5465 | 5110 | 69 | 61 | 130 | 5 | 1 | 6 | 36 | 41 | 77 | 44 |
| (2) BANNOCKBURN, | 3631 | 3620 | 48 | 44 | 92 | 1 | – | 1 | 42 | 38 | 80 | 16 |
| Slamannan, | 5860 | 6731 | 120 | 132 | 252 | 6 | 10 | 16 | 76 | 59 | 135 | 51 |
| STIRLING, | 14107 | 15011 | 220 | 212 | 432 | 24 | 18 | 42 | 155 | 168 | 323 | 117 |
| Strathblane, | 1343 | 1671 | 22 | 22 | 44 | 2 | 1 | 3 | 6 | 15 | 21 | 8 |
| Total, | 106883 | 119129 | 1954 | 1836 | 3790 | 130 | 109 | 239 | 1199 | 1187 | 2386 | 770 |
| 18. DUMBARTON. | | | | | | | | | | | | |
| Arrochar, | 517 | 1457 | 5 | 5 | 10 | 1 | – | 1 | 13 | 6 | 19 | 3 |
| BONHILL, | 12524 | 14379 | 205 | 201 | 406 | 9 | 8 | 17 | 132 | 113 | 245 | 94 |
| CARDROSS—(1) CARDROSS | 1367 | 1301 | 11 | 17 | 28 | 1 | – | 1 | 9 | 9 | 18 | 8 |
| (2) RENTON, | 4516 | 5469 | 81 | 86 | 167 | 5 | 7 | 12 | 64 | 56 | 120 | 27 |
| Cumbernauld, | 4270 | 4296 | 79 | 67 | 146 | 8 | 4 | 12 | 31 | 52 | 83 | 29 |
| DUMBARTON, | 14384 | 17855 | 360 | 305 | 665 | 16 | 14 | 30 | 217 | 206 | 423 | 121 |
| Kilmaronock, | 927 | 900 | 13 | 8 | 21 | 1 | – | 1 | 5 | 4 | 9 | 4 |
| KIRKINTILLOCH, | 10391 | 12427 | 223 | 214 | 437 | 22 | 8 | 30 | 165 | 132 | 297 | 81 |
| Luss, | 719 | 633 | 5 | 4 | 9 | – | – | – | 6 | 7 | 13 | 2 |
| NEW or EAST KILPATRICK | 7414 | 8300 | 127 | 121 | 258 | 8 | 3 | 11 | 62 | 65 | 127 | 53 |
| Old or West Kilpatrick, | 8862 | 17775 | 359 | 307 | 666 | 6 | 5 | 11 | 176 | 142 | 318 | 116 |
| Roseneath—(1) Roseneath | 858 | 900 | 5 | 11 | 16 | – | – | – | 5 | 8 | 13 | – |
| (2) Kilcreggan and Cove | 1136 | 1164 | 7 | 9 | 16 | – | – | – | 9 | 10 | 19 | 4 |
| Row, | 10097 | 11172 | 113 | 107 | 220 | 6 | 6 | 12 | 76 | 103 | 179 | 41 |
| Total, | 78182 | 98014 | 1603 | 1462 | 3065 | 83 | 55 | 138 | 970 | 913 | 1883 | 583 |
| 19. ARGYLL. *Mainland.* | | | | | | | | | | | | |
| Ardchattan, | 1390 | 1253 | 22 | 13 | 35 | – | – | – | 14 | 4 | 18 | 4 |
| Ardnamurchan— | | | | | | | | | | | | |
| (1) Aharacle, | 1425 | 1318 | 28 | 11 | 34 | – | – | – | 11 | 9 | 20 | 1 |
| (2) Arisaig, | 1136 | 929 | 12 | 7 | 19 | 1 | – | 1 | 6 | 10 | 16 | 2 |
| (3) Sunart (or Strontian), | 633 | 614 | 7 | 7 | 14 | – | 1 | 1 | 6 | 10 | 16 | 1 |
| (4) Western Ardnamurchan, | 911 | 775 | 4 | 8 | 12 | – | – | – | 6 | 10 | 16 | – |
| Ballachulish and Corran of Ardgour, | 749 | 757 | 8 | 6 | 14 | 1 | – | 1 | 4 | 6 | 10 | 3 |
| CAMPBELTOWN, | 9755 | 10260 | 161 | 166 | 327 | 8 | 13 | 21 | 91 | 90 | 181 | 40 |
| Craignish, | 451 | 394 | 7 | 4 | 11 | – | – | – | 1 | 1 | 2 | 3 |
| Cumlodden and Minard, | 1142 | 912 | 19 | 11 | 30 | – | 1 | 1 | 11 | 13 | 24 | 5 |
| DUNOON and KILMUN, | | | | | | | | | | | | |
| (1) DUNOON, | 6821 | 7287 | 74 | 57 | 131 | 2 | 2 | 4 | 67 | 52 | 119 | 32 |
| (2) KILMUN, | 1181 | 1396 | 17 | 15 | 32 | 1 | 1 | 2 | 15 | 9 | 24 | 3 |
| Glassary, | 1284 | 1032 | 6 | 13 | 19 | – | 4 | 4 | 13 | 8 | 21 | 4 |
| Glenorchy, | 761 | 1252 | 10 | 9 | 19 | 1 | 1 | 2 | 7 | 4 | 11 | 5 |
| INVERARAY, | 1407 | 1261 | 15 | 12 | 27 | 1 | – | 1 | 11 | 14 | 25 | 5 |
| Inverchaolain, | 407 | 359 | 3 | 6 | 9 | – | 1 | 1 | 2 | 3 | 5 | 1 |
| Kilbrandon & Kilchattan, | 1921 | 1677 | 17 | 15 | 32 | 1 | 1 | 2 | 16 | 14 | 30 | 6 |
| Kilcalmonell, etc.— | | | | | | | | | | | | |
| (1) Kilcalmonell, | 583 | 502 | 3 | 5 | 8 | – | – | – | 4 | 3 | 7 | 3 |
| (2) Kilberry, | 460 | 388 | 2 | 2 | 4 | – | – | – | 1 | 1 | 2 | 2 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| *517 | Kilchrenan, etc.— | | | | | | | | | | | | |
| | (1) Kilchrenan, | 406 | 406 | 3 | 5 | 8 | – | – | – | 7 | 2 | 9 | 1 |
| | (2) Dalavich, | 226 | 158 | 2 | – | 2 | – | – | – | 1 | 3 | 4 | – |
| 518 | Kilfinan, | 2153 | 2074 | 24 | 21 | 45 | 1 | 2 | 3 | 19 | 16 | 35 | 9 |
| 519 | Killean and Kilchenzie, | 1368 | 1293 | 14 | 11 | 25 | – | – | – | 9 | 5 | 14 | 3 |
| †520 | Kilmalie, | 3408 | 3448 | 35 | 37 | 72 | 3 | 1 | 4 | 29 | 39 | 68 | 11 |
| 521 | Kilmartin, | 811 | 695 | 6 | 10 | 16 | 1 | 1 | 2 | 1 | 3 | 4 | 5 |
| 522 | Kilmodan, | 323 | 351 | 5 | 3 | 8 | – | – | – | 4 | 1 | 5 | 1 |
| 523 | KILMORE AND KILBRIDE, | 5142 | 5729 | 79 | 70 | 149 | 6 | 4 | 10 | 54 | 57 | 111 | 30 |
| 524 | Kilninver, etc.— | | | | | | | | | | | | |
| | (1) Kilninver, | 224 | 200 | 4 | 2 | 6 | – | – | – | 1 | 1 | 2 | – |
| | (2) Kilmelford, | 181 | 202 | – | 1 | 1 | – | – | – | 1 | 3 | 4 | – |
| 525 | Lismore, etc.— | | | | | | | | | | | | |
| | (1) Lismore, | 738 | 681 | 11 | 5 | 16 | – | – | – | 4 | 6 | 10 | 3 |
| | (2) Appin, | 762 | 669 | 8 | 3 | 11 | 1 | – | 1 | 5 | 6 | 11 | 2 |
| | (3) Glencoe & Ballachulish, | 1444 | 1480 | 16 | 16 | 32 | – | 1 | 1 | 9 | 4 | 13 | 2 |
| | (4) Duror, | 489 | 412 | 4 | 3 | 7 | – | – | – | 2 | 5 | 7 | 1 |
| *526 | Lochgilphead, | 3605 | 3458 | 50 | 32 | 82 | 5 | – | 5 | 43 | 49 | 92 | 16 |
| 527 | Lochgoilhead, etc.— | | | | | | | | | | | | |
| | (1) Lochgoilhead, | 540 | 520 | 4 | 5 | 9 | – | – | – | 2 | 5 | 7 | 3 |
| | (2) Kilmorich, | 330 | 267 | 3 | 5 | 8 | – | – | – | 3 | 2 | 5 | 1 |
| 528 | Morvern, | 828 | 820 | 12 | 12 | 24 | – | 3 | 3 | 11 | 7 | 18 | 3 |
| *529 | Muckairn, | 881 | 962 | 7 | 13 | 20 | – | – | – | 5 | 6 | 11 | 2 |
| 530 | North Knapdale, | 927 | 867 | 8 | 7 | 15 | – | 1 | 1 | 7 | 8 | 15 | 1 |
| †531 | Saddell, etc.—(1) Saddell, | 686 | 757 | 10 | 9 | 19 | 3 | – | 3 | 4 | 5 | 9 | – |
| | (2) Skipness, | 470 | 395 | 6 | 7 | 13 | 1 | – | 1 | 5 | 4 | 9 | 2 |
| 532 | Southend, | 955 | 844 | 7 | 8 | 15 | 1 | 1 | 2 | 6 | 6 | 12 | 2 |
| †533 | South Knapdale, | 453 | 463 | 8 | 2 | 10 | – | – | – | 4 | 5 | 9 | 4 |
| 534 | Stralachlan, etc.— | | | | | | | | | | | | |
| | (1) Stralachlan, | 358 | 270 | 2 | 2 | 4 | – | – | – | 2 | – | 2 | – |
| | (2) Strachur, | 574 | 478 | 6 | 2 | 8 | – | – | – | 3 | 3 | 6 | 1 |
| *535 | Tarbert, | 2017 | 2208 | 37 | 19 | 56 | 2 | 2 | 4 | 27 | 19 | 46 | 14 |
| | *Insular.* | | | | | | | | | | | | |
| *†536 | Bowmore (or Kilarrow), | 1875 | 1855 | 18 | 30 | 48 | 4 | 5 | 9 | 20 | 20 | 40 | 6 |
| 537 | Gigha, | 382 | 401 | 3 | 7 | 10 | – | – | – | 4 | 3 | 7 | 1 |
| 538 | Iona (merged in 542), | | | | | | | | | | | | |
| †539 | Jura, etc.—(1) Jura, | 792 | 621 | 5 | 8 | 13 | – | – | – | 8 | 7 | 15 | 2 |
| | (2) Colonsay, | 397 | 381 | 8 | 4 | 12 | – | – | – | 4 | 2 | 6 | 2 |
| †540 | Kilchoman, | 1687 | 1828 | 23 | 22 | 45 | 7 | 3 | 10 | 8 | 10 | 18 | 8 |
| 541 | Kildalton and Oa, | 2271 | 2027 | 25 | 20 | 45 | 2 | 3 | 5 | 15 | 21 | 36 | 4 |
| *542 | Kilfinichen & Kilvickeon, | 1990 | 1745 | 20 | 13 | 33 | 3 | 1 | 4 | 16 | 17 | 33 | 6 |
| *†543 | Kilmeny, | 881 | 805 | 5 | 7 | 12 | 2 | 1 | 3 | 9 | 6 | 15 | 3 |
| †544 | Kilninian and Kilmore, | 985 | 917 | 5 | 5 | 10 | – | – | – | 9 | 6 | 15 | 1 |
| *545 | Kinlochspelvie, | 311 | 270 | 3 | 3 | 6 | – | – | – | 2 | 4 | 6 | – |
| 546 | Oa (merged in 541), | | | | | | | | | | | | |
| *547 | Portnahaven, | 860 | 869 | 10 | 7 | 17 | 1 | – | 1 | 7 | 2 | 9 | 1 |
| *548 | Salen, | 600 | 521 | 5 | 3 | 8 | – | 1 | 1 | 4 | 6 | 10 | 2 |
| *549 | Tobermory, | 1342 | 1265 | 16 | 10 | 26 | 1 | – | 1 | 10 | 10 | 20 | 3 |
| †550 | Torosay, | 396 | 358 | 6 | 2 | 8 | – | – | – | 5 | 1 | 6 | 4 |
| 551 | Tyree, etc.—(1) Tyree, | 2733 | 2452 | 26 | 14 | 40 | – | 2 | 2 | 14 | 16 | 30 | 2 |
| | (2) Coll, | 643 | 522 | 5 | 7 | 12 | 2 | 1 | 3 | 5 | 4 | 9 | – |
| | Total, | 80761 | 79310 | 964 | 839 | 1803 | 62 | 58 | 120 | 694 | 666 | 1360 | 282 |
| | 20. Bute. | | | | | | | | | | | | |
| 552 | Cumbrae, | 1856 | 1784 | 11 | 20 | 31 | – | – | – | 17 | 18 | 35 | 3 |
| 553 | Kilbride—(1) Brodick, | 837 | 912 | 9 | 6 | 15 | – | 1 | 1 | 10 | 7 | 17 | 6 |
| | (2) Kilbride, | 1183 | 1276 | 16 | 10 | 26 | – | – | – | 5 | 14 | 19 | 2 |

| No. of District | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 554 | Kilmory, | 2028 | 1903 | 22 | 19 | 41 | 3 | 3 | 6 | 25 | 8 | 33 | 8 |
| 555 | Kingarth, | 1260 | 1062 | 14 | 7 | 21 | – | – | – | 5 | 6 | 11 | 4 |
| 556 | Lochranza, | 714 | 759 | 7 | 13 | 20 | 1 | – | 1 | 4 | 7 | 11 | 6 |
| 557 | North Bute, | 1427 | 1583 | 11 | 12 | 23 | – | – | – | 12 | 17 | 29 | 6 |
| 558 | ROTHESAY, | 8329 | 9108 | 112 | 98 | 210 | 9 | 7 | 16 | 96 | 119 | 215 | 50 |
| | Total, | 17634 | 18387 | 202 | 185 | 387 | 13 | 11 | 24 | 174 | 196 | 370 | 85 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | |
| | 21. RENFREW. | | | | | | | | | | | | |
| 559 | ABBEY — (1) Burghal (merged in 573). (2) LANDWARD (merged in 559 (3), 572 (2), and 573). (3) JOHNSTONE and ELDERSLIE, | 11488 | 12088 | 214 | 191 | 405 | 11 | 11 | 22 | 110 | 94 | 204 | 124 |
| 560 | CATHCART, | 12211 | 16589 | 179 | 200 | 379 | 5 | 1 | 6 | 115 | 107 | 222 | 91 |
| 561 | Eaglesham, | 1385 | 1207 | 17 | 9 | 26 | – | – | – | 11 | 14 | 25 | 4 |
| 562 | EASTWOOD, | 13915 | 16042 | 277 | 231 | 508 | 12 | 18 | 30 | 134 | 143 | 277 | 97 |
| 563 | Erskine, | 1653 | 1691 | 17 | 13 | 30 | – | 2 | 2 | 8 | 15 | 23 | 5 |
| 564 | GREENOCK— | | | | | | | | | | | | |
| | (1) New, or Middle, | 20392 | | 340 | 327 | 667 | 16 | 19 | 35 | 197 | 195 | 392 | 103 |
| | (2) East, | 18188 | 63512 | 368 | 339 | 707 | 14 | 14 | 28 | 199 | 162 | 361 | 131 |
| | (3) Old, or West, | 30748 | | 451 | 477 | 928 | 22 | 25 | 47 | 357 | 309 | 666 | 254 |
| 565 | Houstoun and Killellan, | 2191 | 1946 | 18 | 20 | 38 | – | 2 | 2 | 22 | 18 | 40 | 10 |
| 566 | Inchinnan, | 508 | 567 | 15 | 8 | 23 | 1 | – | 1 | 6 | 2 | 8 | 5 |
| 567 | INVERKIP—(1) Inverkip, | 1295 | 1253 | 6 | 14 | 20 | – | – | – | 11 | 12 | 23 | 5 |
| | (2) GOUROCK, | 4064 | 5288 | 56 | 50 | 106 | 4 | 2 | 6 | 88 | 75 | 163 | 14 |
| 568 | KILBARCHAN— | | | | | | | | | | | | |
| | (1) KILBARCHAN, | 4363 | 4165 | 58 | 51 | 109 | 1 | 3 | 4 | 26 | 36 | 62 | 29 |
| | (2) Linwood, | 2505 | 2646 | 43 | 45 | 88 | 3 | 1 | 4 | 30 | 27 | 57 | 8 |
| 569 | Kilmalcolm, | 2708 | 3049 | 37 | 38 | 75 | 4 | 4 | 8 | 25 | 31 | 56 | 9 |
| 570 | Lochwinnoch, | 3269 | 3477 | 39 | 50 | 89 | 2 | 5 | 7 | 27 | 28 | 55 | 21 |
| 571 | MEARNS.—(1) BUSBY, | 1650 | 1421 | 31 | 12 | 43 | – | 3 | 3 | 18 | 9 | 27 | 11 |
| | (2) Newton Mearns, | 2315 | 2005 | 21 | 32 | 53 | 1 | 1 | 2 | 14 | 18 | 27 | 10 |
| *572 | NEILSTON—(1) NEILSTON, | 4631 | 4015 | 52 | 57 | 109 | 2 | 6 | 8 | 33 | 55 | 88 | 33 |
| | (2) BARRHEAD, | 9480 | 9976 | 205 | 179 | 384 | 8 | 11 | 19 | 102 | 109 | 211 | 64 |
| *573 | PAISLEY—BURGH, | 55638 | 66425 | 1105 | 1067 | 2172 | 61 | 59 | 120 | 674 | 681 | 1355 | 505 |
| | LANDWARD, | 2733 | 2870 | 52 | 45 | 97 | 3 | – | 3 | 22 | 15 | 37 | 16 |
| 574 | PORT-GLASGOW, | 13385 | 14708 | 218 | 261 | 479 | 9 | 13 | 22 | 154 | 164 | 318 | 125 |
| *575 | RENFREW, | 7408 | 9307 | 152 | 155 | 307 | 12 | 7 | 19 | 78 | 91 | 169 | 50 |
| | Total, | 225611 | 245147 | 3971 | 3871 | 7842 | 191 | 207 | 398 | 2456 | 2405 | 4861 | 1778 |
| | 22 AYR. | | | | | | | | | | | | |
| *576 | ARDROSSAN— | | | | | | | | | | | | |
| | (1) OLD ARDROSSAN, | 3686 | 4549 | 66 | 59 | 125 | 6 | 3 | 9 | 38 | 31 | 69 | 40 |
| | (2) NEW ARDROSSAN, | 4098 | 5362 | 91 | 80 | 171 | 4 | 3 | 7 | 56 | 40 | 96 | 28 |
| 577 | AUCHINLECK— | | | | | | | | | | | | |
| | (1) AUCHINLECK, | 2293 | 2278 | 35 | 43 | 78 | 3 | 4 | 7 | 29 | 32 | 61 | 10 |
| | (2) Lugar, | 4388 | 3924 | 98 | 75 | 173 | 11 | 3 | 14 | 40 | 32 | 72 | 34 |
| *578 | AYR, | 22845 | 26288 | 390 | 396 | 786 | 28 | 28 | 56 | 250 | 292 | 542 | 174 |
| 579 | Ballantrae, | 1442 | 1268 | 12 | 14 | 26 | 1 | – | 1 | 13 | 6 | 19 | 7 |
| 580 | Barr, | 600 | 549 | 6 | 5 | 11 | – | – | – | 2 | 4 | 6 | 3 |
| 581 | BEITH, | 6555 | 7126 | 113 | 98 | 211 | 4 | 7 | 11 | 46 | 56 | 102 | 53 |
| 582 | Colmonell—(1) Colmonell | 1132 | 988 | 15 | 8 | 23 | 2 | 1 | 3 | 8 | 8 | 16 | 5 |
| | (2) Barrhill, | 1059 | 912 | 7 | 11 | 18 | 1 | – | 1 | 6 | 8 | 14 | 7 |
| 583 | Coylton, | 3100 | 2667 | 42 | 61 | 103 | 1 | 3 | 4 | 22 | 22 | 44 | 17 |
| 584a | Craigie, | 590 | 552 | 3 | 9 | 12 | – | 1 | 1 | 1 | 6 | 7 | 4 |
| *584b | Crosshill, | 1285 | 1178 | 19 | 18 | 37 | 1 | 1 | 2 | 14 | 12 | 26 | 14 |
| 585 | Dailly, | 2226 | 1830 | 31 | 25 | 56 | 2 | 1 | 3 | 12 | 13 | 25 | 10 |
| 586 | Dalmellington, | 6170 | 4888 | 96 | 82 | 178 | 3 | 8 | 11 | 40 | 44 | 84 | 44 |
| 587 | DALRY, | 10215 | 8164 | 136 | 124 | 260 | 9 | 9 | 18 | 102 | 75 | 177 | 53 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 588 | Dalrymple, | 950 | 1018 | 20 | 9 | 29 | 1 | 3 | 4 | 5 | 11 | 16 | 13 |
| 589 | Dreghorn, | 3949 | 4057 | 78 | 87 | 160 | 6 | 9 | 15 | 38 | 38 | 76 | 41 |
| †590 | Dundonald— | | | | | | | | | | | | |
| | (1) Dundonald, | 1509 | 1166 | 16 | 18 | 34 | 1 | 4 | 5 | 10 | 13 | 23 | 9 |
| | (2) Troon, | 2587 | 3849 | 58 | 47 | 105 | 5 | 3 | 8 | 26 | 25 | 51 | 17 |
| 591 | Dunlop, | 1363 | 1410 | 24 | 22 | 46 | 2 | 1 | 3 | 16 | 16 | 32 | 11 |
| 592 | Fenwick, | 1152 | 1007 | 13 | 9 | 22 | 1 | – | 1 | 9 | 14 | 23 | 6 |
| 593 | Galston, | 5961 | 6370 | 97 | 111 | 208 | 4 | 8 | 12 | 64 | 70 | 134 | 52 |
| 594 | Girvan, | 5480 | 4906 | 64 | 69 | 133 | 8 | 3 | 11 | 57 | 50 | 107 | 41 |
| 595 | Irvine, | 10022 | 10671 | 193 | 174 | 367 | 21 | 20 | 41 | 140 | 139 | 279 | 79 |
| 596 | Kilbirnie, | 5243 | 5468 | 73 | 96 | 169 | 9 | 5 | 14 | 56 | 40 | 96 | 63 |
| 597 | Kilmarnock, | 25864 | 27968 | 462 | 413 | 875 | 21 | 21 | 42 | 313 | 306 | 619 | 243 |
| 598 | Kilmaurs, | 3704 | 4163 | 95 | 97 | 192 | 6 | 3 | 9 | 50 | 29 | 79 | 39 |
| 599 | Kilwinning, | 7037 | 7007 | 139 | 138 | 277 | 11 | 8 | 19 | 64 | 62 | 126 | 51 |
| †600 | Kirkmichael, | 969 | 885 | 11 | 14 | 25 | 1 | 1 | 2 | 7 | 8 | 15 | 6 |
| 601 | Kirkoswald, | 1540 | 1477 | 20 | 28 | 48 | 6 | 3 | 9 | 16 | 16 | 32 | 9 |
| †602 | Largs, | 5149 | 5320 | 64 | 59 | 123 | 2 | 1 | 3 | 34 | 55 | 89 | 18 |
| 603 | Loudoun, | 5239 | 6379 | 99 | 92 | 191 | 7 | 7 | 14 | 53 | 63 | 116 | 46 |
| 604 | Mauchline, | 2504 | 2339 | 45 | 38 | 83 | 3 | 2 | 5 | 21 | 19 | 40 | 13 |
| †605 | Maybole, | 6590 | 7566 | 143 | 137 | 280 | 19 | 15 | 34 | 58 | 43 | 101 | 55 |
| 606 | Monkton and Prestwick, | 2121 | 2608 | 32 | 30 | 62 | 3 | 3 | 6 | 17 | 20 | 37 | 17 |
| 607 | Muirkirk, | 5123 | 5165 | 109 | 96 | 205 | 7 | 6 | 13 | 38 | 46 | 84 | 36 |
| 608 | New Cumnock, | 3781 | 4419 | 71 | 74 | 145 | 5 | 5 | 10 | 33 | 36 | 69 | 30 |
| 609 | Ochiltree, | 1493 | 2062 | 40 | 32 | 72 | 1 | 4 | 5 | 19 | 15 | 34 | 18 |
| 610*a* | Old Cumnock, | 4861 | 4712 | 57 | 61 | 118 | 3 | 5 | 8 | 39 | 47 | 86 | 37 |
| *610*b* | Patna, | 1179 | 908 | 18 | 17 | 35 | 1 | 1 | 2 | 7 | 5 | 12 | 9 |
| 611 | RICCARTON, | | | | | | | | | | | | |
| | (1) RICCARTON, | 3201 | 3371 | 53 | 55 | 108 | 3 | 7 | 10 | 27 | 31 | 58 | 19 |
| | (2) Hurlford, | 3991 | 3984 | 87 | 85 | 172 | 3 | 5 | 8 | 44 | 41 | 85 | 32 |
| *†612 | St Quivox and Newton-upon-Ayr, | 1200 | 1138 | 32 | 28 | 60 | 4 | 4 | 8 | 12 | 16 | 28 | 11 |
| 613 | Sorn, | 4255 | 3919 | 69 | 55 | 124 | – | – | – | 33 | 38 | 71 | 20 |
| 614 | Stair, | 928 | 1137 | 27 | 13 | 40 | 3 | 2 | 5 | 8 | 10 | 18 | 8 |
| 615 | Stevenston, | 5694 | 6209 | 114 | 106 | 220 | 9 | 10 | 19 | 41 | 55 | 96 | 44 |
| 616 | Stewarton, | 4309 | 3804 | 46 | 45 | 91 | 4 | 2 | 6 | 28 | 29 | 57 | 27 |
| 617 | Straiton, | 701 | 633 | 11 | 7 | 18 | – | – | – | 5 | 4 | 9 | 8 |
| 618 | Symington, | 697 | 621 | 4 | 6 | 10 | – | – | – | 5 | 2 | 7 | 2 |
| 619 | Tarbolton, | 3599 | 3586 | 58 | 64 | 122 | 3 | 6 | 9 | 26 | 16 | 42 | 25 |
| †620 | West Kilbride, | 2081 | 2285 | 27 | 35 | 62 | 1 | 4 | 5 | 20 | 14 | 34 | 12 |
| | Total, | 217630 | 226403 | 3724 | 3575 | 7299 | 260 | 253 | 513 | 2118 | 2123 | 4241 | 1670 |
| | 23. Lanark. | | | | | | | | | | | | |
| 621*a* | Avondale, | 5466 | 5069 | 66 | 61 | 127 | 4 | 3 | 7 | 46 | 45 | 91 | 39 |
| †622 | Barony,— | | | | | | | | | | | | |
| | (1) Maryhill, | 18385 | 26674 | 500 | 471 | 971 | 17 | 26 | 43 | 257 | 236 | 493 | 169 |
| | (2) Shettleston, | 9238 | 12591 | 218 | 201 | 419 | 7 | 4 | 11 | 133 | 115 | 248 | 85 |
| 623 | Biggar, | 2128 | 1902 | 26 | 22 | 48 | 5 | 1 | 6 | 12 | 13 | 25 | 14 |
| 624 | Blantyre, | 9760 | 11352 | 227 | 234 | 461 | 8 | 15 | 23 | 116 | 93 | 209 | 111 |
| 625 | Bothwell— | | | | | | | | | | | | |
| | (1) Bothwell, | 15017 | 19843 | 348 | 347 | 695 | 15 | 14 | 29 | 201 | 177 | 378 | 138 |
| | (2) Holytown, | 10449 | 11641 | 273 | 221 | 494 | 12 | 7 | 19 | 121 | 102 | 223 | 90 |
| 626*a* | Cadder—(1) Western, | 3507 | 3927 | 66 | 64 | 130 | 1 | 4 | 5 | 35 | 28 | 63 | 20 |
| | (2) Eastern, | 3458 | 4305 | 74 | 73 | 147 | 2 | 2 | 4 | 38 | 34 | 72 | 15 |
| *626*b* | Calderhead, | 4158 | 4528 | 76 | 78 | 154 | 4 | 2 | 6 | 50 | 41 | 91 | 40 |
| 627 | Cambuslang, | 9447 | 15364 | 292 | 284 | 576 | 2 | 8 | 10 | 147 | 128 | 275 | 102 |
| †628 | Cambusnethan, | 19286 | 21142 | 415 | 367 | 782 | 17 | 22 | 39 | 178 | 174 | 352 | 176 |
| 629 | Carluke, | 8552 | 8058 | 129 | 135 | 264 | 8 | 8 | 16 | 59 | 71 | 130 | 67 |
| 630 | Carmichael, | 770 | 593 | 10 | 6 | 16 | 2 | 1 | 3 | 2 | 2 | 4 | 2 |
| 631 | Carmunnock, | 722 | 703 | 7 | 8 | 15 | – | – | – | 3 | 6 | 9 | 5 |
| 632 | Carnwath—(1) Carnwath, | 3759 | 3798 | 75 | 61 | 136 | 14 | 7 | 21 | 29 | 23 | 52 | 25 |
| | (2) Forth, | 2072 | 1526 | 26 | 25 | 51 | 1 | 2 | 3 | 10 | 14 | 24 | 10 |
| 633 | Carstairs, | 1955 | 1977 | 28 | 22 | 50 | 2 | 2 | 4 | 13 | 15 | 28 | 7 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 634 | Covington and Thankerton | 444 | 396 | 4 | 5 | 9 | 2 | 1 | 3 | 4 | 5 | 9 | 3 |
| 635 | Crawford,—(1) Crawford, | 698 | 630 | 10 | 4 | 14 | 1 | 1 | 2 | 1 | 4 | 5 | 8 |
| | (2) Leadhills, | 1065 | 998 | 16 | 14 | 30 | 1 | 3 | 4 | 14 | 10 | 24 | 8 |
| 636 | Crawfordjohn, | 843 | 789 | 7 | 11 | 18 | – | 1 | 1 | 7 | 8 | 15 | 4 |
| 637 | Culter, | 574 | 559 | 3 | 11 | 14 | – | 1 | 1 | 3 | 5 | 8 | 1 |
| 638 | Dalserf—(1) Larkhall, | 6703 | 8360 | 156 | 159 | 315 | 5 | 15 | 20 | 58 | 68 | 126 | 60 |
| | (2) Dalserf, | 2675 | 2965 | 67 | 55 | 122 | – | 3 | 3 | 32 | 21 | 53 | 23 |
| 639 | Dalziel, | 16151 | 22867 | 485 | 469 | 954 | 19 | 23 | 42 | 238 | 218 | 456 | 172 |
| 640 | Dolphinton, | 292 | 248 | 5 | 4 | 9 | – | 1 | 1 | – | 1 | 1 | 2 |
| 641 | Douglas, | 2641 | 2266 | 27 | 29 | 56 | 4 | 3 | 7 | 15 | 17 | 32 | 12 |
| 642 | Dunsyre, | 254 | 191 | 2 | 2 | 4 | – | – | – | 1 | 1 | 2 | 2 |
| 643 | East Kilbride, | 3975 | 3781 | 46 | 48 | 94 | 4 | 2 | 6 | 39 | 29 | 68 | 19 |
| 644 | Glasgow— | | | | | | | | | | | | |
| | (1) Bridgeton, | 39630 | 44342 | 840 | 870 | 1710 | 43 | 33 | 76 | 637 | 708 | 1345 | 364 |
| | (2) Camlachie, | 37994 | 43690 | 898 | 846 | 1744 | 45 | 34 | 79 | 507 | 498 | 1005 | 298 |
| | (3) Dennistoun, | 46118 | 55764 | 959 | 958 | 1917 | 54 | 49 | 103 | 849 | 689 | 1538 | 517 |
| | Do. (Landward), | 6009 | 8124 | 139 | 134 | 273 | 6 | 5 | 11 | 240 | 219 | 459 | 34 |
| | (4) Calton, | 37450 | 36154 | 580 | 601 | 1181 | 44 | 51 | 95 | 485 | 474 | 959 | 438 |
| | (5) Blackfriars, | 33961 | 31610 | 616 | 598 | 1214 | 185 | 181 | 366 | 382 | 365 | 747 | 323 |
| | (6) St. Rollox, | 42490 | 48870 | 904 | 817 | 1721 | 56 | 62 | 118 | 755 | 664 | 1419 | 384 |
| | Do. (Landward), | 945 | 1456 | 22 | 30 | 52 | 1 | 1 | 2 | 9 | 9 | 18 | 4 |
| | (7) Blythswood, | 30521 | 29311 | 361 | 321 | 682 | 37 | 38 | 75 | 262 | 265 | 527 | 660 |
| | (8) Milton, | 35572 | 38737 | 733 | 684 | 1417 | 50 | 58 | 108 | 465 | 494 | 959 | 328 |
| | (9) Kelvin, | 53794 | 67634 | 910 | 878 | 1788 | 38 | 46 | 84 | 772 | 646 | 1418 | 558 |
| | (10) Anderston, | 39006 | 42263 | 781 | 734 | 1515 | 45 | 58 | 103 | 439 | 456 | 895 | 451 |
| | (11) Hutchesontown, | 44443 | 51692 | 1077 | 1044 | 2121 | 52 | 56 | 108 | 556 | 561 | 1117 | 294 |
| | Do. (Landward), | 5951 | 8058 | 161 | 161 | 322 | 4 | 7 | 11 | 67 | 77 | 144 | 47 |
| | (12) Gorbals, | 39225 | 41611 | 631 | 586 | 1217 | 48 | 37 | 85 | 391 | 408 | 799 | 587 |
| | Do. (Landward), | 5011 | 8328 | 132 | 136 | 268 | 5 | 4 | 9 | 53 | 66 | 119 | 37 |
| | (13) Tradeston, | 18057 | 19555 | 326 | 269 | 595 | 18 | 12 | 30 | 186 | 199 | 385 | 123 |
| | Do. (Landward), | 5451 | 7881 | 99 | 93 | 192 | 2 | 3 | 5 | 50 | 54 | 104 | 39 |
| | (14) Kinning Park, | 13144 | 14506 | 240 | 217 | 457 | 19 | 11 | 30 | 130 | 131 | 261 | 95 |
| | Do. (Landward) | 15752 | 18735 | 296 | 322 | 618 | 17 | 11 | 28 | 172 | 164 | 336 | 234 |
| 645 | Glassford, | 1452 | 1317 | 23 | 14 | 37 | 1 | 1 | 2 | 11 | 12 | 23 | 9 |
| 646 | Govan— | | | | | | | | | | | | |
| | (1) Plantation, | 18405 | 22980 | 457 | 424 | 881 | 27 | 18 | 45 | 222 | 255 | 477 | 165 |
| | (2) Govan, | 33510 | 41735 | 776 | 692 | 1468 | 37 | 38 | 75 | 556 | 474 | 1030 | 283 |
| | (3) Partick, | 39028 | 50466 | 781 | 751 | 1532 | 39 | 19 | 58 | 445 | 459 | 904 | 312 |
| 647 | HAMILTON, | 23933 | 31493 | 591 | 582 | 1173 | 31 | 24 | 55 | 301 | 262 | 563 | 275 |
| 648 | LANARK, | 7580 | 7110 | 90 | 84 | 174 | 14 | 12 | 26 | 85 | 77 | 162 | 36 |
| 649 | Lesmahagow, | 9949 | 9752 | 157 | 137 | 294 | 7 | 10 | 17 | 55 | 85 | 140 | 79 |
| 650 | Libberton, | 625 | 486 | 7 | 9 | 16 | – | 2 | 2 | 4 | 2 | 6 | 3 |
| 651 | NEW MONKLAND— | | | | | | | | | | | | |
| | (1) AIRDRIE, | 21314 | 27443 | 591 | 569 | 1160 | 19 | 21 | 40 | 270 | 249 | 519 | 240 |
| | (2) Landward, | 6419 | 6800 | 119 | 143 | 262 | 6 | 10 | 16 | 77 | 53 | 130 | 27 |
| 652 | Old Monkland— | | | | | | | | | | | | |
| | (1) Western, | 8597 | 9614 | 195 | 207 | 402 | 9 | 12 | 21 | 98 | 93 | 191 | 74 |
| | (2) Coatbridge, | 26488 | 32709 | 671 | 645 | 1316 | 20 | 37 | 57 | 309 | 305 | 614 | 213 |
| | (3) Eastern, | 2321 | 2410 | 24 | 49 | 73 | 2 | 4 | 6 | 15 | 22 | 37 | 12 |
| 653 | Pettinain, | 360 | 259 | 4 | 3 | 7 | – | – | – | 3 | 1 | 4 | 1 |
| 654 | RUTHERGLEN, | 13801 | 16178 | 310 | 299 | 609 | 8 | 10 | 18 | 180 | 195 | 375 | 138 |
| 655 | Shotts,—(1) Middle Dist. | 2596 | 3026 | 60 | 54 | 114 | 4 | 2 | 6 | 33 | 20 | 53 | 16 |
| | (2) Eastern do. | 3466 | 2822 | 53 | 47 | 100 | 1 | 2 | 3 | 30 | 22 | 52 | 22 |
| | (3) Western do. | 2581 | 3148 | 73 | 61 | 134 | 1 | 3 | 4 | 32 | 18 | 50 | 35 |
| 656 | Stonehouse, | 3173 | 3400 | 70 | 40 | 110 | 1 | 2 | 3 | 34 | 23 | 57 | 29 |
| 657 | Symington, | 462 | 432 | 2 | 3 | 5 | – | – | – | 3 | 2 | 5 | 2 |
| 658 | Walston | 340 | 301 | 3 | 5 | 8 | – | – | – | 3 | 2 | 5 | 3 |
| 659 | Wandell and Lamington, | 316 | 305 | 4 | 5 | 9 | – | – | – | 2 | 2 | 4 | 2 |
| 660 | Wiston and Roberton, | 562 | 497 | 2 | 4 | 6 | – | – | – | 4 | 1 | 5 | 1 |
| | Total, | 942206 | 1091703 | 19452 | 18617 | 38069 | 1153 | 1166 | 2319 | 12041 | 11485 | 23526 | 9221 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | |
| | 24. Linlithgow. | | | | | | | | | | | | |
| 661 | Abercorn, | 850 | 863 | 13 | 9 | 22 | 1 | 1 | 2 | 6 | 5 | 11 | 7 |
| 662 | Bathgate— | | | | | | | | | | | | |
| | (1) Bathgate, | 6425 | 7557 | 129 | 135 | 264 | 4 | 16 | 20 | 57 | 66 | 123 | 60 |
| | (2) Armadale, | 3025 | 3802 | 104 | 96 | 200 | 17 | 5 | 22 | 42 | 35 | 77 | 27 |
| 663 | Borrowstounness, | 6088 | 6399 | 122 | 129 | 251 | 9 | 9 | 18 | 70 | 68 | 138 | 44 |
| 664 | Carriden, | 1989 | 2453 | 37 | 45 | 82 | 3 | 2 | 5 | 18 | 25 | 43 | 19 |
| †665 | Dalmeny, | 1048 | 1328 | 22 | 23 | 45 | 2 | – | 2 | 11 | 9 | 20 | 13 |
| 666 | Ecclesmachen, | 278 | 342 | 4 | 7 | 11 | – | 1 | 1 | 2 | 1 | 3 | 5 |
| †667 | Kirkliston, | 2563 | 3734 | 71 | 66 | 137 | 4 | 4 | 8 | 26 | 28 | 54 | 24 |
| 668 | Linlithgow, | 5619 | 7657 | 150 | 148 | 298 | 15 | 17 | 32 | 66 | 59 | 125 | 49 |
| 669 | Livingstone, | 1484 | 1616 | 30 | 38 | 68 | 1 | 3 | 4 | 16 | 10 | 26 | 10 |
| *670 | Queensferry, | 1966 | 1531 | 42 | 40 | 82 | 5 | 2 | 5 | 20 | 18 | 38 | 11 |
| 671 | Torphichen, | 1526 | 1724 | 22 | 17 | 39 | 1 | 1 | 2 | 16 | 12 | 28 | 12 |
| 672 | Uphall, | 4812 | 8653 | 189 | 169 | 358 | 5 | 7 | 12 | 72 | 79 | 151 | 68 |
| 673 | Whitburn— | | | | | | | | | | | | |
| | (1) Whitburn, | 2393 | 2313 | 35 | 41 | 76 | 3 | 3 | 6 | 22 | 29 | 51 | 24 |
| | (2) Faulhouse, | 3983 | 3469 | 80 | 45 | 125 | 2 | 2 | 4 | 31 | 32 | 63 | 26 |
| | Total, | 44005 | 53441 | 1050 | 1008 | 2058 | 70 | 73 | 143 | 475 | 476 | 951 | 399 |
| | 25. Edinburgh. | | | | | | | | | | | | |
| †674 | Borthwick, | 1374 | 1440 | 26 | 21 | 47 | 4 | – | 4 | 15 | 13 | 28 | 4 |
| 675 | Carrington, | 606 | 563 | 9 | 8 | 17 | 2 | 1 | 3 | 6 | 3 | 9 | 2 |
| †676 | Cockpen, | 3481 | 3387 | 50 | 53 | 103 | 3 | 1 | 4 | 31 | 30 | 61 | 29 |
| 677 | Colinton, | 4347 | 4549 | 75 | 55 | 130 | 10 | 9 | 19 | 111 | 94 | 205 | 22 |
| 678 | Corstorphine, | 2156 | 2332 | 25 | 21 | 46 | 2 | 1 | 3 | 16 | 13 | 29 | 15 |
| †679 | Cramond, | 2960 | 3066 | 41 | 26 | 67 | 1 | – | 1 | 27 | 25 | 52 | 9 |
| 680 | Cranston, | 998 | 862 | 8 | 18 | 26 | 2 | 1 | 3 | 7 | 13 | 20 | 5 |
| 681 | Crichton, | 1094 | 943 | 7 | 8 | 15 | 1 | 1 | 2 | 9 | 12 | 21 | 2 |
| 682 | Currie, | 2390 | 2574 | 35 | 31 | 66 | 1 | 1 | 2 | 26 | 13 | 39 | 12 |
| 683 | Dalkeith, | 7707 | 7704 | 119 | 129 | 248 | 3 | 9 | 12 | 77 | 83 | 160 | 64 |
| *†684 | Duddingston— | | | | | | | | | | | | |
| | (1) Portobello, | 6794 | 8182 | 116 | 99 | 215 | 8 | 5 | 13 | 47 | 59 | 106 | 45 |
| | (2) Landward, | 1111 | 1574 | 11 | 14 | 25 | 1 | 1 | 2 | 2 | 13 | 15 | 7 |
| *685 | Edinburgh— | | | | | | | | | | | | |
| | (1) St. George, | 60341 | 69154 | 940 | 942 | 1882 | 45 | 39 | 84 | 561 | 609 | 1170 | 395 |
| | Do. (Landward), | 3090 | 3571 | 32 | 30 | 62 | 3 | 6 | 9 | 68 | 92 | 160 | 14 |
| | (2) St. Andrew, | 50679 | 56360 | 716 | 677 | 1393 | 44 | 51 | 95 | 428 | 483 | 911 | 544 |
| | (3) Canongate, | 35991 | 38252 | 682 | 685 | 1367 | 44 | 35 | 79 | 405 | 404 | 809 | 286 |
| | (4) St. Giles, | 34887 | 31779 | 557 | 551 | 1108 | 130 | 129 | 259 | 783 | 625 | 1408 | 338 |
| | (5) Newington, | 52504 | 65680 | 731 | 696 | 1427 | 44 | 41 | 85 | 522 | 603 | 1125 | 587 |
| 686 | Fala and Soutra, | 312 | 248 | – | 2 | 2 | – | – | – | – | 2 | 2 | 1 |
| 687 | Glencorse, | 1500 | 1451 | 21 | 16 | 37 | 1 | – | 1 | 15 | 10 | 25 | 5 |
| 688 | Heriot, | 429 | 417 | 7 | 4 | 11 | – | – | – | 5 | 3 | 8 | 2 |
| 689 | Inveresk, | 10536 | 11506 | 180 | 179 | 359 | 9 | 8 | 17 | 117 | 108 | 225 | 68 |
| *690 | Kirknewton and East Calder, | 2759 | 3355 | 68 | 50 | 118 | 3 | 2 | 5 | 33 | 30 | 63 | 13 |
| 691 | Lasswade, | 8872 | 10455 | 161 | 173 | 334 | 11 | 7 | 18 | 102 | 99 | 201 | 77 |
| *†692 | Leith— | | | | | | | | | | | | |
| | (1) North Leith, | 21977 | 25956 | 444 | 401 | 845 | 20 | 23 | 43 | 242 | 255 | 497 | 198 |
| | (2) South Leith, | 38866 | 43929 | 770 | 710 | 1480 | 54 | 42 | 96 | 484 | 536 | 1020 | 328 |
| †693 | Liberton, | 4931 | 6232 | 98 | 120 | 218 | 9 | 3 | 12 | 66 | 65 | 131 | 27 |
| 694 | Mid-Calder, | 1695 | 3126 | 67 | 61 | 128 | 5 | 4 | 9 | 30 | 27 | 57 | 12 |
| 695 | Newbattle, | 2771 | 2843 | 50 | 37 | 87 | – | 2 | 2 | 20 | 18 | 38 | 19 |
| 696 | Newton, | 1307 | 1180 | 19 | 16 | 35 | 1 | 3 | 4 | 10 | 14 | 24 | 13 |
| 697 | Penicuik, | 5309 | 4914 | 65 | 72 | 137 | 7 | 5 | 12 | 42 | 33 | 75 | 20 |
| 698 | Ratho, | 1815 | 1839 | 25 | 31 | 56 | 2 | 2 | 4 | 12 | 16 | 28 | 11 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891 | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 698 | Stobhill, | 3065 | 3501 | 59 | 53 | 112 | 6 | 4 | 10 | 26 | 23 | 49 | 28 |
| 699 | Stow, | 2010 | 1811 | 21 | 20 | 41 | 1 | – | 1 | 9 | 11 | 20 | 6 |
| 700 | Temple, | 541 | 455 | 11 | 8 | 19 | 1 | 1 | 2 | 3 | 1 | 4 | 3 |
| 701 | West-Calder, | 7681 | 8456 | 164 | 144 | 308 | 9 | 9 | 18 | 68 | 45 | 113 | 55 |
| | Total, | 388836 | 443646 | 6410 | 6161 | 12571 | 487 | 446 | 933 | 4425 | 4483 | 8908 | 3266 |
| | 26. Haddington. | | | | | | | | | | | | |
| 702 | Aberlady, | 1000 | 1063 | 11 | 15 | 26 | – | 2 | 2 | 11 | 3 | 14 | 3 |
| 703 | Athelstaneford, | 762 | 745 | 4 | 9 | 13 | – | – | – | 1 | 5 | 6 | 6 |
| 704 | Bolton, | 337 | 271 | 2 | – | 2 | – | 1 | 1 | 2 | 1 | 3 | – |
| 705 | Dirleton, | 1506 | 1445 | 15 | 16 | 31 | – | – | – | 8 | 11 | 19 | 7 |
| 706 | DUNBAR, | 5396 | 5210 | 64 | 84 | 148 | 2 | 10 | 12 | 48 | 55 | 103 | 29 |
| 707 | Garvald, | 758 | 600 | 6 | 8 | 14 | – | – | – | 4 | 6 | 10 | 1 |
| 708 | Gladsmuir, | 1747 | 1604 | 16 | 21 | 37 | 2 | 1 | 3 | 11 | 11 | 22 | 9 |
| 709 | HADDINGTON, | 5660 | 5216 | 67 | 61 | 128 | 7 | 6 | 13 | 56 | 48 | 104 | 22 |
| 710 | Humbie, | 907 | 828 | 8 | 11 | 19 | 1 | 1 | 2 | 6 | 4 | 10 | 4 |
| 711 | Innerwick, | 777 | 761 | 7 | 9 | 16 | – | 1 | 1 | 6 | 3 | 9 | 3 |
| 712 | Morham, | 209 | 199 | 1 | 2 | 3 | – | – | – | 2 | 1 | 3 | – |
| 713 | NORTH BERWICK, | 2688 | 3038 | 36 | 30 | 66 | 3 | 3 | 6 | 22 | 24 | 46 | 9 |
| 714 | Oldhamstocks, | 568 | 529 | 8 | 6 | 14 | 1 | 1 | 2 | 5 | 7 | 12 | 1 |
| 715 | Ormiston, | 1026 | 1178 | 17 | 22 | 39 | 1 | 4 | 5 | 12 | 10 | 22 | 9 |
| 716 | Pencaitland, | 1107 | 1125 | 9 | 16 | 25 | – | 2 | 2 | 6 | 8 | 14 | 7 |
| 717 | Prestonkirk, | 1929 | 1798 | 19 | 24 | 43 | 1 | 2 | 3 | 18 | 22 | 40 | 9 |
| 718 | Prestonpans, | 2573 | 2659 | 45 | 41 | 86 | 4 | 2 | 6 | 29 | 23 | 52 | 20 |
| 719 | Salton, | 575 | 495 | 3 | 4 | 7 | – | – | – | 3 | 2 | 5 | – |
| 720 | Spott, | 579 | 472 | 6 | 7 | 13 | – | 1 | 1 | – | 2 | 2 | 3 |
| 721 | Stenton, | 594 | 559 | 1 | 5 | 6 | – | – | – | 3 | 3 | 6 | 4 |
| 722 | Tranent, | 5198 | 5470 | 97 | 77 | 174 | 5 | 3 | 8 | 36 | 48 | 84 | 36 |
| 723 | Whitekirk and Tynninghame, | 1051 | 933 | 11 | 12 | 23 | 1 | – | 1 | 12 | 10 | 22 | 6 |
| 724 | Whittinghame, | 639 | 586 | 13 | 6 | 19 | 1 | – | 1 | 3 | 3 | 6 | 3 |
| 725 | Yester, | 924 | 716 | 9 | 7 | 16 | – | 1 | 1 | 5 | 4 | 9 | 3 |
| | Total, | 38510 | 37500 | 475 | 498 | 968 | 29 | 41 | 70 | 309 | 314 | 623 | 194 |
| | 27. Berwick. | | | | | | | | | | | | |
| 726 | Abbey St Bathans, | 250 | 193 | 2 | – | 2 | – | – | – | 1 | 2 | 3 | 3 |
| 727 | Ayton, | 2040 | 1827 | 15 | 25 | 40 | 1 | 1 | 2 | 16 | 15 | 31 | 5 |
| 728 | Bunkle and Preston, | 726 | 672 | 10 | 7 | 17 | 3 | – | 3 | 2 | 4 | 6 | 3 |
| 729 | Channelkirk, | 607 | 545 | 10 | 8 | 18 | – | 1 | 1 | 1 | 6 | 7 | 2 |
| 730 | Chirnside, | 1516 | 1459 | 18 | 17 | 35 | 1 | 1 | 2 | 13 | 6 | 9 | 4 |
| 731 | Cockburnspath, | 1130 | 1112 | 17 | 18 | 35 | 3 | 1 | 4 | 2 | 8 | 10 | 3 |
| 732 | Coldingham— | | | | | | | | | | | | |
| | (1) Coldingham, | 2676 | 2479 | 38 | 31 | 69 | 4 | 2 | 6 | 20 | 25 | 45 | 14 |
| | (2) Grantshouse, | 497 | 467 | 6 | 11 | 17 | 1 | 1 | 2 | 3 | 3 | 6 | 4 |
| 733 | Coldstream, | 2561 | 2388 | 26 | 28 | 54 | 1 | 3 | 4 | 15 | 30 | 45 | 13 |
| 734 | Cranshaws, | 106 | 85 | 1 | 1 | 2 | – | – | – | – | – | – | 1 |
| 735 | Duns, | 3353 | 3137 | 32 | 31 | 63 | 1 | 1 | 2 | 26 | 32 | 58 | 25 |
| 736 | Earlston, | 1767 | 1784 | 22 | 13 | 35 | 1 | – | 1 | 12 | 10 | 22 | – |
| 737 | Eccles, | 1546 | 1446 | 24 | 23 | 47 | 3 | 3 | 6 | 9 | 12 | 21 | 8 |
| 738 | Edrom, | 1514 | 1361 | 20 | 21 | 41 | 2 | 3 | 5 | 4 | 11 | 15 | 5 |
| 739 | Eyemouth, | 2935 | 2670 | 41 | 42 | 83 | 3 | 6 | 9 | 20 | 22 | 42 | 37 |
| 740 | Fogo, | 468 | 420 | 4 | 7 | 11 | – | 1 | 1 | 3 | 8 | 11 | 2 |
| 741 | Foulden, | 393 | 351 | 3 | 3 | 6 | 1 | – | 1 | 2 | 2 | 4 | 1 |
| 742 | Gordon, | 832 | 843 | 10 | 10 | 20 | – | 1 | 1 | 3 | 5 | 8 | 1 |
| 743 | Greenlaw, | 1245 | 1110 | 10 | 11 | 21 | – | 2 | 2 | 9 | 5 | 14 | 9 |
| 744 | Hume, | 407 | 366 | 5 | 2 | 7 | 1 | 1 | 2 | 1 | 4 | 5 | 1 |
| 745 | Hutton, | 962 | 815 | 10 | 13 | 23 | 2 | 3 | 5 | 6 | 8 | 14 | 5 |
| 746 | Ladykirk | 438 | 339 | 3 | 4 | 7 | – | – | – | 4 | 4 | 8 | 2 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 747 | Langton, | 505 | 417 | 4 | 6 | 10 | 2 | – | 2 | 4 | 4 | 8 | 3 |
| 748 | LAUDER, | 1940 | 1588 | 20 | 13 | 33 | 1 | – | 1 | 10 | 8 | 18 | 4 |
| 749 | Legerwood, | 549 | 475 | 8 | 7 | 15 | 1 | 1 | 2 | 3 | 4 | 7 | 2 |
| 750 | Longformacus, | 385 | 378 | 5 | 2 | 7 | 1 | – | 1 | 1 | 3 | 4 | 1 |
| 751 | Merton, | 682 | 622 | 6 | 6 | 12 | – | 1 | 1 | 1 | 5 | 6 | 5 |
| 752 | Mordington, | 367 | 324 | 3 | 4 | 7 | – | 1 | 1 | 4 | 3 | 7 | 3 |
| 753 | Nenthorn, | 454 | 400 | 5 | 5 | 10 | – | 1 | 1 | 2 | 4 | 6 | – |
| 754 | Polwarth, | 227 | 203 | – | 3 | 3 | – | 1 | 1 | 1 | – | 1 | 2 |
| 755 | Swinton, | 964 | 847 | 9 | 8 | 17 | – | 2 | 2 | 9 | 3 | 12 | 3 |
| 756 | Westruther, | 671 | 615 | 6 | 6 | 12 | – | – | – | 2 | 2 | 4 | 5 |
| 757 | Whitsome, | 560 | 573 | 1 | 7 | 8 | 1 | 2 | 3 | 4 | 4 | 8 | 3 |
| | Total, | 35273 | 32311 | 394 | 393 | 787 | 34 | 40 | 74 | 213 | 262 | 475 | 178 |
| | 28. Peebles. | | | | | | | | | | | | |
| 758 | Broughton (merged in 763), | | | | | | | | | | | | |
| 759 | Drumelzier, | 208 | 187 | 3 | – | 3 | – | – | – | – | – | – | 2 |
| 760 | Eddlestone, | 711 | 571 | 6 | 11 | 17 | – | 1 | 1 | 5 | 2 | 7 | – |
| 761 | Glenholm (merged in 763), | | | | | | | | | | | | |
| †762 | Innerleithen.— | | | | | | | | | | | | |
| | (1) Innerleithen, | 2557 | 2775 | 33 | 24 | 57 | 1 | 2 | 3 | 20 | 20 | 40 | 19 |
| | (2) Walkerburn, | 1079 | 1358 | 15 | 15 | 30 | – | – | – | 9 | 10 | 19 | 7 |
| 763 | Kilbucho, Broughton, and Glenholm, | 665 | 537 | 7 | 3 | 10 | 2 | – | 2 | 4 | 4 | 8 | 3 |
| 764 | Kirkurd, | 282 | 265 | 1 | 1 | 2 | – | – | – | 1 | – | 1 | 2 |
| 765 | Lyne, etc.— (1) Lyne, | 114 | 104 | 1 | – | 1 | – | – | – | – | 1 | 1 | – |
| | (2) Megget, | 90 | 86 | – | 1 | 1 | – | – | – | – | 1 | 1 | – |
| 766 | Manor, | 277 | 249 | 3 | 4 | 7 | – | 1 | 1 | 1 | 2 | 3 | 2 |
| 767 | Newlands, | 819 | 715 | 5 | 8 | 13 | – | 1 | 1 | 3 | 8 | 11 | 2 |
| 768 | PEEBLES, | 4059 | 5261 | 59 | 54 | 113 | 3 | 3 | 6 | 31 | 44 | 75 | 30 |
| 769 | Skirling, | 274 | 216 | – | 1 | 1 | – | – | – | 1 | 1 | 2 | – |
| 770 | Stobo, | 467 | 433 | 4 | 3 | 7 | – | – | – | 2 | 1 | 3 | 3 |
| 771 | Traquair, | 754 | 685 | 2 | 10 | 12 | – | 1 | 1 | 6 | 3 | 9 | 3 |
| 772 | Tweedsmuir, | 215 | 207 | 3 | 5 | 8 | – | 1 | 1 | 2 | 1 | 3 | – |
| 773 | West Linton, | 1117 | 1005 | 12 | 8 | 20 | 1 | – | 1 | 7 | 8 | 15 | 5 |
| | Total, | 13688 | 14654 | 154 | 148 | 302 | 7 | 10 | 17 | 92 | 106 | 198 | 78 |
| | 29. Selkirk. | | | | | | | | | | | | |
| †774*a* | Caddonfoot, | 693 | 723 | 7 | 12 | 19 | – | 3 | 3 | 3 | 3 | 6 | 2 |
| 774*b* | Ettrick, | 397 | 414 | 2 | 12 | 14 | – | – | – | 2 | 3 | 5 | 3 |
| †775 | GALASHIELS, | 9599 | 11451 | 154 | 140 | 294 | 9 | 9 | 18 | 94 | 99 | 193 | 89 |
| 776*a* | Kirkhope, | 547 | 500 | 8 | 4 | 12 | 1 | – | 1 | 3 | 4 | 7 | – |
| †776*b* | LADHOPE, | 6612 | 6784 | 126 | 92 | 218 | 17 | 6 | 23 | 54 | 73 | 127 | 33 |
| 777 | Roberton, | 567 | 455 | 5 | 5 | 10 | – | – | – | – | 2 | 2 | 3 |
| †778 | SELKIRK, | 7369 | 7251 | 91 | 88 | 179 | 4 | 2 | 6 | 55 | 74 | 129 | 39 |
| †779 | Yarrow, | 562 | 490 | 5 | 6 | 11 | – | – | – | 4 | 1 | 5 | 7 |
| | Total, | 26346 | 28068 | 398 | 359 | 757 | 31 | 20 | 51 | 215 | 259 | 474 | 176 |
| | VIII. SOUTHERN. | | | | | | | | | | | | |
| | 30. Roxburgh. | | | | | | | | | | | | |
| 780 | Ancrum, | 1360 | 1241 | 21 | 13 | 34 | 1 | – | 1 | 9 | 15 | 24 | 5 |
| 781 | Ashkirk, | 500 | 466 | 8 | 6 | 14 | 1 | – | 1 | 3 | 4 | | 2 |
| 782 | Bedrule, | 269 | 246 | 1 | 4 | 5 | – | 2 | 2 | 4 | 2 | 6 | 2 |
| 783 | Bowden, | 769 | 694 | 14 | 6 | 20 | 4 | – | 4 | 9 | 7 | 16 | 4 |
| †784 | Castleton, | 2256 | 2023 | 26 | 27 | 53 | 1 | 1 | 2 | 12 | 20 | 32 | 12 |
| †785 | Cavers, | 842 | 707 | 12 | 9 | 21 | 2 | 3 | 5 | 6 | 5 | 11 | 3 |
| 786 | Crailing, | 638 | 600 | 7 | 4 | 11 | 2 | 1 | 3 | 5 | 3 | 8 | 5 |
| 787*a* | Eckford, | 912 | 757 | 11 | 8 | 19 | 3 | 1 | 4 | 8 | 5 | 13 | 1 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 787 | Edgerston, | 358 | 289 | 3 | 3 | 6 | – | – | – | 2 | 3 | 5 | 1 |
| 788 | Ednam, | 613 | 581 | 5 | 11 | 16 | 1 | 4 | 5 | 3 | 6 | 9 | 1 |
| 789 | HAWICK, | 11758 | 14122 | 213 | 186 | 399 | 14 | 20 | 34 | 130 | 140 | 270 | 89 |
| 790 | Hobkirk, | 662 | 631 | 4 | 12 | 16 | – | – | – | 5 | 2 | 7 | 1 |
| 791 | Hownam, | 263 | 223 | 5 | 1 | 6 | – | – | – | – | 1 | 1 | 1 |
| †792 | JEDBURGH, | 4917 | 4662 | 44 | 51 | 95 | 4 | 5 | 9 | 30 | 41 | 71 | 19 |
| 793 | Kelso, | 5235 | 4730 | 59 | 44 | 103 | 6 | 6 | 12 | 50 | 34 | 84 | 15 |
| †794 | Kirkton, | 810 | 824 | 11 | 15 | 26 | – | 2 | 2 | 5 | 2 | 7 | 3 |
| 795 | Lilliesleaf, | 718 | 649 | 4 | 4 | 8 | 1 | – | 1 | 3 | 4 | 7 | – |
| 796 | Linton, | 543 | 468 | 6 | 2 | 8 | – | – | – | – | 4 | 4 | 2 |
| 797 | Makerston, | 381 | 401 | 4 | 3 | 7 | 1 | – | 1 | 3 | 4 | 7 | – |
| 798 | Maxton, | 456 | 473 | 9 | 6 | 15 | 1 | 2 | 3 | – | 2 | 2 | 1 |
| †799 | Melrose, | 4519 | 4325 | 45 | 45 | 90 | 5 | 3 | 8 | 32 | 31 | 63 | 18 |
| 800 | Minto, | 433 | 432 | 3 | 7 | 10 | – | – | – | 2 | 4 | 6 | 1 |
| 801 | Morebattle, | 1003 | 846 | 7 | 9 | 16 | – | 2 | 2 | 8 | 7 | 15 | 6 |
| †802 | Oxnam, | 638 | 607 | 6 | 6 | 12 | – | 1 | 1 | 4 | 2 | 6 | 3 |
| 803 | Roxburgh, | 1012 | 954 | 9 | 17 | 26 | 2 | 5 | 7 | 4 | 7 | 11 | 6 |
| 804 | St Boswells, | 959 | 962 | 8 | 8 | 16 | – | 1 | 1 | 5 | 11 | 16 | 4 |
| 805 | Smailholm, | 446 | 340 | 4 | 3 | 7 | 1 | – | 1 | 2 | 4 | 6 | 1 |
| †806 | Southdean, | 641 | 612 | 9 | 8 | 17 | – | 1 | 1 | 1 | 4 | 5 | 3 |
| 807 | Sprouston, | 1026 | 1006 | 16 | 8 | 24 | 2 | – | 2 | 9 | 6 | 15 | 4 |
| 808 | Stitchel, | 342 | 314 | 3 | 5 | 8 | 1 | – | 1 | 2 | 1 | 3 | 1 |
| 809 | Teviothead, | 486 | 453 | 3 | 5 | 8 | 1 | – | 1 | 1 | 3 | 4 | 2 |
| 810 | WILTON, | 5782 | 6434 | 99 | 103 | 202 | 8 | 7 | 15 | 55 | 63 | 118 | 23 |
| 811 | Yetholm, | 1045 | 884 | 13 | 12 | 25 | 5 | 4 | 9 | 7 | 10 | 17 | 7 |
| | Total, | 52592 | 52954 | 692 | 651 | 1343 | 67 | 71 | 138 | 419 | 457 | 876 | 246 |
| | 31. Dumfries. | | | | | | | | | | | | |
| †812 | ANNAN, | 4943 | 5297 | 66 | 65 | 131 | 12 | 6 | 18 | 36 | 41 | 77 | 41 |
| 813a | Applegarth, | 969 | 858 | 9 | 17 | 26 | 1 | 1 | 2 | 4 | 8 | 12 | 6 |
| *813b | BRYDEKIRK, | 702 | 750 | 10 | 8 | 18 | 3 | 2 | 5 | 3 | 7 | 10 | 2 |
| 814 | Canonbie, | 2723 | 2476 | 37 | 35 | 72 | 5 | 3 | 8 | 14 | 28 | 42 | 25 |
| 815 | Carlaverock, | 1051 | 921 | 11 | 9 | 20 | 1 | 4 | 5 | 11 | 6 | 17 | 5 |
| 816 | Closeburn, | 1505 | 1333 | 22 | 23 | 45 | 1 | 5 | 6 | 14 | 11 | 25 | 6 |
| †817 | Cummertrees, | 1068 | 1079 | 11 | 10 | 21 | 3 | 3 | 6 | 4 | 15 | 19 | 6 |
| 818 | Dalton, | 579 | 563 | 4 | 6 | 10 | 2 | 2 | 4 | 4 | 4 | 8 | 3 |
| 819 | Dornock, | 814 | 810 | 17 | 7 | 24 | 4 | 2 | 6 | 5 | 7 | 12 | 5 |
| 820 | Dryfesdale, | 2971 | 3233 | 33 | 51 | 84 | 8 | 6 | 14 | 26 | 24 | 50 | 18 |
| 821 | DUMFRIES, | 16841 | 17878 | 270 | 247 | 517 | 35 | 29 | 64 | 237 | 253 | 490 | 116 |
| 822 | Dunscore, | 1405 | 1260 | 13 | 10 | 23 | 2 | 2 | 4 | 7 | 11 | 18 | 7 |
| 823 | Durrisdeer, | 1107 | 1076 | 14 | 14 | 28 | 1 | 1 | 2 | 12 | 6 | 18 | 4 |
| 824 | Eskdalemuir, | 543 | 488 | 4 | 7 | 11 | – | – | – | 1 | 4 | 5 | 3 |
| 825 | Ewes, | 337 | 299 | 4 | 2 | 6 | – | – | – | 3 | 1 | 4 | |
| 826 | Glencairn, | 1737 | 1647 | 29 | 19 | 48 | 3 | 1 | 4 | 12 | 13 | 25 | 9 |
| 827 | Graitney (or Gretna), | 1212 | 1141 | 22 | 13 | 35 | 4 | 2 | 6 | 15 | 13 | 28 | 12 |
| 828 | Halfmorton, | 497 | 484 | 10 | 12 | 22 | 2 | 3 | 5 | 5 | 9 | 14 | 2 |
| †829 | Hoddom, | 1445 | 1453 | 26 | 17 | 43 | 6 | – | 6 | 17 | 8 | 25 | 10 |
| *830 | Holywood, | 1078 | 1015 | 11 | 11 | 22 | 2 | 3 | 6 | 7 | 7 | 14 | 7 |
| 831 | Hutton, | 814 | 726 | 13 | 12 | 25 | 3 | 3 | 6 | 11 | 7 | 18 | 7 |
| 832 | Johnstone, | 1002 | 927 | 12 | 8 | 20 | 2 | 2 | 4 | 6 | 2 | 8 | 4 |
| 833 | Keir, | 745 | 639 | 4 | 4 | 8 | 3 | – | 3 | 9 | 10 | 19 | 1 |
| 834 | Kirkconnel, | 1019 | 1087 | 15 | 21 | 36 | 1 | 1 | 2 | 11 | 10 | 21 | 9 |
| 835 | Kirkmahoe, | 1250 | 1159 | 19 | 12 | 31 | 2 | 3 | 5 | 2 | 10 | 12 | 7 |
| 836 | Kirkmichael, | 849 | 808 | 11 | 7 | 18 | 2 | 1 | 3 | 5 | 6 | 11 | 5 |
| 837 | Kirkpatrick-Fleming— | | | | | | | | | | | | |
| | (1) Northern District, | 393 | 318 | 2 | 5 | 7 | 1 | – | 1 | 1 | 5 | 6 | 4 |
| | (2) Southern District, | 1071 | 951 | 8 | 13 | 21 | 1 | 1 | 2 | 7 | 9 | 16 | 2 |
| 838 | Kirkpatrick-Juxta, | 1064 | 976 | 10 | 8 | 18 | 3 | 1 | 4 | 9 | 11 | 20 | 10 |
| 839 | Langholm, | 4612 | 3970 | 44 | 58 | 102 | 2 | 5 | 7 | 33 | 36 | 69 | 18 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 840 | LOCHMABEN, | 2816 | 2522 | 36 | 36 | 72 | 7 | 6 | 13 | 32 | 30 | 62 | 23 |
| 841 | Middlebie, | 1927 | 1806 | 24 | 22 | 46 | 4 | 1 | 5 | 11 | 14 | 25 | 12 |
| 842 | Moffat, | 2930 | 2977 | 27 | 26 | 53 | 2 | 1 | 3 | 9 | 23 | 32 | 17 |
| 843 | Morton, | 2118 | 1855 | 22 | 23 | 45 | 1 | 1 | 2 | 22 | 18 | 40 | 13 |
| 844 | Mouswald, | 558 | 500 | 6 | 2 | 8 | – | – | – | 2 | 4 | 6 | 6 |
| 845 | Penpont, | 1176 | 1063 | 17 | 21 | 38 | 1 | 4 | 5 | 9 | 20 | 29 | 13 |
| 846 | Ruthwell, | 868 | 858 | 10 | 11 | 21 | 2 | 2 | 4 | 8 | 6 | 14 | 3 |
| 847 | St Mungo, | 653 | 603 | 4 | 6 | 10 | – | – | – | 3 | 7 | 10 | 3 |
| †848 | SANQUHAR, | 2255 | 2165 | 27 | 30 | 57 | 2 | 4 | 6 | 28 | 28 | 56 | 13 |
| 849 | Tinwald, | 861 | 902 | 9 | 7 | 16 | – | 3 | 3 | 5 | 8 | 13 | 4 |
| 850 | Torthorwald, | 990 | 921 | 11 | 20 | 31 | 3 | 3 | 6 | 12 | 17 | 29 | 6 |
| 851 | Tundergarth, | 466 | 439 | 6 | 11 | 17 | – | 4 | 4 | 2 | 6 | 8 | 4 |
| 852 | Tynron, | 416 | 359 | 4 | 7 | 11 | – | 1 | 1 | 1 | 4 | 5 | 3 |
| *853*a* | Wamphray, | 455 | 458 | 7 | 3 | 10 | 1 | 1 | 2 | 4 | 4 | 8 | – |
| *853*b* | Wanlockhead, | 854 | 745 | 12 | 15 | 27 | 1 | 1 | 2 | 9 | 7 | 16 | 12 |
| 854 | Westerkirk, | 478 | 454 | 4 | 4 | 8 | – | – | – | 1 | 2 | 3 | – |
| | Total, | 76167 | 74349 | 987 | 975 | 1962 | 140 | 124 | 264 | 689 | 780 | 1469 | 486 |
| | 32. KIRKCUDBRIGHT. | | | | | | | | | | | | |
| 855 | Anwoth, | 728 | 724 | 11 | 10 | 21 | 5 | – | 5 | 7 | 8 | 15 | 5 |
| †856 | Balmaclellan, | 787 | 652 | 7 | 6 | 13 | – | – | – | 8 | 5 | 13 | 4 |
| *857*a* | Balmaghie, | 924 | 839 | 9 | 10 | 19 | 1 | 1 | 2 | 5 | 7 | 12 | 7 |
| *857*b* | Bargrennan, | 366 | 391 | 6 | 3 | 9 | 1 | – | 1 | 4 | 3 | 7 | 3 |
| 858 | Borgue, | 1129 | 1121 | 17 | 13 | 30 | 5 | 1 | 6 | 6 | 12 | 18 | 2 |
| 859 | Buittle, | 991 | 960 | 18 | 16 | 34 | 5 | 4 | 9 | 9 | 7 | 16 | 3 |
| 860 | Carsphairn, | 484 | 394 | 2 | 4 | 6 | – | – | – | 1 | 3 | 4 | 3 |
| 861 | Colvend, | 1281 | 1127 | 15 | 16 | 31 | 4 | 4 | 8 | 5 | 13 | 18 | 3 |
| *862 | Corsock Bridge, | 551 | 469 | 8 | 6 | 14 | 1 | – | 1 | – | 7 | 7 | 2 |
| 863 | CROSSMICHAEL, | 1333 | 1348 | 18 | 15 | 33 | 4 | 3 | 7 | 12 | 13 | 25 | 8 |
| *864 | DALBEATTIE, | 4140 | 3348 | 61 | 47 | 108 | 8 | 7 | 15 | 42 | 40 | 82 | 23 |
| 865 | Dalry, | 988 | 924 | 12 | 11 | 23 | 1 | 2 | 3 | 7 | 9 | 16 | 9 |
| 866 | Girthon, | 1415 | 1354 | 21 | 16 | 37 | 1 | 3 | 4 | 7 | 5 | 12 | 6 |
| 867 | Irongray, | 784 | 747 | 10 | 4 | 14 | 2 | 2 | 4 | 6 | 6 | 12 | 2 |
| 868 | KELLS, | 970 | 931 | 19 | 9 | 28 | 1 | 2 | 3 | 5 | 11 | 16 | 2 |
| 869 | KELTON, | 3458 | 3692 | 44 | 46 | 90 | 3 | 9 | 12 | 33 | 37 | 70 | 23 |
| 870 | Kirkbean, | 794 | 714 | 13 | 11 | 24 | – | 1 | 1 | 8 | 6 | 14 | 4 |
| 871 | KIRKCUDBRIGHT, | 3479 | 3477 | 43 | 41 | 84 | 2 | 9 | 11 | 28 | 35 | 58 | 21 |
| 872 | Kirkgunzeon, | 656 | 539 | 3 | 8 | 11 | 1 | 3 | 4 | 2 | 4 | 6 | 2 |
| 873 | Kirkmabreck, | 1634 | 1599 | 27 | 20 | 47 | 5 | 2 | 7 | 17 | 20 | 37 | 14 |
| †874 | Kirkpatrick-Durham, | 1113 | 989 | 7 | 10 | 17 | 4 | 4 | 8 | 6 | 12 | 18 | 3 |
| 875 | Lochrutton, | 614 | 534 | 6 | 5 | 11 | – | 1 | 1 | 4 | 3 | 7 | 3 |
| †876 | MINNIGAFF, | 1384 | 1216 | 18 | 13 | 31 | 2 | 2 | 4 | 11 | 8 | 19 | 3 |
| 877 | New Abbey, | 906 | 866 | 12 | 10 | 22 | 3 | – | 3 | 12 | 7 | 19 | 10 |
| †878 | Parton, | 519 | 479 | 4 | 2 | 6 | 1 | – | 1 | 1 | 3 | 4 | 2 |
| 879 | Rerrick, | 1807 | 1582 | 24 | 18 | 42 | 4 | 4 | 8 | 15 | 20 | 35 | 9 |
| 880 | TERREGLES, | 471 | 474 | 5 | 5 | 10 | – | – | – | 1 | 5 | 6 | 2 |
| 881 | Tongland, | 829 | 845 | 8 | 5 | 13 | – | – | – | 7 | 8 | 15 | 5 |
| 882 | TROQUEER, | 5524 | 5887 | 92 | 78 | 170 | 13 | 5 | 18 | 55 | 56 | 111 | 36 |
| 883 | Twynholm, | 681 | 694 | 7 | 7 | 14 | – | – | – | 3 | 11 | 14 | 2 |
| †884 | Urr, | 1350 | 1241 | 18 | 14 | 32 | 2 | – | 2 | 18 | 10 | 28 | 11 |
| | Total, | 42290 | 40163 | 565 | 479 | 1044 | 79 | 69 | 148 | 335 | 394 | 729 | 232 |
| | 33. WIGTOWN. | | | | | | | | | | | | |
| 885 | Glasserton, | 1203 | 1154 | 16 | 11 | 27 | 3 | – | 3 | 13 | 13 | 26 | 6 |
| †886 | Inch, | 2260 | 2161 | 35 | 35 | 70 | 5 | 2 | 7 | 21 | 18 | 39 | 11 |
| 887 | Kirkcolm, | 1847 | 1705 | 20 | 23 | 43 | 5 | 3 | 8 | 12 | 24 | 36 | 8 |

| Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem. | Total. | |
| 88 Kirkcowan, | 1307 | 1263 | 13 | 12 | 25 | 1 | 1 | 2 | 8 | 14 | 22 | 8 |
| 89 Kirkinner, | 1597 | 1455 | 18 | 18 | 36 | 3 | 5 | 8 | 9 | 11 | 20 | 7 |
| 90 Kirkmaiden, | 2446 | 2192 | 22 | 27 | 49 | – | 4 | 4 | 8 | 17 | 25 | 10 |
| 91 Leswalt, | 1254 | 1105 | 24 | 19 | 43 | 6 | 3 | 9 | 6 | 7 | 13 | 5 |
| 92 Mochrum, | 2315 | 2166 | 24 | 26 | 50 | 4 | 4 | 8 | 17 | 24 | 41 | 7 |
| 93 New Luce, | 706 | 588 | 5 | 7 | 12 | – | – | – | 5 | 5 | 10 | 3 |
| 94 Old Luce (or Glenluce), | 2447 | 2517 | 38 | 29 | 67 | 4 | 6 | 10 | 12 | 24 | 36 | 9 |
| 95 Penninghame, | 3777 | 3411 | 47 | 52 | 99 | 6 | 8 | 14 | 36 | 39 | 75 | 17 |
| 96 Portpatrick, | 1285 | 1219 | 10 | 17 | 27 | 2 | 4 | 6 | 13 | 14 | 27 | 7 |
| 97 Sorbie, | 1696 | 1563 | 24 | 25 | 49 | 2 | 4 | 6 | 12 | 17 | 29 | 10 |
| 98 Stoneykirk, | 2766 | 2703 | 53 | 38 | 91 | 12 | 9 | 21 | 20 | 25 | 45 | 12 |
| 99 STRANRAER, | 6415 | 6193 | 73 | 101 | 174 | 9 | 11 | 20 | 54 | 73 | 127 | 36 |
| 00 WHITHORN, | 2929 | 2574 | 30 | 27 | 57 | 8 | 6 | 14 | 28 | 36 | 59 | 9 |
| 01 WIGTOWN, | 2198 | 1911 | 23 | 29 | 52 | 5 | 9 | 14 | 12 | 25 | 37 | 4 |
| Total, | 38448 | 35880 | 475 | 496 | 971 | 75 | 79 | 154 | 281 | 386 | 667 | 169 |

MARRIAGES registered in SCOTLAND in 1890, according to the Rites of the several Religious Denominations with the Condition of Parties, and the Number of Men and Women who signed the Registers with Marks.

| DISTRICTS, DIVISIONS, AND COUNTIES. | Total Marriages. | Regular Marriages according to the Rites of | | | | | | | Irregular Marriages. | Condition of Parties. | | | | | Signed the Register by Marks | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Established Church. | Free Church. | United Presbyterian Church. | Roman Catholic Church. | Episcopalian. | Other Denominations. | Not stated. | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. | Not stated. | Men. | Women. |
| SCOTLAND | 27469 | 12408 | 5347 | 3097 | 2791 | 768 | 2025 | – | 1033 | 23715 | 747 | 2178 | 816 | 13 | 1078 | 1762 |
| GROUPS OF DISTRICTS. | | | | | | | | | | | | | | | | |
| PRINCIPAL TOWN | 13312 | 4866 | 2470 | 1607 | 1572 | 532 | 1306 | – | 959 | 11207 | 433 | 1154 | 515 | 3 | 561 | 953 |
| LARGE TOWN | 3367 | 1548 | 554 | 374 | 471 | 101 | 262 | – | 57 | 2909 | 101 | 255 | 98 | 4 | 172 | 218 |
| SMALL TOWN | 5270 | 2609 | 974 | 687 | 601 | 92 | 292 | – | 15 | 4644 | 129 | 363 | 133 | 1 | 193 | 317 |
| MAINLAND-RURAL | 5103 | 3203 | 1178 | 892 | 133 | 43 | 152 | – | 2 | 4590 | 74 | 371 | 66 | 2 | 101 | 154 |
| INSULAR-RURAL | 417 | 182 | 171 | 37 | 14 | – | 13 | – | – | 365 | 10 | 35 | 4 | 3 | 51 | 121 |
| DIVISIONS. | | | | | | | | | | | | | | | | |
| I. NORTHERN | 503 | 234 | 188 | 47 | – | 1 | 30 | – | 3 | 444 | 10 | 43 | 4 | 2 | 14 | 40 |
| II. NORTH-WESTERN | 649 | 153 | 445 | 7 | 21 | 10 | 8 | – | 5 | 572 | 13 | 56 | 7 | 1 | 76 | 191 |
| III. NORTH-EASTERN | 2490 | 1481 | 499 | 133 | 46 | 82 | 204 | – | 45 | 2227 | 43 | 175 | 43 | 2 | 14 | 68 |
| IV. EAST MIDLAND | 4014 | 2102 | 713 | 444 | 263 | 147 | 252 | – | 93 | 3522 | 76 | 327 | 88 | 1 | 86 | 199 |
| V. WEST MIDLAND | 1720 | 803 | 335 | 193 | 235 | 28 | 115 | – | 11 | 1503 | 42 | 116 | 57 | 2 | 101 | 120 |
| VI. SOUTH-WESTERN | 12669 | 4879 | 2145 | 1621 | 1887 | 285 | 1173 | – | 679 | 10722 | 430 | 1028 | 486 | 3 | 678 | 1021 |
| VII. SOUTH-EASTERN | 4291 | 2039 | 846 | 526 | 298 | 192 | 198 | – | 192 | 3708 | 120 | 343 | 118 | 2 | 94 | 111 |
| VIII. SOUTHERN | 1133 | 717 | 176 | 126 | 41 | 23 | 45 | – | 5 | 1017 | 13 | 90 | 13 | – | 15 | 18 |
| COUNTIES. | | | | | | | | | | | | | | | | |
| 1 Shetland | 130 | 106 | 8 | 6 | – | 1 | 9 | – | – | 112 | 1 | 13 | 2 | 2 | 2 | 14 |
| 2 Orkney | 126 | 49 | 26 | 40 | – | – | 9 | – | 2 | 111 | 4 | 10 | 1 | – | – | |
| 3 Caithness | 163 | 65 | 84 | 1 | – | – | 12 | – | 1 | 143 | 3 | 16 | 1 | – | 5 | 13 |
| 4 Sutherland | 84 | 14 | 70 | – | – | – | – | – | – | 78 | 2 | 4 | – | – | 7 | 12 |
| 5 Ross and Cromarty | 303 | 42 | 248 | 6 | – | 2 | 5 | – | – | 265 | 4 | 30 | 4 | – | 44 | 122 |
| 6 Inverness | 346 | 111 | 197 | 1 | 21 | 8 | 3 | – | 5 | 307 | 9 | 26 | 3 | 1 | 32 | 63 |
| 7 Nairn | 42 | 12 | 19 | 8 | 2 | – | 1 | – | – | 40 | – | – | 2 | – | 1 | |
| 8 Elgin | 233 | 126 | 70 | 14 | 6 | 1 | 15 | – | 1 | 210 | 2 | 20 | 1 | – | 1 | |
| 9 Banff | 318 | 192 | 53 | 25 | 15 | 7 | 25 | – | 1 | 288 | 2 | 22 | 5 | 1 | – | |
| 10 Aberdeen | 1743 | 1043 | 327 | 81 | 23 | 66 | 160 | – | 43 | 1547 | 35 | 129 | 31 | 1 | 11 | 31 |
| 11 Kincardine | 154 | 108 | 30 | 5 | – | 8 | 3 | – | – | 142 | 4 | 4 | 4 | – | 1 | |
| 12 Forfar | 1921 | 871 | 338 | 168 | 193 | 103 | 172 | – | 76 | 1682 | 37 | 162 | 40 | – | 58 | 133 |
| 13 Perth | 699 | 394 | 160 | 70 | 24 | 25 | 14 | – | 12 | 604 | 9 | 71 | 15 | – | 7 | 23 |
| 14 Fife | 1183 | 712 | 187 | 172 | 37 | 13 | 57 | – | 5 | 1040 | 26 | 87 | 29 | 1 | 18 | 33 |
| 15 Kinross | 57 | 32 | 12 | 11 | – | 1 | 1 | – | – | 54 | 1 | 1 | 1 | – | – | |
| 16 Clackmannan | 154 | 93 | 16 | 23 | 9 | 5 | 8 | – | – | 142 | 3 | 6 | 3 | – | 3 | |
| 17 Stirling | 770 | 383 | 137 | 88 | 81 | 5 | 68 | – | 8 | 682 | 18 | 48 | 20 | 2 | 34 | 43 |
| 18 Dumbarton | 583 | 225 | 89 | 82 | 135 | 13 | 37 | – | 2 | 495 | 14 | 47 | 27 | – | 54 | 63 |
| 19 Argyll | 282 | 158 | 79 | 12 | 16 | 10 | 7 | – | – | 256 | 9 | 11 | 6 | – | 12 | 13 |
| 20 Bute | 85 | 37 | 30 | 11 | 3 | – | 3 | – | 1 | 70 | 1 | 10 | 4 | – | 1 | |
| 21 Renfrew | 1778 | 654 | 304 | 232 | 324 | 79 | 158 | – | 27 | 1507 | 52 | 146 | 73 | – | 93 | 163 |
| 22 Ayr | 1670 | 906 | 342 | 164 | 115 | 19 | 110 | – | 14 | 1433 | 44 | 153 | 39 | 1 | 57 | 83 |
| 23 Lanark | 9221 | 3319 | 1499 | 1225 | 1448 | 187 | 905 | – | 638 | 7782 | 334 | 729 | 374 | 2 | 528 | 773 |
| 24 Linlithgow | 399 | 218 | 69 | 47 | 55 | – | 9 | – | 1 | 357 | 14 | 19 | 9 | – | 19 | 13 |
| 25 Edinburgh | 3266 | 1473 | 682 | 370 | 215 | 182 | 153 | – | 191 | 2801 | 91 | 272 | 100 | 2 | 65 | 83 |
| 26 Haddington | 194 | 135 | 31 | 15 | 10 | – | 3 | – | – | 168 | 6 | 17 | 3 | – | 3 | |
| 27 Berwick | 178 | 94 | 28 | 39 | – | 2 | 15 | – | – | 162 | 5 | 10 | 1 | – | 3 | |
| 28 Peebles | 78 | 44 | 17 | 8 | 5 | 1 | 3 | – | – | 70 | 2 | 6 | – | – | – | |
| 29 Selkirk | 176 | 75 | 19 | 47 | 13 | 7 | 15 | – | – | 150 | 2 | 19 | 5 | – | 4 | |
| 30 Roxburgh | 246 | 128 | 39 | 49 | 10 | 8 | 12 | – | – | 229 | 4 | 12 | 1 | – | 5 | |
| 31 Dumfries | 486 | 312 | 76 | 50 | 17 | 12 | 16 | – | 3 | 429 | 6 | 47 | 4 | – | 6 | |
| 32 Kirkcudbright | 232 | 159 | 37 | 18 | 10 | 1 | 5 | – | 2 | 210 | 2 | 16 | 4 | – | 2 | |
| 33 Wigtown | 169 | 118 | 24 | 9 | 4 | 2 | 12 | – | – | 148 | 1 | 15 | 4 | – | 2 | |

## CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1890.

| CONDITION. | | Total Marriages | AGES AT MARRIAGE. | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| Bachelors with Spinsters. | | 23715 | – | – | 1 | 22 | 148 | 525 | 1602 | 8656 | 8524 | 3107 | 1094 | 385 | 153 | 51 | 28 | 13 | 2 | 2 | 1 | – | – | 1 |
| | | 23715 | – | 2 | 68 | 342 | 998 | 1718 | 2187 | 9810 | 6261 | 1659 | 483 | 180 | 81 | 16 | 6 | 2 | – | – | – | – | – | 2 |
| Bachelors with Widows. | | 747 | – | – | – | – | 2 | 4 | 9 | 95 | 180 | 166 | 140 | 69 | 50 | 21 | 7 | 3 | 1 | – | – | – | – | – |
| | | 747 | – | – | – | – | – | 8 | 1 | 51 | 166 | 184 | 167 | 88 | 52 | 25 | 7 | 3 | – | – | – | – | – | – |
| Widowers with Spinsters. | | 2178 | – | – | – | – | – | – | – | 52 | 298 | 473 | 408 | 331 | 248 | 154 | 108 | 68 | 27 | 15 | 5 | – | 1 | – |
| | | 2178 | – | – | 1 | 4 | 16 | 37 | 50 | 341 | 546 | 465 | 305 | 225 | 94 | 58 | 28 | 10 | 2 | 1 | – | – | – | – |
| Widowers with Widows. | | 816 | – | – | – | – | – | – | – | 1 | 23 | 81 | 140 | 156 | 143 | 110 | 73 | 52 | 19 | 15 | 1 | 2 | – | – |
| | | 816 | – | – | – | – | – | 1 | – | 6 | 64 | 145 | 159 | 158 | 152 | 72 | 27 | 23 | 7 | 2 | – | – | – | – |
| Condition not stated. | Men. | 13 | – | – | – | – | – | – | – | 3 | 3 | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | 1 |
| | Women. | 13 | – | – | – | – | – | – | – | 5 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – | – | 1 |
| Total Men..... | | 27469 | – | – | 1 | 22 | 150 | 529 | 1011 | 8807 | 9028 | 3830 | 1783 | 942 | 594 | 337 | 211 | 131 | 49 | 32 | 7 | 2 | 1 | 2 |
| Total Women... | | 27469 | – | 2 | 69 | 346 | 1014 | 1759 | 2238 | 10213 | 7040 | 2455 | 1116 | 601 | 329 | 166 | 68 | 38 | 9 | 3 | – | – | – | 3 |

| | Total Males. | AGES OF MALES MARRIED IN SCOTLAND IN 1890. | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| **Scotland** | 27469 | – | – | 1 | 22 | 150 | 529 | 1011 | 8807 | 9028 | 3830 | 1783 | 942 | 594 | 337 | 211 | 131 | 49 | 32 | 7 | 2 | 1 | 2 |
| GROUPS OF DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | |
| Principal Town | 13312 | – | – | 1 | 16 | 100 | 292 | 537 | 4187 | 4197 | 1869 | 882 | 492 | 321 | 168 | 124 | 78 | 29 | 14 | 3 | – | 1 | 1 |
| Large Town | 3367 | – | – | – | 1 | 8 | 82 | 148 | 1214 | 1070 | 416 | 179 | 100 | 78 | 42 | 15 | 15 | 8 | 1 | – | – | – | – |
| Small Town | 5270 | – | – | – | 3 | 23 | 85 | 180 | 1812 | 1870 | 647 | 302 | 145 | 77 | 65 | 25 | 15 | 8 | 7 | 3 | 2 | – | 1 |
| Mainland-Rural | 5103 | – | – | – | 1 | 18 | 69 | 142 | 1557 | 1739 | 788 | 360 | 180 | 115 | 54 | 38 | 22 | 9 | 10 | 1 | – | – | – |
| Insular-Rural | 417 | – | – | – | 1 | 1 | 1 | 4 | 37 | 152 | 110 | 60 | 25 | 8 | 8 | 9 | 1 | – | – | – | – | – | – |
| DIVISIONS. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Northern | 503 | – | – | – | 1 | 2 | 1 | 5 | 86 | 201 | 107 | 41 | 30 | 14 | 7 | 6 | 1 | 1 | – | – | – | – | – |
| 2. North-Western | 649 | – | – | – | – | 1 | – | 2 | 80 | 227 | 155 | 87 | 43 | 21 | 15 | 11 | 5 | – | 2 | – | – | – | – |
| 3. North-Eastern | 2490 | – | – | – | 1 | 6 | 35 | 77 | 747 | 882 | 345 | 174 | 88 | 54 | 31 | 23 | 11 | 5 | 8 | 1 | – | – | 2 |
| 4. East Midland | 4014 | – | – | – | 3 | 23 | 83 | 152 | 1396 | 1295 | 537 | 215 | 106 | 94 | 56 | 31 | 14 | 5 | 3 | 1 | – | – | – |
| 5. West Midland | 1720 | – | – | – | – | 2 | 19 | 65 | 522 | 571 | 256 | 133 | 61 | 38 | 29 | 14 | 8 | 2 | – | – | – | – | – |
| 6. South-Western | 12669 | – | – | 1 | 14 | 95 | 310 | 550 | 4281 | 3977 | 1647 | 792 | 428 | 263 | 133 | 84 | 55 | 23 | 10 | 4 | 2 | – | – |
| 7. South-Eastern | 4291 | – | – | – | 3 | 18 | 61 | 132 | 1330 | 1505 | 605 | 265 | 149 | 81 | 57 | 34 | 31 | 11 | 7 | 1 | – | 1 | – |
| 8. Southern | 1163 | – | – | – | – | 3 | 20 | 28 | 365 | 370 | 178 | 76 | 37 | 29 | 9 | 8 | 6 | 2 | 2 | – | – | – | – |
| COUNTIES. | | | | | | | | | | | | | | | | | | | | | | |
| Shetland | 130 | – | – | – | – | 1 | – | 1 | 18 | 61 | 27 | 9 | 7 | 2 | 2 | 2 | – | – | – | – | – | – | – |
| Orkney | 126 | – | – | – | 1 | 1 | 1 | 1 | 21 | 43 | 26 | 16 | 7 | 4 | 3 | 2 | – | – | – | – | – | – | – |
| Caithness | 163 | – | – | – | – | – | – | 3 | 39 | 64 | 30 | 10 | 9 | 5 | 1 | – | 1 | 1 | – | – | – | – | – |
| Sutherland | 84 | – | – | – | – | – | – | – | 8 | 33 | 24 | 6 | 7 | 3 | 1 | 2 | – | – | – | – | – | – | – |
| Ross and Cromarty | 303 | – | – | – | – | 1 | – | 1 | 38 | 111 | 70 | 39 | 20 | 10 | 7 | 2 | 3 | – | 1 | – | – | – | – |
| Inverness | 346 | – | – | – | – | – | – | 1 | 42 | 116 | 85 | 48 | 23 | 11 | 8 | 9 | 2 | – | 1 | – | – | – | – |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nairn | 42 | – | – | – | – | – | 1 | 2 | 9 | 20 | 4 | 4 | 2 | – | – | – | – | – | – | – | – | – | – |
| Elgin | 283 | – | – | – | – | – | 6 | 2 | 40 | 93 | 45 | 25 | 11 | 4 | 2 | 1 | 2 | – | 1 | – | – | – | 1 |
| Banff | 318 | – | – | – | – | 1 | 3 | 11 | 105 | 109 | 37 | 18 | 12 | 13 | 4 | 2 | 1 | – | 2 | – | – | – | – |
| Aberdeen | 1743 | – | – | – | 1 | 5 | 25 | 61 | 545 | 599 | 288 | 118 | 58 | 35 | 22 | 18 | 7 | 5 | 4 | 1 | – | – | 1 |
| Kincardine | 154 | – | – | – | – | – | – | 1 | 48 | 61 | 21 | 9 | 5 | 2 | 3 | 2 | 1 | – | 1 | – | – | – | – |
| Forfar | 1921 | – | – | – | 3 | 18 | 43 | 76 | 711 | 593 | 236 | 95 | 48 | 42 | 25 | 17 | 8 | 4 | 1 | 1 | – | – | – |
| Perth | 699 | – | – | – | – | 2 | 6 | 22 | 172 | 234 | 135 | 53 | 22 | 27 | 15 | 9 | 1 | – | 1 | – | – | – | – |
| Fife | 1183 | – | – | – | – | 3 | 28 | 48 | 433 | 399 | 134 | 56 | 33 | 23 | 15 | 5 | 5 | – | 1 | – | – | – | – |
| Kinross | 57 | – | – | – | – | – | – | 1 | 21 | 18 | 11 | 3 | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Clackmannan | 154 | – | – | – | – | – | 6 | 5 | 59 | 51 | 21 | 8 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Stirling | 770 | – | – | – | – | 1 | 11 | 38 | 289 | 236 | 99 | 46 | 23 | 9 | 8 | 5 | 4 | 1 | – | – | – | – | – |
| Dumbarton | 583 | – | – | – | – | 1 | 7 | 24 | 166 | 209 | 81 | 39 | 22 | 17 | 12 | 3 | 1 | 1 | – | – | – | – | – |
| Argyll | 282 | – | – | – | – | – | – | 2 | 53 | 104 | 58 | 32 | 12 | 11 | 4 | 6 | – | – | – | – | – | – | – |
| Bute | 85 | – | – | – | – | – | 1 | 1 | 14 | 22 | 18 | 16 | 4 | 1 | 5 | – | 3 | – | – | – | – | – | – |
| Renfrew | 1778 | – | – | – | – | 10 | 31 | 82 | 606 | 581 | 234 | 105 | 48 | 41 | 16 | 11 | 8 | 2 | 1 | 1 | 1 | – | – |
| Ayr | 1670 | – | – | – | 1 | 11 | 42 | 68 | 567 | 565 | 199 | 106 | 51 | 29 | 12 | 4 | 5 | 5 | 3 | 1 | 1 | – | – |
| Lanark | 9221 | – | – | 1 | 13 | 74 | 237 | 400 | 3108 | 2881 | 1214 | 581 | 329 | 193 | 105 | 69 | 42 | 16 | 6 | 2 | – | – | – |
| Linlithgow | 399 | – | – | – | 1 | 2 | 12 | 10 | 150 | 149 | 41 | 20 | 7 | 3 | 2 | – | 1 | – | 1 | – | – | – | – |
| Edinburgh | 3266 | – | – | – | 2 | 14 | 47 | 105 | 982 | 1097 | 481 | 217 | 125 | 72 | 49 | 31 | 28 | 8 | 6 | 1 | – | 1 | – |
| Haddington | 194 | – | – | – | – | 2 | 1 | 6 | 58 | 82 | 25 | 9 | 5 | – | 1 | 2 | 1 | 2 | – | – | – | – | – |
| Berwick | 178 | – | – | – | – | – | 1 | 4 | 54 | 74 | 27 | 8 | 7 | 1 | 2 | – | – | – | – | – | – | – | – |
| Peebles | 78 | – | – | – | – | – | – | 1 | 26 | 40 | 7 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Selkirk | 176 | – | – | – | – | – | – | 6 | 60 | 63 | 24 | 11 | 3 | 4 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| Roxburgh | 246 | – | – | – | – | 1 | 4 | 7 | 95 | 79 | 31 | 16 | 6 | 4 | – | 2 | – | 1 | – | – | – | – | – |
| Dumfries | 486 | – | – | – | – | 1 | 8 | 9 | 150 | 158 | 86 | 31 | 16 | 11 | 6 | 3 | 5 | 1 | 1 | – | – | – | – |
| Kirkcudbright | 232 | – | – | – | – | – | 3 | 7 | 69 | 80 | 38 | 12 | 11 | 8 | 3 | 1 | – | – | – | – | – | – | – |
| Wigtown | 169 | – | – | – | – | 1 | 5 | 5 | 51 | 53 | 23 | 17 | 4 | 6 | – | 2 | 1 | – | 1 | – | – | – | – |

AGES of FEMALES married in Scotland in 1890.

| | Total Females | AGES OF FEMALES MARRIED IN SCOTLAND IN 1890. | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| **Scotland** | 27469 | – | 2 | 69 | 346 | 1014 | 1759 | 2238 | 10213 | 7040 | 2455 | 1116 | 601 | 329 | 166 | 68 | 38 | 9 | 3 | – | – | – | 3 |
| GROUPS OF DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | |
| Principal Town | 13312 | – | 1 | 29 | 195 | 542 | 859 | 1116 | 4834 | 3282 | 1170 | 609 | 321 | 184 | 97 | 45 | 24 | 2 | 1 | – | – | – | 1 |
| Large Town | 3367 | – | 1 | 11 | 41 | 144 | 252 | 306 | 1298 | 790 | 269 | 113 | 73 | 45 | 15 | 4 | 3 | 1 | 1 | – | – | – | – |
| Small Town | 5270 | – | – | 14 | 63 | 167 | 368 | 434 | 2084 | 1357 | 432 | 166 | 86 | 57 | 23 | 8 | 7 | 3 | – | – | – | – | 1 |
| Mainland-Rural | 5103 | – | – | 14 | 44 | 153 | 276 | 353 | 1886 | 1464 | 519 | 202 | 108 | 42 | 24 | 9 | 4 | 3 | 1 | – | – | – | 1 |
| Insular-Rural | 417 | – | – | 1 | 3 | 8 | 4 | 29 | 111 | 147 | 65 | 26 | 13 | 1 | 7 | 2 | – | – | – | – | – | – | – |
| DIVISIONS. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Northern | 503 | – | – | 2 | 3 | 16 | 15 | 27 | 163 | 152 | 63 | 37 | 15 | 2 | 6 | 2 | – | – | – | – | – | – | – |
| 2. North-Western | 649 | – | – | 1 | 2 | 6 | 14 | 45 | 185 | 221 | 98 | 46 | 20 | 6 | 6 | 1 | – | – | – | – | – | – | – |
| 3. North-Eastern | 2490 | – | – | 8 | 29 | 79 | 130 | 183 | 931 | 700 | 232 | 109 | 47 | 19 | 11 | 6 | 3 | – | 1 | – | – | – | 2 |
| 4. East Midland | 4014 | – | – | 2 | 36 | 131 | 253 | 290 | 1534 | 1058 | 370 | 169 | 83 | 51 | 25 | 6 | 3 | 2 | 1 | – | – | – | – |
| 5. West Midland | 1720 | – | – | 1 | 13 | 51 | 100 | 151 | 627 | 475 | 168 | 58 | 37 | 21 | 12 | 4 | 2 | – | – | – | – | – | – |
| 6. South-Western | 12669 | – | 2 | 42 | 218 | 573 | 922 | 1159 | 4756 | 2935 | 1015 | 470 | 279 | 170 | 66 | 32 | 23 | 6 | 1 | – | – | – | – |
| 7. South-Eastern | 4291 | – | – | 10 | 43 | 133 | 247 | 322 | 1611 | 1155 | 380 | 185 | 100 | 49 | 34 | 16 | 6 | – | – | – | – | – | – |
| 8. Southern | 1133 | – | – | 3 | 2 | 25 | 78 | 63 | 406 | 344 | 129 | 42 | 20 | 11 | 6 | 1 | 1 | 1 | – | – | – | – | 1 |
| COUNTIES. | | | | | | | | | | | | | | | | | | | | | | |
| Shetland | 130 | – | – | – | – | 2 | 3 | 9 | 34 | 47 | 18 | 11 | 4 | – | 1 | 1 | – | – | – | – | – | – | – |
| Orkney | 126 | – | – | 1 | 2 | 8 | 2 | 7 | 39 | 33 | 16 | 12 | 4 | 1 | 1 | – | – | – | – | – | – | – | – |
| Caithness | 163 | – | – | 1 | 1 | 4 | 8 | 8 | 70 | 43 | 15 | 7 | 8 | – | 2 | 1 | – | – | – | – | – | – | – |
| Sutherland | 84 | – | – | – | – | 2 | 2 | 3 | 20 | 29 | 14 | 7 | 4 | 1 | 2 | – | – | – | – | – | – | – | – |
| Ross and Cromarty | 303 | – | – | – | 2 | 2 | 7 | 18 | 89 | 106 | 42 | 23 | 8 | 2 | 4 | – | – | – | – | – | – | – | – |
| Inverness | 346 | – | – | 1 | – | 4 | 7 | 25 | 96 | 115 | 56 | 23 | 12 | 4 | 2 | 1 | – | – | – | – | – | – | – |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nairn | 42 | – | – | – | – | 1 | 4 | 2 | 14 | 14 | 3 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Elgin | 233 | – | – | – | 4 | 6 | 9 | 15 | 71 | 71 | 33 | 15 | 6 | 1 | – | 1 | – | – | – | – | – | – | 1 |
| Banff | 318 | – | – | 2 | 3 | 12 | 14 | 24 | 137 | 81 | 17 | 16 | 9 | 2 | – | 1 | – | – | – | – | – | – | – |
| Aberdeen | 1743 | – | – | 6 | 20 | 57 | 102 | 139 | 640 | 486 | 163 | 70 | 28 | 13 | 10 | 4 | 3 | – | 1 | – | – | – | 1 |
| Kincardine | 154 | – | – | – | 2 | 3 | 1 | 3 | 69 | 48 | 16 | 5 | 3 | 3 | 1 | – | – | – | – | – | – | – | – |
| Forfar | 1921 | – | – | 1 | 22 | 71 | 117 | 163 | 746 | 484 | 156 | 83 | 37 | 21 | 14 | 1 | 2 | – | 1 | – | – | – | – |
| Perth | 699 | – | – | – | 4 | 15 | 31 | 31 | 241 | 219 | 91 | 31 | 19 | 8 | 5 | 3 | 1 | – | – | – | – | – | – |
| Fife | 1183 | – | – | 1 | 10 | 38 | 89 | 83 | 463 | 294 | 106 | 47 | 24 | 22 | 5 | – | – | 1 | – | – | – | – | – |
| Kinross | 57 | – | – | – | – | – | 2 | 2 | 23 | 18 | 9 | 2 | – | – | – | – | – | 1 | – | – | – | – | – |
| Clackmannan | 154 | – | – | – | – | 7 | 14 | 11 | 61 | 43 | 8 | 6 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Stirling | 770 | – | – | 1 | 5 | 21 | 55 | 77 | 307 | 190 | 68 | 18 | 16 | 11 | – | 1 | – | – | – | – | – | – | – |
| Dumbarton | 583 | – | – | – | 4 | 23 | 35 | 49 | 221 | 154 | 48 | 20 | 12 | 9 | 6 | – | 2 | – | – | – | – | – | – |
| Argyll | 282 | – | – | – | 4 | 5 | 6 | 19 | 83 | 101 | 39 | 15 | 6 | – | 3 | 1 | – | – | – | – | – | – | – |
| Bute | 85 | – | – | – | – | 2 | 4 | 6 | 16 | 30 | 13 | 5 | 3 | 1 | 3 | 2 | – | – | – | – | – | – | – |
| Renfrew | 1778 | – | – | 2 | 18 | 60 | 118 | 158 | 692 | 447 | 141 | 63 | 36 | 27 | 10 | 3 | 2 | 1 | – | – | – | – | – |
| Ayr | 1670 | – | – | 6 | 24 | 53 | 114 | 164 | 652 | 389 | 150 | 51 | 31 | 21 | 6 | 3 | 4 | 2 | – | – | – | – | – |
| Lanark | 9221 | – | 2 | 34 | 176 | 460 | 690 | 837 | 3412 | 2099 | 724 | 356 | 212 | 122 | 50 | 26 | 17 | 3 | 1 | – | – | – | – |
| Linlithgow | 399 | – | – | 5 | 6 | 25 | 40 | 39 | 168 | 73 | 26 | 9 | 5 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Edinburgh | 3266 | – | – | 4 | 37 | 97 | 187 | 250 | 1199 | 880 | 302 | 157 | 82 | 40 | 33 | 13 | 5 | – | – | – | – | – | – |
| Haddington | 194 | – | – | – | – | 6 | 6 | 10 | 71 | 72 | 15 | 6 | 4 | 3 | – | 1 | – | – | – | – | – | – | – |
| Berwick | 178 | – | – | 1 | – | 1 | 5 | 12 | 73 | 66 | 11 | 6 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Peebles | 78 | – | – | – | – | 1 | 3 | 4 | 30 | 30 | 7 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Selkirk | 176 | – | – | – | – | 3 | 6 | 7 | 70 | 54 | 19 | 6 | 7 | 3 | – | 1 | – | – | – | – | – | – | – |
| Roxburgh | 246 | – | – | – | 1 | 7 | 18 | 10 | 100 | 69 | 30 | 5 | 3 | 2 | 1 | – | – | – | – | – | – | – | – |
| Dumfries | 486 | – | – | 2 | 1 | 8 | 26 | 30 | 169 | 157 | 57 | 19 | 9 | 2 | 4 | 1 | – | 1 | – | – | – | – | – |
| Kirkcudbright | 232 | – | – | – | – | 5 | 19 | 8 | 87 | 65 | 30 | 11 | 4 | 3 | – | – | – | – | – | – | – | – | – |
| Wigtown | 169 | – | – | 1 | – | 5 | 15 | 15 | 50 | 53 | 12 | 7 | 4 | 4 | 1 | – | 1 | – | – | – | – | – | 1 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1890.—BOTH SEXES.

| | POPULATION. | | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | | | MONTHS. | | | | | | | | | | | |
| | 1881. | 1891. | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| SCOTLAND . | 3735573 | 4025647 | 79004 | 7757 | 2919 | 5201 | 6450 | 2618 | 1628 | 1151 | 2886 | 1774 | 2395 | 2708 | 2558 |
| Principal Towns | 1409260 | 1590310 | 35262 | 3587 | 1432 | 2698 | 3658 | 1458 | 905 | 581 | 1402 | 716 | 1015 | 1228 | 1170 |
| Large Towns . | 404302 | 467872 | 9431 | 1042 | 394 | 700 | 797 | 322 | 174 | 144 | 334 | 231 | 303 | 321 | 313 |
| Small Towns . | 784654 | 840339 | 15657 | 1574 | 583 | 1002 | 1151 | 459 | 295 | 221 | 550 | 408 | 535 | 531 | 469 |
| Mainland-Rural | 1006969 | 1001174 | 16678 | 1427 | 492 | 769 | 790 | 353 | 237 | 184 | 558 | 382 | 490 | 559 | 520 |
| Insular-Rural . | 130388 | 125952 | 1976 | 127 | 18 | 32 | 54 | 26 | 17 | 21 | 42 | 37 | 52 | 69 | 86 |
| Shetland . . | 29705 | 28711 | 477 | 26 | 3 | 9 | 13 | 6 | 3 | 4 | 8 | 10 | 8 | 22 | 31 |
| Orkney . . | 32044 | 30453 | 502 | 28 | 1 | 8 | 5 | 2 | 3 | 2 | 10 | 11 | 13 | 17 | 19 |
| Caithness . | 39859 | 38070 | 733 | 57 | 27 | 16 | 29 | 8 | 5 | 4 | 16 | 19 | 18 | 27 | 27 |
| Sutherland . | 22376 | 21003 | 378 | 26 | 8 | 11 | 10 | 4 | – | 3 | 15 | 12 | 14 | 13 | 13 |
| Ross & Cromarty | 79467 | 78640 | 1299 | 86 | 23 | 54 | 58 | 28 | 17 | 11 | 32 | 21 | 32 | 39 | 31 |
| Inverness . | 86389 | 85196 | 1424 | 105 | 28 | 41 | 73 | 24 | 17 | 26 | 30 | 27 | 45 | 39 | 52 |
| Nairn . . | 8847 | 8554 | 142 | 16 | 4 | 1 | 3 | 4 | 1 | 1 | 2 | 1 | 1 | 4 | 7 |
| Elgin . . | 45108 | 44829 | 818 | 72 | 34 | 54 | 32 | 25 | 18 | 11 | 22 | 11 | 23 | 19 | 32 |
| Banff . . | 59783 | 61209 | 1055 | 106 | 54 | 62 | 42 | 29 | 19 | 16 | 36 | 35 | 32 | 32 | 38 |
| Aberdeen . | 269047 | 281964 | 5205 | 545 | 230 | 315 | 307 | 182 | 88 | 68 | 174 | 118 | 171 | 193 | 189 |
| Kincardine . | 35465 | 37024 | 556 | 45 | 15 | 30 | 17 | 5 | 6 | 6 | 18 | 9 | 13 | 22 | 20 |
| Forfar . . | 268653 | 280098 | 5997 | 720 | 269 | 432 | 466 | 175 | 108 | 79 | 191 | 132 | 170 | 195 | 177 |
| Perth . . | 130282 | 127895 | 2361 | 139 | 59 | 86 | 108 | 56 | 42 | 25 | 78 | 63 | 84 | 86 | 71 |
| Fife . . | 172131 | 187601 | 3480 | 332 | 147 | 210 | 260 | 92 | 58 | 48 | 121 | 79 | 123 | 130 | 100 |
| Kinross . . | 7330 | 6732 | 124 | 19 | 2 | 5 | 5 | 3 | – | 1 | 3 | – | 4 | 5 | 1 |
| Clackmannan . | 24025 | 26716 | 456 | 61 | 17 | 37 | 27 | 11 | 11 | 9 | 16 | 14 | 21 | 17 | 18 |
| Stirling . . | 106883 | 119129 | 2386 | 227 | 98 | 183 | 244 | 80 | 47 | 39 | 104 | 68 | 72 | 82 | 69 |
| Dumbarton . | 78182 | 98014 | 1833 | 186 | 76 | 148 | 206 | 84 | 43 | 34 | 62 | 41 | 56 | 68 | 61 |
| Argyll . . | 80761 | 79310 | 1360 | 77 | 22 | 33 | 44 | 15 | 7 | 11 | 34 | 34 | 42 | 37 | 49 |
| Bute . . | 17634 | 18387 | 370 | 16 | 5 | 9 | 22 | 5 | 7 | 4 | 13 | 5 | 14 | 9 | 15 |
| Renfrew . . | 225611 | 245147 | 4861 | 456 | 169 | 324 | 433 | 175 | 110 | 85 | 214 | 133 | 168 | 197 | 155 |
| Ayr . . | 217630 | 226403 | 4241 | 426 | 142 | 260 | 301 | 156 | 76 | 68 | 174 | 101 | 147 | 144 | 128 |
| Lanark . . | 942206 | 1091703 | 23526 | 2521 | 935 | 1896 | 2635 | 1033 | 654 | 392 | 968 | 514 | 694 | 814 | 733 |
| Linlithgow . | 44005 | 53441 | 951 | 124 | 46 | 87 | 105 | 40 | 21 | 16 | 88 | 17 | 22 | 30 | 29 |
| Edinburgh . | 388836 | 433646 | 8908 | 844 | 335 | 634 | 775 | 313 | 202 | 138 | 341 | 173 | 238 | 277 | 316 |
| Haddington . | 38510 | 37500 | 623 | 50 | 17 | 32 | 28 | 12 | 11 | 7 | 22 | 15 | 13 | 18 | 19 |
| Berwick . . | 35273 | 32311 | 475 | 46 | 13 | 16 | 6 | 6 | 9 | 8 | 18 | 14 | 17 | 16 | 20 |
| Peebles . . | 13688 | 14654 | 198 | 15 | 9 | 7 | 7 | 2 | 2 | 1 | 7 | 6 | 10 | 10 | 6 |
| Selkirk . . | 26346 | 28068 | 474 | 51 | 12 | 35 | 31 | 16 | 6 | 4 | 21 | 16 | 20 | 14 | 15 |
| Roxburgh . | 52592 | 52954 | 876 | 88 | 34 | 49 | 47 | 25 | 5 | 6 | 26 | 17 | 27 | 45 | 28 |
| Dumfries . | 76167 | 74249 | 1469 | 123 | 40 | 68 | 46 | 27 | 19 | 10 | 44 | 26 | 40 | 50 | 55 |
| Kirkcudbright | 42290 | 40163 | 729 | 67 | 27 | 17 | 28 | 15 | 9 | 14 | 17 | 18 | 24 | 20 | 21 |
| Wigtown . | 38448 | 35880 | 667 | 57 | 18 | 26 | 37 | 10 | 9 | 5 | 11 | 14 | 19 | 17 | 13 |

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1890.—BOTH SEXES.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow (Burghal) . | 511415 | 565839 | 13374 | 1325 | 491 | 1064 | 1605 | 651 | 412 | 223 | 538 | 246 | 383 | 493 | 442 |
| Glasgow (Landward and Suburban). | 174573 | 227118 | 4583 | 491 | 211 | 379 | 482 | 184 | 112 | 79 | 193 | 108 | 125 | 147 | 123 |
| Edinburgh . | 230402 | 261225 | 5423 | 462 | 201 | 369 | 479 | 188 | 124 | 77 | 203 | 104 | 138 | 180 | 223 |
| Dundee . . | 142455 | 155675 | 3688 | 489 | 187 | 318 | 360 | 137 | 77 | 57 | 128 | 72 | 101 | 106 | 114 |
| Aberdeen . | 105076 | 121895 | 2603 | 282 | 122 | 185 | 173 | 76 | 46 | 33 | 84 | 57 | 79 | 99 | 106 |
| Leith . . | 60843 | 69885 | 1517 | 165 | 80 | 136 | 164 | 63 | 40 | 34 | 76 | 35 | 44 | 47 | 39 |
| Greenock . | 69238 | 63512 | 1419 | 150 | 58 | 95 | 158 | 60 | 33 | 25 | 65 | 32 | 51 | 68 | 43 |
| Paisley . . | 55638 | 66425 | 1355 | 101 | 46 | 77 | 109 | 43 | 33 | 25 | 69 | 37 | 47 | 48 | 43 |
| Perth . . | 29756 | 30768 | 681 | 51 | 22 | 32 | 56 | 25 | 13 | 12 | 20 | 20 | 26 | 25 | 17 |
| Kilmarnock . | 25864 | 27968 | 619 | 71 | 14 | 43 | 66 | 31 | 15 | 16 | 26 | 5 | 21 | 15 | 20 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1890.—BOTH SEXES.

| | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND | 2465 | 2615 | 2525 | 2956 | 3174 | 3332 | 4040 | 4051 | 4521 | 3938 | 2950 | 1644 | 589 | 119 | 20 | 20 |
| Principal Towns | 1215 | 1287 | 1248 | 1496 | 1581 | 1521 | 1702 | 1597 | 1539 | 1082 | 711 | 325 | 94 | 12 | 1 | 1 |
| Large Towns | 262 | 296 | 297 | 338 | 346 | 426 | 501 | 476 | 519 | 432 | 257 | 146 | 50 | 9 | 1 | – |
| Small Towns | 464 | 489 | 439 | 547 | 600 | 659 | 821 | 832 | 927 | 920 | 670 | 356 | 125 | 21 | 2 | 7 |
| Mainland-Rural | 474 | 492 | 493 | 505 | 577 | 667 | 913 | 1017 | 1352 | 1293 | 1113 | 683 | 259 | 54 | 10 | 10 |
| Insular-Rural | 50 | 51 | 48 | 70 | 70 | 59 | 103 | 129 | 184 | 211 | 199 | 129 | 61 | 23 | 6 | 2 |
| Shetland | 12 | 18 | 11 | 13 | 16 | 12 | 18 | 27 | 41 | 57 | 47 | 36 | 20 | 5 | 1 | – |
| Orkney | 18 | 16 | 14 | 18 | 13 | 13 | 29 | 39 | 54 | 63 | 52 | 31 | 20 | – | 1 | 2 |
| Caithness | 30 | 22 | 18 | 22 | 32 | 30 | 41 | 43 | 65 | 57 | 55 | 43 | 14 | 7 | 1 | – |
| Sutherland | 15 | 17 | 9 | 10 | 12 | 13 | 23 | 26 | 29 | 26 | 36 | 21 | 10 | 2 | – | – |
| Ross and Cromarty | 37 | 41 | 30 | 42 | 48 | 48 | 62 | 80 | 125 | 123 | 113 | 73 | 28 | 12 | 5 | – |
| Inverness | 35 | 29 | 40 | 45 | 51 | 65 | 86 | 84 | 124 | 129 | 107 | 66 | 37 | 14 | 5 | – |
| Nairn | 4 | 6 | 3 | 5 | 6 | 4 | 12 | 10 | 11 | 12 | 8 | 12 | 2 | 2 | – | – |
| Elgin | 28 | 32 | 22 | 20 | 28 | 27 | 38 | 48 | 64 | 62 | 47 | 38 | 14 | 1 | 1 | – |
| Banff | 35 | 26 | 32 | 35 | 34 | 22 | 51 | 49 | 75 | 82 | 50 | 35 | 21 | 6 | – | 1 |
| Aberdeen | 143 | 166 | 150 | 150 | 153 | 212 | 256 | 292 | 351 | 344 | 259 | 141 | 53 | 5 | – | – |
| Kincardine | 16 | 23 | 21 | 15 | 19 | 26 | 20 | 34 | 46 | 54 | 36 | 27 | 11 | 2 | – | – |
| Forfar | 176 | 182 | 169 | 232 | 282 | 271 | 314 | 320 | 315 | 276 | 202 | 103 | 36 | 5 | – | – |
| Perth | 65 | 65 | 81 | 80 | 89 | 95 | 160 | 134 | 198 | 182 | 154 | 124 | 28 | 8 | 1 | – |
| Fife | 88 | 89 | 101 | 104 | 110 | 127 | 169 | 226 | 250 | 230 | 177 | 77 | 28 | 4 | – | – |
| Kinross | 4 | 4 | 2 | 1 | 1 | 2 | 7 | 8 | 18 | 8 | 12 | 8 | 1 | – | – | – |
| Clackmannan | 10 | 12 | 11 | 16 | 10 | 12 | 21 | 24 | 27 | 27 | 13 | 10 | 2 | 2 | – | – |
| Stirling | 60 | 67 | 67 | 78 | 77 | 98 | 123 | 116 | 128 | 121 | 79 | 42 | 8 | 1 | – | 2 |
| Dumbarton | 48 | 46 | 58 | 73 | 78 | 80 | 91 | 89 | 92 | 78 | 57 | 26 | 10 | – | 1 | – |
| Argyll | 54 | 50 | 42 | 53 | 54 | 68 | 69 | 95 | 116 | 121 | 119 | 79 | 22 | 9 | 2 | 2 |
| Bute | 15 | 13 | 9 | 15 | 14 | 24 | 19 | 15 | 32 | 32 | 36 | 10 | 8 | 4 | – | – |
| Renfrew | 188 | 158 | 162 | 218 | 228 | 235 | 252 | 245 | 220 | 148 | 115 | 54 | 14 | 5 | – | – |
| Ayr | 116 | 134 | 128 | 150 | 146 | 171 | 242 | 217 | 270 | 232 | 186 | 98 | 20 | 6 | – | 2 |
| Lanark | 801 | 847 | 346 | 940 | 1044 | 1019 | 1106 | 992 | 889 | 640 | 369 | 186 | 56 | 2 | – | – |
| Linlithgow | 24 | 27 | 22 | 23 | 29 | 40 | 49 | 48 | 43 | 28 | 24 | 14 | 4 | – | – | 1 |
| Edinburgh | 282 | 329 | 313 | 408 | 395 | 381 | 477 | 439 | 477 | 367 | 282 | 126 | 38 | 6 | 1 | 1 |
| Haddington | 14 | 21 | 18 | 16 | 35 | 35 | 42 | 36 | 40 | 54 | 35 | 17 | 8 | 1 | – | 7 |
| Berwick | 13 | 18 | 14 | 14 | 13 | 18 | 28 | 35 | 44 | 49 | 29 | 12 | 8 | 1 | – | – |
| Peebles | 3 | 4 | 9 | 8 | 11 | 8 | 7 | 12 | 11 | 18 | 13 | 7 | 3 | 2 | – | – |
| Selkirk | 18 | 18 | 11 | 29 | 15 | 20 | 19 | 19 | 35 | 27 | 11 | 10 | – | 1 | – | – |
| Roxburgh | 31 | 25 | 23 | 26 | 26 | 40 | 50 | 57 | 68 | 58 | 47 | 21 | 7 | – | – | – |
| Dumfries | 44 | 61 | 42 | 63 | 59 | 57 | 83 | 118 | 128 | 115 | 82 | 40 | 20 | 2 | – | 1 |
| Kirkcudbright | 25 | 27 | 18 | 19 | 29 | 26 | 41 | 39 | 69 | 66 | 47 | 32 | 12 | 3 | – | – |
| Wigtown | 13 | 22 | 29 | 15 | 17 | 33 | 40 | 44 | 66 | 52 | 51 | 25 | 20 | 2 | 1 | 1 |

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1890.—BOTH SEXES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow (Burghal) | 483 | 525 | 524 | 593 | 610 | 590 | 618 | 550 | 447 | 291 | 165 | 85 | 20 | – | – | – |
| Glasgow (Landward and Suburban) | 163 | 155 | 152 | 167 | 194 | 196 | 214 | 212 | 217 | 164 | 79 | 27 | 9 | – | – | – |
| Edinburgh | 197 | 215 | 202 | 252 | 251 | 242 | 287 | 257 | 278 | 210 | 180 | 73 | 23 | 6 | 1 | 1 |
| Dundee | 106 | 112 | 105 | 158 | 196 | 166 | 171 | 156 | 162 | 97 | 68 | 28 | 9 | 2 | – | – |
| Aberdeen | 78 | 88 | 79 | 87 | 89 | 105 | 128 | 147 | 169 | 134 | 92 | 48 | 16 | 1 | – | – |
| Leith | 35 | 50 | 49 | 68 | 62 | 59 | 64 | 57 | 58 | 46 | 30 | 13 | 3 | – | – | – |
| Greenock | 59 | 51 | 38 | 56 | 70 | 55 | 71 | 60 | 42 | 39 | 19 | 16 | 4 | 1 | – | – |
| Paisley | 55 | 48 | 57 | 69 | 65 | 58 | 67 | 78 | 73 | 45 | 42 | 14 | 4 | 2 | – | – |
| Perth | 20 | 17 | 27 | 21 | 25 | 36 | 49 | 47 | 50 | 29 | 20 | 17 | 4 | – | – | – |
| Kilmarnock | 19 | 26 | 15 | 25 | 19 | 14 | 33 | 33 | 43 | 27 | 16 | 4 | 2 | – | – | – |

DEATHS at Different Ages in SCOTLAND during the YEAR 1890.—MALES.

| | MALE POPULATION. | | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | AGE UNDER | | | | | | | | | | | |
| | | | ALL AGES. | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | 1881. | 1891. | | 3 | 6 | 12 | | | | | | | | | |
| SCOTLAND | 1799475 | 1942717 | 39130 | 4409 | 1592 | 2784 | 3345 | 1333 | 834 | 578 | 1452 | 839 | 1246 | 1369 | 1150 |
| Principal Towns | 669189 | 756698 | 17594 | 2068 | 783 | 1431 | 1925 | 746 | 453 | 282 | 713 | 343 | 507 | 603 | 533 |
| Large Towns | 196370 | 228678 | 4654 | 572 | 222 | 376 | 392 | 151 | 97 | 77 | 148 | 111 | 165 | 160 | 138 |
| Small Towns | 377834 | 405239 | 7752 | 878 | 323 | 558 | 610 | 235 | 156 | 121 | 286 | 183 | 288 | 266 | 203 |
| Mainland-Rural | 494903 | 493346 | 8194 | 823 | 254 | 400 | 393 | 190 | 120 | 88 | 283 | 179 | 259 | 294 | 236 |
| Insular-Rural | 61179 | 58756 | 936 | 68 | 10 | 19 | 25 | 11 | 8 | 10 | 22 | 23 | 27 | 46 | 40 |
| Shetland | 12656 | 12190 | 215 | 17 | 1 | 6 | 6 | 2 | 1 | 1 | 4 | 5 | 4 | 12 | 10 |
| Orkney | 14982 | 14298 | 229 | 16 | 1 | 5 | 3 | 1 | 2 | – | 3 | 7 | 6 | 2 | 6 |
| Caithness | 18861 | 17879 | 357 | 30 | 14 | 8 | 17 | 5 | 3 | 3 | 8 | 7 | 9 | 14 | 16 |
| Sutherland | 10749 | 9988 | 175 | 15 | 6 | 5 | 3 | 3 | – | 1 | 6 | 5 | 8 | 8 | 7 |
| Ross & Cromarty | 37444 | 37248 | 628 | 57 | 15 | 30 | 30 | 14 | 7 | 6 | 17 | 9 | 18 | 23 | 14 |
| Inverness | 41911 | 41129 | 672 | 50 | 16 | 23 | 33 | 13 | 9 | 16 | 13 | 18 | 28 | 21 | 33 |
| Nairn | 4201 | 3982 | 69 | 8 | 3 | – | 1 | 3 | 1 | 1 | – | – | – | 1 | 2 |
| Elgin | 21337 | 21024 | 387 | 26 | 14 | 30 | 18 | 8 | 7 | 7 | 12 | 3 | 14 | 11 | 18 |
| Banff | 28372 | 29304 | 514 | 62 | 28 | 29 | 20 | 11 | 11 | 6 | 22 | 17 | 14 | 18 | 17 |
| Aberdeen | 128682 | 134290 | 2515 | 318 | 122 | 148 | 147 | 66 | 49 | 34 | 88 | 60 | 88 | 80 | 85 |
| Kincardine | 17399 | 18166 | 278 | 30 | 8 | 17 | 12 | 1 | 6 | 3 | 11 | 4 | 6 | 11 | 10 |
| Forfar | 121127 | 126447 | 2813 | 423 | 152 | 216 | 242 | 91 | 53 | 40 | 89 | 49 | 85 | 85 | 71 |
| Perth | 61963 | 60253 | 1163 | 93 | 36 | 54 | 68 | 30 | 20 | 9 | 45 | 25 | 48 | 40 | 29 |
| Fife | 80968 | 89260 | 1722 | 191 | 85 | 107 | 130 | 43 | 30 | 25 | 55 | 42 | 62 | 79 | 47 |
| Kinross | 3449 | 3184 | 65 | 11 | 1 | 1 | 3 | 2 | – | – | 2 | – | 3 | 3 | 1 |
| Clackmannan | 11397 | 12874 | 223 | 35 | 5 | 27 | 15 | 3 | 6 | 6 | 8 | 7 | 14 | 7 | 3 |
| Stirling | 53688 | 60247 | 1199 | 128 | 56 | 103 | 110 | 36 | 21 | 20 | 47 | 32 | 44 | 51 | 31 |
| Dumbarton | 38751 | 48683 | 970 | 111 | 37 | 94 | 99 | 48 | 18 | 19 | 34 | 20 | 31 | 35 | 25 |
| Argyll | 39974 | 38895 | 694 | 44 | 14 | 15 | 29 | 8 | 6 | 9 | 18 | 13 | 26 | 22 | 28 |
| Bute | 8090 | 8204 | 174 | 9 | 1 | 5 | 10 | 4 | 2 | 2 | 7 | 3 | 7 | 5 | 7 |
| Renfrew | 108763 | 116798 | 2456 | 240 | 82 | 170 | 245 | 93 | 55 | 49 | 118 | 69 | 79 | 107 | 54 |
| Ayr | 106868 | 111044 | 2118 | 232 | 74 | 137 | 154 | 76 | 47 | 33 | 85 | 60 | 85 | 72 | 59 |
| Lanark | 467293 | 544633 | 12041 | 1449 | 520 | 1030 | 1367 | 548 | 331 | 187 | 497 | 241 | 356 | 407 | 340 |
| Linlithgow | 22979 | 28258 | 475 | 73 | 18 | 44 | 56 | 27 | 13 | 5 | 19 | 7 | 11 | 18 | 11 |
| Edinburgh | 183769 | 205448 | 4425 | 486 | 188 | 358 | 402 | 141 | 100 | 72 | 162 | 81 | 123 | 135 | 156 |
| Haddington | 18812 | 18235 | 309 | 27 | 9 | 17 | 18 | 4 | 6 | 5 | 14 | 6 | 9 | 11 | 7 |
| Berwick | 16880 | 15396 | 213 | 22 | 9 | 9 | 4 | 5 | 5 | – | 11 | 4 | 5 | 5 | 8 |
| Peebles | 6562 | 6867 | 92 | 9 | 2 | 5 | 4 | 1 | 1 | 1 | 5 | 2 | 5 | 4 | 2 |
| Selkirk | 12524 | 13101 | 215 | 25 | 7 | 16 | 19 | 6 | 4 | 3 | 9 | 7 | 10 | 8 | 5 |
| Roxburgh | 25034 | 24616 | 419 | 42 | 23 | 23 | 28 | 14 | 2 | 2 | 10 | 7 | 12 | 24 | 11 |
| Dumfries | 36040 | 34900 | 689 | 61 | 21 | 32 | 26 | 13 | 9 | 5 | 19 | 13 | 17 | 20 | 24 |
| Kirkcudbright | 19886 | 18993 | 335 | 38 | 16 | 8 | 11 | 7 | 5 | 8 | 10 | 8 | 14 | 7 | 9 |
| Wigtown | 18064 | 16883 | 281 | 31 | 8 | 12 | 15 | 6 | 4 | – | 4 | 8 | 5 | 8 | 4 |

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1890.—MALES.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow (Burghal) | 248366 | 277798 | 6816 | 743 | 266 | 588 | 839 | 347 | 207 | 108 | 278 | 116 | 198 | 252 | 215 |
| Glasgow (Landward and Suburban) | 84994 | 109180 | 2820 | 289 | 120 | 195 | 249 | 99 | 57 | 32 | 108 | 55 | 61 | 78 | 49 |
| Edinburgh | 107006 | 119255 | 2699 | 274 | 118 | 203 | 255 | 79 | 60 | 33 | 104 | 52 | 70 | 91 | 117 |
| Dundee | 62347 | 69042 | 1715 | 281 | 99 | 152 | 191 | 73 | 39 | 29 | 63 | 28 | 46 | 47 | 38 |
| Aberdeen | 48231 | 56107 | 1234 | 177 | 64 | 86 | 85 | 38 | 24 | 14 | 38 | 28 | 41 | 38 | 48 |
| Leith | 30357 | 35039 | 726 | 90 | 43 | 75 | 78 | 28 | 18 | 23 | 30 | 14 | 24 | 19 | 17 |
| Greenock | 35589 | 31805 | 753 | 84 | 34 | 51 | 85 | 32 | 11 | 18 | 34 | 14 | 25 | 38 | 16 |
| Paisley | 25838 | 30679 | 674 | 56 | 20 | 40 | 69 | 23 | 21 | 12 | 40 | 22 | 18 | 25 | 15 |
| Perth | 13854 | 14122 | 344 | 33 | 13 | 20 | 37 | 9 | 6 | 6 | 8 | 10 | 12 | 8 | 6 |
| Kilmarnock | 12607 | 13671 | 313 | 41 | 6 | 21 | 37 | 18 | 10 | 7 | 10 | 4 | 12 | 7 | 12 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1890.—MALES.

| | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND . . | 1128 | 1263 | 1293 | 1540 | 1660 | 1637 | 1975 | 1898 | 1980 | 1707 | 1193 | 660 | 204 | 36 | 8 | 17 |
| Principal Towns . | 545 | 648 | 665 | 794 | 854 | 731 | 804 | 701 | 669 | 425 | 229 | 111 | 28 | 2 | – | 1 |
| Large Towns . . | 118 | 140 | 149 | 166 | 175 | 219 | 257 | 223 | 227 | 194 | 108 | 51 | 15 | 3 | – | – |
| Small Towns . . | 227 | 226 | 235 | 280 | 285 | 321 | 407 | 397 | 403 | 393 | 275 | 141 | 44 | 6 | 1 | 4 |
| Mainland-Rural . | 213 | 225 | 222 | 269 | 305 | 341 | 458 | 522 | 600 | 603 | 495 | 300 | 92 | 16 | 4 | 10 |
| Insular-Rural . . | 25 | 24 | 22 | 31 | 41 | 25 | 49 | 55 | 81 | 92 | 86 | 57 | 25 | 9 | 3 | 2 |
| Shetland . . . | 4 | 9 | 5 | 4 | 6 | 8 | 5 | 12 | 15 | 28 | 23 | 14 | 6 | 2 | – | – |
| Orkney . . . | 12 | 9 | 5 | 8 | 8 | 3 | 11 | 14 | 25 | 25 | 18 | 16 | 10 | – | 1 | 2 |
| Caithness . . | 17 | 11 | 9 | 7 | 15 | 15 | 18 | 22 | 37 | 24 | 24 | 15 | 4 | 4 | 1 | – |
| Sutherland . . | 7 | 8 | 3 | 7 | 6 | 4 | 7 | 14 | 12 | 14 | 17 | 7 | 2 | – | – | – |
| Ross and Cromarty . | 17 | 20 | 18 | 24 | 21 | 22 | 28 | 29 | 60 | 51 | 51 | 30 | 12 | 3 | 2 | – |
| Inverness . . | 16 | 13 | 17 | 19 | 28 | 30 | 41 | 44 | 53 | 49 | 49 | 23 | 10 | 5 | 2 | – |
| Nairn . . . | 2 | 3 | 3 | 1 | 4 | 2 | 7 | – | 9 | 8 | 4 | 6 | – | – | – | – |
| Elgin . . . | 12 | 14 | 11 | 6 | 15 | 15 | 21 | 25 | 28 | 23 | 27 | 14 | 6 | 1 | 1 | – |
| Banff . . . | 11 | 8 | 19 | 22 | 19 | 9 | 22 | 26 | 32 | 38 | 24 | 20 | 7 | 1 | – | 1 |
| Aberdeen . . | 59 | 76 | 69 | 87 | 75 | 112 | 124 | 143 | 156 | 156 | 99 | 55 | 17 | 2 | – | – |
| Kincardine . . | 8 | 10 | 6 | 6 | 9 | 9 | 9 | 18 | 24 | 33 | 11 | 9 | 5 | 2 | – | – |
| Forfar . . . | 63 | 73 | 68 | 105 | 135 | 110 | 145 | 151 | 126 | 118 | 77 | 36 | 10 | – | – | – |
| Perth . . . | 31 | 32 | 48 | 38 | 38 | 47 | 72 | 63 | 86 | 81 | 71 | 47 | 10 | 2 | – | – |
| Fife . . . . | 33 | 37 | 48 | 56 | 56 | 64 | 97 | 111 | 115 | 102 | 66 | 29 | 11 | 1 | – | – |
| Kinross . . . | 3 | 1 | – | – | 1 | 2 | 5 | 4 | 8 | 3 | 4 | 7 | – | – | – | – |
| Clackmannan . . | 6 | 7 | 3 | 7 | 7 | 4 | 10 | 12 | 14 | 10 | 2 | 3 | 1 | 1 | – | – |
| Stirling . . . | 28 | 32 | 39 | 42 | 35 | 50 | 67 | 52 | 58 | 61 | 32 | 18 | 3 | 1 | – | 2 |
| Dumbarton . . | 25 | 23 | 32 | 37 | 37 | 44 | 41 | 43 | 38 | 37 | 25 | 11 | 6 | – | – | – |
| Argyll . . . | 27 | 30 | 24 | 24 | 25 | 35 | 38 | 44 | 59 | 54 | 50 | 38 | 8 | 3 | 1 | 2 |
| Bute . . . . | 9 | 7 | 5 | 8 | 8 | 8 | 11 | 9 | 14 | 11 | 14 | 4 | 3 | 1 | – | – |
| Renfrew . . . | 82 | 86 | 92 | 128 | 128 | 124 | 112 | 108 | 92 | 70 | 48 | 22 | 2 | 1 | – | – |
| Ayr . . . . | 54 | 61 | 67 | 88 | 69 | 78 | 142 | 109 | 113 | 92 | 76 | 42 | 10 | 2 | – | 1 |
| Lanark . . . | 377 | 436 | 458 | 499 | 587 | 524 | 536 | 450 | 408 | 264 | 134 | 74 | 21 | – | – | – |
| Linlithgow . . | 12 | 13 | 10 | 12 | 14 | 22 | 23 | 22 | 14 | 14 | 10 | 6 | 1 | – | – | – |
| Edinburgh . . | 135 | 163 | 166 | 230 | 218 | 173 | 243 | 194 | 194 | 140 | 100 | 48 | 14 | 2 | – | 1 |
| Haddington . . | 11 | 6 | 8 | 9 | 19 | 16 | 20 | 20 | 17 | 22 | 13 | 4 | 4 | – | – | 7 |
| Berwick . . . | 8 | 5 | 4 | 3 | 5 | 11 | 11 | 20 | 15 | 26 | 11 | 5 | 1 | 1 | – | – |
| Peebles . . . | – | 2 | 4 | 3 | 4 | 5 | 3 | 7 | 4 | 9 | 7 | 2 | 1 | – | – | – |
| Selkirk . . . | 6 | 4 | 8 | 8 | 9 | 10 | 7 | 5 | 18 | 13 | 5 | 3 | – | – | – | – |
| Roxburgh . . . | 14 | 9 | 10 | 8 | 8 | 23 | 21 | 31 | 33 | 28 | 24 | 10 | 2 | – | – | – |
| Dumfries . . . | 20 | 35 | 16 | 27 | 32 | 30 | 40 | 57 | 56 | 51 | 38 | 19 | 8 | – | – | – |
| Kirkcudbright . . | 12 | 12 | 8 | 8 | 11 | 9 | 20 | 19 | 27 | 29 | 22 | 13 | 4 | – | – | – |
| Wigtown . . . | 7 | 8 | 10 | 9 | 8 | 19 | 18 | 20 | 20 | 23 | 17 | 10 | 5 | 1 | – | 1 |

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1890.—MALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow (Burghal) . | 237 | 276 | 283 | 312 | 328 | 293 | 282 | 242 | 202 | 116 | 51 | 30 | 7 | – | – | – |
| Glasgow (Landward and Suburban) . . | 68 | 83 | 79 | 83 | 116 | 100 | 103 | 91 | 103 | 65 | 23 | 11 | 3 | – | – | – |
| Edinburgh . . . | 95 | 110 | 115 | 139 | 150 | 105 | 146 | 107 | 107 | 68 | 62 | 28 | 8 | 2 | – | 1 |
| Dundee . . . | 31 | 40 | 41 | 72 | 97 | 64 | 76 | 73 | 61 | 38 | 25 | 10 | 1 | – | – | – |
| Aberdeen . . . | 29 | 35 | 39 | 49 | 40 | 60 | 65 | 66 | 74 | 57 | 23 | 11 | 5 | – | – | – |
| Leith . . . | 17 | 25 | 23 | 37 | 27 | 24 | 28 | 25 | 30 | 18 | 8 | 5 | – | – | – | – |
| Greenock . . . | 29 | 35 | 28 | 33 | 37 | 33 | 35 | 30 | 17 | 21 | 7 | 6 | – | – | – | – |
| Paisley . . . | 20 | 22 | 30 | 42 | 38 | 30 | 29 | 32 | 29 | 21 | 16 | 4 | – | – | – | – |
| Perth . . . | 12 | 9 | 19 | 11 | 12 | 16 | 24 | 18 | 25 | 14 | 8 | 5 | 3 | – | – | – |
| Kilmarnock . . | 7 | 13 | 8 | 16 | 9 | 6 | 16 | 17 | 21 | 7 | 6 | 1 | 1 | – | – | – |

DEATHS at Different Ages in SCOTLAND during the YEAR 1890.—FEMALES.

| | FEMALE POPULATION. | | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | AGE UNDER | | | | | | | | | | | |
| | | | ALL | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | 1881. | 1891. | AGES. | 3 | 6 | 12 | | | | | | | | | |
| SCOTLAND . | 1936098 | 2082930 | 39874 | 3348 | 1327 | 2417 | 3105 | 1285 | 794 | 578 | 1434 | 935 | 1149 | 1339 | 1408 |
| Principal Towns | 740071 | 833612 | 17668 | 1519 | 649 | 1267 | 1733 | 712 | 452 | 299 | 689 | 373 | 508 | 625 | 637 |
| Large Towns . | 207932 | 239194 | 4777 | 470 | 172 | 324 | 405 | 171 | 77 | 67 | 186 | 120 | 138 | 161 | 175 |
| Small Towns . | 406820 | 435100 | 7905 | 696 | 260 | 444 | 541 | 224 | 139 | 100 | 264 | 225 | 247 | 265 | 266 |
| Mainland-Rural | 512066 | 507828 | 8484 | 604 | 238 | 369 | 397 | 163 | 117 | 96 | 275 | 203 | 231 | 265 | 284 |
| Insular-Rural . | 69209 | 67196 | 1040 | 59 | 8 | 13 | 29 | 15 | 9 | 11 | 20 | 14 | 25 | 23 | 46 |
| Shetland . . | 17049 | 16521 | 262 | 9 | 2 | 3 | 7 | 4 | 2 | 3 | 4 | 1 | 4 | 5 | 21 |
| Orkney . . | 17062 | 16155 | 273 | 12 | – | 3 | 2 | 1 | 1 | 2 | 7 | 1 | 7 | 5 | 13 |
| Caithness . | 20998 | 20191 | 376 | 27 | 13 | 8 | 12 | 3 | 2 | 1 | 8 | 12 | 9 | 13 | 11 |
| Sutherland . | 11627 | 11015 | 203 | 11 | 2 | 6 | 7 | 1 | – | 2 | 9 | 7 | 6 | 5 | 6 |
| Ross & Cromarty | 42023 | 41392 | 671 | 29 | 8 | 24 | 28 | 14 | 10 | 5 | 15 | 12 | 14 | 16 | 17 |
| Inverness . | 44478 | 44067 | 752 | 55 | 12 | 18 | 40 | 11 | 8 | 10 | 17 | 9 | 17 | 18 | 19 |
| Nairn . . | 4646 | 4572 | 73 | 8 | 1 | 1 | 2 | 1 | – | – | 2 | 1 | 1 | 3 | 5 |
| Elgin . . | 23771 | 23805 | 431 | 46 | 20 | 24 | 14 | 17 | 6 | 4 | 10 | 8 | 9 | 8 | 14 |
| Banff . . | 31411 | 31905 | 541 | 44 | 26 | 33 | 22 | 18 | 8 | 10 | 14 | 18 | 18 | 14 | 21 |
| Aberdeen . | 140365 | 147674 | 2690 | 227 | 108 | 167 | 160 | 66 | 39 | 34 | 86 | 58 | 83 | 113 | 104 |
| Kincardine . | 18066 | 18858 | 278 | 15 | 7 | 13 | 5 | 4 | – | 3 | 7 | 5 | 7 | 11 | 10 |
| Forfar . . | 147526 | 153651 | 3184 | 297 | 117 | 216 | 224 | 84 | 55 | 39 | 102 | 83 | 85 | 110 | 106 |
| Perth . . | 68319 | 67642 | 1198 | 46 | 23 | 32 | 40 | 26 | 22 | 16 | 33 | 38 | 36 | 46 | 42 |
| Fife. . . | 91163 | 98341 | 1758 | 141 | 62 | 103 | 130 | 49 | 28 | 23 | 66 | 37 | 61 | 51 | 53 |
| Kinross . . | 3881 | 3541 | 59 | 8 | 1 | 4 | 2 | 1 | – | 1 | 1 | – | 1 | 2 | – |
| Clackmannan . | 12628 | 13842 | 233 | 26 | 12 | 10 | 12 | 8 | 5 | 3 | 8 | 7 | 7 | 10 | 15 |
| Stirling . . | 53195 | 58882 | 1187 | 99 | 42 | 86 | 134 | 44 | 26 | 19 | 57 | 36 | 28 | 31 | 38 |
| Dumbarton . | 39431 | 49331 | 913 | 75 | 39 | 54 | 107 | 36 | 25 | 15 | 28 | 21 | 25 | 33 | 36 |
| Argyll . . | 40787 | 40415 | 666 | 33 | 8 | 18 | 15 | 7 | 1 | 2 | 16 | 21 | 16 | 15 | 21 |
| Bute . . | 9544 | 10183 | 196 | 7 | 4 | 4 | 12 | 1 | 5 | 2 | 6 | 2 | 7 | 4 | 8 |
| Renfrew . . | 116848 | 128349 | 2405 | 216 | 87 | 154 | 188 | 82 | 55 | 36 | 96 | 64 | 89 | 90 | 101 |
| Ayr. . . | 110762 | 115359 | 2123 | 194 | 68 | 123 | 147 | 80 | 29 | 35 | 89 | 41 | 62 | 72 | 69 |
| Lanark . . | 474913 | 547070 | 11485 | 1072 | 415 | 866 | 1268 | 485 | 323 | 205 | 471 | 273 | 338 | 407 | 393 |
| Linlithgow . | 21026 | 25183 | 476 | 51 | 28 | 43 | 49 | 13 | 8 | 11 | 19 | 10 | 11 | 12 | 18 |
| Edinburgh . | 205067 | 228198 | 4483 | 358 | 147 | 276 | 373 | 172 | 102 | 66 | 179 | 92 | 115 | 142 | 160 |
| Haddington . | 19698 | 19265 | 314 | 23 | 8 | 15 | 10 | 8 | 5 | 2 | 8 | 9 | 4 | 7 | 12 |
| Berwick . . | 18393 | 16915 | 262 | 24 | 4 | 7 | 2 | 1 | 4 | 3 | 7 | 10 | 12 | 11 | 12 |
| Peebles . . | 7126 | 7787 | 106 | 6 | 7 | 2 | 3 | 1 | 1 | – | 2 | 4 | 5 | 6 | 4 |
| Selkirk . . | 13822 | 14967 | 259 | 26 | 5 | 19 | 12 | 10 | 2 | 1 | 12 | 9 | 10 | 6 | 10 |
| Roxburgh . | 27558 | 28338 | 457 | 46 | 11 | 26 | 19 | 11 | 3 | 4 | 16 | 10 | 15 | 21 | 17 |
| Dumfries. . | 40127 | 39349 | 780 | 62 | 19 | 36 | 20 | 14 | 10 | 5 | 25 | 13 | 23 | 30 | 31 |
| Kirkcudbright | 22404 | 21170 | 394 | 29 | 11 | 9 | 17 | 8 | 4 | 6 | 7 | 10 | 10 | 13 | 12 |
| Wigtown . | 20384 | 18997 | 386 | 26 | 10 | 14 | 22 | 4 | 5 | 5 | 7 | 6 | 14 | 9 | 9 |

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1890.—FEMALES.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow (Burghal). | 263049 | 288041 | 6558 | 582 | 225 | 476 | 766 | 304 | 205 | 115 | 260 | 130 | 185 | 241 | 227 |
| Glasgow (Landward and Suburban) | 89579 | 117938 | 2263 | 202 | 91 | 184 | 233 | 85 | 55 | 47 | 85 | 53 | 64 | 69 | 74 |
| Edinburgh . | 127396 | 141970 | 2724 | 188 | 83 | 166 | 224 | 109 | 64 | 44 | 99 | 52 | 68 | 89 | 106 |
| Dundee . . | 80108 | 86633 | 1973 | 208 | 88 | 166 | 175 | 64 | 38 | 28 | 65 | 44 | 55 | 59 | 76 |
| Aberdeen . | 56845 | 65788 | 1369 | 105 | 58 | 99 | 88 | 38 | 22 | 19 | 46 | 29 | 38 | 61 | 58 |
| Leith . . | 30486 | 34846 | 791 | 75 | 37 | 61 | 86 | 35 | 22 | 11 | 46 | 21 | 20 | 28 | 22 |
| Greenock . | 33649 | 32514 | 666 | 66 | 24 | 44 | 73 | 28 | 22 | 7 | 31 | 18 | 26 | 30 | 27 |
| Paisley . | 29800 | 35746 | 681 | 45 | 26 | 37 | 40 | 20 | 12 | 13 | 29 | 15 | 29 | 23 | 28 |
| Perth . . | 15902 | 16646 | 337 | 18 | 9 | 12 | 19 | 16 | 7 | 6 | 12 | 10 | 14 | 17 | 11 |
| Kilmarnock . | 13257 | 14297 | 306 | 30 | 8 | 22 | 29 | 13 | 5 | 9 | 16 | 1 | 9 | 8 | 8 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1890.—FEMALES.

| | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND | 1337 | 1352 | 1232 | 1416 | 1514 | 1695 | 2065 | 2158 | 2541 | 2231 | 1757 | 984 | 385 | 83 | 12 | 3 |
| Principal Towns | 670 | 639 | 583 | 702 | 727 | 790 | 898 | 896 | 870 | 657 | 482 | 214 | 66 | 10 | 1 | – |
| Large Towns | 144 | 156 | 148 | 172 | 171 | 207 | 244 | 253 | 292 | 238 | 149 | 95 | 35 | 6 | 1 | – |
| Small Towns | 237 | 263 | 204 | 267 | 315 | 338 | 414 | 435 | 524 | 527 | 395 | 215 | 81 | 15 | 1 | 3 |
| Mainland-Rural | 261 | 267 | 271 | 236 | 272 | 326 | 455 | 495 | 752 | 690 | 618 | 388 | 167 | 38 | 6 | – |
| Insular-Rural | 25 | 27 | 26 | 39 | 29 | 34 | 54 | 74 | 103 | 119 | 113 | 72 | 36 | 14 | 3 | – |
| Shetland | 8 | 9 | 6 | 9 | 10 | 4 | 13 | 15 | 26 | 29 | 24 | 22 | 14 | 3 | 1 | – |
| Orkney | 6 | 7 | 9 | 10 | 5 | 10 | 18 | 25 | 29 | 38 | 34 | 15 | 10 | – | – | – |
| Caithness | 13 | 11 | 9 | 15 | 17 | 15 | 23 | 21 | 28 | 33 | 31 | 28 | 10 | 3 | – | – |
| Sutherland | 8 | 9 | 6 | 3 | 6 | 9 | 16 | 12 | 17 | 12 | 19 | 14 | 8 | 2 | – | – |
| Ross and Cromarty | 20 | 21 | 12 | 18 | 27 | 26 | 34 | 51 | 65 | 72 | 62 | 43 | 16 | 9 | 3 | – |
| Inverness | 19 | 16 | 23 | 26 | 23 | 35 | 45 | 40 | 71 | 80 | 58 | 43 | 27 | 9 | 3 | – |
| Nairn | 2 | 3 | – | 4 | 2 | 2 | 5 | 10 | 2 | 4 | 4 | 6 | 2 | 2 | – | – |
| Elgin | 16 | 18 | 11 | 14 | 13 | 12 | 17 | 23 | 36 | 39 | 20 | 24 | 8 | – | – | – |
| Banff | 24 | 18 | 13 | 13 | 15 | 13 | 29 | 23 | 43 | 44 | 26 | 15 | 14 | 5 | – | – |
| Aberdeen | 84 | 90 | 81 | 63 | 78 | 100 | 132 | 149 | 195 | 188 | 160 | 86 | 36 | 3 | – | – |
| Kincardine | 8 | 13 | 15 | 9 | 10 | 17 | 11 | 16 | 22 | 21 | 25 | 18 | 6 | – | – | – |
| Forfar | 113 | 109 | 101 | 127 | 147 | 161 | 169 | 169 | 189 | 158 | 125 | 67 | 26 | 5 | – | – |
| Perth | 34 | 33 | 33 | 42 | 51 | 48 | 88 | 71 | 112 | 101 | 83 | 77 | 18 | 6 | 1 | – |
| Fife | 55 | 52 | 53 | 48 | 54 | 63 | 72 | 115 | 135 | 128 | 111 | 48 | 17 | 3 | – | – |
| Kinross | 1 | 3 | 2 | 1 | – | – | 2 | 4 | 10 | 5 | 8 | 1 | 1 | – | – | – |
| Clackmannan | 4 | 5 | 8 | 9 | 3 | 8 | 11 | 12 | 13 | 17 | 11 | 7 | 1 | 1 | – | – |
| Stirling | 32 | 35 | 28 | 36 | 42 | 48 | 56 | 64 | 70 | 60 | 47 | 24 | 5 | – | – | – |
| Dumbarton | 28 | 23 | 26 | 36 | 41 | 36 | 50 | 37 | 54 | 41 | 32 | 15 | 4 | – | 1 | – |
| Argyll | 27 | 20 | 18 | 29 | 29 | 33 | 31 | 51 | 57 | 67 | 69 | 41 | 14 | 6 | 1 | – |
| Bute | 6 | 6 | 4 | 7 | 6 | 16 | 8 | 6 | 18 | 21 | 22 | 6 | 5 | 3 | – | – |
| Renfrew | 106 | 72 | 70 | 90 | 100 | 111 | 140 | 137 | 128 | 78 | 67 | 32 | 12 | 4 | – | – |
| Ayr | 82 | 73 | 61 | 62 | 77 | 93 | 100 | 108 | 157 | 140 | 110 | 56 | 10 | 4 | – | 1 |
| Lanark | 424 | 411 | 388 | 441 | 457 | 495 | 570 | 542 | 481 | 376 | 235 | 112 | 35 | 2 | – | – |
| Linlithgow | 12 | 14 | 12 | 11 | 15 | 18 | 26 | 26 | 29 | 14 | 14 | 8 | 3 | – | – | 1 |
| Edinburgh | 147 | 166 | 147 | 178 | 177 | 208 | 234 | 245 | 283 | 227 | 182 | 78 | 24 | 4 | 1 | – |
| Haddington | 3 | 15 | 10 | 7 | 16 | 19 | 22 | 16 | 23 | 32 | 22 | 13 | 4 | 1 | – | – |
| Berwick | 5 | 13 | 10 | 11 | 8 | 7 | 12 | 15 | 29 | 23 | 18 | 7 | 7 | – | – | – |
| Peebles | 3 | 2 | 5 | 5 | 7 | 3 | 4 | 5 | 7 | 9 | 6 | 5 | 2 | 2 | – | – |
| Selkirk | 12 | 14 | 3 | 21 | 6 | 10 | 12 | 14 | 17 | 14 | 6 | 7 | – | 1 | – | – |
| Roxburgh | 17 | 16 | 13 | 18 | 18 | 17 | 29 | 26 | 35 | 30 | 23 | 11 | 5 | – | – | – |
| Dumfries | 24 | 26 | 26 | 36 | 27 | 27 | 43 | 61 | 72 | 64 | 44 | 21 | 18 | 2 | – | 1 |
| Kirkcudbright | 13 | 15 | 10 | 11 | 18 | 17 | 21 | 20 | 42 | 37 | 25 | 19 | 8 | 2 | – | – |
| Wigtown | 6 | 14 | 19 | 6 | 9 | 14 | 22 | 24 | 46 | 29 | 34 | 15 | 15 | 1 | 1 | – |

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1890.—FEMALES.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow (Burghal) | 246 | 249 | 241 | 281 | 282 | 297 | 336 | 308 | 245 | 175 | 114 | 55 | 13 | – | – | – |
| Glasgow (Landward and Suburban) | 95 | 72 | 73 | 84 | 78 | 96 | 111 | 121 | 114 | 99 | 56 | 16 | 6 | – | – | – |
| Edinburgh | 102 | 105 | 87 | 113 | 101 | 137 | 141 | 150 | 171 | 142 | 118 | 45 | 15 | 4 | 1 | – |
| Dundee | 75 | 72 | 64 | 86 | 99 | 102 | 95 | 83 | 101 | 59 | 43 | 18 | 8 | 2 | – | – |
| Aberdeen | 49 | 53 | 40 | 38 | 49 | 45 | 63 | 81 | 95 | 77 | 69 | 37 | 11 | 1 | – | – |
| Leith | 18 | 25 | 26 | 31 | 35 | 35 | 36 | 32 | 28 | 28 | 22 | 8 | 3 | – | – | – |
| Greenock | 30 | 16 | 10 | 23 | 33 | 22 | 36 | 30 | 25 | 18 | 12 | 10 | 4 | 1 | – | – |
| Paisley | 35 | 26 | 27 | 27 | 27 | 28 | 38 | 46 | 44 | 24 | 26 | 10 | 4 | 2 | – | – |
| Perth | 8 | 8 | 8 | 10 | 13 | 20 | 25 | 29 | 25 | 15 | 12 | 12 | 1 | – | – | – |
| Kilmarnock | 12 | 13 | 7 | 9 | 10 | 8 | 17 | 16 | 22 | 20 | 10 | 3 | 1 | – | – | – |

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1890.—BOTH SEXES.

| | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Inverness | 483 | 26 | 12 | 24 | 46 | 15 | 9 | 7 | 13 | 6 | 21 | 10 | 21 |
| Peterhead | 313 | 40 | 27 | 25 | 24 | 14 | 11 | 5 | 14 | 8 | 5 | 9 | 13 |
| Arbroath | 502 | 45 | 28 | 32 | 21 | 10 | 3 | 3 | 11 | 9 | 15 | 15 | 16 |
| Forfar | 256 | 21 | 9 | 6 | 12 | 3 | 4 | 2 | 5 | 10 | 11 | 12 | 10 |
| Montrose | 343 | 40 | 13 | 22 | 17 | 5 | 7 | 3 | 11 | 6 | 9 | 12 | 7 |
| Dunfermline | 514 | 38 | 29 | 31 | 43 | 19 | 12 | 10 | 13 | 10 | 20 | 19 | 15 |
| Dysart | 261 | 30 | 12 | 21 | 28 | 5 | 3 | 1 | 10 | 11 | 5 | 13 | 6 |
| Kirkcaldy and Abbotshall | 331 | 42 | 11 | 28 | 27 | 7 | 6 | 2 | 11 | 12 | 15 | 6 | 10 |
| Alloa | 238 | 29 | 12 | 21 | 15 | 10 | 3 | 2 | 11 | 5 | 4 | 11 | 10 |
| Falkirk | 396 | 38 | 14 | 47 | 59 | 18 | 8 | 5 | 13 | 10 | 6 | 17 | 11 |
| Stirling | 323 | 36 | 7 | 13 | 19 | 6 | 5 | 13 | 14 | 4 | 9 | 11 | 9 |
| Dumbarton | 423 | 46 | 20 | 45 | 59 | 25 | 8 | 10 | 10 | 8 | 14 | 8 | 10 |
| Port-Glasgow | 318 | 41 | 10 | 45 | 41 | 9 | 8 | 9 | 15 | 6 | 6 | 11 | 13 |
| Ayr | 542 | 48 | 21 | 23 | 22 | 18 | 10 | 7 | 21 | 16 | 20 | 19 | 25 |
| Cambusnethan | 352 | 42 | 11 | 20 | 23 | 11 | 5 | 5 | 17 | 7 | 15 | 20 | 13 |
| Dalziel | 456 | 63 | 24 | 37 | 49 | 19 | 11 | 13 | 21 | 11 | 12 | 14 | 14 |
| Hamilton | 563 | 66 | 16 | 47 | 52 | 22 | 11 | 7 | 22 | 13 | 21 | 21 | 19 |
| Airdrie | 519 | 82 | 30 | 39 | 63 | 23 | 11 | 6 | 21 | 11 | 20 | 21 | 18 |
| Coatbridge | 614 | 81 | 32 | 60 | 53 | 19 | 17 | 11 | 23 | 23 | 19 | 19 | 22 |
| Rutherglen | 375 | 43 | 18 | 35 | 41 | 25 | 7 | 10 | 16 | 18 | 9 | 4 | 10 |
| Galashiels | 320 | 36 | 9 | 25 | 25 | 11 | 5 | 3 | 16 | 11 | 17 | 11 | 10 |
| Hawick | 388 | 49 | 11 | 25 | 33 | 17 | 2 | 5 | 15 | 6 | 13 | 22 | 7 |
| Dumfries | 601 | 60 | 18 | 29 | 25 | 11 | 8 | 5 | 11 | 10 | 17 | 16 | 24 |

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1890.—BOTH SEXES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 86 | 3 | 1 | 2 | 1 | 2 | 1 | 2 | – | 2 | 4 | 2 | 5 |
| Orkney | 94 | 9 | 1 | 7 | 1 | – | 1 | 1 | 4 | 2 | 2 | 3 | 3 |
| Caithness | 358 | 35 | 18 | 13 | 22 | 5 | 2 | 3 | 14 | 12 | 15 | 14 | 14 |
| Ross and Cromarty | 223 | 21 | 3 | 20 | 24 | 11 | 5 | 5 | 8 | 6 | 4 | 7 | 8 |
| Nairn | 95 | 12 | 4 | 1 | 2 | 4 | 1 | 1 | 1 | 1 | - | 3 | 5 |
| Elgin | 404 | 39 | 20 | 27 | 23 | 16 | 8 | 4 | 10 | 8 | 11 | 12 | 12 |
| Banff | 534 | 50 | 28 | 36 | 31 | 14 | 12 | 9 | 23 | 21 | 18 | 20 | 20 |
| Aberdeen | 435 | 55 | 20 | 29 | 24 | 6 | 4 | 7 | 11 | 7 | 17 | 15 | 7 |
| Kincardine | 125 | 11 | 3 | 7 | 5 | 1 | 2 | – | 2 | 2 | 2 | 3 | 3 |
| Forfar | 610 | 71 | 16 | 35 | 32 | 13 | 9 | 6 | 16 | 21 | 21 | 20 | 16 |
| Perth | 521 | 35 | 20 | 12 | 17 | 7 | 10 | 3 | 14 | 13 | 24 | 22 | 21 |
| Fife | 1288 | 127 | 59 | 83 | 108 | 37 | 22 | 24 | 56 | 29 | 45 | 49 | 41 |
| Clackmannan | 136 | 17 | 2 | 8 | 8 | 1 | 5 | 5 | 3 | 7 | 10 | 4 | 6 |
| Stirling | 895 | 80 | 37 | 69 | 99 | 30 | 17 | 9 | 35 | 30 | 30 | 26 | 23 |
| Dumbarton | 986 | 85 | 40 | 62 | 91 | 39 | 21 | 15 | 35 | 26 | 29 | 38 | 31 |
| Argyll | 435 | 32 | 12 | 15 | 23 | 5 | 2 | 7 | 10 | 12 | 13 | 12 | 8 |
| Bute | 215 | 8 | 4 | 8 | 18 | 3 | 4 | 2 | 8 | 5 | 8 | 3 | 8 |
| Renfrew | 976 | 94 | 29 | 70 | 77 | 44 | 27 | 12 | 31 | 21 | 36 | 41 | 29 |
| Ayr | 1995 | 188 | 65 | 127 | 134 | 72 | 34 | 31 | 79 | 55 | 71 | 76 | 55 |
| Lanark | 2127 | 273 | 86 | 170 | 214 | 63 | 48 | 32 | 91 | 59 | 79 | 63 | 62 |
| Linlithgow | 677 | 92 | 29 | 66 | 78 | 31 | 18 | 10 | 29 | 15 | 18 | 20 | 18 |
| Edinburgh | 941 | 108 | 30 | 69 | 58 | 27 | 22 | 17 | 30 | 21 | 29 | 25 | 26 |
| Haddington | 343 | 34 | 10 | 18 | 15 | 5 | 7 | 4 | 12 | 7 | 7 | 8 | 9 |
| Berwick | 100 | 12 | 3 | 3 | 5 | 1 | 1 | 1 | 3 | 2 | 4 | 1 | 4 |
| Peebles | 134 | 12 | 6 | 5 | 6 | 2 | 1 | – | 6 | 5 | 8 | 7 | 4 |
| Selkirk | 129 | 11 | 1 | 9 | 5 | 5 | 1 | 1 | 5 | 5 | 3 | 3 | 5 |
| Roxburgh | 155 | 9 | 14 | 10 | 4 | 4 | – | 1 | 3 | 3 | 2 | 11 | 4 |
| Dumfries | 228 | 18 | 2 | 10 | 4 | 5 | 3 | 2 | 5 | 5 | 6 | 10 | 8 |
| Kirkcudbright | 210 | 15 | 12 | 2 | 9 | 5 | 1 | 5 | 6 | 2 | 13 | 6 | 10 |
| Wigtown | 202 | 18 | 8 | 9 | 13 | 1 | 6 | 2 | – | 4 | 6 | 7 | 4 |

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1890.—BOTH SEXES.

| | BOTH SEXES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Inverness | 13 | 10 | 16 | 19 | 14 | 25 | 35 | 23 | 46 | 25 | 19 | 14 | 10 | 1 | 1 | – |
| Peterhead | 6 | 8 | 10 | 6 | 5 | 9 | 19 | 11 | 15 | 13 | 8 | 5 | 2 | 1 | – | – |
| Arbroath | 23 | 14 | 12 | 18 | 21 | 23 | 34 | 46 | 40 | 30 | 17 | 9 | 7 | – | – | – |
| Forfar | 5 | 12 | 8 | 12 | 9 | 10 | 18 | 18 | 11 | 23 | 11 | 12 | 2 | – | – | – |
| Montrose | 10 | 9 | 6 | 12 | 11 | 20 | 20 | 18 | 18 | 32 | 22 | 9 | 3 | 1 | – | – |
| Dunfermline | 8 | 13 | 17 | 16 | 20 | 21 | 19 | 40 | 34 | 34 | 21 | 9 | 3 | – | – | – |
| Dysart | 5 | 6 | 11 | 5 | 7 | 9 | 14 | 17 | 18 | 12 | 8 | 4 | – | – | – | – |
| Kirkcaldy & Abbotshall | 9 | 8 | 6 | 14 | 19 | 13 | 20 | 14 | 17 | 13 | 15 | 3 | 1 | 2 | – | – |
| Alloa | 5 | 9 | 9 | 10 | 4 | 4 | 8 | 13 | 12 | 16 | 6 | 6 | 1 | 2 | – | – |
| Falkirk | 4 | 8 | 12 | 18 | 12 | 8 | 20 | 18 | 21 | 18 | 9 | 2 | – | – | – | – |
| Stirling | 5 | 12 | 6 | 10 | 11 | 25 | 23 | 23 | 21 | 25 | 11 | 4 | – | 1 | – | – |
| Dumbarton | 13 | 8 | 15 | 12 | 14 | 14 | 24 | 11 | 25 | 12 | 8 | 3 | 1 | – | – | – |
| Port-Glasgow | 6 | 10 | 10 | 11 | 16 | 19 | 9 | 8 | 8 | 4 | 1 | 1 | 1 | – | – | – |
| Ayr | 19 | 20 | 22 | 20 | 17 | 26 | 35 | 34 | 30 | 25 | 23 | 16 | 5 | – | – | – |
| Cambusnethan | 10 | 18 | 12 | 11 | 21 | 17 | 20 | 21 | 14 | 9 | 8 | 1 | 1 | – | – | – |
| Dalziel | 14 | 9 | 11 | 17 | 18 | 21 | 16 | 19 | 26 | 10 | 4 | 3 | – | – | – | – |
| Hamilton | 20 | 15 | 17 | 17 | 26 | 24 | 34 | 28 | 25 | 15 | 12 | 11 | 2 | – | – | – |
| Airdrie | 7 | 13 | 19 | 21 | 24 | 28 | 21 | 9 | 13 | 11 | 7 | – | 1 | – | – | – |
| Coatbridge | 18 | 22 | 24 | 21 | 19 | 36 | 25 | 18 | 16 | 18 | 9 | 8 | 1 | – | – | – |
| Rutherglen | 10 | 14 | 11 | 10 | 14 | 17 | 19 | 14 | 8 | 10 | 5 | 4 | 3 | – | – | – |
| Galashiels | 12 | 10 | 7 | 18 | 9 | 12 | 13 | 13 | 20 | 16 | 4 | 6 | – | 1 | – | – |
| Hawick | 17 | 10 | 10 | 11 | 6 | 21 | 22 | 19 | 28 | 23 | 10 | 5 | 1 | – | – | – |
| Dumfries | 21 | 38 | 26 | 29 | 29 | 24 | 33 | 41 | 53 | 38 | 19 | 11 | 5 | – | – | – |

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1890.—BOTH SEXES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 3 | 6 | 5 | 3 | 2 | 2 | 1 | 1 | 11 | 6 | 13 | 2 | 3 | – | – | – |
| Orkney | 7 | 4 | 3 | 2 | 1 | 3 | 3 | 7 | 9 | 11 | 6 | 1 | 3 | – | – | – |
| Caithness | 14 | 7 | 9 | 12 | 16 | 16 | 23 | 17 | 23 | 21 | 21 | 9 | 2 | 1 | – | – |
| Ross and Cromarty | 8 | 5 | 1 | 2 | 7 | 8 | 5 | 9 | 18 | 20 | 7 | 5 | 4 | 2 | – | – |
| Nairn | 3 | 4 | 2 | 4 | 3 | 2 | 7 | 7 | 7 | 7 | 7 | 5 | 1 | 1 | – | – |
| Elgin | 16 | 18 | 7 | 9 | 14 | 10 | 21 | 24 | 28 | 24 | 19 | 16 | 7 | – | 1 | – |
| Banff | 17 | 11 | 16 | 13 | 15 | 13 | 26 | 26 | 36 | 34 | 21 | 17 | 6 | 1 | – | – |
| Aberdeen | 15 | 14 | 8 | 12 | 9 | 15 | 19 | 29 | 28 | 43 | 25 | 11 | 4 | 1 | – | – |
| Kincardine | 2 | 5 | 1 | 4 | 5 | 7 | 7 | 9 | 8 | 14 | 13 | 6 | 1 | 2 | – | – |
| Forfar | 12 | 12 | 16 | 12 | 20 | 27 | 31 | 43 | 39 | 56 | 41 | 18 | 6 | 1 | – | – |
| Perth | 16 | 15 | 20 | 19 | 28 | 18 | 36 | 25 | 46 | 37 | 38 | 17 | 8 | – | – | – |
| Fife | 39 | 40 | 32 | 38 | 30 | 54 | 49 | 73 | 80 | 77 | 54 | 30 | 10 | 2 | – | – |
| Clackmannan | 3 | 3 | 1 | 4 | 1 | 4 | 9 | 6 | 12 | 9 | 3 | 4 | 1 | – | – | – |
| Stirling | 29 | 31 | 31 | 34 | 26 | 38 | 46 | 45 | 49 | 39 | 30 | 14 | 2 | – | – | 1 |
| Dumbarton | 27 | 28 | 33 | 46 | 41 | 44 | 48 | 48 | 49 | 53 | 32 | 19 | 6 | – | – | – |
| Argyll | 18 | 20 | 19 | 19 | 26 | 28 | 19 | 24 | 26 | 40 | 21 | 13 | 6 | 3 | – | 2 |
| Bute | 6 | 10 | 6 | 8 | 6 | 21 | 9 | 9 | 20 | 18 | 16 | 3 | 4 | – | – | – |
| Renfrew | 32 | 23 | 26 | 49 | 49 | 48 | 54 | 60 | 44 | 32 | 28 | 16 | 2 | 2 | – | – |
| Ayr | 48 | 57 | 52 | 70 | 69 | 90 | 119 | 94 | 138 | 113 | 94 | 52 | 9 | 2 | – | 1 |
| Lanark | 65 | 72 | 65 | 67 | 90 | 82 | 114 | 87 | 88 | 70 | 48 | 31 | 8 | – | – | – |
| Linlithgow | 17 | 19 | 13 | 17 | 23 | 34 | 31 | 40 | 20 | 15 | 13 | 8 | 2 | – | – | 1 |
| Edinburgh | 28 | 34 | 30 | 46 | 42 | 33 | 58 | 59 | 41 | 53 | 29 | 19 | 7 | – | – | – |
| Haddington | 8 | 11 | 12 | 11 | 20 | 18 | 26 | 18 | 21 | 26 | 18 | 12 | 4 | 1 | – | 1 |
| Berwick | 2 | 5 | – | 4 | 4 | 2 | 3 | 7 | 9 | 9 | 9 | 4 | 2 | – | – | – |
| Peebles | 2 | 3 | 7 | 5 | 7 | 6 | 5 | 7 | 6 | 11 | 10 | – | 2 | 1 | – | – |
| Selkirk | 4 | 6 | 4 | 10 | 5 | 7 | 6 | 5 | 11 | 10 | 5 | 2 | – | – | – | – |
| Roxburgh | 4 | 1 | 5 | 6 | 6 | 7 | 6 | 12 | 12 | 13 | 12 | 5 | 1 | – | – | – |
| Dumfries | 8 | 6 | 4 | 10 | 13 | 7 | 12 | 22 | 17 | 26 | 14 | 5 | 4 | 1 | – | 1 |
| Kirkcudbright | 2 | 11 | 2 | 5 | 11 | 5 | 16 | 9 | 18 | 22 | 11 | 6 | 6 | – | – | – |
| Wigtown | 9 | 8 | 9 | 6 | 11 | 10 | 12 | 12 | 13 | 11 | 12 | 6 | 4 | – | 1 | – |

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1890.—MALES.

| | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Inverness | 236 | 13 | 8 | 16 | 21 | 9 | 6 | 4 | 4 | 3 | 13 | 4 | 15 |
| Peterhead | 156 | 20 | 19 | 12 | 12 | 8 | 5 | 4 | 8 | 2 | 3 | 4 | 4 |
| Arbroath | 239 | 26 | 18 | 19 | 15 | 3 | 2 | 1 | 3 | 4 | 12 | 11 | 8 |
| Forfar | 124 | 14 | 6 | 5 | 6 | 2 | 3 | 1 | 1 | 4 | 5 | 6 | 5 |
| Montrose | 164 | 25 | 7 | 13 | 5 | 3 | 2 | 3 | 5 | 2 | 5 | 6 | 4 |
| Dunfermline | 242 | 19 | 17 | 16 | 24 | 8 | 7 | 2 | 5 | 5 | 8 | 12 | 10 |
| Dysart | 131 | 20 | 8 | 13 | 14 | 2 | 1 | 1 | 1 | 8 | 1 | 9 | 4 |
| Kirkcaldy & Abbotshall | 173 | 24 | 8 | 12 | 15 | 1 | 5 | 1 | 6 | 10 | 11 | 4 | 4 |
| Alloa | 109 | 16 | 3 | 16 | 9 | 3 | – | 1 | 5 | 1 | 2 | 5 | 1 |
| Falkirk | 203 | 23 | 8 | 29 | 22 | 9 | 0 | 2 | 4 | 6 | 2 | 10 | 4 |
| Stirling | 155 | 17 | 5 | 6 | 10 | 4 | 3 | 6 | 7 | 3 | 3 | 7 | 6 |
| Dumbarton | 217 | 28 | 9 | 26 | 21 | 14 | 4 | 8 | 5 | 4 | 8 | 4 | 4 |
| Port-Glasgow | 154 | 17 | 4 | 23 | 25 | 5 | 6 | 5 | 8 | 3 | 3 | 6 | 1 |
| Ayr | 250 | 16 | 10 | 13 | 12 | 9 | 7 | 4 | 10 | 10 | 13 | 8 | 11 |
| Cambusnethan | 178 | 24 | 7 | 9 | 12 | 5 | 4 | 1 | 9 | 3 | 6 | 5 | 7 |
| Dalziel | 238 | 41 | 14 | 20 | 16 | 5 | 5 | 10 | 11 | 4 | 3 | 6 | 7 |
| Hamilton | 301 | 32 | 8 | 27 | 29 | 9 | 5 | 6 | 10 | 7 | 15 | 10 | 5 |
| Airdrie | 270 | 47 | 18 | 20 | 34 | 14 | 5 | 2 | 9 | 6 | 12 | 12 | 9 |
| Coatbridge | 309 | 47 | 18 | 25 | 19 | 12 | 7 | 5 | 14 | 10 | 10 | 10 | 11 |
| Rutherglen | 180 | 27 | 10 | 18 | 18 | 10 | 5 | 5 | 6 | 7 | 7 | – | 2 |
| Galashiels | 148 | 19 | 5 | 12 | 16 | 4 | 4 | 2 | 7 | 4 | 9 | 7 | 3 |
| Hawick | 185 | 24 | 5 | 11 | 22 | 7 | – | 1 | 5 | 2 | 6 | 10 | 3 |
| Dumfries | 292 | 33 | 7 | 15 | 15 | 5 | 5 | 2 | 5 | 3 | 8 | 4 | 10 |

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1890.—MALES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 38 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | 4 | 1 | – |
| Orkney | 50 | 6 | 1 | 4 | 1 | – | 1 | – | 1 | 1 | 1 | 3 | 2 |
| Caithness | 177 | 21 | 8 | 8 | 12 | 3 | 2 | 2 | 7 | 4 | 7 | 6 | 8 |
| Ross and Cromarty | 103 | 15 | 3 | 11 | 15 | 4 | 1 | 3 | 3 | 3 | 3 | 4 | 4 |
| Nairn | 44 | 6 | 3 | – | 1 | 3 | 1 | 1 | – | – | – | 1 | 1 |
| Elgin | 197 | 12 | 9 | 15 | 13 | 7 | 4 | 3 | 6 | 2 | 7 | 4 | 6 |
| Banff | 263 | 26 | 18 | 20 | 14 | 5 | 7 | 4 | 14 | 11 | 9 | 12 | 9 |
| Aberdeen | 199 | 29 | 13 | 9 | 10 | 2 | 2 | 4 | 6 | 3 | 8 | 5 | 3 |
| Kincardine | 70 | 10 | 1 | 5 | 3 | – | 2 | – | 2 | 1 | – | 2 | – |
| Forfar | 276 | 43 | 10 | 16 | 20 | 7 | 3 | 2 | 7 | 8 | 12 | 5 | 6 |
| Perth | 245 | 26 | 13 | 6 | 10 | 3 | 8 | – | 9 | 4 | 15 | 12 | 9 |
| Fife | 624 | 67 | 33 | 40 | 51 | 19 | 9 | 15 | 26 | 12 | 24 | 30 | 19 |
| Clackmannan | 69 | 10 | 1 | 6 | 4 | – | 3 | 4 | 2 | 4 | 7 | 1 | 2 |
| Stirling | 449 | 41 | 16 | 35 | 52 | 12 | 8 | 5 | 18 | 16 | 20 | 16 | 7 |
| Dumbarton | 508 | 55 | 23 | 45 | 44 | 21 | 10 | 8 | 21 | 13 | 14 | 22 | 11 |
| Argyll | 227 | 17 | 8 | 9 | 16 | 2 | 2 | 6 | 7 | 4 | 7 | 5 | 4 |
| Bute | 96 | 4 | – | 5 | 8 | 2 | 1 | 2 | 5 | 3 | 4 | 2 | 4 |
| Renfrew | 480 | 44 | 14 | 38 | 40 | 23 | 12 | 8 | 19 | 9 | 19 | 22 | 13 |
| Ayr | 1000 | 106 | 41 | 70 | 70 | 31 | 22 | 16 | 42 | 28 | 37 | 37 | 31 |
| Lanark | 1113 | 162 | 48 | 100 | 126 | 38 | 22 | 14 | 41 | 29 | 40 | 26 | 25 |
| Linlithgow | 338 | 53 | 12 | 32 | 38 | 21 | 13 | 5 | 13 | 7 | 9 | 11 | 6 |
| Edinburgh | 484 | 61 | 14 | 46 | 31 | 14 | 12 | 9 | 14 | 7 | 18 | 13 | 10 |
| Haddington | 169 | 18 | 5 | 10 | 9 | 2 | 5 | 3 | 8 | 2 | 6 | 4 | 6 |
| Berwick | 46 | 6 | 3 | 3 | 4 | 1 | 1 | – | 2 | 1 | 1 | 1 | 2 |
| Peebles | 60 | 8 | 1 | 4 | 4 | 1 | – | – | 4 | 1 | 4 | 2 | 1 |
| Selkirk | 55 | 5 | 1 | 4 | 2 | 2 | – | 1 | 2 | 3 | 1 | 1 | 2 |
| Roxburgh | 80 | 1 | 12 | 5 | 1 | 4 | – | 1 | 2 | 1 | 1 | 6 | 1 |
| Dumfries | 104 | 7 | 1 | 3 | 2 | 3 | 1 | 1 | 1 | 4 | 3 | 6 | 5 |
| Kirkcudbright | 98 | 8 | 7 | 1 | 2 | 3 | – | 4 | 4 | – | 7 | 3 | 6 |
| Wigtown | 90 | 9 | 3 | 6 | 6 | 1 | 2 | – | – | 2 | – | 3 | – |

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1890.—MALES.

| | MALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 5 | 10 | 15 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Inverness | 7 | 7 | 7 | 9 | 8 | 13 | 10 | 14 | 22 | 9 | 8 | 4 | 2 | – | – | |
| Peterhead | 3 | 4 | 4 | 2 | 2 | 6 | 8 | 4 | 6 | 8 | 4 | 2 | 1 | 1 | – | |
| Arbroath | 10 | 8 | 4 | 7 | 8 | 10 | 14 | 22 | 15 | 9 | 6 | 5 | 1 | – | – | |
| Forfar | – | 5 | 5 | 5 | 5 | 3 | 8 | 7 | 7 | 13 | 4 | 3 | 1 | – | – | |
| Montrose | 6 | 5 | 2 | 6 | 2 | 10 | 11 | 9 | 5 | 17 | 7 | 2 | 2 | – | – | |
| Dunfermline | 2 | 5 | 5 | 6 | 10 | 8 | 9 | 18 | 17 | 19 | 7 | 2 | 1 | – | – | |
| Dysart | 2 | – | 6 | 3 | 3 | 8 | 9 | 6 | 5 | 5 | 1 | 1 | – | – | – | |
| Kirkcaldy & Abbotshall | 2 | 2 | 4 | 8 | 11 | 4 | 12 | 10 | 8 | 3 | 6 | 2 | – | – | – | |
| Alloa | 4 | 5 | 2 | 3 | 3 | 2 | 3 | 8 | 7 | 7 | – | 1 | 1 | 1 | – | |
| Falkirk | 3 | 3 | 9 | 9 | 6 | 4 | 15 | 7 | 7 | 9 | 4 | 2 | – | – | – | |
| Stirling | 1 | 7 | 2 | 5 | 5 | 12 | 14 | 6 | 9 | 12 | 3 | 1 | – | 1 | – | |
| Dumbarton | 6 | 4 | 6 | 7 | 7 | 9 | 12 | 7 | 12 | 6 | 5 | 1 | – | – | – | |
| Port-Glasgow | 3 | 3 | 6 | 7 | 9 | 6 | 6 | 4 | 1 | 1 | 1 | 1 | – | – | – | |
| Ayr | 11 | 10 | 12 | 11 | 5 | 10 | 19 | 13 | 11 | 8 | 10 | 6 | 1 | – | – | |
| Cambusnethan | 1 | 10 | 5 | 9 | 12 | 11 | 12 | 9 | 6 | 6 | 4 | – | 1 | – | – | |
| Dalziel | 11 | 6 | 5 | 10 | 11 | 11 | 13 | 11 | 12 | 3 | 2 | 1 | – | – | – | |
| Hamilton | 11 | 6 | 12 | 8 | 18 | 16 | 18 | 18 | 11 | 8 | 5 | 6 | 1 | – | – | |
| Airdrie | 3 | 4 | 12 | 8 | 11 | 16 | 8 | 2 | 8 | 4 | 6 | – | – | – | – | |
| Coatbridge | 9 | 12 | 9 | 15 | 12 | 22 | 13 | 8 | 7 | 8 | 4 | 2 | – | – | – | |
| Rutherglen | 3 | 3 | 8 | 4 | 7 | 8 | 12 | 9 | 2 | 3 | 4 | 1 | 1 | – | – | |
| Galashiels | 3 | 3 | 1 | 5 | 4 | 5 | 6 | 4 | 11 | 8 | 2 | 1 | – | – | – | |
| Hawick | 6 | 4 | 5 | 5 | 2 | 13 | 9 | 11 | 13 | 12 | 6 | 3 | – | – | – | |
| Dumfries | 11 | 26 | 15 | 14 | 14 | 12 | 16 | 16 | 25 | 16 | 9 | 4 | 2 | – | – | |

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1890.—MALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 1 | 4 | 1 | 1 | 1 | 2 | – | 3 | 4 | 1 | 5 | – | – | – | – | |
| Orkney | 6 | 1 | 0 | 1 | 1 | 1 | 1 | 2 | 5 | 6 | 4 | – | – | – | – | |
| Caithness | 7 | 5 | 3 | 2 | 10 | 10 | 10 | 8 | 16 | 8 | 6 | 3 | – | 1 | – | |
| Ross and Cromarty | 2 | 1 | 1 | 1 | 4 | 2 | 3 | – | 8 | 6 | 3 | 1 | 1 | 1 | – | |
| Nairn | 1 | 2 | 2 | 1 | 2 | 1 | 4 | – | 5 | 4 | 4 | 1 | – | – | – | |
| Elgin | 7 | 9 | 3 | 4 | 7 | 7 | 14 | 13 | 13 | 9 | 9 | 8 | 3 | – | 1 | |
| Banff | 3 | 3 | 3 | 7 | 8 | 4 | 14 | 14 | 16 | 11 | 11 | 9 | 1 | – | – | |
| Aberdeen | 8 | 5 | 3 | 8 | 7 | 5 | 5 | 11 | 13 | 18 | 14 | 7 | 1 | – | – | |
| Kincardine | 1 | 3 | 1 | 1 | 3 | 2 | 3 | 4 | 6 | 10 | 6 | 2 | – | 2 | – | |
| Forfar | 4 | 6 | 7 | 5 | 3 | 10 | 16 | 17 | 17 | 22 | 19 | 4 | 2 | – | – | |
| Perth | 6 | 8 | 8 | 9 | 9 | 10 | 11 | 14 | 15 | 16 | 18 | 4 | 2 | – | – | |
| Fife | 15 | 21 | 18 | 13 | 15 | 26 | 26 | 34 | 37 | 37 | 16 | 10 | 5 | 1 | – | |
| Clackmannan | 1 | 2 | 1 | 2 | – | 1 | 4 | 2 | 4 | 3 | 1 | 2 | – | – | – | |
| Stirling | 15 | 17 | 17 | 18 | 10 | 20 | 26 | 18 | 24 | 20 | 11 | 6 | – | – | – | 1 |
| Dumbarton | 14 | 12 | 20 | 23 | 16 | 23 | 20 | 24 | 20 | 25 | 11 | 8 | 5 | – | – | |
| Argyll | 11 | 15 | 12 | 8 | 10 | 16 | 8 | 12 | 12 | 18 | 10 | 4 | 2 | – | – | 2 |
| Bute | 5 | 5 | 3 | 3 | 3 | 8 | 5 | 5 | 6 | 6 | 5 | 1 | 1 | – | – | |
| Renfrew | 17 | 10 | 15 | 28 | 24 | 24 | 23 | 24 | 19 | 15 | 12 | 6 | 1 | 1 | – | |
| Ayr | 21 | 24 | 27 | 43 | 35 | 37 | 71 | 50 | 56 | 39 | 38 | 21 | 7 | – | – | |
| Lanark | 29 | 35 | 38 | 38 | 53 | 37 | 56 | 43 | 39 | 35 | 20 | 17 | 2 | – | – | |
| Linlithgow | 8 | 8 | 6 | 9 | 10 | 20 | 15 | 20 | 8 | 7 | 4 | 3 | – | – | – | |
| Edinburgh | 15 | 13 | 14 | 27 | 16 | 19 | 31 | 34 | 19 | 25 | 11 | 8 | 3 | – | – | |
| Haddington | 6 | 3 | 5 | 7 | 9 | 8 | 12 | 8 | 11 | 10 | 6 | 2 | 3 | – | – | 1 |
| Berwick | 1 | 1 | – | 1 | 1 | 1 | 2 | 6 | 1 | 3 | 3 | 1 | – | – | – | |
| Peebles | – | 1 | 2 | 2 | 2 | 5 | 2 | 5 | 1 | 5 | 4 | – | 1 | – | – | |
| Selkirk | 2 | 1 | 4 | 2 | 4 | 4 | 1 | 1 | 4 | 4 | 2 | 2 | – | – | – | |
| Roxburgh | 4 | – | 3 | 2 | 1 | 5 | 1 | 6 | 6 | 7 | 6 | 4 | – | – | – | |
| Dumfries | 4 | 3 | 1 | 4 | 7 | 3 | 6 | 9 | 10 | 9 | 8 | 2 | 1 | – | – | |
| Kirkcudbright | 2 | 5 | 1 | 2 | 4 | 3 | 9 | 4 | 4 | 11 | 3 | 3 | 2 | – | – | |
| Wigtown | 6 | 3 | 5 | 3 | 5 | 7 | 8 | 6 | 4 | 3 | 5 | 2 | 1 | – | – | |

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1890.—FEMALES.

| | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Inverness | 247 | 13 | 4 | 8 | 25 | 6 | 3 | 3 | 9 | 3 | 8 | 6 | 6 |
| Peterhead | 157 | 20 | 8 | 13 | 12 | 6 | 6 | 1 | 6 | 6 | 2 | 5 | 9 |
| Arbroath | 263 | 19 | 10 | 13 | 6 | 7 | 1 | 2 | 8 | 5 | 3 | 4 | 8 |
| Forfar | 132 | 7 | 3 | 1 | 6 | 1 | 1 | 1 | 4 | 6 | 6 | 6 | 5 |
| Montrose | 179 | 15 | 6 | 9 | 12 | 2 | 5 | – | 6 | 4 | 4 | 6 | 3 |
| Dunfermline | 272 | 19 | 12 | 15 | 19 | 11 | 5 | 8 | 8 | 5 | 12 | 7 | 5 |
| Dysart | 130 | 10 | 4 | 8 | 14 | 3 | 2 | – | 9 | 3 | 4 | 4 | 2 |
| Kirkcaldy and Abbotshall | 158 | 18 | 3 | 16 | 12 | 6 | 1 | 1 | 5 | 2 | 4 | 2 | 6 |
| Alloa | 129 | 13 | 9 | 5 | 6 | 7 | 3 | 1 | 6 | 4 | 2 | 6 | 9 |
| Falkirk | 193 | 15 | 6 | 18 | 37 | 9 | 2 | 3 | 9 | 4 | 4 | 7 | 7 |
| Stirling | 168 | 19 | 2 | 7 | 9 | 2 | 2 | 7 | 7 | 1 | 6 | 4 | 3 |
| Dumbarton | 206 | 18 | 11 | 19 | 38 | 11 | 4 | 2 | 5 | 4 | 6 | 4 | 6 |
| Port-Glasgow | 164 | 24 | 6 | 22 | 16 | 4 | 2 | 4 | 7 | 3 | 3 | 5 | 12 |
| Ayr | 292 | 32 | 11 | 10 | 10 | 9 | 3 | 3 | 11 | 6 | 7 | 11 | 14 |
| Cambusnethan | 174 | 18 | 4 | 11 | 11 | 6 | 1 | 4 | 8 | 4 | 9 | 15 | 6 |
| Dalziel | 218 | 22 | 10 | 17 | 33 | 14 | 6 | 3 | 10 | 7 | 9 | 8 | 7 |
| Hamilton | 262 | 34 | 8 | 20 | 23 | 13 | 6 | 1 | 12 | 6 | 6 | 11 | 14 |
| Airdrie | 249 | 35 | 12 | 19 | 29 | 9 | 6 | 4 | 12 | 5 | 8 | 9 | 9 |
| Coatbridge | 305 | 34 | 14 | 35 | 34 | 7 | 10 | 6 | 9 | 13 | 9 | 9 | 11 |
| Rutherglen | 195 | 16 | 8 | 17 | 23 | 15 | 2 | 5 | 10 | 11 | 2 | 4 | 8 |
| Galashiels | 172 | 17 | 4 | 13 | 9 | 7 | 1 | 1 | 9 | 7 | 8 | 4 | 7 |
| Hawick | 203 | 25 | 6 | 14 | 11 | 10 | 2 | 4 | 10 | 4 | 7 | 12 | 4 |
| Dumfries | 309 | 27 | 11 | 14 | 10 | 6 | 3 | 3 | 6 | 7 | 9 | 12 | 14 |

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND 1890.—FEMALES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 48 | 1 | – | – | – | 1 | 1 | 2 | – | 2 | – | 1 | 5 |
| Orkney | 44 | 3 | – | 3 | – | – | – | 1 | 3 | 1 | 1 | – | 1 |
| Caithness | 181 | 14 | 10 | 5 | 10 | 2 | – | 1 | 7 | 8 | 8 | 8 | 6 |
| Ross and Cromarty | 120 | 6 | – | 9 | 9 | 7 | 4 | 2 | 5 | 3 | 1 | 3 | 4 |
| Nairn | 51 | 6 | 1 | 1 | 1 | 1 | – | – | 1 | 1 | – | 2 | 4 |
| Elgin | 207 | 27 | 11 | 12 | 10 | 9 | 4 | 1 | 4 | 6 | 4 | 8 | 6 |
| Banff | 271 | 24 | 10 | 16 | 17 | 9 | 5 | 5 | 9 | 10 | 9 | 8 | 11 |
| Aberdeen | 236 | 26 | 7 | 20 | 14 | 4 | 2 | 3 | 5 | 4 | 9 | 10 | 4 |
| Kincardine | 55 | 1 | 2 | 2 | 2 | 1 | – | – | – | 1 | 2 | 1 | 3 |
| Forfar | 334 | 28 | 6 | 19 | 12 | 6 | 6 | 4 | 9 | 13 | 9 | 15 | 10 |
| Perth | 276 | 9 | 7 | 6 | 7 | 4 | 2 | 3 | 5 | 9 | 9 | 10 | 12 |
| Fife | 664 | 60 | 26 | 43 | 57 | 18 | 13 | 9 | 30 | 17 | 21 | 19 | 22 |
| Clackmannan | 67 | 7 | 1 | 2 | 4 | 1 | – | 1 | 1 | 3 | 3 | 3 | 4 |
| Stirling | 446 | 39 | 21 | 34 | 47 | 18 | 9 | 4 | 17 | 14 | 10 | 10 | 16 |
| Dumbarton | 478 | 30 | 17 | 17 | 47 | 18 | 11 | 7 | 14 | 13 | 15 | 16 | 20 |
| Argyll | 208 | 15 | 4 | 6 | 7 | 3 | – | 1 | 3 | 8 | 6 | 7 | 4 |
| Bute | 119 | 4 | 4 | 3 | 10 | 1 | 3 | – | 3 | 2 | 4 | 1 | 4 |
| Renfrew | 496 | 50 | 15 | 32 | 37 | 21 | 15 | 4 | 12 | 12 | 17 | 19 | 16 |
| Ayr | 995 | 82 | 24 | 57 | 64 | 41 | 12 | 15 | 37 | 27 | 34 | 39 | 24 |
| Lanark | 1014 | 111 | 38 | 70 | 88 | 25 | 26 | 18 | 50 | 30 | 39 | 37 | 37 |
| Linlithgow | 339 | 39 | 17 | 34 | 40 | 10 | 5 | 5 | 16 | 8 | 9 | 9 | 12 |
| Edinburgh | 457 | 47 | 16 | 23 | 27 | 13 | 10 | 8 | 16 | 14 | 11 | 12 | 16 |
| Haddington | 174 | 16 | 5 | 8 | 6 | 3 | 2 | 1 | 4 | 5 | 1 | 4 | 3 |
| Berwick | 54 | 6 | – | – | 1 | – | – | 1 | 1 | 1 | 3 | – | 2 |
| Peebles | 74 | 4 | 5 | 1 | 2 | 1 | 1 | – | 2 | 4 | 4 | 5 | 3 |
| Selkirk | 74 | 6 | – | 5 | 3 | 3 | 1 | – | 3 | 2 | 2 | 2 | 3 |
| Roxburgh | 75 | 8 | 2 | 5 | 3 | – | – | – | 1 | 2 | 1 | 5 | 3 |
| Dumfries | 124 | 11 | 1 | 7 | 2 | 2 | 2 | 1 | 4 | 1 | 3 | 4 | 3 |
| Kirkcudbright | 112 | 7 | 5 | 1 | 7 | 2 | 1 | 1 | 2 | 2 | 6 | 3 | 4 |
| Wigtown | 112 | 9 | 5 | 3 | 7 | – | 4 | 2 | – | 2 | 6 | 4 | 4 |

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1890.—FEMALES.

| | FEMALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Inverness | 8 | 3 | 7 | 10 | 6 | 12 | 25 | 9 | 24 | 16 | 11 | 10 | 8 | 1 | 1 | – |
| Peterhead | 3 | 4 | 6 | 4 | 3 | 3 | 11 | 7 | 9 | 5 | 4 | 3 | 1 | – | – | – |
| Arbroath | 13 | 8 | 3 | 11 | 13 | 13 | 20 | 24 | 25 | 21 | 11 | 4 | 6 | – | – | – |
| Forfar | 5 | 7 | 3 | 7 | 4 | 7 | 10 | 11 | 4 | 10 | 7 | 9 | 1 | – | – | – |
| Montrose | 4 | 4 | 4 | 6 | 9 | 10 | 9 | 9 | 13 | 15 | 15 | 7 | 1 | 1 | – | – |
| Dunfermline | 6 | 8 | 12 | 10 | 10 | 13 | 10 | 22 | 17 | 15 | 14 | 7 | 2 | – | – | – |
| Dysart | 3 | 6 | 5 | 2 | 4 | 1 | 5 | 11 | 13 | 7 | 7 | 3 | – | – | – | – |
| Kirkcaldy & Abbotshall | 7 | 6 | 2 | 6 | 8 | 9 | 8 | 4 | 9 | 10 | 9 | 1 | 1 | 2 | – | – |
| Alloa | 1 | 4 | 7 | 7 | 1 | 2 | 5 | 5 | 5 | 9 | 6 | 5 | – | 1 | – | – |
| Falkirk | 1 | 5 | 3 | 9 | 6 | 4 | 5 | 11 | 14 | 9 | 5 | – | – | – | – | – |
| Stirling | 4 | 5 | 4 | 5 | 6 | 13 | 9 | 17 | 12 | 13 | 8 | 3 | – | – | – | – |
| Dumbarton | 7 | 4 | 9 | 5 | 7 | 5 | 12 | 4 | 13 | 6 | 3 | 2 | 1 | – | – | – |
| Port-Glasgow | 3 | 7 | 4 | 4 | 7 | 13 | 3 | 4 | 7 | 3 | – | – | 1 | – | – | – |
| Ayr | 8 | 10 | 10 | 9 | 12 | 16 | 16 | 21 | 19 | 17 | 13 | 10 | 4 | – | – | – |
| Cambusnethan | 9 | 8 | 7 | 2 | 9 | 6 | 8 | 12 | 8 | 3 | 4 | 1 | – | – | – | – |
| Dalziel | 3 | 3 | 6 | 7 | 7 | 10 | 3 | 8 | 14 | 7 | 2 | 2 | – | – | – | – |
| Hamilton | 9 | 9 | 5 | 9 | 9 | 8 | 16 | 10 | 14 | 7 | 7 | 5 | 1 | – | – | – |
| Airdrie | 4 | 9 | 7 | 13 | 13 | 12 | 13 | 7 | 5 | 7 | 1 | – | 1 | – | – | – |
| Coatbridge | 9 | 10 | 15 | 6 | 7 | 14 | 12 | 10 | 9 | 10 | 5 | 6 | 1 | – | – | – |
| Rutherglen | 7 | 11 | 3 | 6 | 7 | 9 | 7 | 5 | 6 | 7 | 1 | 3 | 2 | – | – | – |
| Galashiels | 9 | 7 | 3 | 13 | 5 | 7 | 7 | 9 | 9 | 8 | 2 | 5 | – | 1 | – | – |
| Hawick | 11 | 6 | 5 | 8 | 4 | 8 | 13 | 8 | 15 | 11 | 4 | 2 | 1 | – | – | – |
| Dumfries | 10 | 12 | 11 | 15 | 15 | 12 | 17 | 25 | 28 | 22 | 10 | 7 | 3 | – | – | – |

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1890.—FEMALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 2 | 2 | 1 | 2 | 1 | – | 1 | 1 | 7 | 5 | 8 | 2 | 3 | – | – | – |
| Orkney | 1 | 3 | 2 | 1 | – | 2 | 2 | 5 | 4 | 5 | 2 | 1 | 3 | – | – | – |
| Caithness | 7 | 2 | 6 | 10 | 6 | 6 | 13 | 9 | 7 | 13 | 15 | 6 | 2 | – | – | – |
| Ross and Cromarty | 6 | 4 | – | 1 | 3 | 6 | 2 | 9 | 10 | 14 | 4 | 4 | 3 | 1 | – | – |
| Nairn | 2 | 2 | – | 3 | 1 | 1 | 3 | 7 | 2 | 3 | 3 | 4 | 1 | 1 | – | – |
| Elgin | 9 | 9 | 2 | 5 | 7 | 3 | 7 | 11 | 15 | 15 | 10 | 8 | 4 | – | – | – |
| Banff | 9 | 8 | 8 | 6 | 7 | 9 | 12 | 12 | 20 | 23 | 10 | 8 | 5 | 1 | – | – |
| Aberdeen | 7 | 9 | 5 | 4 | 2 | 10 | 14 | 18 | 15 | 25 | 11 | 4 | 3 | 1 | – | – |
| Kincardine | 1 | 2 | – | 3 | 2 | 5 | 4 | 5 | 2 | 4 | 7 | 4 | 1 | – | – | – |
| Forfar | 8 | 6 | 9 | 7 | 12 | 17 | 15 | 26 | 22 | 34 | 22 | 14 | 4 | 1 | – | – |
| Perth | 10 | 7 | 12 | 10 | 19 | 8 | 25 | 11 | 31 | 21 | 20 | 13 | 6 | – | – | – |
| Fife | 24 | 19 | 14 | 20 | 15 | 28 | 23 | 39 | 43 | 40 | 38 | 20 | 5 | 1 | – | – |
| Clackmannan | 2 | 1 | – | 2 | 1 | 3 | 5 | 4 | 8 | 6 | 2 | 2 | 1 | – | – | – |
| Stirling | 14 | 14 | 14 | 16 | 16 | 18 | 20 | 22 | 25 | 19 | 19 | 8 | 2 | – | – | – |
| Dumbarton | 13 | 16 | 13 | 23 | 25 | 21 | 28 | 24 | 29 | 28 | 21 | 11 | 1 | – | – | – |
| Argyll | 7 | 5 | 7 | 11 | 16 | 12 | 11 | 12 | 14 | 22 | 11 | 9 | 4 | 3 | – | – |
| Bute | 1 | 5 | 3 | 5 | 3 | 13 | 4 | 4 | 14 | 12 | 11 | 2 | 3 | – | – | – |
| Renfrew | 15 | 13 | 11 | 21 | 25 | 24 | 31 | 36 | 25 | 17 | 16 | 10 | 1 | 1 | – | – |
| Ayr | 27 | 33 | 25 | 27 | 34 | 53 | 48 | 44 | 82 | 74 | 56 | 31 | 2 | 2 | – | 1 |
| Lanark | 35 | 37 | 27 | 29 | 37 | 45 | 58 | 44 | 49 | 35 | 28 | 14 | 6 | – | – | – |
| Linlithgow | 9 | 11 | 7 | 8 | 13 | 14 | 16 | 20 | 12 | 8 | 9 | 5 | 2 | – | – | 1 |
| Edinburgh | 13 | 21 | 16 | 19 | 26 | 14 | 27 | 25 | 22 | 28 | 18 | 11 | 4 | – | – | – |
| Haddington | 2 | 8 | 7 | 4 | 11 | 10 | 14 | 10 | 10 | 16 | 12 | 10 | 1 | 1 | – | – |
| Berwick | 1 | 4 | – | 3 | 3 | 1 | 1 | 1 | 8 | 6 | 6 | 3 | 2 | – | – | – |
| Peebles | 2 | 2 | 5 | 3 | 5 | 1 | 3 | 2 | 5 | 6 | 6 | – | 1 | 1 | – | – |
| Selkirk | 2 | 5 | – | 8 | 1 | 3 | 5 | 4 | 7 | 6 | 3 | – | – | – | – | – |
| Roxburgh | – | 1 | 2 | 4 | 5 | 2 | 5 | 6 | 6 | 6 | 6 | 1 | 1 | – | – | – |
| Dumfries | 4 | 3 | 3 | 6 | 6 | 4 | 6 | 13 | 7 | 17 | 6 | 3 | 3 | 1 | – | 1 |
| Kirkcudbright | – | 6 | 1 | 3 | 7 | 2 | 7 | 5 | 14 | 11 | 8 | 3 | 4 | – | – | – |
| Wigtown | 3 | 5 | 4 | 3 | 6 | 3 | 4 | 6 | 9 | 8 | 7 | 4 | 3 | – | 1 | – |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1890.—BOTH SEXES.

| | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Caithness | 375 | 22 | 9 | 3 | 7 | 3 | 3 | 1 | 2 | 7 | 3 | 13 | 13 |
| Sutherland | 378 | 26 | 8 | 11 | 10 | 4 | – | 3 | 15 | 12 | 14 | 13 | 13 |
| Ross and Cromarty | 845 | 42 | 15 | 22 | 18 | 9 | 6 | 2 | 20 | 13 | 20 | 20 | 17 |
| Inverness | 425 | 33 | 7 | 9 | 12 | 3 | 5 | 8 | 5 | 9 | 9 | 15 | 10 |
| Nairn | 47 | 4 | – | – | 1 | – | – | – | 1 | – | 1 | 1 | 2 |
| Elgin | 414 | 33 | 14 | 27 | 9 | 9 | 5 | 7 | 12 | 3 | 12 | 7 | 20 |
| Banff | 521 | 56 | 26 | 26 | 11 | 15 | 7 | 7 | 13 | 14 | 14 | 12 | 18 |
| Aberdeen | 1854 | 168 | 61 | 76 | 86 | 36 | 27 | 23 | 65 | 46 | 70 | 70 | 63 |
| Kincardine | 431 | 34 | 12 | 23 | 12 | 4 | 4 | 6 | 16 | 7 | 11 | 19 | 17 |
| Forfar | 598 | 54 | 16 | 19 | 18 | 7 | 8 | 8 | 20 | 14 | 13 | 30 | 14 |
| Perth | 1159 | 53 | 17 | 42 | 35 | 24 | 19 | 10 | 44 | 30 | 34 | 39 | 33 |
| Fife | 1086 | 95 | 36 | 47 | 54 | 24 | 15 | 11 | 31 | 17 | 38 | 43 | 28 |
| Kinross | 124 | 19 | 2 | 5 | 5 | 3 | – | 1 | 3 | – | 4 | 5 | 1 |
| Clackmannan | 82 | 15 | 3 | 8 | 4 | – | 3 | 2 | 2 | 2 | 7 | 2 | 2 |
| Stirling | 772 | 73 | 40 | 60 | 67 | 26 | 17 | 12 | 42 | 24 | 27 | 28 | 26 |
| Dumbarton | 474 | 55 | 16 | 41 | 56 | 20 | 14 | 9 | 17 | 7 | 13 | 22 | 20 |
| Argyll | 650 | 37 | 9 | 15 | 18 | 6 | 4 | 3 | 17 | 16 | 21 | 22 | 31 |
| Renfrew | 294 | 23 | 6 | 13 | 19 | 6 | 5 | 5 | 13 | 15 | 7 | 8 | 10 |
| Ayr | 1085 | 119 | 42 | 67 | 79 | 35 | 17 | 14 | 48 | 25 | 35 | 34 | 28 |
| Lanark | 1062 | 102 | 36 | 69 | 82 | 29 | 24 | 15 | 47 | 40 | 32 | 33 | 27 |
| Linlithgow | 274 | 32 | 17 | 21 | 27 | 9 | 3 | 6 | 9 | 2 | 4 | 10 | 11 |
| Edinburgh | 1027 | 109 | 24 | 60 | 74 | 35 | 16 | 10 | 32 | 13 | 27 | 25 | 28 |
| Haddington | 280 | 16 | 7 | 14 | 13 | 7 | 4 | 3 | 10 | 8 | 6 | 10 | 10 |
| Berwick | 375 | 34 | 10 | 13 | 1 | 5 | 8 | 2 | 15 | 12 | 13 | 15 | 16 |
| Peebles | 64 | 3 | 3 | 2 | 1 | – | 1 | 1 | 1 | 1 | 2 | 3 | 2 |
| Selkirk | 25 | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Roxburgh | 333 | 30 | 9 | 14 | 10 | 4 | 3 | – | 8 | 8 | 12 | 12 | 17 |
| Dumfries | 751 | 66 | 22 | 31 | 25 | 12 | 10 | 6 | 28 | 13 | 19 | 28 | 25 |
| Kirkcudbright | 408 | 31 | 13 | 13 | 11 | 9 | 6 | 6 | 11 | 14 | 9 | 10 | 9 |
| Wigtown | 465 | 39 | 10 | 17 | 24 | 9 | 3 | 3 | 11 | 10 | 13 | 10 | 9 |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1890,—BOTH SEXES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 391 | 23 | 2 | 7 | 12 | 4 | 2 | 2 | 8 | 8 | 4 | 20 | 26 |
| Orkney | 408 | 19 | – | 1 | 4 | 2 | 2 | 1 | 6 | 9 | 11 | 14 | 16 |
| Ross and Cromarty | 231 | 23 | 5 | 12 | 16 | 8 | 6 | 4 | 4 | 2 | 8 | 12 | 6 |
| Inverness | 516 | 46 | 9 | 8 | 15 | 6 | 3 | 11 | 12 | 12 | 15 | 14 | 21 |
| Argyll | 275 | 8 | 1 | 3 | 3 | 4 | 1 | 1 | 7 | 6 | 8 | 8 | 10 |
| Bute | 155 | 8 | 1 | 1 | 4 | 2 | 3 | 2 | 5 | – | 6 | 6 | 7 |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1890.—Both Sexes.

| | BOTH SEXES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Caithness | 16 | 15 | 9 | 10 | 16 | 14 | 18 | 26 | 42 | 36 | 34 | 34 | 12 | 6 | 1 | – |
| Sutherland | 15 | 17 | 9 | 10 | 12 | 13 | 23 | 20 | 29 | 26 | 36 | 21 | 10 | 2 | – | – |
| Ross and Cromarty | 24 | 26 | 19 | 30 | 35 | 35 | 48 | 65 | 92 | 89 | 84 | 59 | 23 | 7 | 5 | – |
| Inverness | 11 | 10 | 11 | 14 | 14 | 18 | 26 | 27 | 32 | 56 | 45 | 23 | 8 | 5 | – | – |
| Nairn | 1 | 2 | 1 | 1 | 3 | 2 | 5 | 3 | 4 | 5 | 1 | 7 | 1 | 1 | – | – |
| Elgin | 12 | 14 | 15 | 11 | 14 | 17 | 17 | 24 | 36 | 38 | 28 | 22 | 7 | 1 | – | – |
| Banff | 18 | 15 | 16 | 22 | 19 | 9 | 25 | 23 | 39 | 48 | 29 | 18 | 15 | 5 | – | 1 |
| Aberdeen | 44 | 56 | 58 | 45 | 50 | 83 | 90 | 105 | 139 | 154 | 134 | 77 | 31 | 2 | – | – |
| Kincardine | 14 | 18 | 20 | 11 | 14 | 19 | 13 | 25 | 38 | 40 | 23 | 21 | 10 | – | – | – |
| Forfar | 20 | 23 | 22 | 20 | 25 | 25 | 40 | 39 | 45 | 38 | 43 | 27 | 9 | 1 | – | – |
| Perth | 29 | 33 | 34 | 40 | 36 | 41 | 75 | 62 | 102 | 116 | 96 | 90 | 16 | 8 | 1 | – |
| Fife | 27 | 22 | 35 | 31 | 34 | 30 | 67 | 82 | 101 | 94 | 79 | 31 | 14 | – | – | – |
| Kinross | 4 | 4 | 2 | 1 | 1 | 2 | 7 | 8 | 18 | 8 | 12 | 8 | 1 | – | – | – |
| Clackmannan | 2 | – | 1 | 2 | 5 | 4 | 4 | 5 | 3 | 2 | 4 | – | – | – | – | – |
| Stirling | 22 | 16 | 18 | 16 | 28 | 27 | 34 | 35 | 37 | 39 | 29 | 22 | 6 | – | – | 1 |
| Dumbarton | 8 | 10 | 10 | 15 | 23 | 22 | 19 | 21 | 18 | 13 | 17 | 4 | 3 | – | 1 | – |
| Argyll | 29 | 25 | 18 | 19 | 21 | 31 | 34 | 43 | 54 | 49 | 64 | 46 | 13 | 3 | 2 | – |
| Renfrew | 11 | 8 | 11 | 14 | 10 | 23 | 26 | 10 | 24 | 10 | 9 | 5 | 3 | – | – | – |
| Ayr | 30 | 31 | 39 | 35 | 41 | 41 | 55 | 56 | 59 | 67 | 53 | 26 | 4 | 4 | – | 1 |
| Lanark | 36 | 22 | 31 | 35 | 46 | 40 | 50 | 63 | 64 | 60 | 48 | 18 | 11 | 2 | – | – |
| Linlithgow | 7 | 8 | 9 | 6 | 6 | 6 | 18 | 8 | 23 | 13 | 11 | 6 | 2 | – | – | – |
| Edinburgh | 22 | 30 | 32 | 42 | 40 | 47 | 68 | 66 | 100 | 58 | 43 | 21 | 5 | – | – | – |
| Haddington | 6 | 10 | 6 | 5 | 15 | 17 | 16 | 18 | 19 | 28 | 17 | 5 | 4 | – | – | 6 |
| Berwick | 11 | 13 | 14 | 10 | 9 | 16 | 20 | 28 | 35 | 40 | 20 | 8 | 6 | 1 | – | – |
| Peebles | 1 | 1 | 2 | 3 | 4 | 2 | 2 | 5 | 5 | 7 | 3 | 7 | 1 | 1 | – | – |
| Selkirk | 2 | 2 | – | 1 | 1 | 1 | – | 1 | 4 | 1 | 2 | 2 | – | – | – | – |
| Roxburgh | 10 | 14 | 8 | 9 | 14 | 12 | 22 | 26 | 28 | 22 | 25 | 11 | 5 | – | – | – |
| Dumfries | 20 | 21 | 19 | 28 | 21 | 34 | 43 | 58 | 65 | 57 | 51 | 28 | 20 | 1 | – | – |
| Kirkcudbright | 18 | 12 | 9 | 10 | 14 | 13 | 20 | 27 | 44 | 38 | 34 | 22 | 3 | 2 | – | – |
| Wigtown | 4 | 14 | 20 | 9 | 6 | 23 | 28 | 32 | 53 | 41 | 39 | 19 | 16 | 2 | – | 1 |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1890.—Both Sexes.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 9 | 12 | 6 | 10 | 14 | 10 | 17 | 23 | 30 | 51 | 34 | 34 | 17 | 5 | 1 | – |
| Orkney | 11 | 12 | 11 | 16 | 12 | 10 | 26 | 32 | 45 | 52 | 46 | 30 | 17 | – | 1 | 2 |
| Ross and Cromarty | 5 | 10 | 10 | 10 | 6 | 5 | 9 | 6 | 15 | 14 | 22 | 9 | 1 | 3 | – | – |
| Inverness | 9 | 9 | 13 | 12 | 23 | 22 | 25 | 34 | 46 | 48 | 43 | 29 | 19 | 8 | 4 | – |
| Argyll | 7 | 5 | 5 | 15 | 7 | 9 | 16 | 28 | 36 | 32 | 34 | 20 | 3 | 3 | – | – |
| Bute | 9 | 3 | 3 | 7 | 3 | 3 | 10 | 6 | 12 | 14 | 20 | 7 | 4 | 4 | – | – |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1890.—MALES.

| | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Caithness | 180 | 9 | 6 | – | 5 | 2 | 1 | 1 | 1 | 3 | 2 | 8 | 8 |
| Sutherland | 175 | 15 | 6 | 5 | 3 | 3 | – | 1 | 6 | 5 | 8 | 8 | 7 |
| Ross and Cromarty | 403 | 27 | 9 | 12 | 8 | 7 | 3 | 2 | 11 | 5 | 11 | 9 | 8 |
| Inverness | 196 | 18 | 2 | 2 | 6 | 3 | 2 | 4 | 1 | 6 | 6 | 11 | 4 |
| Nairn | 25 | 2 | – | – | – | – | – | – | – | – | – | – | 1 |
| Elgin | 190 | 14 | 5 | 15 | 5 | 1 | 3 | 4 | 6 | 1 | 7 | 7 | 12 |
| Banff | 251 | 36 | 10 | 9 | 6 | 6 | 4 | 2 | 8 | 6 | 5 | 6 | 8 |
| Aberdeen | 926 | 92 | 26 | 41 | 40 | 18 | 18 | 12 | 36 | 27 | 36 | 33 | 30 |
| Kincardine | 208 | 20 | 7 | 12 | 9 | 1 | 4 | 3 | 9 | 3 | 6 | 9 | 10 |
| Forfar | 295 | 34 | 12 | 11 | 5 | 3 | 4 | 4 | 10 | 3 | 5 | 10 | 10 |
| Perth | 574 | 34 | 10 | 28 | 21 | 18 | 6 | 3 | 28 | 11 | 21 | 20 | 14 |
| Fife | 552 | 61 | 19 | 26 | 26 | 13 | 8 | 6 | 17 | 7 | 18 | 24 | 10 |
| Kinross | 65 | 11 | 1 | 1 | 3 | 2 | – | – | 2 | – | 3 | 3 | 1 |
| Clackmannan | 45 | 9 | 1 | 5 | 2 | – | 1 | 1 | 1 | 2 | 5 | 1 | – |
| Stirling | 392 | 47 | 27 | 33 | 26 | 11 | 4 | 7 | 18 | 7 | 19 | 18 | 14 |
| Dumbarton | 245 | 28 | 5 | 23 | 34 | 13 | 4 | 3 | 8 | 3 | 9 | 9 | 10 |
| Argyll | 327 | 23 | 6 | 4 | 10 | 3 | 3 | 3 | 8 | 7 | 13 | 15 | 17 |
| Renfrew | 146 | 11 | 1 | 6 | 10 | 3 | 3 | 2 | 5 | 7 | 2 | 3 | 2 |
| Ayr | 555 | 69 | 17 | 33 | 35 | 18 | 8 | 6 | 23 | 18 | 23 | 20 | 5 |
| Lanark | 565 | 65 | 20 | 40 | 41 | 16 | 16 | 8 | 23 | 18 | 16 | 21 | 17 |
| Linlithgow | 137 | 20 | 6 | 12 | 18 | 6 | – | – | 6 | – | 2 | 7 | 5 |
| Edinburgh | 516 | 61 | 13 | 34 | 38 | 20 | 10 | 7 | 14 | 8 | 11 | 12 | 12 |
| Haddington | 140 | 9 | 4 | 7 | 9 | 2 | 1 | 2 | 6 | 4 | 3 | 7 | 1 |
| Berwick | 167 | 16 | 6 | 6 | – | 4 | 4 | – | 9 | 3 | 4 | 4 | 6 |
| Peebles | 32 | 1 | 1 | 1 | – | – | 1 | 1 | 1 | 1 | 1 | 2 | 1 |
| Selkirk | 12 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Roxburgh | 154 | 17 | 6 | 7 | 5 | 3 | 2 | – | 3 | 4 | 5 | 8 | 7 |
| Dumfries | 348 | 32 | 14 | 14 | 14 | 5 | 5 | 3 | 13 | 7 | 8 | 13 | 10 |
| Kirkcudbright | 182 | 19 | 8 | 7 | 4 | 4 | 3 | 3 | 6 | 7 | 5 | 1 | 2 |
| Wigtown | 191 | 22 | 5 | 6 | 9 | 5 | 2 | – | 4 | 6 | 5 | 5 | 4 |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1890.—MALES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 177 | 15 | – | 4 | 5 | 1 | 1 | 1 | 4 | 5 | – | 16 | 10 |
| Orkney | 179 | 10 | – | 1 | 2 | 1 | 1 | – | 2 | 6 | 5 | 9 | 4 |
| Ross and Cromarty | 122 | 15 | 3 | 7 | 7 | 3 | 3 | 1 | 3 | 1 | 4 | 10 | 2 |
| Inverness | 240 | 19 | 6 | 5 | 6 | 1 | 1 | 8 | 8 | 9 | 9 | 6 | 14 |
| Argyll | 140 | 4 | – | 2 | 3 | 3 | 1 | – | 3 | 2 | 6 | 2 | 7 |
| Bute | 78 | 5 | 1 | – | 2 | 2 | 1 | – | 2 | – | 3 | 3 | 3 |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1890.—Males.

| | MALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Caithness | 10 | 6 | 6 | 5 | 5 | 5 | 8 | 14 | 21 | 16 | 18 | 12 | 4 | 3 | 1 | – |
| Sutherland | 7 | 8 | 3 | 7 | 6 | 4 | 7 | 14 | 12 | 14 | 17 | 7 | 2 | – | – | – |
| Ross and Cromarty | 11 | 13 | 11 | 16 | 13 | 16 | 22 | 27 | 45 | 40 | 36 | 27 | 11 | 1 | 2 | – |
| Inverness | 5 | 4 | 3 | 7 | 5 | 7 | 15 | 14 | 15 | 20 | 21 | 10 | 2 | 3 | – | – |
| Nairn | 1 | 1 | 1 | – | 2 | 1 | 3 | – | 4 | 4 | – | 5 | – | – | – | – |
| Elgin | 5 | 5 | 6 | 2 | 8 | 8 | 7 | 12 | 15 | 14 | 18 | 6 | 3 | 1 | – | – |
| Banff | 3 | 5 | 11 | 15 | 11 | 5 | 8 | 12 | 16 | 27 | 13 | 11 | 6 | 1 | – | 1 |
| Aberdeen | 19 | 32 | 23 | 28 | 26 | 41 | 46 | 62 | 63 | 73 | 58 | 35 | 10 | 1 | – | – |
| Kincardine | 7 | 7 | 5 | 5 | 6 | 7 | 6 | 14 | 18 | 23 | 5 | 7 | 5 | – | – | – |
| Forfar | 12 | 11 | 9 | 10 | 15 | 13 | 20 | 23 | 21 | 19 | 16 | 12 | 3 | – | – | – |
| Perth | 13 | 15 | 21 | 18 | 17 | 21 | 37 | 31 | 46 | 51 | 45 | 38 | 5 | 2 | – | – |
| Fife | 12 | 9 | 15 | 21 | 17 | 18 | 41 | 43 | 48 | 38 | 36 | 14 | 5 | – | – | – |
| Kinross | 3 | 1 | – | – | 1 | 2 | 5 | 4 | 8 | 3 | 4 | 7 | – | – | – | – |
| Clackmannan | 1 | – | – | 2 | 4 | 1 | 3 | 2 | 3 | – | 1 | – | – | – | – | – |
| Stirling | 9 | 5 | 11 | 10 | 14 | 14 | 12 | 21 | 18 | 20 | 14 | 9 | 3 | – | – | 1 |
| Dumbarton | 5 | 7 | 6 | 7 | 14 | 12 | 9 | 12 | 6 | 6 | 9 | 2 | 1 | – | – | – |
| Argyll | 12 | 14 | 10 | 10 | 10 | 16 | 21 | 20 | 28 | 20 | 27 | 21 | 5 | – | 1 | – |
| Renfrew | 5 | 3 | 6 | 8 | 8 | 15 | 11 | 6 | 16 | 5 | 4 | 3 | 1 | – | – | – |
| Ayr | 15 | 14 | 20 | 18 | 20 | 25 | 36 | 29 | 25 | 38 | 22 | 14 | 1 | 2 | – | 1 |
| Lanark | 13 | 14 | 14 | 22 | 31 | 26 | 27 | 29 | 28 | 23 | 23 | 8 | 6 | – | – | – |
| Linlithgow | 4 | 5 | 4 | 3 | 4 | 2 | 8 | 2 | 6 | 7 | 6 | 3 | 1 | – | – | – |
| Edinburgh | 8 | 15 | 14 | 27 | 25 | 25 | 38 | 28 | 38 | 29 | 19 | 7 | 3 | – | – | – |
| Haddington | 5 | 3 | 3 | 2 | 10 | 8 | 8 | 12 | 6 | 12 | 7 | 2 | 1 | – | – | 6 |
| Berwick | 7 | 4 | 4 | 2 | 4 | 10 | 9 | 14 | 14 | 23 | 8 | 4 | 1 | 1 | – | – |
| Peebles | – | 1 | 2 | 1 | 2 | – | 1 | 2 | 3 | 4 | 3 | 2 | – | – | – | – |
| Selkirk | 1 | – | – | 1 | 1 | 1 | – | – | 3 | 1 | 1 | – | – | – | – | – |
| Roxburgh | 4 | 5 | 2 | 1 | 5 | 5 | 11 | 14 | 14 | 9 | 12 | 3 | 2 | – | – | – |
| Dumfries | 7 | 8 | 6 | 10 | 12 | 17 | 22 | 33 | 24 | 28 | 22 | 14 | 7 | – | – | – |
| Kirkcudbright | 8 | 5 | 1 | 5 | 6 | 4 | 7 | 14 | 20 | 16 | 18 | 9 | – | – | – | – |
| Wigtown | 1 | 5 | 5 | 6 | 3 | 12 | 10 | 14 | 16 | 20 | 12 | 8 | 4 | 1 | – | 1 |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1890.—Males.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 3 | 5 | 1 | 3 | 5 | 6 | 5 | 9 | 11 | 27 | 18 | 14 | 6 | 2 | – | – |
| Orkney | 6 | 8 | 4 | 7 | 7 | 2 | 10 | 12 | 20 | 19 | 14 | 16 | 10 | – | 1 | 2 |
| Ross and Cromarty | 4 | 6 | 6 | 7 | 4 | 4 | 3 | 2 | 7 | 5 | 12 | 2 | – | 1 | – | – |
| Inverness | 4 | 2 | 7 | 3 | 15 | 10 | 16 | 16 | 16 | 20 | 20 | 9 | 6 | 2 | 2 | – |
| Argyll | 4 | 1 | 2 | 6 | 5 | 3 | 9 | 12 | 19 | 16 | 13 | 13 | 1 | 3 | – | – |
| Bute | 4 | 2 | 2 | 5 | 5 | – | 6 | 4 | 8 | 5 | 9 | 3 | 2 | 1 | – | – |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1890.—FEMALES.

| | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Caithness | 195 | 13 | 3 | 3 | 2 | 1 | 2 | – | 1 | 4 | 1 | 5 | 5 |
| Sutherland | 203 | 11 | 2 | 6 | 7 | 1 | – | 2 | 9 | 7 | 6 | 5 | 6 |
| Ross and Cromarty | 442 | 15 | 6 | 10 | 10 | 2 | 3 | – | 9 | 8 | 9 | 11 | 9 |
| Inverness | 229 | 15 | 5 | 7 | 6 | – | 3 | 4 | 4 | 3 | 3 | 4 | 6 |
| Nairn | 22 | 2 | – | – | 1 | – | – | – | 1 | – | 1 | 1 | 1 |
| Elgin | 224 | 19 | 9 | 12 | 4 | 8 | 2 | 3 | 6 | 2 | 5 | – | 8 |
| Banff | 270 | 20 | 16 | 17 | 5 | 9 | 3 | 5 | 5 | 8 | 9 | 6 | 10 |
| Aberdeen | 928 | 76 | 35 | 35 | 46 | 18 | 9 | 11 | 29 | 19 | 34 | 37 | 33 |
| Kincardine | 223 | 14 | 5 | 11 | 3 | 3 | – | 3 | 7 | 4 | 5 | 10 | 7 |
| Forfar | 303 | 20 | 4 | 8 | 13 | 4 | 4 | 4 | 10 | 11 | 8 | 20 | 4 |
| Perth | 585 | 19 | 7 | 14 | 14 | 6 | 13 | 7 | 16 | 19 | 13 | 19 | 19 |
| Fife | 534 | 34 | 17 | 21 | 28 | 11 | 7 | 5 | 14 | 10 | 20 | 19 | 18 |
| Kinross | 59 | 8 | 1 | 4 | 2 | 1 | – | 1 | 1 | – | 1 | 2 | – |
| Clackmannan | 37 | 6 | 2 | 3 | 2 | – | 2 | 1 | 1 | – | 2 | 1 | 2 |
| Stirling | 380 | 26 | 13 | 27 | 41 | 15 | 13 | 5 | 24 | 17 | 8 | 10 | 12 |
| Dumbarton | 229 | 27 | 11 | 18 | 22 | 7 | 10 | 6 | 9 | 4 | 4 | 13 | 10 |
| Argyll | 323 | 14 | 3 | 11 | 8 | 3 | 1 | – | 9 | 9 | 8 | 7 | 14 |
| Renfrew | 148 | 12 | 5 | 7 | 9 | 3 | 2 | 3 | 8 | 8 | 5 | 5 | 8 |
| Ayr | 530 | 50 | 25 | 34 | 44 | 17 | 9 | 8 | 25 | 7 | 12 | 14 | 23 |
| Lanark | 497 | 37 | 16 | 29 | 41 | 13 | 8 | 7 | 24 | 22 | 16 | 12 | 10 |
| Linlithgow | 137 | 12 | 11 | 9 | 9 | 3 | 3 | 6 | 3 | 2 | 2 | 3 | 6 |
| Edinburgh | 511 | 48 | 11 | 26 | 36 | 15 | 6 | 3 | 18 | 5 | 16 | 13 | 16 |
| Haddington | 140 | 7 | 3 | 7 | 4 | 5 | 3 | 1 | 4 | 4 | 3 | 3 | 9 |
| Berwick | 208 | 18 | 4 | 7 | 1 | 1 | 4 | 2 | 6 | 9 | 9 | 11 | 10 |
| Peebles | 32 | 2 | 2 | 1 | 1 | – | – | – | – | – | 1 | 1 | 1 |
| Selkirk | 13 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Roxburgh | 179 | 13 | 3 | 7 | 5 | 1 | 1 | – | 5 | 4 | 7 | 4 | 10 |
| Dumfries | 403 | 34 | 8 | 17 | 11 | 7 | 5 | 3 | 15 | 6 | 11 | 15 | 15 |
| Kirkcudbright | 226 | 12 | 5 | 6 | 7 | 5 | 3 | 3 | 5 | 7 | 4 | 9 | 7 |
| Wigtown | 274 | 17 | 5 | 11 | 15 | 4 | 1 | 3 | 7 | 4 | 8 | 5 | 5 |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1890.—FEMALES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 214 | 8 | 2 | 3 | 7 | 3 | 1 | 1 | 4 | 3 | 4 | 4 | 16 |
| Orkney | 229 | 9 | – | – | 2 | 1 | 1 | 1 | 4 | 3 | 6 | 5 | 12 |
| Ross and Cromarty | 109 | 8 | 2 | 5 | 9 | 5 | 3 | 3 | 1 | 1 | 4 | 2 | 4 |
| Inverness | 276 | 27 | 3 | 3 | 9 | 5 | 2 | 3 | 4 | 3 | 6 | 8 | 7 |
| Argyll | 135 | 4 | 1 | 1 | – | 1 | – | 1 | 4 | 4 | 2 | 1 | 3 |
| Bute | 77 | 3 | – | 1 | 2 | – | 2 | 2 | 3 | – | 3 | 3 | 4 |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1890.—FEMALES.

| | FEMALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | † |
| Caithness | 6 | 9 | 3 | 5 | 11 | 9 | 10 | 12 | 21 | 20 | 16 | 22 | 8 | 3 | – | – |
| Sutherland | 8 | 9 | 6 | 3 | 6 | 9 | 16 | 12 | 17 | 12 | 19 | 14 | 8 | 2 | – | – |
| Ross and Cromarty | 13 | 13 | 8 | 14 | 22 | 19 | 26 | 38 | 47 | 49 | 48 | 32 | 12 | 6 | 3 | – |
| Inverness | 6 | 6 | 8 | 7 | 9 | 11 | 11 | 13 | 17 | 36 | 24 | 13 | 6 | 2 | – | – |
| Nairn | – | 1 | – | 1 | 1 | 1 | 2 | 3 | – | 1 | 1 | 2 | 1 | 1 | – | – |
| Elgin | 7 | 9 | 9 | 9 | 6 | 9 | 10 | 12 | 21 | 24 | 10 | 16 | 4 | – | – | – |
| Banff | 15 | 10 | 5 | 7 | 8 | 4 | 17 | 11 | 23 | 21 | 16 | 7 | 9 | 4 | – | – |
| Aberdeen | 25 | 24 | 30 | 17 | 24 | 42 | 44 | 43 | 76 | 81 | 76 | 42 | 21 | 1 | – | – |
| Kincardine | 7 | 11 | 15 | 6 | 8 | 12 | 7 | 11 | 20 | 17 | 18 | 14 | 5 | – | – | – |
| Forfar | 8 | 12 | 13 | 10 | 10 | 12 | 20 | 16 | 24 | 19 | 27 | 15 | 6 | 1 | – | – |
| Perth | 16 | 18 | 13 | 22 | 19 | 20 | 38 | 31 | 56 | 65 | 51 | 52 | 11 | 6 | 1 | – |
| Fife | 15 | 13 | 20 | 10 | 17 | 12 | 26 | 39 | 53 | 56 | 43 | 17 | 9 | – | – | – |
| Kinross | 1 | 3 | 2 | 1 | – | – | 2 | 4 | 10 | 5 | 8 | 1 | 1 | – | – | – |
| Clackmannan | 1 | – | 1 | – | 1 | 3 | 1 | 3 | – | 2 | 3 | – | – | – | – | – |
| Stirling | 13 | 11 | 7 | 6 | 14 | 13 | 22 | 14 | 19 | 19 | 15 | 13 | 3 | – | – | – |
| Dumbarton | 3 | 3 | 4 | 8 | 9 | 10 | 10 | 9 | 12 | 7 | 8 | 2 | 2 | – | 1 | – |
| Argyll | 17 | 11 | 8 | 9 | 11 | 15 | 13 | 23 | 26 | 29 | 37 | 25 | 8 | 3 | 1 | – |
| Renfrew | 6 | 5 | 5 | 6 | 2 | 8 | 15 | 4 | 8 | 5 | 5 | 2 | 2 | – | – | – |
| Ayr | 15 | 17 | 19 | 17 | 21 | 16 | 19 | 27 | 34 | 29 | 31 | 12 | 3 | 2 | – | – |
| Lanark | 23 | 8 | 17 | 13 | 15 | 14 | 23 | 34 | 36 | 37 | 25 | 10 | 5 | 2 | – | – |
| Linlithgow | 3 | 3 | 5 | 3 | 2 | 4 | 10 | 6 | 17 | 6 | 5 | 3 | 1 | – | – | – |
| Edinburgh | 14 | 15 | 18 | 15 | 15 | 22 | 30 | 38 | 62 | 29 | 24 | 14 | 2 | – | – | – |
| Haddington | 1 | 7 | 3 | 3 | 5 | 9 | 8 | 6 | 13 | 16 | 10 | 3 | 3 | – | – | – |
| Berwick | 4 | 9 | 10 | 8 | 5 | 6 | 11 | 14 | 21 | 17 | 12 | 4 | 5 | – | – | – |
| Peebles | 1 | – | – | 2 | 2 | 2 | 1 | 3 | 2 | 3 | – | 5 | 1 | 1 | – | – |
| Selkirk | 1 | 2 | – | – | – | – | – | 1 | 1 | – | 1 | 2 | – | – | – | – |
| Roxburgh | 6 | 9 | 6 | 8 | 9 | 7 | 11 | 12 | 14 | 13 | 13 | 8 | 3 | – | – | – |
| Dumfries | 13 | 13 | 13 | 18 | 9 | 17 | 21 | 25 | 41 | 29 | 29 | 14 | 13 | 1 | – | – |
| Kirkcudbright | 10 | 7 | 8 | 5 | 8 | 9 | 13 | 13 | 24 | 22 | 16 | 13 | 3 | 2 | – | – |
| Wigtown | 3 | 9 | 15 | 3 | 3 | 11 | 18 | 18 | 37 | 21 | 27 | 11 | 12 | 1 | – | – |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1890.—FEMALES.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 6 | 7 | 5 | 7 | 9 | 4 | 12 | 14 | 19 | 24 | 16 | 20 | 11 | 3 | 1 | – |
| Orkney | 5 | 4 | 7 | 9 | 5 | 8 | 16 | 20 | 25 | 33 | 32 | 14 | 7 | – | – | – |
| Ross and Cromarty | 1 | 4 | 4 | 3 | 2 | 1 | 6 | 4 | 8 | 9 | 10 | 7 | 1 | 2 | – | – |
| Inverness | 5 | 7 | 6 | 9 | 8 | 12 | 9 | 18 | 30 | 28 | 23 | 20 | 13 | 6 | 2 | – |
| Argyll | 3 | 4 | 3 | 9 | 2 | 6 | 7 | 16 | 17 | 16 | 21 | 7 | 2 | – | – | – |
| Bute | 5 | 1 | 1 | 2 | 3 | 3 | 4 | 2 | 4 | 9 | 11 | 4 | 2 | 3 | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—MALES.

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 39130 | 215 | 229 | 357 | 175 | 628 | 672 | 69 | 387 | 514 | 2515 | 278 | 2813 | 1163 | 1722 | 65 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 5657 | 22 | 20 | 46 | 28 | 92 | 72 | 2 | 60 | 77 | 400 | 34 | 375 | 147 | 202 | 2 |
| II. PARASITIC DISEASES | 10 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 209 | – | – | – | – | 1 | 2 | – | 4 | 1 | 15 | – | 12 | 8 | 5 | – |
| IV. CONSTITUTIONAL „ | 6366 | 46 | 36 | 55 | 24 | 95 | 105 | 10 | 64 | 73 | 353 | 40 | 448 | 193 | 282 | 6 |
| V. DEVELOPMENTAL „ | 2988 | 48 | 48 | 33 | 27 | 86 | 99 | 4 | 31 | 45 | 216 | 19 | 248 | 126 | 157 | 13 |
| VI. LOCAL „ | 19961 | 65 | 89 | 179 | 62 | 282 | 292 | 44 | 197 | 265 | 1308 | 152 | 1458 | 579 | 895 | 38 |
| VII. VIOLENCE | 2114 | 7 | 27 | 22 | 24 | 29 | 39 | 3 | 16 | 32 | 124 | 22 | 132 | 66 | 107 | 4 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1825 | 27 | 9 | 22 | 10 | 42 | 63 | 6 | 15 | 21 | 99 | 11 | 140 | 44 | 74 | 2 |
| **I.** | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 4479 | 21 | 17 | 37 | 25 | 78 | 65 | 2 | 46 | 53 | 305 | 17 | 285 | 109 | 154 | 1 |
| 2. DIARRHŒAL „ | 818 | 1 | 2 | 5 | – | 7 | 6 | – | 6 | 13 | 55 | 8 | 70 | 32 | 36 | 1 |
| 3. MALARIAL „ | 6 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 5. VENEREAL „ | 122 | – | 1 | – | – | 2 | – | – | 2 | 2 | 8 | – | 9 | 2 | 5 | – |
| 6. SEPTIC „ | 231 | – | – | 4 | 3 | 5 | 1 | – | 6 | 8 | 31 | 9 | 11 | 4 | 7 | – |
| **II.** | | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 10 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **III.** | | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 209 | – | – | – | – | 1 | 2 | – | 4 | 1 | 15 | – | 12 | 8 | 5 | – |
| **IV.** | | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 6366 | 46 | 36 | 55 | 24 | 95 | 105 | 10 | 64 | 73 | 353 | 40 | 448 | 193 | 282 | 6 |
| **V.** | | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 2988 | 48 | 48 | 33 | 27 | 86 | 99 | 4 | 31 | 45 | 216 | 19 | 248 | 126 | 157 | 13 |
| **VI.** | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 4487 | 14 | 13 | 29 | 10 | 67 | 65 | 11 | 44 | 60 | 296 | 32 | 318 | 135 | 197 | 11 |
| 2. „ ORGANS OF SPECIAL SENSE | 42 | – | – | – | – | 1 | 1 | – | – | – | 6 | 1 | 4 | – | 1 | – |
| 3. „ CIRCULATORY SYSTEM | 2933 | 8 | 15 | 19 | 12 | 38 | 43 | 6 | 29 | 24 | 198 | 24 | 225 | 127 | 155 | 7 |
| 4. „ RESPIRATORY SYSTEM | 8241 | 22 | 23 | 82 | 17 | 106 | 108 | 16 | 76 | 109 | 511 | 61 | 648 | 210 | 362 | 14 |
| 5. „ DIGESTIVE SYSTEM | 2645 | 12 | 26 | 26 | 16 | 42 | 55 | 6 | 27 | 40 | 180 | 23 | 161 | 63 | 109 | 5 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 45 | – | 1 | – | – | – | – | – | – | 2 | 2 | 2 | 2 | – | 2 | 1 |
| 7. „ URINARY SYSTEM | 1180 | 9 | 10 | 15 | 6 | 25 | 14 | 2 | 14 | 25 | 87 | 9 | 72 | 34 | 54 | – |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 18 | – | – | 1 | – | – | – | – | – | – | 3 | – | 2 | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 269 | – | – | 4 | – | 1 | 4 | 1 | 4 | 3 | 18 | – | 21 | 7 | 14 | – |
| 10. „ INTEGUMENTARY SYSTEM | 101 | – | 1 | 3 | 1 | 2 | 2 | 2 | 3 | 2 | 7 | – | 5 | 3 | 1 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES.

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 39874 | 262 | 273 | 376 | 203 | 671 | 752 | 73 | 431 | 541 | 2690 | 278 | 3184 | 1198 | 1758 | 59 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 6080 | 23 | 26 | 76 | 52 | 70 | 75 | 6 | 64 | 96 | 494 | 32 | 460 | 121 | 221 | 5 |
| II. PARASITIC DISEASES | 8 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – |
| III. DIETETIC ,, | 107 | – | – | 1 | – | – | 1 | – | 2 | – | 6 | – | 5 | 6 | 1 | – |
| IV. CONSTITUTIONAL ,, | 7242 | 50 | 51 | 41 | 26 | 98 | 97 | 6 | 79 | 94 | 432 | 55 | 588 | 231 | 333 | 6 |
| V. DEVELOPMENTAL ,, | 3880 | 74 | 85 | 43 | 34 | 145 | 171 | 16 | 56 | 44 | 279 | 31 | 261 | 148 | 188 | 11 |
| VI. LOCAL ,, | 20190 | 88 | 101 | 183 | 67 | 310 | 313 | 41 | 211 | 280 | 1370 | 147 | 1701 | 644 | 940 | 35 |
| VII. VIOLENCE | 745 | 4 | 3 | 6 | 3 | 6 | 11 | – | 7 | 9 | 43 | 8 | 63 | 17 | 22 | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1622 | 23 | 7 | 26 | 21 | 42 | 84 | 4 | 12 | 18 | 64 | 5 | 105 | 31 | 53 | 2 |
| I. | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases | 4564 | 17 | 14 | 47 | 42 | 53 | 66 | 5 | 53 | 67 | 315 | 22 | 318 | 88 | 161 | 4 |
| 2. Diarrhœal ,, | 824 | 1 | 3 | 16 | 3 | 6 | 5 | – | 4 | 14 | 77 | 3 | 90 | 22 | 39 | – |
| 3. Malarial ,, | 7 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| 4. Zoogenous ,, | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 5. Venereal ,, | 88 | – | – | – | – | – | – | – | – | – | 9 | – | 13 | – | 1 | – |
| 6. Septic ,, | 594 | 5 | 9 | 13 | 7 | 11 | 4 | 1 | 7 | 15 | 90 | 7 | 39 | 11 | 20 | 1 |
| II. | | | | | | | | | | | | | | | | |
| Parasitic Diseases | 8 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – |
| III. | | | | | | | | | | | | | | | | |
| Dietetic Diseases | 107 | – | – | 1 | – | – | 1 | – | 2 | – | 6 | – | 5 | 6 | 1 | – |
| IV. | | | | | | | | | | | | | | | | |
| Constitutional Diseases | 7242 | 50 | 51 | 41 | 26 | 98 | 97 | 6 | 79 | 94 | 432 | 55 | 588 | 231 | 333 | 6 |
| V. | | | | | | | | | | | | | | | | |
| Developmental Diseases | 3880 | 74 | 85 | 43 | 34 | 145 | 171 | 16 | 56 | 44 | 279 | 31 | 261 | 148 | 188 | 11 |
| VI. | | | | | | | | | | | | | | | | |
| 1. Diseases of Nervous System | 4638 | 14 | 20 | 49 | 17 | 72 | 86 | 6 | 47 | 64 | 321 | 30 | 381 | 172 | 232 | 11 |
| 2. ,, Organs of Special Sense | 59 | – | – | – | – | 1 | – | – | 2 | – | 5 | 1 | 2 | 1 | – | 1 |
| 3. ,, Circulatory System | 3218 | 10 | 24 | 24 | 16 | 38 | 39 | 8 | 29 | 26 | 194 | 34 | 277 | 128 | 182 | 4 |
| 4. ,, Respiratory System | 7791 | 44 | 36 | 66 | 18 | 138 | 115 | 23 | 87 | 119 | 533 | 47 | 722 | 198 | 344 | 13 |
| 5. ,, Digestive System | 2756 | 13 | 15 | 28 | 8 | 32 | 47 | – | 25 | 40 | 201 | 23 | 188 | 82 | 111 | 3 |
| 6. ,, Lymphatic System and Ductless Glands | 42 | – | 1 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | 5 | – |
| 7. ,, Urinary System | 801 | 3 | 3 | 5 | 2 | 15 | 11 | 2 | 10 | 17 | 43 | 4 | 60 | 31 | 31 | 2 |
| 8. Reproductive System :— | | | | | | | | | | | | | | | | |
| (*a*) Diseases of Organs of Generation | 203 | 1 | – | 2 | 3 | 4 | 1 | – | 2 | 5 | 18 | 1 | 18 | 8 | 6 | 1 |
| (*b*) Diseases of Parturition | 363 | 3 | 1 | 4 | 2 | 2 | 11 | 1 | 4 | 2 | 22 | 2 | 26 | 16 | 17 | – |
| 9. ,, Organs of Locomotion | 213 | – | – | 4 | 1 | 2 | 1 | 1 | 3 | 4 | 20 | 2 | 19 | 7 | 9 | – |
| 10. ,, Integumentary System | 106 | – | 1 | 1 | – | 5 | 2 | – | 2 | 3 | 12 | 3 | 7 | 1 | 3 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 223 | 1199 | 970 | 694 | 174 | 2456 | 2118 | 12041 | 475 | 4425 | 309 | 213 | 92 | 215 | 419 | 689 | 335 | 281 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 27 | 168 | 185 | 51 | 9 | 346 | 300 | 1909 | 96 | 724 | 33 | 23 | 10 | 26 | 65 | 48 | 29 | 29 |
| II. PARASITIC DISEASES | – | 2 | – | – | – | – | 2 | 3 | – | 1 | – | – | 1 | – | – | – | – | – |
| III. DIETETIC ,, | – | 3 | 10 | 8 | 3 | 13 | 15 | 64 | 1 | 32 | 2 | 2 | – | 1 | 2 | 1 | 3 | 1 |
| IV. CONSTITUTIONAL ,, | 32 | 178 | 147 | 132 | 24 | 435 | 341 | 1964 | 61 | 802 | 42 | 38 | 12 | 46 | 66 | 115 | 60 | 41 |
| V. DEVELOPMENTAL ,, | 17 | 83 | 61 | 89 | 17 | 121 | 159 | 708 | 31 | 272 | 17 | 22 | 6 | 16 | 33 | 64 | 35 | 37 |
| VI. LOCAL ,, | 119 | 621 | 469 | 334 | 101 | 1279 | 1080 | 6205 | 196 | 2240 | 175 | 109 | 57 | 112 | 219 | 413 | 182 | 145 |
| VII. VIOLENCE | 7 | 79 | 59 | 38 | 18 | 134 | 137 | 587 | 38 | 252 | 27 | 13 | 4 | 5 | 11 | 27 | 10 | 14 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 21 | 65 | 39 | 42 | 2 | 128 | 84 | 601 | 52 | 102 | 13 | 6 | 2 | 9 | 23 | 21 | 16 | 14 |
| I. | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 18 | 143 | 148 | 35 | 8 | 271 | 230 | 1551 | 86 | 563 | 23 | 18 | 7 | 23 | 55 | 34 | 24 | 18 |
| 2. DIARRHŒAL ,, | 9 | 15 | 30 | 9 | 1 | 59 | 47 | 254 | 8 | 98 | 7 | 5 | 2 | 3 | 8 | 10 | 4 | 7 |
| 3. MALARIAL ,, | – | 2 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | 1 | 1 | – | 3 | 3 | 49 | 2 | 27 | 1 | – | – | – | – | 1 | 1 | – |
| 6. SEPTIC ,, | – | 7 | 6 | 6 | – | 11 | 11 | 54 | – | 35 | 2 | – | 1 | – | 2 | 3 | – | 4 |
| II. PARASITIC DISEASES | – | 2 | – | – | – | – | 2 | 3 | – | 1 | – | – | 1 | – | – | – | – | – |
| III. DIETETIC DISEASES | – | 3 | 10 | 8 | 3 | 13 | 15 | 64 | 1 | 32 | 2 | 2 | – | 1 | 2 | 1 | 3 | 1 |
| IV. CONSTITUTIONAL DISEASES | 32 | 178 | 147 | 132 | 24 | 435 | 341 | 1964 | 61 | 802 | 42 | 38 | 12 | 46 | 66 | 115 | 60 | 41 |
| V. DEVELOPMENTAL DISEASES | 17 | 83 | 61 | 89 | 17 | 121 | 159 | 708 | 31 | 272 | 17 | 22 | 6 | 16 | 33 | 64 | 35 | 37 |
| VI. | | | | | | | | | | | | | | | | | | |
| 1. DISEASES of NERVOUS SYSTEM | 22 | 132 | 127 | 71 | 22 | 342 | 220 | 1351 | 44 | 489 | 45 | 30 | 21 | 23 | 57 | 111 | 51 | 27 |
| 2. ,, ORGANS OF SPECIAL SENSE | – | 1 | 2 | – | – | 2 | 3 | 9 | – | 6 | – | – | – | – | 2 | 2 | – | 1 |
| 3. ,, CIRCULATORY SYSTEM | 33 | 87 | 66 | 68 | 23 | 199 | 186 | 735 | 18 | 349 | 27 | 20 | 11 | 20 | 37 | 71 | 27 | 26 |
| 4. ,, RESPIRATORY SYSTEM | 41 | 267 | 189 | 122 | 30 | 496 | 418 | 2857 | 87 | 883 | 64 | 33 | 15 | 41 | 71 | 140 | 62 | 60 |
| 5. ,, DIGESTIVE SYSTEM | 11 | 100 | 57 | 46 | 14 | 142 | 128 | 828 | 34 | 303 | 21 | 14 | 7 | 16 | 31 | 57 | 27 | 18 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | 1 | 4 | – | – | 2 | 5 | 13 | – | 6 | – | – | – | – | – | 1 | 1 | – |
| 7. ,, URINARY SYSTEM | 8 | 21 | 18 | 21 | 8 | 69 | 88 | 303 | 9 | 161 | 13 | 11 | 2 | 10 | 16 | 27 | 9 | 10 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | 1 | 1 | – | 2 | 1 | 4 | – | 2 | 1 | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 4 | 6 | 4 | 3 | 3 | 21 | 22 | 83 | – | 27 | 4 | 1 | – | 2 | 3 | 2 | 3 | 1 |
| 10. ,, INTEGUMENTARY SYSTEM | – | 6 | 1 | 2 | 1 | 4 | 9 | 22 | – | 14 | – | – | 1 | – | 2 | 2 | 2 | 2 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 233 | 1187 | 913 | 666 | 196 | 2405 | 2123 | 11485 | 476 | 4483 | 314 | 262 | 106 | 259 | 457 | 780 | 394 | 386 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 26 | 203 | 163 | 52 | 26 | 316 | 321 | 2009 | 87 | 749 | 28 | 22 | 4 | 36 | 65 | 93 | 27 | 32 |
| II. PARASITIC DISEASES | – | 1 | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | – | 3 | 9 | 4 | 2 | 8 | 6 | 37 | – | 14 | 1 | – | – | – | – | 1 | – | – |
| IV. CONSTITUTIONAL „ | 43 | 193 | 173 | 117 | 34 | 511 | 398 | 2059 | 65 | 844 | 66 | 65 | 23 | 62 | 103 | 149 | 78 | 72 |
| V. DEVELOPMENTAL „ | 24 | 105 | 82 | 134 | 24 | 222 | 208 | 804 | 41 | 348 | 39 | 34 | 17 | 21 | 35 | 62 | 49 | 45 |
| VI. LOCAL „ | 123 | 600 | 439 | 301 | 98 | 1185 | 1066 | 5822 | 241 | 2321 | 167 | 130 | 59 | 126 | 233 | 429 | 222 | 197 |
| VII. VIOLENCE | 1 | 18 | 24 | 10 | 8 | 42 | 58 | 231 | 9 | 94 | 6 | 4 | 1 | 1 | 7 | 9 | 4 | 16 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 16 | 64 | 23 | 48 | 4 | 120 | 66 | 522 | 33 | 111 | 7 | 7 | 2 | 13 | 14 | 37 | 14 | 24 |
| I. | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 19 | 176 | 126 | 33 | 17 | 239 | 244 | 1578 | 70 | 574 | 17 | 15 | 4 | 29 | 47 | 62 | 21 | 21 |
| 2. DIARRHŒAL „ | 4 | 14 | 30 | 12 | 4 | 45 | 45 | 248 | 10 | 81 | 4 | 5 | – | 4 | 9 | 17 | 4 | 5 |
| 3. MALARIAL „ | – | 2 | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | – | 1 | – | – | 1 | 4 | 3 | 32 | 3 | 17 | – | – | – | – | 2 | – | 1 | 1 |
| 6. SEPTIC „ | 3 | 10 | 7 | 7 | 4 | 28 | 29 | 149 | 4 | 74 | 7 | 2 | – | 3 | 7 | 14 | 1 | 5 |
| II. PARASITIC DISEASES | – | 1 | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | 3 | 9 | 4 | 2 | 8 | 6 | 37 | – | 14 | 1 | – | – | – | – | 1 | – | – |
| IV. CONSTITUTIONAL DISEASES | 43 | 193 | 173 | 117 | 34 | 511 | 398 | 2059 | 65 | 844 | 66 | 65 | 23 | 62 | 103 | 149 | 78 | 72 |
| V. DEVELOPMENTAL DISEASES | 24 | 105 | 82 | 134 | 24 | 222 | 208 | 804 | 41 | 348 | 39 | 34 | 17 | 21 | 35 | 62 | 49 | 45 |
| VI. | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 33 | 137 | 115 | 69 | 29 | 318 | 250 | 1223 | 55 | 527 | 37 | 26 | 11 | 33 | 66 | 101 | 43 | 43 |
| 2. „ ORGANS OF SPECIAL SENSE | – | 3 | 2 | 1 | – | 5 | 6 | 18 | – | 9 | – | – | – | 1 | – | – | – | 1 |
| 3. „ CIRCULATORY SYSTEM | 17 | 107 | 70 | 59 | 18 | 177 | 206 | 781 | 34 | 403 | 37 | 27 | 15 | 16 | 45 | 80 | 50 | 43 |
| 4. „ RESPIRATORY SYSTEM | 39 | 225 | 154 | 100 | 31 | 421 | 364 | 2460 | 92 | 836 | 56 | 46 | 20 | 53 | 73 | 150 | 95 | 73 |
| 5. „ DIGESTIVE SYSTEM | 23 | 88 | 65 | 47 | 16 | 167 | 136 | 839 | 34 | 315 | 24 | 23 | 6 | 12 | 29 | 63 | 28 | 25 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | 1 | – | 2 | – | – | 3 | 11 | 1 | 10 | – | – | – | – | 2 | 1 | 1 | – |
| 7. „ URINARY SYSTEM | 4 | 16 | 16 | 5 | 3 | 52 | 50 | 234 | 18 | 106 | 6 | 5 | 4 | 6 | 10 | 17 | 2 | 8 |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | 6 | 1 | 8 | – | 7 | 9 | 56 | 1 | 36 | 1 | – | 2 | 1 | 1 | 2 | 1 | 1 |
| (*b*) DISEASES OF PARTURITION | 1 | 10 | 11 | 7 | 1 | 19 | 21 | 107 | 5 | 47 | 4 | 2 | 1 | 3 | 4 | 6 | 1 | – |
| 9. „ ORGANS OF LOCOMOTION | 5 | 5 | 4 | 3 | – | 8 | 15 | 68 | 1 | 20 | 2 | 1 | – | – | 1 | 5 | 1 | 1 |
| 10. „ INTEGUMENTARY SYSTEM | – | 2 | 1 | – | – | 11 | 6 | 25 | – | 12 | – | – | – | 1 | 2 | 4 | – | 2 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 1952 | 6 | 27 | 21 | 23 | 28 | 37 | 3 | 15 | 29 | 110 | 19 | 121 | 56 | 101 | 3 |
| 2. Homicide | 12 | – | – | – | – | 1 | – | – | – | – | – | – | 2 | 1 | – | – |
| 3. Suicide | 149 | 1 | – | 1 | 1 | – | 2 | – | 1 | 3 | 14 | 3 | 9 | 9 | 6 | 1 |
| 4. Execution | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 1825 | 27 | 9 | 22 | 10 | 42 | 63 | 6 | 15 | 21 | 99 | 11 | 140 | 44 | 74 | 2 |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 7 | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – |
| Measles | 1337 | – | 2 | 1 | 3 | 29 | 12 | – | 7 | 5 | 57 | 5 | 83 | 21 | 63 | – |
| Epidemic Rose Rash | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Scarlet Fever | 377 | – | 1 | 3 | – | – | 3 | – | – | 2 | 19 | – | 10 | 17 | 9 | – |
| Typhus | 44 | – | – | – | – | 2 | 1 | – | – | – | 2 | – | 1 | – | 1 | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 436 | 9 | 12 | 30 | 12 | 34 | 29 | – | 10 | 15 | 65 | 3 | 28 | 13 | 13 | – |
| Hooping-cough | 1372 | 5 | – | – | 1 | 6 | 13 | 1 | 24 | 21 | 118 | 4 | 108 | 30 | 32 | 1 |
| Mumps | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diphtheria | 475 | 1 | – | 3 | 8 | 4 | 6 | – | 2 | 4 | 16 | 4 | 34 | 18 | 12 | – |
| Cerebro-spinal Fever | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 12 | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Enteric Fever | 410 | 6 | 2 | – | – | 2 | 1 | – | 3 | 6 | 25 | 1 | 20 | 8 | 24 | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | | |
| Simple Cholera | 27 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diarrhœa, Dysentery | 791 | 1 | 2 | 5 | – | 7 | 6 | – | 6 | 13 | 55 | 8 | 70 | 32 | 35 | 1 |
| **Malarial Diseases.** | | | | | | | | | | | | | | | | |
| Remittent Fever | 5 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | | |
| Syphilis | 109 | – | 1 | – | – | 2 | – | – | 2 | 2 | 8 | – | 8 | 2 | 4 | – |
| Gonorrhœa, Stricture of Urethra | 13 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | | |
| Phagedæna | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 156 | – | – | 4 | 2 | 3 | 1 | – | 6 | 7 | 21 | 6 | 10 | 3 | 5 | – |
| Pyæmia, Septicæmia | 73 | – | – | – | 1 | 2 | – | – | – | 1 | 10 | 3 | 1 | 1 | 2 | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES.

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 678 | 3 | 3 | 5 | 2 | 6 | 9 | – | 7 | 9 | 36 | 5 | 57 | 16 | 22 | – |
| 2. Homicide | 10 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – |
| 3. Suicide | 57 | 1 | – | 1 | 1 | – | 2 | – | – | – | 6 | 3 | 5 | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 1622 | 23 | 7 | 26 | 21 | 42 | 84 | 4 | 12 | 18 | 64 | 5 | 105 | 31 | 53 | 2 |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Measles | 1172 | 1 | 4 | 6 | 3 | 21 | 13 | – | 8 | 3 | 62 | 3 | 110 | 12 | 57 | 1 |
| Epidemic Rose Rash | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 362 | 1 | 2 | 3 | 1 | – | 5 | – | – | 1 | 17 | 1 | 5 | 8 | 8 | – |
| Typhus | 33 | 1 | – | – | – | 1 | 1 | – | – | – | 2 | – | 2 | – | 1 | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 394 | 6 | 6 | 25 | 17 | 20 | 21 | 1 | 11 | 13 | 52 | 7 | 28 | 11 | 10 | – |
| Hooping-cough | 1667 | 6 | – | 2 | 12 | 5 | 14 | 1 | 30 | 40 | 125 | 6 | 104 | 32 | 62 | 2 |
| Mumps | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 543 | 2 | – | 1 | 7 | 3 | 9 | 3 | 3 | 2 | 28 | 3 | 42 | 17 | 13 | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 18 | – | – | – | – | 2 | – | – | – | – | 1 | – | 1 | – | – | – |
| Enteric Fever | 367 | – | 2 | 9 | 2 | 1 | 3 | – | 1 | 8 | 28 | 2 | 25 | 8 | 10 | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | | |
| Simple Cholera | 30 | – | – | 1 | – | 1 | – | – | – | – | 3 | – | 2 | – | – | – |
| Diarrhœa, Dysentery | 794 | 1 | 3 | 15 | 3 | 5 | 5 | – | 4 | 14 | 74 | 3 | 88 | 22 | 39 | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | | |
| Remittent Fever | 7 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | | |
| Syphilis | 87 | – | – | – | – | – | – | – | – | – | 9 | – | 13 | – | 1 | – |
| Gonorrhœa, Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | | |
| Phagedæna | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Erysipelas | 184 | 2 | 3 | 3 | 3 | 4 | 2 | – | – | 6 | 25 | 1 | 11 | 3 | 8 | 1 |
| Pyæmia, Septicæmia | 81 | – | 1 | 2 | 1 | – | – | – | 1 | 3 | 7 | – | 10 | – | 3 | – |
| Puerperal Fever | 324 | 3 | 5 | 8 | 3 | 7 | 2 | 1 | 6 | 6 | 58 | 6 | 17 | 8 | 9 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 7 | 74 | 53 | 35 | 18 | 128 | 121 | 549 | 35 | 232 | 23 | 11 | 4 | 5 | 11 | 24 | 10 | 13 |
| 2. HOMICIDE | – | – | 1 | 1 | – | – | – | 5 | – | – | – | 1 | – | – | – | – | – | – |
| 3. SUICIDE | – | 5 | 5 | 2 | – | 6 | 16 | 32 | 3 | 20 | 4 | 1 | – | – | – | 3 | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 21 | 65 | 39 | 42 | 2 | 123 | 84 | 601 | 52 | 102 | 13 | 6 | 2 | 9 | 23 | 21 | 16 | 14 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Measles | 1 | 61 | 51 | 5 | 2 | 65 | 63 | 541 | 27 | 182 | 7 | 5 | 1 | 14 | 18 | 5 | – | 1 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 4 | 7 | 14 | 1 | – | 46 | 27 | 130 | 4 | 58 | 4 | 4 | – | 1 | 1 | 7 | 3 | 2 |
| Typhus | – | 1 | – | – | – | 9 | 1 | 17 | – | 5 | – | – | 1 | 1 | 1 | 1 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | 9 | 6 | 19 | 3 | 6 | 17 | 35 | 4 | 26 | 2 | 2 | 2 | 2 | 13 | 5 | 8 | 4 |
| Hooping-cough | 12 | 32 | 55 | 2 | – | 81 | 55 | 530 | 28 | 181 | 3 | 3 | – | 1 | 16 | 5 | 1 | 3 |
| Mumps | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | 17 | 9 | 4 | 2 | 42 | 40 | 130 | 12 | 74 | 4 | 2 | – | 2 | 1 | 6 | 11 | 6 |
| Cerebro-spinal Fever | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | 1 | – | – | – | – | 3 | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| Enteric Fever | – | 15 | 13 | 4 | 1 | 51 | 30 | 161 | 10 | 35 | 2 | 2 | 3 | 2 | 5 | 5 | 1 | 2 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Simple Cholera | – | 1 | 3 | – | – | 1 | 1 | 14 | 2 | 4 | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 9 | 14 | 27 | 9 | 1 | 58 | 46 | 240 | 6 | 94 | 7 | 5 | 2 | 3 | 8 | 10 | 4 | 7 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | 2 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Ague | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Syphilis | – | – | 1 | 1 | – | 5 | 2 | 44 | 2 | 22 | 1 | – | – | – | – | 1 | 1 | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | 1 | 5 | – | 5 | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 4 | 4 | 4 | – | 6 | 6 | 36 | – | 23 | 1 | – | 1 | – | 1 | 1 | – | 1 |
| Pyæmia, Septicæmia | – | 1 | 2 | 2 | – | 5 | 5 | 18 | – | 12 | 1 | – | – | – | 1 | 2 | – | 3 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | 18 | 21 | 9 | 8 | 38 | 51 | 212 | 9 | 90 | 5 | 4 | 1 | – | 6 | 7 | 4 | 15 |
| 2. HOMICIDE | – | – | – | – | – | – | 1 | 5 | – | – | – | – | – | – | 1 | – | – | – |
| 3. SUICIDE | 1 | – | 3 | 1 | – | 4 | 6 | 14 | – | 4 | 1 | – | – | 1 | – | 2 | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 16 | 64 | 23 | 48 | 4 | 120 | 66 | 522 | 33 | 111 | 7 | 7 | 2 | 13 | 14 | 37 | 14 | 24 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 51 | 36 | 1 | 4 | 48 | 62 | 449 | 19 | 154 | 7 | 1 | – | 12 | 18 | 4 | 2 | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 4 | 7 | 7 | – | – | 29 | 32 | 134 | 5 | 72 | 2 | – | – | – | 2 | 9 | 2 | 5 |
| Typhus | – | 1 | – | – | – | 3 | – | 13 | – | 7 | – | – | – | – | 1 | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | 9 | 10 | 19 | 2 | 8 | 23 | 39 | 1 | 21 | 2 | 3 | 2 | 4 | 4 | 9 | 5 | 4 |
| Hooping-cough | 13 | 67 | 56 | 3 | 1 | 98 | 78 | 634 | 23 | 196 | 4 | 3 | – | 2 | 14 | 31 | 1 | 2 |
| Mumps | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | 24 | 9 | 6 | 8 | 33 | 29 | 176 | 14 | 77 | 1 | 4 | – | 4 | 2 | 6 | 10 | 6 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | 2 | 2 | – | – | 1 | 1 | 6 | – | 1 | – | – | – | – | 1 | – | – | – |
| Enteric Fever | – | 15 | 6 | 4 | 2 | 16 | 19 | 124 | 8 | 46 | 1 | 4 | 2 | 7 | 5 | 3 | 1 | 4 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | 3 | – | – | 1 | – | 9 | 2 | 5 | – | 1 | – | – | 1 | 1 | – | – |
| Diarrhœa, Dysentery | 4 | 14 | 27 | 12 | 4 | 44 | 45 | 239 | 8 | 76 | 4 | 4 | – | 4 | 8 | 16 | 4 | 5 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | 2 | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Syphilis | – | 1 | – | – | 1 | 4 | 3 | 32 | 3 | 16 | – | – | – | – | 2 | – | 1 | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 3 | 2 | 1 | 4 | 4 | 10 | 39 | – | 33 | 4 | 1 | – | 1 | 1 | 4 | 1 | 3 |
| Pyæmia, Septicæmia | – | 1 | 1 | 3 | – | 5 | 7 | 15 | 1 | 11 | 1 | 1 | – | 1 | 1 | 4 | – | 1 |
| Puerperal Fever | 2 | 5 | 3 | 2 | – | 18 | 12 | 95 | 3 | 30 | 2 | – | – | 1 | 5 | 6 | – | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Invemess. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | |
| Thrush | 8 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 41 | – | – | – | – | – | 1 | – | 2 | – | 6 | – | 2 | 1 | – | – |
| Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Intemp. Chronic Alcoholism | 127 | – | – | – | – | 1 | 1 | – | – | – | 7 | – | 5 | 6 | 3 | – |
| Intemp. Delirium Tremens | 40 | – | – | – | – | – | – | – | 2 | 1 | 2 | – | 5 | – | 2 | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 102 | 1 | – | 2 | – | 2 | 3 | – | 1 | – | 2 | 1 | 11 | – | 4 | – |
| Rheumatism | 67 | 2 | 1 | 1 | 1 | 4 | 2 | – | 1 | 3 | 7 | – | 3 | 4 | 1 | – |
| Gout | 8 | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | 3 | – |
| Rickets | 27 | 1 | – | – | – | – | – | – | – | – | – | – | 6 | – | – | – |
| Cancer | 899 | 3 | 8 | 13 | 4 | 18 | 17 | 3 | 9 | 11 | 60 | 4 | 55 | 36 | 52 | – |
| Tabes Mesenterica | 454 | – | – | 2 | – | 2 | 3 | – | – | 7 | 17 | 1 | 31 | 6 | 12 | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 637 | 2 | – | 3 | 1 | 6 | 9 | 1 | 7 | 5 | 37 | 5 | 51 | 20 | 38 | 1 |
| Phthisis | 3648 | 36 | 22 | 32 | 17 | 57 | 70 | 3 | 42 | 34 | 193 | 24 | 256 | 111 | 147 | 4 |
| Other forms of Tuberculosis, Scrofula | 375 | 1 | 3 | 1 | 1 | 5 | 1 | 1 | 3 | 8 | 31 | 1 | 24 | 10 | 22 | – |
| Purpura, Hæmorrhagic Diathesis | 14 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – |
| Anæmia, Chlorosis, Leucocythæmia | 88 | – | 1 | 1 | – | 1 | – | 1 | 1 | 4 | 2 | 2 | 9 | 2 | 1 | 1 |
| Diabetes Mellitus | 45 | – | 1 | – | – | – | – | – | – | 1 | 4 | 1 | – | 3 | 1 | – |
| Other Constitutional Diseases | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | |
| Premature Birth | 1007 | – | 4 | 3 | 1 | 6 | 4 | – | 4 | 13 | 78 | 4 | 106 | 28 | 54 | 3 |
| Atelectasis | 68 | 1 | – | – | – | – | 1 | – | – | 2 | 10 | – | 8 | – | 1 | – |
| Cyanosis | 45 | – | – | – | – | 1 | – | – | – | – | 1 | – | 3 | – | 1 | – |
| Spina Bifida | 54 | 1 | 1 | – | – | 1 | – | – | – | 1 | 4 | – | 5 | 2 | 5 | 1 |
| Imperforate Anus | 8 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Cleft Palate, Harelip | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Other Congenital Defects | 57 | – | – | – | – | 1 | – | – | – | 1 | 6 | – | 3 | 2 | 2 | – |
| Old Age | 1741 | 46 | 43 | 30 | 26 | 77 | 94 | 4 | 27 | 28 | 116 | 15 | 121 | 94 | 93 | 9 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 871 | – | 1 | 3 | 1 | 8 | 23 | – | 9 | 12 | 51 | 4 | 63 | 18 | 36 | – |
| Apoplexy | 1192 | 1 | – | 10 | – | 15 | 14 | 6 | 13 | 16 | 70 | 9 | 89 | 42 | 63 | 7 |
| Softening of the Brain | 145 | – | 2 | – | – | – | 1 | – | 1 | – | 14 | 1 | 17 | 3 | 11 | – |
| Hemiplegia, Brain Paralysis | 701 | 5 | 6 | 4 | 5 | 14 | 11 | – | 10 | 10 | 42 | 5 | 41 | 33 | 29 | – |
| Paralysis Agitans | 24 | – | – | – | – | 4 | 1 | – | 1 | – | 1 | – | 1 | 2 | – | – |
| Insanity, General Paralysis of Insane | 115 | – | – | – | – | 1 | 5 | – | – | – | 4 | – | 8 | 3 | 1 | – |
| Chorea | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | 159 | 1 | 1 | 3 | 1 | 2 | 3 | 1 | 1 | 1 | 12 | 1 | 9 | 5 | 12 | – |
| Convulsions | 637 | 4 | 1 | 4 | 2 | 11 | 3 | – | 3 | 11 | 66 | 3 | 42 | 10 | 23 | 2 |
| Laryngismus Stridulus | 24 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 | – |
| Idiopathic Tetanus | 21 | – | – | – | – | 3 | 1 | – | – | – | – | 1 | 1 | – | 2 | – |
| Paraplegia, Diseases of Spinal Cord | 127 | 1 | 1 | – | – | 2 | – | – | 1 | 4 | 12 | 2 | 9 | 7 | 5 | 1 |
| Other Diseases of Nervous System | 465 | 2 | 1 | 5 | 1 | 6 | 3 | 4 | 5 | 6 | 23 | 6 | 37 | 12 | 14 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 37 | – | – | – | – | 1 | 1 | – | – | – | 6 | 1 | 4 | – | 1 | – |
| Epistaxis and Disease of Nose | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | |
| Thrush | 7 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 42 | – | – | – | – | – | – | – | 1 | – | 5 | – | – | 1 | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 62 | – | – | 1 | – | – | 1 | – | 1 | – | 1 | – | 4 | 4 | 1 | – |
| Intemp. { Delirium Tremens | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 122 | – | – | – | 1 | – | 1 | – | – | 1 | 12 | 3 | 10 | 2 | 4 | – |
| Rheumatism | 113 | 4 | – | 3 | 2 | 5 | 7 | – | 3 | – | 11 | 1 | 7 | 4 | 4 | – |
| Gout | 6 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Rickets | 23 | – | – | – | – | 1 | 1 | – | – | – | 1 | – | 2 | 1 | 3 | – |
| Cancer | 1529 | 5 | 13 | 16 | 4 | 18 | 30 | 3 | 28 | 30 | 90 | 14 | 132 | 64 | 82 | 3 |
| Tabes Mesenterica | 384 | 1 | 3 | – | – | 2 | 1 | – | 1 | 1 | 19 | 1 | 32 | 9 | 19 | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 503 | 4 | 2 | 1 | – | 3 | 2 | – | 4 | 6 | 25 | 2 | 29 | 10 | 24 | – |
| Phthisis | 4012 | 34 | 30 | 26 | 19 | 59 | 49 | 3 | 37 | 46 | 239 | 31 | 336 | 126 | 167 | 2 |
| Other forms of Tuberculosis, Scrofula | 281 | 2 | 3 | – | – | 5 | 2 | – | 2 | 7 | 19 | – | 24 | 8 | 17 | – |
| Purpura, Hæmorrhagic Diathesis | 31 | – | – | – | – | 1 | 1 | – | – | – | 1 | – | 2 | 1 | 3 | – |
| Anæmia, Chlorosis, Leucocythæmia | 180 | – | – | 1 | – | 4 | 3 | – | 1 | 3 | 7 | 3 | 12 | 3 | 8 | – |
| Diabetes Mellitus | 56 | – | – | – | – | – | – | – | 3 | – | 6 | – | 2 | 2 | 2 | – |
| Other Constitutional Diseases | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | |
| Premature Birth | 823 | – | 5 | 2 | – | 4 | 4 | 1 | 14 | 11 | 60 | 5 | 82 | 11 | 41 | 2 |
| Atelectasis | 41 | – | – | – | – | – | – | – | – | 1 | 2 | – | 4 | – | 2 | – |
| Cyanosis | 18 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Spina Bifida | 41 | – | – | – | – | – | – | 3 | – | – | 1 | 2 | 3 | 1 | 1 | – |
| Imperforate Anus | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cleft Palate, Harelip | 9 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Congenital Defects | 57 | – | – | – | – | – | 1 | – | – | 1 | 4 | 1 | 3 | 1 | 2 | 1 |
| Old Age | 2888 | 74 | 80 | 31 | 34 | 141 | 166 | 12 | 42 | 31 | 209 | 23 | 168 | 135 | 142 | 8 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 743 | 3 | 1 | 5 | 4 | 7 | 10 | 1 | 5 | 15 | 37 | 2 | 64 | 16 | 32 | 2 |
| Apoplexy | 1427 | 1 | 7 | 16 | 2 | 12 | 13 | 1 | 15 | 20 | 106 | 9 | 137 | 57 | 87 | 3 |
| Softening of the Brain | 174 | – | – | 2 | – | 2 | 2 | – | 1 | 4 | 10 | 4 | 16 | 6 | 5 | – |
| Hemiplegia, Brain Paralysis | 865 | 7 | 5 | 13 | 8 | 23 | 25 | 3 | 3 | 13 | 60 | 9 | 57 | 48 | 45 | 1 |
| Paralysis Agitans | 30 | – | – | – | – | 4 | 3 | – | – | – | 2 | – | – | – | 2 | – |
| Insanity, General Paralysis of Insane | 99 | 1 | 1 | – | – | 1 | 11 | – | 2 | 1 | 9 | – | 8 | 3 | 4 | – |
| Chorea | 12 | – | – | – | – | 1 | – | – | 1 | – | 1 | – | 1 | 2 | – | – |
| Epilepsy | 131 | – | – | 2 | – | 3 | 2 | – | 1 | – | 5 | 1 | 10 | 10 | 13 | – |
| Convulsions | 563 | – | 1 | 4 | 3 | 9 | 10 | – | 9 | 7 | 54 | 2 | 43 | 9 | 23 | 1 |
| Laryngismus Stridulus | 26 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – |
| Idiopathic Tetanus | 17 | – | – | 1 | – | – | 2 | – | – | – | 1 | – | 1 | – | – | 1 |
| Paraplegia, Diseases of Spinal Cord | 119 | 2 | 3 | 1 | – | 4 | 3 | 1 | – | 1 | 10 | 1 | 14 | 4 | 4 | 1 |
| Other Diseases of Nervous System | 432 | – | 2 | 5 | – | 6 | 5 | – | 10 | 3 | 25 | 2 | 30 | 16 | 16 | 2 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 49 | – | – | – | – | – | – | – | 2 | – | 5 | 1 | 1 | 1 | – | – |
| Epistaxis and Disease of Nose | 9 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 |
| Ophthalmia and Disease of Eye | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | |
| Thrush | – | 2 | – | – | – | – | 1 | 3 | – | 1 | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | 8 | – | – | 2 | 2 | 7 | 1 | 7 | – | 1 | – | – | – | 1 | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | 3 | 2 | 7 | 2 | 9 | 10 | 38 | – | 23 | 2 | 1 | – | 1 | 2 | – | 3 |
| Intemp. Delirium Tremens | – | – | – | 1 | 1 | 2 | 3 | 19 | – | 2 | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | 3 | 2 | – | – | 4 | 4 | 40 | – | 14 | 2 | 1 | – | – | 1 | 3 | – |
| Rheumatism | 3 | 2 | 1 | – | 1 | 11 | 2 | 11 | – | 2 | – | – | – | – | 2 | 1 | 1 |
| Gout | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – |
| Rickets | 1 | – | – | – | – | – | – | 8 | – | 9 | 1 | – | – | – | – | 1 | – |
| Cancer | 3 | 18 | 25 | 28 | 5 | 58 | 50 | 199 | 15 | 122 | 8 | 11 | 3 | 7 | 11 | 23 | 11 |
| Tabes Mesenterica | 6 | 26 | 7 | 5 | 1 | 30 | 21 | 202 | 9 | 46 | 2 | 2 | – | 4 | 5 | 3 | 2 |
| Tubercular Meningitis (Acute Hydrocephalus) | 2 | 15 | 19 | 6 | 1 | 30 | 35 | 209 | 5 | 97 | 5 | 1 | 1 | 5 | 3 | 7 | 7 |
| Phthisis | 16 | 98 | 80 | 83 | 15 | 261 | 201 | 1143 | 30 | 435 | 20 | 19 | 6 | 28 | 40 | 74 | 31 |
| Other forms of Tuberculosis, Scrofula | – | 10 | 9 | 7 | – | 32 | 18 | 115 | 1 | 52 | 3 | 1 | 2 | 1 | 3 | 1 | 4 |
| Purpura, Hæmorrhagic Diathesis | – | – | 2 | – | – | – | 1 | 4 | 1 | 1 | – | – | – | 1 | – | – | 1 |
| Anæmia, Chlorosis, Leucocythæmia | – | 5 | 1 | 3 | 1 | 7 | 6 | 17 | – | 17 | – | – | – | – | 1 | – | 2 |
| Diabetes Mellitus | – | 1 | 1 | – | – | 2 | 3 | 12 | – | 7 | 1 | 3 | – | – | – | 2 | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | |
| Premature Birth | 8 | 26 | 18 | 7 | 3 | 38 | 63 | 342 | 13 | 128 | 1 | 11 | 1 | 9 | 7 | 12 | 8 |
| Atelectasis | – | – | 1 | – | – | 7 | 8 | 13 | – | 12 | 1 | – | – | – | 2 | – | 1 |
| Cyanosis | – | 1 | 1 | – | – | 2 | 4 | 21 | – | 6 | 2 | – | – | – | – | 2 | – |
| Spina Bifida | – | – | 1 | – | – | 5 | 4 | 15 | 1 | 5 | – | – | – | – | 1 | 1 | – |
| Imperforate Anus | 1 | – | 1 | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | 1 | – | – | 3 | – | 2 | – | – | – | – | – | – | – |
| Other Congenital Defects | – | 5 | 3 | – | – | 2 | 2 | 20 | – | 6 | 1 | – | 1 | – | 2 | – | – |
| Old Age | 8 | 51 | 36 | 82 | 13 | 66 | 78 | 292 | 16 | 113 | 12 | 11 | 4 | 7 | 21 | 49 | 26 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 6 | 33 | 29 | 10 | 6 | 75 | 42 | 316 | 17 | 63 | 7 | 4 | – | 3 | 6 | 18 | 4 |
| Apoplexy | 3 | 28 | 33 | 20 | 6 | 86 | 73 | 331 | 11 | 124 | 18 | 8 | 11 | 5 | 22 | 29 | 20 |
| Softening of the Brain | 1 | 5 | 6 | 2 | 1 | 7 | 3 | 34 | – | 17 | 2 | 1 | 1 | 1 | 7 | 2 | 3 |
| Hemiplegia, Brain Paralysis | 4 | 14 | 16 | 22 | 2 | 42 | 33 | 204 | 5 | 71 | 12 | 7 | 1 | 6 | 7 | 26 | 8 |
| Paralysis Agitans | – | 1 | – | 2 | – | 4 | 1 | 3 | – | 1 | – | – | – | – | 2 | – | – |
| Insanity, General Paralysis of Insane | – | 5 | 12 | 1 | – | 9 | 5 | 17 | – | 38 | – | – | – | – | 1 | 4 | 1 |
| Chorea | – | – | – | – | – | 1 | – | 2 | – | 2 | – | – | – | – | – | – | – |
| Epilepsy | – | 11 | 3 | 2 | 2 | 12 | 6 | 36 | 2 | 20 | 1 | 1 | 2 | – | 1 | 6 | 1 |
| Convulsions | 3 | 22 | 12 | 4 | 2 | 40 | 17 | 214 | 8 | 85 | 2 | 5 | 1 | 5 | 5 | 15 | 8 |
| Laryngismus Stridulus | – | – | – | – | – | 5 | 1 | 12 | – | 3 | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | 2 | – | – | 1 | 6 | – | 2 | – | – | 1 | – | – | – | 1 |
| Paraplegia, Diseases of Spinal Cord | 1 | 3 | 6 | 1 | 2 | 7 | 10 | 29 | – | 13 | 2 | – | – | 2 | 2 | 3 | – |
| Other Diseases of Nervous System | 4 | 10 | 10 | 5 | 1 | 54 | 28 | 147 | 1 | 50 | 1 | 4 | 4 | 1 | 4 | 8 | 5 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | 1 | 2 | – | – | – | 2 | 9 | – | 5 | – | – | – | – | 2 | 1 | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |

AUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | |
| rush | – | 1 | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| ier Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| datid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ier Dis. from Animal Parasites | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | |
| rvation, Want of Breast Milk | – | 1 | 6 | 1 | 1 | 4 | 5 | 11 | – | 5 | – | – | – | – | 1 | – | – | – |
| arvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| emp. { Chronic Alcoholism | – | 2 | 3 | 3 | 1 | 4 | 1 | 25 | – | 9 | 1 | – | – | – | – | – | – | – |
| emp. { Delirium Tremens | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| eumatic Fever, Rheumatism of Heart | 1 | 1 | – | 1 | – | 3 | 7 | 35 | 1 | 24 | 4 | 3 | – | 3 | 1 | 1 | – | 3 |
| eumatism | 3 | 1 | 1 | 5 | 3 | 13 | 7 | 19 | – | 3 | – | – | – | – | 1 | 4 | 1 | 1 |
| ut | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | 2 | – | – |
| kets | – | – | – | – | – | – | – | 6 | – | 7 | – | – | – | – | – | 1 | – | – |
| ncer | 10 | 36 | 22 | 28 | 9 | 75 | 76 | 350 | 14 | 219 | 15 | 15 | 3 | 20 | 26 | 40 | 18 | 21 |
| bes Mesenterica | 3 | 13 | 8 | 1 | 2 | 39 | 19 | 145 | 4 | 40 | 4 | 2 | 1 | 1 | 2 | 5 | 3 | 2 |
| bercular Meningitis (Acute Hydrocephalus) | 1 | 13 | 21 | 8 | 2 | 25 | 27 | 166 | 2 | 85 | 8 | 2 | 2 | 4 | 7 | 6 | 4 | 8 |
| thisis | 22 | 111 | 104 | 70 | 17 | 317 | 219 | 1200 | 39 | 391 | 30 | 35 | 16 | 32 | 60 | 80 | 44 | 27 |
| ier forms of Tuberculosis, Scrofula | 1 | 5 | 11 | 2 | 1 | 17 | 18 | 74 | 1 | 40 | 3 | 1 | 1 | 1 | 1 | 2 | 6 | 7 |
| rpura, Hæmorrhagic Diathesis | – | 1 | – | – | – | 1 | 2 | 12 | – | 4 | – | – | – | 1 | – | 1 | – | – |
| æmia, Chlorosis, Leucocythæmia | 2 | 11 | 3 | – | – | 17 | 20 | 36 | 4 | 24 | 1 | 3 | – | – | 3 | 6 | 2 | 3 |
| abetes Mellitus | – | 1 | 3 | 2 | – | 3 | 3 | 15 | – | 6 | 1 | 4 | – | – | 2 | 1 | – | – |
| ier Constitutional Diseases | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| nmature Birth | 3 | 18 | 21 | 8 | 2 | 55 | 41 | 249 | 8 | 112 | 6 | 10 | 2 | 10 | 13 | 12 | 9 | 2 |
| lectasis | – | – | 2 | – | 1 | 5 | 1 | 14 | – | 6 | – | 1 | 1 | – | 1 | – | – | – |
| anosis | 1 | – | – | – | – | 2 | 2 | 10 | – | 1 | – | – | – | – | – | – | – | – |
| na Bifida | – | 1 | 1 | 1 | – | 4 | 2 | 15 | 1 | 1 | 1 | – | – | 1 | 1 | – | 1 | – |
| perforate Anus | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| ft Palate, Harelip | – | – | 1 | – | – | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| ier Congenital Defects | 1 | 2 | 4 | | – | 5 | 6 | 11 | 3 | 7 | – | 2 | – | 1 | – | – | 1 | – |
| l Age | 19 | 84 | 53 | 125 | 21 | 150 | 154 | 503 | 28 | 219 | 32 | 21 | 14 | 8 | 20 | 50 | 38 | 43 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | |
| lammation of Brain or its Membranes | 2 | 22 | 23 | 11 | 8 | 63 | 42 | 253 | 15 | 57 | 3 | 1 | – | – | 18 | 13 | 7 | 5 |
| oplexy | 10 | 35 | 23 | 15 | 13 | 86 | 88 | 344 | 14 | 175 | 14 | 8 | 7 | 9 | 23 | 45 | 13 | 19 |
| tening of the Brain | 3 | 2 | 7 | 1 | – | 11 | 9 | 41 | 1 | 26 | 4 | – | – | 1 | 4 | 5 | 4 | 3 |
| miplegia, Brain Paralysis | 6 | 38 | 25 | 23 | 3 | 57 | 37 | 183 | 12 | 89 | 8 | 8 | 2 | 11 | 7 | 16 | 11 | 9 |
| alysis Agitans | 1 | – | 1 | 4 | – | 2 | 1 | 4 | – | 2 | – | – | 1 | – | 2 | – | 1 | – |
| anity, General Paralysis of Insane | 1 | 2 | 3 | 1 | – | 7 | 10 | 13 | 2 | 12 | 1 | – | – | 1 | 2 | 2 | – | 1 |
| orea | – | – | – | 1 | – | – | – | 2 | – | 3 | – | – | – | – | – | – | – | – |
| iepsy | 1 | 4 | 3 | 4 | 2 | 10 | 2 | 30 | 2 | 15 | 2 | 2 | – | – | – | 4 | 2 | 1 |
| ivulsions | 4 | 16 | 13 | 1 | – | 29 | 17 | 193 | 7 | 78 | 5 | 3 | – | 5 | 5 | 7 | 2 | 3 |
| yngismus Stridulus | 2 | – | – | – | – | 5 | – | 12 | – | 2 | – | – | – | – | 1 | 1 | – | – |
| opathic Tetanus | – | – | 1 | 1 | – | 3 | 3 | 2 | – | – | – | – | – | – | – | – | – | 1 |
| aplegia, Diseases of Spinal Cord | – | 3 | 2 | 1 | – | 4 | 8 | 29 | 1 | 14 | – | 1 | – | 1 | 3 | 1 | 2 | – |
| ier Diseases of Nervous System | 3 | 15 | 14 | 6 | 3 | 41 | 33 | 117 | 1 | 54 | – | 3 | 1 | 5 | 5 | 7 | 1 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | |
| is, Otorrhœa | – | 3 | 2 | 1 | – | 4 | 5 | 15 | – | 8 | – | – | – | 1 | – | – | – | – |
| staxis and Disease of Nose | – | – | – | – | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | 1 |
| thalmia and Disease of Eye | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2403 | 8 | 18 | 13 | 10 | 31 | 40 | 5 | 26 | 15 | 164 | 21 | 191 | 104 | 139 | 7 |
| Pericarditis | 40 | – | – | 1 | – | – | – | – | – | 1 | 3 | – | 3 | 1 | 1 | – |
| Hypertrophy of Heart | 76 | – | – | – | 1 | 2 | 1 | – | – | 2 | 2 | – | 5 | 2 | 3 | – |
| Angina Pectoris | 69 | – | – | 1 | – | 1 | 1 | – | – | 1 | 3 | – | 4 | 4 | 2 | – |
| Syncope | 98 | – | – | 2 | – | – | – | – | – | – | 6 | – | 6 | 6 | – | – |
| Aneurism | 87 | – | – | – | – | – | – | – | – | 1 | 10 | – | 8 | 1 | 2 | – |
| Senile Gangrene | 69 | – | – | 2 | – | 3 | 1 | – | 2 | – | 6 | 2 | 2 | 4 | 5 | – |
| Embolism, Thrombosis | 19 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Phlebitis | 11 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Varicose Veins | 6 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – |
| Other Diseases of Circulatory System | 55 | – | – | – | 1 | 1 | 1 | – | 1 | 4 | 2 | 1 | 4 | 5 | 2 | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Laryngitis | 108 | – | – | 3 | – | 2 | 1 | – | 2 | 1 | 18 | – | 8 | 5 | 1 | – |
| Croup | 373 | – | – | 1 | 1 | 17 | 5 | – | 2 | 6 | 45 | 5 | 21 | 14 | 16 | – |
| Other Diseases of Larynx and Trachea | 24 | – | – | 1 | – | – | 1 | – | – | – | – | – | 2 | 1 | 3 | – |
| Emphysema, Asthma | 143 | 4 | – | 3 | 3 | 6 | 8 | 1 | – | 2 | 6 | – | 11 | 4 | 4 | 1 |
| Bronchitis | 3820 | 11 | 13 | 46 | 10 | 40 | 47 | 6 | 40 | 49 | 194 | 26 | 342 | 84 | 172 | 4 |
| Pneumonia | 2781 | 6 | 6 | 19 | 3 | 30 | 29 | 8 | 21 | 38 | 185 | 18 | 218 | 62 | 138 | 7 |
| Pleurisy | 249 | 1 | 2 | 4 | – | 4 | 8 | – | 3 | 4 | 18 | 4 | 12 | 13 | 11 | – |
| Other Diseases of Respiratory System | 743 | – | 2 | 5 | – | 7 | 9 | 1 | 8 | 9 | 45 | 8 | 34 | 27 | 17 | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | |
| Stomatitis | 18 | – | – | – | – | – | – | – | – | – | 3 | – | 1 | – | – | – |
| Dentition | 249 | 1 | 2 | – | 1 | 2 | 4 | 1 | 2 | 3 | 13 | – | 13 | 2 | 9 | – |
| Sore-throat, Quinsy | 43 | – | – | – | – | 2 | 2 | – | – | 1 | 1 | – | 2 | 1 | 2 | – |
| Dyspepsia | 60 | – | 3 | 1 | 1 | 1 | – | – | – | 2 | 5 | – | 2 | 1 | 3 | – |
| Hæmatemesis | 29 | – | – | – | – | 1 | – | – | 2 | – | 1 | 1 | 1 | – | 2 | – |
| Melæna | 6 | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – |
| Diseases of Stomach | 429 | 3 | 7 | 6 | 3 | 3 | 17 | – | 10 | 9 | 30 | 8 | 18 | 13 | 15 | 1 |
| Enteritis | 564 | – | 4 | 3 | 1 | 5 | 2 | – | 2 | 9 | 34 | 3 | 45 | 11 | 25 | 1 |
| Ulceration of Intestine | 31 | – | – | – | – | – | – | – | – | – | 6 | – | 2 | – | 1 | – |
| Ileus, Obstruction of Intestine | 161 | 2 | 2 | 1 | 2 | 4 | 9 | 2 | 1 | 3 | 12 | 2 | 8 | 2 | 2 | – |
| Stricture or Strangulation of Intestine | 18 | – | – | – | – | – | – | – | – | – | 1 | – | 4 | – | – | – |
| Intussusception of Intestine | 30 | – | – | – | 1 | 1 | – | – | – | – | 1 | – | 1 | 1 | – | – |
| Hernia | 65 | – | 2 | 1 | 2 | 2 | 1 | – | – | 1 | 4 | – | 2 | 1 | 2 | 1 |
| Fistula | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Peritonitis | 317 | 1 | 1 | 4 | 1 | 8 | 8 | 1 | 4 | 6 | 35 | 2 | 17 | 8 | 19 | 1 |
| Ascites | 22 | – | – | 3 | 1 | 1 | 1 | – | – | – | 1 | – | 1 | – | 2 | – |
| Gallstones | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Cirrhosis of Liver | 122 | 1 | 1 | 2 | – | 2 | 4 | – | 3 | – | 6 | 2 | 7 | 1 | 5 | – |
| Other Diseases of Liver | 351 | 4 | 4 | 4 | 2 | 6 | 5 | 2 | 2 | 6 | 22 | 4 | 20 | 19 | 20 | – |
| Other Diseases of Digestive System | 112 | – | – | 1 | 1 | 4 | 2 | – | 1 | – | 3 | 1 | 16 | 1 | – | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 14 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Diseases of Lymphatics | 19 | – | – | – | – | – | – | – | – | 2 | 2 | – | 1 | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 12 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | 1 | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Acute Nephritis | 203 | – | 1 | 4 | 2 | 4 | 3 | – | 4 | 2 | 15 | 1 | 9 | 7 | 7 | – |
| Bright's Disease | 401 | 2 | 1 | 2 | – | 2 | 1 | – | 3 | 8 | 24 | 1 | 29 | 5 | 17 | – |
| Uræmia | 63 | – | 4 | 2 | – | 2 | 2 | 2 | 1 | 1 | 8 | 1 | 1 | 3 | 4 | – |
| Suppression of Urine | 32 | – | – | 2 | – | 4 | – | – | – | – | 1 | 1 | 2 | 1 | 1 | – |
| Calculus | 30 | 1 | 1 | 2 | 1 | 2 | 2 | – | – | – | 4 | 1 | 3 | – | – | – |
| Hæmaturia | 12 | – | – | – | – | – | – | – | – | 2 | 2 | – | – | – | 1 | – |
| Diseases of Bladder and of Prostate | 302 | 3 | 2 | 3 | 3 | 10 | 1 | – | 4 | 9 | 22 | 2 | 24 | 14 | 17 | – |
| Other Diseases of Urinary System | 137 | 3 | 1 | – | – | 1 | 5 | – | 2 | 3 | 11 | 2 | 4 | 4 | 7 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES (*Continued.*

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2745 | 9 | 22 | 20 | 12 | 34 | 36 | 5 | 22 | 24 | 164 | 26 | 242 | 115 | 159 | 4 |
| Pericarditis | 32 | – | – | – | 1 | – | – | 1 | – | – | 4 | – | 3 | – | – | – |
| Hypertrophy of Heart | 81 | – | 1 | – | – | 1 | 1 | – | – | – | 3 | 2 | 8 | 2 | 4 | – |
| Angina Pectoris | 33 | – | – | – | – | – | – | – | 1 | – | – | – | 2 | 1 | 3 | – |
| Syncope | 120 | 1 | – | 1 | – | 2 | 1 | – | – | 1 | 6 | 4 | 6 | 3 | 3 | – |
| Aneurism | 28 | – | 1 | – | – | – | – | – | 1 | – | 2 | 1 | 1 | 2 | 2 | – |
| Senile Gangrene | 96 | – | – | 1 | 2 | – | 1 | 2 | 5 | – | 7 | – | 10 | 2 | 8 | – |
| Embolism, Thrombosis | 30 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Phlebitis | 17 | – | – | – | – | – | – | – | – | – | 3 | 1 | 3 | – | – | – |
| Varicose Veins | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Circulatory System | 28 | – | – | 1 | 1 | 1 | – | – | – | 1 | 5 | – | 1 | 2 | 2 | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Laryngitis | 97 | – | – | 2 | – | – | 1 | – | 1 | 4 | 18 | – | 8 | 6 | 2 | – |
| Croup | 371 | 1 | – | – | 2 | 21 | 5 | – | 6 | 5 | 43 | 2 | 21 | 13 | 22 | – |
| Other Diseases of Larynx and Trachea | 20 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – | – | – |
| Emphysema, Asthma | 94 | 6 | – | – | 1 | 13 | 6 | – | 1 | 2 | 5 | – | 4 | 2 | 5 | 1 |
| Bronchitis | 4237 | 28 | 24 | 44 | 10 | 70 | 65 | 6 | 51 | 63 | 255 | 28 | 440 | 108 | 185 | 3 |
| Pneumonia | 2142 | 6 | 6 | 13 | 2 | 25 | 26 | 13 | 15 | 29 | 152 | 9 | 217 | 40 | 108 | 2 |
| Pleurisy | 172 | 1 | 4 | 2 | – | 2 | 6 | – | 3 | 1 | 10 | – | 5 | 6 | 9 | – |
| Other Diseases of Respiratory System | 658 | 2 | 2 | 5 | 3 | 7 | 6 | 4 | 10 | 15 | 49 | 8 | 25 | 23 | 13 | 7 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | |
| Stomatitis | 22 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Dentition | 221 | – | – | 1 | 1 | 1 | – | – | – | 5 | 15 | 1 | 13 | 2 | 9 | – |
| Sore-throat, Quinsy | 40 | 1 | 2 | – | – | 3 | 2 | – | – | – | 3 | – | 2 | 2 | 1 | – |
| Dyspepsia | 66 | – | 1 | 1 | – | 3 | 2 | – | 1 | – | 2 | – | 6 | 1 | 2 | – |
| Hæmatemesis | 37 | – | – | – | – | – | 2 | – | 1 | – | 5 | – | 3 | 1 | – | – |
| Melæna | 5 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 482 | 5 | 3 | 6 | 1 | 8 | 17 | – | 10 | 5 | 31 | 4 | 38 | 18 | 24 | 2 |
| Enteritis | 537 | 2 | 2 | 4 | – | 3 | 9 | – | – | 16 | 23 | 2 | 40 | 17 | 21 | – |
| Ulceration of Intestine | 30 | – | 1 | – | – | – | – | – | – | – | 3 | – | 1 | – | 2 | – |
| Ileus, Obstruction of Intestines | 127 | – | 1 | – | 1 | 2 | 2 | – | – | 1 | 13 | 1 | 10 | 4 | 6 | – |
| Stricture or Strangulation of Intestines | 21 | – | – | – | – | – | – | – | – | – | 2 | – | – | 2 | – | – |
| Intussusception of Intestines | 23 | 1 | – | – | – | 1 | – | – | 1 | 1 | 2 | 1 | 2 | 1 | 1 | – |
| Hernia | 72 | – | – | 2 | 1 | – | 1 | – | 3 | 2 | 7 | 1 | 2 | 4 | 3 | – |
| Fistula | 6 | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Peritonitis | 415 | 2 | – | 5 | 2 | 2 | 9 | – | – | 6 | 48 | 8 | 26 | 13 | 15 | – |
| Ascites | 32 | – | – | – | 1 | 1 | – | – | – | – | 3 | – | 1 | 3 | 2 | 1 |
| Gallstones | 17 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Cirrhosis of Liver | 77 | – | – | 2 | – | 1 | 1 | – | 2 | – | 7 | – | 2 | 2 | 8 | – |
| Other Diseases of Liver | 366 | 2 | 2 | 5 | – | 8 | 1 | – | 4 | 2 | 26 | 5 | 22 | 11 | 14 | – |
| Other Diseases of Digestive System | 160 | – | 2 | 2 | – | – | – | – | 3 | 1 | 10 | – | 20 | 1 | 2 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 10 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 2 | – |
| Diseases of Lymphatics | 12 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 3 | – |
| Diseases of Thyroid Body | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 16 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | |
| | 173 | 1 | – | 1 | – | 3 | 2 | – | 1 | 2 | 9 | – | 7 | 4 | 12 | – |
| Acute Nephritis | 358 | 2 | 2 | 3 | 1 | 7 | 3 | 1 | 4 | 11 | 14 | 2 | 32 | 12 | 10 | 1 |
| Bright's Disease | 51 | – | – | – | 1 | – | – | – | 1 | 1 | 3 | – | 4 | 3 | 4 | – |
| Uræmia | 7 | – | – | – | – | – | 1 | – | 2 | – | – | – | 1 | 1 | 1 | – |
| Suppression of Urine | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Calculus | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hæmaturia | 42 | – | – | 1 | – | – | 3 | – | 1 | 1 | 1 | – | 2 | 3 | 3 | – |
| Diseases of Bladder and of Prostate | 162 | – | 1 | – | – | 4 | 2 | 1 | 1 | 2 | 15 | 2 | 14 | 8 | 1 | 1 |
| Other Diseases of Urinary System | | | | | | | | | | | | | | | | |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 23 | 75 | 50 | 62 | 21 | 170 | 149 | 593 | 12 | 261 | 25 | 17 | 5 | 16 | 34 | 59 | 22 | 20 |
| Pericarditis | 1 | – | 4 | – | – | 5 | 2 | 11 | – | 5 | – | – | – | – | – | 1 | 1 | – |
| Hypertrophy of Heart | 2 | 5 | 1 | – | 1 | 3 | 9 | 22 | – | 10 | – | – | 3 | 2 | 1 | – | – | – |
| Angina Pectoris | – | – | 3 | 2 | – | 7 | 7 | 17 | 1 | 12 | – | – | – | – | – | 2 | 1 | – |
| Syncope | 4 | 5 | 1 | 1 | – | – | 8 | 29 | 3 | 17 | 1 | 3 | 2 | 1 | 1 | – | 1 | 1 |
| Aneurism | – | – | 2 | 2 | 1 | 4 | 3 | 24 | 1 | 25 | – | – | 1 | – | – | 2 | – | – |
| Senile Gangrene | – | – | 2 | 1 | – | 4 | 3 | 14 | – | 9 | – | – | – | 1 | – | 5 | 1 | 3 |
| Embolism, Thrombosis | – | – | – | – | – | 2 | 1 | 9 | – | 4 | – | – | – | – | – | – | 1 | – |
| Phlebitis | – | 1 | – | – | – | – | 2 | 3 | – | 2 | – | – | – | – | – | 1 | – | – |
| Varicose Veins | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 3 | 1 | 3 | – | – | 4 | 2 | 10 | 1 | 4 | 1 | – | – | – | 1 | 1 | – | 2 |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Laryngitis | – | 4 | 6 | 2 | – | 10 | 11 | 21 | – | 7 | 1 | – | – | – | 1 | 2 | 2 | – |
| Croup | 2 | 17 | 8 | 13 | 3 | 24 | 20 | 91 | 6 | 37 | 5 | 1 | – | 3 | 3 | 5 | 2 | – |
| Other Diseases of Larynx and Trachea | – | – | – | 1 | – | 1 | 1 | 8 | – | 5 | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | 6 | 2 | 5 | – | 7 | 17 | 33 | 3 | 11 | 1 | – | – | – | 1 | 1 | 1 | 1 |
| Bronchitis | 25 | 136 | 82 | 62 | 11 | 236 | 180 | 1314 | 52 | 424 | 33 | 15 | 10 | 12 | 33 | 61 | 18 | 32 |
| Pneumonia | 10 | 74 | 66 | 30 | 7 | 165 | 131 | 992 | 16 | 324 | 19 | 14 | – | 21 | 25 | 56 | 29 | 14 |
| Pleurisy | 2 | 10 | 3 | 4 | 1 | 14 | 12 | 69 | 2 | 31 | 1 | – | 1 | 5 | 1 | 7 | 2 | – |
| Other Diseases of Respiratory System | 1 | 20 | 22 | 5 | 8 | 39 | 46 | 329 | 8 | 44 | 4 | 3 | 4 | – | 7 | 8 | 8 | 13 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Stomatitis | – | 1 | 1 | – | – | – | 1 | 8 | – | 2 | 1 | – | – | – | – | – | – | – |
| Dentition | 1 | 15 | 7 | 1 | – | 20 | 10 | 96 | 7 | 34 | – | 1 | – | – | 1 | 2 | – | 1 |
| Sore-throat, Quinsy | – | – | 1 | – | – | 5 | 1 | 15 | 1 | 4 | – | – | 1 | 3 | – | – | 1 | – |
| Dyspepsia | – | 3 | 2 | 1 | – | 3 | 3 | 23 | – | 4 | – | – | – | 1 | – | – | 1 | – |
| Hæmatemesis | – | 5 | – | 2 | 1 | – | 3 | 5 | – | 4 | – | – | 1 | – | – | – | – | – |
| Melæna | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 3 | 14 | 4 | 8 | 3 | 22 | 17 | 132 | 2 | 42 | 1 | 4 | 1 | 2 | 8 | 11 | 6 | 6 |
| Enteritis | 3 | 16 | 14 | 8 | – | 28 | 29 | 203 | 15 | 62 | 3 | – | – | 5 | 11 | 15 | 5 | 2 |
| Ulceration of Intestine | – | 1 | – | 1 | – | 2 | 1 | 6 | 1 | 5 | – | – | 1 | – | – | 2 | – | 2 |
| Ileus, Obstruction of Intestine | 2 | 4 | 5 | 4 | 2 | 8 | 11 | 41 | – | 18 | – | 2 | – | 1 | 1 | 7 | 2 | 1 |
| Stricture or Strangulation of Intestine | – | 1 | – | – | – | – | – | 7 | – | 3 | 1 | – | – | – | – | – | 1 | – |
| Intussusception of Intestine | – | 2 | 1 | – | – | 2 | 3 | 4 | – | 9 | 2 | 1 | – | – | – | 1 | – | – |
| Hernia | – | 1 | – | 1 | – | – | 2 | 22 | – | 15 | – | – | – | – | 1 | 2 | 1 | 1 |
| Fistula | – | – | – | – | – | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Peritonitis | – | 12 | 8 | 8 | 3 | 19 | 16 | 74 | 2 | 33 | 2 | 3 | – | 1 | 7 | 5 | 4 | 4 |
| Ascites | – | 1 | 1 | – | – | 2 | – | 6 | – | 1 | 1 | – | – | – | – | – | – | – |
| Gallstones | – | 1 | 1 | – | – | 1 | – | 5 | – | 2 | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | 6 | 2 | 6 | 3 | 4 | 9 | 30 | 1 | 18 | 1 | 2 | 1 | – | – | 3 | 1 | 1 |
| Other Diseases of Liver | 2 | 10 | 10 | 5 | 1 | 21 | 15 | 106 | 5 | 31 | 7 | 1 | 1 | 3 | 2 | 7 | 4 | – |
| Other Diseases of Digestive System | – | 7 | – | 1 | – | 4 | 6 | 42 | – | 16 | 1 | – | 1 | – | – | 2 | 1 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | 1 | 3 | – | – | 2 | 1 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | 1 | – | – | – | 2 | 6 | – | 4 | – | – | – | – | – | 1 | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | 2 | 4 | – | 1 | – | – | – | – | – | – | 1 | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | 4 | 6 | 1 | 2 | 13 | 15 | 69 | 1 | 24 | – | – | 1 | 2 | – | 3 | 1 | – |
| Bright's Disease | 5 | 8 | 2 | 9 | 2 | 24 | 24 | 120 | 3 | 68 | 8 | 4 | – | 4 | 8 | 9 | 4 | 4 |
| Uræmia | 1 | – | 1 | – | 2 | 4 | 2 | 8 | – | 8 | – | – | – | 1 | – | 2 | 1 | 2 |
| Suppression of Urine | – | 1 | – | – | – | 1 | 1 | 11 | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – |
| Calculus | – | – | – | – | – | 1 | 3 | 3 | – | 6 | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 6 | 8 | 9 | 2 | 21 | 24 | 51 | 3 | 36 | 1 | 7 | 1 | 2 | 6 | 6 | 3 | 2 |
| Other Diseases of Urinary System | – | 2 | 1 | 2 | – | 4 | 17 | 39 | – | 17 | 2 | – | – | – | 2 | 6 | – | 2 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 14 | 23 | 60 | 52 | 14 | 151 | 174 | 675 | 31 | 329 | 22 | 21 | 9 | 14 | 40 | 69 | 42 | 34 |
| Pericarditis | – | – | 1 | – | – | 3 | – | 10 | – | 5 | – | – | – | – | 1 | 2 | 1 | – |
| Hypertrophy of Heart | 1 | – | – | 1 | – | – | 11 | 9 | – | 31 | 2 | – | 1 | – | 1 | – | – | 2 |
| Angina Pectoris | – | 2 | 1 | – | 1 | 3 | 4 | 9 | 1 | 3 | – | – | – | – | 1 | – | – | 1 |
| Syncope | – | 6 | 3 | 2 | 2 | 5 | 6 | 38 | 1 | 17 | 1 | 3 | 3 | – | – | 2 | 1 | 2 |
| Aneurism | – | 2 | – | – | – | 2 | 1 | 6 | 1 | 4 | – | – | – | 1 | – | 1 | – | – |
| Senile Gangrene | 1 | 1 | 1 | 1 | – | 7 | 6 | 15 | – | 7 | 2 | 2 | 2 | 1 | 2 | 4 | 2 | 4 |
| Embolism, Thrombosis | – | 3 | – | 1 | 1 | 1 | 4 | 8 | – | 4 | – | 1 | – | – | – | 2 | 2 | – |
| Phlebitis | – | – | 2 | 1 | – | 1 | – | 4 | – | 1 | – | – | – | – | – | – | 1 | – |
| Varicose Veins | 1 | – | – | – | – | – | – | 4 | – | 1 | – | – | – | – | – | – | 1 | – |
| Other Diseases of Circulatory System | – | – | 2 | 1 | – | 4 | – | 3 | – | 1 | 3 | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Laryngitis | 1 | 4 | 2 | 2 | – | 5 | 4 | 21 | – | 11 | – | 1 | – | 2 | 1 | – | 1 | – |
| Croup | 4 | 24 | 9 | 4 | – | 26 | 22 | 84 | 9 | 30 | 3 | 2 | – | 3 | 2 | 3 | 3 | 2 |
| Other Diseases of Larynx and Trachea | – | 1 | – | – | 1 | 2 | 2 | 8 | – | 2 | – | – | – | – | – | 1 | – | – |
| Emphysema, Asthma | 1 | 3 | – | 5 | – | 5 | 2 | 15 | 1 | 7 | – | – | 1 | 4 | 2 | – | 1 | 1 |
| Bronchitis | 20 | 108 | 74 | 58 | 17 | 236 | 183 | 1327 | 53 | 455 | 37 | 27 | 9 | 23 | 42 | 100 | 55 | 33 |
| Pneumonia | 10 | 58 | 44 | 14 | 6 | 118 | 111 | 706 | 24 | 240 | 14 | 13 | 9 | 19 | 16 | 33 | 24 | 20 |
| Pleurisy | 2 | 6 | 5 | 5 | 1 | 9 | 4 | 47 | 1 | 29 | – | 1 | 1 | 4 | 1 | 4 | 1 | 2 |
| Other Diseases of Respiratory System | 1 | 21 | 20 | 12 | 6 | 20 | 36 | 252 | 4 | 62 | 2 | 2 | 1 | 1 | 7 | 7 | 10 | 15 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | – | – | – | 1 | 1 | 14 | – | 1 | – | 1 | – | – | – | 1 | 1 | – |
| Dentition | 2 | 14 | 3 | 1 | – | 29 | 5 | 78 | 4 | 28 | – | – | – | – | 1 | 5 | – | 3 |
| Sore-throat, Quinsy | 1 | – | 3 | – | – | 1 | 4 | 11 | – | 3 | – | – | – | 2 | – | – | – | – |
| Dyspepsia | – | 4 | 3 | 2 | – | 2 | 2 | 25 | – | 5 | – | – | – | – | 2 | 2 | – | – |
| Hæmatemesis | 1 | 1 | – | 1 | – | 2 | – | 12 | – | 6 | – | – | – | – | 2 | – | – | – |
| Melæna | – | – | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – | 1 | – | – |
| Diseases of Stomach | 5 | 10 | 15 | 11 | 3 | 16 | 22 | 139 | – | 37 | 4 | 4 | – | 3 | 10 | 16 | 5 | 10 |
| Enteritis | 6 | 15 | 11 | 8 | 2 | 36 | 30 | 191 | 21 | 48 | 4 | 4 | 2 | 4 | 7 | 8 | – | 1 |
| Ulceration of Intestine | 1 | 3 | – | 1 | – | 3 | 2 | 6 | – | 4 | 1 | – | – | – | – | 1 | 1 | – |
| Ileus, Obstruction of Intestines | 1 | 6 | 2 | 5 | – | 7 | 6 | 33 | – | 16 | – | 2 | – | – | 1 | 3 | 1 | 3 |
| Stricture or Strangulation of Intestines | – | 2 | – | 1 | – | – | 1 | 7 | – | 4 | – | 1 | – | – | 1 | – | – | – |
| Intussusception of Intestines | – | 1 | 1 | – | – | 1 | 1 | 4 | – | 3 | – | – | – | – | – | 1 | – | – |
| Hernia | – | 2 | 2 | 1 | 1 | 2 | 4 | 14 | – | 15 | 1 | 1 | 1 | 1 | – | 1 | – | – |
| Fistula | – | – | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | 11 | 13 | 9 | 5 | 28 | 17 | 100 | 2 | 55 | 4 | 4 | 2 | 2 | 3 | 11 | 7 | 2 |
| Ascites | – | 2 | 1 | – | – | 1 | – | 5 | – | 6 | – | – | – | – | – | 2 | 1 | 2 |
| Gallstones | – | – | 1 | – | – | 2 | – | 4 | – | 6 | – | – | – | – | 1 | 2 | – | – |
| Cirrhosis of Liver | – | 2 | 1 | 1 | 1 | 5 | 7 | 20 | 1 | 10 | 1 | – | – | – | – | – | 3 | – |
| Other Diseases of Liver | 3 | 11 | 9 | 6 | 3 | 23 | 18 | 120 | 3 | 40 | 4 | 5 | 1 | – | 4 | 5 | 5 | 4 |
| Other Diseases of Digestive System | 1 | 4 | – | – | 1 | 7 | 16 | 55 | 3 | 24 | 5 | 1 | – | – | 1 | 1 | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | 1 | – | – | – | – | – | 3 | – | 2 | – | – | – | – | – | – | 1 | – |
| Diseases of Lymphatics | – | – | – | 1 | – | – | – | 3 | – | 2 | – | – | – | – | 1 | 1 | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | 1 | – | – | 2 | 5 | 1 | 4 | – | – | – | – | 1 | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | 5 | 5 | 2 | – | 10 | 9 | 75 | 4 | 10 | 1 | – | – | – | 2 | 5 | – | 2 |
| Bright's Disease | 2 | 8 | 2 | 2 | – | 28 | 26 | 89 | 13 | 54 | 3 | 3 | 1 | 4 | 6 | 8 | 2 | 2 |
| Uræmia | 1 | 1 | 2 | – | – | 3 | 1 | 11 | – | 9 | – | 2 | 1 | – | 1 | 1 | – | 1 |
| Suppression of Urine | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | 1 | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 1 | 2 | – | 1 | 2 | – | 9 | – | 9 | – | – | – | – | – | 2 | – | 1 |
| Other Diseases of Urinary System | – | 1 | 4 | 1 | 2 | 9 | 13 | 47 | – | 23 | 2 | – | 2 | 2 | 1 | 1 | – | 2 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Perineal Abscess | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 13 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 155 | – | – | 2 | – | 1 | 2 | 1 | 2 | – | 13 | – | 13 | 3 | 11 | – |
| Arthritis, Ostitis, Periostitis | 36 | – | – | 1 | – | – | 2 | – | 2 | 1 | – | – | 2 | 2 | – | – |
| Other Diseases of Organs of Locomotion | 78 | – | – | 1 | – | – | – | – | – | 2 | 5 | – | 6 | 2 | 3 | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Carbuncle | 14 | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | 1 | – |
| Phlegmon, Cellulitis | 30 | – | 1 | – | – | – | – | – | 1 | – | 3 | – | 3 | – | – | – |
| Lupus | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 18 | – | – | 2 | 1 | 2 | – | 1 | 2 | – | 3 | – | – | 1 | – | – |
| Eczema | 23 | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 | 2 | – | – |
| Pemphigus | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 11 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | |
| Mines and Quarries — Coal Mines | 102 | – | – | – | – | – | – | – | – | – | – | – | – | – | 13 | – |
| Mines and Quarries — Other Mines | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Mines and Quarries — Quarries | 12 | – | – | – | 1 | – | – | – | – | – | 2 | – | 1 | – | 1 | – |
| Vehicles and Horses — Railways | 196 | – | – | – | – | 1 | 2 | – | 3 | – | 8 | 2 | 8 | 8 | 10 | 2 |
| Vehicles and Horses — Vehicles other than R'wys. | 89 | – | – | – | – | 1 | 3 | 1 | 1 | – | 7 | – | 13 | 1 | 5 | – |
| Vehicles and Horses — Horses | 19 | – | – | – | 1 | 1 | – | – | – | – | 4 | – | 1 | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 31 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 41 | – | – | – | – | – | – | – | – | – | 1 | – | 4 | 2 | 1 | – |
| Weapons and Implements | 21 | – | – | – | – | – | 1 | – | 1 | – | 3 | – | 2 | 1 | – | – |
| Burns and Scalds — Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Other Burns & Scalds | 146 | 1 | – | – | 1 | 2 | 3 | 1 | 1 | – | 10 | 1 | 8 | 5 | 7 | – |
| Burns and Scalds — Explosions | 19 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Poisons, Poisonous Vapours | 38 | – | – | – | – | 1 | – | – | – | – | 5 | – | 5 | – | 2 | – |
| Drowning | 541 | 4 | 26 | 14 | 19 | 16 | 20 | – | 6 | 24 | 26 | 6 | 18 | 16 | 37 | – |
| Suffocation — In Bed | 112 | – | – | – | – | – | – | – | – | 1 | 6 | 2 | 30 | 3 | 2 | – |
| Suffocation — Otherwise | 64 | – | – | – | 1 | – | – | – | – | – | 4 | – | 4 | 3 | 4 | – |
| Falls | 188 | 1 | – | 2 | – | 2 | 1 | – | 1 | 1 | 9 | 4 | 8 | 2 | 1 | – |
| Weather Agencies | 32 | – | – | – | – | – | 2 | – | – | – | – | – | – | 2 | 3 | – |
| Otherwise, or Not Stated | 292 | – | 1 | 5 | – | 4 | 5 | 1 | 2 | 3 | 24 | 4 | 19 | 12 | 14 | 1 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | |
| Homicide | 12 | – | – | – | – | 1 | – | – | – | – | – | – | 2 | 1 | – | – |
| Suicide | 149 | 1 | – | 1 | 1 | – | 2 | – | 1 | 3 | 14 | 3 | 9 | 9 | 6 | 1 |
| Execution | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | |
| Dropsy | 53 | 2 | – | – | 1 | 2 | 2 | – | – | 1 | 4 | – | 3 | 2 | 1 | – |
| Debility, Atrophy, Inanition | 1322 | 6 | 4 | 15 | 1 | 8 | 19 | 6 | 5 | 9 | 57 | 9 | 132 | 21 | 62 | 1 |
| Mortification | 5 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Tumour | 7 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Abscess | 37 | – | – | – | – | – | 1 | – | – | 2 | 6 | – | 1 | 1 | 2 | – |
| Hæmorrhage | 15 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – |
| Sudden (Cause unascertained) | 13 | – | – | – | – | – | – | – | – | – | 3 | – | – | – | – | – |
| Other ill-defined and not specified Causes | 373 | 19 | 5 | 7 | 8 | 32 | 40 | – | 10 | 8 | 26 | 1 | 4 | 19 | 9 | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | |
| Ovarian Disease | 61 | – | – | 2 | 1 | – | – | – | 1 | 1 | 9 | – | 7 | – | 2 | – |
| Diseases of Uterus and Vagina | 98 | 1 | – | – | 2 | 3 | 1 | – | – | 1 | 4 | 1 | 6 | 4 | 1 | 1 |
| Disorders of Menstruation | 9 | – | – | – | – | – | – | – | – | 1 | – | – | 3 | 1 | – | – |
| Pelvic Abscess | 35 | – | – | – | – | 1 | – | – | 1 | 2 | 5 | – | 2 | 3 | 3 | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 44 | – | – | – | – | – | – | – | – | 1 | 2 | – | 4 | – | 1 | – |
| Puerperal Mania | 13 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Puerperal Convulsions | 45 | – | – | – | – | 1 | 1 | – | 2 | – | 1 | – | 2 | 4 | 5 | – |
| Placenta Prævia, Flooding | 75 | 1 | – | 2 | – | 1 | 4 | – | 1 | – | 4 | – | 7 | 5 | 3 | – |
| Phlegmasia Dolens | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 183 | 2 | 1 | 1 | 2 | – | 5 | 1 | 1 | 1 | 15 | 2 | 13 | 7 | 7 | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 101 | – | – | 3 | – | 1 | 1 | – | 1 | 3 | 8 | – | 11 | 1 | 6 | – |
| Arthritis, Ostitis, Periostitis | 54 | – | – | – | – | 1 | – | – | 1 | 1 | 9 | – | 3 | 2 | 2 | – |
| Other Diseases of Organs of Locomotion | 58 | – | – | 1 | 1 | – | – | 1 | 1 | – | 3 | 2 | 5 | 4 | 1 | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Carbuncle | 9 | – | – | – | – | – | – | – | – | 1 | – | – | 2 | – | – | – |
| Phlegmon, Cellulitis | 26 | – | – | – | – | 1 | 1 | – | 1 | – | 4 | – | 1 | – | 1 | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 38 | – | – | – | – | 3 | 1 | – | 1 | 1 | 2 | 2 | – | 1 | 2 | – |
| Eczema | 16 | – | – | 1 | – | – | – | – | – | 1 | 2 | – | 3 | – | – | – |
| Pemphigus | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Dis. of Integumentary System | 12 | – | 1 | – | – | 1 | – | – | – | – | 3 | 1 | 1 | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 11 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – |
| Vehicles and Horses: Vehicles other than R'ways. | 18 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – |
| Vehicles and Horses: Horses | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 6 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 139 | 1 | – | 1 | – | 3 | 2 | – | 1 | 4 | 11 | – | 10 | – | 5 | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 22 | – | – | – | – | – | – | – | – | 1 | 4 | – | 1 | – | – | – |
| Drowning | 60 | – | 1 | 1 | – | 1 | 1 | – | 1 | – | – | – | 1 | 5 | 1 | – |
| Suffocation: In Bed | 22 | – | – | 1 | – | – | – | – | 1 | – | 4 | 1 | 26 | – | 5 | – |
| Suffocation: Otherwise | 53 | – | 1 | – | – | – | 1 | – | – | – | 3 | – | 5 | 3 | 1 | – |
| Falls | 91 | 1 | 1 | – | 1 | 1 | – | – | – | 1 | 1 | – | 4 | 2 | – | – |
| Weather Agencies | 13 | – | – | 1 | 1 | – | – | – | – | – | 1 | – | – | 2 | 2 | – |
| Otherwise, or Not Stated | 168 | 1 | – | 1 | – | 1 | 5 | – | 3 | 2 | 11 | 3 | 8 | 4 | 6 | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | |
| Homicide | 10 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – |
| Suicide | 57 | 1 | – | 1 | 1 | – | 2 | – | – | – | 6 | 3 | 5 | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | |
| Dropsy | 86 | 3 | 1 | – | 1 | 5 | 4 | – | 2 | 3 | 2 | – | 6 | 3 | 4 | – |
| Debility, Atrophy, Inanition | 1105 | 7 | 1 | 15 | 4 | 9 | 21 | 4 | 7 | 7 | 38 | 2 | 89 | 13 | 36 | 2 |
| Mortification | 10 | – | 1 | – | – | – | 1 | – | – | – | 1 | – | 2 | – | – | – |
| Tumour | 15 | – | – | – | – | – | 1 | – | – | – | – | 1 | 1 | 1 | – | – |
| Abscess | 30 | 1 | – | 1 | – | 2 | 1 | – | – | 1 | 3 | – | 3 | – | 2 | – |
| Hæmorrhage | 12 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 | – | – |
| Sudden (Cause unascertained) | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 354 | 12 | 4 | 10 | 16 | 26 | 55 | – | 3 | 7 | 19 | 2 | 4 | 13 | 11 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | 1 | – | – | 1 | 4 | – | 2 | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | 4 | 1 | 2 | 3 | 15 | 10 | 44 | 1 | 16 | – | 1 | – | 2 | 3 | 1 | 2 | 1 |
| Arthritis, Ostitis, Periostitis | 1 | 1 | 1 | – | – | 1 | 3 | 13 | – | 2 | 3 | – | – | – | – | 1 | – | – |
| Other Diseases of Organs of Locomotion | 2 | 1 | 2 | 1 | – | 5 | 9 | 26 | 2 | 9 | 1 | – | – | – | – | – | 1 | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | 2 | – | – | – | – | 2 | 1 | – | 4 | – | – | – | – | 1 | – | – | – |
| Phlegmon, Cellulitis | – | 1 | 1 | 1 | – | 2 | 3 | 7 | 1 | 3 | – | – | 1 | – | – | 1 | 1 | – |
| Lupus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | 1 | 3 | – | 1 | – | – | – | – | – | 1 | – | – |
| Eczema | – | 2 | – | 1 | – | 2 | 2 | 5 | – | 3 | – | – | – | – | 1 | – | – | 2 |
| Pemphigus | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | 1 | – | – | 1 | – | – | 5 | – | 2 | – | – | – | – | – | – | 1 | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | 4 | 1 | – | – | 4 | 16 | 48 | 3 | 12 | 1 | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | 2 | – | – | – | – | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | 3 | 1 | 1 | – | – | – | 1 | 1 | – | – | – |
| Vehicles and Horses: Railways | 2 | 9 | 4 | – | – | 13 | 15 | 66 | 6 | 31 | – | – | – | 1 | 1 | 3 | – | 1 |
| Vehicles and Horses: Vehicles other than R'wys. | – | 3 | 1 | – | 1 | 11 | 9 | 24 | – | 8 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | 2 | – | 1 | 1 | 2 | – | 3 | – | – | – | – | 1 | 1 | – | 1 |
| Ships, Boats, Docks (ex. Drowning) | – | – | 2 | – | – | 8 | 2 | 17 | – | 2 | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | 1 | 1 | – | – | 2 | 3 | 19 | 1 | 5 | – | – | – | – | – | 1 | – | – |
| Weapons and Implements | – | 1 | – | 2 | – | 1 | 1 | – | 3 | 2 | – | 1 | 1 | – | 1 | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | 7 | 3 | – | – | 12 | 4 | 55 | 3 | 12 | 3 | – | – | – | – | 4 | 1 | 1 |
| Burns and Scalds: Explosions | – | 4 | – | – | – | – | – | 1 | – | 11 | – | – | – | – | – | 1 | – | – |
| Poisons, Poisonous Vapours | – | 5 | – | – | – | 1 | 2 | 9 | – | 7 | – | – | – | – | – | 1 | – | – |
| Drowning | 2 | 23 | 25 | 27 | 14 | 30 | 22 | 100 | 8 | 24 | 16 | 4 | 1 | – | 1 | 4 | 4 | 4 |
| Suffocation: In Bed | – | – | 2 | 1 | – | 7 | 3 | 36 | 2 | 12 | – | 1 | – | – | – | 3 | – | 1 |
| Suffocation: Otherwise | – | – | 3 | – | – | 3 | 3 | 13 | – | 21 | – | 1 | – | – | 1 | 1 | 1 | 1 |
| Falls | – | 2 | 2 | – | 1 | 15 | 11 | 73 | 3 | 35 | 1 | 2 | – | 1 | 3 | 2 | 3 | 2 |
| Weather Agencies | – | 5 | 2 | – | – | 3 | 3 | 6 | 2 | 1 | – | – | – | 1 | – | 1 | 1 | – |
| Otherwise, or Not Stated | 2 | 8 | 7 | 3 | 2 | 17 | 24 | 76 | 1 | 44 | 2 | 2 | 2 | 1 | 2 | 2 | – | 2 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | 1 | 1 | – | – | – | 5 | – | – | – | 1 | – | – | – | – | – | – |
| Suicide | – | 5 | 5 | 2 | – | 6 | 16 | 32 | 3 | 20 | 4 | 1 | – | – | – | 3 | – | 1 |
| Execution | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | | | |
| Dropsy | 1 | 2 | 1 | 7 | – | 1 | – | 21 | – | 2 | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 15 | 51 | 31 | 14 | 1 | 95 | 72 | 487 | 35 | 84 | 9 | 4 | 2 | 6 | 16 | 18 | 15 | 12 |
| Mortification | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | 1 | – | – | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | 5 | – | 12 | 1 | 3 | – | 1 | – | 1 | – | 1 | – | – |
| Hæmorrhage | – | – | – | 1 | 1 | – | – | 3 | – | 4 | 1 | – | – | 1 | – | – | 1 | – |
| Sudden (Cause unascertained) | – | 1 | – | – | – | 2 | – | 5 | – | 2 | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 5 | 11 | 7 | 19 | – | 24 | 12 | 71 | 16 | 5 | 2 | – | – | 1 | 7 | 2 | – | 2 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | 2 | – | 2 | – | 2 | 2 | 15 | – | 11 | 1 | – | 1 | 1 | – | – | – | 1 |
| Diseases of Uterus and Vagina | – | 3 | – | 6 | – | 4 | 6 | 30 | – | 20 | – | – | 1 | – | 1 | 2 | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | 1 | 1 | – | – | 1 | – | 9 | 1 | 4 | – | – | – | – | – | – | 1 | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | 1 | 1 | 1 | 2 | 4 | 20 | – | 6 | 1 | – | – | – | – | 1 | – | – |
| Puerperal Mania | – | 1 | – | 1 | – | 1 | 1 | 5 | – | – | 1 | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | 1 | 1 | – | – | 2 | 4 | 10 | 1 | 8 | – | 1 | – | – | – | 1 | – | – |
| Placenta Prævia, Flooding | – | 3 | 2 | 1 | – | 2 | 3 | 22 | – | 9 | – | – | – | 2 | 1 | 1 | 1 | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Other Accidents of Childbirth | 1 | 5 | 7 | 4 | – | 12 | 9 | 50 | 4 | 23 | 2 | 1 | 1 | 1 | 2 | 3 | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | 2 | 2 | 2 | – | 4 | 4 | 34 | 1 | 15 | – | – | – | – | – | 3 | – | 1 |
| Arthritis, Ostitis, Periostitis | 1 | 1 | 1 | – | – | 1 | 7 | 15 | – | 4 | 2 | – | – | – | 1 | 2 | – | – |
| Other Diseases of Organs of Locomotion | 2 | 2 | 1 | 1 | – | 3 | 4 | 19 | – | 5 | – | 1 | – | – | – | – | 1 | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | 3 | – | 2 | – | – | – | – | – | – | – | 1 |
| Phlegmon, Cellulitis | – | 1 | – | – | – | 5 | 2 | 8 | – | – | – | – | – | – | – | 1 | – | – |
| Lupus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | 6 | – | 10 | – | 5 | – | – | – | 1 | 1 | 2 | – | – |
| Eczema | – | 1 | – | – | – | – | 4 | 2 | – | 2 | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | 1 | – | 1 |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | 3 | 4 | – | 1 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | 1 | 2 | – | – | 3 | 2 | 5 | – | 2 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'ways. | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | 1 | – | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | 3 | 4 | 1 | – | 7 | 11 | 43 | 1 | 18 | 1 | – | 1 | – | 2 | 1 | 1 | 7 |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | 1 | – | – | 1 | 1 | 1 | 6 | 1 | 4 | – | – | – | – | – | – | – | 2 |
| Poisons, Poisonous Vapours | – | 5 | 5 | – | 3 | 6 | 5 | 11 | 2 | 5 | 2 | 2 | – | – | – | – | – | 1 |
| Drowning | – | 1 | 1 | 2 | – | 3 | 3 | 28 | 2 | 11 | – | – | – | – | 1 | 1 | – | 1 |
| Suffocation: In Bed | – | – | 3 | – | 2 | 2 | 3 | 17 | – | 8 | – | – | – | – | – | 1 | 1 | 2 |
| Suffocation: Otherwise | – | 4 | – | 1 | 1 | 6 | 8 | 47 | – | 11 | – | – | – | – | – | – | 1 | – |
| Falls | – | 1 | 2 | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Weather Agencies | – | 1 | 3 | 5 | 1 | 9 | 15 | 46 | 2 | 28 | 2 | 1 | – | – | 3 | 4 | 1 | 2 |
| Otherwise, or Not Stated | | | | | | | | | | | | | | | | | | |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | 1 | 5 | – | – | – | – | – | – | 1 | – | – | – |
| Suicide | 1 | – | 3 | 1 | – | 4 | 6 | 14 | – | 4 | 1 | – | – | 1 | – | 2 | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | 7 | – | 4 | – | 33 | 2 | 2 | – | 1 | – | – | – | 1 | – | 2 |
| Debility, Atrophy, Inanition | 9 | 50 | 13 | 14 | 1 | 95 | 52 | 411 | 24 | 97 | 4 | 5 | 1 | 9 | 11 | 28 | 8 | 18 |
| Mortification | – | – | 1 | – | 1 | – | – | 1 | – | 2 | – | – | – | – | 2 | – | – | – |
| Tumour | – | 1 | – | – | – | – | 1 | 3 | – | 2 | – | – | – | – | – | 1 | 1 | 1 |
| Abscess | 1 | 1 | 1 | – | – | 1 | 2 | 5 | 1 | 2 | – | – | 1 | – | – | 1 | – | – |
| Hæmorrhage | – | – | – | – | – | 4 | 1 | – | – | – | 1 | – | – | 2 | – | 1 | – | – |
| Sudden (Cause unascertained) | – | 2 | – | – | – | 1 | – | 5 | – | 2 | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 6 | 10 | 8 | 27 | 2 | 15 | 10 | 64 | 6 | 4 | 2 | 1 | – | 2 | 2 | 5 | 5 | 3 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—MALES.

| CAUSES OF DEATH. | Total Principal Town Dist. | Glasgow (Burghal). | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Greenock. | Paisley. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 17594 | 6816 | 2320 | 2699 | 1715 | 1234 | 726 | 753 | 674 | 344 | 313 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 2808 | 1081 | 372 | 436 | 244 | 191 | 137 | 120 | 83 | 64 | 80 |
| II. PARASITIC DISEASES | 3 | 2 | – | 1 | – | – | – | – | – | – | – |
| III. DIETETIC „ | 112 | 42 | 11 | 15 | 9 | 8 | 9 | 11 | 1 | 4 | 2 |
| IV. CONSTITUTIONAL „ | 3039 | 1195 | 399 | 515 | 284 | 177 | 141 | 123 | 112 | 53 | 40 |
| V. DEVELOPMENTAL „ | 1000 | 330 | 161 | 136 | 127 | 93 | 38 | 32 | 38 | 29 | 16 |
| VI. LOCAL „ | 9036 | 3511 | 1181 | 1382 | 874 | 659 | 353 | 378 | 379 | 168 | 151 |
| VII. VIOLENCE | 856 | 354 | 68 | 152 | 76 | 61 | 31 | 53 | 29 | 16 | 16 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 740 | 301 | 128 | 62 | 101 | 45 | 17 | 36 | 32 | 10 | 8 |
| **I.** | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 2258 | 874 | 324 | 344 | 183 | 145 | 107 | 97 | 64 | 50 | 76 |
| 2. DIARRHŒAL „ | 366 | 136 | 31 | 49 | 51 | 26 | 21 | 16 | 16 | 12 | 8 |
| 3. MALARIAL „ | 1 | 1 | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | 1 | – | – | – | – | 1 | – | – | – | – | – |
| 5. VENEREAL „ | 85 | 36 | 9 | 20 | 6 | 5 | 3 | 3 | 2 | 1 | – |
| 6. SEPTIC „ | 97 | 34 | 3 | 28 | 4 | 14 | 6 | 4 | 1 | 1 | 2 |
| **II.** PARASITIC DISEASES | 3 | 2 | – | 1 | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 112 | 42 | 11 | 15 | 9 | 8 | 9 | 11 | 1 | 4 | 2 |
| **IV.** CONSTITUTIONAL DISEASES | 3039 | 1195 | 399 | 515 | 284 | 177 | 141 | 123 | 112 | 53 | 40 |
| **V.** DEVELOPMENTAL DISEASES | 1000 | 330 | 161 | 136 | 127 | 93 | 38 | 32 | 38 | 29 | 16 |
| **VI.** | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 2009 | 722 | 333 | 303 | 182 | 175 | 59 | 81 | 102 | 26 | 26 |
| 2. „ ORGANS OF SPECIAL SENSE | 21 | 5 | – | 6 | 4 | 3 | – | 1 | 1 | – | 1 |
| 3. „ CIRCULATORY SYSTEM | 1202 | 390 | 164 | 223 | 118 | 90 | 52 | 54 | 50 | 35 | 26 |
| 4. „ RESPIRATORY SYSTEM | 4011 | 1702 | 480 | 530 | 403 | 257 | 166 | 173 | 156 | 78 | 66 |
| 5. „ DIGESTIVE SYSTEM | 1095 | 435 | 126 | 171 | 116 | 77 | 52 | 40 | 44 | 18 | 16 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 19 | 9 | 3 | 5 | 1 | – | – | 1 | – | – | – |
| 7. „ URINARY SYSTEM | 506 | 189 | 47 | 118 | 34 | 40 | 18 | 21 | 18 | 9 | 12 |
| 8. „ REPRODUCTIVE SYSTEM:— | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION | 10 | 3 | – | 2 | 1 | 2 | – | 2 | – | – | – |
| (b) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 126 | 46 | 20 | 16 | 13 | 10 | 4 | 5 | 7 | 2 | 3 |
| 10. „ INTEGUMENTARY SYSTEM | 37 | 10 | 8 | 8 | 2 | 5 | 2 | – | 1 | – | 1 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES.

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Greenock. | Paisley. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES - - - - - | 17668 | 6558 | 2263 | 2724 | 1973 | 1369 | 791 | 609 | 581 | 337 | 306 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 3010 | 1142 | 411 | 473 | 299 | 247 | 153 | 97 | 71 | 49 | 68 |
| II. PARASITIC DISEASES - | 2 | - | - | 1 | 1 | - | - | - | - | - | - |
| III. DIETETIC ,, - | 57 | 24 | 8 | 6 | 3 | 4 | 3 | 1 | 5 | 3 | - |
| IV. CONSTITUTIONAL ,, - | 3270 | 1195 | 408 | 490 | 366 | 229 | 172 | 154 | 136 | 66 | 54 |
| V. DEVELOPMENTAL ,, - | 1253 | 424 | 168 | 196 | 123 | 134 | 53 | 47 | 70 | 28 | 10 |
| VI. LOCAL ,, - | 9082 | 3355 | 1121 | 1442 | 1054 | 714 | 375 | 331 | 354 | 181 | 155 |
| VII. VIOLENCE - - - - | 372 | 151 | 38 | 66 | 51 | 17 | 11 | 9 | 13 | 5 | 11 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 622 | 267 | 109 | 50 | 76 | 24 | 24 | 27 | 32 | 5 | 8 |
| I. | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - - | 2327 | 908 | 325 | 363 | 220 | 162 | 128 | 77 | 49 | 41 | 54 |
| 2. DIARRHŒAL ,, - - - | 373 | 133 | 49 | 49 | 56 | 32 | 14 | 10 | 14 | 6 | 10 |
| 3. MALARIAL ,, - - - | 2 | - | - | 1 | - | 1 | - | - | - | - | - |
| 4. ZOOGENOUS ,, - - - | 3 | - | 1 | 1 | - | 1 | - | - | - | - | - |
| 5. VENEREAL ,, - - - | 63 | 23 | 6 | 13 | 9 | 7 | 1 | 4 | 1 | - | - |
| 6. SEPTIC ,, - - - | 242 | 78 | 30 | 46 | 14 | 44 | 10 | 6 | 8 | 2 | 4 |
| II. | | | | | | | | | | | |
| PARASITIC DISEASES - - - | 2 | - | - | 1 | 1 | - | - | - | - | - | - |
| III. | | | | | | | | | | | |
| DIETETIC DISEASES - - - | 57 | 24 | 8 | 6 | 3 | 4 | 3 | 1 | 5 | 3 | - |
| IV. | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES - - | 3270 | 1195 | 408 | 490 | 366 | 229 | 172 | 154 | 136 | 66 | 54 |
| V. | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES - - | 1253 | 424 | 168 | 196 | 123 | 134 | 53 | 47 | 70 | 28 | 10 |
| VI. | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 1946 | 682 | 252 | 324 | 198 | 164 | 76 | 90 | 93 | 46 | 21 |
| 2. ,, ORGANS OF SPECIAL SENSE - - - | 29 | 12 | 2 | 6 | - | 2 | 2 | 2 | 2 | - | 1 |
| 3. ,, CIRCULATORY SYSTEM - | 1300 | 436 | 154 | 239 | 150 | 100 | 65 | 41 | 46 | 39 | 30 |
| 4. ,, RESPIRATORY SYSTEM - | 3789 | 1490 | 477 | 519 | 492 | 285 | 145 | 124 | 130 | 58 | 69 |
| 5. ,, DIGESTIVE SYSTEM - | 1226 | 464 | 139 | 180 | 136 | 101 | 63 | 49 | 50 | 22 | 22 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - - | 17 | 7 | 2 | 6 | 1 | - | 1 | - | - | - | - |
| 7. ,, URINARY SYSTEM - | 384 | 131 | 58 | 78 | 37 | 22 | 15 | 14 | 18 | 7 | 4 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION - - | 106 | 36 | 7 | 33 | 9 | 13 | - | 2 | 2 | 3 | 1 |
| (*b*) DISEASES OF PARTURITION - - - - | 149 | 50 | 17 | 33 | 14 | 11 | 6 | 3 | 8 | 3 | 4 |
| 9. ,, ORGANS OF LOCOMOTION - - - | 99 | 40 | 10 | 15 | 14 | 10 | 1 | 2 | 2 | 3 | 2 |
| 10. ,, INTEGUMENTARY SYSTEM - - - | 37 | 7 | 3 | 9 | 3 | 6 | 1 | 4 | 3 | - | 1 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Greenock. | Paisley. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 791 | 328 | 64 | 138 | 73 | 55 | 28 | 51 | 27 | 15 | 12 |
| 2. HOMICIDE | 5 | 4 | – | – | 1 | – | – | – | – | – | – |
| 3. SUICIDE | 59 | 21 | 4 | 14 | 2 | 6 | 3 | 2 | 2 | 1 | 4 |
| 4. EXECUTION | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 740 | 301 | 128 | 62 | 101 | 45 | 17 | 36 | 32 | 10 | 8 |
| MIASMATIC DISEASES. | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 3 | 1 | – | 1 | – | – | – | – | – | 1 | – |
| Measles | 803 | 343 | 120 | 120 | 72 | 25 | 27 | 47 | 3 | 14 | 22 |
| Epidemic Rose Rash | 3 | 1 | 1 | – | – | – | – | – | – | 1 | – |
| Scarlet Fever | 174 | 58 | 21 | 20 | 6 | 7 | 26 | 6 | 20 | 3 | 7 |
| Typhus | 26 | 9 | 4 | 2 | 1 | 1 | 3 | 1 | 5 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 75 | 15 | 5 | 14 | 5 | 24 | 1 | 3 | 1 | 2 | 5 |
| Hooping-cough | 785 | 321 | 108 | 117 | 70 | 69 | 24 | 19 | 16 | 20 | 21 |
| Mumps | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Diphtheria | 223 | 65 | 31 | 40 | 23 | 5 | 19 | 13 | 14 | 6 | 7 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 4 | – | 1 | – | – | 1 | – | – | – | – | 2 |
| Enteric Fever | 161 | 61 | 33 | 20 | 6 | 13 | 7 | 7 | 5 | 3 | 6 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | |
| Simple Cholera | 8 | 3 | 2 | – | – | – | 3 | – | – | – | – |
| Diarrhœa, Dysentery | 358 | 133 | 29 | 49 | 51 | 26 | 18 | 16 | 16 | 12 | 8 |
| MALARIAL DISEASES. | | | | | | | | | | | |
| Remittent Fever | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 1 | – | – | – | – | 1 | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | |
| Syphilis | 78 | 34 | 9 | 15 | 6 | 5 | 3 | 3 | 2 | 1 | – |
| Gonorrhœa, Stricture of Urethra | 7 | 2 | – | 5 | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 71 | 26 | 5 | 15 | 4 | 10 | 5 | 2 | 1 | 1 | 2 |
| Pyæmia, Septicæmia | 26 | 8 | 3 | 8 | – | 4 | 1 | 2 | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Greenock. | Paisley. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 343 | 138 | 35 | 62 | 47 | 17 | 11 | 8 | 11 | 4 | 10 |
| 2. HOMICIDE | 6 | 4 | – | – | 1 | – | – | – | – | 1 | – |
| 3. SUICIDE | 23 | 9 | 3 | 4 | 3 | – | – | 1 | 2 | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 622 | 267 | 109 | 50 | 76 | 24 | 24 | 27 | 32 | 5 | 8 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Measles | 708 | 297 | 100 | 111 | 92 | 29 | 23 | 31 | 1 | 8 | 16 |
| Epidemic Rose Rash | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 193 | 69 | 21 | 29 | 3 | 11 | 33 | 6 | 13 | 2 | 6 |
| Typhus | 16 | 5 | 2 | – | 1 | – | 7 | – | 1 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 85 | 14 | 11 | 13 | 12 | 25 | 3 | 3 | – | 2 | 2 |
| Hooping-cough | 910 | 387 | 124 | 135 | 68 | 76 | 34 | 26 | 13 | 22 | 25 |
| Mumps | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Diphtheria | 243 | 72 | 43 | 46 | 28 | 7 | 20 | 9 | 11 | 5 | 2 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 7 | 4 | 1 | – | 1 | 1 | – | – | – | – | – |
| Enteric Fever | 160 | 58 | 22 | 29 | 14 | 13 | 8 | 2 | 9 | 2 | 3 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | |
| Simple Cholera | 9 | 4 | 1 | 1 | 1 | 1 | 1 | – | – | – | – |
| Diarrhœa, Dysentery | 364 | 129 | 48 | 48 | 55 | 31 | 13 | 10 | 14 | 6 | 10 |
| **MALARIAL DISEASES.** | | | | | | | | | | | |
| Remittent Fever | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 3 | – | 1 | 1 | – | 1 | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | |
| Syphilis | 62 | 23 | 6 | 12 | 9 | 7 | 1 | 4 | – | – | – |
| Gonorrhœa, Stricture of Urethra | 1 | – | – | 1 | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | |
| Phagedæna | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Erysipelas | 77 | 22 | 7 | 21 | 5 | 14 | 5 | 2 | – | – | 1 |
| Pyæmia, Septicæmia | 32 | 5 | 3 | 7 | 5 | 6 | 3 | 1 | 1 | – | 1 |
| Puerperal Fever | 132 | 51 | 20 | 18 | 4 | 24 | 2 | 2 | 7 | 2 | 2 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Greenock. | Paisl. | Perth | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | |
| Thrush | 3 | 2 | – | 1 | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 24 | 4 | 3 | 4 | 2 | 6 | 2 | 2 | – | 1 | – |
| Scurvy | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Intemp. Chronic Alcoholism | 64 | 26 | 6 | 11 | 2 | 1 | 6 | 7 | 1 | 2 | 2 |
| Intemp. Delirium Tremens | 23 | 12 | 2 | – | 5 | 1 | 1 | 2 | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 47 | 19 | 6 | 10 | 9 | – | 2 | 1 | – | – | – |
| Rheumatism | 26 | 7 | 3 | 1 | 1 | 3 | 1 | 5 | 4 | 1 | – |
| Gout | 4 | 1 | 2 | – | – | – | – | – | – | 1 | – |
| Rickets | 20 | 6 | 1 | 8 | 5 | – | – | – | – | – | – |
| Cancer | 370 | 116 | 86 | 35 | 33 | 31 | 17 | 14 | 18 | 11 | 9 |
| Tabes Mesenterica | 245 | 125 | 33 | 27 | 23 | 9 | 9 | 8 | 8 | 1 | 2 |
| Tubercular Meningitis (Acute Hydrocephalus) | 331 | 186 | 35 | 60 | 27 | 17 | 27 | 8 | 12 | 6 | 3 |
| Phthisis | 1744 | 698 | 246 | 275 | 166 | 103 | 68 | 74 | 64 | 28 | 22 |
| Other forms of Tuberculosis, Scrofula | 191 | 62 | 34 | 31 | 13 | 13 | 14 | 11 | 6 | 4 | 3 |
| Purpura, Hæmorrhagic Diathesis | 8 | 4 | – | 1 | 2 | – | – | – | – | – | 1 |
| Anæmia, Chlorosis, Leucocythæmia | 36 | 11 | 3 | 12 | 5 | – | 3 | 1 | – | 1 | – |
| Diabetes Mellitus | 17 | 10 | 1 | 5 | – | 1 | – | 1 | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | |
| Premature Birth | 482 | 182 | 68 | 64 | 64 | 39 | 23 | 15 | 7 | 11 | 9 |
| Atelectasis | 42 | 7 | 5 | 7 | 5 | 9 | 1 | 4 | – | – | 4 |
| Cyanosis | 16 | 5 | 5 | 3 | 2 | 1 | – | – | – | – | – |
| Spina Bifida | 21 | 8 | 5 | 4 | 4 | 3 | 1 | 1 | – | – | – |
| Imperforate Anus | 3 | – | – | – | 1 | 1 | – | – | 1 | – | – |
| Cleft Palate, Harelip | 6 | 3 | – | 2 | 1 | – | – | – | – | – | – |
| Other Congenital Defects | 20 | 8 | 2 | 3 | 2 | 2 | 1 | – | 2 | – | – |
| Old Age | 410 | 122 | 76 | 53 | 48 | 38 | 12 | 12 | 28 | 18 | 3 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 422 | 169 | 72 | 43 | 37 | 38 | 7 | 26 | 23 | 4 | 3 |
| Apoplexy | 474 | 171 | 72 | 74 | 53 | 33 | 17 | 20 | 17 | 11 | 6 |
| Softening of the Brain | 51 | 15 | 12 | 9 | 7 | 6 | 1 | 1 | – | – | – |
| Hemiplegia, Brain Paralysis | 285 | 104 | 56 | 36 | 24 | 18 | 13 | 7 | 20 | 8 | 4 |
| Paralysis Agitans | 8 | 3 | 1 | – | 1 | – | – | – | 2 | 1 | – |
| Insanity, General Paralysis of Insane | 49 | 1 | 14 | 27 | – | 3 | – | – | 4 | – | – |
| Chorea | 6 | 2 | – | 2 | – | 1 | – | – | 1 | – | – |
| Epilepsy | 68 | 17 | 9 | 15 | 4 | 10 | 1 | 2 | 5 | – | – |
| Convulsions | 346 | 125 | 53 | 53 | 28 | 50 | 15 | 6 | 11 | 3 | 2 |
| Laryngismus Stridulus | 16 | 10 | – | 2 | 1 | – | 1 | – | 2 | – | – |
| Idiopathic Tetanus | 5 | 2 | – | 2 | – | – | – | – | – | – | 1 |
| Paraplegia, Diseases of Spinal Cord | 56 | 17 | 10 | 8 | 6 | 6 | – | 3 | 2 | 2 | 1 |
| Other Diseases of Nervous System | 228 | 86 | 35 | 32 | 21 | 10 | 4 | 16 | 15 | 1 | 8 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | |
| Otitis, Otorrhœa | 17 | 5 | – | 5 | 4 | 3 | – | – | – | – | – |
| Epistaxis and Disease of Nose | 3 | – | – | 1 | – | – | – | – | 1 | – | 1 |
| Ophthalmia and Disease of Eye | 1 | – | – | – | – | – | – | 1 | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Greenock. | Paisley. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | |
| Thrush | 2 | – | – | 1 | 1 | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 20 | 4 | 5 | 3 | – | 4 | – | – | 3 | 1 | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 34 | 19 | 3 | 3 | 2 | – | 3 | 1 | 2 | 1 | – |
| Intemp. Delirium Tremens | 3 | 1 | – | – | 1 | – | – | – | – | 1 | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 64 | 21 | 6 | 16 | 6 | 6 | 3 | 1 | 2 | 2 | 1 |
| Rheumatism | 36 | 14 | 5 | 1 | 5 | 3 | – | 2 | 5 | – | 1 |
| Gout | 3 | – | – | 1 | – | 1 | – | 1 | – | – | – |
| Rickets | 15 | 3 | 3 | 4 | 2 | 1 | 2 | – | – | – | – |
| Cancer | 646 | 198 | 84 | 142 | 71 | 44 | 37 | 17 | 21 | 15 | 17 |
| Tabes Mesenterica | 192 | 77 | 26 | 19 | 21 | 10 | 11 | 10 | 9 | 2 | 7 |
| Tubercular Meningitis (Acute Hydrocephalus) | 257 | 103 | 36 | 45 | 15 | 9 | 29 | 9 | 6 | 3 | 2 |
| Phthisis | 1843 | 705 | 228 | 217 | 224 | 139 | 77 | 104 | 85 | 38 | 26 |
| Other forms of Tuberculosis, Scrofula | 113 | 41 | 6 | 22 | 18 | 8 | 8 | 6 | 2 | 2 | – |
| Purpura, Hæmorrhagic Diathesis | 12 | 5 | 3 | 2 | 1 | – | 1 | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 66 | 20 | 8 | 15 | 3 | 4 | 4 | 4 | 5 | 3 | – |
| Diabetes Mellitus | 23 | 8 | 3 | 6 | – | 4 | – | – | 1 | 1 | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | |
| Premature Birth | 380 | 145 | 44 | 59 | 45 | 32 | 24 | 17 | 8 | 8 | 8 |
| Atelectasis | 25 | 9 | 1 | 6 | 3 | 1 | – | 5 | – | – | – |
| Cyanosis | 6 | 2 | 3 | 1 | – | – | – | – | – | – | – |
| Spina Bifida | 12 | 5 | 2 | – | 2 | – | – | 1 | 1 | 1 | – |
| Imperforate Anus | 2 | – | – | 1 | 1 | – | – | – | – | – | – |
| Cleft Palate, Harelip | 4 | 1 | 1 | – | – | 1 | – | – | 1 | – | – |
| Other Congenital Defects | 18 | 4 | 1 | 5 | 3 | 3 | 1 | – | 1 | – | – |
| Old Age | 806 | 258 | 116 | 124 | 69 | 97 | 28 | 24 | 59 | 24 | 7 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 337 | 135 | 46 | 37 | 38 | 24 | 6 | 29 | 14 | 5 | 3 |
| Apoplexy | 577 | 181 | 77 | 111 | 67 | 53 | 24 | 19 | 21 | 14 | 10 |
| Softening of the Brain | 73 | 23 | 10 | 19 | 6 | 6 | 1 | 2 | 2 | 3 | 1 |
| Hemiplegia, Brain Paralysis | 318 | 113 | 36 | 40 | 37 | 25 | 18 | 12 | 27 | 9 | 1 |
| Paralysis Agitans | 9 | 3 | – | 2 | – | 2 | – | 2 | – | – | – |
| Insanity, General Paralysis of Insane | 28 | 5 | 6 | 8 | 1 | 4 | – | 1 | 3 | – | – |
| Chorea | 6 | 2 | – | 2 | – | 1 | 1 | – | – | – | – |
| Epilepsy | 46 | 16 | 3 | 8 | 5 | 3 | 2 | 2 | 5 | 2 | – |
| Convulsions | 295 | 112 | 36 | 47 | 29 | 37 | 16 | 7 | 7 | 3 | 1 |
| Laryngismus Stridulus | 16 | 9 | 3 | 1 | – | 1 | – | 2 | – | – | – |
| Idiopathic Tetanus | 3 | – | 1 | – | – | 1 | – | 1 | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 47 | 16 | 7 | 8 | 6 | 1 | 4 | – | 2 | 3 | – |
| Other Diseases of Nervous System | 191 | 67 | 27 | 41 | 9 | 6 | 4 | 13 | 12 | 7 | 5 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | |
| Otitis, Otorrhœa | 24 | 10 | 2 | 6 | – | 2 | 1 | 2 | 1 | – | – |
| Epistaxis and Disease of Nose | 5 | 2 | – | – | – | – | 1 | – | 1 | – | 1 |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Greenock. | Paisley. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 952 | 310 | 122 | 163 | 97 | 72 | 39 | 52 | 43 | 31 | 23 |
| Pericarditis | 20 | 4 | 6 | 1 | 1 | 3 | 1 | – | 3 | 1 | – |
| Hypertrophy of Heart | 32 | 12 | 7 | 7 | 5 | 1 | – | – | – | – | – |
| Angina Pectoris | 32 | 12 | 4 | 9 | 3 | 2 | 1 | – | – | 1 | – |
| Syncope | 48 | 13 | 10 | 11 | 4 | 3 | 5 | – | – | 1 | 1 |
| Aneurism | 55 | 17 | 7 | 19 | 4 | 5 | 2 | – | 1 | – | – |
| Senile Gangrene | 23 | 8 | 2 | 5 | 1 | 3 | 2 | – | 2 | – | – |
| Embolism, Thrombosis | 14 | 6 | 3 | 3 | – | – | 1 | – | – | – | 1 |
| Phlebitis | 4 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Varicose Veins | 3 | 2 | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 19 | 5 | 2 | 3 | 2 | 1 | 1 | 2 | 1 | 1 | 1 |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | |
| Laryngitis | 49 | 13 | 4 | 4 | 7 | 8 | 1 | 6 | 4 | 2 | – |
| Croup | 132 | 37 | 16 | 16 | 14 | 13 | 5 | 8 | 13 | 6 | 4 |
| Other Diseases of Larynx and Trachea | 11 | 5 | 2 | 3 | 1 | – | – | – | – | – | – |
| Emphysema, Asthma | 41 | 13 | 5 | 7 | 5 | 1 | 2 | 2 | 1 | 3 | 2 |
| Bronchitis | 1856 | 786 | 193 | 277 | 212 | 118 | 61 | 75 | 76 | 25 | 33 |
| Pneumonia | 1469 | 617 | 178 | 177 | 140 | 89 | 91 | 72 | 47 | 35 | 23 |
| Pleurisy | 107 | 37 | 21 | 24 | 8 | 7 | 3 | 1 | 5 | 1 | – |
| Other Diseases of Respiratory System | 346 | 194 | 61 | 22 | 16 | 21 | 3 | 9 | 10 | 6 | 4 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | |
| Stomatitis | 11 | 6 | – | 2 | 1 | 1 | – | – | – | – | 1 |
| Dentition | 128 | 57 | 15 | 19 | 10 | 4 | 5 | 4 | 11 | 1 | 2 |
| Sore-throat, Quinsy | 12 | 5 | 1 | 1 | 1 | – | 2 | – | 2 | – | – |
| Dyspepsia | 27 | 13 | 5 | 1 | 2 | 3 | – | – | 3 | – | – |
| Hæmatemesis | 8 | 3 | – | 4 | – | – | – | – | – | – | 1 |
| Melæna | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 157 | 71 | 16 | 19 | 12 | 14 | 6 | 9 | 3 | 5 | 2 |
| Enteritis | 239 | 89 | 36 | 25 | 35 | 16 | 19 | 12 | 3 | 4 | – |
| Ulceration of Intestine | 11 | 2 | 1 | 3 | 2 | 2 | – | – | 1 | – | – |
| Ileus, Obstruction of Intestine | 57 | 23 | 6 | 15 | 5 | 3 | 1 | 1 | 3 | – | – |
| Stricture or Strangulation of Intestine | 9 | 4 | 1 | 2 | 2 | – | – | – | – | – | – |
| Intussusception of Intestine | 9 | 1 | 1 | 4 | 1 | – | 2 | – | – | – | – |
| Hernia | 34 | 16 | 1 | 10 | 1 | 2 | 3 | – | – | – | 1 |
| Fistula | 4 | 2 | – | – | 1 | – | – | – | – | 1 | – |
| Peritonitis | 128 | 40 | 8 | 23 | 15 | 16 | 5 | 5 | 12 | 3 | 1 |
| Ascites | 6 | 3 | 1 | – | – | – | 1 | 1 | – | – | – |
| Gallstones | 6 | 2 | 2 | 2 | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 52 | 16 | 6 | 14 | 5 | 4 | 1 | 1 | – | – | 5 |
| Other Diseases of Liver | 131 | 56 | 16 | 14 | 10 | 11 | 5 | 7 | 5 | 4 | 3 |
| Other Diseases of Digestive System | 65 | 26 | 9 | 13 | 13 | 1 | 2 | – | 1 | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | |
| Diseases of Spleen | 5 | 3 | – | 1 | – | – | – | 1 | – | – | – |
| Diseases of Lymphatics | 8 | 2 | 3 | 3 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 6 | 4 | – | 1 | 1 | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | |
| Acute Nephritis | 102 | 43 | 13 | 18 | 4 | 10 | 2 | 4 | 4 | 2 | 2 |
| Bright's Disease | 198 | 75 | 20 | 50 | 15 | 9 | 11 | 4 | 9 | 2 | 3 |
| Uræmia | 23 | 7 | – | 5 | – | 4 | 2 | 3 | – | 1 | 1 |
| Suppression of Urine | 9 | 7 | 1 | 1 | – | – | – | – | – | – | – |
| Calculus | 11 | 2 | – | 5 | – | 3 | 1 | – | – | – | – |
| Hæmaturia | 5 | 1 | 1 | – | – | 1 | 1 | – | – | – | 1 |
| Diseases of Bladder and of Prostate | 101 | 30 | 7 | 24 | 12 | 9 | 1 | 7 | 4 | 4 | 3 |
| Other Diseases of Urinary System | 57 | 24 | 5 | 15 | 3 | 4 | – | 3 | 1 | – | 2 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal.) | Glasgow (Landward & Suburban) | Edinburgh. | Dundee. | Aberdeen. | Leith. | Greenock. | Paisley. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1114 | 379 | 131 | 192 | 130 | 84 | 59 | 37 | 37 | 35 | 30 |
| Pericarditis | 15 | 3 | 2 | 4 | 1 | 3 | – | 2 | – | – | – |
| Hypertrophy of Heart | 34 | 6 | 1 | 17 | 7 | 2 | – | – | – | 1 | – |
| Angina Pectoris | 13 | 3 | 5 | 2 | 1 | – | – | – | 2 | – | – |
| Syncope | 55 | 23 | 8 | 11 | 3 | 4 | 2 | 1 | 1 | 2 | – |
| Aneurism | 9 | 4 | – | 2 | 1 | – | 1 | – | 1 | – | – |
| Senile Gangrene | 28 | 10 | 1 | 4 | 4 | 4 | 3 | 1 | 1 | – | – |
| Embolism, Thrombosis | 12 | 2 | 4 | 4 | 1 | – | – | – | – | 1 | – |
| Phlebitis | 4 | 1 | – | 1 | 1 | 1 | – | – | – | – | – |
| Varicose Veins | 5 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 11 | 2 | 1 | 1 | 1 | 2 | – | – | 4 | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | |
| Laryngitis | 47 | 9 | 4 | 5 | 5 | 15 | 2 | 1 | 3 | 3 | – |
| Croup | 129 | 30 | 21 | 16 | 11 | 18 | 5 | 6 | 15 | 1 | 6 |
| Other Diseases of Larynx and Trachea | 11 | 6 | 2 | 1 | 2 | – | – | – | – | – | – |
| Emphysema, Asthma | 25 | 7 | 4 | 5 | 4 | 1 | 1 | 1 | 1 | 1 | – |
| Bronchitis | 2053 | 820 | 245 | 292 | 276 | 141 | 74 | 60 | 75 | 32 | 38 |
| Pneumonia | 1144 | 439 | 136 | 148 | 178 | 83 | 47 | 51 | 24 | 17 | 21 |
| Pleurisy | 85 | 26 | 18 | 17 | 4 | 4 | 6 | 2 | 5 | 1 | 2 |
| Other Diseases of Respiratory System | 295 | 153 | 47 | 35 | 12 | 23 | 10 | 3 | 7 | 3 | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | |
| Stomatitis | 12 | 9 | 2 | – | – | – | – | 1 | – | – | – |
| Dentition | 128 | 51 | 7 | 17 | 12 | 8 | 5 | 7 | 17 | 1 | 3 |
| Sore-throat, Quinsy | 16 | 7 | 2 | – | 2 | 2 | 2 | 1 | – | – | – |
| Dyspepsia | 33 | 18 | 5 | 3 | 3 | 1 | 1 | – | 2 | – | – |
| Hæmatemesis | 25 | 9 | 2 | 4 | 2 | 5 | 2 | 1 | – | – | – |
| Melæna | 3 | – | – | 2 | – | – | – | – | 1 | – | – |
| Diseases of Stomach | 170 | 77 | 18 | 19 | 23 | 18 | 5 | 3 | 1 | 2 | 4 |
| Enteritis | 237 | 99 | 29 | 15 | 29 | 9 | 23 | 14 | 7 | 9 | 3 |
| Ulceration of Intestine | 13 | 4 | 1 | 2 | 1 | 1 | 2 | 1 | 1 | – | – |
| Ileus, Obstruction of Intestines | 64 | 18 | 9 | 13 | 9 | 7 | 2 | 3 | 2 | 1 | – |
| Stricture or Strangulation of Intestines | 12 | 4 | 1 | 2 | – | 1 | 2 | – | – | 2 | – |
| Intussusception of Intestines | 7 | – | 1 | 2 | 2 | 1 | – | – | – | 1 | – |
| Hernia | 35 | 8 | 5 | 11 | 2 | 6 | 1 | – | – | 2 | – |
| Fistula | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Peritonitis | 175 | 58 | 20 | 37 | 13 | 24 | 3 | 6 | 9 | 2 | 3 |
| Ascites | 12 | 1 | 1 | 3 | 1 | 2 | 2 | 1 | – | 1 | – |
| Gallstones | 7 | 1 | – | 5 | – | – | – | 1 | – | – | – |
| Cirrhosis of Liver | 27 | 9 | 3 | 3 | 2 | 2 | 3 | 1 | 2 | – | 2 |
| Other Diseases of Liver | 160 | 65 | 20 | 25 | 15 | 11 | 5 | 8 | 6 | 1 | 4 |
| Other Diseases of Digestive System | 89 | 26 | 13 | 16 | 20 | 3 | 5 | 1 | 2 | – | 3 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | |
| Diseases of Spleen | 4 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 2 | – | – | 2 | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 7 | 4 | – | 1 | 1 | – | 1 | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | |
| Acute Nephritis | 87 | 44 | 14 | 6 | 4 | 8 | 3 | 2 | 4 | 1 | 1 |
| Bright's Disease | 164 | 42 | 29 | 36 | 23 | 4 | 9 | 7 | 10 | 2 | 2 |
| Uræmia | 22 | 6 | 3 | 7 | 1 | 1 | 1 | 2 | 1 | – | – |
| Suppression of Urine | 2 | – | – | – | 1 | – | – | – | – | 1 | – |
| Calculus | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 4 | 2 | – | – | – | 1 | – | – | – | – | 1 |
| Diseases of Bladder and of Prostate | 19 | 3 | 5 | 7 | 1 | – | 1 | 1 | – | 1 | – |
| Other Diseases of Urinary System | 85 | 33 | 7 | 22 | 7 | 8 | 1 | 2 | 3 | 2 | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban. | Edinburgh. | Dundee. | Aberdeen. | Leith. | Greenock. | Paisley. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Perineal Abscess | 2 | – | – | 2 | – | – | – | 2 | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 7 | 3 | – | 2 | – | 2 | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | |
| Caries, Necrosis | 75 | 25 | 11 | 10 | 9 | 7 | 3 | 3 | 5 | 1 | 1 |
| Arthritis, Ostitis, Periostitis | 13 | 6 | 4 | 1 | 2 | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 38 | 15 | 5 | 5 | 2 | 3 | 1 | 2 | 2 | 1 | 2 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | |
| Carbuncle | 5 | – | 1 | 3 | – | 1 | – | – | – | – | – |
| Phlegmon, Cellulitis | 12 | 5 | 1 | 1 | 1 | 2 | 1 | – | 1 | – | – |
| Lupus | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 7 | 2 | 1 | 1 | – | 2 | – | – | – | – | 1 |
| Eczema | 6 | – | 4 | 1 | 1 | – | – | – | – | – | – |
| Pemphigus | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 5 | 3 | – | 1 | – | – | 1 | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | |
| Mines and Quarries — Coal Mines | 17 | 9 | 2 | 5 | – | – | – | – | 1 | – | – |
| Mines and Quarries — Other Mines | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Mines and Quarries — Quarries | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Railways | 73 | 32 | 5 | 18 | 1 | 3 | – | 4 | 3 | 5 | 2 |
| Vehicles and Horses — Vehicles other than R'wys. | 42 | 14 | 4 | 6 | 6 | 2 | 1 | 5 | 1 | 1 | 2 |
| Vehicles and Horses — Horses | 5 | 1 | – | 1 | 1 | 1 | – | 1 | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 27 | 14 | 3 | – | – | – | 2 | 8 | – | – | – |
| Building Operations | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Machinery | 28 | 14 | 1 | 5 | 4 | 1 | – | 1 | – | – | 2 |
| Weapons and Implements | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Conflagrations | – | – | – | – | – | – | – | – | 1 | – | – |
| Burns and Scalds — Other Burns & Scalds | 65 | 32 | 5 | 7 | 5 | 7 | 1 | 4 | 4 | – | – |
| Burns and Scalds — Explosions | 3 | 1 | – | 2 | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 24 | 5 | 3 | 7 | 4 | 4 | – | 1 | – | – | – |
| Drowning | 129 | 61 | 19 | 1 | 7 | 13 | 14 | 12 | 1 | 1 | – |
| Suffocation — In Bed | 77 | 22 | 5 | 7 | 28 | 4 | 3 | 5 | 2 | – | 1 |
| Suffocation — Otherwise | 34 | 6 | 4 | 17 | – | 1 | 3 | – | 1 | 2 | – |
| Falls | 122 | 60 | 7 | 30 | 7 | 5 | – | 5 | 5 | 1 | 2 |
| Weather Agencies | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 140 | 54 | 6 | 31 | 10 | 14 | 4 | 5 | 9 | 4 | 3 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | |
| Homicide | 5 | 4 | – | – | 1 | – | – | – | – | – | – |
| Suicide | 59 | 21 | 4 | 14 | 2 | 6 | 3 | 2 | 2 | 1 | 4 |
| Execution | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | |
| Dropsy | 15 | 11 | 1 | – | 2 | 1 | – | – | – | – | – |
| Debility, Atrophy, Inanition | 609 | 240 | 113 | 49 | 97 | 28 | 16 | 27 | 28 | 5 | 6 |
| Mortification | 4 | 1 | 1 | – | – | 1 | – | – | 1 | – | – |
| Tumour | 4 | – | – | 2 | – | 2 | – | – | – | – | – |
| Abscess | 20 | 7 | 2 | 2 | 1 | 3 | 1 | 2 | 2 | – | – |
| Hæmorrhage | 7 | 2 | – | 4 | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 9 | 2 | – | 2 | – | 3 | – | 2 | – | 1 | – |
| Other ill-defined and not specified Causes | 72 | 38 | 11 | 3 | 1 | 7 | – | 5 | 1 | 4 | 2 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Greenock. | Paisley. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | |
| Ovarian Disease | 33 | 11 | 2 | 10 | 2 | 7 | – | 1 | – | – | – |
| Diseases of Uterus and Vagina | 48 | 17 | 4 | 18 | 2 | 2 | – | 1 | 2 | 1 | 1 |
| Disorders of Menstruation | 7 | 2 | – | 1 | 3 | – | – | – | – | 1 | – |
| Pelvic Abscess | 18 | 6 | 1 | 4 | 2 | 4 | – | – | – | 1 | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | |
| Abortion, Miscarriage | 24 | 10 | 4 | 5 | 2 | 1 | – | – | – | – | 2 |
| Puerperal Mania | 4 | 3 | – | – | – | – | – | – | 1 | – | – |
| Puerperal Convulsions | 19 | 4 | 2 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Placenta Prævia, Flooding | 33 | 14 | 4 | 6 | 6 | 1 | 1 | – | 1 | – | – |
| Phleginasia Dolens | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 68 | 19 | 7 | 15 | 5 | 8 | 4 | 2 | 5 | 2 | 1 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | |
| Caries, Necrosis | 52 | 21 | 7 | 9 | 6 | 5 | 1 | 2 | 1 | – | – |
| Arthritis, Ostitis, Periostitis | 20 | 8 | 1 | 3 | 3 | 3 | – | – | – | 1 | 1 |
| Other Diseases of Organs of Locomotion | 27 | 11 | 2 | 3 | 5 | 2 | – | – | 1 | 2 | 1 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | |
| Carbuncle | 3 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 8 | 2 | – | 4 | – | 2 | – | 3 | 1 | – | – |
| Lupus | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 15 | 3 | 2 | 5 | – | 2 | – | 1 | 2 | – | – |
| Eczema | 4 | – | – | – | 2 | – | 1 | – | – | – | 1 |
| Pemphigus | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 5 | 1 | – | 2 | – | 2 | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 2 | – | – | 1 | 1 | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 11 | 4 | 1 | 2 | – | – | – | – | 3 | – | 1 |
| Vehicles and Horses: Horses | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 4 | 1 | – | – | 1 | 1 | – | 1 | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 73 | 31 | 8 | 11 | 7 | 5 | 3 | 3 | 2 | – | 3 |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 11 | 4 | 1 | 4 | – | 2 | – | – | – | – | – |
| Drowning | 12 | 6 | 3 | 2 | – | – | – | 1 | – | – | – |
| Suffocation: In Bed | 61 | 20 | 2 | 6 | 25 | 3 | 3 | 2 | – | – | – |
| Suffocation: Otherwise | 21 | 8 | 1 | 6 | 4 | – | – | – | – | 2 | – |
| Falls | 67 | 38 | 10 | 11 | 4 | – | – | 1 | 1 | 1 | 1 |
| Weather Agencies | 2 | – | – | 1 | – | – | – | – | – | 1 | – |
| Otherwise, or Not Stated | 76 | 24 | 9 | 17 | 5 | 6 | 5 | – | 5 | – | 5 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | |
| Homicide | 6 | 4 | – | – | 1 | – | – | – | – | 1 | – |
| Suicide | 23 | 9 | 3 | 4 | 3 | – | – | 1 | 2 | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | |
| | 26 | 16 | 6 | 4 | 1 | 1 | – | – | 2 | – | – |
| Dropsy | 511 | 203 | 91 | 47 | 73 | 12 | 24 | 21 | 28 | 5 | 7 |
| Debility, Atrophy, Inanition | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Mortification | 5 | 3 | – | 2 | – | – | – | – | – | – | – |
| Tumour | 9 | 2 | 2 | 1 | 1 | 2 | – | 1 | – | – | – |
| Abscess | 2 | – | – | – | – | 1 | – | – | 1 | – | – |
| Hæmorrhage | 5 | 4 | – | – | – | – | – | 1 | – | – | – |
| Sudden (Cause unascertained) | | | | | | | | | | | |
| Other ill-defined and not specified Causes | 63 | 38 | 10 | – | 1 | 8 | – | 4 | 1 | – | 1 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—MALES.

| CAUSES OF DEATH. | Total Large Town Dists. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall | Alloa. | Falkirk. | Stirling. | Dumbarton. | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen | Galashiels. | Hawick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 4654 | 236 | 156 | 239 | 124 | 164 | 242 | 131 | 173 | 109 | 203 | 155 | 217 | 154 | 250 | 178 | 238 | 301 | 270 | 309 | 180 | 148 | 185 |
| I. SPEC. FEBRILE OR ZYMOTIC DIS. | 678 | 33 | 28 | 28 | 7 | 33 | 25 | 9 | 20 | 14 | 32 | 22 | 53 | 33 | 29 | 19 | 45 | 43 | 48 | 52 | 32 | 22 | 32 |
| II. PARASITIC DIS. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| III. DIETETIC ,, | 31 | 2 | – | 1 | 1 | – | 1 | 1 | – | – | 3 | – | 8 | – | 5 | 1 | – | 4 | – | – | – | 1 | 2 |
| IV. CONSTIT. ,, | 706 | 43 | 19 | 34 | 17 | 33 | 42 | 16 | 35 | 17 | 23 | 24 | 41 | 21 | 49 | 19 | 20 | 53 | 44 | 39 | 28 | 33 | 23 |
| V. DEVELOP. ,, | 353 | 20 | 15 | 22 | 20 | 25 | 25 | 11 | 17 | 8 | 9 | 9 | 13 | 6 | 9 | 10 | 21 | 11 | 24 | 16 | 11 | 11 | 17 |
| VI. LOCAL ,, | 2441 | 125 | 80 | 137 | 69 | 64 | 133 | 82 | 88 | 54 | 113 | 84 | 92 | 72 | 132 | 103 | 131 | 157 | 116 | 156 | 97 | 70 | 97 |
| VII. VIOLENCE | 195 | 9 | 8 | 6 | 6 | 6 | 9 | 6 | 7 | 2 | 9 | 9 | 7 | 5 | 17 | 12 | 7 | 13 | 13 | 21 | 5 | 4 | 3 |
| VIII. ILL-DEF. AND NOT SPEC. CAUSES | 249 | 4 | 6 | 11 | 4 | 3 | 7 | 6 | 6 | 14 | 14 | 7 | 3 | 17 | 9 | 14 | 14 | 20 | 25 | 24 | 7 | 7 | 11 |
| I. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 520 | 27 | 21 | 24 | 626 | 27 | 20 | 7 | 14 | 7 | 26 | 18 | 41 | 28 | 17 | 14 | 28 | 32 | 35 | 40 | 27 | 20 | 29 |
| 2. DIARRHŒAL ,, | 121 | 5 | 5 | 2 | – | 4 | 3 | 2 | 6 | 7 | 2 | 3 | 9 | 5 | 9 | 5 | 16 | 8 | 12 | 10 | 3 | 2 | 1 |
| 3. MALARIAL ,, | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 7 | – | – | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – |
| 6. SEPTIC ,, | 29 | 1 | 2 | 1 | 1 | 3 | 1 | – | – | – | 3 | 1 | 2 | – | 3 | – | 1 | 3 | – | 1 | 2 | – | 2 |
| II. PARASITIC DISEASES | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| III. DIETETIC DISEASES | 31 | 2 | – | 1 | 1 | – | 1 | 1 | – | – | 3 | – | 8 | – | 5 | 1 | – | 4 | – | – | – | 1 | 2 |
| IV. CONSTITUTIONAL DIS. | 706 | 43 | 19 | 34 | 17 | 33 | 42 | 16 | 35 | 17 | 23 | 24 | 41 | 21 | 49 | 19 | 20 | 53 | 44 | 39 | 28 | 33 | 23 |
| V. DEVELOPMENTAL DIS. | 353 | 20 | 15 | 22 | 20 | 25 | 25 | 11 | 17 | 8 | 9 | 9 | 13 | 6 | 9 | 10 | 21 | 11 | 24 | 16 | 11 | 11 | 17 |
| VI. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 573 | 30 | 14 | 23 | 17 | 16 | 38 | 20 | 23 | 11 | 26 | 19 | 22 | 19 | 39 | 9 | 27 | 35 | 28 | 33 | 23 | 13 | 29 |
| 2. ,, ORGANS OF SPECIAL SENSE | 6 | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | 2 | – | – | – | 1 |
| 3. ,, CIRCUL. SYSTEM | 342 | 24 | 6 | 24 | 7 | 13 | 16 | 12 | 16 | 17 | 11 | 16 | 11 | 8 | 21 | 23 | 11 | 23 | 8 | 19 | 14 | 8 | 15 |
| 4. ,, RESPIR. SYSTEM | 1013 | 43 | 44 | 71 | 33 | 23 | 60 | 35 | 23 | 20 | 56 | 31 | 38 | 29 | 41 | 45 | 60 | 67 | 59 | 64 | 45 | 28 | 33 |
| 5. ,, DIGESTIVE SYS. | 335 | 21 | 11 | 9 | 3 | 5 | 9 | 10 | 18 | 3 | 15 | 11 | 14 | 12 | 14 | 19 | 27 | 24 | 18 | 26 | 11 | 12 | 12 |
| 6. ,, LYMPHATIC SYS. AND DUCTLESS GLANDS | 5 | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 122 | 5 | 3 | 4 | 7 | 6 | 8 | 3 | 7 | 1 | 2 | 5 | 2 | 2 | 14 | 5 | 4 | 6 | 1 | 11 | 4 | 7 | 4 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | | | | |
| (*a*) DIS. OF ORGANS OF GENERATION | 2 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 31 | 1 | 2 | 4 | 1 | 1 | 1 | – | 1 | 2 | 2 | – | 1 | 1 | 1 | 2 | 2 | 1 | – | 3 | – | 2 | 2 |
| 10. ,, INTEGUMENTARY SYSTEM | 12 | – | – | 1 | 1 | – | – | 1 | – | – | 1 | 1 | 1 | 1 | 1 | – | – | 1 | – | – | – | – | 1 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES.

| CAUSES OF DEATH. | Total Large Town Dists. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton. | P.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES – | 4777 | 247 | 157 | 263 | 132 | 179 | 272 | 130 | 158 | 129 | 193 | 168 | 206 | 164 | 292 | 174 | 218 | 262 | 249 | 305 | 195 | 172 | 203 | 309 |
| I. SPEC. FEBRILE OR ZYMOTIC DIS. | 697 | 30 | 29 | 26 | 10 | 31 | 27 | 11 | 23 | 13 | 40 | 24 | 58 | 25 | 32 | 24 | 30 | 49 | 40 | 42 | 38 | 29 | 33 | 33 |
| II. PARASITIC DIS. | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 15 | – | – | 1 | – | – | – | – | – | – | – | 2 | 7 | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – |
| IV. CONSTIT. ,, | 888 | 45 | 26 | 56 | 25 | 26 | 51 | 18 | 33 | 24 | 28 | 23 | 36 | 28 | 61 | 39 | 41 | 44 | 48 | 48 | 40 | 42 | 41 | 65 |
| V. DEVELOP. ,, | 468 | 34 | 28 | 22 | 25 | 25 | 30 | 14 | 13 | 16 | 13 | 21 | 14 | 12 | 30 | 14 | 14 | 22 | 24 | 30 | 12 | 9 | 21 | 25 |
| VI. LOCAL ,, | 2446 | 130 | 67 | 152 | 67 | 90 | 153 | 80 | 85 | 61 | 102 | 89 | 87 | 75 | 153 | 88 | 121 | 120 | 113 | 161 | 98 | 85 | 102 | 167 |
| VII. VIOLENCE | 55 | 1 | 2 | 1 | 3 | 1 | 6 | 1 | – | 1 | 2 | 2 | 2 | 3 | 8 | 1 | 4 | 2 | 4 | 3 | 1 | 1 | 1 | 5 |
| VIII. ILL-DEF. AND NOT SPEC. CAUSES | 207 | 7 | 4 | 5 | 2 | 6 | 5 | 6 | 4 | 14 | 8 | 7 | 2 | 20 | 7 | 7 | 8 | 23 | 20 | 21 | 6 | 6 | 5 | 14 |
| I. | | | | | | | | | | | | | | | | | | | | | | | | |
| MIASMATIC DISEASES | 503 | 26 | 16 | 13 | 2 | 21 | 21 | 6 | 17 | 10 | 34 | 20 | 41 | 20 | 22 | 20 | 22 | 30 | 25 | 34 | 32 | 24 | 27 | 20 |
| DIARRHŒAL ,, | 106 | 2 | 3 | 7 | 2 | 6 | 5 | 4 | 5 | 3 | 1 | 4 | 14 | 5 | 3 | 1 | 3 | 10 | 9 | 7 | 3 | 3 | 1 | 5 |
| MALARIAL ,, | 2 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL ,, | 10 | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – | 2 | – | 1 | – |
| SEPTIC ,, | 76 | 2 | 9 | 5 | 4 | 4 | 1 | 1 | 1 | – | 3 | – | 3 | – | 5 | 3 | 4 | 9 | 6 | 1 | 1 | 2 | 4 | 8 |
| II. | | | | | | | | | | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | | | | | | | | | | | |
| DIETETIC DISEASES – | 15 | – | – | 1 | – | – | – | – | – | – | – | 2 | 7 | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – |
| IV. | | | | | | | | | | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DIS. | 888 | 45 | 26 | 56 | 25 | 26 | 51 | 18 | 33 | 24 | 28 | 23 | 36 | 28 | 61 | 39 | 41 | 44 | 48 | 48 | 40 | 42 | 41 | 65 |
| V. | | | | | | | | | | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DIS. | 468 | 34 | 28 | 22 | 25 | 25 | 30 | 14 | 13 | 16 | 13 | 21 | 14 | 12 | 30 | 14 | 14 | 22 | 24 | 30 | 12 | 9 | 21 | 25 |
| VI. | | | | | | | | | | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM – – | 592 | 43 | 8 | 35 | 24 | 32 | 39 | 20 | 25 | 18 | 15 | 32 | 18 | 22 | 36 | 16 | 22 | 27 | 14 | 40 | 19 | 18 | 28 | 41 |
| ,, ORGANS OF SPECIAL SENSE | 8 | – | 1 | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – |
| ,, CIRCUL. SYSTEM | 373 | 14 | 9 | 32 | 12 | 14 | 16 | 19 | 12 | 7 | 19 | 14 | 18 | 13 | 36 | 13 | 15 | 17 | 14 | 21 | 15 | 10 | 15 | 18 |
| ,, RESPIR. SYSTEM | 951 | 44 | 37 | 59 | 20 | 26 | 75 | 20 | 33 | 19 | 47 | 28 | 38 | 27 | 47 | 34 | 55 | 43 | 52 | 58 | 45 | 38 | 36 | 70 |
| ,, DIGESTIVE SYS. | 313 | 18 | 8 | 14 | 3 | 9 | 10 | 10 | 11 | 11 | 12 | 12 | 9 | 9 | 16 | 17 | 18 | 21 | 23 | 25 | 8 | 10 | 12 | 27 |
| ,, LYMPHATIC SYS. AND DUCTLESS GLANDS – | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| ,, URINARY SYSTEM | 95 | 6 | 1 | 2 | 3 | 7 | 7 | 5 | – | 3 | 6 | 1 | 2 | 2 | 11 | 1 | 6 | 3 | 4 | 6 | 3 | 6 | 5 | 5 |
| ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | | | | | |
| (*a*) DIS. OF ORGANS OF GENERATION | 15 | – | 1 | 3 | 1 | – | 2 | – | – | – | 1 | – | – | 1 | 1 | – | – | – | 1 | 1 | 1 | – | 1 | 1 |
| (*b*) DISEASES OF PARTURITION – | 48 | 2 | – | 2 | 3 | 1 | 2 | 4 | 2 | 1 | 1 | 1 | 1 | 1 | 3 | 3 | 1 | 2 | 3 | 6 | 3 | 1 | 3 | 2 |
| ,, ORGANS OF LOCOMOTION – | 30 | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 2 | 2 | 1 | 1 | – | – | 1 | 1 | 2 | 3 | 1 | 2 | 2 | – | 1 | 2 |
| ,, INTEGUMENTARY SYSTEM – – | 19 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | 2 | 3 | 1 | 4 | – | 1 | 1 | 1 | 1 | 1 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. (*Continued*)

| CAUSES OF DEATH. | Total Large Town Dists. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VII. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 183 | 8 | 7 | 6 | 3 | 5 | 9 | 6 | 7 | 2 | 9 | 8 | 6 | 5 | 16 | 12 | 7 | 13 | 12 | 21 | 4 | 4 | 3 |
| 2. HOMICIDE | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 11 | 1 | 1 | – | 3 | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | 1 | – | 1 | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 249 | 4 | 6 | 11 | 4 | 3 | 7 | 6 | 6 | 14 | 14 | 7 | 3 | 17 | 9 | 14 | 14 | 20 | 25 | 24 | 7 | 7 | 11 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 136 | 6 | 3 | 1 | 1 | 4 | 7 | 5 | 3 | – | 17 | 6 | 14 | 10 | – | 1 | 6 | 7 | 12 | – | 10 | 12 | 11 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 38 | 2 | 1 | – | – | – | – | – | 2 | – | – | – | 1 | 2 | 1 | 9 | 1 | 4 | 3 | 5 | 4 | – | – |
| Typhus | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 3 | – | – | – | 1 | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 31 | 4 | 1 | 6 | 3 | 3 | 1 | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | 2 | – | 2 | 4 |
| Hooping-cough | 183 | 10 | 9 | 11 | – | 18 | 4 | – | 7 | 7 | 6 | 2 | 21 | 12 | 9 | – | 10 | 6 | 14 | 12 | 8 | 1 | 12 |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 48 | 4 | 1 | 1 | – | – | 3 | 2 | – | – | 1 | 6 | 1 | 1 | 6 | 1 | 4 | 2 | – | 8 | 4 | 2 | – |
| Cerebro-Spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple & Ill-Defined Fev. | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Enteric Fever | 74 | 1 | 4 | 5 | 2 | 1 | 5 | – | 2 | – | 1 | 5 | 3 | 2 | 1 | 2 | 7 | 9 | 6 | 12 | 1 | 2 | 2 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 4 | – | – | – | – |
| Diarrhœa, Dysentery | 117 | 5 | 5 | 2 | – | 4 | 3 | 2 | 6 | 7 | 2 | 3 | 9 | 5 | 9 | 5 | 16 | 8 | 8 | 10 | 3 | 2 | 1 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox and other effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Syphilis | 5 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Gonorrhœa, Stricture of Urethra | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 16 | 1 | 2 | 1 | 1 | 3 | – | – | – | – | 2 | – | 2 | – | 1 | – | 1 | – | – | – | – | – | 1 |
| Pyæmia Sectpiæmia | 11 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 2 | – | – | 3 | – | 1 | 2 | – | 1 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. *(Continued.*

| CAUSES OF DEATH. | Total Large Town Distts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 49 | 1 | 2 | 1 | 2 | 1 | 6 | 1 | – | – | 2 | 2 | 1 | 3 | 8 | 1 | 4 | 2 | 4 | 3 | 1 | – | 1 | 3 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 6 | – | – | – | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | 2 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 207 | 7 | 4 | 5 | 2 | 6 | 5 | 6 | 4 | 14 | 8 | 7 | 2 | 20 | 7 | 7 | 8 | 23 | 20 | 21 | 6 | 6 | 5 | 14 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 121 | 8 | 1 | 2 | 1 | 5 | 3 | 5 | 4 | – | 20 | 2 | 11 | 10 | 1 | – | 4 | 1 | 6 | – | 14 | 8 | 14 | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 25 | 2 | 1 | – | – | – | – | – | 1 | 2 | – | – | – | 1 | 1 | 3 | 2 | 3 | 4 | 4 | – | – | – | 1 |
| Typhus | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 36 | 3 | 1 | 4 | 1 | 5 | 2 | – | 1 | – | 2 | 2 | 1 | – | 4 | – | 1 | – | – | 1 | 1 | 4 | 1 | 2 |
| Hooping-cough | 219 | 8 | 6 | 6 | – | 10 | 13 | – | 11 | 7 | 10 | 14 | 25 | 7 | 11 | 6 | 10 | 19 | 6 | 14 | 12 | 1 | 7 | 16 |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 50 | 4 | 2 | 1 | – | – | 3 | 1 | – | 1 | 1 | 2 | 2 | – | 4 | 8 | 2 | – | 2 | 9 | 2 | 4 | 1 | 1 |
| Cerebro-Spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple & Ill-defined Fev. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Enteric Fever | 46 | 1 | 4 | – | – | – | – | – | – | – | 1 | – | 2 | 1 | 1 | 3 | 3 | 4 | 6 | 6 | 3 | 7 | 4 | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 3 | – | – | – | – | 1 |
| Diarrhœa, Dysentery | 102 | 2 | 3 | 7 | 2 | 6 | 5 | 4 | 5 | 3 | 1 | 4 | 14 | 5 | 3 | 1 | 3 | 10 | 6 | 7 | 3 | 3 | 1 | 4 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | 2 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox and other effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Syphilis | 10 | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – | 2 | – | 1 | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 26 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | 1 | – | 1 | – | 1 | – | 3 | – | 1 | 2 | 3 | – | – | 1 | 1 | 2 |
| Pyæmia, Septicæmia | 9 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | 3 | 1 | – | – | – | – | 2 |
| Puerperal Fever | 40 | 1 | 6 | 3 | 3 | 1 | – | – | – | – | 1 | – | 2 | – | 1 | 3 | 3 | 4 | 2 | 1 | 1 | 1 | 3 | 4 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. (*Continued*)

| CAUSES OF DEATH. | Total Large Town Dists. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Thrush | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Dis. from Veg. Pars. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIETETIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 10 | 1 | – | – | – | – | – | – | – | – | – | – | 8 | – | 1 | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chr. Alcoholism | 16 | 1 | – | 1 | 1 | – | – | 1 | – | – | 3 | – | – | – | 2 | – | – | 3 | – | – | – | 1 | 2 |
| Intemp. { Del. Tremens | 5 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – |
| CONSTIT. DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Rheu. Fever, Rheu. of Heart | 13 | – | – | – | – | 1 | – | – | 1 | 1 | – | – | 1 | – | – | – | 1 | 2 | 1 | 2 | 2 | – | 1 |
| Rheumatism | 4 | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cancer | 79 | 6 | 1 | 2 | 1 | 5 | 5 | 2 | 4 | 2 | 2 | 3 | 5 | 3 | 3 | 2 | 3 | 7 | 4 | 7 | 1 | 5 | 2 |
| Tabes Mesenterica | 58 | 1 | 1 | – | 1 | 1 | 3 | – | 2 | 5 | 7 | 3 | 2 | 4 | 3 | 2 | 1 | 4 | 4 | 4 | 4 | 3 | 2 |
| Tubercular Meningitis (Acute Hydroceph.) | 77 | 6 | 5 | 3 | 3 | 5 | 6 | 1 | 4 | – | 2 | 3 | 7 | 1 | 3 | 3 | 3 | 6 | 3 | 3 | 2 | 3 | 2 |
| Phthisis | 415 | 30 | 8 | 25 | 10 | 15 | 23 | 12 | 22 | 8 | 6 | 14 | 22 | 9 | 34 | 10 | 11 | 32 | 30 | 18 | 17 | 22 | 15 |
| Other forms of Tuberculosis, Scrofula | 46 | – | 3 | 3 | 1 | 3 | 5 | 1 | – | – | 5 | 1 | 4 | 2 | 5 | 2 | – | 2 | 2 | 4 | 2 | – | – |
| Purpura, Hæmor. Diath. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, &c. | 11 | – | 1 | – | 1 | 2 | – | – | 1 | – | 1 | – | – | 2 | 1 | – | – | – | – | – | – | 1 | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constit. Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DEVELOPMENTAL DIS. | | | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 142 | 2 | 9 | 9 | 5 | 7 | 9 | 8 | 11 | 3 | 3 | 4 | 5 | 3 | 5 | 6 | 8 | 2 | 13 | 5 | 7 | 7 | 4 |
| Atelectasis | 5 | – | – | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cyanosis | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 2 | – | 1 | 1 | 1 | – | – |
| Spina Bifida | 10 | – | – | – | 1 | – | – | – | 2 | – | – | – | – | 1 | – | – | 1 | 1 | 1 | 1 | 1 | – | – |
| Imperforate Anus | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 181 | 18 | 6 | 10 | 14 | 18 | 16 | 3 | 3 | 4 | 5 | 5 | 8 | 2 | 4 | 4 | 7 | 6 | 7 | 8 | 2 | 4 | 12 |
| DIS. OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | |
| Inflam. of Brain, &c. | 138 | 14 | 1 | 3 | 3 | 8 | 10 | 4 | 8 | 1 | 6 | 6 | 3 | 4 | 11 | 1 | 9 | 3 | 9 | 9 | 6 | 3 | 5 |
| Apoplexy | 167 | 4 | 2 | 6 | 5 | 2 | 14 | 7 | 8 | 2 | 5 | 6 | 10 | 6 | 10 | 4 | 13 | 12 | 4 | 10 | 8 | 2 | 12 |
| Softening of Brain | 18 | – | 2 | 4 | 1 | – | 2 | 1 | – | 1 | 2 | – | – | – | – | 1 | – | – | 1 | – | – | 3 | – |
| Hemiplegia, Brain Paral. | 85 | 4 | 2 | 3 | – | 2 | 4 | 2 | 5 | 2 | 7 | – | 2 | – | 11 | 3 | – | 10 | 3 | 3 | 1 | 4 | 3 |
| Paralysis Agitans | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Insanity, General Paralysis of Insane | 14 | 5 | – | – | – | 3 | – | – | – | – | – | – | – | – | 4 | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 24 | 2 | – | – | 1 | 1 | – | 2 | 1 | – | – | 3 | 2 | – | 1 | – | 1 | – | 3 | – | 1 | – | 1 |
| Convulsions | 67 | 1 | 5 | 3 | 3 | – | 5 | 4 | 1 | 2 | 5 | 3 | 2 | 1 | – | – | 3 | 7 | 3 | 6 | 2 | 3 | 3 |
| Laryngismus Stridulus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 12 | – | 1 | 1 | 1 | – | 1 | – | – | 1 | – | – | 2 | 1 | 1 | – | – | – | – | 1 | 1 | – | – |
| Other Dis. of Nerv. Syst. | 43 | – | – | 3 | 3 | – | 2 | – | – | 2 | 1 | 1 | 1 | 5 | 1 | – | 1 | 3 | 4 | 4 | 4 | 1 | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 6 | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | 2 | – | – | – | 1 |
| Epistaxis & Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia & Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Large Town Dists. | Inverness. | Peterhead. | Arbroath. | Perth. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Thrush | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Veg. Pars. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIETETIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 8 | – | – | – | – | – | – | – | – | – | – | 1 | 6 | – | 1 | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chr. Alcoholism | 7 | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 | – | 2 | – | – | – | – | – | – |
| Intemp. { Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| CONSTIT. DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Rheu. Fever, Rheu. of Heart | 11 | – | 2 | – | – | 1 | – | – | 1 | – | 1 | – | – | – | 1 | – | 1 | – | – | 1 | 1 | 2 | – | – |
| Rheumatism | 9 | – | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – | 2 | – | – | – | – | – | – | 1 | 3 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Cancer | 167 | 15 | 2 | 12 | 4 | 8 | 9 | 4 | 10 | 5 | 3 | 3 | 4 | 4 | 10 | 4 | 6 | 6 | 4 | 7 | 4 | 12 | 10 | 21 |
| Tabes Mesenterica | 62 | 1 | 2 | – | 5 | 4 | 1 | 2 | 3 | 1 | 2 | 1 | 1 | 4 | 3 | 5 | 8 | 4 | 2 | 6 | – | – | 2 | 5 |
| Tubercular Meningitis (Acute Hydroceph.) | 64 | 2 | 5 | 8 | – | 2 | 2 | 1 | 1 | 1 | 3 | – | 7 | 1 | 3 | 2 | 4 | 2 | 7 | 2 | 3 | 3 | 4 | 1 |
| Phthisis | 487 | 24 | 13 | 29 | 15 | 9 | 32 | 5 | 16 | 13 | 15 | 18 | 21 | 13 | 32 | 22 | 19 | 28 | 31 | 28 | 26 | 24 | 24 | 30 |
| Other forms of Tuberculosis, Scrofula | 36 | 1 | 2 | 1 | 1 | – | 4 | 4 | 1 | – | 1 | – | 3 | 1 | 3 | – | 3 | 4 | 2 | – | 3 | 1 | – | 1 |
| Purpura, Hæmor. Diath. | 11 | – | – | 1 | – | – | – | 2 | – | – | 1 | – | – | – | 2 | 2 | – | – | – | 1 | 1 | – | – | 1 |
| Anæmia, &c. | 33 | 2 | – | 5 | – | 1 | 1 | – | 1 | 2 | 2 | 1 | – | 4 | 6 | 1 | – | – | 1 | 2 | 2 | – | – | 2 |
| Diabetes Mellitus | 5 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Other Constit. Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| DEVELOPMENTAL DIS. | | | | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 120 | 3 | 6 | 6 | 6 | 6 | 6 | 4 | 5 | 2 | 4 | 3 | 4 | 4 | 5 | 6 | 5 | 6 | 11 | 8 | 3 | 4 | 9 | 4 |
| Atelectasis | 6 | – | – | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – | 1 | – |
| Cyanosis | 3 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Spina Bifida | 8 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | 1 | 1 | 1 | – | 1 |
| Imperforate Anus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Cleft Palate, Harelip | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 8 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 2 | – | – | 1 | 2 | – | 1 | – | – | – |
| Old Age | 321 | 31 | 20 | 14 | 19 | 19 | 24 | 9 | 8 | 13 | 9 | 18 | 8 | 7 | 21 | 8 | 7 | 15 | 9 | 21 | 7 | 3 | 11 | 20 |
| DIS. OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflam. of Brain, &c. | 111 | 6 | – | 2 | 7 | 7 | 3 | 6 | 4 | 1 | 2 | 5 | 3 | 7 | 5 | – | 7 | 2 | 5 | 16 | 5 | – | 7 | 11 |
| Apoplexy | 195 | 7 | 3 | 11 | 9 | 13 | 17 | 7 | 11 | 7 | 7 | 10 | 3 | 7 | 11 | 12 | 6 | 7 | 6 | 7 | 5 | 2 | 13 | 14 |
| Softening of Brain | 19 | 1 | – | 5 | 1 | 2 | – | – | 1 | – | – | – | 2 | – | 1 | – | 2 | – | – | – | 1 | 1 | – | 2 |
| Hemiplegia, Brain Paral. | 92 | 7 | 1 | 8 | 1 | 1 | 8 | 3 | 3 | 6 | 1 | 11 | 4 | – | 9 | 1 | 1 | 6 | 2 | 5 | 3 | 6 | – | 5 |
| Paralysis Agitans | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | 2 | – |
| Insanity, General Paralysis of Insane | 18 | 10 | – | – | – | 2 | – | – | – | – | – | – | – | – | 3 | – | – | – | – | 1 | – | 1 | – | 1 |
| Chorea | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 15 | 1 | – | 1 | 1 | – | 2 | – | 3 | 1 | – | 1 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | 1 |
| Convulsions | 71 | 6 | 3 | 6 | 1 | 1 | 2 | 2 | 3 | 1 | 5 | 2 | 2 | 4 | 2 | 2 | 2 | 7 | 1 | 9 | 3 | 3 | 2 | 2 |
| Laryngismus Stridulus | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Idiopathic Tetanus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 11 | 2 | – | 1 | – | 1 | 1 | 1 | – | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – |
| Other Dis. of Nerv. Syst. | 51 | 3 | 1 | – | 4 | 5 | 6 | – | – | 1 | – | 1 | 3 | 3 | 3 | – | 2 | 4 | – | 1 | 2 | 4 | 3 | 5 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 7 | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – |
| Epistaxis & Dis. of Nose | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia & Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. (*Continued*)

| CAUSES OF DEATH. | Total Large Town Distts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DISEASES OF CIRCULATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valv. Dis. | 251 | 2 | 4 | 20 | 4 | 1 | 15 | 11 | 1 | 12 | 9 | 15 | 8 | 7 | 17 | 22 | 10 | 18 | 8 | 17 | 12 | 6 | 14 | 1 |
| Pericarditis | 4 | – | – | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Hypertrophy of Heart | 7 | – | – | – | – | – | 1 | – | – | 2 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Angina Pectoris | 12 | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 | 3 | – | – | 2 | – | 1 | – | – | – | – |
| Syncope | 5 | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Aneurism | 7 | – | 2 | 2 | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Senile Gangrene | 6 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | 1 | – | – |
| Embolism, Thrombosis | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Phlebitis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 5 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | 1 |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 8 | 1 | 1 | 1 | – | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Croup | 49 | 3 | 11 | – | 2 | 1 | 2 | 2 | 1 | 1 | 3 | 2 | – | – | – | 2 | 4 | 5 | 4 | 3 | 1 | – | 1 | 1 |
| Other Diseases of Larynx and Trachea | 4 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Emphysema, Asthma | 19 | 3 | – | 2 | 3 | 1 | – | 1 | – | – | 1 | 1 | – | – | 1 | 1 | – | 3 | – | – | 1 | – | – | 1 |
| Bronchitis | 503 | 12 | 20 | 50 | 9 | 14 | 32 | 21 | 13 | 10 | 25 | 15 | 17 | 17 | 19 | 22 | 27 | 32 | 38 | 32 | 23 | 11 | 16 | 28 |
| Pneumonia | 328 | 18 | 8 | 16 | 8 | 7 | 25 | 8 | 8 | 7 | 17 | 9 | 7 | 11 | 16 | 13 | 26 | 16 | 9 | 25 | 20 | 12 | 11 | 31 |
| Pleurisy | 32 | 2 | 1 | 1 | 1 | – | 1 | 2 | – | 1 | 4 | – | 1 | – | 2 | – | 3 | 1 | 3 | 1 | – | 5 | 1 | 2 |
| Other Dis. of Resp. Sys. | 70 | 4 | 3 | 1 | 9 | – | – | 1 | – | 1 | 5 | 4 | 11 | 1 | 2 | 7 | – | 10 | 4 | 2 | – | – | 3 | 2 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 11 | 2 | 5 | – | 1 | 1 | 2 | 1 | 4 | – | – | 2 | 1 | 1 | – | 1 | 2 | 2 | 2 | 3 | – | – | – | 1 |
| Sore-throat, Quinsy | 8 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 3 | 1 | 1 | – | 2 | – | – |
| Dyspepsia | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | 1 | – | 1 |
| Hæmatemesis | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 48 | 3 | – | – | – | 1 | 1 | 2 | 1 | – | 2 | 3 | 1 | 4 | 2 | 2 | 4 | 3 | 7 | 2 | 2 | 1 | 4 | 3 |
| Enteritis | 77 | 1 | 2 | 5 | – | – | 2 | – | 1 | 1 | 3 | – | 3 | 4 | 1 | 5 | 13 | 5 | 3 | 4 | 4 | 5 | 6 | 9 |
| Ulceration of Intestine | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 2 |
| Ileus, Obstruc. of Intest. | 11 | 4 | – | 1 | 1 | – | – | – | – | 1 | 2 | – | – | 1 | 1 | – | – | 2 | 1 | 1 | – | 1 | 1 | 2 |
| Stricture or Strangulation of Intestine | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Intussusception of Intest. | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Hernia | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 2 | – | – | 1 |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 50 | 3 | 1 | – | – | 1 | 3 | 4 | 7 | – | 4 | 1 | 3 | 1 | 2 | 4 | 2 | 1 | 3 | 3 | 1 | 1 | 1 | 4 |
| Ascites | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | 1 |
| Cirrhosis of Liver | 15 | 4 | – | – | – | – | – | 1 | – | – | 2 | – | 1 | 1 | – | 1 | – | – | 1 | 2 | 1 | – | – | 1 |
| Other Diseases of Liver | 48 | 2 | – | 1 | 1 | 2 | 1 | 2 | 4 | 1 | 1 | 2 | 4 | – | 4 | 3 | 2 | 6 | – | 8 | – | 1 | – | 3 |
| Other Dis. of Digest. Sys. | 12 | 2 | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | 3 |
| DISEASES OF LYMPHATIC SYS. & DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Dis. of Sup'renal Capsules | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIS. OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 19 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – | 2 | 2 | – | 6 | 1 | 2 | – | 2 |
| Bright's Disease | 58 | 1 | – | 1 | 4 | 4 | 3 | 1 | 5 | 1 | 1 | 2 | 1 | 1 | 9 | 4 | 2 | – | 1 | 4 | 1 | 3 | 3 | 6 |
| Uræmia | 2 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Calculus | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dis. of Blad. & of Prostate | 24 | – | 2 | 3 | – | 2 | 4 | 1 | – | – | 1 | 2 | 1 | – | – | – | – | 2 | – | – | 2 | 2 | 1 | 1 |
| Other Dis. of Urin. Sys. | 16 | 4 | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | 3 | 1 | – | 2 | – | 1 | – | – | – | 1 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the Year 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Large Town Dists. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall | Alloa. | Falkirk. | Stirling. | Dumbarton. | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valv. Dis. | 318 | 13 | 9 | 24 | 10 | 12 | 12 | 19 | 9 | 6 | 19 | 11 | 14 | 12 | 25 | 11 | 12 | 16 | 14 | 15 | 14 | 9 | 15 | 14 |
| Pericarditis | 5 | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Hypertrophy of Heart | 7 | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – |
| Angina Pectoris | 9 | – | – | 1 | – | – | 1 | – | 1 | – | – | 1 | 1 | – | 2 | – | 1 | – | – | – | 1 | – | – | – |
| Syncope | 11 | 1 | – | 1 | – | 1 | – | – | – | – | – | 1 | 2 | 1 | 1 | – | – | – | – | 3 | – | – | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Senile Gangrene | 13 | – | – | 3 | – | 1 | – | – | 2 | 1 | – | – | – | – | 3 | – | 1 | – | – | – | 1 | – | 1 | 1 |
| Embolism, Thrombosis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Phlebitis | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 18 | 1 | – | 1 | – | – | – | – | 1 | 1 | 1 | 2 | – | – | – | 1 | – | 1 | 4 | 2 | – | 2 | 1 | – |
| Croup | 64 | 1 | 11 | 1 | 2 | – | 9 | 2 | – | 3 | 3 | – | 4 | 1 | – | 3 | 9 | 3 | 1 | 5 | 1 | 2 | 1 | 2 |
| Other Diseases of Larynx and Trachea | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Emphysema, Asthma | 10 | 1 | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 3 | – |
| Bronchitis | 507 | 23 | 11 | 46 | 14 | 19 | 30 | 10 | 19 | 7 | 22 | 16 | 17 | 18 | 26 | 16 | 18 | 30 | 33 | 25 | 21 | 18 | 21 | 47 |
| Pneumonia | 273 | 14 | 7 | 9 | 4 | 7 | 32 | 6 | 10 | 8 | 13 | 6 | 10 | 8 | 14 | 8 | 26 | 7 | 9 | 19 | 19 | 13 | 7 | 17 |
| Pleurisy | 17 | 1 | 1 | 1 | – | – | 2 | – | 2 | – | – | 3 | – | – | 2 | 1 | – | – | – | 1 | – | 2 | – | 1 |
| Other Dis. of Resp. Sys. | 60 | 3 | 6 | 1 | – | – | 1 | – | – | – | 8 | 1 | 7 | – | 5 | 5 | 2 | 2 | 4 | 5 | 4 | – | 3 | 3 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Dentition | 27 | – | 2 | – | – | 1 | 1 | 2 | 2 | 2 | – | 2 | 2 | 2 | – | – | 3 | – | 2 | 4 | – | – | – | 2 |
| Sore-throat, Quinsy | 6 | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – |
| Dyspepsia | 7 | – | – | 1 | – | – | 1 | – | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | 2 |
| Hæmatemesis | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 62 | 7 | – | 2 | 1 | 1 | 2 | 2 | 2 | 3 | – | – | 1 | 3 | 4 | 5 | – | 6 | 8 | 2 | 1 | 2 | 4 | 6 |
| Enteritis | 64 | 6 | – | 7 | – | – | 1 | – | 1 | 2 | 6 | – | 1 | 3 | – | 5 | 7 | 6 | 2 | 5 | 2 | 3 | 5 | 2 |
| Ulceration of Intestine | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ileus, Obstruc. of Intest. | 16 | – | 1 | – | – | – | 1 | 1 | – | 1 | 1 | 2 | 1 | – | 1 | 3 | – | – | 1 | 1 | 1 | – | – | 1 |
| Stricture or Strangulation of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Intussusception of Intest. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – |
| Hernia | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 | 1 | – | 1 | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Peritonitis | 52 | 3 | 2 | 2 | – | 5 | 2 | 1 | 2 | 1 | 2 | – | 3 | 1 | 5 | – | 2 | 4 | 1 | 3 | – | 2 | 1 | 10 |
| Ascites | 4 | – | – | – | – | – | 1 | – | – | – | – | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Cirrhosis of Liver | 7 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | 2 | – | – | 2 | – | – | – | – |
| Other Diseases of Liver | 40 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 4 | 1 | 2 | 2 | 1 | – | 2 | 1 | 2 | 3 | 5 | 3 | 2 | – | 1 | 2 |
| Other Dis. of Digest. Sys. | 12 | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 2 | 2 | 2 | – | 3 | 1 | – | – | – | – |
| **DISEASES OF LYMPHATIC SYS. & DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Sup'renal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DIS. OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 26 | 1 | – | 1 | – | – | 4 | 2 | – | 1 | 2 | – | – | – | – | – | 3 | 2 | – | 5 | 2 | – | 2 | 1 |
| Bright's Disease | 42 | 2 | – | – | 2 | 3 | 2 | 1 | – | 2 | 3 | 1 | 1 | 2 | 8 | 1 | 1 | 1 | 2 | 1 | – | 4 | 2 | 3 |
| Uræmia | 5 | – | 1 | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Dis. of Blad. & of Prostate | 3 | 1 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 3 | – | 1 | – | 2 | – | – | 2 | 1 | 1 |
| Other Dis. of Urin. Sys. | 19 | 2 | – | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | Total Large Town Dists. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DIS. OF ORGANS OF GEN. | | | | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Uterus & Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Oth. Accids. of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIS. OF ORGANS OF LOCO. | | | | | | | | | | | | | | | | | | | | | | | | |
| Caries Necrosis | 21 | 1 | 2 | 2 | 1 | – | 1 | – | 1 | – | 2 | – | – | – | – | 1 | 2 | 1 | – | 3 | – | 2 | 2 | – |
| Arthritis, Ostitis, Periost. | 4 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Dis. of Orgs. of Loco. | 6 | – | – | 2 | – | 1 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 |
| DIS. OF INTEG. SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | 3 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmon, Cellulitis | 6 | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | 1 |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Eczema | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Dis. of Integ. Sys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries — Coal Mines | 21 | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | 4 | 7 | 6 | 1 | – | – | – | – |
| Mines and Quarries — Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries — Quarries | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Railways | 30 | – | 1 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | 2 | – | – | – | – | 1 | – | – | – |
| Vehicles and Horses — Other than Rl's | 10 | – | – | – | 1 | – | – | 1 | 2 | 1 | 2 | 2 | – | 1 | 1 | 1 | – | 1 | 1 | 10 | – | – | – | 1 |
| Vehicles and Horses — Horses | 2 | – | – | – | – | – | – | – | 1 | – | 2 | – | – | – | 1 | 2 | – | 2 | – | – | – | – | – | 1 |
| Ships, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 4 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Weapons & Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Burns and Scalds — Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Oth. Burns Scalds | 15 | – | – | – | – | 1 | 1 | – | 1 | – | – | 1 | – | – | 2 | 2 | – | 1 | 3 | 2 | – | – | – | – |
| Burns and Scalds — Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Poisons, Pois'ous Vapours | 8 | – | 1 | – | – | – | 1 | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Drowning | 36 | 6 | 3 | – | – | 1 | – | 1 | 1 | – | 2 | 2 | 3 | 3 | 6 | – | 1 | 1 | – | – | 1 | – | – | 1 |
| Suffocation — In Bed | 7 | – | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | 3 | 2 | – | – | 1 |
| Suffocation — Otherwise | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | 1 |
| Falls | 16 | – | – | – | – | 1 | – | – | – | – | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | – | 1 | 2 | 1 |
| Weather Agencies | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | 1 |
| Otherwise, or Not Stated | 24 | 2 | 1 | 5 | – | 1 | 2 | 1 | 2 | 1 | 1 | – | – | – | 1 | 1 | 1 | – | 1 | 1 | 1 | 1 | – | 1 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 11 | 1 | 1 | – | 3 | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | 1 | – | 1 | – | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 8 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | 2 | – | 4 | – | – | – | – |
| Debility, Atrophy, Inanit. | 193 | 4 | 2 | 11 | 3 | 3 | 6 | 5 | 4 | 10 | 14 | 6 | 1 | 9 | 7 | 13 | 14 | 16 | 16 | 16 | 5 | 6 | 10 | 12 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 6 | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Sudden (Cause unascer.) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other ill-defined and not specified Causes | 39 | – | – | – | – | – | – | 1 | 1 | 3 | – | 1 | 2 | 7 | 2 | 1 | – | 1 | 8 | 3 | 2 | 1 | 1 | 2 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the Year 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Large Town Dists. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Aberdour | Alloa. | Falkirk. | Stirling | Dumbarton. | Pt.-Glasgow. | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DIS. OF ORGANS OF GEN. | | | | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 5 | – | – | 1 | – | – | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Dis. of Uterus and Vagina | 8 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 1 |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perinæal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Puerperal Mania | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 8 | – | – | – | 1 | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | 2 | 1 | – | – | – |
| Placenta Prævia, Flooding | 10 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – | 1 | 1 | – | 1 | – | 1 | 2 |
| Phlegmasia Dolens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Oth. Accids. of Childbirth | 25 | 1 | – | 2 | 2 | 1 | 1 | 2 | 1 | 1 | – | 1 | – | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 1 | 1 | 1 | – |
| DIS. OF ORGANS OF LOCO. | | | | | | | | | | | | | | | | | | | | | | | | |
| Caries Necrosis | 17 | 1 | 1 | 2 | 1 | 1 | 2 | – | 2 | – | – | 1 | – | – | 1 | – | – | 1 | 1 | 1 | – | – | – | 2 |
| Arthritis, Ostitis, Periost. | 6 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 2 | – | 1 | – |
| Other Dis. of Orgs. of Loco. | 7 | – | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – |
| DIS. OF INTEG. SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 1 | – | 1 | 1 | – | – | – |
| Phlegmon, Cellulitis | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – |
| Ulcer, Bedsore | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Eczema | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Dis. of Integ. Sys. | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries { Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – |
| Vehicles and Horses { Railways | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other than Rl's. | 3 | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons & Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds { Conflagrations | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Oth. Burns Scalds | 10 | 1 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – |
| Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Poisons, Pois'ous Vapours | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | 1 | – | – |
| Suffocation { In Bed | 6 | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Otherwise | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 4 | – | 1 | – | – | 1 | – | – | – | 1 |
| Falls | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 1 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | 2 |
| Otherwise, or Not Stated | 9 | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 6 | – | – | – | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 12 | 2 | – | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | 6 | – | – | 3 | 1 | 1 | – | – | – | – |
| Debility, Atrophy, Inanit. | 163 | 4 | 4 | 3 | – | 3 | 5 | 5 | 2 | 7 | 8 | 7 | – | 16 | 6 | 7 | 8 | 17 | 14 | 19 | 6 | 5 | 5 | 12 |
| Mortification | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Abscess | 5 | – | – | 1 | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Sudden (Cause unascer.) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 24 | – | – | – | – | 1 | – | – | 1 | 6 | – | – | 1 | 4 | 1 | – | – | 3 | 4 | – | – | 1 | – | 2 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—MALES.

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 7752 | 38 | 50 | 177 | 103 | 44 | 197 | 263 | 199 | 70 | 276 | 245 | 624 | 69 | 449 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1113 | 6 | 3 | 28 | 33 | 1 | 30 | 42 | 42 | 6 | 33 | 21 | 86 | 10 | 65 |
| II. PARASITIC DISEASES | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| III. DIETETIC ,, | 37 | – | – | – | – | – | 1 | 1 | 3 | – | 1 | 2 | – | – | – |
| IV. CONSTITUTIONAL ,, | 1255 | 8 | 12 | 26 | 10 | 4 | 30 | 42 | 20 | 12 | 47 | 57 | 113 | 9 | 76 |
| V. DEVELOPMENTAL ,, | 577 | 6 | 5 | 4 | 5 | 2 | 20 | 17 | 25 | 8 | 21 | 27 | 39 | 6 | 30 |
| VI. LOCAL ,, | 3949 | 13 | 22 | 96 | 47 | 30 | 101 | 129 | 92 | 40 | 150 | 114 | 313 | 41 | 226 |
| VII. VIOLENCE | 479 | 4 | 5 | 9 | 6 | 1 | 9 | 23 | 10 | 3 | 11 | 11 | 47 | 2 | 31 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 338 | 1 | 3 | 14 | 2 | 6 | 6 | 9 | 7 | 1 | 13 | 13 | 26 | 1 | 19 |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 865 | 6 | 3 | 21 | 25 | 1 | 22 | 31 | 28 | 1 | 23 | 11 | 66 | 8 | 58 |
| 2. DIARRHŒAL ,, | 179 | – | – | 3 | 4 | – | 4 | 7 | 7 | 3 | 7 | 10 | 14 | 2 | 6 |
| 3. MALARIAL ,, | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 21 | – | – | – | 2 | – | 2 | 1 | 2 | – | 2 | – | 2 | – | – |
| 6. SEPTIC ,, | 46 | – | – | 4 | 2 | – | 2 | 2 | 5 | 2 | 1 | – | 4 | – | 1 |
| **II.** | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| **III.** | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 37 | – | – | – | – | – | 1 | 1 | 3 | – | 1 | 2 | – | – | – |
| **IV.** | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 1255 | 8 | 12 | 26 | 10 | 4 | 30 | 42 | 20 | 12 | 47 | 57 | 113 | 9 | 76 |
| **V.** | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 577 | 6 | 5 | 4 | 5 | 2 | 20 | 17 | 25 | 8 | 21 | 27 | 39 | 6 | 30 |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 934 | 5 | 2 | 17 | 14 | 9 | 25 | 29 | 20 | 11 | 33 | 30 | 67 | 7 | 43 |
| 2. ,, ORGANS OF SPECIAL SENSE | 8 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 615 | 3 | 1 | 6 | 4 | 4 | 13 | 12 | 16 | 8 | 31 | 24 | 52 | 9 | 34 |
| 4. ,, RESPIRATORY SYSTEM | 1540 | 2 | 9 | 49 | 21 | 12 | 41 | 54 | 36 | 15 | 61 | 41 | 132 | 10 | 100 |
| 5. ,, DIGESTIVE SYSTEM | 524 | 2 | 7 | 14 | 6 | 3 | 13 | 22 | 15 | 3 | 15 | 9 | 37 | 7 | 37 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 10 | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 231 | 1 | 1 | 7 | 1 | – | 4 | 8 | 4 | 2 | 10 | 6 | 15 | 7 | 9 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 61 | – | – | – | – | – | 3 | 2 | – | – | – | 3 | 10 | 1 | 1 |
| 10. ,, INTEGUMENTARY SYSTEM | 24 | – | 1 | 3 | – | 2 | 2 | 1 | – | – | – | 1 | – | – | 2 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES.

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES - - - | 7905 | 48 | 44 | 181 | 120 | 51 | 207 | 271 | 236 | 55 | 334 | 276 | 664 | 67 | 446 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 1159 | 1 | 4 | 38 | 22 | 5 | 37 | 47 | 62 | 5 | 55 | 24 | 106 | 9 | 65 |
| II. PARASITIC DISEASES - | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC ,, - | 14 | - | - | - | - | - | 1 | - | - | - | - | 2 | 1 | - | 1 |
| IV. CONSTITUTIONAL ,, - | 1478 | 12 | 13 | 24 | 16 | 3 | 40 | 50 | 26 | 9 | 63 | 65 | 137 | 12 | 75 |
| V. DEVELOPMENTAL ,, - | 756 | 12 | 11 | 10 | 12 | 12 | 22 | 16 | 22 | 4 | 29 | 27 | 60 | 3 | 39 |
| VI. LOCAL ,, - | 4044 | 23 | 14 | 97 | 66 | 28 | 94 | 146 | 113 | 36 | 176 | 150 | 331 | 42 | 236 |
| VII. VIOLENCE - - - - | 153 | - | 1 | 1 | 2 | - | 7 | 4 | 7 | - | 4 | 3 | 9 | - | 8 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 298 | - | 1 | 11 | 2 | 3 | 6 | 8 | 6 | 1 | 7 | 5 | 20 | 1 | 22 |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - - | 837 | - | 3 | 22 | 16 | 4 | 32 | 39 | 33 | 2 | 34 | 11 | 79 | 6 | 55 |
| 2. DIARRHŒAL ,, - - - | 179 | - | - | 8 | - | - | 2 | 3 | 15 | - | 12 | 9 | 18 | - | 4 |
| 3. MALARIAL ,, - - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS ,, - - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL ,, - - - | 11 | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| 6. SEPTIC ,, - - - | 132 | 1 | 1 | 8 | 6 | 1 | 3 | 5 | 14 | 3 | 8 | 4 | 8 | 3 | 5 |
| **II.** | | | | | | | | | | | | | | | |
| PARASITIC DISEASES - - - | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **III.** | | | | | | | | | | | | | | | |
| DIETETIC DISEASES - - - | 14 | - | - | - | - | - | 1 | - | - | - | - | 2 | 1 | - | 1 |
| **IV.** | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES - - | 1478 | 12 | 13 | 24 | 16 | 3 | 40 | 50 | 26 | 9 | 63 | 65 | 137 | 12 | 75 |
| **V.** | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES - - | 756 | 12 | 11 | 10 | 12 | 12 | 22 | 16 | 22 | 4 | 29 | 27 | 60 | 3 | 39 |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 970 | 4 | 6 | 25 | 12 | 5 | 24 | 35 | 32 | 11 | 46 | 34 | 78 | 10 | 55 |
| 2. ,, ORGANS OF SPECIAL SENSE - - - | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 |
| 3. ,, CIRCULATORY SYSTEM - | 726 | 7 | 3 | 12 | 7 | 5 | 14 | 16 | 18 | 4 | 36 | 36 | 61 | 7 | 44 |
| 4. ,, RESPIRATORY SYSTEM - | 1436 | 8 | 3 | 37 | 34 | 15 | 40 | 55 | 32 | 15 | 68 | 52 | 126 | 13 | 90 |
| 5. ,, DIGESTIVE SYSTEM - | 582 | 3 | 2 | 15 | 6 | - | 9 | 24 | 24 | 3 | 13 | 14 | 46 | 8 | 32 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - - | 9 | - | - | - | - | - | - | - | - | - | - | - | 2 | 1 | - |
| 7. ,, URINARY SYSTEM- - | 149 | 1 | - | 4 | 2 | 2 | 4 | 6 | 2 | 1 | 7 | 9 | 11 | 1 | 3 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION - - | 36 | - | - | 1 | 3 | - | 1 | 3 | - | - | 2 | 3 | 2 | - | 2 |
| (*b*) DISEASES OF PARTURITION - - - - | 65 | - | - | 1 | - | - | - | 1 | 1 | - | 2 | 1 | 4 | - | 5 |
| 9. ,, ORGANS OF LOCOMOTION - - - | 45 | - | - | 1 | 1 | 1 | 1 | 4 | 3 | 1 | 1 | 1 | - | 2 | 2 |
| 10. ,, INTEGUMENTARY SYSTEM - - - | 19 | - | - | 1 | 1 | - | 1 | 2 | 1 | 1 | 1 | - | 1 | - | 1 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 508 | 227 | 96 | 480 | 1000 | 1113 | 338 | 484 | 169 | 46 | 60 | 55 | 80 | 104 | 98 | 90 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 82 | 26 | 9 | 75 | 127 | 160 | 77 | 75 | 21 | 6 | 6 | 4 | 17 | 5 | 8 | 9 |
| II. PARASITIC DISEASES | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | 5 | 3 | – | 6 | 5 | 1 | 4 | 1 | 1 | – | – | – | – | 1 | 1 |
| IV. CONSTITUTIONAL ,, | 80 | 43 | 16 | 84 | 177 | 153 | 44 | 62 | 22 | 4 | 10 | 11 | 14 | 26 | 24 | 19 |
| V. DEVELOPMENTAL ,, | 33 | 18 | 6 | 22 | 82 | 83 | 17 | 45 | 12 | 3 | 4 | 2 | 4 | 12 | 10 | 9 |
| VI. LOCAL ,, | 263 | 106 | 55 | 255 | 494 | 595 | 136 | 253 | 89 | 28 | 37 | 36 | 41 | 52 | 50 | 45 |
| VII. VIOLENCE | 29 | 18 | 7 | 22 | 67 | 67 | 25 | 36 | 16 | 2 | 2 | 1 | 2 | 7 | 2 | 4 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 20 | 11 | – | 22 | 45 | 50 | 38 | 9 | 8 | 2 | 1 | 1 | 2 | 2 | 3 | 3 |
| **I.** | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 63 | 17 | 8 | 55 | 102 | 135 | 70 | 57 | 17 | 5 | 4 | 3 | 10 | 4 | 8 | 3 |
| 2. DIARRHŒAL ,, | 16 | 6 | 1 | 15 | 18 | 20 | 6 | 12 | 2 | 1 | 2 | 1 | 7 | 1 | – | 4 |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | 1 | – | – | 2 | 2 | 1 | 3 | 1 | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 3 | 2 | – | 5 | 5 | 3 | – | 2 | 1 | – | – | – | – | – | – | 2 |
| **II.** PARASITIC DISEASES | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 1 | 5 | 3 | – | 6 | 5 | 1 | 4 | 1 | 1 | – | – | – | – | 1 | 1 |
| **IV.** CONSTITUTIONAL DISEASES | 80 | 43 | 16 | 84 | 177 | 153 | 44 | 62 | 22 | 4 | 10 | 11 | 14 | 26 | 24 | 19 |
| **V.** DEVELOPMENTAL DISEASES | 33 | 18 | 6 | 22 | 82 | 83 | 17 | 45 | 12 | 3 | 4 | 2 | 4 | 12 | 10 | 9 |
| **VI.** | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 79 | 24 | 11 | 90 | 95 | 121 | 29 | 69 | 23 | 6 | 13 | 9 | 14 | 13 | 15 | 11 |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | 2 | 2 | – | – | – | – | – | – | – | 1 | – | 1 |
| 3. ,, CIRCULATORY SYSTEM | 43 | 21 | 9 | 53 | 85 | 66 | 13 | 31 | 13 | 8 | 7 | 11 | 8 | 12 | 11 | 7 |
| 4. ,, RESPIRATORY SYSTEM | 100 | 41 | 19 | 76 | 192 | 263 | 59 | 92 | 28 | 9 | 12 | 11 | 13 | 10 | 18 | 14 |
| 5. ,, DIGESTIVE SYSTEM | 27 | 14 | 8 | 17 | 64 | 99 | 25 | 38 | 11 | 1 | 3 | 3 | 3 | 9 | 5 | 7 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 2 | – | – | – | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 11 | 5 | 6 | 15 | 37 | 33 | 8 | 14 | 10 | 3 | 1 | 2 | 2 | 6 | – | 3 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 1 | – | 2 | 2 | 12 | 9 | 1 | 7 | 3 | 1 | – | – | 1 | 1 | 1 | – |
| | – | – | – | 2 | 4 | 1 | 1 | 1 | – | – | 1 | – | – | – | – | 2 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 478 | 208 | 119 | 496 | 995 | 1014 | 339 | 457 | 174 | 54 | 74 | 74 | 75 | 124 | 112 | 112 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 62 | 23 | 16 | 78 | 127 | 176 | 66 | 60 | 15 | 1 | 4 | 6 | 11 | 19 | 9 | 6 |
| II. PARASITIC DISEASES | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 2 | 2 | 2 | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 105 | 36 | 20 | 98 | 197 | 181 | 53 | 77 | 33 | 11 | 19 | 18 | 20 | 20 | 21 | 24 |
| V. DEVELOPMENTAL „ | 45 | 27 | 11 | 53 | 107 | 78 | 27 | 42 | 20 | 16 | 10 | 6 | 3 | 7 | 13 | 12 |
| VI. LOCAL „ | 237 | 105 | 62 | 236 | 506 | 508 | 164 | 249 | 100 | 24 | 40 | 38 | 34 | 70 | 61 | 58 |
| VII. VIOLENCE | 16 | 3 | 6 | 6 | 26 | 18 | 6 | 9 | 4 | 1 | 1 | – | 3 | – | 2 | 6 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 11 | 12 | 2 | 24 | 29 | 52 | 23 | 19 | 2 | 1 | – | 6 | 4 | 8 | 6 | 6 |
| **I.** | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 49 | 12 | 11 | 63 | 94 | 133 | 52 | 40 | 8 | – | 4 | 4 | 10 | 13 | 4 | 4 |
| 2. DIARRHŒAL „ | 10 | 8 | 2 | 7 | 20 | 29 | 9 | 7 | 4 | 1 | – | 1 | 1 | 5 | 3 | 1 |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | – | – | – | – | 1 | – | 3 | 2 | – | – | – | – | – | – | 1 | 1 |
| 6. SEPTIC „ | 3 | 3 | 3 | 8 | 12 | 14 | 2 | 11 | 3 | – | – | 1 | – | 1 | 1 | – |
| **II.** | | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **III.** | | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 2 | 2 | 2 | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| **IV.** | | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 105 | 36 | 20 | 98 | 197 | 181 | 53 | 77 | 33 | 11 | 19 | 18 | 20 | 20 | 21 | 24 |
| **V.** | | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 45 | 27 | 11 | 53 | 107 | 78 | 27 | 42 | 20 | 16 | 10 | 6 | 3 | 7 | 13 | 12 |
| **VI.** | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 63 | 23 | 19 | 60 | 126 | 106 | 37 | 55 | 24 | 5 | 9 | 15 | 11 | 16 | 13 | 11 |
| 2. „ ORGANS OF SPECIAL SENSE | 1 | 1 | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 38 | 20 | 11 | 41 | 101 | 82 | 22 | 44 | 22 | 5 | 12 | 6 | 8 | 19 | 19 | 6 |
| 4. „ RESPIRATORY SYSTEM | 72 | 39 | 18 | 85 | 168 | 164 | 61 | 94 | 35 | 7 | 14 | 14 | 9 | 21 | 21 | 26 |
| 5. „ DIGESTIVE SYSTEM | 41 | 13 | 11 | 30 | 68 | 104 | 24 | 41 | 11 | 4 | 4 | 2 | 4 | 11 | 5 | 10 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | 1 | 1 | 1 | 2 | – | – | – | – | – | – | 1 | – |
| 7. „ URINARY SYSTEM | 8 | 4 | 3 | 11 | 21 | 15 | 15 | 6 | 4 | 2 | – | – | 2 | 1 | – | 4 |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | 1 | – | – | 5 | 10 | – | – | – | – | 1 | – | – | – | 1 | – |
| (*b*) DISEASES OF PARTURITION | 9 | 2 | – | 3 | 5 | 19 | 3 | 4 | 2 | – | – | 1 | – | 2 | – | – |
| 9. „ ORGANS OF LOCOMOTION | 3 | 2 | – | 2 | 7 | 5 | 1 | 2 | 2 | 1 | – | – | – | – | 1 | 1 |
| 10. „ INTEGUMENTARY SYSTEM | 1 | – | – | 4 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 438 | 3 | 5 | 9 | 6 | 1 | 8 | 21 | 8 | 2 | 10 | 8 | 45 | 2 | 30 |
| 2. HOMICIDE | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 39 | 1 | – | – | – | – | 1 | 2 | 2 | 1 | 1 | 3 | 2 | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 338 | 1 | 3 | 14 | 2 | 6 | 6 | 9 | 7 | 1 | 13 | 13 | 26 | 1 | 19 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 250 | – | 2 | 1 | 21 | – | 6 | 1 | 8 | 1 | 3 | – | 28 | 1 | 27 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 91 | – | – | 3 | – | – | – | – | – | – | – | 1 | 5 | 4 | 3 |
| Typhus | 7 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 106 | 1 | 1 | 16 | 2 | – | 2 | 7 | 11 | – | 6 | 3 | 6 | – | 5 |
| Hooping-cough | 226 | 1 | – | – | – | – | 13 | 15 | 8 | – | 6 | 3 | 15 | 2 | 13 |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 79 | – | – | 1 | – | – | – | 3 | – | – | 1 | 3 | 2 | 1 | 6 |
| Cerebro-spinal Fever | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 97 | 4 | – | – | 1 | – | 1 | 5 | 1 | – | 4 | 1 | 9 | – | 4 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Diarrhœa, Dysentery | 169 | – | – | 3 | 4 | – | 4 | 7 | 7 | 3 | 7 | 10 | 13 | 2 | 5 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 17 | – | – | – | 2 | – | 2 | 1 | 2 | – | 1 | – | 2 | – | – |
| Gonorrhœa, Stricture of Urethra | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 30 | – | – | 4 | 2 | – | 2 | 1 | 3 | 1 | – | – | 4 | – | – |
| Pyæmia, Septicæmia | 16 | – | – | – | – | – | – | 1 | 2 | 1 | 1 | – | – | – | 1 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 140 | – | 1 | – | 2 | – | 7 | 4 | 6 | – | 3 | 3 | 9 | – | 8 |
| 2. HOMICIDE | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 11 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 298 | – | 1 | 11 | 2 | 3 | 6 | 8 | 6 | 1 | 7 | 5 | 20 | 1 | 22 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 187 | – | 3 | 6 | 12 | – | 7 | 1 | 4 | 2 | 3 | – | 29 | – | 15 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 75 | – | – | 3 | – | – | – | 1 | 1 | – | 2 | 1 | 5 | 2 | 3 |
| Typhus | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 75 | – | – | 4 | 2 | – | 4 | 6 | 5 | – | 4 | 1 | 4 | 1 | 1 |
| Hooping-cough | 292 | – | – | 1 | 1 | 1 | 18 | 27 | 17 | – | 13 | 2 | 29 | 3 | 22 |
| Mumps | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 104 | – | – | – | – | 3 | 2 | – | 4 | – | 5 | 3 | 4 | – | 5 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Enteric Fever | 90 | – | – | 7 | – | – | 1 | 4 | 2 | – | 7 | 4 | 8 | – | 8 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 173 | – | – | 8 | – | – | 2 | 3 | 15 | – | 12 | 9 | 18 | – | 4 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 11 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Erysipelas | 31 | – | – | 1 | 2 | – | – | 3 | 1 | 1 | 1 | 2 | 1 | 1 | 1 |
| Pyæmia, Septicæmia | 20 | – | – | 2 | – | – | 1 | – | – | – | 2 | – | 2 | – | 1 |
| Puerperal Fever | 78 | 1 | 1 | 5 | 4 | 1 | 2 | 2 | 13 | 2 | 4 | 2 | 5 | 2 | 3 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 25 | 17 | 7 | 20 | 58 | 65 | 23 | 34 | 13 | 2 | 2 | 1 | 2 | 5 | 2 | 4 |
| 2. HOMICIDE | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 3 | 1 | – | 2 | 9 | 1 | 2 | 2 | 3 | – | – | – | – | 2 | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 20 | 11 | – | 22 | 45 | 50 | 38 | 9 | 8 | 2 | 1 | 1 | 2 | 2 | 3 | 3 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 29 | 4 | 2 | 4 | 32 | 30 | 24 | 8 | 7 | 2 | 1 | 2 | 6 | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 7 | 1 | – | 15 | 12 | 20 | 3 | 6 | 3 | 1 | – | 1 | – | 2 | – | 1 |
| Typhus | – | – | – | 2 | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Influenza | 3 | 10 | 3 | 1 | 6 | 8 | 3 | 4 | – | 1 | 1 | – | 1 | – | 4 | 1 |
| Hooping-cough | 14 | 1 | – | 23 | 15 | 41 | 24 | 25 | 3 | 1 | – | – | 2 | 1 | – | – |
| Mumps | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 4 | 1 | 2 | 7 | 14 | 13 | 8 | 7 | 2 | – | – | – | – | – | 4 | – |
| Cerebro-spinal Fever | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Enteric Fever | 6 | – | 1 | 3 | 18 | 22 | 7 | 6 | 1 | – | 1 | – | – | 1 | – | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | 1 | 1 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 15 | 6 | 1 | 14 | 17 | 17 | 4 | 12 | 2 | 1 | 2 | 1 | 7 | 1 | – | 4 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | |
| Syphilis | – | 1 | – | – | 1 | – | 1 | 3 | 1 | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | – | 3 | 3 | 2 | – | 1 | 1 | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 2 | 1 | – | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | 1 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Dunbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 15 | 2 | 6 | 6 | 22 | 15 | 6 | 9 | 4 | 1 | 1 | – | 3 | – | 2 | 5 |
| 2. HOMICIDE | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | 1 | – | – | 3 | 2 | – | – | – | – | – | – | – | – | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 11 | 12 | 2 | 24 | 29 | 52 | 23 | 19 | 2 | 1 | – | 6 | 4 | 8 | 6 | 6 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 18 | 1 | 4 | 5 | 28 | 17 | 16 | 5 | 3 | – | – | 4 | 3 | 1 | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 3 | – | – | 8 | 13 | 16 | 4 | 6 | 1 | – | – | – | – | 4 | 1 | 1 |
| Typhus | – | – | – | 2 | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 8 | 8 | 1 | 1 | 7 | 7 | 1 | 2 | 1 | – | 2 | – | 1 | 2 | 1 | 1 |
| Hooping-cough | 12 | 1 | 1 | 36 | 22 | 46 | 16 | 15 | 2 | – | – | – | 3 | 4 | – | – |
| Mumps | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 4 | 2 | 5 | 8 | 11 | 28 | 11 | 6 | – | – | – | – | – | – | 2 | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Simple and Ill-defined Fever | 2 | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Enteric Fever | 2 | – | – | 1 | 12 | 18 | 4 | 5 | 1 | – | 2 | – | 1 | 2 | – | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | 1 | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 10 | 8 | 2 | 6 | 20 | 28 | 7 | 5 | 4 | 1 | – | 1 | 1 | 5 | 3 | 1 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | 1 | – | 3 | 2 | – | – | – | – | – | – | 1 | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | |
| Phagedæna | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | 3 | 2 | 3 | 1 | – | 4 | 1 | – | – | – | – | 1 | 1 | – |
| Pyæmia, Septicæmia | – | 1 | – | 3 | 3 | 3 | – | – | 1 | – | – | 1 | – | – | – | – |
| Puerperal Fever | 1 | 1 | – | 3 | 6 | 10 | 2 | 7 | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 25 | – | – | – | – | – | – | – | 2 | – | 1 | 2 | – | – | – |
| Intemp. { Delirium Tremens | 9 | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 23 | – | – | 1 | 1 | – | – | – | – | – | 1 | – | 2 | – | 3 |
| Rheumatism | 14 | – | – | 1 | 1 | – | 1 | 2 | 1 | – | 1 | – | – | 2 | – |
| Gout | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Rickets | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Cancer | 180 | – | 2 | 5 | 2 | 1 | 4 | 2 | 4 | 2 | 6 | 6 | 25 | – | 8 |
| Tabes Mesenterica | 98 | – | – | 1 | 1 | – | – | 6 | – | – | 6 | 2 | 3 | 1 | 11 |
| Tubercular Meningitis (Acute Hydrocephalus) | 129 | 1 | – | 2 | – | 1 | 4 | 4 | 1 | 3 | 7 | 6 | 19 | 1 | 6 |
| Phthisis | 706 | 7 | 9 | 16 | 3 | 1 | 19 | 18 | 11 | 6 | 22 | 37 | 50 | 4 | 45 |
| Other forms of Tuberculosis, Scrofula | 71 | – | – | 1 | 2 | – | 2 | 7 | 2 | 1 | 4 | 4 | 10 | – | – |
| Purpura, Hæmorrhagic Diathesis | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 19 | – | 1 | 1 | – | 1 | – | 3 | – | – | – | 1 | – | – | 2 |
| Diabetes Mellitus | 6 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | 195 | – | 2 | 1 | 1 | – | 3 | 3 | 8 | 3 | 10 | 8 | 12 | 5 | 7 |
| Atelectasis | 12 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cyanosis | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 13 | – | – | – | – | – | – | 1 | – | – | – | 2 | 2 | – | – |
| Imperforate Anus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Congenital Defects | 18 | – | – | – | 1 | – | – | – | 2 | – | – | 1 | 1 | – | 4 |
| Old Age | 325 | 5 | 3 | 3 | 3 | 2 | 17 | 12 | 15 | 5 | 11 | 16 | 23 | 1 | 19 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 176 | – | – | 2 | 1 | – | 4 | 8 | 4 | 1 | 6 | 6 | 11 | 3 | 10 |
| Apoplexy | 256 | – | – | 6 | 1 | 4 | 7 | 7 | 5 | 3 | 11 | 6 | 19 | – | 6 |
| Softening of the Brain | 40 | – | – | – | – | – | – | – | 2 | – | – | – | 6 | – | 1 |
| Hemiplegia, Brain Paralysis | 140 | 1 | 2 | – | 4 | – | 7 | 3 | 2 | 3 | 7 | 12 | 7 | 2 | 4 |
| Paralysis Agitans | 5 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Insanity, General Paralysis of Insane | 35 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 4 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 36 | – | – | 3 | 1 | 1 | 1 | 1 | – | – | – | – | 6 | – | 6 |
| Convulsions | 116 | 2 | – | 4 | 4 | – | 2 | 7 | 3 | 1 | 5 | – | 7 | – | 3 |
| Laryngismus Stridulus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 6 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Paraplegia, Diseases of Spinal Cord | 25 | 1 | – | – | 1 | – | 1 | 1 | 2 | 1 | – | 2 | 1 | – | 2 |
| Other Diseases of Nervous System | 97 | 1 | – | 2 | 2 | 4 | 2 | 2 | 2 | 2 | 4 | 3 | 8 | 2 | 7 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 7 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 5 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 9 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | 1 |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 24 | – | – | – | – | – | – | 1 | – | – | 1 | – | 2 | 1 | – |
| Rheumatism | 23 | 1 | – | 1 | – | – | 2 | – | 2 | 1 | 2 | 1 | 1 | 1 | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 4 | – | – | – | 1 | – | – | – | – | – | – | 1 | 2 | – | – |
| Cancer | 328 | 1 | 3 | 10 | 4 | 1 | 12 | 17 | 8 | 3 | 22 | 23 | 33 | 3 | 13 |
| Tabes Mesenterica | 76 | – | – | – | – | – | 1 | – | 2 | – | 1 | 1 | 11 | – | 3 |
| Tubercular Meningitis (Acute Hydrocephalus) | 91 | 3 | 1 | 1 | – | – | 1 | 2 | – | – | 2 | 4 | 15 | – | 6 |
| Phthisis | 812 | 7 | 8 | 12 | 10 | 2 | 21 | 23 | 12 | 5 | 33 | 34 | 63 | 6 | 45 |
| Other forms of Tuberculosis, Scrofula | 63 | – | 1 | – | – | – | 1 | 5 | 2 | – | – | – | 6 | 1 | 2 |
| Purpura, Hæmorrhagic Diathesis | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 40 | – | – | – | 1 | – | 1 | 2 | – | – | 2 | – | 2 | – | 4 |
| Diabetes Mellitus | 13 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | 168 | – | 1 | – | 2 | 1 | 6 | 4 | 5 | – | 7 | 1 | 18 | 1 | 8 |
| Atelectasis | 7 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Cyanosis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 13 | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – | 1 |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 15 | – | – | – | – | – | – | 1 | 1 | – | – | – | 2 | – | 1 |
| Old Age | 548 | 12 | 10 | 10 | 10 | 9 | 16 | 11 | 15 | 3 | 22 | 26 | 39 | 2 | 29 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 156 | – | – | 5 | 3 | – | 1 | 11 | 3 | 2 | 5 | – | 13 | 1 | 9 |
| Apoplexy | 306 | – | 1 | 7 | – | 1 | 6 | 11 | 12 | 2 | 26 | 13 | 30 | 2 | 7 |
| Softening of the Brain | 44 | – | – | 1 | 1 | – | 1 | 2 | 2 | 1 | 2 | 1 | 4 | 3 | – |
| Hemiplegia, Brain Paralysis | 173 | 2 | 2 | 4 | 4 | 3 | 1 | 6 | 6 | 3 | 2 | 13 | 9 | – | 16 |
| Paralysis Agitans | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 23 | – | – | 1 | – | – | 1 | – | – | – | – | – | 3 | 1 | 2 |
| Chorea | 2 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Epilepsy | 30 | – | – | 2 | – | – | – | – | – | 1 | 1 | 3 | 3 | – | 2 |
| Convulsions | 109 | – | 1 | 3 | 4 | – | 8 | 5 | 4 | 1 | 3 | 1 | 9 | 1 | 5 |
| Laryngismus Stridulus | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Idiopathic Tetanus | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 25 | 2 | 1 | 1 | – | 1 | – | – | 2 | 1 | 3 | – | 1 | – | 1 |
| Other Diseases of Nervous System | 89 | – | 1 | 2 | – | – | 5 | – | 3 | – | 4 | 1 | 6 | 2 | 13 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 1 | 5 | 2 | – | 4 | 2 | – | 3 | 1 | – | – | – | – | – | 1 | 1 |
| Intemp. Delirium Tremens | – | – | 1 | – | 1 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | – | – | 1 | 3 | 6 | – | 2 | 1 | 1 | – | – | – | 1 | – | – |
| Rheumatism | 1 | – | 1 | 1 | 2 | – | – | – | – | – | – | – | 1 | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cancer | 10 | 8 | 2 | 8 | 26 | 19 | 11 | 8 | 3 | – | 2 | 1 | 2 | 5 | 5 | 3 |
| Tabes Mesenterica | 3 | 3 | 1 | 7 | 11 | 22 | 6 | 6 | 1 | 1 | – | 1 | 2 | – | 1 | 2 |
| Tubercular Meningitis (Acute Hydrocephalus) | 11 | 1 | 1 | 2 | 20 | 16 | 3 | 8 | 4 | – | 1 | 2 | – | 1 | 2 | 2 |
| Phthisis | 45 | 27 | 11 | 57 | 110 | 75 | 22 | 37 | 11 | 2 | 5 | 5 | 7 | 18 | 15 | 11 |
| Other forms of Tuberculosis, Scrofula | 5 | 3 | – | 6 | 2 | 12 | 1 | 1 | 1 | – | 2 | 1 | 2 | – | 1 | 1 |
| Purpura, Hæmorrhagic Diathesis | 2 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | 1 | – | 2 | 3 | 3 | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | |
| Premature Birth | 7 | 2 | 2 | 6 | 36 | 40 | 6 | 23 | 1 | 3 | 1 | 1 | – | 1 | 2 | 1 |
| Atelectasis | 1 | – | – | – | 3 | 3 | – | 1 | 1 | – | – | – | – | – | 1 | – |
| Cyanosis | 1 | – | – | 2 | 1 | 5 | – | 1 | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | – | – | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 2 | – | – | – | – | 4 | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Old Age | 21 | 16 | 3 | 12 | 39 | 29 | 9 | 19 | 9 | – | 2 | 1 | 4 | 11 | 7 | 8 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 16 | 4 | 4 | 17 | 17 | 33 | 11 | 10 | 6 | – | – | – | – | 1 | – | 1 |
| Apoplexy | 15 | 6 | 3 | 22 | 40 | 34 | 7 | 18 | 10 | 2 | 5 | 3 | 4 | 2 | 6 | 4 |
| Softening of the Brain | 5 | 2 | 1 | 5 | 2 | 5 | – | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | – |
| Hemiplegia, Brain Paralysis | 12 | 3 | 1 | 11 | 8 | 15 | 4 | 11 | 4 | 1 | 1 | 2 | 3 | 4 | 4 | 2 |
| Paralysis Agitans | – | – | – | – | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Insanity, General Paralysis of Insane | 12 | 1 | – | 5 | 1 | 2 | – | 9 | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 4 | 3 | 4 | 1 | 3 | – | 1 | 2 | – | – | – | – | – |
| Convulsions | 10 | 3 | – | 15 | 8 | 14 | 5 | 10 | 1 | 1 | 1 | 1 | 1 | 3 | 2 | 3 |
| Laryngismus Stridulus | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 3 | – | 1 | – | 3 | 1 | – | – | – | – | – | 2 | 2 | – | 1 | – |
| Other Diseases of Nervous System | 6 | 4 | 1 | 10 | 12 | 10 | 1 | 4 | – | – | 3 | – | 2 | 2 | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | 1 |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | 3 | 3 | 1 | 4 | 3 | 1 | – | 1 | – | 1 | – | 2 |
| Rheumatism | 1 | – | 2 | 1 | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 15 | 11 | 6 | 19 | 34 | 30 | 11 | 14 | 8 | 2 | 1 | 6 | 5 | 3 | 3 | 7 |
| Tabes Mesenterica | 6 | 1 | 1 | 8 | 6 | 20 | 3 | 6 | 3 | – | 1 | 1 | – | – | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 11 | 4 | – | 4 | 12 | 8 | 2 | 5 | 3 | – | 2 | 1 | 2 | 1 | 1 | – |
| Phthisis | 31 | 19 | 11 | 60 | 116 | 102 | 33 | 39 | 15 | 5 | 14 | 8 | 11 | 12 | 14 | 11 |
| Other forms of Tuberculosis, Scrofula | 3 | – | – | 5 | 10 | 12 | – | 4 | 1 | 1 | 1 | – | – | – | 3 | 2 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 2 | – | – | 1 | 10 | 3 | 3 | 3 | – | 2 | – | – | 2 | 2 | – | 1 |
| Diabetes Mellitus | 3 | 1 | – | 1 | 2 | 2 | – | – | – | – | – | – | – | 1 | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | |
| Premature Birth | 10 | 3 | 2 | 14 | 24 | 22 | 5 | 14 | 5 | 4 | 2 | 3 | 1 | 2 | – | 2 |
| Atelectasis | 1 | – | 1 | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Cyanosis | – | – | – | 1 | – | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | 2 | 1 | 4 | 1 | 1 | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 2 | – | – | 2 | – | 3 | – | – | – | 1 | – | 1 | – | – | 1 | – |
| Old Age | 32 | 24 | 8 | 34 | 81 | 44 | 20 | 27 | 15 | 11 | 7 | 2 | 2 | 5 | 12 | 10 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 9 | 3 | 5 | 4 | 22 | 25 | 14 | 10 | 2 | – | – | – | 4 | 1 | – | 4 |
| Apoplexy | 12 | 6 | 9 | 20 | 47 | 30 | 10 | 19 | 7 | – | 5 | 7 | 2 | 5 | 7 | 2 |
| Softening of the Brain | 4 | – | – | 5 | 5 | 2 | – | 3 | 2 | – | – | – | – | 3 | 2 | – |
| Hemiplegia, Brain Paralysis | 16 | 9 | 2 | 9 | 17 | 15 | 6 | 4 | 7 | 3 | 2 | 5 | 1 | 1 | 3 | 2 |
| Paralysis Agitans | 1 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 3 | – | – | 2 | 4 | 2 | 1 | 3 | 1 | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Epilepsy | 2 | 1 | 1 | 2 | 1 | 5 | – | 2 | – | 1 | – | – | – | – | – | – |
| Convulsions | 5 | – | – | 8 | 9 | 13 | 5 | 9 | 5 | 1 | – | 2 | 2 | 3 | – | 2 |
| Laryngismus Stridulus | – | – | – | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Idiopathic Tetanus | 1 | 1 | – | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | – | – | 1 | 3 | 2 | – | 2 | – | – | – | – | 2 | – | – | – |
| Other Diseases of Nervous System | 8 | 2 | 2 | 6 | 15 | 12 | 1 | 3 | – | – | 1 | 1 | – | 1 | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | 1 | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 495 | 3 | 1 | 3 | 2 | 3 | 12 | 7 | 14 | 8 | 27 | 17 | 33 | 6 | 27 |
| Pericarditis | 13 | – | – | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – |
| Hypertrophy of Heart | 23 | – | – | – | 1 | – | – | – | – | – | – | 2 | – | – | 2 |
| Angina Pectoris | 10 | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – |
| Syncope | 24 | – | – | 2 | – | – | – | – | 1 | – | 1 | 1 | – | 1 | 3 |
| Aneurism | 14 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – |
| Senile Gangrene | 12 | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – |
| Embolism, Thrombosis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 18 | – | – | – | 1 | – | – | 3 | – | – | 1 | 2 | – | 2 | 1 |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 24 | – | – | 2 | – | – | 2 | – | – | – | – | 2 | 1 | – | 2 |
| Croup | 93 | – | – | 1 | 6 | – | 1 | 5 | 5 | 1 | 1 | 5 | 5 | – | 8 |
| Other Diseases of Larynx and Trachea | 6 | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Emphysema, Asthma | 30 | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – | 3 |
| Bronchitis | 730 | 2 | 4 | 32 | 6 | 4 | 21 | 27 | 14 | 7 | 33 | 18 | 56 | 7 | 53 |
| Pneumonia | 453 | – | 2 | 8 | 4 | 6 | 9 | 19 | 14 | 4 | 24 | 6 | 58 | 2 | 28 |
| Pleurisy | 45 | – | 2 | 1 | 2 | – | 1 | 2 | 2 | 1 | – | 4 | 1 | 1 | 4 |
| Other Diseases of Respiratory System | 159 | – | 1 | 4 | 2 | 1 | 7 | 1 | 1 | 2 | 3 | 5 | 9 | – | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | 4 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Dentition | 43 | – | 1 | – | – | 1 | 1 | 2 | – | – | 1 | – | 2 | – | 10 |
| Sore-throat, Quinsy | 10 | – | – | – | 2 | – | – | – | – | – | – | – | 2 | – | – |
| Dyspepsia | 11 | – | – | – | – | – | – | – | 1 | – | – | – | 2 | – | 2 |
| Hæmatemesis | 8 | – | – | – | – | – | 1 | – | – | – | – | – | 2 | – | 3 |
| Melæna | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Stomach | 90 | 1 | 4 | 1 | 1 | – | 6 | 5 | 1 | 1 | 4 | 2 | 8 | 3 | 3 |
| Enteritis | 132 | – | 1 | 3 | – | – | 1 | 6 | 2 | – | 4 | – | 12 | 2 | 4 |
| Ulceration of Intestine | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 29 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | 1 |
| Stricture or Strangulation of Intestines | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Intussusception of Intestines | 8 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Hernia | 6 | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – |
| Fistula | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Peritonitis | 50 | – | 1 | 2 | – | – | 3 | 5 | 3 | – | – | – | 1 | – | 3 |
| Ascites | 6 | – | – | 2 | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Gallstones | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Cirrhosis of Liver | 22 | 1 | – | 2 | – | – | – | – | – | – | – | 1 | 2 | – | 2 |
| Other Diseases of Liver | 67 | – | – | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 4 | 4 | 2 | 1 | 3 |
| Other Diseases of Digestive System | 20 | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | 3 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 4 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 47 | – | 1 | 2 | – | – | 2 | 1 | 1 | 1 | 3 | 2 | 1 | 2 | 4 |
| Bright's Disease | 68 | 1 | – | – | 1 | – | – | 2 | – | – | 3 | – | 4 | 4 | 3 |
| Uræmia | 14 | – | – | – | – | – | – | 1 | 1 | – | – | – | 3 | 1 | – |
| Suppression of Urine | 8 | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Calculus | 7 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Hæmaturia | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Bladder and of Prostate | 56 | – | – | 3 | – | – | 1 | 3 | – | – | 3 | – | 3 | – | 1 |
| Other Diseases of Urinary System | 28 | – | – | – | – | – | 1 | 1 | 1 | 1 | – | 3 | 2 | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 510 | 6 | 2 | 10 | 6 | 4 | 12 | 15 | 15 | 4 | 34 | 29 | 52 | 6 | 38 |
| Pericarditis | 5 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Hypertrophy of Heart | 28 | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Angina Pectoris | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Syncope | 25 | 1 | – | – | – | – | – | 1 | – | – | 1 | – | 2 | – | 2 |
| Aneurism | 8 | – | – | – | – | – | – | – | 1 | – | – | 2 | 1 | – | – |
| Senile Gangrene | 23 | – | – | – | – | 1 | 2 | – | – | – | 1 | 1 | 3 | – | 1 |
| Embolism, Thrombosis | 9 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 2 |
| Phlebitis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Circulatory System | 12 | – | – | 1 | 1 | – | – | – | 2 | – | – | 2 | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 18 | – | – | 1 | – | – | 1 | 3 | – | – | 2 | 1 | 1 | – | 1 |
| Croup | 84 | – | – | – | 7 | – | 2 | 1 | 2 | – | 3 | 6 | 7 | – | 14 |
| Other Diseases of Larynx and Trachea | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Emphysema, Asthma | 20 | 1 | – | – | 6 | – | 1 | – | – | – | – | – | – | 1 | 2 |
| Bronchitis | 775 | 8 | 2 | 27 | 16 | 3 | 22 | 26 | 16 | 5 | 50 | 32 | 67 | 8 | 38 |
| Pneumonia | 343 | – | – | 5 | 4 | 9 | 7 | 12 | 10 | 5 | 10 | 4 | 40 | 1 | 26 |
| Pleurisy | 31 | – | 1 | – | – | – | 2 | 1 | – | – | – | 3 | 2 | 2 | 3 |
| Other Diseases of Respiratory System | 161 | 1 | – | 4 | 1 | 3 | 5 | 12 | 4 | 5 | 3 | 6 | 9 | 1 | 5 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Dentition | 34 | – | – | 1 | – | – | – | 3 | – | – | – | – | 1 | – | 10 |
| Sore-throat, Quinsy | 7 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 16 | – | – | – | – | – | 1 | – | – | – | 2 | – | – | – | – |
| Hæmatemesis | 4 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – |
| Melæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 110 | 1 | 1 | 3 | – | – | 4 | 4 | 5 | 1 | 6 | 4 | 12 | 2 | 3 |
| Enteritis | 138 | 1 | – | 4 | – | – | – | 8 | 3 | – | 1 | 2 | 13 | 3 | 4 |
| Ulceration of Intestine | 7 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 |
| Ileus, Obstruction of Intestine | 18 | – | – | – | – | – | – | 1 | – | 1 | – | 1 | 1 | – | 2 |
| Stricture or Strangulation of Intestine | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 6 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Hernia | 12 | – | – | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Fistula | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Peritonitis | 87 | – | – | 3 | – | – | – | 5 | 6 | 1 | 3 | 3 | 6 | – | 3 |
| Ascites | 6 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Gallstones | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Cirrhosis of Liver | 20 | – | – | – | – | – | 1 | – | 1 | – | – | 1 | 4 | – | 1 |
| Other Diseases of Liver | 78 | 1 | – | 1 | 3 | – | 2 | 2 | 3 | – | 1 | 2 | 5 | 1 | 5 |
| Other Diseases of Digestive System | 28 | – | – | 2 | – | – | – | – | 3 | – | – | – | – | – | 2 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Diseases of Lymphatics | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Suprarenal Capsules | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 30 | – | – | 1 | – | – | – | – | – | – | 1 | 2 | 5 | – | 1 |
| Bright's Disease | 74 | 1 | – | 3 | 2 | 1 | 2 | 4 | – | – | 2 | 5 | 4 | – | 1 |
| Uræmia | 11 | – | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 | 1 | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 7 | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – |
| Other Diseases of Urinary System | 25 | – | – | – | – | 1 | – | 1 | 2 | 1 | 2 | 2 | – | – | 1 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 33 | 18 | 8 | 43 | 64 | 53 | 9 | 25 | 12 | 8 | 4 | 9 | 7 | 10 | 8 | 6 |
| Pericarditis | 2 | – | – | 1 | 2 | 1 | – | 2 | – | – | – | – | – | – | 1 | – |
| Hypertrophy of Heart | 1 | – | 1 | 3 | 8 | 2 | – | 1 | – | – | 1 | 1 | – | – | – | – |
| Angina Pectoris | 1 | 1 | – | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | 1 | – | – | 4 | 3 | 3 | – | – | – | 1 | 1 | 1 | – | 1 | – |
| Aneurism | 1 | 1 | – | 2 | 2 | 1 | – | 3 | – | – | 1 | – | – | – | – | – |
| Senile Gangrene | 2 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | 2 | – | 1 |
| Embolism, Thrombosis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlebitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 3 | – | – | 1 | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Laryngitis | 3 | 1 | – | – | 7 | 1 | – | 1 | 1 | – | – | – | – | – | 1 | – |
| Croup | 5 | 5 | 1 | 2 | 11 | 14 | 5 | 9 | – | – | – | 3 | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 2 | – | – | 3 | 9 | 5 | 2 | – | 1 | – | – | – | 1 | – | – | 1 |
| Bronchitis | 49 | 26 | 8 | 36 | 69 | 123 | 37 | 49 | 17 | 6 | 8 | 1 | 2 | 4 | 5 | 6 |
| Pneumonia | 32 | 7 | 5 | 18 | 61 | 77 | 6 | 19 | 8 | 2 | – | 7 | 9 | 4 | 9 | 5 |
| Pleurisy | 1 | 1 | – | 3 | 7 | 6 | 2 | 1 | – | – | – | – | – | 2 | 1 | – |
| Other Diseases of Respiratory System | 8 | 1 | 5 | 14 | 28 | 36 | 7 | 11 | 1 | 1 | 4 | – | 1 | – | 2 | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Dentition | 3 | – | – | 1 | 6 | 8 | 5 | 2 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | – | – | 2 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Dyspepsia | 1 | – | – | – | 1 | 2 | – | 2 | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 2 | – | – | 3 | 9 | 15 | 2 | 7 | – | – | 1 | – | 1 | 3 | – | 3 |
| Enteritis | 8 | 4 | – | 5 | 18 | 37 | 10 | 7 | 2 | – | – | – | 2 | 2 | 2 | – |
| Ulceration of Intestine | – | 1 | – | – | – | 2 | 1 | 2 | – | – | – | – | – | – | – | 2 |
| Ileus, Obstruction of Intestines | 2 | 2 | 2 | 1 | 7 | 5 | – | 1 | – | – | – | – | – | 3 | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | – | – | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – | – |
| Fistula | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 3 | 3 | 2 | 1 | 10 | 6 | 2 | 3 | – | – | – | – | – | – | 1 | 1 |
| Ascites | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | 1 | 2 | 1 | 3 | 1 | 1 | 1 | – | 1 | 1 | – | – | – | 1 | 1 |
| Other Diseases of Liver | 4 | – | 1 | 2 | 4 | 10 | 4 | 9 | 5 | – | – | 2 | – | – | 1 | – |
| Other Diseases of Digestive System | – | 1 | – | 1 | 3 | 6 | – | 1 | 1 | – | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Acute Nephritis | 6 | 1 | 2 | 1 | 8 | 4 | 1 | 3 | – | – | 1 | – | – | – | – | – |
| Bright's Disease | 1 | 2 | 2 | 6 | 8 | 11 | 3 | 3 | 6 | 1 | – | 1 | 2 | 3 | – | 1 |
| Uræmia | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | 1 | – | 1 | – | 2 |
| Suppression of Urine | – | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Calculus | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 3 | 1 | 1 | 6 | 8 | 10 | 2 | 7 | 1 | 2 | – | – | – | 1 | – | – |
| Other Diseases of Urinary System | – | 1 | – | – | 9 | 5 | – | 1 | 2 | – | – | – | – | 1 | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 31 | 15 | 7 | 35 | 31 | 70 | 21 | 33 | 16 | 5 | 8 | 5 | 7 | 17 | 16 | 4 |
| Pericarditis | – | – | – | – | – | 4 | – | 1 | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | 1 | – | – | 7 | 1 | – | 8 | 1 | – | 1 | – | – | – | – | – |
| Angina Pectoris | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 1 | 1 | 2 | 1 | 3 | 3 | – | 2 | – | – | 3 | 1 | – | 1 | 1 | – |
| Aneurism | – | – | – | – | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| Senile Gangrene | 1 | – | – | 4 | 3 | – | – | – | 2 | – | – | – | 1 | – | 1 | 2 |
| Embolism, Thrombosis | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | 1 | 1 | – |
| Phlebitis | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 2 | 1 | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | 4 | 1 | – | 2 | – | – | – | – | – | – | 1 | – |
| Croup | 4 | 1 | – | 4 | 12 | 6 | 5 | 7 | 1 | – | – | 1 | – | – | – | 1 |
| Other Diseases of Larynx and Trachea | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | 2 | – | 1 | – | 1 | 1 | 1 | – | – | – | – | 1 | 1 | – | 1 |
| Bronchitis | 39 | 24 | 13 | 54 | 71 | 98 | 36 | 41 | 25 | 4 | 6 | 4 | 5 | 14 | 14 | 9 |
| Pneumonia | 15 | 8 | 1 | 18 | 56 | 67 | 15 | 24 | 7 | – | 7 | 6 | 2 | 5 | 3 | 6 |
| Pleurisy | 2 | 3 | – | 1 | – | 1 | 1 | 5 | – | 1 | – | 2 | – | – | – | 1 |
| Other Diseases of Respiratory System | 12 | 1 | 3 | 6 | 24 | 20 | 3 | 14 | 2 | 2 | 1 | 1 | 1 | 1 | 3 | 8 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Dentition | 1 | – | – | 2 | 1 | 9 | 4 | 2 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Dyspepsia | 2 | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – | 1 | – |
| Hæmatemesis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Stomach | 10 | 2 | 1 | 5 | 10 | 17 | – | 7 | 3 | 1 | – | 1 | 1 | 1 | – | 5 |
| Enteritis | 7 | 2 | 2 | 7 | 16 | 32 | 15 | 6 | 1 | – | 1 | 1 | 1 | 5 | – | – |
| Ulceration of Intestine | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 1 | 1 | – | 1 | 5 | 1 | – | 1 | – | – | – | – | – | – | – | 2 |
| Stricture or Strangulation of Intestines | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Intussusception of Intestines | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | 3 | 1 | – | 2 | 1 | – | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 8 | 4 | 3 | 2 | 8 | 14 | 2 | 9 | – | 1 | 2 | – | – | 1 | 2 | 1 |
| Ascites | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | 2 |
| Gallstones | 1 | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | 1 | – | – |
| Cirrhosis of Liver | 1 | – | 1 | 1 | 2 | 4 | – | 2 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Liver | 7 | 1 | 3 | 7 | 8 | 13 | 1 | 6 | 1 | 1 | – | – | 1 | 3 | – | – |
| Other Diseases of Digestive System | – | – | 1 | 2 | 7 | 6 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | 2 | – | 1 | 5 | 4 | 4 | – | 1 | – | – | – | – | – | – | 1 |
| Bright's Disease | 1 | 1 | – | 7 | 10 | 9 | 11 | 4 | 1 | 1 | – | – | 2 | 1 | – | 1 |
| Uræmia | 2 | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | 1 |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Bladder and of Prostate | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | 1 | 2 | 2 | 6 | 1 | – | – | 2 | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 30 | – | – | – | – | – | 1 | – | – | – | – | 1 | 7 | 1 | – |
| Arthritis, Ostitis, Periostitis | 11 | – | – | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – |
| Other Diseases of Organs of Locomotion | 20 | – | – | – | – | – | – | 1 | – | – | – | 1 | 3 | – | 1 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 6 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Lupus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 4 | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Eczema | 9 | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 |
| Pemphigus | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 41 | – | – | – | – | – | – | – | – | – | – | – | 8 | – | – |
| Mines and Quarries: Other Mines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Mines and Quarries: Quarries | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Vehicles and Horses: Railways | 37 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | 2 | 1 | 2 |
| Vehicles and Horses: Vehicles other than R'wys. | 16 | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | 1 |
| Vehicles and Horses: Horses | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Weapons and Implements | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 28 | 1 | – | – | – | – | 1 | – | – | – | – | – | 3 | – | 5 |
| Burns and Scalds: Explosions | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Poisons, Poisonous Vapours | 4 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Drowning | 161 | 2 | 5 | 7 | 5 | – | 3 | 18 | 3 | 1 | 4 | 1 | 18 | – | 12 |
| Suffocation: In Bed | 15 | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | – | – |
| Suffocation: Otherwise | 11 | – | – | – | – | – | – | – | 2 | – | – | – | 3 | – | – |
| Falls | 26 | – | – | – | – | – | 1 | 1 | 1 | 1 | – | 1 | 1 | – | – |
| Weather Agencies | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Otherwise, or Not Stated | 60 | – | – | 2 | 1 | 1 | 1 | 2 | 1 | – | 2 | 2 | 5 | 1 | 4 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 39 | 1 | – | – | – | – | 1 | 2 | 2 | 1 | 1 | 3 | 2 | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 7 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | 1 |
| Debility, Atrophy, Inanition | 264 | – | 2 | 13 | – | 6 | 3 | 5 | 4 | 1 | 11 | 10 | 25 | 1 | 13 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 6 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other ill-defined and not specified Causes | 57 | 1 | 1 | 1 | 2 | – | 3 | 2 | 1 | – | 2 | 3 | 1 | – | 4 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 5 | – | – | 1 | – | – | – | 1 | – | – | 2 | – | – | – | – |
| Diseases of Uterus and Vagina | 19 | – | – | – | 2 | – | – | 1 | – | – | – | 1 | – | – | 2 |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 12 | – | – | – | 1 | – | 1 | 1 | – | – | – | 2 | 2 | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 10 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Puerperal Mania | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Puerperal Convulsions | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – | – |
| Placenta Prævia, Flooding | 10 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | 3 |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 37 | – | – | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | 1 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 19 | – | – | – | 1 | – | – | 3 | 1 | – | 1 | – | – | 1 | 1 |
| Arthritis, Ostitis, Periostitis | 12 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 | 1 |
| Other Diseases of Organs of Locomotion | 14 | – | – | 1 | – | 1 | 1 | – | 1 | 1 | – | 1 | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 6 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Eczema | 6 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Pemphigus | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 2 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 5 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 26 | – | – | – | 1 | – | 1 | 1 | 1 | – | 1 | – | 1 | – | 1 |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 5 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Drowning | 22 | – | – | – | 1 | – | 1 | – | – | – | – | 2 | – | – | 3 |
| Suffocation: In Bed | 14 | – | – | – | – | – | 1 | – | 1 | – | 1 | – | 3 | – | 1 |
| Suffocation: Otherwise | 17 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Falls | 8 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Weather Agencies | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 38 | – | – | – | – | – | 3 | 2 | 2 | – | – | 1 | 4 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 11 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| | 16 | – | – | – | – | – | 1 | 2 | – | – | – | – | 1 | – | – |
| Dropsy | 219 | – | – | 11 | – | 3 | 5 | 3 | 5 | – | 6 | 4 | 16 | 1 | 17 |
| Debility, Atrophy, Inanition | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Tumour | 5 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Abscess | 8 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 41 | – | – | – | 2 | – | – | 2 | 1 | – | 1 | – | 2 | – | 4 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | 2 | 2 | 6 | 3 | – | 3 | – | 1 | – | – | 1 | 1 | 1 | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | 2 | 2 | – | 1 | 2 | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | – | 4 | 4 | 1 | 3 | 1 | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | 2 |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | |
| Mines and Quarries — Coal Mines | – | – | – | 1 | 9 | 14 | 3 | 5 | 1 | – | – | – | – | – | – | – |
| Mines and Quarries — Other Mines | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Mines and Quarries — Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Railways | 2 | – | – | 1 | 6 | 12 | 2 | 4 | – | – | – | 1 | – | 1 | – | – |
| Vehicles and Horses — Vehicles other than R'wys. | 1 | – | 1 | 3 | 3 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Horses | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Burns and Scalds — Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Other Burns & Scalds | 2 | – | – | 1 | 2 | 7 | 2 | 3 | – | – | – | – | – | 1 | – | – |
| Burns and Scalds — Explosions | – | – | – | – | – | – | – | 6 | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 9 | 14 | 3 | 9 | 12 | 12 | 6 | 3 | 10 | 1 | 1 | – | 1 | 1 | – | – |
| Suffocation — In Bed | 1 | 1 | – | – | 1 | 3 | 2 | 2 | – | – | – | – | – | 1 | – | – |
| Suffocation — Otherwise | 3 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Falls | – | – | 1 | 2 | 6 | 2 | 1 | 3 | 1 | – | – | – | – | 1 | 1 | 2 |
| Weather Agencies | 1 | – | – | 1 | 1 | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 4 | 1 | 2 | 1 | 11 | 6 | 1 | 4 | 1 | 1 | 1 | – | 1 | – | – | 2 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suicide | 3 | 1 | – | 2 | 9 | 1 | 2 | 2 | 3 | – | – | – | – | 2 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | |
| Dropsy | – | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 18 | 7 | – | 14 | 40 | 40 | 28 | 7 | 5 | 1 | – | 1 | – | 2 | 3 | 3 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | [illegible] | [illegible] | – | 7 | 5 | 8 | [illegible] | 1 | 1 | – | – | – | 1 | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | 1 | – | – | 4 | 7 | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | – | 3 | – | – | – | – | – | – | – | – | 1 | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | 1 | – | 1 | 1 | 4 | – | – | 1 | – | – | – | – | – | – | – |
| Puerperal Mania | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 1 | – | – | – | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 7 | – | – | 2 | 3 | 11 | 3 | 3 | 1 | – | – | – | – | 2 | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | 2 | – | 1 | 3 | 2 | 1 | – | – | – | – | – | – | – | – | 1 |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | 3 | 2 | – | – | 2 | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | 1 | 1 | 1 | – | 2 | – | 1 | – | – | – | – | 1 | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 4 | 1 | – | – | 5 | 1 | 1 | 2 | 1 | – | 1 | – | 1 | – | 1 | 2 |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons. Poisonous Vapours | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Drowning | 4 | 2 | – | 3 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | 1 |
| Suffocation: In Bed | 1 | – | – | 1 | 3 | – | – | 2 | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 2 | – | 1 | 2 | 3 | 4 | – | 2 | – | – | – | – | – | – | – | 1 |
| Falls | – | – | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 1 | 2 | 1 | 3 | 5 | 5 | 2 | 2 | 2 | – | – | – | 2 | – | 1 | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | 1 | – | – | 3 | 2 | – | – | – | – | – | – | – | – | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | |
| Dropsy | – | 2 | – | 2 | – | 5 | – | – | – | – | – | – | – | 1 | – | 2 |
| Debility, Atrophy, Inanition | 6 | 7 | 1 | 16 | 23 | 39 | 19 | 16 | 1 | 1 | – | 4 | 3 | 5 | 3 | 4 |
| Mortification | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Abscess | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | 3 | 1 | – | – | – | – | – | – | 2 | – | 1 | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 4 | 3 | – | 3 | 3 | 8 | 3 | 1 | 1 | – | – | – | 1 | – | 2 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—MALES.

| CAUSES OF DEATH. | Total Mainland Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 8194 | 180 | 175 | 403 | 196 | 25 | 190 | 251 | 926 | 208 | 295 | 574 | 552 | 65 | 45 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 989 | 18 | 28 | 45 | 22 | 1 | 30 | 35 | 139 | 28 | 30 | 62 | 62 | 2 | 3 |
| II. PARASITIC DISEASES | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 29 | – | – | 1 | – | – | 3 | – | 4 | – | – | 2 | 3 | – | – |
| IV. CONSTITUTIONAL ,, | 1216 | 29 | 24 | 63 | 22 | 6 | 34 | 31 | 137 | 28 | 33 | 83 | 76 | 6 | 6 |
| V. DEVELOPMENTAL ,, | 890 | 29 | 27 | 71 | 44 | 2 | 11 | 28 | 83 | 11 | 33 | 70 | 65 | 13 | 3 |
| VI. LOCAL ,, | 4147 | 83 | 62 | 183 | 74 | 14 | 96 | 136 | 477 | 112 | 164 | 297 | 279 | 38 | 24 |
| VII. VIOLENCE | 526 | 13 | 24 | 18 | 16 | 2 | 7 | 9 | 45 | 19 | 27 | 39 | 38 | 4 | 3 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 395 | 8 | 10 | 21 | 18 | – | 9 | 12 | 41 | 10 | 8 | 21 | 29 | 2 | 6 |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 774 | 16 | 25 | 40 | 22 | 1 | 24 | 22 | 111 | 16 | 23 | 48 | 47 | 1 | 3 |
| 2. DIARRHŒAL ,, | 147 | 2 | – | 2 | – | – | 2 | 6 | 17 | 5 | 6 | 10 | 11 | 1 | – |
| 3. MALARIAL ,, | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 8 | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 2 | – | – |
| 6. SEPTIC ,, | 58 | – | 3 | 3 | – | – | 4 | 6 | 10 | 7 | 1 | 3 | 2 | – | – |
| II. PARASITIC DISEASES | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 29 | – | – | 1 | – | – | 3 | – | 4 | – | – | 2 | 3 | – | – |
| IV. CONSTITUTIONAL DISEASES | 1216 | 29 | 24 | 63 | 22 | 6 | 34 | 31 | 137 | 28 | 33 | 83 | 76 | 6 | 6 |
| V. DEVELOPMENTAL DISEASES | 890 | 29 | 27 | 71 | 44 | 2 | 11 | 28 | 83 | 11 | 33 | 70 | 65 | 13 | 3 |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 891 | 12 | 10 | 37 | 19 | 2 | 19 | 31 | 87 | 21 | 47 | 79 | 49 | 11 | 4 |
| 2. ,, ORGANS OF SPECIAL SENSE | 7 | – | – | – | – | – | – | – | 2 | 1 | – | – | 1 | – | – |
| 3. ,, CIRCULATORY SYSTEM | 707 | 13 | 12 | 28 | 6 | 2 | 16 | 12 | 86 | 16 | 32 | 68 | 59 | 7 | 7 |
| 4. ,, RESPIRATORY SYSTEM | 1544 | 33 | 17 | 63 | 28 | 4 | 35 | 55 | 174 | 46 | 57 | 91 | 112 | 14 | 11 |
| 5. ,, DIGESTIVE SYSTEM | 623 | 12 | 16 | 31 | 17 | 3 | 14 | 18 | 77 | 20 | 13 | 36 | 35 | 5 | 1 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 11 | – | – | – | – | – | – | 1 | 2 | 1 | 1 | – | – | 1 | – |
| 7. ,, URINARY SYSTEM | 292 | 8 | 6 | 22 | 4 | 2 | 10 | 17 | 40 | 7 | 11 | 19 | 21 | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 4 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 45 | 4 | – | – | – | 1 | 1 | 1 | 6 | – | 2 | 2 | 2 | – | 1 |
| 10. ,, INTEGUMENTARY SYSTEM | 23 | – | 1 | 1 | – | – | 1 | 1 | 2 | – | 1 | 2 | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES.

| CAUSES OF DEATH. | Total Mainland Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES - - - - | 8484 | 195 | 203 | 442 | 229 | 22 | 224 | 270 | 928 | 223 | 303 | 585 | 534 | 59 | 37 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 1114 | 38 | 52 | 27 | 24 | 1 | 27 | 49 | 156 | 27 | 39 | 48 | 54 | 5 | 4 |
| II. PARASITIC DISEASES - | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| III. DIETETIC ,, - | 21 | 1 | – | – | 1 | – | 1 | – | 2 | – | 1 | 1 | – | – | – |
| IV. CONSTITUTIONAL ,, - | 1454 | 17 | 26 | 71 | 24 | 3 | 39 | 44 | 151 | 46 | 52 | 100 | 94 | 6 | 7 |
| V. DEVELOPMENTAL ,, - | 1115 | 33 | 34 | 110 | 53 | 4 | 34 | 28 | 95 | 27 | 37 | 93 | 71 | 11 | 5 |
| VI. LOCAL ,, - | 4252 | 86 | 67 | 204 | 108 | 13 | 117 | 134 | 476 | 111 | 162 | 313 | 291 | 35 | 20 |
| VII. VIOLENCE - - - - | 150 | 5 | 3 | 3 | 6 | – | – | 5 | 17 | 8 | 3 | 9 | 6 | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 376 | 15 | 21 | 27 | 13 | 1 | 6 | 10 | 30 | 4 | 9 | 21 | 18 | 2 | 1 |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - - | 823 | 25 | 42 | 19 | 22 | 1 | 21 | 28 | 104 | 20 | 28 | 36 | 38 | 4 | 3 |
| 2. DIARRHŒAL ,, - - - | 157 | 8 | 3 | 4 | 2 | – | 2 | 11 | 27 | 3 | 7 | 7 | 7 | – | 1 |
| 3. MALARIAL ,, - - - | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, - - - | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 6. SEPTIC ,, - - - | 128 | 5 | 7 | 4 | – | – | 4 | 10 | 23 | 4 | 4 | 5 | 9 | 1 | – |
| **II.** | | | | | | | | | | | | | | | |
| PARASITIC DISEASES - - - | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **III.** | | | | | | | | | | | | | | | |
| DIETETIC DISEASES - - - | 21 | 1 | – | – | 1 | – | 1 | – | 2 | – | 1 | 1 | – | – | – |
| **IV.** | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES - - | 1454 | 17 | 26 | 71 | 24 | 3 | 39 | 44 | 151 | 46 | 52 | 100 | 94 | 6 | 7 |
| **V.** | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES - - | 1115 | 33 | 34 | 110 | 53 | 4 | 34 | 28 | 95 | 27 | 37 | 93 | 71 | 11 | 5 |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 1058 | 24 | 17 | 54 | 30 | 1 | 23 | 29 | 117 | 19 | 46 | 92 | 70 | 11 | 5 |
| 2. ,, ORGANS OF SPECIAL SENSE - - - | 15 | – | – | 1 | – | – | 2 | – | 2 | 1 | – | 1 | – | 1 | – |
| 3. ,, CIRCULATORY SYSTEM - | 768 | 12 | 16 | 26 | 21 | 3 | 15 | 10 | 67 | 30 | 33 | 53 | 74 | 4 | 3 |
| 4. ,, RESPIRATORY SYSTEM - | 1459 | 29 | 18 | 81 | 34 | 8 | 47 | 64 | 179 | 32 | 57 | 88 | 90 | 13 | 7 |
| 5. ,, DIGESTIVE SYSTEM - | 583 | 13 | 8 | 25 | 18 | – | 16 | 16 | 68 | 20 | 13 | 46 | 34 | 3 | 4 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - - | 12 | – | – | – | – | – | – | – | 1 | – | – | – | 2 | – | – |
| 7. ,, URINARY SYSTEM- - | 161 | 1 | 2 | 10 | 1 | – | 6 | 11 | 18 | 3 | 4 | 15 | 8 | 2 | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION - - | 41 | 1 | 3 | 1 | 1 | – | 1 | 2 | 4 | 1 | 3 | 2 | 2 | 1 | – |
| (*b*) DISEASES OF PARTURITION - - - - | 87 | 3 | 2 | 2 | 3 | 1 | 4 | 1 | 10 | 2 | 4 | 12 | 5 | – | – |
| 9. ,, ORGANS OF LOCOMOTION - - - | 39 | 3 | 1 | 1 | – | – | 2 | – | 6 | 1 | – | 3 | 4 | – | 1 |
| 10. ,, INTEGUMENTARY SYSTEM - - - | 29 | – | – | 3 | – | – | 1 | 1 | 4 | 2 | 2 | 1 | 2 | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 392 | 245 | 327 | 146 | 555 | 565 | 137 | 516 | 140 | 167 | 32 | 12 | 154 | 348 | 182 | 191 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 49 | 50 | 20 | 13 | 64 | 79 | 19 | 76 | 12 | 17 | 4 | – | 16 | 27 | 18 | 20 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| III. DIETETIC ,, | – | 1 | 3 | 1 | 2 | 1 | – | 4 | 1 | 1 | – | – | – | 1 | 1 | – |
| IV. CONSTITUTIONAL ,, | 55 | 26 | 71 | 24 | 75 | 85 | 17 | 84 | 20 | 34 | 2 | 2 | 29 | 64 | 28 | 22 |
| V. DEVELOPMENTAL ,, | 35 | 15 | 44 | 7 | 52 | 57 | 14 | 53 | 5 | 19 | 2 | 3 | 12 | 35 | 19 | 28 |
| VI. LOCAL ,, | 198 | 114 | 150 | 78 | 303 | 275 | 60 | 252 | 86 | 81 | 20 | 6 | 81 | 203 | 101 | 100 |
| VII. VIOLENCE | 30 | 23 | 17 | 15 | 37 | 37 | 13 | 33 | 11 | 11 | 2 | – | 6 | 10 | 7 | 10 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 25 | 16 | 22 | 8 | 22 | 31 | 14 | 14 | 5 | 4 | 1 | 1 | 10 | 8 | 8 | 11 |
| **I.** | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 41 | 44 | 14 | 9 | 50 | 60 | 16 | 55 | 6 | 13 | 3 | – | 16 | 19 | 14 | 15 |
| 2. DIARRHŒAL ,, | 4 | 5 | 3 | 3 | 12 | 17 | 2 | 16 | 5 | 4 | – | – | – | 7 | 4 | 3 |
| 3. MALARIAL ,, | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 2 | 1 | 3 | 1 | 1 | 2 | – | 4 | 1 | – | 1 | – | – | 1 | – | 2 |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **III.** DIETETIC DISEASES | – | 1 | 3 | 1 | 2 | 1 | – | 4 | 1 | 1 | – | – | – | 1 | 1 | – |
| **IV.** CONSTITUTIONAL DISEASES | 55 | 26 | 71 | 24 | 75 | 85 | 17 | 84 | 20 | 34 | 2 | 2 | 29 | 64 | 28 | 22 |
| **V.** DEVELOPMENTAL DISEASES | 35 | 15 | 44 | 7 | 52 | 57 | 14 | 53 | 5 | 19 | 2 | 3 | 12 | 35 | 19 | 28 |
| **VI.** | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 44 | 26 | 30 | 21 | 60 | 49 | 15 | 58 | 22 | 24 | 8 | 1 | 14 | 49 | 26 | 16 |
| 2. ,, ORGANS OF SPECIAL SENSE | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| 3. ,, CIRCULATORY SYSTEM | 26 | 12 | 32 | 15 | 54 | 36 | 5 | 43 | 14 | 12 | 4 | 1 | 14 | 41 | 15 | 19 |
| 4. ,, RESPIRATORY SYSTEM | 80 | 51 | 52 | 24 | 119 | 110 | 28 | 95 | 36 | 24 | 3 | 2 | 25 | 77 | 32 | 46 |
| 5. ,, DIGESTIVE SYSTEM | 37 | 16 | 21 | 12 | 34 | 60 | 9 | 42 | 10 | 13 | 4 | 1 | 16 | 24 | 15 | 11 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| 7. ,, URINARY SYSTEM | 5 | 5 | 12 | 4 | 25 | 12 | 1 | 11 | 3 | 8 | 1 | 1 | 10 | 11 | 8 | 7 |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 3 | 2 | 2 | 1 | 6 | 5 | 2 | – | 1 | – | – | – | – | – | 2 | 1 |
| 10. ,, INTEGUMENTARY SYSTEM | 2 | – | 1 | – | 3 | 2 | – | 3 | – | – | – | – | 1 | – | 2 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dunbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES - - - - - | 380 | 229 | 323 | 148 | 530 | 497 | 137 | 511 | 140 | 208 | 32 | 13 | 179 | 403 | 226 | 274 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 74 | 43 | 25 | 26 | 94 | 76 | 21 | 63 | 13 | 21 | – | 1 | 21 | 45 | 14 | 26 |
| II. PARASITIC DISEASES - | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, - | – | – | 2 | 1 | 2 | 2 | – | 5 | 1 | – | – | – | – | 1 | – | – |
| IV. CONSTITUTIONAL ,, - | 67 | 32 | 58 | 27 | 86 | 83 | 12 | 105 | 33 | 54 | 4 | 2 | 42 | 72 | 49 | 48 |
| V. DEVELOPMENTAL ,, - | 32 | 23 | 75 | 13 | 61 | 45 | 14 | 57 | 19 | 18 | 7 | 6 | 11 | 38 | 28 | 33 |
| VI. LOCAL ,, - | 173 | 115 | 133 | 70 | 252 | 256 | 77 | 255 | 67 | 106 | 19 | 3 | 97 | 225 | 128 | 139 |
| VII. VIOLENCE - - - - | 6 | 6 | 5 | 6 | 13 | 14 | 3 | 8 | 2 | 3 | – | – | 3 | 5 | 1 | 10 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 27 | 10 | 25 | 5 | 22 | 21 | 10 | 18 | 5 | 6 | 2 | 1 | 5 | 17 | 6 | 18 |
| I. | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - - | 67 | 36 | 17 | 18 | 74 | 61 | 18 | 43 | 9 | 15 | – | 1 | 10 | 33 | 13 | 17 |
| 2. DIARRHŒAL ,, - - - | 5 | 6 | 4 | 3 | 12 | 10 | 1 | 11 | – | 4 | – | – | 7 | 7 | 1 | 4 |
| 3. MALARIAL ,, - - - | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, - - - | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| 6. SEPTIC ,, - - - | 2 | 1 | 4 | 5 | 8 | 4 | 2 | 7 | 4 | 2 | – | – | 3 | 5 | – | 5 |
| II. PARASITIC DISEASES - - - | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES - - - | – | – | 2 | 1 | 2 | 2 | – | 5 | 1 | – | – | – | – | 1 | – | – |
| IV. CONSTITUTIONAL DISEASES - - | 67 | 32 | 58 | 27 | 86 | 83 | 12 | 105 | 33 | 54 | 4 | 2 | 42 | 72 | 49 | 48 |
| V. DEVELOPMENTAL DISEASES - - | 32 | 23 | 75 | 13 | 61 | 45 | 14 | 57 | 19 | 18 | 7 | 6 | 11 | 38 | 28 | 33 |
| VI. | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 35 | 34 | 27 | 22 | 67 | 76 | 18 | 72 | 13 | 21 | 2 | – | 27 | 50 | 24 | 32 |
| 2. ,, ORGANS OF SPECIAL SENSE - - - | 1 | – | – | – | 3 | 2 | – | – | – | – | – | – | – | – | – | 1 |
| 3. ,, CIRCULATORY SYSTEM - | 30 | 14 | 28 | 15 | 39 | 35 | 12 | 55 | 15 | 22 | 3 | – | 22 | 45 | 29 | 37 |
| 4. ,, RESPIRATORY SYSTEM - | 60 | 44 | 47 | 15 | 80 | 82 | 31 | 78 | 21 | 39 | 6 | 1 | 28 | 80 | 53 | 47 |
| 5. ,, DIGESTIVE SYSTEM - | 32 | 15 | 22 | 13 | 30 | 36 | 10 | 31 | 13 | 19 | 2 | – | 13 | 28 | 20 | 15 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - - | 1 | – | 2 | – | 2 | – | – | 1 | – | – | – | – | 2 | 1 | – | – |
| 7. ,, URINARY SYSTEM- - | 6 | 6 | 1 | 4 | 14 | 10 | 3 | 7 | 2 | 3 | 4 | – | 3 | 11 | 2 | 4 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION - - | 3 | – | 3 | – | 2 | 2 | 1 | 3 | 1 | – | 1 | 1 | – | 1 | – | 1 |
| (*b*) DISEASES OF PARTURITION - - - - | 3 | 1 | 2 | – | 9 | 7 | 2 | 4 | 2 | 2 | 1 | 1 | 1 | 3 | – | – |
| 9. ,, ORGANS OF LOCOMOTION - - - | 1 | 1 | 1 | 1 | 5 | 3 | – | 2 | – | – | – | – | – | 3 | – | – |
| 10. ,, INTEGUMENTARY SYSTEM - - - | 1 | – | – | – | 1 | 3 | – | 2 | – | – | – | – | 1 | 3 | – | 2 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. (*Continued*).

| CAUSES OF DEATH. | Total Mainland Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VII. | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 483 | 12 | 23 | 17 | 15 | 2 | 7 | 8 | 40 | 17 | 24 | 33 | 34 | 3 | 3 |
| 2. HOMICIDE | 3 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| 3. SUICIDE | 40 | 1 | 1 | – | 1 | – | – | 1 | 5 | 2 | 3 | 5 | 4 | 1 | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 395 | 8 | 10 | 21 | 18 | – | 9 | 12 | 41 | 10 | 8 | 21 | 29 | 2 | 6 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 140 | – | 3 | 4 | 2 | – | 1 | 4 | 21 | 4 | 2 | 7 | 20 | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 72 | – | – | – | – | – | – | 2 | 11 | – | 1 | 13 | 2 | – | – |
| Typhus | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 187 | 14 | 12 | 27 | 15 | – | 8 | 8 | 29 | 3 | 5 | 8 | 6 | – | – |
| Hooping-cough | 174 | – | 1 | 6 | 3 | 1 | 11 | 6 | 32 | 4 | 3 | 7 | 6 | 1 | 3 |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Diphtheria | 123 | 2 | 8 | 3 | 2 | – | 2 | 1 | 10 | 4 | 9 | 9 | 5 | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 72 | – | – | – | – | – | 2 | 1 | 7 | 1 | 2 | 4 | 8 | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | |
| Simple Cholera | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 142 | 2 | – | 2 | – | – | 2 | 6 | 17 | 5 | 6 | 10 | 11 | 1 | – |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | |
| Remittent Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | |
| Syphilis | 8 | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 2 | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 38 | – | 2 | 1 | – | – | 4 | 6 | 6 | 5 | 1 | 2 | 1 | – | – |
| Pyæmia, Septicæmia | 20 | – | 1 | 2 | – | – | – | – | 4 | 2 | – | 1 | 1 | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 133 | 5 | 2 | 3 | 5 | – | – | 5 | 11 | 5 | 3 | 9 | 6 | – | – |
| 2. HOMICIDE | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 3. SUICIDE | 15 | – | 1 | – | 1 | – | – | – | 5 | 3 | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 376 | 15 | 21 | 27 | 13 | 1 | 6 | 10 | 30 | 4 | 9 | 21 | 18 | 2 | 1 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 142 | – | 3 | 2 | – | – | 1 | 2 | 28 | 1 | 6 | 4 | 16 | 1 | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 63 | – | 1 | – | – | – | – | – | 4 | 1 | – | 5 | 2 | – | – |
| Typhus | 6 | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 164 | 21 | 17 | 10 | 9 | 1 | 7 | 7 | 21 | 7 | 2 | 8 | 3 | – | – |
| Hooping-cough | 240 | 1 | 12 | 4 | 6 | – | 12 | 13 | 26 | 6 | 7 | 8 | 9 | 2 | 3 |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 140 | 1 | 7 | 2 | 5 | – | 1 | 2 | 15 | 3 | 8 | 9 | 5 | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 67 | 2 | 2 | 1 | 2 | – | – | 4 | 9 | 2 | 4 | 2 | 2 | 1 | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 11 | 1 | – | 1 | – | – | – | – | 2 | – | 1 | – | – | – | – |
| Diarrhœa, Dysentery | 146 | 7 | 3 | 3 | 2 | – | 2 | 11 | 25 | 3 | 6 | 7 | 7 | – | 1 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 43 | 2 | 3 | 2 | – | – | – | 3 | 7 | – | 1 | 1 | 4 | 1 | – |
| Pyæmia, Septicæmia | 19 | – | 1 | – | – | – | – | 3 | 1 | – | 1 | – | 1 | – | – |
| Puerperal Fever | 66 | 3 | 3 | 2 | – | – | 4 | 4 | 15 | 4 | 2 | 4 | 4 | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 27 | 22 | 16 | 15 | 35 | 33 | 12 | 32 | 10 | 9 | 2 | – | 6 | 10 | 7 | 9 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 3. SUICIDE | 3 | 1 | 1 | – | 2 | 4 | 1 | 1 | 1 | 1 | – | – | – | – | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 25 | 16 | 22 | 8 | 22 | 31 | 14 | 14 | 5 | 4 | 1 | 1 | 10 | 8 | 8 | 11 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 11 | 8 | 1 | 1 | 9 | 12 | 3 | 17 | – | 3 | – | – | 1 | 5 | – | 1 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 4 | 6 | – | – | 7 | 8 | 1 | 6 | 1 | 3 | – | – | 1 | 2 | 3 | 1 |
| Typhus | 1 | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 3 | 2 | 6 | – | 6 | 4 | 1 | 7 | 2 | 1 | 1 | – | 8 | 5 | 3 | 3 |
| Hooping-cough | 11 | 20 | 1 | 5 | 10 | 16 | 4 | 15 | – | 2 | – | – | 2 | 1 | – | 3 |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 4 | 4 | 3 | 2 | 13 | 7 | 4 | 8 | 2 | 2 | – | – | 1 | 5 | 7 | 6 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 7 | 4 | 3 | 1 | 5 | 11 | 3 | 2 | 1 | 2 | 2 | – | 3 | 1 | 1 | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | |
| Simple Cholera | – | 2 | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 4 | 3 | 3 | 3 | 12 | 15 | 2 | 15 | 5 | 4 | – | – | – | 7 | 4 | 3 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | |
| Remittent Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 1 | 2 | – | – | 2 | – | 2 | – | – | 1 | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | 1 | 1 | 1 | – | – | 2 | 1 | – | – | – | – | 1 | – | 2 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES OF DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dunbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 6 | 5 | 5 | 5 | 11 | 14 | 3 | 8 | 1 | 3 | – | – | 2 | 5 | 1 | 10 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 3. SUICIDE | – | 1 | – | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 27 | 10 | 25 | 5 | 22 | 21 | 10 | 18 | 5 | 6 | 2 | 1 | 5 | 17 | 6 | 18 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 14 | 7 | – | 1 | 17 | 10 | 3 | 15 | 4 | 1 | – | – | 1 | 3 | 2 | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 4 | 4 | – | – | 12 | 13 | 1 | 4 | 1 | – | – | – | 2 | 5 | – | 4 |
| Typhus | 1 | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 4 | 1 | 7 | 3 | 10 | 5 | – | 3 | 1 | 3 | – | – | 2 | 7 | 2 | 3 |
| Hooping-cough | 21 | 19 | 2 | 11 | 20 | 15 | 7 | 12 | 2 | 3 | – | 1 | 4 | 12 | – | 2 |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 16 | 3 | 4 | 2 | 12 | 13 | 3 | 5 | 1 | 4 | – | – | 1 | 5 | 8 | 5 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 6 | 2 | 4 | 1 | 3 | 3 | 4 | 4 | – | 4 | – | – | – | 1 | 1 | 3 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | |
| Simple Cholera | – | 3 | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – |
| Diarrhœa, Dysentery | 5 | 3 | 4 | 3 | 12 | 10 | 1 | 10 | – | 3 | – | – | 6 | 7 | 1 | 4 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | 1 | – | 3 | 3 | – | 3 | 3 | 1 | – | – | – | 1 | – | 3 |
| Pyæmia, Septicæmia | – | 1 | 2 | – | 2 | – | 1 | 1 | – | 1 | – | – | 1 | 2 | – | 1 |
| Puerperal Fever | 1 | – | 1 | 5 | 3 | 1 | 1 | 3 | 1 | – | – | – | 2 | 2 | – | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 4 | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 22 | – | – | 1 | – | – | – | – | 4 | – | – | 2 | 2 | – | – |
| Intemp. Delirium Tremens | 3 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 17 | 2 | – | – | 3 | – | 1 | – | 2 | 1 | – | – | 1 | – | – |
| Rheumatism | 18 | 1 | 1 | 2 | 1 | – | – | 1 | 3 | – | – | 3 | – | – | – |
| Gout | 2 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Rickets | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 248 | 8 | 4 | 13 | 8 | 2 | 5 | 9 | 24 | 2 | 8 | 19 | 16 | – | 1 |
| Tabes Mesenterica | 50 | 1 | – | 1 | – | – | – | 1 | 7 | 1 | – | 3 | 4 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 96 | 1 | 1 | 5 | 1 | – | 3 | 1 | 14 | 2 | 6 | 8 | 8 | 1 | 1 |
| Phthisis | 676 | 16 | 17 | 38 | 8 | 2 | 23 | 16 | 71 | 18 | 18 | 46 | 40 | 4 | 4 |
| Other forms of Tuberculosis, Scrofula | 63 | – | 1 | 3 | 1 | 1 | 1 | 1 | 13 | – | – | 2 | 6 | – | – |
| Purpura, Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 21 | – | – | 1 | – | – | 1 | 1 | 1 | 2 | 1 | – | – | 1 | – |
| Diabetes Mellitus | 20 | – | – | – | – | – | – | 1 | 2 | 1 | – | 2 | – | – | – |
| Other Constitutional Diseases | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | 183 | 2 | 1 | 5 | 1 | – | 1 | 10 | 22 | 1 | 11 | 9 | 14 | 3 | – |
| Atelectasis | 9 | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Cyanosis | 13 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Spina Bifida | 8 | – | – | 1 | – | – | – | – | 1 | – | – | – | 1 | 1 | – |
| Imperforate Anus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 12 | – | – | – | – | – | – | 1 | 2 | – | 1 | 1 | 1 | – | – |
| Old Age | 664 | 27 | 26 | 64 | 42 | 2 | 10 | 16 | 57 | 10 | 20 | 60 | 48 | 9 | 3 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 126 | 1 | 1 | 7 | 4 | – | 5 | 4 | 8 | 3 | 6 | 8 | 3 | – | 2 |
| Apoplexy | 280 | 4 | – | 12 | 5 | 2 | 6 | 9 | 30 | 6 | 12 | 25 | 15 | 7 | 1 |
| Softening of the Brain | 33 | – | – | – | – | – | 1 | – | 4 | 1 | 5 | 3 | 2 | – | – |
| Hemiplegia, Brain Paralysis | 166 | 4 | 5 | 8 | 5 | – | 3 | 7 | 20 | 2 | 5 | 18 | 11 | – | – |
| Paralysis Agitans | 6 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 16 | – | – | – | – | – | – | – | 1 | – | 5 | 3 | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 31 | – | 1 | 2 | – | – | – | – | 2 | 1 | 3 | 4 | 3 | – | – |
| Convulsions | 97 | – | 2 | 1 | 2 | – | 1 | 4 | 8 | 2 | 3 | 7 | 6 | 2 | 1 |
| Laryngismus Stridulus | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Idiopathic Tetanus | 7 | – | – | 1 | – | – | – | – | – | 1 | 1 | – | 1 | – | – |
| Paraplegia, Diseases of Spinal Cord | 32 | – | – | 1 | – | – | – | 3 | 3 | 1 | 1 | 3 | 3 | 1 | – |
| Other Diseases of Nervous System | 94 | 3 | 1 | 3 | 3 | – | 3 | 4 | 11 | 4 | 6 | 8 | 4 | 1 | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 7 | – | – | – | – | – | – | – | 2 | 1 | – | – | 1 | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 9 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 12 | 1 | – | – | 1 | – | 1 | – | 1 | – | 1 | 1 | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 23 | – | 1 | – | 1 | – | – | – | 4 | 3 | 2 | – | 1 | – | – |
| Rheumatism | 33 | 2 | 2 | 5 | 1 | – | 1 | – | 6 | – | – | 3 | 3 | – | – |
| Gout | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Rickets | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 357 | 6 | 4 | 12 | 9 | 2 | 16 | 13 | 36 | 11 | 15 | 26 | 26 | 3 | 2 |
| Tabes Mesenterica | 49 | – | – | 2 | – | – | – | 1 | 5 | 1 | 1 | 6 | 2 | 1 | 2 |
| Tubercular Meningitis (Acute Hydrocephalus) | 86 | – | – | 2 | – | – | 3 | 4 | 11 | 2 | 2 | 3 | 5 | – | – |
| Phthisis | 779 | 8 | 19 | 41 | 11 | 1 | 16 | 23 | 75 | 26 | 26 | 54 | 51 | 2 | 3 |
| Other forms of Tuberculosis, Scrofula | 64 | – | – | 5 | 1 | – | 1 | 2 | 7 | – | 4 | 6 | 2 | – | – |
| Purpura, Hæmorrhagic Diathesis | 4 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 40 | 1 | – | 3 | – | – | – | 1 | 3 | 3 | 1 | – | 4 | – | – |
| Diabetes Mellitus | 14 | – | – | – | – | – | 2 | – | 2 | – | 1 | 1 | – | – | – |
| Other Constitutional Diseases | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | 148 | 2 | – | 2 | 1 | – | 8 | 7 | 17 | 5 | 12 | 7 | 8 | 2 | – |
| Atelectasis | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cyanosis | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Spina Bifida | 8 | – | – | – | 1 | – | – | – | 2 | – | – | 1 | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 15 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – |
| Old Age | 933 | 31 | 34 | 108 | 52 | 3 | 26 | 20 | 77 | 20 | 25 | 85 | 62 | 3 | 4 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 128 | – | 4 | 4 | 2 | 1 | 4 | 4 | 10 | – | 5 | 11 | 6 | 2 | – |
| Apoplexy | 333 | 9 | 2 | 12 | 5 | – | 9 | 9 | 38 | 7 | 11 | 30 | 22 | 3 | 1 |
| Softening of the Brain | 36 | 1 | – | 1 | – | – | – | 2 | 2 | 3 | – | 2 | – | – | – |
| Hemiplegia, Brain Paralysis | 261 | 9 | 8 | 18 | 15 | – | 2 | 7 | 28 | 6 | 8 | 26 | 22 | 1 | – |
| Paralysis Agitans | 9 | – | – | 4 | – | – | – | – | – | – | – | – | 2 | – | – |
| Insanity, General Paralysis of Insane | 28 | – | – | 1 | 1 | – | 1 | 1 | 5 | – | 5 | 3 | 1 | – | – |
| Chorea | 3 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Epilepsy | 37 | – | – | 2 | 1 | – | 1 | – | 2 | – | 2 | 5 | 5 | – | – |
| Convulsions | 84 | 1 | 3 | 2 | 3 | – | 1 | 2 | 10 | 1 | 3 | 5 | 7 | 1 | 2 |
| Laryngismus Stridulus | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Idiopathic Tetanus | 5 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Paraplegia, Diseases of Spinal Cord | 33 | – | – | 4 | 1 | – | – | 1 | 7 | – | 3 | 1 | 1 | 1 | – |
| Other Diseases of Nervous System | 98 | 3 | – | 5 | 2 | – | 5 | 3 | 15 | 2 | 8 | 8 | 4 | 2 | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 11 | – | – | – | – | – | 2 | – | 2 | 1 | – | 1 | – | – | – |
| Epistaxis and Disease of Nose | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Ophthalmia and Disease of Eye | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | 1 | 2 | 1 | 2 | 1 | – | 3 | 1 | 1 | – | – | – | – | 1 | – |
| Intemp. { Delirium Tremens | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | 1 | 1 | 2 | – | – | 1 | – | – | – | – | 2 | – | – |
| Rheumatism | 2 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Cancer | 5 | 10 | 16 | 5 | 12 | 14 | 4 | 12 | 5 | 11 | 1 | 1 | 7 | 14 | 6 | 6 |
| Tabes Mesenterica | 5 | 2 | 1 | – | 5 | 6 | 3 | 4 | 1 | 1 | – | – | 1 | 3 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 4 | 1 | 5 | 2 | 9 | 7 | 2 | 2 | 1 | 1 | – | – | 1 | 4 | 4 | 1 |
| Phthisis | 33 | 13 | 43 | 12 | 35 | 51 | 8 | 55 | 9 | 17 | 1 | 1 | 18 | 38 | 12 | 9 |
| Other forms of Tuberculosis, Scrofula | 4 | – | 4 | 1 | 8 | 1 | – | 6 | 2 | 1 | – | – | 1 | 1 | 2 | 3 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Anæmia, Chlorosis, Leucocythæmia | 2 | – | 2 | 1 | 2 | 1 | – | 2 | – | – | – | – | – | – | 1 | 2 |
| Diabetes Mellitus | – | – | – | 1 | 3 | 2 | – | 2 | 1 | 3 | – | – | – | – | 1 | 1 |
| Other Constitutional Diseases | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | |
| Premature Birth | 12 | 6 | 4 | 1 | 18 | 17 | 7 | 18 | – | 8 | – | 1 | 3 | 8 | 2 | 3 |
| Atelectasis | – | – | – | – | 1 | – | – | 3 | – | – | – | – | 2 | – | – | – |
| Cyanosis | – | – | – | – | 3 | 1 | – | 2 | 2 | – | – | – | – | 2 | – | – |
| Spina Bifida | – | – | – | – | 1 | 2 | – | – | – | – | – | – | 1 | – | – | – |
| Imperforate Anus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 1 | – | – | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Old Age | 22 | 7 | 40 | 6 | 32 | 37 | 7 | 29 | 3 | 11 | 2 | 2 | 5 | 25 | 17 | 25 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 11 | 10 | 5 | 3 | 11 | 7 | 6 | 3 | 1 | 4 | – | – | 1 | 9 | 1 | 2 |
| Apoplexy | 11 | 8 | 10 | 10 | 17 | 14 | 4 | 15 | 8 | 6 | 6 | – | 6 | 14 | 12 | 5 |
| Softening of the Brain | 2 | 1 | – | – | 1 | 1 | – | 4 | – | – | – | – | 8 | 1 | 2 | 2 |
| Hemiplegia, Brain Paralysis | 3 | 2 | 7 | 2 | 10 | 11 | 1 | 11 | 8 | 6 | – | – | 1 | 9 | 3 | 4 |
| Paralysis Agitans | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | – | – | – | – | – | – | 2 | – | – | – | – | 1 | 2 | 1 | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | 1 | 2 | – | 2 | 3 | 1 | 1 | 1 | – | – | – | – | 2 | – | – |
| Convulsions | 11 | – | 1 | 3 | 7 | 5 | 3 | 7 | 1 | 4 | – | 1 | 1 | 3 | 5 | 1 |
| Laryngismus Stridulus | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | 1 | 1 | – | 4 | – | – | 5 | 2 | – | – | – | – | 2 | – | – |
| Other Diseases of Nervous System | 1 | 3 | 1 | 2 | 7 | 6 | – | 10 | 1 | 4 | 1 | – | 1 | 2 | 2 | 2 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | |
| Thrush | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | 1 | 2 | 2 | – | 2 | – | – | – | – | – | 1 | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | 2 | – | – | – | – | 3 | 1 | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | 1 | – | 2 | 2 | – | 1 | 1 | 2 | – | – | 1 | – | – | 1 |
| Rheumatism | – | – | 3 | 1 | 2 | – | – | 1 | – | – | – | – | – | 2 | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Rickets | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cancer | 17 | 3 | 11 | 4 | 15 | 17 | 3 | 26 | 7 | 13 | 2 | 2 | 11 | 17 | 14 | 14 |
| Tabes Mesenterica | 7 | 1 | – | 2 | 3 | 3 | 1 | 4 | 1 | 2 | – | – | – | 1 | 2 | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 4 | 3 | 4 | 1 | 10 | 3 | – | 6 | 5 | 2 | – | – | 1 | 4 | 3 | 8 |
| Phthisis | 33 | 22 | 37 | 16 | 45 | 50 | 6 | 58 | 15 | 30 | 2 | – | 25 | 41 | 27 | 16 |
| Other forms of Tuberculosis, Scrofula | 2 | 2 | 2 | 2 | 5 | 4 | 1 | 6 | 2 | – | – | – | 1 | 2 | 2 | 5 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 4 | 1 | – | 1 | 4 | 2 | 1 | 2 | 1 | 1 | – | – | 1 | 3 | 1 | 2 |
| Diabetes Mellitus | – | – | – | – | – | 1 | – | – | 1 | 4 | – | – | 2 | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | |
| Premature Birth | 3 | 7 | 2 | 3 | 9 | 8 | 2 | 15 | 1 | 6 | – | 3 | 3 | 9 | 6 | – |
| Atelectasis | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Cyanosis | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 2 | – | – | 4 | – | 3 | 1 | – | 1 | – | – | – | – | – | – |
| Old Age | 28 | 13 | 72 | 9 | 45 | 35 | 8 | 40 | 17 | 10 | 7 | 3 | 7 | 29 | 22 | 33 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 6 | 11 | 6 | 4 | 12 | 17 | 1 | 4 | 1 | 1 | – | – | 3 | 4 | 4 | 1 |
| Apoplexy | 11 | 8 | 5 | 8 | 20 | 24 | 4 | 21 | 7 | 8 | 2 | – | 8 | 26 | 6 | 17 |
| Softening of the Brain | 2 | 1 | – | 1 | 2 | 4 | 1 | 3 | 2 | – | – | – | 4 | – | 2 | 3 |
| Hemiplegia, Brain Paralysis | 10 | 5 | 6 | 3 | 10 | 7 | 6 | 27 | 1 | 5 | – | – | 6 | 11 | 7 | 7 |
| Paralysis Agitans | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Insanity, General Paralysis of Insane | – | – | 1 | – | 8 | – | 1 | 1 | – | – | – | – | 2 | 1 | – | 1 |
| Chorea | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 2 | 1 | – | 4 | 2 | 3 | 2 | 1 | – | – | – | 2 | 1 | – |
| Convulsions | 4 | 6 | 1 | 3 | 5 | 8 | 2 | 6 | – | 2 | – | – | 1 | 3 | 1 | 1 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | 4 | 4 | 1 | – | – | 1 | – | – | 1 | 1 | 2 | – |
| Other Diseases of Nervous System | 1 | 3 | 4 | 2 | 10 | 7 | – | 6 | – | 3 | – | – | 2 | 2 | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | – | – | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ophthalmia and Disease of Eye | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 603 | 10 | 10 | 23 | 6 | 2 | 14 | 8 | 74 | 13 | 30 | 56 | 53 | 7 | 5 |
| Pericarditis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 14 | – | 1 | 1 | – | – | – | 2 | 1 | – | – | – | 2 | – | – |
| Angina Pectoris | 14 | 1 | – | 1 | – | – | – | – | 1 | – | – | 2 | 1 | – | – |
| Syncope | 21 | – | – | – | – | – | – | – | 2 | – | – | 4 | – | – | 2 |
| Aneurism | 9 | – | – | – | – | – | – | 1 | 2 | – | 1 | – | – | – | – |
| Senile Gangrene | 27 | 2 | – | 3 | – | – | 1 | – | 3 | 2 | – | 4 | 2 | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 2 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 12 | – | 1 | – | – | – | 1 | 1 | 1 | 1 | 1 | 2 | 1 | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 26 | 1 | – | 2 | – | – | – | 1 | 9 | – | – | 1 | – | – | – |
| Croup | 86 | – | 1 | 4 | 1 | – | 1 | 1 | 16 | 4 | 3 | 3 | 6 | – | 1 |
| Other Diseases of Larynx and Trachea | 3 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Emphysema, Asthma | 41 | 3 | 3 | 3 | 1 | – | – | 2 | 5 | – | – | 1 | 2 | 1 | 1 |
| Bronchitis | 671 | 14 | 10 | 27 | 16 | 2 | 19 | 22 | 42 | 19 | 24 | 41 | 50 | 4 | 8 |
| Pneumonia | 497 | 11 | 3 | 20 | 3 | 2 | 12 | 19 | 74 | 14 | 23 | 21 | 39 | 7 | 1 |
| Pleurisy | 58 | 3 | – | 2 | 2 | – | 2 | 2 | 8 | 3 | 2 | 8 | 7 | – | – |
| Other Diseases of Respiratory System | 162 | 1 | – | 5 | 4 | – | 1 | 8 | 20 | 6 | 5 | 16 | 7 | 2 | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Dentition | 42 | – | 1 | 1 | – | – | 1 | 1 | 4 | – | – | 1 | – | – | 1 |
| Sore-throat, Quinsy | 13 | – | – | – | 2 | – | – | 1 | – | – | 1 | 1 | – | – | – |
| Dyspepsia | 14 | 1 | 1 | 1 | – | – | – | 2 | 1 | – | – | 1 | 1 | – | – |
| Hæmatemesis | 9 | – | – | 1 | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – |
| Melæna | 3 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Diseases of Stomach | 113 | 5 | 3 | 2 | 5 | – | 4 | 4 | 11 | 7 | 1 | 6 | 3 | 1 | – |
| Enteritis | 111 | – | 1 | 4 | – | – | 1 | 3 | 14 | 3 | 1 | 7 | 10 | 1 | – |
| Ulceration of Intestine | 9 | – | – | – | – | – | – | – | 4 | – | – | – | 1 | – | – |
| Ileus, Obstruction of Intestine | 49 | – | 2 | 3 | 4 | 1 | 1 | 3 | 8 | 2 | – | 2 | 2 | – | – |
| Stricture or Strangulation of Intestine | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Intussusception of Intestine | 11 | – | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Hernia | 18 | 1 | 2 | 2 | 1 | – | – | – | 2 | – | 1 | – | 1 | 1 | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 83 | 2 | 1 | 6 | 4 | 1 | 1 | 1 | 15 | 2 | 1 | 5 | 4 | 1 | – |
| Ascites | 6 | 1 | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 27 | – | – | 2 | – | – | 3 | – | 2 | 2 | 2 | – | 2 | – | – |
| Other Diseases of Liver | 94 | 1 | 2 | 5 | 1 | 1 | 1 | 3 | 10 | 3 | 2 | 11 | 11 | – | – |
| Other Diseases of Digestive System | 15 | 1 | 1 | 3 | – | – | 1 | – | 1 | – | 1 | 1 | – | 1 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Lymphatics | 5 | – | – | – | – | – | – | 1 | 2 | – | 1 | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 32 | 2 | 2 | 4 | – | – | 2 | 1 | 3 | – | 2 | 3 | 5 | – | – |
| Bright's Disease | 72 | 2 | – | 1 | – | – | 3 | 6 | 15 | 1 | 2 | 3 | 4 | – | – |
| Uræmia | 19 | 2 | – | 2 | 2 | 2 | 1 | – | 3 | 1 | – | 2 | – | – | – |
| Suppression of Urine | 14 | 1 | – | 4 | – | – | – | – | 1 | 1 | 2 | – | – | – | – |
| Calculus | 6 | 1 | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Hæmaturia | 4 | – | – | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – |
| Diseases of Bladder and of Prostate | 113 | – | 3 | 10 | – | – | 3 | 6 | 11 | 2 | 4 | 10 | 9 | – | – |
| Other Diseases of Urinary System | 32 | – | – | 1 | 1 | – | 1 | 2 | 6 | 1 | – | 1 | 3 | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 654 | 10 | 12 | 21 | 19 | 1 | 10 | 9 | 36 | 22 | 32 | 31 | 67 | 4 | 2 |
| Pericarditis | 7 | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Hypertrophy of Heart | 17 | – | – | 1 | 1 | – | – | – | 1 | 2 | – | – | 1 | – | – |
| Angina Pectoris | 5 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Syncope | 28 | 1 | – | 1 | – | – | – | – | 2 | 4 | – | 1 | 1 | – | – |
| Aneurism | 8 | – | – | – | – | – | 1 | – | 1 | 1 | – | – | 1 | – | – |
| Senile Gangrene | 32 | 1 | 2 | – | 1 | 1 | 3 | – | 3 | – | 1 | 1 | 3 | – | – |
| Embolism, Thrombosis | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 7 | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Circulatory System | 4 | – | 1 | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 12 | 1 | – | – | – | – | – | 1 | 3 | – | – | 2 | – | – | – |
| Croup | 79 | – | 2 | 3 | 2 | – | 4 | 4 | 12 | 2 | 4 | 6 | 4 | – | 1 |
| Other Diseases of Larynx and Trachea | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 30 | – | 1 | 6 | 2 | – | – | 2 | 4 | – | – | 1 | 1 | 1 | – |
| Bronchitis | 320 | 17 | 10 | 47 | 23 | 3 | 29 | 37 | 87 | 23 | 35 | 44 | 59 | 3 | 5 |
| Pneumonia | 355 | 8 | 2 | 18 | 5 | 4 | 8 | 17 | 52 | 4 | 9 | 19 | 20 | 2 | 1 |
| Pleurisy | 29 | 2 | – | 1 | 1 | – | 1 | – | 5 | – | – | 2 | 3 | – | – |
| Other Diseases of Respiratory System | 131 | 1 | 3 | 6 | 1 | 1 | 5 | 3 | 16 | 3 | 9 | 14 | 3 | 7 | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Dentition | 32 | – | 1 | 1 | – | – | – | 2 | 5 | 1 | – | 1 | 3 | – | – |
| Sore-throat, Quinsy | 8 | – | – | – | 1 | – | – | – | – | – | – | 2 | 1 | – | – |
| Dyspepsia | 13 | 1 | – | 3 | 2 | – | – | – | 1 | – | – | 1 | 1 | – | – |
| Hæmatemesis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 123 | 3 | 1 | 7 | 5 | – | 6 | 1 | 8 | 3 | 5 | 12 | 6 | 2 | – |
| Enteritis | 93 | – | – | 3 | 2 | – | – | 8 | 11 | 2 | 3 | 6 | 6 | – | 1 |
| Ulceration of Intestine | 7 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Ileus, Obstruction of Intestines | 25 | – | 1 | 2 | – | – | – | – | 5 | – | 1 | 2 | 3 | – | – |
| Stricture or Strangulation of Intestines | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Intussusception of Intestines | 8 | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Hernia | 19 | 1 | 1 | – | 1 | – | 3 | 2 | – | 1 | – | 2 | 2 | – | – |
| Fistula | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 94 | 2 | 2 | 2 | 5 | – | – | 1 | 16 | 7 | 3 | 8 | 4 | – | – |
| Ascites | 10 | – | 1 | 1 | – | – | – | – | – | – | – | 2 | 1 | 1 | – |
| Gallstones | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 23 | 2 | – | 1 | 1 | – | 1 | – | 3 | – | – | 1 | 3 | – | – |
| Other Diseases of Liver | 82 | 4 | – | 5 | – | – | 2 | – | 11 | 5 | 1 | 8 | 3 | – | 1 |
| Other Diseases of Digestive System | 29 | – | – | – | – | – | 3 | 1 | 4 | – | – | 1 | 1 | – | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | 3 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Diseases of Lymphatics | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 28 | – | – | 3 | – | – | 1 | 2 | 1 | – | 1 | 1 | 1 | – | – |
| Bright's Disease | 71 | – | 1 | 2 | – | – | 2 | 7 | 10 | 2 | 2 | 5 | 3 | 1 | – |
| Uræmia | 13 | – | 1 | – | – | – | – | – | 1 | – | 1 | 3 | 1 | – | – |
| Suppression of Urine | 5 | – | – | – | 1 | – | 2 | – | – | – | – | – | 1 | – | – |
| Calculus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 11 | 1 | – | – | – | – | – | 1 | 1 | – | – | 2 | 2 | – | – |
| Other Diseases of Urinary System | 32 | – | – | 4 | – | – | 1 | 1 | 5 | 1 | – | 4 | – | 1 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 24 | 9 | 32 | 18 | 45 | 53 | 3 | 34 | 13 | 9 | 1 | 1 | 13 | 35 | 13 | 14 |
| Pericarditis | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Hypertrophy of Heart | 1 | – | – | – | 1 | – | – | 2 | – | – | 2 | – | 1 | – | – | – |
| Angina Pectoris | – | 1 | – | 2 | 1 | – | 1 | 2 | – | – | – | – | – | – | 1 | – |
| Syncope | 1 | 1 | – | – | 3 | 1 | – | 1 | 1 | 3 | 1 | – | – | – | – | 1 |
| Aneurism | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | 2 | – | – |
| Senile Gangrene | – | – | – | – | 1 | 2 | – | 2 | – | – | – | – | – | 2 | 1 | 2 |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 2 |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Laryngitis | 1 | 1 | – | – | 4 | 2 | – | 1 | – | – | – | – | – | 2 | 1 | – |
| Croup | 4 | 3 | 5 | – | 5 | 6 | 1 | 7 | 5 | 1 | – | – | 2 | 4 | 2 | – |
| Other Diseases of Larynx and Trachea | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | 3 | 1 | 5 | 5 | 1 | 2 | – | – | – | – | – | – | 1 | – |
| Bronchitis | 43 | 16 | 23 | 12 | 59 | 58 | 15 | 37 | 16 | 9 | 2 | – | 15 | 32 | 10 | 26 |
| Pneumonia | 20 | 27 | 15 | 7 | 31 | 21 | 10 | 37 | 11 | 12 | – | 2 | 5 | 29 | 12 | 9 |
| Pleurisy | 2 | 1 | 2 | 1 | 3 | 1 | – | 3 | 1 | – | 1 | – | – | 3 | 1 | – |
| Other Diseases of Respiratory System | 9 | 3 | 3 | 3 | 12 | 17 | 1 | 8 | 3 | 2 | – | – | 3 | 7 | 5 | 11 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dentition | 3 | 3 | 1 | 2 | 2 | 7 | 2 | 8 | – | 1 | – | – | 1 | 1 | – | 1 |
| Sore-throat, Quinsy | – | – | – | 1 | – | 3 | 1 | 1 | – | – | 1 | – | – | – | 1 | – |
| Dyspepsia | – | 1 | 1 | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Melæna | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 6 | 1 | 4 | 2 | 4 | 11 | – | 10 | 1 | 4 | – | 1 | 3 | 5 | 6 | 3 |
| Enteritis | 9 | 3 | 4 | – | 10 | 11 | 5 | 11 | 1 | – | – | – | 3 | 5 | 2 | 2 |
| Ulceration of Intestine | 1 | – | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 1 | 3 | 1 | 2 | 3 | 3 | – | 1 | – | 2 | – | – | – | 3 | 1 | 1 |
| Stricture or Strangulation of Intestine | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 1 | – | – | 1 | 1 | – | – | 2 | 1 | 1 | – | – | – | 1 | – | – |
| Hernia | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | 1 | – | 1 | 1 |
| Fistula | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Peritonitis | 4 | 2 | 4 | – | 3 | 6 | – | 2 | 2 | 3 | – | – | 6 | 2 | 2 | 3 |
| Ascites | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 2 | 1 | 1 | – | 1 | 3 | – | 2 | 1 | 1 | – | – | – | 2 | – | – |
| Other Diseases of Liver | 4 | 2 | 4 | 3 | 4 | 9 | 1 | 3 | 2 | 1 | 1 | – | 2 | 5 | 2 | – |
| Other Diseases of Digestive System | 3 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | 4 | 1 | – | 1 | – | – | – | – | – | 1 | 1 | – |
| Bright's Disease | 2 | – | 4 | 1 | 4 | 5 | – | 4 | 2 | 3 | – | – | 3 | 1 | 3 | 3 |
| Uræmia | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | 1 | 1 | – |
| Suppression of Urine | – | – | – | 1 | 1 | 1 | – | – | 1 | – | – | 1 | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | 4 | 7 | 1 | 13 | 3 | 1 | 4 | – | 5 | 1 | – | 5 | 4 | 3 | 2 |
| Other Diseases of Urinary System | 1 | 1 | 1 | – | 3 | 1 | – | 1 | – | – | – | – | 2 | 4 | – | 2 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 25 | 12 | 26 | 12 | 35 | 28 | 10 | 45 | 13 | 16 | 1 | – | 18 | 39 | 25 | 30 |
| Pericarditis | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Hypertrophy of Heart | – | – | – | – | 1 | – | – | 6 | 1 | – | – | – | 1 | – | – | 2 |
| Angina Pectoris | – | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – | 1 |
| Syncope | 3 | – | 1 | – | 2 | 2 | 1 | 2 | 1 | 3 | – | – | – | 1 | – | 2 |
| Aneurism | 1 | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | 1 | 1 | – | 3 | – | – | – | 2 | 2 | – | 1 | 3 | 1 | 2 |
| Embolism, Thrombosis | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | 1 | 1 | – |
| Phlebitis | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Laryngitis | – | 2 | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Croup | 7 | 1 | 2 | – | 4 | 5 | 4 | 2 | 2 | 2 | – | – | 1 | 1 | 3 | 1 |
| Other Diseases of Larynx and Trachea | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Emphysema, Asthma | 1 | – | 3 | 2 | 2 | 2 | – | – | – | – | – | – | – | 1 | 1 | – |
| Bronchitis | 32 | 18 | 26 | 8 | 48 | 42 | 17 | 48 | 12 | 23 | 3 | 1 | 16 | 54 | 26 | 24 |
| Pneumonia | 13 | 19 | 6 | 4 | 20 | 19 | 9 | 21 | 7 | 13 | 2 | – | 7 | 16 | 16 | 14 |
| Pleurisy | – | 3 | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | 3 | 1 | 1 |
| Other Diseases of Respiratory System | 7 | 1 | 8 | 1 | 5 | 13 | 1 | 3 | – | – | – | – | 3 | 4 | 6 | 7 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – | – |
| Dentition | 2 | – | 1 | 1 | 1 | 2 | – | 4 | – | – | – | – | 1 | 3 | – | 3 |
| Sore-throat, Quinsy | – | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hæmatemesis | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 7 | 4 | 6 | 2 | 4 | 7 | – | 6 | 1 | 3 | – | – | 5 | 10 | 4 | 5 |
| Enteritis | 5 | 3 | 5 | 2 | 11 | 7 | 6 | 4 | – | 4 | 1 | – | 1 | 1 | – | 1 |
| Ulceration of Intestine | 2 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Ileus, Obstruction of Intestines | 1 | – | 3 | – | – | – | – | – | – | 2 | – | – | 1 | 2 | 1 | 1 |
| Stricture or Strangulation of Intestines | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | 1 | – |
| Hernia | 1 | 1 | 1 | – | – | – | – | 1 | – | 1 | – | – | – | 1 | – | – |
| Fistula | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Peritonitis | 6 | 2 | 3 | 5 | 1 | 3 | – | 6 | 4 | 3 | – | – | 2 | 4 | 4 | 1 |
| Ascites | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – |
| Gallstones | – | – | – | – | – | 2 | – | – | – | – | – | – | – | 1 | – | – |
| Cirrhosis of Liver | 1 | – | 1 | – | 2 | 1 | 1 | 2 | – | – | – | – | – | – | 3 | – |
| Other Diseases of Liver | 2 | 1 | 2 | 1 | 4 | 7 | 2 | 4 | 3 | 4 | 1 | – | 2 | 1 | 4 | 4 |
| Other Diseases of Digestive System | 1 | – | – | 1 | 4 | 3 | 1 | 1 | 4 | 1 | – | – | 1 | 1 | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | 1 | – | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – |
| Diseases of Thyroid Body | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | 3 | – | 2 | 3 | 2 | – | 1 | – | – | – | – | – | 4 | – | 1 |
| Bright's Disease | 3 | – | 1 | – | 6 | 5 | 2 | 5 | 2 | 2 | 1 | – | 2 | 4 | 2 | 1 |
| Uræmia | 1 | – | – | – | 1 | – | – | – | – | 1 | 1 | – | 1 | 1 | – | – |
| Suppression of Urine | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | 2 | – | – |
| Other Diseases of Urinary System | – | 2 | – | 2 | 4 | 3 | – | – | – | – | 2 | – | – | – | – | 2 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 4 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 25 | 2 | – | – | – | 1 | 1 | – | 4 | – | 1 | 1 | 2 | – | – |
| Arthritis, Ostitis, Periostitis | 6 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Organs of Locomotion | 14 | 1 | – | – | – | – | – | 1 | 2 | – | 1 | – | – | – | 1 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 5 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 5 | – | 1 | 1 | – | 1 | – | – | 1 | – | – | 1 | – | – | – |
| Eczema | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pemphigus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 4 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries — Coal Mines | 23 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Mines and Quarries — Other Mines | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries — Quarries | 7 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Vehicles and Horses — Railways | 56 | – | – | 1 | 2 | – | 2 | – | 2 | – | 1 | – | – | – | – |
| Vehicles and Horses — Vehicles other than R'wys. | 19 | – | – | 1 | 1 | 1 | – | – | 4 | 2 | 2 | 2 | 4 | 2 | – |
| Vehicles and Horses — Horses | 9 | – | 1 | 1 | – | – | – | – | 5 | – | 5 | – | 2 | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Conflagrations | 16 | – | – | – | 1 | – | 1 | – | 3 | – | 2 | 1 | – | – | – |
| Burns and Scalds — Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Explosions | 34 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 8 | – | – | – | – | – | – | – | 3 | 1 | 2 | 5 | 2 | – | 1 |
| Drowning | 2 | – | – | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Suffocation — In Bed | 170 | 7 | 19 | 9 | 7 | – | 3 | 6 | 7 | 5 | 6 | 14 | 17 | – | 2 |
| Suffocation — Otherwise | 13 | – | – | – | – | – | – | 1 | 1 | 2 | 1 | 1 | – | – | – |
| Falls | 15 | – | 1 | – | – | – | – | – | 1 | – | 4 | 1 | – | – | – |
| Weather Agencies | 22 | 2 | – | 2 | – | – | – | – | 3 | 3 | – | – | – | – | – |
| Otherwise, or Not Stated | 17 | – | – | – | 1 | – | – | – | – | – | – | 2 | 2 | – | – |
| | 65 | 3 | – | 2 | 2 | – | 1 | 1 | 8 | 4 | 1 | 6 | 4 | 1 | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 3 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Suicide | 40 | 1 | 1 | – | 1 | – | – | 1 | 5 | 2 | 3 | 5 | 4 | 1 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 16 | – | 1 | 1 | 1 | – | – | – | 2 | – | – | 2 | 1 | – | – |
| Debility, Atrophy, Inanition | 241 | 2 | 1 | 8 | 10 | – | 2 | 4 | 23 | 8 | 7 | 6 | 22 | 1 | 4 |
| Mortification | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 5 | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Hæmorrhage | 5 | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 125 | 6 | 8 | 12 | 5 | – | 7 | 6 | 15 | 1 | 1 | 12 | 6 | 1 | 2 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 17 | 1 | 1 | – | – | – | 1 | – | 2 | – | 2 | – | – | – | – |
| Diseases of Uterus and Vagina | 19 | – | 2 | 1 | 1 | – | – | – | 1 | 1 | 1 | 2 | 1 | 1 | – |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Pelvic Abscess | 4 | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 7 | – | – | – | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – |
| Puerperal Mania | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 13 | – | – | 1 | – | – | 2 | – | – | – | – | 2 | 1 | – | – |
| Placenta Prævia, Flooding | 20 | 2 | – | 1 | 3 | – | 1 | – | 2 | – | 1 | 5 | 1 | – | – |
| Phlegmasia Dolens | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 44 | – | 2 | – | – | 1 | 1 | – | 7 | 2 | 2 | 5 | 2 | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 13 | 3 | – | – | – | – | 1 | – | 1 | – | – | 1 | 2 | – | 1 |
| Arthritis, Ostitis, Periostitis | 16 | – | – | 1 | – | – | 1 | – | 5 | – | – | 1 | 1 | – | – |
| Other Diseases of Organs of Locomotion | 10 | – | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Phlegmon, Cellulitis | 8 | – | – | 1 | – | – | 1 | – | 2 | – | 1 | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 11 | – | – | 2 | – | – | – | 1 | – | 1 | – | 1 | 2 | – | – |
| Eczema | 3 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Pemphigus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 27 | 1 | – | 1 | – | – | – | 3 | 3 | – | 2 | – | 2 | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 5 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Drowning | 21 | 1 | – | – | 1 | – | – | – | – | 1 | – | 3 | 1 | – | – |
| Suffocation: In Bed | 10 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Suffocation: Otherwise | 11 | – | – | – | 1 | – | – | – | 2 | – | – | 1 | 1 | – | – |
| Falls | 5 | – | 1 | 1 | – | – | – | 1 | 1 | – | – | 1 | – | – | – |
| Weather Agencies | 7 | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Otherwise, or Not Stated | 42 | 1 | – | 1 | 3 | – | – | – | 3 | 3 | 1 | 3 | 1 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Suicide | 15 | – | 1 | – | 1 | – | – | – | 5 | 3 | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 24 | – | 1 | 4 | 1 | – | 1 | 1 | 1 | – | 2 | 3 | 1 | – | – |
| Debility, Atrophy, Inanition | 192 | 4 | 4 | 9 | 5 | 1 | 2 | 4 | 17 | 2 | 4 | 4 | 8 | 2 | 1 |
| Mortification | 4 | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – |
| Tumour | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Abscess | 9 | 1 | – | 2 | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 138 | 10 | 16 | 12 | 6 | – | 3 | 5 | 18 | 2 | 1 | 13 | 8 | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | 1 | 1 | 1 | 3 | 2 | 1 | – | – | – | – | – | – | – | 1 | 1 |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | 1 | 1 | – | 2 | 2 | 1 | – | – | – | – | – | – | – | 1 | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Carbuncle | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | 1 | – | – | – | – | 2 | – | – | – | – | 1 | – | – | – |
| Pemphigus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | 1 | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 4 | 1 | – | – | 7 | 7 | – | 2 | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | 1 | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – |
| Vehicles and Horses: Railways | 3 | 2 | – | 3 | 6 | 5 | 4 | 9 | – | – | – | – | 1 | 1 | – | 1 |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | 1 | – | – | – | – | 2 | – | – | – | – | 1 | – | – | 1 |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | 2 | 1 | 1 | – | 1 | 1 | – | 1 | 1 | – | 1 | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | 1 | – | – | – | 6 | 1 | 1 | 3 | – | – | – | – | 2 | 1 | 1 |
| Burns and Scalds: Explosions | 2 | – | – | – | – | – | – | 3 | – | – | – | – | – | 1 | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 7 | 13 | 11 | 4 | 4 | 2 | 2 | 6 | 6 | 3 | – | – | – | 2 | 4 | 4 |
| Suffocation: In Bed | – | – | – | – | 1 | 3 | – | – | – | 1 | – | – | – | 1 | – | 1 |
| Suffocation: Otherwise | – | – | – | 1 | 2 | 2 | – | – | – | 1 | – | – | – | 1 | – | 1 |
| Falls | – | 1 | – | 1 | 1 | – | 2 | 2 | – | 2 | – | – | 1 | 1 | 1 | – |
| Weather Agencies | 4 | 1 | – | 2 | 1 | 3 | – | – | – | – | – | – | – | – | 1 | – |
| Otherwise, or Not Stated | 3 | 3 | 2 | 2 | 7 | 5 | – | 5 | 1 | 1 | 1 | – | 1 | 1 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Suicide | 3 | 1 | 1 | – | 2 | 4 | 1 | 1 | 1 | 1 | – | – | – | – | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | |
| Dropsy | 1 | 1 | 2 | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 18 | 12 | 6 | 7 | 19 | 24 | 7 | 12 | 4 | 3 | 1 | – | 5 | 8 | 8 | 9 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 6 | 3 | 13 | 1 | 3 | 2 | 7 | 1 | 1 | – | – | – | 5 | – | – | 2 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | |
| Ovarian Disease | 2 | – | 1 | – | 1 | 1 | – | 1 | 1 | – | 1 | 1 | – | – | – | 1 |
| Diseases of Uterus and Vagina | 1 | – | 2 | – | 1 | 1 | – | 2 | – | – | – | – | – | 1 | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Puerperal Convulsions | – | – | – | – | 3 | – | 1 | 1 | – | 1 | – | – | – | 1 | – | – |
| Placenta Prævia, Flooding | – | 1 | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 3 | – | 2 | – | 4 | 6 | 1 | 1 | 1 | 1 | 1 | – | 1 | 1 | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | 3 | 1 | – | 1 | – | – | – | – | – | 2 | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 |
| Phlegmon, Cellulitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | 2 | – | – | – | – | – | – | – | 2 | – | – |
| Eczema | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'ways. | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 2 | – | 1 | – | 2 | 1 | – | 2 | – | – | – | – | 1 | 1 | – | 5 |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | 2 | 1 | – | 3 | 2 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | 1 | – | 1 | 2 | 2 | – | – | – | – | – | – | 1 | – | 1 |
| Suffocation: Otherwise | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 1 | 1 | 3 | 1 | 4 | 6 | – | 4 | – | 1 | – | – | 1 | 2 | – | 2 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Suicide | – | 1 | – | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | |
| Dropsy | – | – | 3 | – | – | 1 | 2 | 2 | – | 1 | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 18 | 7 | 7 | 4 | 16 | 17 | 5 | 10 | 3 | 4 | 1 | – | 3 | 13 | 3 | 14 |
| Mortification | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | 1 |
| Tumour | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 6 | 3 | 15 | 1 | 5 | 3 | 3 | 3 | 1 | 1 | – | 1 | 3 | 3 | 3 | 3 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1890.

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| ALL CAUSES | 936 | 177 | 179 | 122 | 240 | 140 | 78 | 1040 | 214 | 229 | 109 | 276 | 135 | 77 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 69 | 16 | 17 | 14 | 17 | 5 | – | 100 | 22 | 22 | 21 | 21 | 4 | 10 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 150 | 38 | 24 | 22 | 40 | 18 | 8 | 152 | 38 | 38 | 11 | 28 | 23 | 14 |
| V. DEVELOPMENTAL „ | 168 | 42 | 43 | 10 | 35 | 27 | 11 | 288 | 62 | 74 | 23 | 84 | 32 | 13 |
| VI. LOCAL „ | 388 | 52 | 67 | 52 | 93 | 78 | 46 | 366 | 65 | 87 | 40 | 75 | 63 | 36 |
| VII. VIOLENCE | 58 | 3 | 22 | 5 | 14 | 3 | 11 | 15 | 4 | 2 | 1 | 4 | 2 | 2 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 103 | 26 | 6 | 19 | 41 | 9 | 2 | 119 | 23 | 6 | 13 | [illegible] | 11 | 2 |
| I. | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases | 62 | 15 | 14 | 13 | 16 | 4 | – | 74 | 17 | 11 | 18 | 18 | 4 | 6 |
| 2. Diarrhœal „ | 5 | 1 | 2 | 1 | 1 | – | – | 9 | 1 | 3 | 2 | 1 | – | 2 |
| 3. Malarial „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. Zoogenous „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. Venereal „ | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | 1 |
| 6. Septic „ | 1 | – | – | – | – | 1 | – | 16 | 4 | 8 | 1 | 2 | – | 1 |
| II. Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Dietetic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. Constitutional Diseases | 150 | 38 | 24 | 22 | 40 | 18 | 8 | 152 | 38 | 38 | 11 | 28 | 23 | 14 |
| V. Developmental Diseases | 168 | 42 | 43 | 10 | 35 | 27 | 11 | 288 | 62 | 74 | 23 | 84 | 32 | 13 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1890. (*Continued.*)

| CAUSES OF DEATH | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **VI.** | | | | | | | | | | | | | | |
| 1. Diseases of Nervous System | 80 | 9 | 11 | 16 | 16 | 17 | 11 | 72 | 10 | 14 | 6 | 13 | 19 | 10 |
| 2. ,, Organs of Special Sense | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, Circulatory System | 67 | 5 | 14 | 6 | 13 | 15 | 14 | 51 | 3 | 21 | 5 | 4 | 11 | 7 |
| 4. ,, Respiratory System | 133 | 20 | 14 | 22 | 37 | 29 | 11 | 156 | 36 | 33 | 23 | 37 | 14 | 13 |
| 5. ,, Digestive System | 68 | 10 | 19 | 5 | 17 | 11 | 6 | 52 | 10 | 13 | 1 | 11 | 12 | 5 |
| 6. ,, Lymphatic System and Ductless Glands | – | – | – | – | – | – | – | 2 | – | 1 | 1 | – | – | – |
| 7 ,, Urinary System | 29 | 8 | 9 | 1 | 5 | 4 | 2 | 12 | 2 | 3 | 3 | 4 | – | – |
| 8. ,, Reproductive System :— | | | | | | | | | | | | | | |
| (*a*) Diseases of Organs of Generation | – | – | – | – | – | – | – | 5 | 1 | – | – | – | 4 | – |
| (*b*) Diseases of Parturition | – | – | – | – | – | – | – | 14 | 3 | 1 | – | 6 | 3 | 1 |
| 9. ,, Organs of Locomotion | 6 | – | – | 1 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| 10. ,, Integumentary System | 5 | – | – | 1 | 2 | 1 | 1 | 2 | – | 1 | 1 | – | – | – |
| **VII.** | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 57 | 3 | 22 | 5 | 14 | 2 | 11 | 13 | 3 | 2 | 1 | 3 | 2 | 2 |
| 2. Homicide | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 3. Suicide | – | – | – | – | – | – | – | 2 | 1 | – | – | 1 | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 103 | 26 | 6 | 19 | 41 | 9 | 2 | 119 | 23 | 6 | 13 | 64 | 11 | 2 |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 8 | – | – | 4 | 4 | – | – | 14 | 1 | 1 | 7 | 5 | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | – | 1 | – | 1 | – | – | 6 | 1 | 2 | – | 3 | – | – |
| Typhus | 2 | – | – | 1 | 1 | – | – | 2 | 1 | – | – | 1 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 37 | 8 | 11 | 5 | 10 | 3 | – | 34 | 6 | 6 | 8 | 9 | 4 | 1 |
| Hooping-cough | 4 | 4 | – | – | – | – | – | 6 | 6 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | 1 | – | 1 | – | – | – | 6 | 2 | – | 1 | – | – | 3 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | 1 | – | – | – | 2 | – | – | 2 | – | – | – |
| Enteric Fever | 6 | 2 | 2 | 1 | – | 1 | – | 4 | – | 2 | – | – | – | 2 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1890. (*Continued.*)

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 5 | 1 | 2 | 1 | 1 | – | – | 9 | 1 | 3 | 2 | 1 | – | 2 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | – | – | 1 | – | 7 | 2 | 3 | – | 1 | – | 1 |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | 8 | 2 | 4 | 1 | 1 | – | – |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 5 | 2 | 1 | 1 | 1 | – | – | 12 | 3 | – | – | 6 | 2 | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 1 | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Cancer | 22 | 3 | 6 | 3 | 3 | 4 | 3 | 31 | 4 | 10 | 2 | 6 | 6 | 3 |
| Tubercular Meningitis (Acute Hydrocephalus) | 3 | – | – | – | 2 | 1 | – | 5 | 1 | 3 | – | – | – | 1 |
| Phthisis | 4 | 1 | – | 1 | 2 | – | – | 5 | 1 | 1 | 1 | – | – | 2 |
| Other forms of Tuberculosis, Scrofula | 107 | 29 | 13 | 16 | 32 | 13 | 4 | 91 | 27 | 22 | 8 | 14 | 14 | 6 |
| Purpura, Hæmorrhagic Diathesis | 4 | 1 | 3 | – | – | – | – | 5 | 2 | 2 | – | – | – | 1 |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – |
| | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1890. (*Continued.*)

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **Developmental Diseases.** | | | | | | | | | | | | | | |
| Premature Birth | 5 | – | 2 | – | 1 | 1 | 1 | 7 | – | 4 | – | – | 3 | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Ani | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Old Age | 161 | 41 | 40 | 10 | 34 | 26 | 10 | 280 | 62 | 70 | 23 | 83 | 29 | 13 |
| **Diseases of Nervous System.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 9 | – | 1 | – | 5 | 1 | 2 | 11 | 3 | 1 | – | 2 | 2 | 3 |
| Apoplexy | 15 | 1 | – | 2 | 5 | 4 | 3 | 16 | 1 | 6 | – | 1 | 4 | 4 |
| Softening of the Brain | 3 | – | 2 | – | 1 | – | – | 2 | – | – | – | 1 | 1 | – |
| Hemiplegia, Brain Paralysis | 25 | 4 | 4 | 2 | 2 | 12 | 1 | 21 | 5 | 3 | 1 | 3 | 8 | 1 |
| Paralysis Agitans | 3 | – | – | 2 | 1 | – | – | 5 | – | – | – | 3 | 2 | – |
| Insanity, General Paralysis of Insane | 1 | – | – | 1 | – | – | – | 2 | 1 | 1 | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 5 | 1 | 1 | – | 1 | – | 2 | 3 | – | – | 1 | – | 1 | 1 |
| Convulsions | 11 | 2 | 1 | 6 | – | – | 2 | 4 | – | – | 3 | 1 | – | – |
| Laryngismus Stridulus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 2 | – | – | 1 | 1 | – | – | 2 | – | – | – | 2 | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | – | 1 | – | – | – | 1 | 3 | – | 2 | – | – | 1 | – |
| Other Diseases of Nervous System | 3 | 1 | 1 | 1 | – | – | – | 3 | – | 1 | 1 | – | – | 1 |
| **Diseases of Organs of Special Sense.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Circulatory System.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 62 | 5 | 14 | 6 | 12 | 12 | 13 | 49 | 3 | 20 | 4 | 4 | 11 | 7 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 2 | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | – | 1 | – | 2 | – | – | – | – | 2 | – |
| Croup | 13 | – | – | 7 | 1 | 3 | 2 | 15 | 1 | – | 11 | 2 | 1 | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 12 | 4 | – | 2 | 4 | 2 | – | 9 | 5 | – | 1 | 3 | – | – |
| Bronchitis | 60 | 9 | 9 | 7 | 19 | 13 | 3 | 82 | 22 | 22 | 7 | 19 | 8 | 4 |
| Pneumonia | 34 | 6 | 4 | 6 | 8 | 8 | 2 | 27 | 6 | 6 | 3 | 7 | – | 5 |
| Pleurisy | 7 | 1 | – | – | 4 | 1 | 1 | 10 | 1 | 3 | 1 | 4 | – | 1 |
| Other Diseases of Respiratory System | 6 | – | 1 | – | 1 | 1 | 3 | 11 | 1 | 2 | – | 2 | 3 | 3 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1890. (*Continued.*)

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 5 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | 3 | 1 | 1 | – | 1 | – | – |
| Dyspepsia | 3 | – | 3 | – | – | – | – | 3 | – | 1 | – | – | 2 | – |
| Hæmatemesis | 1 | – | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 21 | 2 | 3 | – | 9 | 4 | 3 | 17 | 4 | 2 | 1 | 5 | 3 | 2 |
| Enteritis | 5 | – | 3 | 1 | 1 | – | – | 5 | 1 | 2 | – | 1 | 1 | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Ileus, Obstruction of Intestine | 7 | 2 | 2 | 1 | 1 | 1 | – | 4 | – | 1 | – | 2 | 1 | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Hernia | 2 | – | 2 | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Fistula | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Peritonitis | 6 | 1 | – | 2 | 1 | 1 | 1 | 7 | 2 | – | – | 1 | 2 | 2 |
| Ascites | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 6 | – | 1 | – | – | 4 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Liver | 11 | 4 | 4 | – | 2 | 1 | – | 6 | 1 | 2 | – | – | 3 | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – |
| **Diseases of Lymphatic System and Ductless Glands.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatic System | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Dis. of Thyroid Body. | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Dis. of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | |
| Acute Nephritis | 3 | – | – | – | 3 | – | – | 2 | 1 | – | – | 1 | – | – |
| Bright's Disease | 5 | 1 | 1 | – | – | 3 | – | 7 | 1 | 2 | 3 | 1 | – | – |
| Uræmia | 5 | – | 4 | – | – | – | 1 | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 4 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 8 | 3 | 2 | – | 1 | 1 | 1 | 2 | – | – | – | 2 | – | – |
| Other Diseases of Urinary System | 4 | 3 | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – |
| **Diseases of Organs of Generation.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | 4 | 1 | – | – | – | 3 | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Parturition.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Puerperal Mania | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | 2 | 1 | – | – | – | 1 | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | 9 | 2 | 1 | – | 4 | 2 | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1890. (*Continued.*)

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **Diseases of Organs of Locomotion.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 4 | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Integumentary System.** | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – |
| Eczema | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – |
| **Accident or Negligence.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 4 | – | – | 2 | 2 | – | – | 3 | 1 | – | 1 | 1 | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 45 | 2 | 21 | 2 | 7 | 2 | 11 | 2 | – | 1 | – | – | 1 | 1 |
| Suffocation: In Bed | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | 2 | – | 1 | – | – | 1 | 1 |
| Falls | 2 | 1 | – | – | 1 | – | – | 2 | 1 | – | – | – | 1 | – |
| Weather Agencies | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 3 | – | 1 | 1 | 1 | – | – | 3 | 1 | – | – | 2 | – | – |
| **Violence other than Accidental.** | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | 2 | 1 | – | – | 1 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Ill-defined and Not Specified Causes.** | | | | | | | | | | | | | | |
| Dropsy | 7 | 2 | – | 1 | 1 | 3 | – | 8 | 3 | 1 | 1 | 1 | 2 | – |
| Debility, Atrophy, Inanition | 15 | 6 | 2 | – | 5 | 1 | 1 | 20 | 7 | 1 | – | 12 | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Abscess | – | – | – | – | – | – | – | 2 | 1 | – | – | 1 | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified causes | 80 | 18 | 4 | 18 | 35 | 5 | – | 88 | 12 | 4 | 12 | 39 | 9 | 12 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 39130 | 4409 | 1592 | 2784 | 3345 | 1333 | 834 | 578 | 1452 | 839 | 1246 | 1369 | 1150 | 1128 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 5657 | 414 | 338 | 829 | 1294 | 550 | 321 | 226 | 455 | 124 | 124 | 100 | 90 | 85 |
| II. PARASITIC DISEASES | 10 | 4 | 2 | – | 2 | – | – | 2 | – | – | – | – | – | – |
| III. DIETETIC ,, | 209 | 28 | 7 | 3 | 2 | 1 | – | – | – | – | – | 4 | 7 | 19 |
| IV. CONSTITUTIONAL ,, | 6366 | 59 | 126 | 266 | 343 | 162 | 114 | 96 | 327 | 279 | 562 | 688 | 510 | 427 |
| V. DEVELOPMENTAL ,, | 2988 | 1211 | 17 | 9 | 6 | 1 | – | – | 3 | – | – | – | – | – |
| VI. LOCAL ,, | 19961 | 1445 | 917 | 1573 | 1573 | 573 | 349 | 220 | 570 | 334 | 409 | 371 | 372 | 461 |
| VII. VIOLENCE | 2114 | 124 | 39 | 10 | 39 | 26 | 43 | 26 | 81 | 93 | 139 | 198 | 162 | 123 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1825 | 1124 | 146 | 94 | 86 | 20 | 7 | 8 | 16 | 9 | 12 | 8 | 9 | 8 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 4479 | 179 | 187 | 629 | 1162 | 523 | 306 | 219 | 443 | 112 | 110 | 87 | 76 | 62 |
| 2. DIARRHŒAL ,, | 818 | 146 | 124 | 172 | 122 | 23 | 10 | 5 | 5 | 6 | 9 | 5 | 4 | 12 |
| 3. MALARIAL ,, | 6 | – | – | 1 | 1 | – | 2 | – | – | 2 | – | – | – | – |
| 4. ZOOGENOUS ,, | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 122 | 54 | 18 | 16 | 4 | 2 | – | – | – | – | – | 3 | 1 | 3 |
| 6. SEPTIC ,, | 231 | 35 | 9 | 10 | 5 | 2 | 3 | 2 | 7 | 4 | 5 | 5 | 9 | 8 |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 10 | 4 | 2 | – | 2 | – | – | 2 | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 209 | 28 | 7 | 3 | 2 | 1 | – | – | – | – | – | 4 | 7 | 19 |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 6366 | 59 | 126 | 266 | 343 | 162 | 114 | 96 | 327 | 279 | 562 | 688 | 510 | 427 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 2988 | 1211 | 17 | 9 | 6 | 1 | – | – | 3 | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 4487 | 335 | 215 | 331 | 339 | 130 | 100 | 56 | 167 | 103 | 73 | 54 | 76 | 89 |
| 2. ,, ORGANS OF SPECIAL SENSE | 42 | 5 | 2 | 4 | 5 | 3 | 3 | 3 | 1 | 4 | 3 | 3 | – | 3 |
| 3. ,, CIRCULATORY SYSTEM | 2933 | 30 | 7 | 5 | 5 | 2 | 4 | 2 | 33 | 35 | 58 | 64 | 50 | 71 |
| 4. ,, RESPIRATORY SYSTEM | 8241 | 681 | 496 | 914 | 984 | 365 | 193 | 114 | 188 | 68 | 114 | 130 | 126 | 162 |
| 5. ,, DIGESTIVE SYSTEM | 2645 | 367 | 187 | 297 | 214 | 55 | 30 | 21 | 83 | 57 | 70 | 55 | 49 | 73 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 45 | 1 | – | 2 | 2 | 1 | 1 | 1 | 4 | 1 | 2 | 1 | 3 | 2 |
| 7. ,, URINARY SYSTEM | 1180 | 8 | 4 | 5 | 9 | 9 | 12 | 16 | 43 | 20 | 43 | 37 | 51 | 49 |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION | 18 | 6 | – | – | 1 | – | – | – | – | – | 1 | – | – | 1 |
| (b) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 269 | 3 | 2 | 5 | 4 | 6 | 5 | 6 | 47 | 46 | 44 | 26 | 14 | 10 |
| 10. ,, INTEGUMENTARY SYSTEM | 101 | 9 | 4 | 10 | 10 | 2 | 1 | 1 | 4 | – | 1 | 1 | 3 | 1 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES. ALL AGES | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 39874 | 3348 | 1327 | 2417 | 3105 | 1285 | 794 | 573 | 1434 | 935 | 1149 | 1339 | 1408 | 1337 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 6080 | 358 | 329 | 797 | 1270 | 585 | 342 | 264 | 509 | 164 | 107 | 184 | 183 | 166 |
| II. PARASITIC DISEASES | 8 | 4 | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| III. DIETETIC ,, | 107 | 26 | 5 | 1 | 2 | 2 | – | – | 1 | – | – | 1 | 3 | 7 |
| IV. CONSTITUTIONAL ,, | 7242 | 45 | 102 | 190 | 301 | 114 | 86 | 80 | 322 | 423 | 667 | 682 | 656 | 558 |
| V. DEVELOPMENTAL ,, | 3880 | 958 | 16 | 9 | 4 | 2 | – | 1 | 2 | – | – | – | – | – |
| VI. LOCAL ,, | 20190 | 991 | 743 | 1309 | 1408 | 538 | 327 | 209 | 539 | 325 | 354 | 446 | 531 | 575 |
| VII. VIOLENCE | 745 | 104 | 25 | 15 | 43 | 23 | 26 | 12 | 46 | 15 | 15 | 14 | 19 | 18 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1622 | 862 | 105 | 95 | 77 | 21 | 13 | 7 | 14 | 8 | 6 | 12 | 16 | 13 |
| **I.** | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 4564 | 169 | 173 | 636 | 1137 | 561 | 337 | 259 | 492 | 148 | 82 | 84 | 66 | 61 |
| 2. DIARRHŒAL ,, | 824 | 113 | 130 | 135 | 114 | 21 | 2 | 5 | 6 | 12 | 4 | 10 | 9 | 11 |
| 3. MALARIAL ,, | 7 | – | – | – | 3 | 2 | 1 | – | 1 | – | – | – | – | – |
| 4. ZOOGENOUS ,, | 3 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 88 | 43 | 12 | 14 | 7 | 1 | – | – | – | 1 | 3 | – | 1 | 2 |
| 6. SEPTIC ,, | 594 | 33 | 13 | 10 | 9 | – | 2 | – | 10 | 3 | 18 | 90 | 107 | 92 |
| **II.** | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 8 | 4 | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| **III.** | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 107 | 26 | 5 | 1 | 2 | 2 | – | – | 1 | – | – | 1 | 3 | 7 |
| **IV.** | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 7242 | 45 | 102 | 190 | 301 | 114 | 86 | 80 | 322 | 423 | 667 | 682 | 656 | 558 |
| **V.** | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 3880 | 958 | 16 | 9 | 4 | 2 | – | 1 | 2 | – | – | – | – | – |
| **VI.** | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 4638 | 266 | 169 | 302 | 260 | 121 | 72 | 47 | 144 | 95 | 64 | 65 | 62 | 86 |
| 2. ,, ORGANS OF SPECIAL SENSE | 59 | 7 | 2 | 6 | 6 | 2 | 1 | 2 | 9 | 4 | 3 | 3 | 3 | 1 |
| 3. ,, CIRCULATORY SYSTEM | 3218 | 22 | 3 | 6 | 5 | 1 | 1 | 3 | 37 | 59 | 59 | 82 | 91 | 99 |
| 4. ,, RESPIRATORY SYSTEM | 7791 | 446 | 408 | 737 | 890 | 347 | 208 | 126 | 211 | 70 | 84 | 109 | 121 | 123 |
| 5. ,, DIGESTIVE SYSTEM | 2756 | 236 | 159 | 238 | 230 | 50 | 29 | 21 | 75 | 44 | 55 | 69 | 96 | 82 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 42 | – | – | 1 | 1 | – | – | – | 1 | 1 | 4 | 3 | 4 | 8 |
| 7. ,, URINARY SYSTEM | 801 | 2 | 1 | 4 | 10 | 7 | 9 | 6 | 32 | 26 | 37 | 38 | 56 | 52 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 203 | – | – | – | 2 | 1 | – | – | – | – | 9 | 19 | 21 | 27 |
| (*b*) DISEASES OF PARTURITION | 363 | – | – | – | – | – | – | – | – | – | 9 | 42 | 67 | 90 |
| 9. ,, ORGANS OF LOCOMOTION | 213 | 3 | – | 3 | 2 | 5 | 5 | 4 | 28 | 26 | 29 | 14 | 6 | 7 |
| 10. ,, INTEGUMENTARY SYSTEM | 106 | 9 | 1 | 12 | 2 | 4 | 2 | – | 2 | – | 1 | 2 | 4 | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 1263 | 1293 | 1540 | 1660 | 1637 | 1975 | 1898 | 1980 | 1707 | 1193 | 660 | 204 | 36 | 8 | 17 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 78 | 64 | 83 | 61 | 66 | 83 | 66 | 80 | 66 | 39 | 17 | 4 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 27 | 21 | 26 | 19 | 20 | 12 | 8 | 1 | 2 | 2 | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 409 | 357 | 316 | 325 | 245 | 264 | 205 | 147 | 91 | 32 | 15 | – | – | – | 1 |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 69 | 113 | 241 | 353 | 465 | 334 | 132 | 27 | 7 | – |
| VI. LOCAL ,, | 580 | 698 | 932 | 1064 | 1158 | 1420 | 1410 | 1423 | 1128 | 632 | 274 | 64 | 9 | 1 | 1 |
| VII. VIOLENCE | 154 | 142 | 157 | 143 | 103 | 100 | 64 | 59 | 33 | 19 | 16 | 4 | – | – | 12 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 15 | 11 | 26 | 48 | 45 | 27 | 32 | 29 | 34 | 4 | 4 | – | – | – | 3 |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 52 | 44 | 47 | 29 | 32 | 43 | 31 | 44 | 34 | 16 | 10 | 2 | – | – | – |
| 2. DIARRHŒAL ,, | 10 | 9 | 18 | 8 | 19 | 22 | 19 | 21 | 25 | 18 | 5 | 1 | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 2 | 2 | 4 | 4 | 3 | 2 | 1 | 2 | 1 | – | – | – | – | – | – |
| 6. SEPTIC ,, | 14 | 9 | 14 | 20 | 12 | 16 | 15 | 13 | 6 | 5 | 2 | 1 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 27 | 21 | 26 | 19 | 20 | 12 | 8 | 1 | 2 | 2 | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 409 | 357 | 316 | 325 | 245 | 264 | 205 | 147 | 91 | 32 | 15 | – | – | – | 1 |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 69 | 113 | 241 | 353 | 465 | 334 | 132 | 27 | 7 | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 114 | 115 | 164 | 206 | 220 | 312 | 347 | 359 | 304 | 182 | 74 | 19 | 3 | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 122 | 145 | 213 | 214 | 261 | 342 | 368 | 368 | 296 | 160 | 62 | 14 | 2 | – | – |
| 4. ,, RESPIRATORY SYSTEM | 199 | 280 | 369 | 408 | 441 | 515 | 449 | 437 | 325 | 175 | 85 | 21 | 2 | – | – |
| 5. ,, DIGESTIVE SYSTEM | 75 | 85 | 104 | 143 | 135 | 131 | 124 | 134 | 86 | 48 | 18 | 2 | 1 | 1 | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 5 | 4 | – | 5 | 4 | 1 | 2 | 1 | 2 | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 57 | 59 | 65 | 72 | 86 | 105 | 108 | 111 | 106 | 63 | 32 | 8 | 1 | – | 1 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | 2 | 2 | – | 2 | – | 1 | 2 | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 5 | 7 | 8 | 6 | 5 | 8 | 4 | 6 | – | 2 | – | – | – | – | – |
| 0. ,, INTEGUMENTARY SYSTEM | 2 | 3 | 6 | 7 | 6 | 4 | 8 | 6 | 7 | 2 | 3 | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES - - - - | 1352 | 1232 | 1416 | 1514 | 1695 | 2065 | 2153 | 2541 | 2231 | 1757 | 984 | 385 | 83 | 12 | 3 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 127 | 87 | 64 | 56 | 63 | 64 | 78 | 92 | 86 | 67 | 28 | 8 | 1 | 1 | – |
| II. PARASITIC DISEASES - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, - | 12 | 5 | 9 | 10 | 7 | 6 | 3 | 4 | 2 | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, - | 461 | 420 | 402 | 372 | 317 | 324 | 259 | 220 | 140 | 66 | 25 | 6 | 2 | 1 | 1 |
| V. DEVELOPMENTAL ,, - | – | – | – | – | – | 105 | 204 | 411 | 582 | 706 | 546 | 260 | 64 | 9 | 1 |
| VI. LOCAL ,, - | 701 | 677 | 868 | 993 | 1177 | 1495 | 1536 | 1734 | 1358 | 875 | 362 | 102 | 16 | 1 | – |
| VII. VIOLENCE - - - - | 32 | 26 | 34 | 31 | 44 | 35 | 35 | 42 | 33 | 32 | 18 | 8 | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 19 | 17 | 39 | 52 | 87 | 36 | 38 | 38 | 30 | 10 | 5 | 1 | – | – | 1 |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - - | 43 | 40 | 37 | 35 | 24 | 34 | 28 | 30 | 47 | 29 | 7 | 5 | – | – | – |
| 2. DIARRHŒAL ,, - - - | 20 | 15 | 16 | 4 | 25 | 19 | 31 | 41 | 29 | 28 | 21 | 1 | 1 | 1 | – |
| 3. MALARIAL ,, - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, - - - | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, - - - | 64 | 32 | 11 | 16 | 12 | 11 | 18 | 21 | 10 | 10 | – | 2 | – | – | – |
| **II.** | | | | | | | | | | | | | | | |
| PARASITIC DISEASES - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** | | | | | | | | | | | | | | | |
| DIETETIC DISEASES - - - | 12 | 5 | 9 | 10 | 7 | 6 | 3 | 4 | 2 | 1 | – | – | – | – | – |
| **IV.** | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES - - | 461 | 420 | 402 | 372 | 317 | 324 | 259 | 220 | 140 | 66 | 25 | 6 | 2 | 1 | 1 |
| **V.** | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES - - | – | – | – | – | – | 105 | 204 | 411 | 582 | 706 | 546 | 260 | 64 | 9 | 1 |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 109 | 122 | 176 | 223 | 287 | 353 | 387 | 436 | 400 | 254 | 107 | 26 | 5 | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE - - - | 1 | – | 5 | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM - | 141 | 150 | 194 | 219 | 281 | 357 | 379 | 441 | 298 | 202 | 59 | 27 | 2 | – | – |
| 4. ,, RESPIRATORY SYSTEM - | 162 | 190 | 266 | 316 | 376 | 495 | 492 | 606 | 476 | 320 | 159 | 44 | 8 | 1 | – |
| 5. ,, DIGESTIVE SYSTEM - | 99 | 97 | 115 | 145 | 138 | 194 | 185 | 171 | 120 | 73 | 30 | 4 | 1 | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - - | 1 | – | 2 | 2 | 3 | 6 | 4 | 1 | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM- - | 56 | 49 | 78 | 61 | 53 | 56 | 52 | 50 | 45 | 17 | 4 | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION - - | 20 | 12 | 19 | 15 | 20 | 14 | 13 | 5 | 4 | 2 | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION - - - - | 97 | 52 | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION - - - | 12 | 5 | 6 | 7 | 10 | 10 | 12 | 9 | 7 | 3 | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM - - - | 3 | – | 1 | 4 | 7 | 10 | 12 | 15 | 7 | 4 | 3 | 1 | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 1952 | 117 | 39 | 10 | 38 | 26 | 43 | 26 | 81 | 93 | 134 | 187 | 155 | 113 |
| 2. HOMICIDE | 12 | 7 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 |
| 3. SUICIDE | 149 | – | – | – | – | – | – | – | – | – | 5 | 10 | 7 | 14 |
| 4. EXECUTION | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1825 | 1124 | 146 | 94 | 86 | 20 | 7 | 8 | 16 | 9 | 12 | 8 | 9 | 8 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 7 | 1 | – | 3 | 2 | 1 | – | – | – | – | – | – | – | – |
| Measles | 1337 | 14 | 25 | 263 | 575 | 210 | 94 | 43 | 98 | 5 | 2 | 2 | 3 | 1 |
| Epidemic Rose Rash | 3 | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Scarlet Fever | 377 | 3 | – | 16 | 59 | 64 | 54 | 41 | 103 | 23 | 7 | 1 | 3 | 2 |
| Typhus | 44 | – | – | – | – | – | 2 | – | 4 | – | 4 | 8 | 9 | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 436 | 23 | 7 | 6 | 10 | 9 | 5 | 2 | 12 | 9 | 28 | 19 | 17 | 14 |
| Hooping-cough | 1372 | 131 | 150 | 307 | 422 | 163 | 81 | 55 | 61 | 1 | – | 1 | – | – |
| Mumps | 3 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 475 | 6 | 4 | 30 | 88 | 67 | 56 | 65 | 112 | 25 | 7 | 4 | 4 | 1 |
| Cerebro-spinal Fever | 3 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 12 | 1 | – | 1 | 1 | – | 1 | – | 2 | – | – | – | 1 | – |
| Enteric Fever | 410 | – | – | 1 | 4 | 7 | 13 | 12 | 50 | 49 | 62 | 52 | 39 | 44 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 27 | 2 | 4 | 8 | 5 | 2 | – | – | 1 | – | – | 1 | – | 1 |
| Diarrhœa, Dysentery | 791 | 144 | 120 | 164 | 117 | 21 | 10 | 5 | 4 | 6 | 9 | 4 | 4 | 11 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 5 | – | – | 1 | 1 | – | 2 | – | – | 1 | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 109 | 54 | 18 | 16 | 4 | 2 | – | – | – | – | – | 3 | 1 | 3 |
| Gonorrhœa, Stricture of Urethra | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 156 | 28 | 8 | 5 | 4 | – | 1 | – | 1 | 2 | 2 | 2 | 6 | 7 |
| Pyæmia, Septicæmia | 73 | 7 | 1 | 4 | 1 | 2 | 2 | 2 | 6 | 2 | 3 | 3 | 3 | 1 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 678 | 98 | 25 | 15 | 43 | 22 | 26 | 12 | 46 | 14 | 13 | 10 | 16 | 15 |
| 2. HOMICIDE | 10 | 6 | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| 3. SUICIDE | 57 | – | – | – | – | – | – | – | – | 1 | 2 | 4 | 2 | 3 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1622 | 862 | 105 | 95 | 77 | 21 | 13 | 7 | 14 | 8 | 6 | 12 | 16 | 13 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 3 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Measles | 1172 | 6 | 21 | 212 | 487 | 179 | 96 | 58 | 85 | 7 | 4 | 7 | 3 | 2 |
| Epidemic Rose Rash | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Scarlet Fever | 362 | 2 | 2 | 17 | 42 | 53 | 52 | 49 | 98 | 24 | 7 | 8 | 2 | 3 |
| Typhus | 33 | – | 1 | 1 | – | 1 | – | – | 3 | 3 | 3 | 5 | 2 | 2 |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 394 | 8 | 4 | 6 | 9 | 4 | 8 | 1 | 19 | 15 | 13 | 9 | 22 | 21 |
| Hooping-cough | 1667 | 147 | 143 | 364 | 508 | 237 | 98 | 79 | 89 | 2 | – | – | – | – |
| Mumps | 4 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Diphtheria | 543 | 5 | 1 | 31 | 87 | 76 | 74 | 63 | 147 | 32 | 5 | 6 | 3 | 2 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 18 | – | 1 | 2 | – | 1 | 1 | – | 3 | 2 | – | – | 2 | 1 |
| Enteric Fever | 367 | – | – | 2 | 4 | 9 | 7 | 8 | 47 | 63 | 50 | 49 | 32 | 30 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 30 | 3 | 3 | 9 | 7 | 1 | – | – | – | 1 | – | – | – | – |
| Diarrhœa, Dysentery | 794 | 110 | 127 | 126 | 107 | 20 | 2 | 5 | 6 | 11 | 4 | 10 | 9 | 11 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 7 | – | – | – | 3 | 2 | 1 | – | 1 | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 3 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 87 | 43 | 12 | 14 | 7 | 1 | – | – | – | 1 | 2 | – | 1 | 2 |
| Gonorrhœa, Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | 5 | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Erysipelas | 184 | 27 | 13 | 10 | 5 | – | 1 | – | 1 | 2 | 3 | 5 | 5 | 6 |
| Pyæmia, Septicæmia | 81 | 4 | – | – | 3 | – | 1 | – | 8 | 1 | 2 | 13 | 9 | 13 |
| Puerperal Fever | 324 | – | – | – | – | – | – | – | – | – | 13 | 72 | 93 | 73 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 137 | 128 | 141 | 125 | 90 | 85 | 53 | 53 | 30 | 16 | 16 | 4 | – | – | 12 |
| 2. HOMICIDE | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 16 | 14 | 15 | 18 | 13 | 14 | 11 | 6 | 3 | 3 | – | – | – | – | – |
| 4. EXECUTION | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 15 | 11 | 26 | 48 | 45 | 27 | 32 | 29 | 34 | 4 | 4 | – | – | – | 3 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 2 | 7 | 3 | 1 | – | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 23 | 15 | 32 | 20 | 24 | 31 | 27 | 43 | 32 | 16 | 10 | 2 | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | 2 | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 27 | 18 | 8 | 7 | 4 | 9 | 3 | 1 | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 9 | 9 | 18 | 8 | 19 | 21 | 18 | 21 | 25 | 18 | 5 | 1 | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 2 | – | 1 | 2 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | 2 | 3 | 2 | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Erysipelas | 8 | 4 | 11 | 14 | 8 | 13 | 11 | 10 | 4 | 4 | 2 | 1 | – | – | – |
| Pyæmia, Septicæmia | 6 | 5 | 3 | 6 | 4 | 3 | 4 | 2 | 2 | 1 | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| VII. | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 25 | 20 | 23 | 26 | 33 | 31 | 34 | 41 | 32 | 32 | 18 | 8 | – | – | – |
| 2. HOMICIDE | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 7 | 6 | 10 | 5 | 10 | 4 | 1 | 1 | 1 | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 19 | 17 | 39 | 52 | 87 | 36 | 38 | 38 | 30 | 10 | 5 | 1 | – | – | 1 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 2 | 5 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 14 | 15 | 20 | 24 | 16 | 28 | 26 | 29 | 43 | 29 | 7 | 4 | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diphtheria | 3 | 3 | 3 | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | 2 | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Enteric Fever | 20 | 14 | 10 | 8 | 5 | 5 | 1 | 1 | 2 | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | |
| Simple Cholera | 4 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 16 | 15 | 16 | 4 | 25 | 19 | 30 | 40 | 29 | 28 | 21 | 1 | 1 | 1 | – |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Erysipelas | 5 | 6 | 3 | 16 | 10 | 9 | 18 | 20 | 7 | 10 | – | 2 | – | – | – |
| Pyæmia, Septicæmia | 11 | 5 | 4 | – | 2 | 2 | – | 1 | 2 | – | – | – | – | – | – |
| Puerperal Fever | 48 | 21 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 8 | 4 | 2 | – | 2 | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 2 | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 41 | 28 | 7 | 3 | 2 | 1 | – | – | – | – | – | – | – | – |
| Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 127 | – | – | – | – | – | – | – | – | – | – | 3 | 6 | 13 |
| Intemp. { Delirium Tremens | 40 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 6 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 102 | – | – | 2 | – | – | – | – | 10 | 19 | 22 | 10 | 4 | 5 |
| Rheumatism | 67 | – | – | 1 | – | – | – | – | 3 | 6 | 2 | 3 | 2 | 4 |
| Gout | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 27 | 4 | – | 6 | 8 | 6 | 1 | 1 | 1 | – | – | – | – | – |
| Cancer | 899 | – | – | 1 | – | 1 | 1 | 1 | 2 | 3 | 3 | 12 | 5 | 10 |
| Tabes Mesenterica | 454 | 24 | 43 | 65 | 99 | 37 | 31 | 24 | 60 | 35 | 9 | 11 | 7 | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 637 | 9 | 53 | 114 | 136 | 67 | 48 | 33 | 25 | 46 | 14 | 7 | 7 | 1 |
| Phthisis | 3648 | 4 | 11 | 33 | 41 | 22 | 19 | 23 | 98 | 131 | 476 | 616 | 462 | 389 |
| Other forms of Tuberculosis, Scrofula | 375 | 11 | 15 | 42 | 57 | 24 | 11 | 13 | 52 | 35 | 29 | 21 | 15 | 11 |
| Purpura, Hæmorrhagic Diathesis | 14 | 1 | 1 | 1 | – | 1 | 1 | – | – | – | 2 | 1 | 1 | 1 |
| Anæmia, Chlorosis, Leucocythæmia | 88 | 6 | 3 | 1 | 2 | 3 | 2 | – | 5 | 3 | 2 | 5 | 5 | 2 |
| Diabetes Mellitus | 45 | – | – | – | – | 1 | – | 1 | – | 1 | 3 | 2 | 2 | 4 |
| Other Constitutional Diseases | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 1007 | 998 | 9 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 68 | 65 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Cyanosis | 45 | 40 | 1 | – | 2 | – | – | – | 2 | – | – | – | – | – |
| Spina Bifida | 54 | 44 | 3 | 5 | 2 | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 8 | 5 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 57 | 51 | 2 | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| Old Age | 1741 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 871 | 41 | 71 | 149 | 147 | 67 | 61 | 34 | 110 | 59 | 36 | 17 | 12 | 8 |
| Apoplexy | 1192 | 7 | 5 | 8 | 8 | 8 | 1 | 1 | 4 | 8 | 7 | 6 | 12 | 19 |
| Softening of the Brain | 145 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 4 |
| Hemiplegia, Brain Paralysis | 701 | 1 | 1 | 1 | – | 1 | 1 | 2 | 3 | 2 | 3 | 7 | 6 | 11 |
| Paralysis Agitans | 24 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Insanity, General Paralysis of Insane | 115 | 1 | – | – | – | – | – | – | 1 | 1 | – | 3 | 5 | 11 |
| Chorea | 6 | – | – | – | – | – | – | – | 2 | 2 | – | – | 1 | – |
| Epilepsy | 159 | 3 | 1 | 1 | 7 | 3 | 3 | 3 | 6 | 8 | 13 | 9 | 17 | 16 |
| Convulsions | 637 | 247 | 104 | 104 | 109 | 33 | 16 | 1 | 9 | 5 | 3 | – | 1 | – |
| Laryngismus Stridulus | 24 | 2 | 2 | 12 | 6 | 1 | – | 1 | – | – | – | – | – | – |
| Idiopathic Tetanus | 21 | 8 | 1 | – | – | – | – | – | 1 | 2 | – | 1 | 3 | 2 |
| Paraplegia, Diseases of Spinal Cord | 127 | – | 1 | – | 1 | – | – | 1 | 2 | 4 | 6 | 2 | 13 | 6 |
| Other Diseases of Nervous System | 465 | 25 | 29 | 56 | 61 | 17 | 18 | 13 | 29 | 12 | 4 | 8 | 5 | 11 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 37 | 3 | 2 | 3 | 4 | 3 | 3 | 2 | 1 | 4 | 3 | 3 | – | 3 |
| Epistaxis and Disease of Nose | 3 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 2 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—Females. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **Parasitic Diseases.** | | | | | | | | | | | | | | |
| Thrush | 7 | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **Dietetic Diseases.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 42 | 26 | 5 | 1 | 2 | 2 | – | – | 1 | – | – | 1 | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 62 | – | – | – | – | – | – | – | – | – | – | – | 2 | 7 |
| Intemp. { Delirium Tremens | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **Constitutional Diseases.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 122 | – | – | – | 1 | – | – | 1 | 8 | 14 | 20 | 12 | 9 | 11 |
| Rheumatism | 113 | – | – | – | – | – | – | 1 | – | 1 | 2 | 2 | 1 | – |
| Gout | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 23 | 1 | 2 | 2 | 6 | 2 | 3 | 4 | 2 | 1 | – | – | – | – |
| Cancer | 1529 | – | – | – | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 15 | 31 |
| Tabes Mesenterica | 384 | 13 | 32 | 48 | 77 | 32 | 26 | 18 | 47 | 34 | 11 | 8 | 7 | 9 |
| Tubercular Meningitis (Acute Hydrocephalus) | 503 | 9 | 36 | 85 | 123 | 39 | 28 | 29 | 96 | 37 | 11 | 4 | 1 | 3 |
| Phthisis | 4012 | 8 | 14 | 32 | 47 | 26 | 19 | 19 | 126 | 286 | 573 | 613 | 585 | 468 |
| Other forms of Tuberculosis, Scrofula | 281 | 5 | 13 | 21 | 42 | 14 | 7 | 4 | 34 | 39 | 31 | 17 | 13 | 11 |
| Purpura, Hæmorrhagic Diathesis | 31 | 6 | 1 | – | 1 | – | 2 | 2 | 2 | 1 | 3 | 5 | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 180 | 3 | 4 | 1 | 2 | – | – | – | 4 | 2 | 10 | 12 | 22 | 20 |
| Diabetes Mellitus | 56 | – | – | – | – | – | – | – | 1 | 5 | 3 | 5 | 3 | 5 |
| Other Constitutional Diseases | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **Developmental Diseases.** | | | | | | | | | | | | | | |
| Premature Birth | 823 | 813 | 6 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Atelectasis | 41 | 40 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 18 | 14 | 1 | – | 1 | – | – | – | 2 | – | – | – | – | – |
| Spina Bifida | 41 | 33 | 2 | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Imperforate Anus | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 9 | 4 | 4 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 57 | 51 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Old Age | 2888 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Nervous System.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 743 | 28 | 68 | 127 | 103 | 56 | 39 | 29 | 94 | 55 | 27 | 23 | 18 | 12 |
| Apoplexy | 1427 | 7 | 3 | 13 | 7 | 6 | – | 2 | 3 | 4 | 7 | 7 | 13 | 22 |
| Softening of the Brain | 174 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 2 |
| Hemiplegia, Brain Paralysis | 365 | – | – | – | 2 | 2 | 2 | 1 | 5 | 4 | 2 | 3 | 3 | 12 |
| Paralysis Agitans | 30 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 99 | – | – | – | – | – | 1 | – | 1 | 3 | 1 | – | 4 | 8 |
| Chorea | 12 | – | – | – | – | – | – | – | 2 | 1 | 2 | 2 | – | 2 |
| Epilepsy | 131 | 5 | 1 | 3 | 2 | – | 1 | – | 3 | 6 | 8 | 9 | 12 | 9 |
| Convulsions | 563 | 188 | 70 | 99 | 114 | 35 | 20 | 7 | 13 | 2 | 1 | 2 | – | 5 |
| Laryngismus Stridulus | 26 | 9 | 3 | 6 | 7 | – | – | 1 | – | – | – | – | – | – |
| Idiopathic Tetanus | 17 | 5 | – | 1 | – | – | – | – | 1 | 4 | 1 | 2 | 1 | – |
| Paraplegia, Diseases of Spinal Cord | 119 | – | – | – | – | – | – | 1 | – | 2 | 3 | 4 | 4 | 6 |
| Other Diseases of Nervous System | 432 | 24 | 24 | 58 | 25 | 22 | 9 | 6 | 22 | 13 | 11 | 13 | 7 | 8 |
| **Diseases of Organs of Special Sense.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 49 | 2 | 2 | 6 | 6 | 2 | 1 | 2 | 8 | 3 | 3 | 3 | 3 | 1 |
| Epistaxis and Disease of Nose | 9 | 5 | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Ophthalmia and Disease of Eye | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 19 | 15 | 20 | 16 | 12 | 11 | 7 | 1 | 2 | 2 | – | – | – | – | – |
| Intemp. { Delirium Tremens | 8 | 5 | 6 | 3 | 8 | 1 | 1 | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 5 | 6 | 3 | 3 | 5 | 4 | 3 | 1 | 1 | – | – | – | – | – | – |
| Rheumatism | 7 | 5 | 4 | 2 | 2 | 7 | 3 | 8 | 6 | 2 | – | – | – | – | – |
| Gout | – | – | – | – | – | 1 | 3 | 2 | 1 | 1 | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 28 | 55 | 76 | 104 | 121 | 140 | 132 | 101 | 66 | 23 | 13 | – | – | – | 1 |
| Tabes Mesenterica | 3 | 1 | 1 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 342 | 272 | 218 | 200 | 101 | 95 | 64 | 35 | 12 | 3 | 1 | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 10 | 7 | 5 | 6 | 5 | 1 | 2 | 2 | – | 1 | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 5 | 6 | 4 | 6 | 9 | 8 | 5 | 3 | 1 | 1 | 1 | – | – | – | – |
| Diabetes Mellitus | 3 | 3 | 4 | 2 | 2 | 6 | 2 | 4 | 4 | 1 | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 69 | 113 | 241 | 253 | 155 | 334 | 132 | 27 | 7 | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 12 | 8 | 5 | 13 | 7 | 5 | 3 | 2 | 3 | 1 | – | – | – | – | – |
| Apoplexy | 28 | 26 | 58 | 96 | 109 | 159 | 160 | 175 | 124 | 98 | 44 | 9 | 2 | – | – |
| Softening of the Brain | 2 | 4 | 3 | 10 | 10 | 18 | 20 | 25 | 30 | 8 | 3 | 2 | – | – | – |
| Hemiplegia, Brain Paralysis | 18 | 18 | 32 | 40 | 54 | 76 | 116 | 112 | 107 | 59 | 22 | 7 | 1 | – | – |
| Paralysis Agitans | – | – | – | 2 | – | 3 | 2 | 7 | 5 | 3 | 1 | – | – | – | – |
| Insanity, General Paralysis of Insane | 19 | 16 | 17 | 12 | 5 | 9 | 5 | 2 | 6 | 1 | – | – | – | – | – |
| Chorea | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epilepsy | 12 | 9 | 8 | 6 | 5 | 4 | 9 | 9 | 4 | 1 | 1 | 1 | – | – | – |
| Convulsions | – | – | – | 1 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 5 | 9 | 12 | 9 | 12 | 10 | 8 | 10 | 12 | 4 | – | – | – | – | – |
| Other Diseases of Nervous System | 18 | 15 | 25 | 15 | 16 | 26 | 23 | 17 | 13 | 7 | 2 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 12 | 4 | 5 | 10 | 7 | 6 | 2 | 4 | 2 | 1 | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 8 | 5 | 3 | 10 | 3 | 6 | 3 | 3 | 4 | 1 | – | – | – | – | – |
| Rheumatism | 4 | 4 | 6 | 5 | 10 | 17 | 13 | 23 | 9 | 9 | 2 | 2 | 1 | 1 | – |
| Gout | – | 2 | – | – | – | – | 2 | – | 2 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 79 | 96 | 169 | 193 | 194 | 215 | 180 | 159 | 101 | 52 | 21 | 4 | 1 | – | 1 |
| Tabes Mesenterica | 6 | 4 | 4 | 3 | – | 3 | 1 | – | 1 | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 341 | 288 | 198 | 135 | 84 | 67 | 46 | 22 | 11 | 4 | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 6 | 5 | 2 | 3 | 5 | 1 | 2 | 1 | 5 | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | 1 | – | 2 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 12 | 11 | 15 | 16 | 14 | 13 | 8 | 4 | 5 | – | 2 | – | – | – | – |
| Diabetes Mellitus | 5 | 4 | 3 | 4 | 5 | 1 | 3 | 7 | 2 | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 105 | 204 | 411 | 582 | 706 | 546 | 260 | 64 | 9 | 1 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 11 | 9 | 7 | 11 | 10 | 6 | 5 | 2 | 3 | – | – | – | – | – | – |
| Apoplexy | 31 | 47 | 81 | 104 | 144 | 146 | 177 | 206 | 200 | 127 | 53 | 15 | 2 | – | – |
| Softening of the Brain | 6 | 7 | 7 | 12 | 13 | 23 | 27 | 30 | 29 | 8 | 4 | 2 | 2 | – | – |
| Hemiplegia, Brain Paralysis | 11 | 23 | 34 | 51 | 67 | 109 | 128 | 144 | 122 | 91 | 43 | 5 | 1 | – | – |
| Paralysis Agitans | – | – | – | – | 2 | 7 | 3 | 4 | 6 | 5 | 2 | 1 | – | – | – |
| Insanity, General Paralysis of Insane | 6 | 6 | 13 | 10 | 12 | 11 | 8 | 7 | 6 | 1 | – | 1 | – | – | – |
| Chorea | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epilepsy | 13 | 6 | 4 | 7 | 9 | 14 | 7 | 3 | 4 | 5 | – | – | – | – | – |
| Convulsions | 2 | 2 | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 10 | 8 | 11 | 12 | 8 | 10 | 13 | 12 | 11 | 3 | – | 1 | – | – | – |
| Other Diseases of Nervous System | 18 | 12 | 19 | 14 | 22 | 25 | 19 | 28 | 19 | 13 | 5 | 1 | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | 4 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—MALES: (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2403 | 10 | 3 | 2 | 2 | 1 | 4 | – | 26 | 30 | 53 | 56 | 48 | 59 |
| Pericarditis | 40 | 1 | – | 2 | – | – | – | – | 4 | 3 | – | 1 | 2 | 2 |
| Hypertrophy of Heart | 76 | – | – | – | – | 1 | – | – | – | – | 2 | 1 | – | – |
| Angina Pectoris | 69 | – | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Syncope | 98 | 9 | 1 | – | 2 | – | – | 2 | 2 | 1 | 1 | 1 | 3 | 3 |
| Aneurism | 87 | – | – | – | – | – | – | – | – | – | – | – | 2 | 3 |
| Senile Gangrene | 69 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 19 | 1 | 1 | 1 | – | – | – | – | – | 1 | 1 | 1 | – | – |
| Phlebitis | 11 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | 1 |
| Varicose Veins | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 55 | 10 | 3 | – | – | – | – | – | 1 | – | – | 1 | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 108 | 6 | 5 | 18 | 16 | 14 | 10 | 4 | 8 | 3 | 1 | 1 | 2 | 2 |
| Croup | 373 | 7 | 13 | 47 | 107 | 58 | 61 | 32 | 45 | 3 | – | – | – | – |
| Other Diseases of Larynx and Trachea | 24 | 1 | – | – | 3 | 1 | – | 1 | – | 2 | 1 | – | 2 | 1 |
| Emphysema, Asthma | 143 | – | 1 | 4 | – | – | 1 | – | – | 1 | 2 | 2 | 1 | 7 |
| Bronchitis | 3820 | 448 | 302 | 469 | 397 | 116 | 51 | 35 | 41 | 12 | 14 | 22 | 17 | 24 |
| Pneumonia | 2781 | 128 | 128 | 289 | 369 | 144 | 54 | 34 | 72 | 41 | 69 | 74 | 80 | 97 |
| Pleurisy | 249 | 2 | 3 | 11 | 7 | 4 | 3 | 2 | 7 | 4 | 13 | 16 | 13 | 17 |
| Other Diseases of Respiratory System | 743 | 89 | 44 | 76 | 85 | 28 | 13 | 6 | 15 | 2 | 14 | 15 | 11 | 14 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 18 | 9 | 2 | 1 | 1 | – | 1 | 1 | 2 | – | – | – | – | 1 |
| Dentition | 249 | 3 | 16 | 124 | 99 | 7 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 43 | 2 | 1 | 6 | 7 | 4 | 2 | 2 | 5 | 1 | 3 | 3 | – | – |
| Dyspepsia | 60 | 15 | 4 | 6 | 2 | 2 | – | – | – | – | – | – | – | – |
| Hæmatemesis | 29 | 1 | 1 | – | – | – | 1 | 1 | – | – | 1 | 1 | 1 | 1 |
| Melæna | 6 | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Stomach | 429 | 55 | 31 | 29 | 23 | 8 | 10 | 2 | 11 | 3 | 6 | 5 | 7 | 14 |
| Enteritis | 564 | 152 | 93 | 95 | 48 | 16 | 7 | 6 | 17 | 14 | 8 | 8 | 10 | 11 |
| Ulceration of Intestine | 31 | – | 1 | – | 2 | – | 2 | – | 2 | – | – | – | 2 | – |
| Ileus, Obstruction of Intestines | 161 | 12 | 2 | 3 | 1 | – | 1 | 2 | 5 | 7 | 7 | 6 | 3 | 3 |
| Stricture or Strangulation of Intestines | 18 | – | – | – | – | 1 | – | – | 1 | 1 | 1 | 1 | – | 1 |
| Intussusception of Intestines | 30 | 2 | – | 8 | 4 | – | 1 | 2 | 2 | – | 1 | 1 | 1 | 2 |
| Hernia | 65 | 3 | 1 | 2 | 1 | – | – | – | 1 | – | 1 | 1 | 2 | 3 |
| Fistula | 7 | 1 | – | – | – | – | – | – | – | – | 2 | – | – | 1 |
| Peritonitis | 317 | 12 | 11 | 10 | 12 | 7 | 3 | 3 | 32 | 24 | 32 | 22 | 14 | 13 |
| Ascites | 22 | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | 2 |
| Gallstones | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 122 | – | – | – | – | – | – | – | – | 1 | 1 | – | 4 | 6 |
| Other Diseases of Liver | 351 | 79 | 9 | 3 | 3 | 5 | 2 | 1 | 3 | 6 | 7 | 4 | 3 | 12 |
| Other Diseases of Digestive System | 112 | 19 | 15 | 9 | 10 | 4 | – | – | 2 | – | – | 2 | 2 | 3 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 14 | – | – | – | 1 | 1 | – | 1 | 3 | 1 | 1 | 1 | – | – |
| Diseases of Lymphatics | 19 | 1 | – | 2 | 1 | – | 1 | – | – | – | 1 | – | 3 | 1 |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 12 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 203 | 1 | 2 | 2 | 4 | 8 | 8 | 9 | 19 | 4 | 7 | 10 | 8 | 15 |
| Bright's Disease | 401 | – | 1 | 2 | 1 | 1 | 4 | 2 | 21 | 10 | 14 | 15 | 26 | 17 |
| Uræmia | 63 | 1 | – | 1 | 2 | – | – | 1 | 2 | – | 3 | 2 | – | 2 |
| Suppression of Urine | 32 | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Calculus | 30 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 2 |
| Hæmaturia | 12 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 302 | 3 | – | – | 1 | – | – | – | 1 | 2 | 4 | 4 | 3 | 8 |
| Other Diseases of Urinary System | 137 | 1 | 1 | – | – | – | – | 1 | 1 | 4 | 14 | 6 | 12 | 5 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2745 | 8 | – | 4 | 3 | 1 | – | 1 | 29 | 55 | 51 | 72 | 76 | 86 |
| Pericarditis | 32 | 1 | – | – | – | – | 1 | 1 | 4 | 3 | 5 | 3 | 2 | – |
| Hypertrophy of Heart | 81 | – | – | – | – | – | – | – | 2 | – | – | – | 1 | 2 |
| Angina Pectoris | 33 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 1 |
| Syncope | 120 | 9 | 2 | 2 | 2 | – | – | – | 1 | – | – | 3 | 6 | 2 |
| Aneurism | 28 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 96 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 30 | – | – | – | – | – | – | – | – | – | 1 | 2 | 4 | 4 |
| Phlebitis | 17 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | 2 |
| Varicose Veins | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 28 | 4 | 1 | – | – | – | – | – | – | – | 1 | 2 | 1 | 2 |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 97 | 5 | 8 | 13 | 13 | 8 | 9 | 8 | 11 | 1 | 3 | 2 | 2 | – |
| Croup | 371 | 11 | 10 | 46 | 106 | 70 | 38 | 37 | 47 | 4 | – | – | – | – |
| Other Diseases of Larynx and Trachea | 20 | 1 | – | 4 | 5 | – | – | – | 2 | 1 | – | – | 2 | – |
| Emphysema, Asthma | 94 | – | – | – | – | – | – | – | – | – | – | – | 4 | 2 |
| Bronchitis | 4237 | 290 | 252 | 370 | 370 | 111 | 58 | 29 | 48 | 20 | 15 | 22 | 36 | 36 |
| Pneumonia | 2142 | 93 | 102 | 252 | 310 | 124 | 79 | 41 | 79 | 31 | 37 | 60 | 59 | 63 |
| Pleurisy | 172 | 1 | 3 | 2 | 7 | 5 | 5 | – | 4 | 7 | 14 | 12 | 11 | 7 |
| Other Diseases of Respiratory System | 658 | 45 | 33 | 50 | 79 | 29 | 19 | 11 | 20 | 6 | 15 | 13 | 7 | 15 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 22 | 7 | – | 1 | 4 | 1 | 3 | – | 2 | – | – | – | – | – |
| Dentition | 221 | 1 | 8 | 94 | 111 | 7 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 40 | 3 | 1 | 6 | 3 | 3 | 2 | 3 | 4 | 3 | 2 | 2 | 1 | – |
| Dyspepsia | 66 | 10 | 10 | 6 | 1 | – | – | – | – | 1 | – | – | 1 | 1 |
| Hæmatemesis | 37 | 1 | 2 | 1 | – | – | – | 1 | 1 | 1 | – | 3 | 1 | 1 |
| Melæna | 5 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Diseases of Stomach | 482 | 35 | 21 | 30 | 22 | 6 | 3 | 2 | 17 | 2 | 4 | 15 | 16 | 23 |
| Enteritis | 537 | 105 | 83 | 72 | 62 | 17 | 16 | 6 | 15 | 6 | 9 | 8 | 11 | 7 |
| Ulceration of Intestine | 30 | – | 1 | 1 | – | – | – | – | 2 | 1 | 4 | 2 | 3 | 1 |
| Ileus, Obstruction of Intestine | 127 | 6 | 2 | 3 | – | – | – | 1 | 4 | 5 | 3 | 2 | 1 | 2 |
| Stricture or Strangulation of Intestine | 21 | – | – | 1 | – | – | – | – | – | – | 1 | – | 3 | 1 |
| Intussusception of Intestine | 23 | 1 | 7 | 1 | 2 | – | – | – | 1 | – | – | 1 | – | – |
| Hernia | 72 | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Fistula | 6 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Peritonitis | 415 | 13 | 7 | 8 | 8 | 6 | 2 | 5 | 19 | 15 | 29 | 29 | 35 | 27 |
| Ascites | 32 | – | – | – | – | – | 1 | 1 | 2 | 1 | – | 1 | – | – |
| Gallstones | 17 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Cirrhosis of Liver | 77 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 3 |
| Other Diseases of Liver | 366 | 27 | 4 | 1 | 6 | 6 | 1 | 2 | 6 | 5 | 1 | 4 | 11 | 14 |
| Other Diseases of Digestive System | 160 | 25 | 12 | 13 | 10 | 4 | 1 | – | 1 | 3 | 2 | 1 | 8 | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 10 | – | – | – | 1 | – | – | – | 1 | – | 2 | – | 1 | 1 |
| Diseases of Lymphatics | 12 | – | – | 1 | – | – | – | – | – | – | 1 | 2 | 1 | 2 |
| Diseases of Thyroid Body | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Diseases of Suprarenal Capsules | 16 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | 4 |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 173 | 1 | – | 2 | 9 | 5 | 4 | 4 | 16 | 10 | 5 | 10 | 10 | 15 |
| Bright's Disease | 358 | – | 1 | 1 | 1 | 2 | 4 | 2 | 14 | 11 | 13 | 19 | 28 | 20 |
| Uræmia | 51 | – | – | – | – | – | 1 | – | – | – | 4 | 2 | 4 | 5 |
| Suppression of Urine | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Calculus | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 42 | 1 | – | 1 | – | – | – | – | – | – | 2 | 1 | 3 | 2 |
| Other Diseases of Urinary System | 162 | – | – | – | – | – | – | – | 2 | 5 | 13 | 6 | 11 | 8 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 97 | 105 | 170 | 175 | 216 | 297 | 304 | 308 | 256 | 123 | 51 | 10 | 2 | – | – |
| Pericarditis | 4 | 5 | 2 | 2 | 2 | 2 | 4 | 2 | 1 | 1 | – | – | – | – | – |
| Hypertrophy of Heart | 2 | 8 | 7 | 6 | 9 | 8 | 9 | 10 | 3 | 7 | – | – | – | – | – |
| Angina Pectoris | – | 2 | 4 | 3 | 14 | 10 | 8 | 10 | 9 | 2 | 2 | 2 | – | – | – |
| Syncope | 7 | 3 | 7 | 8 | 4 | 6 | 9 | 14 | 11 | 4 | – | – | – | – | – |
| Aneurism | 7 | 15 | 19 | 12 | 10 | 6 | 7 | 6 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | 1 | – | 1 | 9 | 14 | 10 | 12 | 12 | 8 | 2 | – | – | – |
| Embolism, Thrombosis | 1 | 3 | 1 | 2 | 1 | – | 3 | 2 | 1 | 1 | – | – | – | – | – |
| Phlebitis | 1 | – | – | 2 | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – |
| Varicose Veins | – | 2 | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 3 | 2 | 2 | 3 | 3 | 1 | 9 | 5 | 2 | 9 | 1 | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 2 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 1 | 3 | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 2 | 1 | – | 3 | – | 1 | 1 | 2 | 2 | – | – | – | – | – | – |
| Emphysema, Asthma | 4 | 5 | 15 | 10 | 19 | 23 | 20 | 17 | 5 | 2 | 4 | – | – | – | – |
| Bronchitis | 36 | 78 | 141 | 206 | 234 | 285 | 244 | 257 | 213 | 106 | 56 | 14 | 2 | – | – |
| Pneumonia | 119 | 154 | 159 | 141 | 133 | 143 | 122 | 112 | 59 | 42 | 15 | 3 | – | – | – |
| Pleurisy | 17 | 16 | 24 | 16 | 18 | 12 | 17 | 13 | 3 | 4 | 2 | – | – | – | – |
| Other Diseases of Respiratory System | 19 | 24 | 28 | 31 | 35 | 49 | 43 | 35 | 37 | 18 | 8 | 4 | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | 4 | 1 | – | – | – | – | – | – | 2 | – | – | – | – |
| Dyspepsia | 1 | 2 | 1 | 4 | 1 | 3 | 7 | 2 | 7 | 2 | 1 | – | – | – | – |
| Hæmatemesis | 1 | 4 | 3 | 3 | – | 2 | – | 3 | 2 | 2 | 1 | – | – | – | – |
| Melæna | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Stomach | 11 | 17 | 12 | 32 | 27 | 26 | 28 | 32 | 25 | 11 | 3 | 1 | – | – | – |
| Enteritis | 4 | 8 | 11 | 8 | 10 | 6 | 10 | 9 | 6 | 7 | – | – | – | – | – |
| Ulceration of Intestine | 5 | 1 | 2 | 5 | 1 | 4 | 2 | – | 1 | 1 | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 11 | 10 | 8 | 14 | 12 | 8 | 12 | 17 | 11 | 6 | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | 1 | 2 | 1 | 1 | 4 | – | 3 | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | – | 1 | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Hernia | 2 | 5 | 3 | 3 | 4 | 2 | 7 | 11 | 5 | 3 | 5 | – | – | – | – |
| Fistula | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Peritonitis | 8 | 16 | 11 | 18 | 19 | 17 | 10 | 11 | 5 | 6 | 1 | – | – | – | – |
| Ascites | – | 1 | 1 | 2 | 5 | 4 | – | 3 | – | – | – | – | – | – | – |
| Gallstones | 1 | 2 | 2 | – | 3 | – | 2 | – | – | 1 | – | – | – | – | – |
| Cirrhosis of Liver | 6 | 5 | 15 | 16 | 19 | 22 | 12 | 9 | 4 | 1 | – | 1 | – | – | – |
| Other Diseases of Liver | 22 | 9 | 22 | 26 | 26 | 28 | 30 | 23 | 17 | 5 | 5 | – | – | 1 | – |
| Other Diseases of Digestive System | 1 | 3 | 6 | 8 | 6 | 4 | 3 | 11 | 1 | 2 | – | – | 1 | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 1 | 3 | – | 2 | 1 | – | – | – | 2 | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 2 | 1 | – | 2 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 11 | 10 | 11 | 15 | 13 | 15 | 14 | 7 | 6 | 2 | 2 | – | – | – | – |
| Bright's Disease | 34 | 34 | 36 | 31 | 38 | 36 | 29 | 25 | 15 | 6 | 2 | – | – | – | 1 |
| Uræmia | – | 4 | 4 | 7 | 4 | 4 | 7 | 4 | 7 | 6 | 1 | 1 | – | – | – |
| Suppression of Urine | – | – | – | 1 | 1 | 4 | 2 | 6 | 4 | 8 | 1 | 2 | – | – | – |
| Calculus | – | 2 | 1 | – | 3 | 5 | 4 | 4 | 6 | 1 | – | – | – | – | – |
| Hæmaturia | – | – | – | 1 | – | 2 | 1 | 2 | 3 | 1 | 1 | – | – | – | – |
| Diseases of Bladder and of Prostate | 5 | 3 | 3 | 10 | 15 | 24 | 40 | 54 | 58 | 35 | 24 | 5 | 1 | – | – |
| Other Diseases of Urinary System | 7 | 6 | 10 | 7 | 12 | 15 | 11 | 9 | 7 | 4 | 1 | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 121 | 132 | 167 | 199 | 245 | 303 | 328 | 372 | 252 | 175 | 44 | 19 | 2 | – | – |
| Pericarditis | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 2 | 1 | – | – | – | – | – | – |
| Hypertrophy of Heart | 2 | 4 | 5 | 2 | 8 | 11 | 9 | 18 | 9 | 7 | 1 | – | – | – | – |
| Angina Pectoris | – | – | 2 | 2 | 4 | 3 | 5 | 6 | 5 | 2 | – | – | – | – | – |
| Syncope | 8 | 6 | 9 | 7 | 11 | 18 | 7 | 10 | 7 | 4 | 3 | 3 | – | – | – |
| Aneurism | 1 | – | 7 | 1 | 2 | 5 | 5 | 6 | – | – | 1 | – | – | – | – |
| Senile Gangrene | – | – | – | 2 | 1 | 9 | 19 | 24 | 16 | 13 | 7 | 5 | – | – | – |
| Embolism, Thrombosis | 4 | 1 | 1 | 2 | 3 | 2 | 1 | 1 | 2 | – | 2 | – | – | – | – |
| Phlebitis | 2 | 3 | – | 1 | 2 | 3 | – | – | 2 | – | – | – | – | – | – |
| Varicose Veins | – | 2 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 4 | 1 | 1 | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | 5 | 3 | 1 | 2 | 1 | – | 1 | 1 | – | – | – | – | – |
| Croup | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | 1 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Emphysema, Asthma | 3 | 2 | 6 | 7 | 11 | 13 | 10 | 13 | 12 | 8 | 3 | – | – | – | – |
| Bronchitis | 69 | 88 | 149 | 193 | 236 | 336 | 329 | 431 | 349 | 234 | 121 | 36 | 8 | 1 | – |
| Pneumonia | 62 | 75 | 78 | 86 | 95 | 99 | 90 | 101 | 72 | 33 | 17 | 4 | – | – | – |
| Pleurisy | 9 | 10 | 10 | 7 | 8 | 7 | 13 | 13 | 5 | 4 | 2 | 1 | – | – | – |
| Other Diseases of Respiratory System | 19 | 14 | 17 | 20 | 24 | 37 | 43 | 47 | 37 | 39 | 16 | 3 | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | 2 | – | – | 1 | 1 | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | 1 | 1 | 1 | – | 1 | – | – | 2 | 1 | – | – | – | – | – |
| Dyspepsia | 5 | 3 | 3 | 1 | 4 | 2 | 3 | 6 | 5 | 1 | 3 | – | – | – | – |
| Hæmatemesis | 2 | – | – | 2 | 4 | 2 | 5 | 3 | 5 | 1 | 1 | – | – | – | – |
| Melæna | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 16 | 20 | 28 | 33 | 22 | 35 | 30 | 43 | 29 | 19 | 10 | 1 | – | – | – |
| Enteritis | 13 | 5 | 6 | 11 | 10 | 13 | 21 | 19 | 9 | 7 | 5 | – | 1 | – | – |
| Ulceration of Intestine | 1 | 1 | – | 3 | 4 | 3 | 2 | – | 1 | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 2 | 4 | 10 | 11 | 11 | 12 | 13 | 13 | 10 | 7 | 4 | 1 | – | – | – |
| Stricture or Strangulation of Intestine | – | – | 3 | 3 | 2 | 1 | 3 | 1 | 1 | 1 | – | – | – | – | – |
| Intussusception of Intestine | 1 | 1 | 1 | 3 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Hernia | 5 | 2 | 8 | 2 | 9 | 11 | 7 | 9 | 10 | 4 | – | – | – | – | – |
| Fistula | – | – | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Peritonitis | 28 | 26 | 22 | 23 | 19 | 29 | 24 | 13 | 8 | 6 | 3 | 1 | – | – | – |
| Ascites | – | 2 | 1 | 2 | 3 | 6 | 6 | 5 | 1 | – | – | – | – | – | – |
| Gallstones | – | 2 | – | 2 | 1 | 6 | 1 | 1 | 1 | 2 | – | – | – | – | – |
| Cirrhosis of Liver | 4 | 7 | 7 | 14 | 12 | 9 | 9 | 4 | 2 | 1 | 1 | – | – | – | – |
| Other Diseases of Liver | 16 | 17 | 20 | 26 | 27 | 36 | 47 | 43 | 27 | 15 | 3 | 1 | – | – | – |
| Other Diseases of Digestive System | 6 | 5 | 5 | 8 | 7 | 14 | 12 | 10 | 6 | 6 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | 2 | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | 1 | 1 | 4 | 2 | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 13 | 7 | 21 | 10 | 5 | 5 | 5 | 5 | 7 | 2 | 1 | – | – | – | – |
| Bright's Disease | 23 | 27 | 32 | 27 | 25 | 30 | 29 | 21 | 19 | 6 | 3 | – | – | – | – |
| Uræmia | 5 | 4 | 3 | 7 | 4 | – | 4 | 1 | 6 | 1 | – | – | – | – | – |
| Suppression of Urine | 2 | 1 | 1 | – | – | 2 | – | – | 1 | – | – | – | – | – | – |
| Calculus | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | 4 | – | 1 | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | 2 | 2 | 3 | 3 | 1 | 3 | 7 | 5 | 4 | – | – | – | – | – |
| Other Diseases of Urinary System | 11 | 8 | 19 | 14 | 15 | 14 | 10 | 15 | 7 | 4 | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 13 | 6 | – | – | 1 | – | – | – | – | – | 1 | – | – | 1 |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Previa, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 155 | 1 | 1 | 2 | 1 | 3 | 3 | 4 | 30 | 30 | 25 | 16 | 10 | 6 |
| Arthritis, Ostitis, Periostitis | 36 | 2 | 1 | – | 1 | 1 | 2 | 1 | 4 | 5 | 3 | 1 | – | – |
| Other Diseases of Organs of Locomotion | 78 | – | – | 3 | 2 | 2 | – | 1 | 13 | 11 | 16 | 9 | 4 | 4 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 14 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 30 | 4 | – | – | 1 | – | 1 | 1 | 3 | – | 1 | 1 | 3 | 1 |
| Lupus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 18 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Eczema | 23 | 3 | 3 | 5 | 8 | 2 | – | – | – | – | – | – | – | – |
| Pemphigus | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 11 | – | – | 3 | – | – | – | – | 1 | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 102 | – | – | – | – | – | – | – | – | 8 | 13 | 15 | 8 | 9 |
| Mines and Quarries: Other Mines | 8 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | – |
| Mines and Quarries: Quarries | 12 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Vehicles and Horses: Railways | 196 | – | – | – | – | 2 | – | – | 4 | 10 | 17 | 29 | 21 | 17 |
| Vehicles and Horses: Vehicles other than R'wys. | 89 | – | – | – | 1 | 6 | 7 | 2 | 9 | 3 | 2 | 3 | 8 | 4 |
| Vehicles and Horses: Horses | 19 | – | – | – | – | – | – | 1 | – | 1 | 4 | – | – | 1 |
| Ships, Boats, Docks (ex. Drowning) | 31 | – | – | – | – | – | – | – | – | 1 | 2 | 3 | 6 | 2 |
| Building Operations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Machinery | 41 | – | – | – | – | – | 2 | – | – | 4 | 3 | 6 | 4 | 1 |
| Weapons and Implements | 21 | – | – | – | – | – | – | – | 1 | 1 | 2 | 6 | 3 | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 146 | – | 2 | 3 | 23 | 13 | 20 | 8 | 21 | 3 | 4 | 4 | 4 | 3 |
| Burns and Scalds: Explosions | 19 | – | – | – | – | – | – | – | – | – | 3 | 3 | 1 | 3 |
| Poisons, Poisonous Vapours | 38 | 2 | – | – | 1 | – | 2 | – | – | 1 | 2 | 3 | – | 1 |
| Drowning | 541 | 1 | – | – | 4 | 3 | 7 | 7 | 27 | 34 | 51 | 75 | 56 | 44 |
| Suffocation: In Bed | 112 | 75 | 28 | 4 | 1 | – | – | – | – | – | – | – | 1 | – |
| Suffocation: Otherwise | 64 | 15 | 7 | 1 | 2 | – | 1 | – | 1 | 1 | 2 | 5 | 4 | 3 |
| Falls | 188 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 6 | 7 | 9 | 13 | 19 | 12 |
| Weather Agencies | 32 | 1 | – | – | – | – | – | – | – | – | 2 | 1 | 1 | 2 |
| Otherwise, or Not Stated | 292 | 22 | 1 | 1 | 5 | 1 | 3 | 6 | 12 | 19 | 18 | 19 | 15 | 10 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 12 | 7 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 |
| Suicide | 149 | – | – | – | – | – | – | – | – | – | 5 | 10 | 7 | 14 |
| Execution | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 53 | 4 | – | – | – | – | – | 1 | 1 | 2 | 2 | – | – | 2 |
| Debility, Atrophy, Inanition | 1322 | 975 | 114 | 76 | 70 | 13 | 7 | 3 | 5 | 2 | 3 | 2 | – | 1 |
| Mortification | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Tumour | 7 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Abscess | 37 | 5 | 3 | 1 | 4 | 2 | – | – | 1 | 2 | 3 | 3 | 3 | 1 |
| Hæmorrhage | 15 | 3 | 1 | – | – | – | – | – | 1 | 1 | 1 | – | 1 | – |
| Sudden (Cause unascertained) | 13 | 5 | 2 | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Other ill-defined and not specified Causes | 373 | 131 | 26 | 16 | 11 | 5 | – | 4 | 8 | 2 | 8 | 3 | 5 | 1 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 61 | – | – | – | – | – | – | – | – | – | 1 | 3 | 3 | 4 |
| Diseases of Uterus and Vagina | 97 | – | – | – | 2 | 1 | – | – | – | – | 2 | 10 | 11 | 12 |
| Disorders of Menstruation | 9 | – | – | – | – | – | – | – | – | – | 3 | – | – | 3 |
| Pelvic Abscess | 35 | – | – | – | – | – | – | – | – | – | 3 | 5 | 7 | 8 |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 44 | – | – | – | – | – | – | – | – | – | 1 | 8 | 5 | 15 |
| Puerperal Mania | 13 | – | – | – | – | – | – | – | – | – | – | 1 | 5 | 4 |
| Puerperal Convulsions | 45 | – | – | – | – | – | – | – | – | – | 3 | 10 | 8 | 11 |
| Placenta Prævia, Flooding | 75 | – | – | – | – | – | – | – | – | – | 1 | 1 | 9 | 14 |
| Phlegmasia Dolens | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Other Accidents of Childbirth | 183 | – | – | – | – | – | – | – | – | – | 3 | 22 | 39 | 45 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 101 | 1 | – | 1 | 1 | 3 | 4 | 2 | 18 | 13 | 18 | 8 | 2 | 2 |
| Arthritis, Ostitis, Periostitis | 54 | 1 | – | 1 | – | – | – | 1 | 2 | 2 | 3 | 2 | 1 | 3 |
| Other Diseases of Organs of Locomotion | 58 | 1 | – | 1 | 1 | 2 | 1 | 1 | 8 | 11 | 8 | 4 | 8 | 2 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 9 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmon, Cellulitis | 26 | 4 | – | 2 | – | 1 | 2 | – | 1 | – | – | 9 | 3 | – |
| Lupus | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 38 | – | – | 1 | 1 | 1 | – | – | 1 | – | 1 | – | – | – |
| Eczema | 16 | 4 | 1 | 5 | 1 | – | – | – | – | – | – | – | – | – |
| Pemphigus | 4 | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 12 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 11 | – | – | – | – | 1 | – | – | 1 | 2 | 1 | – | 1 | 1 |
| Vehicles and Horses: Vehicles other than R'wys. | 18 | – | – | – | – | 7 | 1 | 1 | 3 | – | 1 | – | 1 | – |
| Vehicles and Horses: Horses | 3 | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 6 | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Burns and Scalds: Other Burns & Scalds | 139 | 2 | 1 | 5 | 21 | 9 | 17 | 9 | 20 | 8 | 4 | 3 | 1 | 1 |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 22 | – | – | 1 | 1 | – | 1 | – | 1 | – | 1 | – | 1 | 4 |
| Drowning | 60 | 1 | – | – | 5 | 4 | 2 | 1 | 4 | 2 | 3 | 2 | 9 | 2 |
| Suffocation: In Bed | 22 | 13 | 21 | 6 | 1 | – | – | – | – | – | – | 1 | – | – |
| Suffocation: Otherwise | 53 | 14 | 1 | 1 | 4 | – | 1 | – | – | 2 | 2 | – | 3 | 2 |
| Falls | 91 | – | 1 | – | 1 | 1 | 1 | – | 3 | 5 | 1 | 4 | 2 | 3 |
| Weather Agencies | 13 | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Otherwise, or Not Stated | 188 | 16 | 1 | 2 | 9 | – | 1 | – | 14 | 1 | 2 | – | 2 | 1 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 10 | 6 | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Suicide | 57 | – | – | – | – | – | – | – | – | 1 | 2 | 4 | 2 | 3 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 86 | 1 | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | 1 |
| Debility, Atrophy, Inanition | 1105 | 748 | 86 | 71 | 58 | 16 | 8 | 3 | 7 | 1 | 6 | 3 | 4 | 3 |
| Mortification | 10 | 2 | – | – | 2 | – | – | – | – | 1 | – | – | – | – |
| Tumour | 15 | – | – | 1 | – | – | – | – | – | – | – | – | 2 | – |
| Abscess | 30 | 3 | 1 | 3 | 4 | 2 | – | – | – | 1 | – | 1 | – | 1 |
| Hæmorrhage | 12 | 5 | – | – | – | – | 1 | – | 1 | – | – | 1 | 1 | 1 |
| Sudden (Cause unascertained) | 10 | – | – | 2 | – | – | – | – | 1 | – | – | – | 1 | 2 |
| Other ill-defined and not specified Causes | 354 | 103 | 18 | 18 | 13 | 3 | 3 | 3 | 4 | 4 | 1 | 7 | 8 | 5 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | 1 | – | 1 | – | – | 2 | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 3 | 2 | 3 | 4 | 2 | 2 | 2 | 4 | – | 1 | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 1 | 2 | 3 | 1 | 2 | 2 | 1 | 2 | – | 1 | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | 3 | 2 | 1 | 1 | 4 | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | 1 | 3 | 3 | 1 | 1 | – | 2 | 1 | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | – | – | 1 | – | – | – | – |
| Lupus | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | 1 | 3 | 1 | 1 | – | 3 | 3 | 3 | 1 | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | 1 | – | 2 | 1 | – | 2 | – | 1 | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 12 | 9 | 11 | 8 | 5 | 2 | – | 2 | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | 3 | 1 | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 16 | 13 | 20 | 16 | 7 | 7 | 10 | 4 | 2 | 1 | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 6 | 9 | 5 | 4 | 3 | 6 | 4 | 4 | 2 | 1 | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | 1 | 1 | 5 | – | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 5 | 3 | 4 | – | 2 | 3 | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 6 | 2 | 5 | 3 | 3 | 1 | – | 1 | – | – | – | – | – | – | – |
| Weapons and Implements | 2 | 1 | 1 | 1 | – | 3 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 2 | 3 | 2 | 3 | 5 | 3 | 5 | 7 | 1 | 3 | 3 | 1 | – | – | – |
| Burns and Scalds: Explosions | 5 | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 5 | 6 | 4 | 3 | 1 | 2 | 2 | – | 2 | 1 | – | – | – | – | – |
| Drowning | 56 | 41 | 42 | 38 | 18 | 18 | 9 | 12 | 3 | 1 | 1 | 1 | – | – | 12 |
| Suffocation: In Bed | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 6 | – | 1 | 4 | 5 | 2 | 1 | – | 2 | – | 1 | – | – | – | – |
| Falls | 18 | 21 | 11 | 10 | 15 | 12 | 9 | 7 | 2 | 2 | 7 | – | – | – | – |
| Weather Agencies | 1 | 4 | 3 | 1 | 4 | 4 | 2 | 3 | 3 | – | – | – | – | – | – |
| Otherwise, or Not Stated | 11 | 13 | 23 | 25 | 18 | 20 | 10 | 11 | 13 | 7 | 4 | 2 | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suicide | 16 | 14 | 15 | 18 | 13 | 14 | 11 | 6 | 3 | 3 | – | – | – | – | – |
| Execution | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | 2 | 3 | 2 | 5 | 4 | 4 | 4 | 12 | 3 | 2 | – | – | – | – |
| Debility, Atrophy, Inanition | 1 | 3 | 8 | 18 | 21 | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | 1 | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – |
| Abscess | 1 | – | – | 3 | 1 | – | – | 1 | 1 | 1 | 1 | – | – | – | – |
| Hæmorrhage | 1 | – | 1 | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 11 | 6 | 12 | 21 | 14 | 21 | 25 | 24 | 21 | – | – | – | – | – | 3 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 6 | 3 | 7 | 9 | 10 | 3 | 8 | 3 | 1 | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 11 | 5 | 9 | 6 | 9 | 8 | 4 | 2 | 3 | 2 | – | – | – | – | – |
| Disorders of Menstruation | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 2 | 3 | 2 | – | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 10 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 6 | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 34 | 15 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 45 | 25 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 6 | 3 | 4 | 5 | 3 | 3 | 2 | 1 | 1 | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 2 | 1 | 2 | 2 | 5 | 5 | 7 | 7 | 5 | 2 | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 4 | 1 | – | – | 2 | 2 | 3 | 1 | 1 | 1 | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | 1 | – | – | 1 | 2 | 1 | 1 | 1 | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | 1 | 2 | 2 | 2 | 3 | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | 1 | – | 4 | 6 | 7 | 6 | 3 | 3 | 2 | 1 | – | – | – |
| Eczema | – | – | – | 1 | 1 | – | – | 2 | 1 | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | 1 | – | 2 | 2 | 2 | 2 | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | 2 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 4 | 3 | 2 | 2 | – | 9 | 4 | 7 | 5 | 4 | – | 3 | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 2 | 3 | 1 | 3 | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Drowning | 8 | 3 | 2 | 6 | 4 | 1 | 4 | – | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | 2 | 3 | 2 | 4 | 3 | 6 | 3 | 3 | – | – | – | – | – | – |
| Falls | 5 | 3 | 7 | 3 | 12 | 7 | 7 | 7 | 5 | 7 | 6 | – | – | – | – |
| Weather Agencies | 1 | 1 | 1 | 2 | – | 1 | 2 | 1 | – | – | 1 | – | – | – | – |
| Otherwise, or Not Stated | 1 | 4 | 5 | 6 | 10 | 7 | 11 | 23 | 17 | 19 | 11 | 5 | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suicide | 7 | 6 | 10 | 5 | 10 | 4 | 1 | 1 | 1 | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 2 | 3 | 8 | 7 | 10 | 11 | 9 | 9 | 8 | 8 | 3 | 1 | – | – | – |
| Debility, Atrophy, Inanition | 4 | 8 | 14 | 18 | 48 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | 1 | 4 | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | 1 | 1 | – | 1 | 1 | 1 | 1 | 1 | 2 | 2 | – | – | – | – |
| Abscess | 1 | 1 | – | 2 | 1 | 1 | 3 | 4 | 1 | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 10 | 4 | 14 | 24 | 22 | 22 | 25 | 24 | 19 | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 17594 | 2068 | 783 | 1431 | 1925 | 746 | 453 | 282 | 713 | 343 | 507 | 603 | 533 | 545 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 2808 | 216 | 174 | 434 | 771 | 303 | 176 | 110 | 214 | 87 | 87 | 89 | 44 | 38 |
| II. PARASITIC DISEASES | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 112 | 17 | 5 | 1 | – | 1 | – | – | – | – | – | 4 | 4 | 6 |
| IV. CONSTITUTIONAL „ | 3039 | 20 | 68 | 136 | 210 | 101 | 71 | 59 | 160 | 112 | 249 | 304 | 246 | 214 |
| V. DEVELOPMENTAL „ | 1000 | 572 | 8 | 7 | 1 | – | – | – | 2 | – | – | – | – | – |
| VI. LOCAL „ | 9036 | 697 | 437 | 803 | 882 | 320 | 184 | 100 | 300 | 159 | 179 | 173 | 161 | 235 |
| VII. VIOLENCE | 856 | 78 | 29 | 5 | 15 | 12 | 19 | 12 | 31 | 33 | 36 | 81 | 77 | 50 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 740 | 466 | 62 | 45 | 45 | 9 | 3 | 1 | 6 | 2 | 6 | 2 | 1 | 2 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 2258 | 81 | 99 | 341 | 700 | 294 | 169 | 109 | 212 | 35 | 29 | 35 | 36 | 26 |
| 2. DIARRHŒAL „ | 366 | 74 | 57 | 81 | 67 | 9 | 4 | 1 | 1 | – | 4 | – | 2 | 5 |
| 3. MALARIAL „ | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 85 | 46 | 11 | 10 | 2 | 1 | – | – | – | – | – | 1 | 1 | 1 |
| 6. SEPTIC „ | 97 | 15 | 7 | 1 | 2 | – | 2 | – | 1 | 2 | 4 | 3 | 5 | 6 |
| II. PARASITIC DISEASES | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 112 | 17 | 5 | 1 | – | 1 | – | – | – | – | – | 4 | 4 | 6 |
| IV. CONSTITUTIONAL DISEASES | 3039 | 20 | 68 | 136 | 210 | 101 | 71 | 59 | 160 | 112 | 249 | 304 | 246 | 214 |
| V. DEVELOPMENTAL DISEASES | 1000 | 572 | 8 | 7 | 1 | – | – | – | 2 | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 2009 | 178 | 114 | 159 | 189 | 68 | 54 | 27 | 89 | 44 | 23 | 27 | 31 | 47 |
| 2. „ ORGANS OF SPECIAL SENSE | 21 | 2 | 2 | 4 | 3 | 1 | – | 1 | 1 | 1 | 1 | 1 | – | 3 |
| 3. „ CIRCULATORY SYSTEM | 1202 | 19 | 2 | 3 | 3 | – | 2 | – | 20 | 17 | 28 | 31 | 22 | 45 |
| 4. „ RESPIRATORY SYSTEM | 4011 | 314 | 228 | 478 | 578 | 216 | 102 | 53 | 100 | 33 | 57 | 67 | 74 | 83 |
| 5. „ DIGESTIVE SYSTEM | 1095 | 175 | 84 | 145 | 103 | 26 | 14 | 7 | 34 | 24 | 26 | 19 | 13 | 29 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 19 | – | – | 2 | – | – | – | – | 2 | – | 1 | 1 | 2 | 2 |
| 7. „ URINARY SYSTEM | 506 | 2 | 3 | 4 | 2 | 4 | 8 | 8 | 26 | 14 | 24 | 18 | 15 | 42 |
| 8. „ REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION | 10 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| (b) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 126 | – | 2 | 3 | 2 | 4 | 4 | 4 | 27 | 26 | 19 | 8 | 3 | |
| 10. „ INTEGUMENTARY SYSTEM | 37 | 3 | 2 | 5 | 2 | 1 | – | – | 1 | – | – | 1 | 1 | |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 17668 | 1519 | 649 | 1267 | 1783 | 712 | 452 | 299 | 689 | 373 | 508 | 625 | 687 | 670 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 3010 | 173 | 174 | 424 | 746 | 341 | 193 | 140 | 249 | 50 | 41 | 80 | 75 | 68 |
| II. PARASITIC DISEASES | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 57 | 12 | 4 | 1 | – | – | – | – | 1 | – | – | – | 3 | 5 |
| IV. CONSTITUTIONAL ,, | 3270 | 26 | 49 | 111 | 160 | 58 | 52 | 39 | 150 | 170 | 290 | 324 | 305 | 283 |
| V. DEVELOPMENTAL ,, | 1253 | 435 | 6 | 2 | 2 | 1 | – | – | 1 | – | – | – | – | – |
| VI. LOCAL ,, | 9082 | 466 | 352 | 686 | 763 | 290 | 187 | 109 | 257 | 144 | 168 | 213 | 240 | 298 |
| VII. VIOLENCE | 372 | 59 | 15 | 8 | 20 | 10 | 12 | 9 | 24 | 8 | 7 | 6 | 12 | 11 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 622 | 346 | 49 | 35 | 42 | 12 | 8 | 2 | 7 | 1 | 2 | 2 | 2 | 5 |
| I. | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases | 2327 | 75 | 85 | 340 | 669 | 326 | 193 | 137 | 242 | 48 | 29 | 42 | 25 | 24 |
| 2. Diarrhœal ,, | 373 | 50 | 75 | 68 | 68 | 14 | – | 3 | 3 | – | 2 | 2 | 1 | 4 |
| 3. Malarial ,, | 2 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| 4. Zoogenous ,, | 3 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| 5. Venereal ,, | 63 | 30 | 8 | 13 | 5 | 1 | – | – | – | – | 2 | – | – | 2 |
| 6. Septic ,, | 242 | 18 | 5 | 1 | 3 | – | – | – | 3 | 2 | 8 | 36 | 49 | 38 |
| II. Parasitic Diseases | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Dietetic Diseases | 57 | 12 | 4 | 1 | – | – | – | – | 3 | – | – | – | 3 | 5 |
| IV. Constitutional Diseases | 3270 | 26 | 49 | 111 | 160 | 58 | 52 | 39 | 150 | 170 | 290 | 324 | 305 | 283 |
| V. Developmental Diseases | 1253 | 435 | 6 | 2 | 2 | 1 | – | – | 1 | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. Diseases of Nervous System | 1946 | 127 | 83 | 147 | 126 | 58 | 44 | 25 | 61 | 26 | 26 | 30 | 23 | 42 |
| 2. ,, Organs of Special Sense | 29 | 3 | – | 3 | – | 1 | – | 2 | 5 | 3 | 1 | 2 | 3 | 1 |
| 3. ,, Circulatory System | 1300 | 13 | 2 | 3 | 1 | 1 | 1 | 2 | 21 | 31 | 32 | 32 | 46 | 52 |
| 4. ,, Respiratory System | 3789 | 197 | 193 | 402 | 503 | 195 | 119 | 67 | 104 | 32 | 42 | 57 | 61 | 76 |
| 5. ,, Digestive System | 1226 | 121 | 74 | 127 | 128 | 25 | 11 | 9 | 33 | 25 | 16 | 32 | 38 | 36 |
| 6. ,, Lymphatic System and Ductless Glands | 17 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 3 |
| 7. ,, Urinary System | 384 | – | – | 2 | 3 | 5 | 7 | 3 | 18 | 11 | 20 | 22 | 28 | 31 |
| 8. ,, Reproductive System :— | | | | | | | | | | | | | | |
| (*a*) Diseases of Organs of Generation | 106 | – | – | – | – | – | – | – | – | – | 7 | 11 | 9 | 13 |
| (*b*) Diseases of Parturition | 149 | – | – | – | – | – | – | – | – | – | 7 | 19 | 27 | 41 |
| 9. ,, Organs of Locomotion | 99 | 2 | – | – | 2 | 2 | 4 | 1 | 15 | 16 | 16 | 6 | 3 | 3 |
| 10. ,, Integumentary System | 37 | 3 | – | 2 | – | 3 | 1 | – | – | – | – | 1 | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 648 | 665 | 794 | 854 | 731 | 804 | 701 | 669 | 425 | 229 | 111 | 28 | 2 | – | 1 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 30 | 25 | 37 | 27 | 23 | 23 | 17 | 22 | 1 | 7 | 2 | 1 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 19 | 13 | 12 | 13 | 11 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 213 | 187 | 181 | 170 | 101 | 102 | 73 | 39 | 16 | 5 | 2 | – | – | – | – |
| V. DEVELOPMENTAL „ | – | – | – | – | – | 28 | 53 | 80 | 98 | 85 | 46 | 18 | 2 | – | – |
| VI. LOCAL „ | 318 | 373 | 489 | 562 | 542 | 604 | 525 | 508 | 297 | 124 | 55 | 9 | – | – | – |
| VII. VIOLENCE | 59 | 61 | 63 | 60 | 38 | 38 | 23 | 16 | 10 | 6 | 4 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 9 | 6 | 12 | 22 | 16 | 6 | 8 | 3 | 3 | 2 | 2 | – | – | – | 1 |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 16 | 17 | 16 | 11 | 8 | 7 | 6 | 10 | – | 1 | – | – | – | – | – |
| 2. DIARRHŒAL „ | 6 | 3 | 10 | 6 | 8 | 8 | 7 | 6 | 1 | 4 | 2 | – | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 2 | 1 | 3 | 2 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 6 | 4 | 8 | 8 | 4 | 6 | 4 | 6 | – | 2 | – | 1 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 19 | 13 | 12 | 13 | 11 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 213 | 187 | 181 | 170 | 101 | 102 | 73 | 39 | 16 | 5 | 2 | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 28 | 53 | 80 | 98 | 85 | 46 | 18 | 2 | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 55 | 56 | 82 | 111 | 108 | 133 | 138 | 133 | 87 | 38 | 13 | 5 | – | – | – |
| 2. „ ORGANS OF SPECIAL SENSE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 74 | 82 | 101 | 112 | 120 | 138 | 139 | 130 | 66 | 36 | 11 | 1 | – | – | – |
| 4. „ RESPIRATORY SYSTEM | 113 | 155 | 212 | 214 | 211 | 224 | 169 | 168 | 108 | 31 | 21 | 2 | – | – | – |
| 5. „ DIGESTIVE SYSTEM | 35 | 39 | 45 | 75 | 64 | 46 | 33 | 33 | 16 | 8 | 2 | – | – | – | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 3 | 1 | – | 4 | – | – | 1 | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 34 | 35 | 40 | 41 | 33 | 53 | 39 | 41 | 18 | 11 | 8 | 1 | – | – | – |
| 8. „ REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | 1 | 2 | – | 2 | – | – | 1 | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 2 | 4 | 5 | 2 | 2 | 5 | 2 | 1 | – | – | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | 1 | 1 | 3 | 1 | 4 | 3 | 4 | 2 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 639 | 583 | 702 | 727 | 790 | 898 | 896 | 870 | 657 | 482 | 214 | 66 | 10 | 1 | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 44 | 36 | 25 | 18 | 22 | 20 | 25 | 27 | 19 | 15 | 5 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 7 | 4 | 6 | 7 | 2 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 233 | 191 | 178 | 165 | 137 | 131 | 98 | 61 | 31 | 19 | 7 | 2 | – | – | – |
| V. DEVELOPMENTAL „ | – | – | – | – | – | 52 | 96 | 139 | 193 | 173 | 105 | 40 | 7 | 1 | – |
| VI. LOCAL „ | 332 | 330 | 460 | 503 | 560 | 667 | 653 | 624 | 401 | 262 | 92 | 22 | 3 | – | – |
| VII. VIOLENCE | 14 | 15 | 19 | 16 | 26 | 17 | 17 | 14 | 13 | 13 | 5 | 2 | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 9 | 7 | 14 | 18 | 43 | 9 | 6 | 3 | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 15 | 15 | 12 | 10 | 4 | 9 | 5 | 6 | 10 | 6 | – | – | – | – | – |
| 2. DIARRHŒAL „ | 7 | 7 | 7 | 2 | 12 | 5 | 13 | 12 | 6 | 7 | 5 | – | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 22 | 14 | 6 | 5 | 5 | 6 | 7 | 9 | 3 | 2 | – | – | – | – | – |
| II. | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 7 | 4 | 6 | 7 | 2 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| IV. | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 233 | 191 | 178 | 165 | 137 | 131 | 98 | 61 | 31 | 19 | 7 | 2 | – | – | – |
| V. | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | – | – | – | – | – | 52 | 96 | 139 | 193 | 173 | 105 | 40 | 7 | 1 | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 56 | 53 | 79 | 111 | 117 | 164 | 162 | 162 | 111 | 80 | 24 | 8 | 1 | – | – |
| 2. „ ORGANS OF SPECIAL SENSE | – | – | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 72 | 72 | 105 | 101 | 134 | 152 | 146 | 135 | 68 | 57 | 15 | 6 | – | – | – |
| 4. „ RESPIRATORY SYSTEM | 84 | 106 | 167 | 179 | 196 | 230 | 232 | 240 | 158 | 98 | 43 | 6 | 2 | – | – |
| 5. „ DIGESTIVE SYSTEM | 44 | 48 | 52 | 60 | 68 | 81 | 72 | 57 | 38 | 20 | 9 | 2 | – | – | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | 1 | 1 | 1 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 25 | 24 | 34 | 34 | 28 | 21 | 21 | 19 | 21 | 6 | 1 | – | – | – | – |
| 8. „ REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 13 | 6 | 12 | 11 | 8 | 9 | 5 | 1 | 1 | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 35 | 18 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 2 | 3 | 3 | 3 | 4 | 3 | 6 | 2 | 2 | 1 | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | – | – | 1 | 3 | 3 | 4 | 7 | 7 | 2 | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 791 | 75 | 29 | 5 | 15 | 12 | 19 | 12 | 31 | 33 | 34 | 76 | 72 | 45 |
| 2. HOMICIDE | 5 | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 3. SUICIDE | 59 | – | – | – | – | – | – | – | – | – | 2 | 4 | 5 | 5 |
| 4. EXECUTION | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 740 | 466 | 62 | 45 | 45 | 9 | 3 | 1 | 6 | 2 | 6 | 2 | 1 | 2 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 3 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Measles | 803 | 9 | 12 | 153 | 365 | 136 | 57 | 22 | 45 | 2 | – | 1 | 1 | – |
| Epidemic Rose Rash | 3 | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Scarlet Fever | 174 | – | – | 5 | 23 | 21 | 32 | 25 | 56 | 8 | 1 | 1 | 1 | – |
| Typhus | 26 | – | – | – | – | – | 1 | – | 2 | 4 | 3 | 5 | 5 | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 75 | 3 | 1 | – | 2 | 4 | 1 | – | – | 4 | 3 | 5 | 2 | 4 |
| Hooping-cough | 785 | 45 | 84 | 166 | 264 | 94 | 45 | 29 | 47 | 4 | – | 1 | – | – |
| Mumps | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 223 | 4 | 1 | 14 | 42 | 15 | 28 | 30 | 55 | 6 | 2 | 1 | 2 | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 4 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Enteric Fever | 161 | – | – | – | 2 | 3 | 5 | 3 | 16 | 19 | 20 | 21 | 24 | 22 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 8 | – | – | 4 | 1 | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 358 | 74 | 57 | 77 | 66 | 8 | 4 | 1 | 1 | – | 4 | – | 2 | 5 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 78 | 46 | 11 | 10 | 2 | – | – | – | – | – | – | 1 | 1 | 1 |
| Gonorrhœa, Stricture of Urethra | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 71 | 13 | 6 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 26 | 2 | 1 | 1 | – | – | 1 | – | 1 | 2 | 2 | 2 | 3 | 5 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 343 | 56 | 15 | 8 | 20 | 10 | 12 | 9 | 24 | 8 | 7 | 5 | 11 | 9 |
| 2. HOMICIDE | 6 | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 3. SUICIDE | 23 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 622 | 346 | 49 | 35 | 42 | 12 | 8 | 2 | 7 | 1 | 2 | 2 | 2 | 5 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 3 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Measles | 708 | 2 | 11 | 130 | 301 | 114 | 69 | 33 | 45 | – | – | 1 | – | 2 |
| Epidemic Rose Rash | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Scarlet Fever | 193 | 2 | 1 | 5 | 23 | 30 | 27 | 27 | 52 | 13 | 3 | 5 | 2 | 2 |
| Typhus | 10 | – | 1 | – | – | – | – | – | 2 | – | 2 | 2 | – | 1 |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 85 | 1 | 1 | – | 1 | 1 | 2 | – | 8 | – | 1 | 5 | 4 | 10 |
| Hooping-cough | 910 | 66 | 70 | 192 | 301 | 137 | 54 | 45 | 45 | – | – | – | – | – |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 243 | 3 | 1 | 11 | 40 | 39 | 39 | 28 | 65 | 7 | 2 | 3 | 1 | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 7 | – | – | 1 | – | – | – | – | 2 | 1 | – | – | – | – |
| Enteric Fever | 160 | – | – | – | 3 | 4 | 1 | 4 | 23 | 27 | 21 | 26 | 17 | 8 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 9 | – | – | 4 | 2 | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 364 | 50 | 75 | 64 | 66 | 13 | – | 3 | 3 | – | 2 | 2 | 1 | 4 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 2 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 3 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 62 | 30 | 8 | 13 | 5 | 1 | – | – | – | – | 1 | – | – | 2 |
| Gonorrhœa, Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Erysipelas | 77 | 16 | 5 | 1 | 2 | – | – | – | 1 | 1 | 2 | 2 | 2 | 2 |
| Pyæmia, Septicæmia | 32 | 2 | – | – | 1 | – | – | – | 1 | 1 | 2 | 4 | 4 | 4 |
| Puerperal Fever | 132 | – | – | – | – | – | – | – | – | – | 4 | 30 | 43 | 32 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 54 | 55 | 58 | 51 | 31 | 32 | 21 | 13 | 9 | 5 | 4 | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 5 | 6 | 4 | 9 | 7 | 5 | 2 | 3 | 1 | 1 | – | – | – | – | – |
| 4. EXECUTION | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 9 | 6 | 12 | 22 | 16 | 6 | 8 | 3 | 3 | 2 | 2 | – | – | – | 1 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 7 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | 2 | 11 | 8 | 5 | 5 | 6 | 10 | – | 1 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 13 | 5 | 3 | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 5 | 3 | 10 | 6 | 8 | 7 | 7 | 6 | 1 | 4 | 2 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 2 | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | 1 | 2 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 4 | 3 | 6 | 5 | 3 | 6 | 3 | 6 | – | 1 | – | 1 | – | – | – |
| Pyæmia, Septicæmia | 2 | 1 | 2 | 3 | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 12 | 13 | 14 | 14 | 19 | 15 | 17 | 13 | 12 | 13 | 5 | 2 | - | - | - |
| 2. Homicide | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 3. Suicide | 2 | 2 | 4 | 2 | 6 | 2 | - | 1 | 1 | - | - | - | - | - | - |
| 4. Execution | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 9 | 7 | 14 | 18 | 43 | 9 | 6 | 3 | - | - | - | - | - | - | - |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Small-pox (Unvaccinated) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Small-pox (No Statement) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Chickenpox | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Measles | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Epidemic Rose Rash | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Scarlet Fever | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Typhus | - | 3 | 2 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Relapsing Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Influenza | 4 | 1 | 7 | 5 | - | 8 | 5 | 6 | 9 | 6 | - | - | - | - | - |
| Hooping-cough | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Mumps | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diphtheria | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Cerebro-spinal Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Simple and Ill-defined Fever | 1 | - | - | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Enteric Fever | 9 | 7 | 3 | 3 | 3 | 1 | - | - | - | - | - | - | - | - | - |
| Other Miasmatic Diseases | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diarrhœa, Dysentery | 5 | 7 | 7 | 2 | 12 | 5 | 13 | 12 | 6 | 7 | 5 | - | - | - | - |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ague | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Glanders | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Splenic Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cowpox and other Effects of Vaccination | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Gonorrhœa, Stricture of Urethra | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Erysipelas | | 4 | 2 | 5 | 4 | 5 | 7 | 8 | 3 | 2 | | - | - | - | - |
| Pyæmia, Septicæmia | | 4 | 3 | - | 1 | 1 | - | 1 | - | - | - | - | - | - | - |
| Puerperal Fever | | 6 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 24 | 17 | 5 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 64 | – | – | – | – | – | – | – | – | – | – | 3 | 3 | 4 |
| Intemp. { Delirium Tremens | 23 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 47 | – | – | 2 | – | – | – | – | 3 | 7 | 12 | 6 | 2 | 2 |
| Rheumatism | 26 | – | – | 1 | – | – | – | – | 2 | 2 | – | 2 | 1 | 3 |
| Gout | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 20 | 2 | – | 5 | 6 | 5 | – | 1 | 1 | – | – | – | – | – |
| Cancer | 370 | – | – | – | – | – | – | – | 2 | 1 | 3 | 8 | 5 | 7 |
| Tabes Mesenterica | 245 | 10 | 23 | 31 | 63 | 22 | 18 | 17 | 31 | 16 | 4 | 5 | 1 | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 331 | 2 | 16 | 62 | 79 | 47 | 25 | 16 | 40 | 22 | 7 | 1 | 2 | – |
| Phthisis | 1744 | 2 | 8 | 14 | 24 | 12 | 17 | 17 | 48 | 49 | 206 | 270 | 223 | 194 |
| Other forms of Tuberculosis, Scrofula | 191 | 4 | 9 | 21 | 37 | 12 | 9 | 7 | 30 | 14 | 12 | 7 | 7 | 5 |
| Purpura, Hæmorrhagic Diathesis | 8 | – | – | – | – | 1 | 1 | – | – | – | 2 | 1 | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 36 | – | 2 | – | 1 | 1 | 1 | – | 3 | – | 1 | 3 | 3 | 2 |
| Diabetes Mellitus | 17 | – | – | – | – | 1 | – | 1 | – | 1 | 2 | 1 | 2 | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 482 | 476 | 6 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 42 | 41 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cyanosis | 16 | 13 | 1 | – | – | – | – | – | 2 | – | – | – | – | – |
| Spina Bifida | 21 | 17 | – | 4 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 6 | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 20 | 19 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | 410 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 422 | 21 | 37 | 66 | 75 | 35 | 36 | 18 | 55 | 26 | 13 | 10 | 3 | 6 |
| Apoplexy | 474 | 4 | 3 | 4 | 4 | 6 | 1 | 1 | 3 | 3 | 3 | 3 | 5 | 10 |
| Softening of the Brain | 51 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Hemiplegia, Brain Paralysis | 285 | – | – | – | – | – | – | 1 | 2 | 1 | – | 5 | 2 | 6 |
| Paralysis Agitans | 8 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Insanity, General Paralysis of Insane | 49 | 1 | – | – | – | – | – | – | – | – | – | 2 | 3 | 5 |
| Chorea | 6 | – | – | – | – | – | – | – | 2 | 2 | – | – | 1 | – |
| Epilepsy | 63 | 1 | – | 1 | 3 | 2 | 2 | 1 | 1 | 5 | 3 | 3 | 9 | 8 |
| Convulsions | 346 | 136 | 58 | 53 | 67 | 13 | 8 | 1 | 3 | 2 | 2 | – | – | – |
| Laryngismus Stridulus | 16 | 2 | 2 | 7 | 5 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 5 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 56 | – | 1 | – | 1 | – | – | 1 | 1 | 1 | – | – | 5 | 5 |
| Other Diseases of Nervous System | 228 | 10 | 13 | 28 | 34 | 12 | 7 | 4 | 22 | 4 | 1 | 4 | 3 | 5 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 17 | 1 | 2 | 3 | 2 | 1 | – | – | 1 | 1 | 1 | 1 | – | 3 |
| Epistaxis and Disease of Nose | 3 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 20 | 12 | 4 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 34 | – | – | – | – | – | – | – | – | – | – | – | 2 | 5 |
| Intemp. Delirium Tremens | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 64 | – | – | – | – | – | – | 1 | 5 | 7 | 13 | 9 | 4 | 5 |
| Rheumatism | 36 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Gout | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 15 | 1 | 1 | 2 | 5 | – | 3 | 1 | 1 | 1 | – | – | – | – |
| Cancer | 646 | – | – | – | 1 | – | – | – | – | 2 | 1 | 3 | 8 | 18 |
| Tabes Mesenterica | 192 | 7 | 19 | 30 | 32 | 17 | 16 | 11 | 29 | 13 | 7 | 1 | 3 | 3 |
| Tubercular Meningitis (Acute Hydrocephalus) | 257 | 7 | 17 | 51 | 68 | 21 | 15 | 15 | 45 | 9 | 4 | 2 | 1 | 2 |
| Phthisis | 1843 | 5 | 5 | 21 | 29 | 13 | 13 | 9 | 51 | 117 | 219 | 297 | 272 | 241 |
| Other forms of Tuberculosis, Scrofula | 113 | 3 | 5 | 7 | 22 | 7 | 4 | 1 | 15 | 15 | 9 | 4 | 6 | 4 |
| Purpura, Hæmorrhagic Diathesis | 12 | 2 | – | – | 1 | – | 1 | 1 | 1 | – | 2 | 1 | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 66 | 1 | 2 | – | 2 | – | – | – | 3 | 1 | 4 | 5 | 11 | 8 |
| Diabetes Mellitus | 23 | – | – | – | – | – | – | – | – | 4 | 1 | 2 | – | 2 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 380 | 378 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 25 | 24 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 6 | 4 | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Spina Bifida | 12 | 10 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 4 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 18 | 16 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Old Age | 806 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 337 | 17 | 33 | 60 | 47 | 27 | 23 | 17 | 43 | 14 | 7 | 12 | 7 | 3 |
| Apoplexy | 577 | 4 | – | 9 | 4 | 2 | – | 2 | 1 | 2 | 4 | 4 | 3 | 14 |
| Softening of the Brain | 73 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hemiplegia, Brain Paralysis | 318 | – | – | – | – | 1 | 1 | – | 1 | 1 | 2 | 2 | 2 | 5 |
| Paralysis Agitans | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 28 | – | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| Chorea | 6 | – | – | – | – | – | – | – | 1 | 1 | 1 | 2 | – | – |
| Epilepsy | 46 | – | – | 1 | – | – | 1 | – | – | 2 | 3 | 1 | 5 | 4 |
| Convulsions | 295 | 93 | 38 | 49 | 63 | 18 | 15 | 2 | 5 | – | 1 | 1 | – | 5 |
| Laryngismus Stridulus | 16 | 4 | 3 | 5 | 3 | – | – | 1 | – | – | – | – | – | – |
| Idiopathic Tetanus | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 47 | – | – | – | – | – | – | – | – | 2 | 1 | 2 | 1 | 3 |
| Other Diseases of Nervous System | 191 | 8 | 9 | 22 | 9 | 10 | 4 | 3 | 10 | 4 | 7 | 6 | 4 | 3 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 24 | 1 | – | 3 | – | 1 | – | 2 | 4 | 2 | 1 | 2 | 3 | 1 |
| Epistaxis and Disease of Nose | 5 | 2 | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

AUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 13 | 7 | 9 | 13 | 7 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | 6 | 5 | 3 | – | 4 | 1 | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 3 | 3 | 2 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Rheumatism | 2 | 4 | 1 | 2 | 1 | 2 | 2 | – | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 16 | 31 | 45 | 55 | 55 | 49 | 47 | 26 | 13 | 5 | 2 | – | – | – | – |
| Tabes Mesenterica | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 179 | 143 | 123 | 102 | 41 | 43 | 21 | 7 | 1 | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 7 | 2 | 2 | 4 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 2 | 3 | 4 | 3 | 1 | 3 | 1 | 1 | 1 | – | – | – | – | – | – |
| Diabetes Mellitus | – | 1 | 3 | 1 | – | 3 | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 28 | 53 | 80 | 98 | 85 | 46 | 18 | 2 | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 5 | 6 | 1 | 4 | 2 | 2 | – | – | 1 | – | – | – | – | – | – |
| Apoplexy | 18 | 21 | 29 | 51 | 48 | 64 | 66 | 62 | 33 | 22 | 8 | 2 | – | – | – |
| Softening of the Brain | 1 | 2 | 3 | 4 | 4 | 7 | 7 | 9 | 8 | 2 | 1 | 1 | – | – | – |
| Hemiplegia, Brain Paralysis | 6 | 9 | 19 | 20 | 33 | 37 | 49 | 46 | 34 | 11 | 2 | 2 | – | – | – |
| Paralysis Agitans | – | – | – | 2 | – | – | 1 | 3 | 1 | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 8 | 2 | 11 | 8 | 3 | 4 | – | – | 2 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epilepsy | 5 | 5 | 4 | 2 | 2 | – | 4 | – | 1 | – | 1 | – | – | – | – |
| Convulsions | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 4 | 3 | 6 | 7 | 6 | 4 | 3 | 5 | 3 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 8 | 3 | 9 | 11 | 8 | 13 | 8 | 8 | 4 | 3 | 1 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 7 | 3 | 3 | 7 | 2 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 4 | 2 | – | 4 | 1 | 3 | 2 | 1 | 2 | 1 | – | – | – | – | – |
| Rheumatism | 3 | 2 | 3 | 3 | 5 | 7 | 2 | 7 | 1 | 1 | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 46 | 49 | 90 | 85 | 93 | 87 | 73 | 33 | 24 | 15 | 6 | 2 | – | – | – |
| Tabes Mesenterica | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 170 | 128 | 78 | 63 | 31 | 28 | 13 | 6 | 2 | 2 | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 2 | 4 | – | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 4 | 4 | 5 | 3 | 4 | 5 | 2 | 1 | 1 | – | – | – | – | – | – |
| Diabetes Mellitus | 3 | 1 | – | 3 | 2 | – | 3 | 2 | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 82 | 96 | 139 | 193 | 173 | 105 | 40 | 7 | 1 | |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 5 | 3 | 2 | 5 | 5 | 3 | 1 | 1 | 2 | – | – | – | – | – | – |
| Apoplexy | 17 | 23 | 41 | 55 | 56 | 67 | 76 | 75 | 57 | 42 | 14 | 5 | – | – | – |
| Softening of the Brain | 4 | 2 | 4 | 7 | 3 | 12 | 15 | 10 | 11 | 2 | 1 | – | 1 | – | – |
| Hemiplegia, Brain Paralysis | 4 | 11 | 13 | 22 | 32 | 50 | 49 | 54 | 32 | 27 | 8 | 1 | – | – | – |
| Paralysis Agitans | – | – | – | – | 1 | 3 | 1 | – | 1 | 1 | 1 | 1 | – | – | – |
| Insanity, General Paralysis of Insane | – | 2 | 4 | 4 | 4 | 2 | 4 | 2 | 1 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epilepsy | 6 | 3 | 3 | 5 | 2 | 7 | 2 | 1 | – | – | – | – | – | – | – |
| Convulsions | 2 | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 6 | 2 | 4 | 6 | 3 | 5 | 2 | 6 | 1 | 3 | – | – | – | – | – |
| Other Diseases of Nervous System | 12 | 5 | 8 | 7 | 11 | 13 | 12 | 13 | 6 | 4 | – | 1 | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 952 | 5 | – | – | 1 | – | 2 | – | 17 | 15 | 26 | 29 | 18 | 37 |
| Pericarditis | 20 | 1 | – | 2 | – | – | – | – | 1 | 1 | – | – | 1 | 1 |
| Hypertrophy of Heart | 32 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | – |
| Angina Pectoris | 32 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Syncope | 48 | 6 | 1 | – | 2 | – | – | – | 2 | – | – | – | 2 | 1 |
| Aneurism | 55 | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Senile Gangrene | 23 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 14 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Phlebitis | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Varicose Veins | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 19 | 7 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 49 | 3 | 3 | 9 | 8 | 6 | 3 | 2 | 3 | 2 | – | – | 2 | – |
| Croup | 132 | – | 3 | 20 | 49 | 24 | 19 | 5 | 12 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 11 | – | – | – | 2 | 1 | – | – | – | 1 | 1 | – | 2 | 1 |
| Emphysema, Asthma | 41 | – | – | 2 | – | – | 1 | – | – | 1 | – | 1 | 1 | 4 |
| Bronchitis | 1856 | 195 | 128 | 225 | 221 | 72 | 29 | 20 | 28 | 5 | 10 | 12 | 11 | 12 |
| Pneumonia | 1469 | 76 | 65 | 176 | 243 | 95 | 41 | 23 | 46 | 21 | 34 | 39 | 46 | 49 |
| Pleurisy | 107 | 1 | 3 | 6 | 3 | 2 | – | 1 | 3 | 1 | 7 | 9 | 6 | 7 |
| Other Diseases of Respiratory System | 346 | 39 | 26 | 40 | 52 | 16 | 9 | 2 | 8 | 2 | 5 | 6 | 6 | 10 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 11 | 3 | 1 | 1 | 1 | – | 1 | 1 | 2 | – | – | – | – | 1 |
| Dentition | 128 | 2 | 9 | 38 | 54 | 5 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 12 | – | – | 1 | 2 | 2 | 1 | – | – | 1 | 1 | 1 | – | – |
| Dyspepsia | 27 | 10 | 1 | 5 | 2 | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 8 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Melæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 157 | 27 | 14 | 18 | 9 | 2 | 2 | 1 | 3 | 1 | 1 | 3 | 1 | 2 |
| Enteritis | 239 | 73 | 42 | 45 | 20 | 5 | 3 | – | 6 | 6 | 3 | 4 | 2 | 5 |
| Ulceration of Intestine | 11 | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 57 | 9 | – | 2 | – | – | 1 | 1 | 2 | 2 | 2 | 2 | 1 | – |
| Stricture or Strangulation of Intestine | 9 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 |
| Intussusception of Intestine | 9 | – | – | 2 | 2 | – | – | – | 1 | – | 1 | 1 | 1 | – |
| Hernia | 34 | 1 | 1 | – | – | – | – | – | 1 | – | 1 | – | 1 | 2 |
| Fistula | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Peritonitis | 128 | 2 | 3 | 7 | 5 | 4 | 3 | 2 | 15 | 10 | 14 | 6 | 2 | 6 |
| Ascites | 6 | – | – | – | – | – | – | 1 | – | – | – | – | – | 2 |
| Gallstones | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 52 | – | – | – | – | – | – | – | – | – | – | – | 3 | 3 |
| Other Diseases of Liver | 131 | 34 | 5 | 1 | 1 | 3 | 2 | – | 1 | 3 | 2 | 2 | 1 | 5 |
| Other Diseases of Digestive System | 65 | 14 | 8 | 5 | 6 | 4 | – | – | 1 | – | – | – | 1 | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 5 | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – |
| Diseases of Lymphatics | 8 | – | – | 2 | – | – | – | – | – | – | 1 | – | 2 | 1 |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 102 | – | 1 | 1 | – | 4 | 5 | 4 | 14 | 4 | 3 | 4 | 1 | 8 |
| Bright's Disease | 198 | – | 1 | 2 | 1 | – | 3 | 1 | 10 | 5 | 9 | 9 | 8 | 9 |
| Uræmia | 23 | – | – | 1 | 1 | – | – | – | 1 | – | 1 | 2 | – | – |
| Suppression of Urine | 9 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 11 | – | – | – | – | – | – | – | – | – | 1 | – | – | 2 |
| Hæmaturia | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 101 | – | – | – | – | – | – | – | – | 2 | 3 | 1 | 2 | 2 |
| Other Diseases of Urinary System | 57 | – | 1 | – | – | – | – | 3 | 1 | 3 | 7 | 2 | 4 | 3 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocardlitis, Valvular Disease | 1114 | 4 | – | 2 | 1 | 1 | – | – | 15 | 30 | 28 | 30 | 41 | 46 |
| Pericarditis | 15 | – | – | – | – | – | 1 | 1 | 4 | – | 2 | 1 | – | – |
| Hypertrophy of Heart | 34 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 |
| Angina Pectoris | 13 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 1 |
| Syncope | 55 | 7 | 1 | 1 | – | – | – | – | – | – | – | 1 | 2 | 1 |
| Aneurism | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 28 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 12 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Phlebitis | 4 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Varicose Veins | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 11 | 2 | 1 | – | – | – | – | – | – | – | 1 | – | – | 1 |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 47 | 1 | 2 | 6 | 6 | 4 | 3 | 7 | 6 | 1 | 2 | 2 | – | – |
| Croup | 129 | 4 | 1 | 21 | 40 | 23 | 13 | 11 | 15 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 11 | 1 | – | 3 | 3 | – | – | – | 2 | 1 | – | – | – | – |
| Emphysema, Asthma | 25 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Bronchitis | 2053 | 119 | 122 | 177 | 210 | 62 | 32 | 20 | 23 | 9 | 8 | 14 | 27 | 26 |
| Pneumonia | 1144 | 46 | 50 | 160 | 183 | 84 | 57 | 23 | 49 | 18 | 14 | 29 | 28 | 37 |
| Pleurisy | 85 | – | 1 | 2 | 6 | 4 | 4 | – | 2 | 2 | 8 | 7 | 3 | 4 |
| Other Diseases of Respiratory System | 295 | 26 | 17 | 33 | 55 | 18 | 10 | 6 | 7 | 1 | 10 | 5 | 1 | 8 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 12 | 3 | – | – | 3 | – | 2 | – | 2 | – | – | – | – | – |
| Dentition | 128 | 1 | 6 | 52 | 63 | 6 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 16 | 1 | 1 | 3 | 1 | 1 | – | 1 | 2 | 3 | – | – | – | – |
| Dyspepsia | 33 | 9 | 7 | 1 | 1 | – | – | – | – | – | – | – | – | 1 |
| Hæmatemesis | 25 | 1 | 2 | – | – | – | – | 1 | 1 | 1 | – | 2 | 1 | 1 |
| Melæna | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Stomach | 170 | 12 | 6 | 17 | 9 | 4 | 2 | – | 6 | – | 1 | 7 | 4 | 6 |
| Enteritis | 237 | 58 | 32 | 35 | 35 | 8 | 4 | 4 | 6 | 2 | 4 | 3 | 2 | 3 |
| Ulceration of Intestine | 13 | – | – | 1 | – | – | – | – | 1 | 1 | 1 | – | 2 | 1 |
| Ileus, Obstruction of Intestines | 64 | 4 | 1 | 3 | – | – | – | 1 | 1 | 3 | 1 | 2 | – | 1 |
| Stricture or Strangulation of Intestines | 12 | – | – | – | – | – | – | – | – | – | 1 | – | 3 | 1 |
| Intussusception of Intestines | 7 | – | 3 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Hernia | 35 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 175 | 1 | 4 | 8 | 4 | 3 | – | 2 | 10 | 9 | 7 | 12 | 13 | 13 |
| Ascites | 12 | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – |
| Gallstones | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 27 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 |
| Other Diseases of Liver | 160 | 17 | 3 | 1 | 4 | 2 | 1 | – | 2 | 4 | – | 3 | 4 | 8 |
| Other Diseases of Digestive System | 89 | 14 | 9 | 11 | 7 | 1 | 1 | – | – | 1 | 1 | 1 | 6 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Lymphatics | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Diseases of Thyroid Body | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Suprarenal Capsules | 7 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 87 | – | – | 2 | 3 | 5 | 3 | 3 | 8 | 4 | 1 | 9 | 5 | 6 |
| Bright's Disease | 164 | – | – | – | – | – | 3 | – | 8 | 6 | 8 | 7 | 13 | 13 |
| Uræmia | 22 | – | – | – | – | – | 1 | – | – | – | – | 2 | 4 | 2 |
| Suppression of Urine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hæmaturia | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 19 | – | – | – | – | – | – | – | – | – | 2 | – | 2 | 2 |
| Other Diseases of Urinary System | 85 | – | – | – | – | – | – | – | 2 | 1 | 9 | 4 | 4 | 7 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 59 | 57 | 77 | 93 | 102 | 115 | 106 | 106 | 54 | 24 | 9 | – | – | – | – |
| Pericarditis | 2 | 4 | 1 | – | 1 | 1 | 2 | 1 | – | 1 | – | – | – | – | – |
| Hypertrophy of Heart | 1 | 2 | 5 | 2 | 3 | 6 | 4 | 4 | – | 2 | – | – | – | – | – |
| Angina Pectoris | – | 2 | 3 | – | 6 | 3 | 5 | 6 | 2 | 2 | – | 1 | – | – | – |
| Syncope | 5 | 1 | 3 | 4 | 1 | 4 | 5 | 6 | 3 | 2 | – | – | – | – | – |
| Aneurism | 5 | 11 | 11 | 9 | 5 | 3 | 6 | 1 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 3 | 6 | 4 | 6 | 2 | 2 | – | – | – | – |
| Embolism, Thrombosis | – | 3 | 1 | 2 | 1 | – | 3 | 1 | – | 1 | – | – | – | – | – |
| Phlebitis | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 2 | – | – | 1 | 1 | 1 | 2 | 1 | 1 | 2 | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Emphysema, Asthma | 2 | – | 5 | 3 | 5 | 5 | 6 | 4 | – | – | 1 | – | – | – | – |
| Bronchitis | 21 | 53 | 94 | 127 | 124 | 140 | 106 | 110 | 79 | 20 | 13 | 1 | – | – | – |
| Pneumonia | 70 | 81 | 80 | 64 | 64 | 56 | 36 | 38 | 15 | 6 | 4 | 1 | – | – | – |
| Pleurisy | 8 | 8 | 17 | 4 | 5 | 5 | 4 | 4 | 2 | 1 | – | – | – | – | – |
| Other Diseases of Respiratory System | 9 | 13 | 14 | 15 | 12 | 17 | 16 | 10 | 12 | 4 | 3 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 1 | 1 | 1 | 1 | 1 | 2 | 2 | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | 2 | 3 | – | – | – | – | 1 | – | – | – | – | – | – |
| Melæna | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 7 | 7 | 6 | 14 | 15 | 6 | 3 | 10 | 4 | 1 | – | – | – | – | – |
| Enteritis | 2 | 3 | 4 | 4 | 6 | 2 | 1 | – | 1 | 2 | – | – | – | – | – |
| Ulceration of Intestine | – | 1 | – | 3 | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 4 | 3 | 4 | 6 | 6 | 1 | 6 | 2 | – | 3 | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | 2 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | 5 | 2 | 3 | 4 | 2 | 1 | 5 | 3 | 1 | – | – | – | – | – |
| Fistula | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Peritonitis | 4 | 10 | 4 | 10 | 6 | 8 | 4 | 2 | 1 | – | – | – | – | – | – |
| Ascites | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Gallstones | 1 | 1 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 4 | 2 | 7 | 9 | 9 | 6 | 5 | 3 | 1 | – | – | – | – | – | – |
| Other Diseases of Liver | 9 | 2 | 5 | 13 | 11 | 12 | 8 | 5 | 4 | – | 2 | – | – | – | – |
| Other Diseases of Digestive System | – | 2 | 4 | 6 | 3 | 3 | 1 | 5 | – | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | 1 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 6 | 6 | 8 | 8 | 5 | 10 | 8 | 1 | 1 | – | – | – | – | – | – |
| Bright's Disease | 23 | 23 | 20 | 18 | 12 | 20 | 10 | 10 | 2 | 2 | – | – | – | – | – |
| Uræmia | – | – | 3 | 4 | 2 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| Suppression of Urine | – | – | – | 1 | – | 3 | – | 3 | 1 | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | 2 | 3 | – | 1 | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 2 | 2 | 8 | 9 | 9 | 11 | 24 | 11 | 8 | 6 | 1 | – | – | – |
| Other Diseases of Urinary System | 5 | 2 | 7 | 2 | 5 | 6 | 4 | 1 | – | – | 1 | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 53 | 64 | 91 | 91 | 116 | 137 | 123 | 116 | 84 | 46 | 13 | 5 | – | – | – |
| Pericarditis | 1 | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 2 | 2 | 2 | 1 | 4 | 5 | 2 | 9 | 2 | 2 | – | – | – | – | – |
| Angina Pectoris | – | – | 2 | 1 | – | – | 3 | 1 | 1 | 1 | – | – | – | – | – |
| Syncope | 3 | 3 | 4 | 4 | 8 | 7 | 5 | 3 | 2 | 3 | – | – | – | – | – |
| Aneurism | – | – | 3 | – | 2 | 1 | 3 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | 1 | – | 3 | 7 | 4 | 6 | 5 | 1 | 1 | – | – | – |
| Embolism, Thrombosis | 2 | – | 1 | 1 | 2 | – | 1 | 1 | 1 | – | 1 | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Varicose Veins | – | 2 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | 1 | 4 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | 3 | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Emphysema, Asthma | 3 | 1 | 3 | 5 | 3 | 3 | – | 1 | – | 3 | – | – | – | – | – |
| Bronchitis | 48 | 64 | 105 | 113 | 134 | 172 | 162 | 174 | 126 | 69 | 32 | 3 | 2 | – | – |
| Pneumonia | 24 | 34 | 44 | 46 | 49 | 41 | 44 | 42 | 26 | 9 | 6 | 1 | – | – | – |
| Pleurisy | 2 | 3 | 5 | 6 | 4 | 2 | 8 | 7 | 1 | 2 | 1 | 1 | – | – | – |
| Other Diseases of Respiratory System | 7 | 4 | 7 | 8 | 6 | 11 | 17 | 15 | 5 | 13 | 4 | 1 | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | 1 | – | – | – | – | 2 | – | – | – | – | – | – |
| Dyspepsia | 3 | 2 | 1 | – | 1 | 2 | – | 3 | 2 | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | 1 | 3 | 2 | 3 | 1 | 3 | – | 1 | – | – | – | – |
| Melæna | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 4 | 12 | 8 | 11 | 13 | 15 | 3 | 14 | 6 | 3 | 2 | – | – | – | – |
| Enteritis | 3 | 2 | 4 | 6 | 5 | 3 | 10 | 4 | 3 | 1 | – | – | – | – | – |
| Ulceration of Intestine | 1 | – | – | 1 | 2 | – | 2 | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | 3 | 7 | 4 | 7 | 7 | 5 | 7 | 2 | 3 | 1 | 1 | – | – | – |
| Stricture or Strangulation of Intestine | – | – | 1 | – | 2 | 1 | 2 | – | – | 1 | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hernia | 4 | 1 | 5 | 2 | 6 | 5 | 3 | 3 | 4 | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Peritonitis | 14 | 12 | 12 | 11 | 8 | 13 | 13 | 4 | 2 | 3 | 2 | – | – | – | – |
| Ascites | – | – | – | 1 | 3 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Gallstones | – | 1 | – | – | 1 | 2 | 1 | – | – | 2 | – | – | – | – | – |
| Cirrhosis of Liver | 1 | 2 | 4 | 5 | 4 | 3 | 2 | – | 1 | – | 1 | – | – | – | – |
| Other Diseases of Liver | 7 | 10 | 8 | 12 | 11 | 16 | 16 | 15 | 10 | 3 | 2 | 1 | – | – | – |
| Other Diseases of Digestive System | 6 | 2 | 2 | 4 | – | 8 | 5 | 5 | 2 | 3 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 6 | 5 | 7 | 7 | 3 | 1 | 3 | 2 | 2 | 1 | 1 | – | – | – | – |
| Bright's Disease | 10 | 13 | 14 | 12 | 16 | 11 | 10 | 6 | 13 | 1 | – | – | – | – | – |
| Uræmia | 1 | – | 1 | 4 | 1 | – | 2 | 1 | 3 | – | – | – | – | – | – |
| Suppression of Urine | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | 1 | 1 | 2 | – | – | 2 | 3 | – | 2 | – | – | – | – | – |
| Other Diseases of Urinary System | 5 | 5 | 11 | 9 | 8 | 5 | 4 | 6 | 3 | 2 | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 7 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 75 | – | 1 | 2 | 1 | 1 | 3 | 3 | 17 | 16 | 11 | 7 | 1 | 1 |
| Arthritis, Ostitis, Periostitis | 13 | – | 1 | – | – | 1 | 1 | 1 | 2 | 2 | 1 | – | – | – |
| Other Diseases of Organs of Locomotion | 38 | – | – | 1 | 1 | 2 | – | – | 8 | 8 | 7 | 1 | 2 | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 12 | 2 | – | – | – | – | – | – | 1 | – | – | 1 | 1 | 1 |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 7 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Eczema | 6 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 5 | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 17 | – | – | – | – | – | – | – | – | 1 | 2 | 2 | 1 | 2 |
| Mines and Quarries: Other Mines | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Mines and Quarries: Quarries | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 73 | – | – | – | – | – | – | – | 1 | 5 | 2 | 16 | 9 | 8 |
| Vehicles and Horses: Vehicles other than R'wys. | 42 | – | – | – | – | 4 | 5 | 2 | 5 | 1 | 1 | 1 | 4 | 1 |
| Vehicles and Horses: Horses | 5 | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Ships, Boats, Docks (ex. Drowning) | 27 | – | – | – | – | – | – | – | – | – | 2 | 3 | 5 | 2 |
| Building Operations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Machinery | 28 | – | – | – | – | – | 1 | – | – | 3 | 1 | 5 | 3 | 1 |
| Weapons and Implements | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 65 | – | 2 | 1 | 11 | 6 | 8 | 5 | 6 | 3 | 4 | 4 | 3 | 1 |
| Burns and Scalds: Explosions | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Poisons, Poisonous Vapours | 24 | 2 | – | – | – | – | 1 | – | – | 1 | 1 | 2 | – | 1 |
| Drowning | 129 | – | – | – | – | 1 | 2 | 2 | 9 | 6 | 8 | 15 | 19 | 9 |
| Suffocation: In Bed | 77 | 50 | 21 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 34 | 11 | 5 | 1 | 1 | – | – | – | – | – | 1 | 3 | 3 | 1 |
| Falls | 122 | – | 1 | – | – | 1 | 1 | 2 | 5 | 5 | 6 | 10 | 13 | 11 |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 140 | 12 | – | – | 2 | – | 1 | – | 5 | 8 | 5 | 13 | 12 | 6 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 5 | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Suicide | 59 | – | – | – | – | – | – | – | – | – | 2 | 4 | 5 | 5 |
| Execution | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 15 | 2 | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – | 1 |
| Debility, Atrophy, Inanition | 609 | 232 | 52 | 42 | 40 | 8 | 3 | – | 2 | – | 2 | – | – | – |
| Mortification | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tumour | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 20 | 1 | 1 | – | 3 | 1 | – | – | 1 | 1 | 3 | 2 | 1 | – |
| Hæmorrhage | 7 | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Sudden (Cause unascertained) | 9 | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Other ill-defined and not specified Causes | 72 | 26 | 7 | 2 | 1 | 1 | – | – | 1 | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | 33 | – | – | – | – | – | – | – | – | – | – | 3 | 2 | 1 |
| Diseases of Uterus and Vagina | 48 | – | – | – | – | – | – | – | – | – | 2 | 5 | 4 | 6 |
| Disorders of Menstruation | 7 | – | – | – | – | – | – | – | – | – | 2 | – | – | 2 |
| Pelvic Abscess | 18 | – | – | – | – | – | – | – | – | – | 3 | 3 | 3 | 4 |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 24 | – | – | – | – | – | – | – | – | – | 1 | 3 | 2 | 11 |
| Puerperal Mania | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | – |
| Puerperal Convulsions | 19 | – | – | – | – | – | – | – | – | – | 2 | 6 | 3 | 5 |
| Placenta Prævia, Flooding | 33 | – | – | – | – | – | – | – | – | – | – | – | 4 | 11 |
| Phlegmasia Dolens | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Accidents of Childbirth | 68 | – | – | – | – | – | – | – | – | – | 3 | 9 | 15 | 14 |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 52 | 1 | – | – | 1 | 2 | 3 | 1 | 9 | 9 | 12 | 1 | 1 | 1 |
| Arthritis, Ostitis, Periostitis | 20 | 1 | – | – | – | – | – | – | 2 | 1 | 1 | 2 | – | 1 |
| Other Diseases of Organs of Locomotion | 27 | – | – | – | 1 | – | 1 | – | 4 | 6 | 3 | 3 | 2 | 1 |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 8 | 2 | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – |
| Lupus | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 5 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 2 | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys | 11 | – | – | – | – | 5 | – | 1 | 1 | – | – | – | 1 | – |
| Vehicles and Horses: Horses | 2 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 73 | 2 | 1 | 1 | 11 | 3 | 10 | 6 | 14 | 1 | 4 | 2 | 1 | 1 |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 11 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Drowning | 12 | – | – | – | 3 | – | – | 1 | – | 1 | – | – | 2 | 1 |
| Suffocation: In Bed | 61 | 41 | 13 | 6 | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 21 | 3 | 1 | – | – | – | – | – | – | – | – | – | 3 | 1 |
| Falls | 67 | – | – | – | – | 1 | 1 | – | 3 | 4 | 1 | 3 | 2 | 3 |
| Weather Agencies | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 76 | 9 | – | 1 | 5 | – | – | – | 6 | 1 | – | – | 1 | 1 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | 6 | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Suicide | 23 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | 26 | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 511 | 324 | 44 | 30 | 38 | 10 | 6 | 1 | 5 | 1 | 2 | 1 | 1 | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Abscess | 9 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | 1 |
| Hæmorrhage | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Sudden (Cause unascertained) | 5 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | 2 |
| Other ill-defined and not specified Causes | 63 | 20 | 4 | 3 | 3 | 1 | 1 | – | – | – | – | 1 | – | 2 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ( |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | 1 | 2 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | 3 | 2 | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | 1 | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Lupus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | 1 | – | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 5 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 5 | 6 | 7 | 7 | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 3 | 2 | 5 | 1 | 2 | 1 | 1 | 2 | 1 | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 5 | 2 | 3 | – | 2 | 3 | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 6 | 1 | 4 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | 1 | 1 | 1 | 3 | – | 3 | 1 | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 5 | 3 | 2 | 2 | – | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Drowning | 4 | 13 | 14 | 13 | 6 | 4 | 3 | – | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 2 | – | – | 1 | 1 | 2 | – | – | 2 | – | – | – | – | – | – |
| Falls | 12 | 14 | 7 | 9 | 6 | 5 | 6 | 5 | – | – | 3 | – | – | – | – |
| Weather Agencies | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 6 | 8 | 13 | 13 | 6 | 11 | 5 | 4 | 5 | 4 | 1 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suicide | 5 | 6 | 4 | 9 | 7 | 5 | 2 | 3 | 1 | 1 | – | – | – | – | – |
| Execution | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | 2 | – | – | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | 3 | 5 | 8 | 12 | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Abscess | 1 | – | – | 2 | – | – | 1 | – | – | 1 | 1 | – | – | – | – |
| Hæmorrhage | 1 | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 6 | 1 | 4 | 9 | 2 | 1 | 5 | 1 | 2 | – | – | – | – | – | – |

USES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 4 | 2 | 3 | 6 | 5 | 2 | 3 | 1 | 1 | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 8 | 2 | 6 | 5 | 2 | 6 | 2 | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 12 | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 16 | 10 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | 1 | 2 | 3 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | 1 | 1 | – | 1 | 1 | 4 | 2 | 1 | 1 | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | 1 | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | 1 | – | 2 | 3 | 5 | 3 | 1 | – | – | – | – | – | – |
| Eczema | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | 3 | 1 | 1 | – | 5 | 2 | 1 | 2 | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | 2 | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | 2 | 2 | 1 | 2 | – | 4 | – | 1 | – | – | – | – | – | – |
| Falls | 5 | 3 | 4 | 3 | 10 | 5 | 6 | 4 | 2 | 5 | 2 | – | – | – | – |
| Weather Agencies | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 1 | 2 | 4 | 4 | 6 | 4 | 5 | 8 | 6 | 7 | 3 | 2 | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | 2 | 4 | 2 | 6 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 1 | 1 | 2 | 4 | 6 | 5 | 2 | 2 | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 3 | 2 | 7 | 7 | 29 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 4 | 2 | 3 | 6 | 6 | 3 | [illegible] | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 4654 | 572 | 222 | 376 | 392 | 151 | 97 | 77 | 148 | 111 | 165 | 160 | 138 | 118 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 678 | 50 | 43 | 124 | 144 | 63 | 33 | 34 | 45 | 17 | 12 | 15 | 11 | 10 |
| II. PARASITIC DISEASES | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 31 | 7 | 2 | – | 1 | – | – | – | – | – | – | – | 1 | 2 |
| IV. CONSTITUTIONAL „ | 706 | 10 | 12 | 32 | 31 | 18 | 13 | 10 | 39 | 48 | 75 | 79 | 57 | 40 |
| V. DEVELOPMENTAL „ | 353 | 166 | 4 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| VI. LOCAL „ | 2441 | 175 | 129 | 209 | 200 | 60 | 45 | 31 | 57 | 37 | 58 | 49 | 50 | 59 |
| VII. VIOLENCE | 195 | 7 | 1 | 1 | 3 | 5 | 5 | 2 | 6 | 8 | 19 | 17 | 17 | 6 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 249 | 157 | 30 | 10 | 12 | 4 | 1 | – | 1 | 1 | 1 | – | 2 | 1 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 520 | 18 | 20 | 95 | 125 | 58 | 32 | 32 | 44 | 14 | 12 | 13 | 11 | 8 |
| 2. DIARRHŒAL „ | 121 | 24 | 21 | 26 | 18 | 4 | 1 | 1 | – | 2 | – | 2 | – | 1 |
| 3. MALARIAL „ | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 7 | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 29 | 6 | – | 3 | – | 1 | – | 1 | 1 | – | – | – | – | 1 |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 31 | 7 | 2 | – | 1 | – | – | – | – | – | – | – | 1 | 2 |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 706 | 10 | 12 | 32 | 31 | 18 | 13 | 10 | 39 | 48 | 75 | 79 | 57 | 40 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 353 | 166 | 4 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 573 | 45 | 24 | 51 | 44 | 16 | 13 | 9 | 20 | 10 | 8 | 8 | 12 | 9 |
| 2. „ ORGANS OF SPECIAL SENSE | 6 | 1 | – | – | – | 1 | – | 2 | – | – | 1 | 1 | – | – |
| 3. „ CIRCULATORY SYSTEM | 342 | 2 | – | – | – | – | – | – | 3 | 3 | 7 | 8 | 7 | 8 |
| 4. „ RESPIRATORY SYSTEM | 1013 | 73 | 77 | 112 | 122 | 39 | 28 | 13 | 16 | 8 | 19 | 12 | 13 | 25 |
| 5. „ DIGESTIVE SYSTEM | 335 | 51 | 28 | 45 | 31 | 3 | 3 | 4 | 7 | 12 | 13 | 11 | 7 | 6 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 5 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| 7. „ URINARY SYSTEM | 122 | – | – | – | 1 | 1 | 1 | 1 | 4 | 2 | 1 | 4 | 9 | 9 |
| 8. „ REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 31 | 2 | – | – | 1 | – | – | 1 | 5 | 1 | 9 | 5 | 2 | 2 |
| 10. „ INTEGUMENTARY SYSTEM | 12 | 1 | – | 1 | 1 | – | – | – | 2 | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 4777 | 470 | 172 | 324 | 405 | 171 | 77 | 67 | 186 | 120 | 138 | 161 | 175 | 144 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 697 | 44 | 45 | 93 | 152 | 64 | 33 | 31 | 49 | 19 | 12 | 16 | 20 | 18 |
| II. PARASITIC DISEASES | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC ,, | 15 | 6 | - | - | 1 | 1 | - | - | - | - | - | - | - | 2 |
| IV. CONSTITUTIONAL ,, | 888 | 8 | 15 | 27 | 45 | 12 | 9 | 12 | 58 | 65 | 77 | 79 | 79 | 61 |
| V. DEVELOPMENTAL ,, | 468 | 142 | - | 2 | - | 1 | - | 1 | 1 | - | - | - | - | - |
| VI. LOCAL ,, | 2446 | 132 | 98 | 186 | 194 | 89 | 33 | 22 | 74 | 34 | 47 | 61 | 73 | 61 |
| VII. VIOLENCE | 55 | 5 | 1 | 1 | 6 | - | 2 | - | 3 | 1 | 1 | 3 | - | 2 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 207 | 132 | 13 | 15 | 7 | 4 | - | 1 | 1 | 1 | 1 | 2 | 3 | - |
| I | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 503 | 20 | 24 | 71 | 138 | 61 | 31 | 31 | 48 | 17 | 8 | 6 | 3 | 7 |
| 2. DIARRHŒAL ,, | 106 | 16 | 15 | 20 | 11 | 2 | 1 | - | - | 2 | - | - | 1 | - |
| 3. MALARIAL ,, | 2 | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS ,, | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL ,, | 10 | 5 | 3 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| 6. SEPTIC ,, | 76 | 3 | 3 | 2 | 2 | - | 1 | - | 1 | - | 3 | 10 | 15 | 11 |
| II. PARASITIC DISEASES | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC DISEASES | 15 | 6 | - | - | 1 | 1 | - | - | - | - | - | - | - | 2 |
| IV. CONSTITUTIONAL DISEASES | 888 | 8 | 15 | 27 | 45 | 12 | 9 | 12 | 58 | 65 | 77 | 79 | 79 | 61 |
| V. DEVELOPMENTAL DISEASES | 468 | 142 | - | 2 | - | 1 | - | 1 | 1 | - | - | - | - | - |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 592 | 29 | 24 | 48 | 40 | 19 | 5 | 3 | 20 | 14 | 8 | 9 | 8 | 7 |
| 2. ,, ORGANS OF SPECIAL SENSE | 8 | 2 | - | - | 3 | - | - | - | 1 | 1 | - | 1 | - | - |
| 3. ,, CIRCULATORY SYSTEM | 373 | 2 | - | 1 | 2 | - | - | - | 4 | 7 | 9 | 14 | 13 | 12 |
| 4. ,, RESPIRATORY SYSTEM | 951 | 63 | 57 | 105 | 116 | 58 | 25 | 18 | 29 | 5 | 14 | 14 | 10 | 9 |
| 5. ,, DIGESTIVE SYSTEM | 313 | 31 | 17 | 27 | 30 | 8 | 2 | - | 7 | 2 | 9 | 7 | 16 | 11 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 2 | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 7. ,, URINARY SYSTEM | 95 | 1 | - | - | 1 | 2 | - | - | 4 | 4 | 2 | 4 | 9 | 6 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 15 | - | - | - | 2 | - | - | - | - | - | - | 3 | - | 2 |
| (*b*) DISEASES OF PARTURITION | 48 | - | - | - | - | - | - | - | - | - | 1 | 5 | 13 | 13 |
| 9. ,, ORGANS OF LOCOMOTION | 30 | 1 | - | 2 | - | 1 | - | 1 | 8 | 1 | 3 | 3 | 2 | 1 |
| 10. ,, INTEGUMENTARY SYSTEM | 19 | 3 | - | 3 | - | 1 | 1 | - | 1 | - | - | 1 | 2 | - |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 140 | 149 | 166 | 175 | 219 | 257 | 223 | 227 | 194 | 108 | 51 | 15 | 3 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 11 | 5 | 8 | 3 | 8 | 16 | 9 | 7 | 5 | 3 | 1 | 1 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 3 | 5 | 3 | 2 | – | 2 | 3 | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 47 | 45 | 25 | 25 | 30 | 26 | 19 | 11 | 9 | 4 | 1 | – | – | – | – |
| V. DEVELOPMENTAL „ | – | – | – | – | – | 10 | 10 | 28 | 57 | 41 | 25 | 8 | 2 | – | – |
| VI. LOCAL „ | 65 | 80 | 115 | 121 | 165 | 187 | 170 | 175 | 116 | 58 | 23 | 6 | 1 | – | – |
| VII. VIOLENCE | 12 | 14 | 9 | 14 | 11 | 14 | 12 | 3 | 6 | 2 | 1 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | – | 6 | 10 | 5 | 2 | – | 3 | 1 | – | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 9 | 3 | 2 | 2 | 3 | 10 | 4 | 2 | 2 | – | 1 | – | – | – | – |
| 2. DIARRHŒAL „ | – | – | 2 | – | 4 | 4 | 2 | 4 | 1 | 3 | – | 1 | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 2 | 1 | 3 | 1 | 1 | 2 | 3 | 1 | 2 | – | – | – | – | – | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 3 | 5 | 3 | 2 | – | 2 | 3 | – | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 47 | 45 | 25 | 25 | 30 | 26 | 19 | 11 | 9 | 4 | 1 | – | – | – | – |
| **V.** DEVELOPMENTAL DISEASES | – | – | – | – | – | 10 | 10 | 28 | 57 | 41 | 25 | 8 | 2 | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 16 | 12 | 16 | 25 | 33 | 43 | 40 | 58 | 32 | 17 | 9 | 3 | – | – | – |
| 2. „ ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 9 | 12 | 28 | 31 | 42 | 45 | 46 | 44 | 32 | 10 | 4 | 1 | – | – | – |
| 4. „ RESPIRATORY SYSTEM | 26 | 38 | 40 | 48 | 62 | 74 | 55 | 47 | 34 | 21 | 9 | 2 | – | – | – |
| 5. „ DIGESTIVE SYSTEM | 7 | 14 | 20 | 9 | 14 | 15 | 13 | 15 | 2 | 4 | – | – | 1 | – | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 5 | 3 | 10 | 7 | 13 | 9 | 16 | 7 | 13 | 5 | 1 | – | – | – | – |
| 8. „ REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | 1 | – | 1 | 1 | – | – | – | 2 | 2 | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 156 | 148 | 172 | 171 | 207 | 244 | 253 | 292 | 238 | 149 | 95 | 35 | 6 | 1 | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 13 | 8 | 11 | 9 | 11 | 10 | 10 | 9 | 10 | 7 | 2 | 1 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 56 | 49 | 59 | 29 | 36 | 37 | 25 | 21 | 13 | 8 | 5 | 2 | 1 | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 13 | 36 | 69 | 58 | 62 | 56 | 21 | 5 | 1 | – |
| VI. LOCAL ,, | 81 | 88 | 92 | 122 | 150 | 175 | 177 | 190 | 155 | 70 | 31 | 11 | – | – | – |
| VII. VIOLENCE | 3 | 2 | 4 | 2 | 4 | 6 | 4 | 1 | 2 | 1 | 1 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 1 | 5 | 8 | 5 | 2 | 1 | 2 | – | 1 | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 3 | 1 | 6 | 5 | 4 | 4 | 3 | 3 | 5 | 2 | 1 | 1 | – | – | – |
| 2. DIARRHŒAL ,, | 3 | 3 | 5 | 1 | 5 | 5 | 3 | 6 | 4 | 2 | 1 | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 7 | 4 | – | 3 | 2 | 1 | 4 | – | 1 | 3 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 56 | 49 | 59 | 29 | 36 | 37 | 25 | 21 | 13 | 8 | 5 | 2 | 1 | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 13 | 36 | 69 | 58 | 62 | 56 | 21 | 5 | 1 | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 7 | 20 | 19 | 28 | 46 | 47 | 51 | 45 | 56 | 21 | 15 | 3 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 16 | 17 | 17 | 33 | 32 | 39 | 45 | 52 | 37 | 14 | 4 | 3 | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 22 | 26 | 27 | 35 | 49 | 63 | 53 | 60 | 47 | 31 | 10 | 5 | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 13 | 16 | 11 | 18 | 14 | 18 | 21 | 19 | 12 | 3 | 1 | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 7 | 5 | 15 | 6 | 6 | 6 | 5 | 10 | 2 | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | 2 | 1 | 2 | – | – | 2 | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 12 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 3 | – | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | 1 | 1 | 1 | 2 | – | 1 | 1 | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 183 | 6 | 1 | 1 | 3 | 5 | 5 | 2 | 6 | 8 | 19 | 16 | 16 | 6 |
| 2. HOMICIDE | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 11 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 249 | 157 | 30 | 10 | 12 | 4 | 1 | – | 1 | 1 | 1 | – | 2 | 1 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Measles | 136 | – | 2 | 31 | 53 | 22 | 9 | 7 | 11 | – | – | – | 1 | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 38 | 1 | – | 4 | 9 | 7 | 3 | 4 | 7 | 2 | 1 | – | – | – |
| Typhus | 5 | – | – | – | – | – | 1 | – | – | – | – | 2 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 21 | 2 | – | – | – | 2 | 1 | – | – | 1 | 1 | 2 | 2 | 2 |
| Hooping-cough | 183 | 15 | 16 | 55 | 52 | 21 | 7 | 10 | 7 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 48 | – | 2 | 4 | 10 | 3 | 9 | 10 | 8 | 1 | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 3 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Enteric Fever | 74 | – | – | – | 1 | 2 | 1 | 1 | 10 | 10 | 10 | 9 | 8 | 6 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 4 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 117 | 23 | 20 | 25 | 17 | 4 | 1 | 1 | – | 2 | – | 2 | – | 1 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 5 | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 16 | 4 | – | 1 | – | – | – | – | 1 | – | – | – | – | 1 |
| Pyæmia, Septicæmia | 11 | 2 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 49 | 5 | 1 | 1 | 6 | – | 2 | – | 3 | 1 | 1 | 3 | – | 2 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 207 | 132 | 13 | 15 | 7 | 4 | – | 1 | 1 | 1 | 1 | 2 | 3 | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 121 | – | 1 | 21 | 55 | 17 | 7 | 8 | 10 | – | 1 | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 25 | – | – | – | 6 | 3 | 5 | 4 | 5 | 1 | – | 1 | – | – |
| Typhus | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 36 | 1 | – | 1 | – | – | 1 | – | 3 | 2 | 1 | – | – | 1 |
| Hooping-cough | 219 | 18 | 22 | 46 | 67 | 34 | 12 | 9 | 10 | – | – | – | – | – |
| Mumps | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diphtheria | 50 | 1 | – | 3 | 9 | 5 | 6 | 9 | 12 | 3 | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Enteric Fever | 46 | – | – | – | 1 | 2 | – | 1 | 7 | 10 | 5 | 5 | 2 | 5 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 4 | – | – | 1 | 2 | – | – | – | – | 1 | – | – | – | – |
| Diarrhœa, Dysentery | 102 | 16 | 15 | 19 | 9 | 2 | 1 | – | – | 1 | – | – | 1 | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 10 | 5 | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Erysipelas | 26 | 3 | 3 | 2 | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| Pyæmia, Septicæmia | 9 | – | – | – | 1 | – | 1 | – | 1 | – | – | 1 | 1 | 2 |
| Puerperal Fever | 40 | – | – | – | – | – | – | – | – | – | 2 | 8 | 13 | 8 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 12 | 13 | 9 | 14 | 10 | 11 | 10 | 2 | 5 | 2 | 1 | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | 1 | – | – | 1 | 3 | 2 | 1 | 1 | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | – | 6 | 10 | 5 | 2 | – | 3 | 1 | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | – | – | – | 3 | 6 | 2 | 2 | 2 | – | 1 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 6 | 3 | 1 | 2 | – | 3 | 1 | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | 2 | – | 4 | 4 | 2 | 4 | 1 | 3 | – | 1 | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | 2 | – | 1 | 2 | 1 | – | 2 | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | 1 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 1 | 1 | 3 | 2 | 4 | 5 | 3 | 1 | 2 | 1 | 1 | – | – | – | – |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 2 | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 2 | 1 | 5 | 8 | 5 | 2 | 1 | 2 | – | 1 | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 3 | 3 | 3 | 4 | 3 | 2 | 4 | 2 | 1 | 1 | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 2 | – | 1 | 2 | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 3 | 3 | 5 | 1 | 5 | 5 | 3 | 6 | 4 | 2 | 1 | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | – | 3 | 2 | 1 | 4 | – | – | 3 | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Puerperal Fever | 6 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 10 | 7 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 16 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Intemp. { Delirium Tremens | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 13 | – | – | – | – | – | – | – | 3 | 3 | 2 | 1 | – | – |
| Rheumatism | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cancer | 79 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Tabes Mesenterica | 58 | 2 | 3 | 14 | 8 | 3 | 7 | 3 | 7 | 6 | 1 | 2 | 1 | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 77 | 2 | 8 | 11 | 12 | 7 | 5 | 5 | 13 | 8 | 2 | 3 | 1 | – |
| Phthisis | 415 | 1 | – | 4 | 4 | 2 | – | 1 | 11 | 24 | 69 | 66 | 50 | 39 |
| Other forms of Tuberculosis, Scrofula | 46 | 1 | 1 | 3 | 7 | 4 | – | 1 | 5 | 6 | 1 | 6 | 5 | 1 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 11 | 3 | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 142 | 141 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 5 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 6 | 5 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 10 | 9 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 7 | 5 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Old Age | 181 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 138 | 14 | 11 | 29 | 24 | 8 | 9 | 4 | 15 | 8 | 3 | 2 | 4 | – |
| Apoplexy | 167 | 1 | 1 | – | 1 | 1 | – | – | – | 2 | 1 | 1 | 2 | 2 |
| Softening of the Brain | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 85 | 1 | – | – | – | 1 | – | 1 | 1 | – | – | – | 2 | 3 |
| Paralysis Agitans | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 14 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 24 | 1 | – | – | 1 | 1 | 1 | 1 | 1 | – | 1 | 2 | 1 | 2 |
| Convulsions | 67 | 23 | 10 | 14 | 13 | 3 | 1 | – | 2 | – | – | – | – | – |
| Laryngismus Stridulus | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 12 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – |
| Other Diseases of Nervous System | 43 | 5 | 2 | 7 | 5 | 2 | 2 | 2 | 1 | – | 2 | 1 | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 6 | 1 | – | – | – | 1 | – | 2 | – | – | 1 | 1 | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—Females. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **Parasitic Diseases.** | | | | | | | | | | | | | | |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Dietetic Diseases.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 8 | 6 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 7 | – | – | – | – | – | – | – | – | – | 4 | – | – | 2 |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Constitutional Diseases.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 11 | – | – | – | – | – | – | – | – | 3 | 1 | 1 | 1 | 1 |
| Rheumatism | 9 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Cancer | 167 | – | – | – | – | 1 | – | 1 | 1 | – | 2 | 1 | 2 | 4 |
| Tabes Mesenterica | 62 | 3 | 6 | 8 | 14 | 3 | 3 | 2 | 9 | 6 | 1 | 3 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 64 | – | 4 | 10 | 21 | 1 | 5 | 3 | 12 | 3 | – | – | – | – |
| Phthisis | 487 | 1 | 2 | 2 | 5 | 4 | – | 3 | 29 | 43 | 67 | 66 | 71 | 52 |
| Other forms of Tuberculosis, Scrofula | 36 | 1 | 2 | 5 | 5 | 2 | – | 1 | 6 | 3 | 3 | 3 | 1 | – |
| Purpura, Hæmorrhagic Diathesis | 11 | 2 | 1 | – | – | – | 1 | 1 | 1 | 1 | 1 | 1 | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 33 | 1 | – | 1 | – | – | – | – | – | – | 2 | 1 | 4 | 3 |
| Diabetes Mellitus | 5 | – | – | – | – | – | – | – | – | 1 | – | 2 | – | 1 |
| Other Constitutional Diseases | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **Developmental Diseases.** | | | | | | | | | | | | | | |
| Premature Birth | 120 | 118 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 6 | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 3 | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Spina Bifida | 8 | 6 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 321 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Nervous System.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 111 | 4 | 9 | 20 | 20 | 6 | 5 | 2 | 15 | 10 | 8 | 4 | 2 | – |
| Apoplexy | 195 | 1 | – | 3 | – | – | – | – | 1 | 1 | – | 1 | 3 | 2 |
| Softening of the Brain | 19 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hemiplegia, Brain Paralysis | 92 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | 1 |
| Paralysis Agitans | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 18 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Epilepsy | 15 | 1 | – | – | 1 | – | – | – | – | 1 | – | 2 | 1 | – |
| Convulsions | 71 | 20 | 11 | 17 | 12 | 7 | – | – | 2 | 1 | – | 1 | – | – |
| Laryngismus Stridulus | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Paraplegia, Diseases of Spinal Cord | 11 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Nervous System | 51 | 1 | 4 | 8 | 5 | 6 | – | 1 | 1 | 1 | – | 1 | 1 | 1 |
| **Diseases of Organs of Special Sense.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 7 | 1 | – | – | 3 | – | – | – | 1 | 1 | – | 1 | – | – |
| Epistaxis and Disease of Nose | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, during the YEAR 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 2 | 5 | 2 | 1 | – | 2 | 2 | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | 1 | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 6 | 8 | 7 | 5 | 8 | 12 | 14 | 9 | 6 | 2 | 1 | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 40 | 34 | 18 | 18 | 17 | 9 | 3 | 2 | 2 | 1 | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 1 | 1 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 10 | 10 | 28 | 57 | 41 | 25 | 8 | 2 | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | 1 | 2 | – | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Apoplexy | 5 | 3 | 6 | 14 | 19 | 25 | 20 | 29 | 17 | 10 | 4 | 3 | – | – | – |
| Softening of the Brain | – | 1 | – | 2 | 2 | 1 | 3 | 5 | 2 | 2 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 5 | 2 | 2 | 5 | 5 | 12 | 10 | 17 | 10 | 4 | 4 | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | 1 | – | 1 | 1 | 2 | 3 | – | 1 | 1 | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | 2 | 2 | 1 | – | 2 | 3 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | 1 | 1 | – | 1 | 2 | – | 2 | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | 3 | 2 | 1 | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Rheumatism | – | 1 | 1 | – | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 7 | 9 | 23 | 12 | 24 | 26 | 12 | 16 | 11 | 8 | 4 | 2 | 1 | – | – |
| Tabes Mesenterica | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 47 | 33 | 28 | 12 | 6 | 9 | 5 | 1 | 1 | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | 3 | 4 | 3 | 2 | 1 | 4 | 2 | 1 | – | 1 | – | – | – | – |
| Diabetes Mellitus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | 13 | 36 | 69 | 58 | 62 | 56 | 21 | 5 | 1 | – |
| Old Age | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | 2 | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | 4 | 11 | 9 | 14 | 20 | 26 | 27 | 21 | 33 | 9 | 7 | 2 | – | – | – |
| Softening of the Brain | 1 | 2 | – | 1 | 2 | 2 | 5 | – | 2 | 1 | 1 | 1 | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 5 | 7 | 8 | 12 | 12 | 17 | 15 | 8 | 5 | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – |
| Insanity, General Paralysis of Insane | 2 | 2 | 2 | 1 | 4 | 1 | 2 | 2 | 1 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 1 | – | – | 3 | 3 | 1 | – | – | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | 1 | 1 | 1 | 2 | – | 1 | 2 | 3 | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | 1 | 2 | 2 | 6 | 2 | 1 | 2 | 2 | 2 | 1 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 271 | 2 | – | – | – | – | – | – | 2 | 3 | 6 | 6 | 6 | 7 |
| Pericarditis | 4 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 |
| Hypertrophy of Heart | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Angina Pectoris | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Aneurism | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 8 | 1 | – | 2 | 1 | 1 | – | – | – | – | 1 | – | – | 1 |
| Croup | 49 | 1 | 2 | 4 | 13 | 8 | 10 | 6 | 5 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 4 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Emphysema, Asthma | 19 | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Bronchitis | 503 | 48 | 53 | 70 | 54 | 29 | 8 | 5 | 2 | – | 1 | 2 | 2 | 4 |
| Pneumonia | 328 | 10 | 15 | 25 | 44 | 17 | 6 | 1 | 6 | 6 | 12 | 6 | 11 | 17 |
| Pleurisy | 32 | – | – | – | 3 | 1 | 2 | – | 2 | 1 | 1 | 3 | – | 3 |
| Other Diseases of Respiratory System | 70 | 12 | 6 | 10 | 7 | 3 | 2 | 1 | 1 | – | 3 | 1 | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 31 | – | 2 | 18 | 11 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 8 | 1 | 1 | 1 | 2 | – | – | – | 1 | – | – | 2 | – | – |
| Dyspepsia | 5 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 48 | 8 | 7 | 2 | 3 | – | 2 | – | 1 | – | 2 | 1 | 1 | 1 |
| Enteritis | 77 | 22 | 12 | 18 | 6 | 1 | 1 | 2 | 2 | 4 | 1 | – | 3 | 1 |
| Ulceration of Intestine | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 19 | 1 | – | – | 1 | – | – | – | – | – | 1 | 1 | – | 1 |
| Stricture or Strangulation of Intestine | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Intussusception of Intestine | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Hernia | 5 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 50 | 4 | 2 | 1 | 5 | 1 | – | – | 3 | 7 | 5 | 6 | 2 | 1 |
| Ascites | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 48 | 11 | 1 | 1 | – | 1 | – | 1 | – | 1 | 3 | – | 1 | 1 |
| Other Diseases of Digestive System | 12 | 2 | 1 | 3 | 2 | – | – | – | – | – | – | 1 | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Diseases of Lymphatics | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 19 | – | – | – | 1 | 1 | 1 | 1 | 1 | – | – | 1 | 2 | 4 |
| Bright's Disease | 58 | – | – | – | – | – | – | – | 3 | 2 | – | 3 | 5 | 4 |
| Uræmia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 24 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 16 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 318 | 2 | – | – | 1 | – | – | – | 3 | 6 | 7 | 12 | 12 | 11 |
| Pericarditis | 5 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – |
| Hypertrophy of Heart | 7 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Angina Pectoris | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 11 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 4 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 18 | 2 | 3 | 4 | 1 | 2 | 2 | – | 2 | – | – | – | 1 | – |
| Croup | 64 | – | 3 | 3 | 18 | 12 | 8 | 5 | 10 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 507 | 43 | 31 | 58 | 40 | 16 | 5 | 3 | 6 | – | 1 | 2 | 2 | 4 |
| Pneumonia | 273 | 17 | 17 | 28 | 45 | 20 | 9 | 10 | 5 | 4 | 11 | 10 | 5 | 3 |
| Pleurisy | 17 | – | – | – | – | 1 | – | – | 1 | – | 1 | 1 | 2 | 1 |
| Other Diseases of Respiratory System | 60 | 1 | 3 | 7 | 11 | 7 | 1 | – | 5 | 1 | 1 | 1 | – | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dentition | 27 | – | 1 | 11 | 14 | 1 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 6 | 2 | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Dyspepsia | 7 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 62 | 9 | 3 | 1 | 5 | 1 | 1 | – | 1 | – | 2 | 3 | 4 | 5 |
| Enteritis | 64 | 11 | 9 | 9 | 8 | 3 | 1 | – | 2 | – | 1 | 1 | 2 | – |
| Ulceration of Intestine | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Ileus, Obstruction of Intestines | 16 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Stricture or Strangulation of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 5 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 52 | 2 | – | 3 | 1 | – | – | – | 2 | – | 5 | 3 | 6 | 4 |
| Ascites | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Cirrhosis of Liver | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 40 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | 3 | – |
| Other Diseases of Digestive System | 12 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 26 | 1 | – | – | 1 | – | – | – | 3 | 2 | 1 | 1 | – | 3 |
| Bright's Disease | 42 | – | – | – | – | 2 | – | – | 1 | 2 | 1 | 3 | 6 | 1 |
| Uræmia | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 3 | – | – | – | – | – | – | – | – | – | – | – | 3 | – |
| Other Diseases of Urinary System | 19 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 9 | 8 | 23 | 28 | 35 | 40 | 38 | 39 | 27 | 8 | 3 | 1 | – | – | – |
| Pericarditis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | 1 | 1 | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Angina Pectoris | – | – | 1 | 1 | 4 | 2 | – | 1 | 2 | – | 1 | – | – | – | – |
| Syncope | – | 1 | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Aneurism | – | 2 | 2 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 1 | 3 | 1 | 1 | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Phlebitis | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | 1 | – | 1 | – | 3 | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | 1 | 2 | 2 | 4 | 2 | 3 | – | – | 1 | – | – | – | – |
| Bronchitis | 7 | 4 | 17 | 22 | 36 | 44 | 31 | 34 | 25 | 17 | 6 | 2 | – | – | – |
| Pneumonia | 16 | 28 | 16 | 21 | 17 | 21 | 16 | 8 | 5 | 2 | 2 | – | – | – | – |
| Pleurisy | – | 4 | 3 | 2 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 2 | 2 | 3 | – | 4 | 4 | 4 | 1 | 2 | 2 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – |
| Hæmatemesis | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | 2 | 1 | 1 | 3 | 5 | 4 | 3 | – | 1 | – | – | – | – | – |
| Enteritis | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 1 | 2 | 3 | 1 | 1 | 2 | 1 | 2 | 1 | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | 1 | 3 | 1 | 1 | 1 | 2 | 3 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Gallstones | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | 1 | 3 | 4 | 2 | 3 | – | 2 | – | – | – | – | – | – | – |
| Other Diseases of Liver | 2 | 4 | 6 | 1 | 3 | 3 | 3 | 3 | 1 | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | 1 | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | – | 1 | – | 2 | – | 3 | – | – | – | – | – | – | – | – |
| Bright's Disease | 3 | 2 | 8 | 4 | 7 | 4 | 8 | 4 | – | 1 | – | – | – | – | – |
| Uræmia | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | 4 | 5 | 2 | 9 | 2 | 1 | – | – | – | – |
| Other Diseases of Urinary System | – | 1 | 1 | 2 | 3 | 1 | – | 1 | 3 | 1 | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—Females.. *(Continued)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **Diseases of Circulatory System.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 15 | 17 | 14 | 30 | 26 | 32 | 38 | 45 | 31 | 11 | 2 | 3 | – | – | – |
| Pericarditis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | 1 | – | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – |
| Angina Pectoris | – | – | – | 1 | 2 | 1 | 1 | 1 | 3 | – | – | – | – | – | – |
| Syncope | 1 | – | 1 | 1 | 2 | 2 | – | – | 1 | 1 | – | – | – | – | – |
| Aneurism | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | 1 | 1 | – | 3 | 5 | 1 | 2 | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Phlebitis | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | 1 | – | – | 4 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Bronchitis | 8 | 9 | 13 | 27 | 31 | 45 | 39 | 51 | 37 | 23 | 8 | 5 | – | – | – |
| Pneumonia | 9 | 12 | 12 | 6 | 11 | 11 | 9 | 6 | 7 | 4 | 2 | – | – | – | – |
| Pleurisy | 3 | 2 | 2 | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 2 | 1 | – | 1 | 2 | 4 | 2 | 2 | 3 | 4 | – | – | – | – | – |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | 1 | 1 | – | – | 2 | 1 | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 3 | 3 | 3 | 2 | 1 | 4 | 5 | 4 | 2 | – | – | – | – | – | – |
| Enteritis | 3 | – | – | 1 | 3 | 2 | 2 | 3 | 1 | 2 | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 1 | 1 | – | 3 | 2 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 3 | 4 | 2 | 3 | 1 | 5 | 4 | 1 | 3 | – | – | – | – | – | – |
| Ascites | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | 3 | – | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Liver | 3 | 3 | 4 | 3 | 2 | 5 | 3 | 6 | 2 | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | – | 1 | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| **Diseases of Lymphatic System and Ductless Glands.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 3 | 2 | 5 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Bright's Disease | 2 | 2 | 7 | 1 | 2 | 4 | 3 | 5 | 1 | – | – | – | – | – | – |
| Uræmia | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | 1 | 3 | 2 | 2 | 1 | 2 | 4 | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1889.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 21 | 1 | – | – | – | – | – | 1 | 4 | 1 | 6 | 4 | 2 | 1 |
| Arthritis, Ostitis, Periostitis | 4 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Organs of Locomotion | 6 | – | – | – | 1 | – | – | – | 1 | – | 2 | 1 | – | 1 |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 6 | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 21 | – | – | – | – | – | – | – | – | 2 | 1 | 3 | 3 | 2 |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 30 | – | – | – | – | – | – | – | 1 | 2 | 5 | 3 | 4 | 1 |
| Vehicles and Horses: Vehicles other than R'wy | 10 | – | – | – | – | – | 2 | – | 1 | 1 | – | – | 1 | – |
| Vehicles and Horses: Horses | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 15 | – | – | – | 2 | 4 | 3 | 1 | 2 | – | – | – | 1 | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 8 | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – |
| Drowning | 36 | – | – | – | – | – | – | – | 2 | 2 | 7 | 7 | 3 | 3 |
| Suffocation: In Bed | 7 | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Falls | 16 | – | – | 1 | – | – | – | – | – | – | 1 | 1 | 2 | – |
| Weather Agencies | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Otherwise, or Not Stated | 24 | – | – | – | – | 1 | – | 1 | – | 1 | 3 | 1 | 1 | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 11 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | 8 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Debility, Atrophy, Inanition | 193 | 139 | 26 | 7 | 9 | 1 | 1 | – | – | 1 | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 6 | 2 | 1 | – | – | 1 | – | – | – | – | – | – | 2 | – |
| Hæmorrhage | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 39 | 15 | 3 | 3 | 3 | 2 | – | – | 1 | – | 1 | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Uterus and Vagina | 8 | – | – | – | 2 | – | – | – | – | – | – | 2 | – | – |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Pelvic Abscess | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Puerperal Mania | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Puerperal Convulsions | 8 | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 2 |
| Placenta Prævia, Flooding | 10 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Phlegmasia Dolens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Accidents of Childbirth | 25 | – | – | – | – | – | – | – | – | – | – | 2 | 8 | 8 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 17 | – | – | 1 | – | – | – | – | 6 | – | 3 | 3 | 1 | – |
| Arthritis, Ostitis, Periostitis | 6 | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | 1 |
| Other Diseases of Organs of Locomotion | 7 | 1 | – | – | – | 1 | – | – | 2 | – | – | – | 1 | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 8 | 2 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | 2 | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 5 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Eczema | 3 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Vehicles and Horses: Vehicles other than R'wys. | 3 | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 10 | – | – | 1 | 4 | – | – | – | 1 | – | – | 1 | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Suffocation: In Bed | 6 | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Suffocation: Otherwise | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 9 | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 9 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 12 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Debility, Atrophy, Inanition | 163 | 122 | 11 | 10 | 5 | 3 | – | 1 | – | – | 1 | – | – | – |
| Mortification | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 5 | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Sudden (Cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other ill-defined and not specified Causes | 24 | 9 | 2 | 5 | – | – | – | – | – | – | – | 1 | 2 | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | 1 | 4 | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 2 | 3 | 1 | 1 | 1 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | 1 | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Drowning | 1 | 2 | 1 | 4 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Falls | 1 | 3 | – | – | 3 | 3 | 1 | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Otherwise, or Not Stated | 3 | – | – | 2 | – | 2 | 3 | – | 3 | 2 | 1 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | 1 | – | – | 1 | 3 | 2 | 1 | 1 | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | 2 | 1 | – | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 1 | – | – | 6 | 2 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | – | 4 | 3 | 1 | – | – | 2 | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | 1 | – | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Decks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – |
| Falls | – | – | 2 | – | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | 1 | 1 | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | | |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | 3 | 2 | 1 | 2 | – | 1 | – | 1 | – | – | – | – | – |
| Debility, Atrophy, Inanition | 1 | 1 | 1 | 4 | 3 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 7752 | 878 | 323 | 558 | 610 | 235 | 156 | 121 | 286 | 183 | 288 | 266 | 203 | 227 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1113 | 64 | 70 | 173 | 230 | 99 | 61 | 48 | 93 | 25 | 34 | 16 | 12 | 18 |
| II. PARASITIC DISEASES | 4 | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| III. DIETETIC ,, | 37 | – | – | 2 | 1 | – | – | – | – | – | – | – | 2 | 9 |
| IV. CONSTITUTIONAL ,, | 1255 | 17 | 30 | 58 | 67 | 28 | 18 | 16 | 72 | 66 | 120 | 136 | 88 | 82 |
| V. DEVELOPMENTAL ,, | 577 | 246 | 2 | 1 | 3 | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 3949 | 304 | 185 | 302 | 291 | 101 | 65 | 45 | 98 | 69 | 89 | 68 | 69 | 80 |
| VII. VIOLENCE | 479 | 12 | 8 | 2 | 8 | 4 | 10 | 8 | 22 | 22 | 43 | 45 | 30 | 36 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 338 | 234 | 27 | 20 | 9 | 3 | 2 | 3 | 1 | 1 | 2 | 1 | 2 | 2 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 865 | 30 | 36 | 125 | 205 | 93 | 59 | 46 | 90 | 23 | 31 | 14 | 9 | 15 |
| 2. DIARRHŒAL ,, | 179 | 22 | 31 | 38 | 22 | 5 | 1 | 2 | 1 | 2 | 3 | 1 | 1 | 2 |
| 3. MALARIAL ,, | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 21 | 6 | 3 | 5 | 1 | 1 | – | – | – | – | – | 1 | – | – |
| 6. SEPTIC ,, | 46 | 6 | – | 4 | 2 | – | – | – | 2 | – | – | – | 2 | 1 |
| II. PARASITIC DISEASES | 4 | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 37 | – | – | 2 | 1 | – | – | – | – | – | – | – | 2 | 9 |
| IV. CONSTITUTIONAL DISEASES | 1255 | 17 | 30 | 58 | 67 | 28 | 18 | 16 | 72 | 66 | 120 | 136 | 88 | 82 |
| V. DEVELOPMENTAL DISEASES | 577 | 246 | 2 | 1 | 3 | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 934 | 63 | 46 | 67 | 68 | 23 | 20 | 11 | 23 | 25 | 23 | 6 | 12 | 14 |
| 2. ,, ORGANS OF SPECIAL SENSE | 8 | 1 | – | – | 1 | 1 | 1 | – | – | 1 | 1 | – | – | |
| 3. ,, CIRCULATORY SYSTEM | 615 | 4 | 3 | 1 | 1 | 1 | 2 | 2 | 5 | 7 | 12 | 16 | 9 | |
| 4. ,, RESPIRATORY SYSTEM | 1540 | 157 | 93 | 172 | 164 | 58 | 34 | 23 | 36 | 11 | 19 | 19 | 15 | 2 |
| 5. ,, DIGESTIVE SYSTEM | 524 | 72 | 41 | 58 | 46 | 12 | 5 | 6 | 19 | 9 | 15 | 11 | 14 | 1 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 10 | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | 1 | |
| 7. ,, URINARY SYSTEM | 231 | 2 | – | – | 6 | 4 | 1 | 1 | 5 | 2 | 11 | 8 | 14 | |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| 9. ,, ORGANS OF LOCOMOTION | 61 | – | – | 2 | 1 | 1 | – | 1 | 10 | 14 | 8 | 8 | 3 | |
| 10. ,, INTEGUMENTARY SYSTEM | 24 | 3 | 2 | 2 | 3 | – | 1 | 1 | – | – | – | – | 1 | |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 7905 | 696 | 260 | 444 | 541 | 224 | 139 | 100 | 264 | 225 | 247 | 265 | 266 | 237 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1159 | 70 | 60 | 164 | 202 | 102 | 63 | 43 | 92 | 47 | 30 | 46 | 38 | 41 |
| II. PARASITIC DISEASES | 3 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| III. DIETETIC ,, | 14 | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 1478 | 4 | 20 | 28 | 60 | 28 | 19 | 19 | 55 | 87 | 153 | 138 | 125 | 105 |
| V. DEVELOPMENTAL ,, | 756 | 204 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 4044 | 215 | 154 | 233 | 253 | 87 | 51 | 36 | 103 | 86 | 61 | 76 | 97 | 90 |
| VII. VIOLENCE | 153 | 21 | 4 | 1 | 11 | 5 | 5 | 1 | 10 | 4 | 3 | 3 | 2 | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 298 | 180 | 19 | 16 | 13 | 1 | 1 | 1 | 3 | 1 | – | 2 | 4 | 1 |
| I. | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases | 837 | 31 | 34 | 129 | 175 | 98 | 62 | 42 | 87 | 42 | 23 | 17 | 13 | 13 |
| 2. Diarrhœal ,, | 179 | 30 | 22 | 29 | 23 | 4 | 1 | 1 | 1 | 4 | 1 | 4 | 3 | 2 |
| 3. Malarial ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. Zoogenous ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. Venereal ,, | 11 | 5 | 1 | 1 | 2 | – | – | – | – | 1 | – | – | – | – |
| 6. Septic ,, | 132 | 4 | 3 | 5 | 2 | – | – | – | 4 | – | 6 | 25 | 22 | 26 |
| II. Parasitic Diseases | 3 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| III. Dietetic Diseases | 14 | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| IV. Constitutional Diseases | 1478 | 4 | 20 | 28 | 60 | 28 | 19 | 19 | 55 | 87 | 153 | 138 | 125 | 105 |
| V. Developmental Diseases | 756 | 204 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. Diseases of Nervous System | 970 | 56 | 32 | 63 | 56 | 26 | 13 | 11 | 31 | 23 | 14 | 7 | 12 | 18 |
| 2. ,, Organs of Special Sense | 7 | – | 1 | 1 | 2 | – | 1 | – | 1 | – | 1 | – | – | – |
| 3. ,, Circulatory System | 726 | 3 | 1 | 1 | – | – | – | – | 7 | 15 | 11 | 18 | 19 | 11 |
| 4. ,, Respiratory System | 1436 | 104 | 78 | 114 | 143 | 49 | 27 | 18 | 40 | 22 | 8 | 18 | 22 | 14 |
| 5. ,, Digestive System | 582 | 50 | 41 | 46 | 45 | 10 | 8 | 3 | 17 | 11 | 15 | 12 | 16 | 16 |
| 6. ,, Lymphatic System and Ductless Glands | 9 | – | – | – | 1 | – | – | – | – | 1 | 1 | 2 | – | 2 |
| 7. ,, Urinary System | 149 | – | – | 2 | 4 | – | 1 | 2 | 6 | 9 | 3 | 4 | 12 | 8 |
| 8. ,, Reproductive System :— | | | | | | | | | | | | | | |
| (*a*) Diseases of Organs of Generation | 36 | – | – | – | – | 1 | – | – | – | – | – | 4 | 8 | 5 |
| (*b*) Diseases of Parturition | 65 | – | – | – | – | – | – | – | – | – | – | 9 | 7 | 15 |
| 9. ,, Organs of Locomotion | 45 | – | – | 1 | – | 1 | 1 | 2 | – | 5 | 8 | 2 | 1 | 1 |
| 10. ,, Integumentary System | 19 | 2 | 1 | 5 | 2 | – | – | – | 1 | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 226 | 235 | 280 | 285 | 321 | 407 | 397 | 403 | 393 | 275 | 141 | 44 | 6 | 1 | 4 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 10 | 17 | 18 | 14 | 14 | 20 | 18 | 20 | 21 | 10 | 8 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 2 | 3 | 3 | 3 | 6 | 4 | 1 | | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 72 | 59 | 53 | 52 | 51 | 52 | 51 | 35 | 22 | 8 | 1 | – | – | – | 1 |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 10 | 18 | 45 | 60 | 100 | 64 | 24 | 3 | 1 | – |
| VI. LOCAL ,, | 99 | 125 | 172 | 187 | 216 | 294 | 294 | 283 | 280 | 149 | 64 | 17 | 3 | – | – |
| VII. VIOLENCE | 43 | 29 | 30 | 27 | 26 | 21 | 14 | 19 | 6 | 5 | 4 | 3 | – | – | 2 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | 2 | 4 | 2 | 8 | 6 | 1 | 1 | 4 | 2 | – | – | – | – | 1 |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 6 | 13 | 11 | 5 | 8 | 7 | 9 | 12 | 7 | 5 | 6 | – | – | – | – |
| 2. DIARRHŒAL ,, | – | 2 | 5 | 2 | 3 | 7 | 6 | 5 | 13 | 4 | 1 | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| 6. SEPTIC ,, | 4 | 2 | 2 | 6 | 3 | 6 | 2 | 2 | – | 1 | 1 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 2 | 3 | 3 | 3 | 6 | 4 | 1 | – | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 72 | 59 | 53 | 52 | 51 | 52 | 51 | 35 | 22 | 8 | 1 | – | – | – | 1 |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 10 | 18 | 45 | 60 | 100 | 64 | 24 | 3 | 1 | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 24 | 28 | 33 | 38 | 38 | 76 | 80 | 79 | 70 | 46 | 17 | 6 | 2 | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 25 | 30 | 47 | 42 | 55 | 71 | 66 | 71 | 77 | 43 | 14 | 3 | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 27 | 50 | 59 | 70 | 81 | 100 | 93 | 83 | 86 | 32 | 21 | 7 | 1 | – | – |
| 5. ,, DIGESTIVE SYSTEM | 12 | 8 | 21 | 20 | 22 | 26 | 27 | 27 | 20 | 10 | 4 | 1 | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 11 | 13 | 7 | 12 | 15 | 19 | 24 | 19 | 24 | 17 | 7 | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | 1 | 3 | 2 | 1 | 1 | 2 | 2 | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | 1 | 2 | – | 1 | 2 | 3 | 1 | 1 | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 263 | 204 | 267 | 315 | 338 | 414 | 435 | 524 | 527 | 395 | 215 | 81 | 15 | 1 | 8 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 24 | 13 | 9 | 6 | 18 | 13 | 14 | 18 | 23 | 14 | 6 | 3 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 2 | – | 1 | 2 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 83 | 74 | 81 | 91 | 69 | 68 | 52 | 65 | 37 | 10 | 5 | 1 | – | – | 1 |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 15 | 31 | 57 | 128 | 142 | 108 | 55 | 10 | 1 | 1 |
| VI. LOCAL ,, | 140 | 109 | 162 | 200 | 230 | 309 | 325 | 366 | 326 | 220 | 89 | 21 | 5 | – | – |
| VII. VIOLENCE | 12 | 5 | 5 | 9 | 5 | 5 | 7 | 15 | 7 | 7 | 5 | 1 | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 3 | 9 | 7 | 14 | 3 | 6 | 2 | 5 | 2 | 2 | – | – | – | 1 |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 8 | 7 | 6 | 3 | 7 | 6 | 5 | 7 | 11 | 8 | 1 | 2 | – | – | – |
| 2. DIARRHŒAL ,, | 5 | 1 | 1 | – | 5 | 5 | 7 | 8 | 11 | 5 | 5 | 1 | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 11 | 5 | 2 | 3 | 5 | 2 | 2 | 3 | 1 | 1 | – | – | – | – | – |
| II. | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 2 | – | 1 | 2 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| IV. | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 83 | 74 | 81 | 91 | 69 | 68 | 52 | 65 | 37 | 10 | 5 | 1 | – | – | 1 |
| V. | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | – | – | – | – | – | 15 | 31 | 57 | 128 | 142 | 108 | 55 | 10 | 1 | 1 |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 21 | 16 | 37 | 45 | 61 | 67 | 73 | 88 | 94 | 71 | 32 | 2 | 1 | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 28 | 30 | 39 | 45 | 65 | 76 | 100 | 111 | 79 | 47 | 14 | 6 | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 32 | 29 | 40 | 62 | 60 | 109 | 91 | 117 | 118 | 71 | 35 | 12 | 3 | – | – |
| 5. ,, DIGESTIVE SYSTEM | 21 | 11 | 29 | 33 | 25 | 41 | 40 | 35 | 27 | 22 | 6 | 1 | 1 | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 10 | 6 | 14 | 10 | 10 | 10 | 13 | 11 | 7 | 5 | 2 | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 4 | 3 | 1 | 2 | 4 | – | 3 | – | – | 1 | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 20 | 13 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 3 | 1 | 1 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 1 | – | – | – | 1 | 2 | 1 | 2 | – | 1 | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 438 | 12 | 8 | 2 | 8 | 4 | 10 | 8 | 22 | 22 | 42 | 43 | 29 | 29 |
| 2. HOMICIDE | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 3. SUICIDE | 39 | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 6 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 338 | 234 | 27 | 20 | 9 | 3 | 2 | 3 | 1 | 1 | 2 | 1 | 2 | 2 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | 250 | 1 | 4 | 56 | 109 | 29 | 19 | 9 | 1 | 1 | 1 | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 91 | 1 | – | 5 | 15 | 20 | 10 | 7 | 20 | 7 | 3 | – | 1 | 2 |
| Typhus | 7 | – | – | – | – | – | – | – | 1 | – | – | 1 | 2 | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 106 | 4 | 1 | 1 | 3 | 1 | 2 | 2 | 4 | 4 | 10 | 2 | 4 | 5 |
| Hooping-cough | 226 | 22 | 30 | 35 | 57 | 26 | 16 | 11 | 9 | – | – | – | – | – |
| Mumps | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 79 | 1 | 1 | 5 | 19 | 15 | 6 | 12 | 20 | – | – | – | – | – |
| Cerebro-spinal Fever | 3 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 3 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Enteric Fever | 97 | – | – | 1 | – | 1 | 6 | 4 | 14 | 11 | 17 | 11 | 2 | 8 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 10 | – | 3 | 2 | 3 | – | – | – | 1 | – | – | – | – | – |
| Diarrhœa, Dysentery | 169 | 22 | 28 | 36 | 19 | 5 | 1 | 2 | – | 2 | 3 | 1 | 1 | 2 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 17 | 6 | 3 | 5 | 1 | 1 | – | – | – | – | – | 1 | – | – |
| Gonorrhœa, Stricture of Urethra | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 30 | 4 | – | 3 | 2 | – | – | – | – | – | – | – | 1 | 1 |
| Pyæmia, Septicæmia | 16 | 2 | – | 1 | – | – | – | – | 2 | – | – | – | 1 | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different periods of Life, in 1890.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 140 | 20 | 4 | 1 | 11 | 4 | 5 | 1 | 10 | 3 | 3 | 1 | 2 | – |
| 2 Homicide | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 3. Suicide | 11 | – | – | – | – | – | – | – | – | 1 | – | 2 | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 298 | 180 | 19 | 16 | 13 | 1 | 1 | 1 | 3 | 1 | – | 2 | 4 | 1 |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 187 | 2 | 5 | 41 | 67 | 30 | 11 | 7 | 16 | 3 | – | 4 | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 75 | – | 1 | 7 | 5 | 10 | 12 | 10 | 19 | 7 | 1 | 2 | – | – |
| Typhus | 5 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 75 | – | 1 | – | 2 | 1 | – | – | 1 | 7 | 5 | 1 | 6 | 3 |
| Hooping-cough | 292 | 28 | 26 | 70 | 82 | 37 | 20 | 11 | 17 | 1 | – | – | – | – |
| Mumps | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diphtheria | 104 | 1 | – | 10 | 19 | 18 | 13 | 10 | 4 | 7 | – | 1 | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 7 | – | 1 | – | – | – | 1 | – | 1 | 1 | – | – | – | 1 |
| Enteric Fever | 90 | – | – | 1 | – | 2 | 5 | 3 | 8 | 16 | 17 | 8 | 7 | 9 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | |
| Simple Cholera | 6 | – | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 173 | 30 | 22 | 26 | 22 | 4 | 1 | 1 | 1 | 4 | 1 | 4 | 3 | 2 |
| **Malarial Diseases.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | |
| Syphilis | 11 | 5 | 1 | 1 | 2 | – | – | – | – | 1 | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | |
| Phagedæna | 3 | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | 3 |
| Erysipelas | 31 | 1 | 3 | 5 | 2 | – | – | – | – | – | – | 5 | 1 | 5 |
| Pyæmia, Septicæmia | 20 | 1 | – | – | – | – | – | – | 4 | – | – | – | – | – |
| Puerperal Fever | 78 | – | – | – | – | – | – | – | – | – | 6 | 19 | 20 | 18 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 38 | 28 | 27 | 22 | 22 | 18 | 7 | 18 | 6 | 4 | 4 | 3 | – | – | 2 |
| 2. HOMICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 4 | 1 | 3 | 5 | 4 | 3 | 7 | 1 | – | 1 | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | 2 | 4 | 2 | 8 | 6 | 1 | 1 | 4 | 2 | – | – | – | – | 1 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | 4 | 6 | 3 | 6 | 5 | 8 | 12 | 6 | 5 | 6 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 4 | 9 | 3 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | 2 | 5 | 2 | 3 | 7 | 5 | 5 | 13 | 4 | 1 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | 2 | 4 | 2 | 4 | 2 | 1 | – | 1 | 1 | – | – | – | – |
| Pyæmia, Septicæmia | 2 | 2 | – | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 9 | 3 | 4 | 7 | 5 | 5 | 7 | 15 | 7 | 7 | 5 | 1 | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 3 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 3 | 9 | 7 | 14 | 3 | 6 | 2 | 5 | 2 | 2 | – | – | – | 1 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | 3 | 2 | 1 | 6 | 4 | 4 | 7 | 10 | 8 | 1 | 1 | – | – | – |
| Hooping-cough | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Enteric Fever | 5 | 2 | 4 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 4 | 1 | 1 | – | 5 | 5 | 6 | 8 | 11 | 5 | 5 | 1 | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | 3 | 4 | 1 | 2 | 3 | – | 1 | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 9 | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 3 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 25 | – | – | – | – | – | – | – | – | – | – | – | 2 | 6 |
| Intemp. Delirium Tremens | 9 | – | – | – | – | – | – | – | – | – | – | – | – | 3 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 23 | – | – | – | – | – | – | – | 4 | 4 | 5 | 1 | 1 | 2 |
| Rheumatism | 14 | – | – | – | – | – | – | – | 1 | 1 | 2 | – | 1 | – |
| Gout | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Cancer | 180 | – | – | 1 | – | – | 1 | – | – | 1 | – | 1 | – | 2 |
| Tabes Mesenterica | 98 | 5 | 9 | 13 | 19 | 8 | 3 | 3 | 14 | 9 | 1 | 3 | 4 | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 129 | 5 | 13 | 22 | 26 | 9 | 11 | 7 | 23 | 8 | 1 | 1 | 1 | 1 |
| Phthisis | 706 | 1 | 2 | 11 | 12 | 6 | 1 | 1 | 22 | 32 | 103 | 126 | 79 | 75 |
| Other forms of Tuberculosis, Scrofula | 71 | 3 | 4 | 8 | 8 | 5 | 2 | 5 | 7 | 9 | 7 | 3 | 1 | 1 |
| Purpura, Hæmorrhagic Diathesis | 5 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Anæmia, Chlorosis, Leucocythæmia | 19 | 1 | 1 | 1 | 1 | – | – | – | 1 | 2 | 1 | 1 | – | – |
| Diabetes Mellitus | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 195 | 194 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 12 | 11 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cyanosis | 10 | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 13 | 10 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 18 | 17 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | 325 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 176 | 3 | 19 | 33 | 35 | 13 | 12 | 8 | 14 | 13 | 8 | – | 2 | 1 |
| Apoplexy | 256 | 2 | – | 1 | 2 | 1 | – | – | 1 | 1 | 2 | 2 | 1 | 2 |
| Softening of the Brain | 40 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Hemiplegia, Brain Paralysis | 140 | – | 1 | – | – | – | – | – | – | 1 | 2 | – | 1 | 1 |
| Paralysis Agitans | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 35 | – | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 36 | – | – | – | 2 | – | – | – | 1 | 2 | 7 | 1 | 4 | 1 |
| Convulsions | 116 | 47 | 21 | 18 | 16 | 7 | 3 | – | 1 | 2 | – | – | – | – |
| Laryngismus Stridulus | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 6 | 3 | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – |
| Paraplegia, Diseases of Spinal Cord | 25 | – | – | – | – | – | – | – | 1 | 3 | 3 | – | 1 | – |
| Other Diseases of Nervous System | 97 | 8 | 5 | 13 | 13 | 2 | 5 | 3 | 4 | 2 | 1 | 2 | 1 | 4 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 7 | – | – | – | 1 | 1 | 1 | – | – | 1 | 1 | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 5 | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 24 | – | – | – | 1 | – | – | – | – | 1 | 3 | 1 | 2 | 3 |
| Rheumatism | 23 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 4 | – | 1 | – | – | 1 | – | 2 | – | – | – | – | – | – |
| Cancer | 328 | – | – | – | – | – | 1 | – | 1 | – | – | – | 2 | 4 |
| Tabes Mesenterica | 76 | – | 3 | 5 | 23 | 8 | 6 | 4 | 4 | 7 | 3 | 3 | – | 3 |
| Tubercular Meningitis (Acute Hydrocephalus) | 91 | – | 7 | 12 | 19 | 7 | 8 | 5 | 21 | 9 | 2 | – | – | – |
| Phthisis | 812 | 2 | 4 | 5 | 8 | 9 | 4 | 6 | 23 | 57 | 133 | 125 | 115 | 85 |
| Other forms of Tuberculosis, Scrofula | 63 | 1 | 3 | 6 | 9 | 3 | – | 2 | 5 | 12 | 9 | 3 | 2 | 4 |
| Purpura, Hæmorrhagic Diathesis | 4 | 1 | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 40 | – | 2 | – | – | – | – | – | – | 1 | 3 | 3 | 4 | 5 |
| Diabetes Mellitus | 13 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 168 | 167 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 7 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 13 | 12 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 15 | 13 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Old Age | 548 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 156 | 3 | 15 | 27 | 20 | 16 | 8 | 6 | 22 | 9 | 6 | 3 | 4 | 4 |
| Apoplexy | 306 | 1 | 2 | 1 | 1 | 2 | – | – | – | 1 | 1 | 1 | 2 | 2 |
| Softening of the Brain | 44 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Hemiplegia, Brain Paralysis | 173 | – | – | – | 1 | – | – | 1 | – | 2 | – | – | 1 | 2 |
| Paralysis Agitans | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 23 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 3 |
| Chorea | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Epilepsy | 30 | 3 | – | 1 | 1 | – | – | – | – | 3 | 1 | 1 | 3 | 3 |
| Convulsions | 109 | 38 | 10 | 18 | 24 | 7 | 3 | 4 | 4 | – | – | – | – | – |
| Laryngismus Stridulus | 4 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 6 | 1 | – | – | – | – | – | – | 1 | 2 | – | 1 | – | – |
| Paraplegia, Diseases of Spinal Cord | 25 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Nervous System | 89 | 9 | 5 | 15 | 7 | 1 | 2 | – | 4 | 5 | 3 | 1 | – | 3 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 7 | – | 1 | 1 | 2 | – | 1 | – | 1 | – | 1 | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ?? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 2 | 3 | 2 | 2 | 2 | 4 | 1 | – | – | 1 | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | 1 | 1 | 4 | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 2 | – | 1 | 2 | – | – | – | – | 1 | – | – | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | 1 | 3 | 1 | 2 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 4 | 8 | 11 | 18 | 26 | 27 | 32 | 26 | 16 | 5 | – | – | – | – | 1 |
| Tabes Mesenterica | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 60 | 42 | 39 | 31 | 21 | 21 | 13 | 4 | 3 | – | 1 | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 1 | 2 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | 2 | – | – | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | 2 | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 10 | 18 | 45 | 60 | 100 | 64 | 24 | 3 | 1 | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 3 | – | 1 | 3 | 2 | 1 | 2 | 2 | 1 | – | – | – | – | – | – |
| Apoplexy | 3 | 5 | 10 | 20 | 21 | 39 | 40 | 35 | 28 | 27 | 10 | 1 | 2 | – | – |
| Softening of the Brain | 1 | – | 2 | 2 | 2 | 6 | 3 | 7 | 11 | 1 | 1 | 1 | – | – | – |
| Hemiplegia, Brain Paralysis | 4 | 2 | 7 | 7 | 7 | 15 | 25 | 23 | 20 | 16 | 5 | 3 | – | – | – |
| Paralysis Agitans | – | – | – | – | – | 3 | – | 1 | 1 | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 7 | 10 | 4 | 3 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | 3 | 1 | – | 1 | 3 | 2 | 3 | 2 | – | – | 1 | – | – | – |
| Convulsions | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | 1 | 2 | 1 | 2 | 3 | 2 | 1 | 3 | 2 | – | – | – | – | – |
| Other Diseases of Nervous System | 4 | 2 | 6 | 2 | 2 | 5 | 3 | 6 | 3 | – | 1 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES, AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 2 | – | – | 2 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 3 | – | – | 5 | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Rheumatism | – | – | 1 | – | – | 2 | 2 | 8 | 5 | 3 | – | 1 | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 10 | 16 | 28 | 49 | 42 | 51 | 39 | 47 | 26 | 7 | 4 | – | – | – | 1 |
| Tabes Mesenterica | 4 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 61 | 55 | 49 | 31 | 16 | 9 | 8 | 5 | 3 | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | 1 | – | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 3 | 1 | 2 | 5 | 6 | 1 | 2 | 1 | – | – | 1 | – | – | – | – |
| Diabetes Mellitus | 2 | – | – | 1 | 3 | 1 | – | 3 | 1 | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | 15 | 31 | 57 | 128 | 142 | 188 | 55 | 10 | 1 | 1 |
| Old Age | – | – | – | – | – | | | | | | | | | | |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Apoplexy | 5 | 5 | 15 | 18 | 36 | 27 | 33 | 49 | 45 | 41 | 18 | – | – | – | – |
| Softening of the Brain | 1 | – | 2 | 3 | 5 | 4 | 3 | 8 | 12 | 3 | 1 | – | – | – | – |
| Hemiplegia, Brain Paralysis | 2 | 2 | 6 | 11 | 14 | 20 | 23 | 24 | 26 | 22 | 13 | 2 | 1 | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 3 | 1 | 3 | 3 | 1 | 5 | – | – | 2 | – | – | – | – | – | – |
| Chorea | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | 1 | 1 | 1 | 1 | 3 | – | 3 | 1 | – | – | – | – | – |
| Convulsions | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 4 | 3 | 4 | 2 | 1 | 3 | 5 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | 2 | 4 | 4 | 2 | 5 | 4 | 6 | 4 | 2 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 495 | 1 | 1 | 1 | – | 1 | 2 | – | 2 | 6 | 11 | 14 | 8 | 8 |
| Pericarditis | 13 | – | – | – | – | – | – | – | 2 | 1 | – | 1 | – | – |
| Hypertrophy of Heart | 23 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Angina Pectoris | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 24 | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Aneurism | 14 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Senile Gangrene | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Phlebitis | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 18 | 2 | 2 | – | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 24 | 1 | 2 | 4 | 4 | 2 | 5 | 1 | 2 | – | – | 1 | – | – |
| Croup | 93 | 2 | 6 | 9 | 24 | 14 | 15 | 8 | 14 | 1 | – | – | – | – |
| Other Diseases of Larynx and Trachea | 6 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 30 | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Bronchitis | 730 | 117 | 57 | 90 | 61 | 21 | 7 | 5 | 4 | 3 | 2 | 4 | 1 | 6 |
| Pneumonia | 453 | 23 | 24 | 48 | 58 | 13 | 4 | 5 | 11 | 6 | 11 | 9 | 10 | 12 |
| Pleurisy | 45 | – | – | 3 | – | – | 1 | 1 | 2 | 1 | 2 | 1 | 2 | 2 |
| Other Diseases of Respiratory System | 159 | 14 | 4 | 17 | 16 | 8 | 2 | 3 | 3 | – | 4 | 4 | 2 | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 43 | – | 2 | 25 | 15 | 1 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 10 | 1 | – | 4 | 1 | 1 | 1 | 1 | – | – | 1 | – | – | – |
| Dyspepsia | 11 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Hæmatemesis | 8 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Melæna | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 90 | 12 | 6 | 5 | 6 | 3 | 2 | – | 4 | 1 | 1 | – | 2 | 5 |
| Enteritis | 132 | 33 | 20 | 18 | 16 | 5 | 1 | 2 | 2 | 1 | 3 | 3 | 5 | 2 |
| Ulceration of Intestine | 8 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | 1 | – |
| Ileus, Obstruction of Intestine | 29 | 2 | 1 | – | – | – | – | 1 | 2 | 4 | 1 | 1 | 1 | 1 |
| Stricture or Strangulation of Intestine | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Intussusception of Intestine | 8 | 1 | – | 2 | 1 | – | – | 1 | 1 | – | – | – | – | 1 |
| Hernia | 6 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Fistula | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Peritonitis | 50 | 2 | 4 | 1 | 1 | 1 | – | 1 | 8 | 2 | 6 | 5 | 2 | 1 |
| Ascites | 6 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gallstones | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 22 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Other Diseases of Liver | 67 | 10 | 2 | – | 2 | – | – | – | 1 | 1 | 1 | 1 | 1 | 3 |
| Other Diseases of Digestive System | 20 | 3 | 4 | – | 2 | – | – | – | – | – | – | 1 | 1 | 2 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 4 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 4 | 1 | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 47 | 1 | – | – | 3 | 3 | 1 | 1 | 3 | – | 3 | 3 | 4 | 3 |
| Bright's Disease | 68 | – | – | – | – | 1 | – | – | 2 | 1 | 4 | 3 | 3 | 3 |
| Uræmia | 14 | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – | 1 |
| Suppression of Urine | 8 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Calculus | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hæmaturia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 56 | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 | 2 |
| Other Diseases of Urinary System | 28 | – | – | – | – | – | – | – | – | 1 | 3 | 1 | 5 | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 610 | – | – | 1 | – | – | – | – | 7 | 14 | 10 | 14 | 14 | 11 |
| Pericarditis | 5 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – |
| Hypertrophy of Heart | 23 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 25 | 1 | 1 | – | – | – | – | – | – | – | – | 2 | 2 | – |
| Aneurism | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 23 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 9 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Phlebitis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 12 | 2 | – | – | – | – | – | – | – | – | – | 2 | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 18 | 2 | 3 | – | 4 | 1 | 3 | 1 | 1 | – | 1 | – | – | – |
| Croup | 84 | 3 | 2 | 8 | 26 | 20 | 3 | 8 | 9 | 4 | – | – | – | – |
| Other Diseases of Larynx and Trachea | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 20 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Bronchitis | 775 | 71 | 46 | 68 | 60 | 15 | 9 | 2 | 9 | 5 | – | 3 | 2 | 1 |
| Pneumonia | 343 | 15 | 20 | 31 | 45 | 10 | 6 | 4 | 16 | 7 | 4 | 9 | 12 | 9 |
| Pleurisy | 31 | – | 1 | – | – | – | – | – | – | 4 | 2 | 1 | 4 | 1 |
| Other Diseases of Respiratory System | 161 | 13 | 6 | 7 | 7 | 3 | 6 | 3 | 5 | 2 | 1 | 5 | 3 | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 4 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Dentition | 34 | – | 1 | 16 | 17 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 7 | – | – | 2 | 1 | – | 1 | – | 1 | – | 1 | – | 1 | – |
| Dyspepsia | 10 | – | 2 | 2 | – | – | – | – | – | 1 | – | – | 1 | – |
| Hæmatemesis | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Melæna | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 110 | 7 | 7 | 7 | 5 | 1 | – | – | 4 | – | – | 3 | 1 | 6 |
| Enteritis | 138 | 29 | 25 | 17 | 12 | 5 | 6 | 1 | 4 | 3 | 1 | 3 | 2 | 2 |
| Ulceration of Intestine | 7 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Ileus, Obstruction of Intestines | 18 | – | 1 | – | – | – | – | – | 2 | – | 1 | – | – | – |
| Stricture or Strangulation of Intestines | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 6 | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Hernia | 12 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Peritonitis | 87 | 3 | 3 | 1 | 3 | – | 1 | 1 | 2 | 4 | 10 | 3 | 8 | 5 |
| Ascites | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 20 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 78 | 4 | – | – | 1 | 2 | – | 1 | 2 | 1 | 1 | 1 | 2 | 3 |
| Other Diseases of Digestive System | 28 | 6 | 1 | – | 3 | 1 | – | – | 1 | 2 | – | – | 1 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Diseases of Lymphatics | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 5 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 30 | – | – | – | 3 | – | – | 1 | 3 | 3 | 1 | – | 4 | 2 |
| Bright's Disease | 74 | – | – | 1 | 1 | – | 1 | 1 | 3 | 2 | 1 | 4 | 7 | 5 |
| Uræmia | 11 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 7 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Urinary System | 25 | – | – | – | – | – | – | – | – | 4 | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 18 | 24 | 34 | 32 | 43 | 62 | 54 | 58 | 71 | 31 | 11 | 2 | – | – | – |
| Pericarditis | 1 | 1 | 1 | 2 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | 4 | 1 | 3 | 3 | 1 | 2 | 3 | 2 | 2 | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | 2 | 2 | 2 | 2 | – | – | 1 | 1 | – | – | – |
| Syncope | 2 | – | 3 | 3 | 2 | 2 | 3 | 3 | 3 | – | – | – | – | – | – |
| Aneurism | 1 | – | 6 | – | 3 | 2 | – | 1 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | 1 | – | – | 2 | 2 | 2 | – | 4 | 1 | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | 1 | 1 | 1 | 1 | – | 2 | – | – | 6 | 1 | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 1 | 1 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Emphysema, Asthma | – | 4 | 3 | – | 7 | 4 | 5 | 3 | 2 | – | – | – | – | – | – |
| Bronchitis | 7 | 15 | 20 | 30 | 41 | 49 | 56 | 47 | 52 | 17 | 13 | 4 | 1 | – | – |
| Pneumonia | 13 | 24 | 28 | 24 | 20 | 28 | 22 | 22 | 18 | 9 | 3 | 1 | – | – | – |
| Pleurisy | 4 | 2 | 3 | 6 | 3 | 1 | 3 | 4 | 3 | – | 1 | – | – | – | – |
| Other Diseases of Respiratory System | 2 | 4 | 5 | 10 | 10 | 16 | 6 | 7 | 10 | 5 | 4 | 2 | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | 1 | – | 1 | – | 1 | 1 | – | 2 | – | – | – | – | – | – |
| Hæmatemesis | – | 1 | – | – | – | 2 | – | 1 | – | 1 | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Stomach | 1 | 2 | 3 | 4 | 5 | 4 | 6 | 7 | 5 | 3 | 2 | 1 | – | – | – |
| Enteritis | 1 | – | 5 | 2 | 3 | 1 | 5 | 1 | 2 | 1 | – | – | – | – | – |
| Ulceration of Intestine | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 3 | – | – | 1 | 1 | 1 | 1 | 4 | 4 | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | – | – | – | 2 | – | – | – | 1 | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 2 | 1 | 1 | 2 | 2 | 1 | – | 2 | 2 | 3 | – | – | – | – | – |
| Ascites | – | – | 1 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Gallstones | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cirrhosis of Liver | – | 1 | 2 | 2 | 1 | 7 | 5 | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Liver | 4 | 2 | 6 | 5 | 6 | 6 | 5 | 6 | 3 | 1 | 1 | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | 3 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 4 | 2 | 1 | 5 | 3 | 2 | 1 | 1 | – | 2 | 1 | – | – | – | – |
| Bright's Disease | 3 | 5 | 6 | 4 | 9 | 8 | 4 | 5 | 4 | 2 | 1 | – | – | – | – |
| Uræmia | – | 4 | – | 1 | – | – | 1 | – | 3 | – | 1 | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | 1 | – | 2 | 2 | 2 | – | – | – | – | – |
| Calculus | – | – | – | – | – | 1 | 1 | 3 | – | 1 | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 3 | 1 | – | 1 | 2 | 4 | 12 | 5 | 12 | 7 | 4 | – | – | – | – |
| Other Diseases of Urinary System | 1 | 1 | – | 1 | 1 | 2 | 5 | 2 | 3 | 2 | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 24 | 24 | 31 | 30 | 56 | 65 | 86 | 90 | 67 | 42 | 9 | 4 | – | – | – |
| Pericarditis | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Hypertrophy of Heart | – | 1 | 2 | 1 | 3 | 3 | 4 | 5 | 2 | 2 | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | 2 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Syncope | – | 2 | 3 | 1 | 1 | 3 | 2 | 3 | 2 | – | – | 2 | – | – | – |
| Aneurism | 1 | – | 3 | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 2 | 4 | 7 | 3 | 3 | 4 | – | – | – | – |
| Embolism, Thrombosis | 1 | 1 | – | 1 | 1 | 2 | – | – | 1 | – | – | – | – | – | – |
| Phlebitis | – | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 2 | – | – | – | – | – | 1 | 2 | 2 | – | 1 | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Croup | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | 2 | 2 | 2 | 3 | 3 | 5 | 1 | – | – | – | – | – |
| Bronchitis | 8 | 8 | 20 | 33 | 33 | 66 | 63 | 84 | 78 | 49 | 29 | 10 | 3 | – | – |
| Pneumonia | 15 | 14 | 9 | 21 | 15 | 23 | 13 | 14 | 19 | 9 | 2 | 1 | – | – | – |
| Pleurisy | 4 | 3 | 2 | – | 2 | 3 | 1 | 1 | 2 | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 5 | 4 | 7 | 6 | 7 | 11 | 10 | 15 | 13 | 12 | 4 | 1 | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 5 | 1 | 12 | 7 | 4 | 7 | 6 | 10 | 6 | 6 | 4 | 1 | – | – | – |
| Enteritis | 2 | 1 | 1 | 1 | 1 | 3 | 6 | 5 | 3 | 4 | – | – | 1 | – | – |
| Ulceration of Intestine | – | 1 | – | 1 | – | 2 | – | – | 1 | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | 1 | 3 | 1 | 1 | 2 | 1 | 3 | 1 | 1 | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Intussusception of Intestine | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Hernia | 1 | 1 | 1 | – | 1 | 3 | 1 | 1 | – | 2 | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Peritonitis | 7 | 4 | 4 | 4 | 5 | 11 | 1 | 4 | 1 | 1 | 1 | – | – | – | – |
| Ascites | – | – | – | 1 | – | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Gallstones | – | 1 | – | 2 | – | 2 | – | – | 1 | – | – | – | – | – | – |
| Cirrhosis of Liver | 3 | 1 | 3 | 4 | 4 | 2 | 3 | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 2 | 1 | 4 | 7 | 5 | 6 | 14 | 10 | 6 | 5 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | 1 | 1 | 3 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | – | 4 | – | 1 | – | 1 | 2 | 2 | 1 | – | – | – | – | – |
| Bright's Disease | 5 | 4 | 6 | 7 | 3 | 7 | 7 | 4 | 1 | 2 | 2 | – | – | – | – |
| Uræmia | – | 2 | 2 | 1 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | 2 | – | – | 2 | 1 | – | – | – | – | – | – |
| Other Diseases of Urinary System | 3 | – | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 1 | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 30 | – | – | – | – | 1 | – | – | 6 | 10 | 5 | 2 | 2 | – |
| Arthritis, Ostitis, Periostitis | 11 | – | – | – | 1 | – | – | – | 2 | 1 | 1 | 1 | – | – |
| Other Diseases of Organs of Locomotion | 20 | – | – | 2 | – | – | – | 1 | 2 | 3 | 2 | 5 | 1 | 1 |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 6 | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 9 | 2 | 2 | 2 | 3 | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 41 | – | – | – | – | – | – | – | – | 2 | 5 | 8 | 3 | 3 |
| Mines and Quarries: Other Mines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 37 | – | – | – | – | – | – | – | 1 | 1 | 7 | 3 | 3 | 3 |
| Vehicles and Horses: Vehicles other than R'ways. | 16 | – | – | – | 1 | 2 | – | – | 2 | 1 | 1 | 1 | 1 | 1 |
| Vehicles and Horses: Horses | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 4 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 7 | – | – | – | – | – | 1 | – | – | 1 | 1 | 1 | 1 | – |
| Weapons and Implements | 4 | – | – | – | – | – | – | – | 1 | – | – | 2 | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 28 | – | – | 1 | 4 | – | 3 | – | 8 | – | – | – | – | 1 |
| Burns and Scalds: Explosions | 8 | – | – | – | – | – | – | – | – | – | 2 | – | – | 2 |
| Poisons, Poisonous Vapours | 4 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Drowning | 161 | – | – | – | – | 2 | 3 | 5 | 7 | 10 | 17 | 25 | 16 | 18 |
| Suffocation: In Bed | 15 | 8 | 5 | – | – | – | – | – | – | – | – | – | 1 | – |
| Suffocation: Otherwise | 11 | – | 2 | – | – | – | 1 | – | 1 | – | 1 | – | – | 1 |
| Falls | 26 | – | – | – | 1 | – | – | – | – | 1 | 1 | 2 | 2 | 1 |
| Weather Agencies | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 60 | 4 | 1 | 1 | 2 | – | 1 | 3 | 2 | 5 | 6 | 1 | 1 | 4 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Suicide | 39 | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 6 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 264 | 202 | 21 | 15 | 8 | 3 | 2 | 2 | 1 | – | 1 | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 6 | 1 | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Sudden (Cause unascertained) | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 57 | 28 | 5 | 4 | 1 | – | – | 1 | – | – | 1 | – | 2 | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued*).

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 19 | – | – | – | – | 1 | – | – | – | – | – | 3 | 5 | 2 |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 12 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 3 |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 10 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 2 |
| Puerperal Mania | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Puerperal Convulsions | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Placenta Prævia, Flooding | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 37 | – | – | – | – | – | – | – | – | – | – | 6 | 6 | 10 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 19 | – | – | 1 | – | 1 | 1 | 1 | – | 3 | 1 | 2 | – | 1 |
| Arthritis, Ostitis, Periostitis | 12 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – |
| Other Diseases of Organs of Locomotion | 14 | – | – | 1 | – | – | – | 1 | – | 2 | 5 | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 6 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Eczema | 6 | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Pemphigus | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 5 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 26 | – | – | 1 | 4 | 3 | 3 | 1 | 2 | 1 | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 5 | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – |
| Drowning | 22 | – | – | – | – | 1 | – | – | 3 | 1 | 1 | 1 | 1 | – |
| Suffocation: In Bed | 14 | 11 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 17 | 6 | – | – | 4 | – | 1 | – | – | – | – | – | – | – |
| Falls | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 38 | 3 | 1 | – | 1 | – | 1 | – | 3 | – | 1 | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suicide | 11 | – | – | – | – | – | – | – | – | 1 | – | 2 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 16 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 219 | 158 | 17 | 12 | 9 | 1 | 1 | – | 1 | – | – | 1 | 1 | – |
| Mortification | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tumour | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Abscess | 5 | 3 | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Hæmorrhage | 8 | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Sudden (Cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 41 | 15 | 2 | 4 | 2 | – | – | 1 | 2 | 1 | – | – | 1 | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | 1 | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | 1 | – | – | – | 1 | 2 | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 5 | 4 | 3 | 5 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 6 | 1 | 3 | 4 | 1 | – | 3 | – | 1 | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | 3 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | 1 | – | 1 | 1 | 2 | – | 3 | – | 1 | – | 1 | – | – | – |
| Burns and Scalds: Explosions | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Drowning | 14 | 12 | 9 | 6 | 3 | 4 | 3 | 8 | 1 | – | – | 1 | – | – | 2 |
| Suffocation: In Bed | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Falls | 3 | 1 | 2 | – | 3 | 2 | 1 | 1 | 1 | 1 | 3 | – | – | – | – |
| Weather Agencies | 1 | 2 | 2 | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Otherwise, or Not Stated | 2 | 2 | 5 | 2 | 6 | 4 | – | 3 | 2 | 1 | 1 | 1 | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 4 | 1 | 3 | 5 | 4 | 3 | 7 | 1 | – | 1 | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | 1 | – | – | – | 2 | 2 | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | 2 | 2 | 5 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | 2 | 2 | – | 2 | 5 | 1 | 1 | 1 | – | – | – | – | – | 1 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 2 | 1 | – | 1 | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 2 | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 9 | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | 1 | 2 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 2 | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 2 | – | 1 | 1 | – | 1 | – | 3 | 1 | 1 | – | 1 | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 5 | 2 | 1 | 2 | 1 | – | 2 | – | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | 1 | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Falls | – | – | 1 | – | – | 1 | – | 2 | 1 | 2 | 1 | – | – | – | – |
| Weather Agencies | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | 2 | 1 | 1 | 3 | 9 | 5 | 3 | 4 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 3 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 1 | 1 | 1 | 1 | 1 | 1 | 3 | – | 3 | 1 | 2 | – | – | – | 1 |
| Debility, Atrophy, Inanition | – | 2 | 4 | 4 | 8 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | 4 | 1 | 2 | 1 | 2 | 2 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 8194 | 823 | 254 | 400 | 393 | 190 | 120 | 88 | 283 | 179 | 259 | 294 | 236 | 22 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 989 | 79 | 50 | 95 | 143 | 82 | 50 | 33 | 102 | 38 | 38 | 28 | 19 | |
| II. PARASITIC DISEASES | 2 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | |
| III. DIETETIC ,, | 29 | 4 | – | – | – | – | – | – | – | – | – | – | – | |
| IV. CONSTITUTIONAL ,, | 1216 | 12 | 16 | 39 | 32 | 14 | 12 | 10 | 52 | 47 | 110 | 141 | 97 | |
| V. DEVELOPMENTAL ,, | 890 | 220 | 3 | 1 | 1 | – | – | – | 1 | – | – | – | – | |
| VI. LOCAL ,, | 4147 | 249 | 160 | 247 | 187 | 86 | 49 | 40 | 105 | 65 | 73 | 74 | 83 | |
| VII. VIOLENCE | 526 | 25 | 1 | 2 | 11 | 5 | 8 | 3 | 19 | 27 | 36 | 48 | 34 | |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 395 | 233 | 24 | 16 | 19 | 3 | 1 | 1 | 4 | 2 | 2 | 3 | 3 | |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 774 | 46 | 31 | 66 | 126 | 76 | 45 | 31 | 96 | 34 | 35 | 23 | 16 | |
| 2. DIARRHŒAL ,, | 147 | 25 | 15 | 26 | 15 | 4 | 4 | 1 | 3 | 2 | 2 | 2 | 1 | |
| 3. MALARIAL ,, | 2 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| 5. VENEREAL ,, | 8 | – | 2 | 1 | – | 1 | – | – | – | – | – | 1 | – | |
| 6. SEPTIC ,, | 58 | 8 | 2 | 2 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 2 | |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 2 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 29 | 4 | – | – | – | – | – | – | – | – | – | – | – | |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 1216 | 12 | 16 | 39 | 32 | 14 | 12 | 10 | 52 | 47 | 110 | 141 | 97 | |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 890 | 220 | 3 | 1 | 1 | – | – | – | 1 | – | – | – | – | |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 891 | 42 | 30 | 52 | 35 | 21 | 13 | 8 | 32 | 23 | 15 | 10 | 19 | |
| 2. ,, ORGANS OF SPECIAL SENSE | 7 | 1 | – | – | 1 | – | 2 | – | – | 2 | – | 1 | – | |
| 3. ,, CIRCULATORY SYSTEM | 707 | 5 | 2 | 1 | 1 | 1 | – | – | 5 | 8 | 10 | 7 | 10 | |
| 4. ,, RESPIRATORY SYSTEM | 1544 | 129 | 95 | 144 | 114 | 48 | 26 | 22 | 31 | 14 | 17 | 30 | 22 | |
| 5. ,, DIGESTIVE SYSTEM | 623 | 65 | 32 | 47 | 32 | 14 | 6 | 4 | 21 | 12 | 14 | 14 | 15 | |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 11 | – | – | – | 1 | – | – | – | 2 | – | 1 | – | – | |
| 7. ,, URINARY SYSTEM | 292 | 3 | 1 | 1 | – | – | 1 | 6 | 8 | 2 | 7 | 7 | 11 | |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION | 4 | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – | |
| (b) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| 9. ,, ORGANS OF LOCOMOTION | 45 | 1 | – | – | – | 1 | 1 | – | 5 | 4 | 7 | 5 | 5 | |
| 10. ,, INTEGUMENTARY SYSTEM | 23 | 2 | – | 2 | 2 | 1 | – | – | 1 | – | 1 | – | 1 | |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 8484 | 604 | 288 | 369 | 397 | 163 | 117 | 96 | 275 | 203 | 231 | 265 | 284 | 261 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1114 | 69 | 50 | 109 | 161 | 71 | 51 | 47 | 113 | 45 | 21 | 40 | 42 | 36 |
| II. PARASITIC DISEASES | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 21 | 6 | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| IV. CONSTITUTIONAL ,, | 1454 | 6 | 18 | 22 | 35 | 16 | 6 | 8 | 54 | 97 | 133 | 130 | 127 | 100 |
| V. DEVELOPMENTAL ,, | 1115 | 169 | 8 | 4 | 1 | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 4252 | 164 | 133 | 200 | 184 | 68 | 52 | 38 | 99 | 55 | 71 | 89 | 106 | 115 |
| VII. VIOLENCE | 150 | 18 | 4 | 5 | 6 | 7 | 5 | 2 | 8 | 1 | 4 | 2 | 4 | 5 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 376 | 171 | 23 | 29 | 10 | 1 | 3 | 1 | 1 | 5 | 2 | 3 | 5 | 5 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 823 | 43 | 30 | 91 | 146 | 69 | 49 | 46 | 109 | 38 | 19 | 17 | 22 | 16 |
| 2. DIARRHŒAL ,, | 157 | 17 | 18 | 16 | 12 | 1 | – | 1 | 2 | 6 | 1 | 4 | 4 | 5 |
| 3. MALARIAL ,, | 3 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 128 | 7 | 2 | 2 | 2 | – | 1 | – | 2 | 1 | 1 | 19 | 16 | 15 |
| II. PARASITIC DISEASES | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 21 | 6 | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| IV. CONSTITUTIONAL DISEASES | 1454 | 6 | 18 | 22 | 35 | 16 | 6 | 8 | 54 | 97 | 133 | 130 | 127 | 100 |
| V. DEVELOPMENTAL DISEASES | 1115 | 169 | 8 | 4 | 1 | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 1058 | 48 | 29 | 43 | 37 | 18 | 10 | 7 | 30 | 30 | 16 | 18 | 16 | 19 |
| 2. ,, ORGANS OF SPECIAL SENSE | 15 | 2 | 1 | 2 | 1 | 1 | – | – | 2 | – | 1 | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 768 | 4 | – | 1 | 1 | – | – | 1 | 5 | 6 | 7 | 17 | 13 | 21 |
| 4. ,, RESPIRATORY SYSTEM | 1459 | 75 | 76 | 113 | 116 | 41 | 34 | 21 | 34 | 7 | 16 | 17 | 23 | 21 |
| 5. ,, DIGESTIVE SYSTEM | 583 | 33 | 26 | 38 | 27 | 7 | 7 | 8 | 18 | 6 | 14 | 18 | 23 | 16 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 12 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | 2 | 3 |
| 7. ,, URINARY SYSTEM | 161 | 1 | 1 | – | 2 | – | 1 | 1 | 4 | 2 | 10 | 7 | 7 | 7 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 41 | – | – | – | – | – | – | – | – | – | 2 | 1 | 3 | 7 |
| (*b*) DISEASES OF PARTURITION | 87 | – | – | – | – | – | – | – | – | – | 1 | 8 | 17 | 19 |
| 9. ,, ORGANS OF LOCOMOTION | 39 | – | – | – | – | 1 | – | – | 5 | 4 | 2 | 3 | – | 2 |
| 10. ,, INTEGUMENTARY SYSTEM | 29 | 1 | – | 2 | – | – | – | – | – | – | 1 | – | 2 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 225 | 222 | 269 | 305 | 341 | 458 | 522 | 600 | 603 | 495 | 300 | 92 | 16 | 4 | 100 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 24 | 16 | 15 | 17 | 19 | 19 | 20 | 27 | 33 | 18 | 6 | 2 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 3 | – | 8 | 1 | 3 | 3 | 2 | – | 2 | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 69 | 61 | 52 | 67 | 60 | 80 | 55 | 54 | 31 | 14 | 11 | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 18 | 26 | 79 | 119 | 187 | 156 | 62 | 13 | 4 | – |
| VI. LOCAL ,, | 91 | 106 | 139 | 174 | 223 | 305 | 387 | 408 | 396 | 270 | 119 | 27 | 3 | – | 11 |
| VII. VIOLENCE | 36 | 37 | 52 | 37 | 26 | 24 | 15 | 19 | 9 | 5 | 6 | 1 | – | – | 8 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 2 | 3 | 9 | 10 | 9 | 17 | 13 | 13 | – | 2 | – | – | – | 1 |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 18 | 11 | 13 | 11 | 11 | 14 | 10 | 16 | 19 | 9 | 3 | 2 | – | – | – |
| 2. DIARRHŒAL ,, | 4 | 3 | 1 | – | 4 | 3 | 4 | 6 | 10 | 7 | 2 | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 2 | 2 | 1 | 5 | 4 | 2 | 6 | 4 | 4 | 2 | 1 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 3 | – | 8 | 1 | 3 | 3 | 2 | – | 2 | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 69 | 61 | 52 | 67 | 60 | 80 | 55 | 54 | 31 | 14 | 11 | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 18 | 26 | 79 | 119 | 187 | 156 | 62 | 13 | 4 | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 17 | 23 | 31 | 28 | 40 | 58 | 86 | 79 | 106 | 70 | 32 | 4 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 14 | 19 | 33 | 24 | 40 | 79 | 106 | 112 | 115 | 69 | 28 | 7 | 2 | – | – |
| 4. ,, RESPIRATORY SYSTEM | 28 | 35 | 53 | 73 | 84 | 108 | 120 | 121 | 85 | 81 | 32 | 8 | 1 | – | – |
| 5. ,, DIGESTIVE SYSTEM | 21 | 18 | 14 | 33 | 32 | 38 | 44 | 54 | 43 | 23 | 9 | 1 | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | 2 | – | – | 1 | – | – | 1 | 2 | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 7 | 8 | 6 | 11 | 24 | 20 | 28 | 40 | 44 | 26 | 16 | 7 | – | – | 1 |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 3 | 1 | – | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | 2 | 3 | – | 1 | 3 | – | 1 | 1 | 2 | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 267 | 271 | 236 | 272 | 326 | 455 | 495 | 752 | 690 | 618 | 388 | 167 | 38 | 6 | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 43 | 26 | 17 | 18 | 11 | 20 | 25 | 28 | 25 | 27 | 15 | 3 | – | 1 | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 2 | 1 | 1 | – | 2 | 2 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 84 | 99 | 73 | 81 | 65 | 82 | 71 | 62 | 49 | 27 | 7 | 1 | 1 | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 18 | 27 | 112 | 160 | 254 | 216 | 112 | 30 | 4 | – |
| VI. LOCAL ,, | 131 | 137 | 134 | 159 | 222 | 312 | 347 | 519 | 430 | 293 | 141 | 45 | 7 | 1 | – |
| VII. VIOLENCE | 3 | 4 | 6 | 3 | 8 | 7 | 6 | 11 | 9 | 11 | 6 | 5 | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 4 | 4 | 5 | 11 | 18 | 14 | 17 | 19 | 16 | 5 | 3 | 1 | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 14 | 15 | 12 | 14 | 8 | 15 | 11 | 9 | 14 | 10 | 5 | 1 | – | – | – |
| 2. DIARRHŒAL ,, | 5 | 3 | 3 | 1 | 3 | 3 | 8 | 12 | 8 | 13 | 10 | – | – | 1 | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 24 | 8 | 2 | 3 | – | 2 | 5 | 7 | 3 | 4 | – | 2 | – | – | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 2 | 1 | 1 | – | 2 | 2 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 84 | 99 | 73 | 81 | 65 | 82 | 71 | 62 | 49 | 27 | 7 | 1 | 1 | – | – |
| **V.** DEVELOPMENTAL DISEASES | – | – | – | – | – | 18 | 27 | 112 | 160 | 254 | 216 | 112 | 30 | 4 | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 23 | 31 | 37 | 37 | 56 | 73 | 95 | 134 | 126 | 76 | 34 | 12 | 3 | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | 1 | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 23 | 29 | 28 | 39 | 48 | 82 | 82 | 133 | 108 | 81 | 25 | 12 | 2 | – | – |
| 4. ,, RESPIRATORY SYSTEM | 20 | 25 | 29 | 40 | 67 | 82 | 103 | 177 | 130 | 104 | 66 | 19 | 2 | 1 | – |
| 5. ,, DIGESTIVE SYSTEM | 19 | 20 | 18 | 30 | 30 | 46 | 47 | 55 | 39 | 24 | 13 | 1 | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 13 | 13 | 14 | 10 | 9 | 16 | 11 | 10 | 15 | 6 | 1 | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 2 | 3 | 3 | 1 | 5 | 5 | 4 | 2 | 3 | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 24 | 15 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 4 | 1 | 1 | 1 | 3 | 3 | 1 | 5 | 3 | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 2 | – | – | – | 2 | 3 | 3 | 3 | 5 | 2 | 2 | 1 | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1890.—MALES, (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 483 | 23 | 1 | 2 | 10 | 5 | 8 | 3 | 19 | 27 | 34 | 45 | 34 | 29 |
| 2. HOMICIDE | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 40 | – | – | – | – | – | – | – | – | – | 2 | 3 | – | 3 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 395 | 233 | 24 | 16 | 19 | 3 | 1 | 1 | 4 | 2 | 2 | 3 | 3 | 3 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 140 | 2 | 7 | 23 | 45 | 23 | 9 | 5 | 21 | 2 | – | 1 | 1 | 1 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 72 | 1 | – | 1 | 12 | 16 | 9 | 5 | 20 | 5 | 2 | – | 1 | – |
| Typhus | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 187 | 12 | 4 | 5 | 4 | 1 | 1 | – | 7 | 1 | 12 | 9 | 7 | 2 |
| Hooping-cough | 174 | 29 | 20 | 31 | 47 | 21 | 13 | 5 | 8 | – | – | – | – | – |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 123 | 1 | – | 6 | 17 | 14 | 12 | 13 | 29 | 18 | 5 | 3 | 2 | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 72 | – | – | – | 1 | 1 | 1 | 3 | 10 | 8 | 15 | 10 | 4 | 8 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 5 | 1 | – | 1 | – | 1 | – | – | – | – | – | 1 | – | 1 |
| Diarrhœa, Dysentery | 142 | 24 | 15 | 25 | 15 | 3 | 4 | 1 | 3 | 2 | 2 | 1 | 1 | 2 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 8 | – | 2 | 1 | – | 1 | – | – | – | – | – | 1 | – | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 38 | 7 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 20 | 1 | – | 1 | 1 | 1 | 1 | 1 | 3 | – | 1 | 1 | 2 | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 133 | 16 | 4 | 5 | 6 | 7 | 5 | 2 | 8 | 1 | 2 | 1 | 2 | 4 |
| 2. HOMICIDE | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 15 | – | – | – | – | – | – | – | – | – | 2 | 1 | 2 | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 376 | 171 | 23 | 29 | 10 | 1 | 3 | 1 | 1 | 5 | 2 | 3 | 5 | 5 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 142 | 2 | 4 | 19 | 60 | 16 | 9 | 8 | 14 | 3 | 2 | 2 | 2 | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | 63 | – | – | 3 | 8 | 8 | 7 | 8 | 21 | 3 | 3 | – | – | 1 |
| Scarlet Fever | 6 | – | – | 1 | – | – | – | – | – | 2 | – | 1 | 2 | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 164 | 6 | 2 | 4 | 4 | 1 | 4 | 1 | 6 | 6 | 6 | 3 | 11 | 7 |
| Hooping-cough | 240 | 35 | 24 | 55 | 55 | 29 | 12 | 13 | 17 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 140 | – | – | 7 | 19 | 14 | 16 | 16 | 42 | 13 | 3 | 1 | 1 | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 67 | – | – | 1 | – | 1 | 1 | – | 9 | 9 | 5 | 10 | 6 | 7 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 11 | 3 | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 146 | 14 | 15 | 15 | 10 | 1 | – | 1 | 2 | 6 | 1 | 4 | 4 | 5 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 3 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 43 | 6 | 2 | 2 | 1 | – | 1 | – | – | 2 | – | – | 1 | 1 |
| Pyæmia, Septicæmia | 19 | 1 | – | – | 1 | – | – | – | – | – | – | 1 | 3 | 3 |
| Puerperal Fever | 66 | – | – | – | – | – | – | – | – | – | – | 1 | 15 | 12 |
| | | | | | | | | | | | | | | 13 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 29 | 31 | 44 | 33 | 25 | 21 | 15 | 18 | 8 | 4 | 6 | 1 | – | – | 8 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 7 | 6 | 8 | 4 | 1 | 3 | – | 1 | 1 | 1 | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 2 | 3 | 9 | 10 | 9 | 17 | 13 | 13 | – | 2 | – | – | – | 1 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 14 | 9 | 11 | 9 | 9 | 12 | 10 | 15 | 19 | 9 | 3 | 2 | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 4 | 1 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 4 | 3 | 1 | – | 4 | 3 | 4 | 6 | 10 | 7 | 2 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | 1 | 1 | 5 | 2 | 1 | 5 | 3 | 2 | 2 | 1 | – | – | – | – |
| Puerperal Fever | 1 | 1 | – | – | 2 | 1 | 1 | 1 | 2 | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 3 | 3 | 2 | 3 | 5 | 6 | 6 | 11 | 9 | 11 | 6 | 5 | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | 1 | 4 | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 4 | 4 | 5 | 11 | 18 | 14 | 17 | 19 | 16 | 5 | 3 | 1 | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 7 | 9 | 8 | 12 | 7 | 12 | 10 | 9 | 13 | 10 | 5 | 1 | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | 1 | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 4 | 5 | 2 | 2 | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 4 | 3 | 3 | 1 | 3 | 3 | 8 | 11 | 8 | 13 | 10 | – | – | 1 | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | 1 | 3 | – | 2 | 5 | 7 | 2 | 4 | – | 2 | – | – | – |
| Pyæmia, Septicæmia | 6 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Puerperal Fever | 17 | 7 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 22 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Intemp. { Delirium Tremens | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 17 | – | – | – | – | – | – | – | – | 5 | 3 | 2 | 1 | 1 |
| Rheumatism | 18 | – | – | – | – | – | – | – | – | 3 | – | 1 | – | 1 |
| Gout | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cancer | 248 | – | – | – | – | – | – | 1 | – | – | – | 3 | – | 1 |
| Tabes Mesenterica | 50 | 4 | 8 | 6 | 8 | 4 | 3 | 1 | 8 | 3 | 0 | 1 | 1 | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 96 | 2 | 6 | 19 | 18 | 4 | 7 | 4 | 18 | 8 | 3 | 2 | 3 | – |
| Phthisis | 676 | – | 1 | 4 | 1 | 2 | 1 | 4 | 15 | 21 | 92 | 126 | 89 | 70 |
| Other forms of Tuberculosis, Scrofula | 63 | 3 | 1 | 10 | 5 | 3 | – | – | 9 | 6 | 8 | 5 | 2 | 4 |
| Purpura, Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 21 | 2 | – | – | – | 1 | – | – | 1 | 1 | – | – | 1 | – |
| Diabetes Mellitus | 20 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 3 |
| Other Constitutional Diseases | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 183 | 182 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 13 | 12 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 8 | 6 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 12 | 10 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Old Age | 664 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 126 | 3 | 4 | 21 | 13 | 9 | 4 | 4 | 24 | 12 | 9 | 4 | 3 | 1 |
| Apoplexy | 280 | – | 1 | 3 | 1 | – | – | – | – | 2 | 1 | – | 3 | 5 |
| Softening of the Brain | 33 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Hemiplegia, Brain Paralysis | 166 | – | – | 1 | – | – | 1 | – | – | – | – | 1 | 1 | 1 |
| Paralysis Agitans | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 16 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 31 | 1 | 1 | – | – | – | – | – | 3 | 1 | 2 | 3 | 2 | 5 |
| Convulsions | 97 | 36 | 14 | 18 | 11 | 10 | 4 | – | 2 | – | 1 | – | 1 | – |
| Laryngismus Stridulus | 3 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 7 | – | 1 | – | – | – | – | – | – | 1 | – | 1 | 2 | 2 |
| Paraplegia, Diseases of Spinal Cord | 32 | – | – | – | – | – | – | – | – | – | 2 | 1 | 5 | 1 |
| Other Diseases of Nervous System | 94 | 2 | 9 | 8 | 9 | 1 | 4 | 4 | 2 | 6 | – | – | 1 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 7 | 1 | – | – | 1 | – | 2 | – | – | 2 | – | 1 | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast-Milk | 9 | 6 | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 23 | – | – | – | – | – | – | – | 3 | 3 | 3 | 1 | 2 | 2 |
| Rheumatism | 33 | – | – | – | – | – | – | 1 | – | – | 2 | – | 1 | – |
| Gout | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cancer | 357 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | 2 | 5 |
| Tabes Mesenterica | 49 | 3 | 4 | 5 | 8 | 4 | 1 | 1 | 4 | 7 | – | 1 | 4 | 2 |
| Tubercular Meningitis (Acute Hydrocephalus) | 86 | 2 | 8 | 11 | 15 | 10 | – | 3 | 17 | 11 | 4 | 2 | – | 1 |
| Phthisis | 779 | – | 3 | 3 | 5 | – | 2 | 2 | 20 | 67 | 112 | 114 | 109 | 82 |
| Other forms of Tuberculosis, Scrofula | 64 | – | 3 | 3 | 6 | 2 | 3 | – | 8 | 8 | 9 | 7 | 3 | 3 |
| Purpura, Hæmorrhagic Diathesis | 4 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 40 | – | – | – | – | – | – | – | 1 | – | 1 | 3 | 3 | 4 |
| Diabetes Mellitus | 14 | – | – | – | – | – | – | – | – | – | 2 | 1 | 3 | 1 |
| Other Constitutional Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 148 | 143 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Atelectasis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 5 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 8 | 5 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 15 | 13 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | 933 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 128 | 4 | 11 | 19 | 15 | 7 | 3 | 3 | 12 | 20 | 6 | 4 | 4 | 5 |
| Apoplexy | 333 | 1 | 1 | – | 2 | 2 | – | – | 1 | – | 2 | 1 | 3 | 4 |
| Softening of the Brain | 36 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 261 | – | – | – | – | 1 | 1 | – | 3 | 1 | – | 1 | – | 4 |
| Paralysis Agitans | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 28 | – | – | – | – | – | 1 | – | 1 | 3 | – | – | 2 | – |
| Chorea | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Epilepsy | 37 | 1 | – | 1 | – | – | – | – | 3 | – | 4 | 5 | 3 | 2 |
| Convulsions | 84 | 33 | 11 | 15 | 15 | 3 | 2 | 1 | 2 | 1 | – | – | – | – |
| Laryngismus Stridulus | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 5 | 1 | – | – | – | – | – | – | – | 2 | 1 | 1 | – | – |
| Paraplegia, Diseases of Spinal Cord | 33 | – | – | – | – | – | – | 1 | – | – | 2 | 1 | 2 | 2 |
| Other Diseases of Nervous System | 98 | 6 | 6 | 8 | 4 | 5 | 3 | 2 | 7 | 3 | 1 | 5 | 2 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 11 | – | 1 | 2 | 1 | 1 | – | – | 2 | – | 1 | – | – | – |
| Epistaxis and Disease of Nose | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 2 | – | 7 | – | 3 | 3 | 2 | – | 2 | 1 | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | 1 | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | – | 3 | – | – | 2 | – | 5 | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 2 | 8 | 12 | 24 | 31 | 51 | 35 | 37 | 22 | 11 | 10 | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 57 | 50 | 34 | 40 | 20 | 19 | 16 | 8 | 5 | 1 | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 1 | 2 | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 2 | – | – | 2 | 5 | 2 | 1 | 1 | – | 1 | 1 | – | – | – | – |
| Diabetes Mellitus | 2 | – | 1 | 1 | 2 | 2 | 1 | 3 | 2 | 1 | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 18 | 26 | 79 | 119 | 187 | 156 | 62 | 13 | 4 | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 3 | 1 | 1 | 5 | 1 | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Apoplexy | 2 | 7 | 12 | 11 | 21 | 31 | 33 | 16 | 42 | 36 | 20 | 3 | – | – | – |
| Softening of the Brain | – | 1 | 1 | 2 | 2 | 3 | 7 | 3 | 8 | 3 | 1 | – | – | – | – |
| Hemiplegia, Brain Paralysis | 3 | 4 | 4 | 6 | 8 | 11 | 30 | 22 | 40 | 22 | 10 | 1 | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | 1 | 1 | 2 | 1 | 1 | – | – | – | – |
| Insanity, General Paralysis of Insane | 3 | 3 | 1 | 1 | – | 2 | – | 1 | 2 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | 4 | 3 | 1 | 3 | 1 | 3 | 1 | 6 | 2 | – | – | – | – | – |
| Other Diseases of Nervous System | 3 | 2 | 8 | 1 | 4 | 7 | 10 | 3 | 5 | 4 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 2 | 1 | 1 | – | 2 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | 2 | 2 | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Rheumatism | 1 | 1 | 1 | 2 | 1 | 6 | 5 | 3 | 2 | 4 | 1 | 1 | 1 | – | – |
| Gout | – | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 16 | 20 | 27 | 45 | 31 | 48 | 49 | 49 | 35 | 21 | 6 | – | – | – | – |
| Tabes Mesenterica | – | – | 1 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 58 | 67 | 35 | 35 | 28 | 19 | 15 | 7 | 3 | 2 | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 3 | 1 | – | – | 1 | – | 1 | 1 | 2 | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 5 | 3 | 4 | 3 | 2 | 6 | – | – | 3 | – | – | – | – | – | – |
| Diabetes Mellitus | – | 3 | 1 | – | – | – | – | 2 | 1 | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 18 | 27 | 112 | 160 | 254 | 216 | 112 | 30 | 4 | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 2 | 2 | 3 | 3 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Apoplexy | 5 | 8 | 14 | 16 | 29 | 25 | 41 | 59 | 62 | 33 | 14 | 8 | 2 | – | – |
| Softening of the Brain | – | – | 1 | 1 | 3 | 4 | 4 | 12 | 4 | 2 | – | 1 | 1 | – | – |
| Hemiplegia, Brain Paralysis | 5 | 8 | 9 | 11 | 13 | 27 | 40 | 45 | 44 | 30 | 16 | 2 | – | – | – |
| Paralysis Agitans | – | – | – | – | – | 3 | – | 2 | 2 | 2 | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | 1 | 4 | 2 | 2 | 3 | 2 | 3 | 2 | 1 | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | 2 | – | – | 2 | 3 | 1 | 2 | 1 | 3 | – | – | – | – | – |
| Convulsions | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | 2 | 2 | 3 | 2 | 2 | 4 | 4 | 5 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 5 | 4 | 4 | 1 | 3 | 5 | 2 | 7 | 5 | 5 | 4 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 603 | 2 | 2 | 1 | 1 | – | – | – | 5 | 6 | 9 | 5 | 9 | 6 |
| Pericarditis | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hypertrophy of Heart | 14 | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Angina Pectoris | 14 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Syncope | 21 | 2 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 2 |
| Aneurism | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 27 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 12 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 26 | 1 | – | 3 | 3 | 5 | 2 | 1 | 2 | 1 | – | – | – | 1 |
| Croup | 86 | 3 | 2 | 13 | 19 | 9 | 15 | 11 | 12 | 2 | – | – | – | – |
| Other Diseases of Larynx and Trachea | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Emphysema, Asthma | 41 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 2 |
| Bronchitis | 671 | 84 | 62 | 79 | 58 | 14 | 7 | 4 | 6 | 4 | 1 | 3 | 2 | 2 |
| Pneumonia | 497 | 18 | 23 | 39 | 24 | 18 | 2 | 5 | 8 | 6 | 10 | 19 | 13 | 11 |
| Pleurisy | 58 | – | – | 1 | – | 1 | – | – | – | 1 | 3 | 3 | 4 | 4 |
| Other Diseases of Respiratory System | 162 | 23 | 8 | 9 | 10 | 1 | – | – | 3 | – | 2 | 4 | 3 | 3 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 42 | 1 | 2 | 21 | 17 | 1 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 13 | – | – | – | 2 | 1 | – | 1 | 4 | – | 1 | – | – | – |
| Dyspepsia | 14 | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmatemesis | 9 | – | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Melæna | 3 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Stomach | 113 | 8 | 4 | 4 | 5 | 3 | 3 | 1 | 2 | 1 | 1 | 1 | 3 | 5 |
| Enteritis | 111 | 24 | 18 | 14 | 6 | 5 | 1 | 2 | 7 | 3 | 1 | 1 | – | 2 |
| Ulceration of Intestine | 9 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ileus, Obstruction of Intestines | 49 | – | 1 | 1 | – | – | – | – | 1 | 1 | 3 | 2 | 1 | – |
| Stricture or Strangulation of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Intussusception of Intestines | 11 | 1 | – | 4 | 1 | – | 1 | – | – | – | – | – | – | – |
| Hernia | 18 | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 83 | 4 | 2 | 1 | 1 | 1 | – | – | 5 | 5 | 6 | 5 | 8 | 5 |
| Ascites | 6 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 27 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 1 |
| Other Diseases of Liver | 94 | 20 | 1 | 1 | – | 1 | – | – | 1 | 1 | 1 | 1 | – | 3 |
| Other Diseases of Digestive System | 15 | – | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Diseases of Lymphatics | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 32 | – | 1 | 1 | – | – | – | 3 | 1 | – | 1 | 2 | – | – |
| Bright's Disease | 72 | – | – | – | – | – | 1 | 1 | 6 | 2 | 1 | – | 9 | 1 |
| Uræmia | 19 | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | 1 |
| Suppression of Urine | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 113 | 3 | – | – | – | – | – | – | – | – | 1 | 2 | – | 4 |
| Other Diseases of Urinary System | 32 | – | – | – | – | – | – | 1 | – | – | 3 | 3 | 2 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **Diseases of Circulatory System.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 654 | 2 | – | 1 | – | – | – | 1 | 4 | 5 | 6 | 15 | 9 | 15 |
| Pericarditis | 7 | 1 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – |
| Hypertrophy of Heart | 17 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Angina Pectoris | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 28 | 1 | – | – | 1 | – | – | – | 1 | – | – | – | 2 | 1 |
| Aneurism | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 32 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 5 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 |
| Phlebitis | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | |
| Laryngitis | 12 | – | – | 3 | 2 | – | 1 | – | 1 | – | – | – | 1 | – |
| Croup | 79 | 3 | 4 | 6 | 16 | 14 | 13 | 11 | 12 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 3 | – | – | 1 | – | – | – | – | – | – | – | – | 2 | – |
| Emphysema, Asthma | 30 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 820 | 52 | 51 | 67 | 56 | 16 | 11 | 4 | 9 | 5 | 5 | 2 | 4 | 5 |
| Pneumonia | 355 | 15 | 14 | 33 | 35 | 10 | 6 | 4 | 8 | 2 | 6 | 11 | 12 | 11 |
| Pleurisy | 29 | – | 1 | – | 1 | – | 1 | – | 1 | – | 2 | 2 | 1 | 1 |
| Other Diseases of Respiratory System | 131 | 5 | 7 | 3 | 6 | 1 | 2 | 2 | 3 | – | 3 | 2 | 3 | 4 |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | |
| Stomatitis | 4 | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Dentition | 32 | – | – | 15 | 17 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 8 | – | – | 1 | – | 1 | 1 | 1 | – | – | 1 | 2 | – | – |
| Dyspepsia | 18 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Melæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 123 | 6 | 5 | 5 | 8 | – | 2 | 6 | 2 | – | 2 | 7 | 4 | |
| Enteritis | 93 | 7 | 17 | 11 | 7 | 1 | 5 | 1 | 3 | 1 | 3 | 1 | 5 | 2 |
| Ulceration of Intestine | 7 | – | 1 | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Ileus, Obstruction of Intestines | 25 | 1 | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 | – |
| Stricture or Strangulation of Intestine | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 8 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hernia | 19 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Fistula | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 94 | 7 | – | 1 | – | 3 | – | 2 | 5 | 2 | 7 | 11 | 6 | 5 |
| Ascites | 10 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Gallstones | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 23 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Other Diseases of Liver | 82 | 4 | – | – | – | 1 | – | 1 | 2 | – | – | – | 1 | 2 |
| Other Diseases of Digestive System | 29 | 3 | 1 | 1 | – | 1 | – | – | – | – | 1 | – | 1 | – |
| **Diseases of Lymphatic System and Ductless Glands.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Diseases of Lymphatics | 5 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Suprarenal Capsules | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **Diseases of Urinary System** | | | | | | | | | | | | | | |
| Acute Nephritis | 28 | 1 | 1 | 1 | 2 | – | 1 | – | 2 | 1 | 2 | – | 1 | 5 |
| Bright's Disease | 71 | – | 1 | – | – | – | – | 1 | 2 | 1 | 2 | 5 | 2 | 1 |
| Uræmia | 13 | – | – | – | – | – | – | – | – | – | 3 | – | – | – |
| Suppression of Urine | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 11 | 1 | – | – | – | – | – | – | – | – | – | 3 | 2 | 4 | 1 |
| Other Diseases of Urinary System | 32 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 11 | 14 | 32 | 10 | 32 | 71 | 95 | 95 | 90 | 58 | 24 | 5 | 2 | – | |
| Pericarditis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | |
| Hypertrophy of Heart | – | 1 | – | – | 2 | 1 | 3 | 2 | 1 | 2 | – | – | – | – | |
| Angina Pectoris | – | – | – | 2 | 2 | 3 | 1 | 1 | 4 | – | – | – | – | – | |
| Syncope | – | 1 | 1 | 1 | 1 | – | – | 5 | 4 | 1 | – | – | – | – | |
| Aneurism | 1 | 2 | – | 2 | 1 | – | 1 | 2 | – | – | – | – | – | – | |
| Senile Gangrene | – | – | – | – | 1 | 3 | 3 | 3 | 5 | 6 | 4 | 2 | – | – | |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Phlebitis | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | |
| Varicose Veins | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | |
| Other Diseases of Circulatory System | 1 | 1 | – | – | – | – | 2 | 4 | 1 | 1 | – | – | – | – | |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | 2 | – | – | – | – | 1 | 1 | 1 | 2 | – | – | – | – | |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Larynx and Trachea | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | |
| Emphysema, Asthma | – | 1 | 5 | 5 | 4 | 8 | 6 | 4 | 2 | 1 | 1 | – | – | – | |
| Bronchitis | 1 | 5 | 10 | 27 | 32 | 49 | 43 | 56 | 48 | 45 | 23 | 5 | 1 | – | |
| Pneumonia | 16 | 21 | 31 | 30 | 31 | 34 | 46 | 41 | 20 | 24 | 6 | 1 | – | – | |
| Pleurisy | 5 | 2 | 1 | 4 | 8 | 5 | 7 | 3 | 2 | 3 | 1 | – | – | – | |
| Other Diseases of Respiratory System | 6 | 4 | 6 | 5 | 9 | 12 | 17 | 16 | 12 | 6 | 1 | 2 | – | – | |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Sore-throat, Quinsy | – | – | 2 | – | – | – | – | – | – | – | 2 | – | – | – | |
| Dyspepsia | – | – | – | 2 | – | – | 2 | 1 | 4 | – | 1 | – | – | – | |
| Hæmatemesis | – | 2 | – | – | – | – | – | 2 | 1 | – | 1 | – | – | – | |
| Melæna | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Stomach | 3 | 4 | 1 | 9 | 4 | 9 | 13 | 10 | 15 | 4 | – | – | – | – | |
| Enteritis | 1 | 3 | 1 | 1 | 1 | 3 | 3 | 7 | 3 | 4 | – | – | – | – | |
| Ulceration of Intestine | 2 | – | – | 1 | – | 3 | 1 | – | – | 1 | – | – | – | – | |
| Ileus, Obstruction of Intestine | 3 | 4 | 1 | 5 | 3 | 4 | 2 | 9 | 5 | 3 | – | – | – | – | |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | |
| Intussusception of Intestine | – | – | – | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – | |
| Hernia | – | – | – | – | – | – | 3 | 5 | 2 | 2 | 2 | – | – | – | |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Peritonitis | 1 | 3 | 1 | 5 | 10 | 6 | 4 | 4 | 2 | 3 | 1 | – | – | – | |
| Ascites | – | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | |
| Gallstones | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | |
| Cirrhosis of Liver | 2 | – | 2 | 1 | 6 | 3 | 2 | 3 | 2 | 1 | – | 1 | – | – | |
| Other Diseases of Liver | 7 | 1 | 5 | 6 | 6 | 7 | 12 | 8 | 7 | 3 | 2 | – | – | – | |
| Other Diseases of Digestive System | 1 | 1 | 1 | 2 | – | – | 1 | 3 | 1 | 1 | – | – | – | – | |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | |
| Diseases of Lymphatics | – | 2 | – | – | – | – | – | – | 2 | – | – | – | – | – | |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | 2 | 1 | 1 | 3 | 3 | 2 | 5 | 5 | – | 1 | – | – | – | |
| Bright's Disease | 5 | 4 | 2 | 5 | 10 | 3 | 7 | 6 | 6 | 1 | 1 | – | – | – | 1 |
| Uræmia | – | – | – | 1 | 2 | – | 4 | 2 | 2 | 3 | – | 1 | – | – | |
| Suppression of Urine | – | – | – | – | 1 | – | 2 | 1 | 1 | 6 | 1 | 2 | – | – | |
| Calculus | – | – | – | – | 2 | 2 | – | – | 2 | – | – | – | – | – | |
| Hæmaturia | – | – | – | 1 | – | – | – | 1 | 2 | – | – | – | – | – | |
| Diseases of Bladder and of Prostate | 1 | – | 1 | 1 | 4 | 6 | 11 | 21 | 25 | 16 | 13 | 4 | – | – | |
| Other Diseases of Urinary System | 1 | 2 | 2 | 2 | 2 | 6 | 2 | 4 | 1 | – | – | – | – | – | |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 17 | 25 | 26 | 36 | 45 | 66 | 75 | 111 | 94 | 73 | 19 | 7 | 2 | – | – |
| Pericarditis | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | 1 | – | – | 1 | 2 | 2 | 3 | 4 | 3 | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | 1 | – | 2 | 1 | 1 | – | – | – | – | – |
| Syncope | 4 | 1 | 1 | 1 | – | 5 | – | 4 | 2 | – | 3 | 1 | – | – | – |
| Aneurism | – | – | 1 | – | – | 2 | – | 4 | – | – | 1 | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 4 | 5 | 8 | 6 | 3 | 2 | 4 | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | 3 | – | 2 | 3 | 4 | 8 | 6 | 3 | 1 | – | – | – | – |
| Bronchitis | 3 | 6 | 10 | 20 | 36 | 46 | 57 | 114 | 89 | 83 | 50 | 16 | 2 | 1 | – |
| Pneumonia | 12 | 13 | 12 | 13 | 19 | 22 | 23 | 37 | 18 | 10 | 7 | 2 | – | – | – |
| Pleurisy | – | 2 | – | 1 | 1 | 2 | 6 | 5 | 2 | – | 1 | – | – | – | – |
| Other Diseases of Respiratory System | 5 | 4 | 3 | 5 | 8 | 8 | 13 | 13 | 15 | 8 | 7 | 1 | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 2 | – | 1 | – | 1 | – | 1 | 1 | 1 | – | 3 | – | – | – | – |
| Hæmatemesis | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 4 | 4 | 3 | 10 | 4 | 6 | 10 | 14 | 14 | 9 | 3 | – | – | – | – |
| Enteritis | 5 | 2 | 1 | 3 | 1 | 5 | 2 | 4 | 1 | – | 5 | – | – | – | – |
| Ulceration of Intestine | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | 1 | 1 | 1 | 2 | 4 | 4 | 3 | 3 | 1 | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | 1 | 1 | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Hernia | – | – | 2 | – | 1 | 1 | 2 | 5 | 5 | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Peritonitis | 4 | 5 | 3 | 4 | 5 | 9 | 6 | 4 | 2 | 2 | – | 1 | – | – | – |
| Ascites | – | 2 | – | – | – | 3 | 1 | 2 | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | 1 | – | 3 | 3 | 4 | 4 | 3 | 1 | 1 | – | – | – | – | – |
| Other Diseases of Liver | 3 | 3 | 4 | 4 | 9 | 9 | 13 | 11 | 8 | 6 | 1 | – | – | – | – |
| Other Diseases of Digestive System | – | 2 | 1 | 2 | 3 | 3 | 3 | 3 | 3 | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | – | 4 | 2 | – | 3 | – | – | 3 | – | – | – | – | – | – |
| Bright's Disease | 5 | 7 | 5 | 6 | 4 | 6 | 9 | 6 | 4 | 3 | 1 | – | – | – | – |
| Uræmia | 3 | 2 | – | 1 | 1 | – | 1 | – | 2 | – | – | – | – | – | – |
| Suppression of Urine | 1 | 1 | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Calculus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 1 | 1 | – | 1 | – | – | 2 | 3 | 2 | – | – | – | – | – |
| Other Diseases of Urinary System | 2 | 2 | 3 | 1 | 2 | 6 | 1 | 2 | 2 | 1 | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 4 | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – | 1 |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 25 | – | – | – | – | 1 | – | – | 3 | 2 | 2 | 3 | 4 | 4 |
| Arthritis, Ostitis, Periostitis | 6 | 1 | – | – | – | – | 1 | – | – | 2 | – | – | – | – |
| Other Diseases of Organs of Locomotion | 14 | – | – | – | – | – | | – | 2 | – | 5 | 2 | 1 | 2 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 5 | 1 | – | – | 1 | – | – | – | – | – | 1 | – | 1 | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 5 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 23 | – | – | – | – | – | – | – | – | 3 | 5 | 2 | 1 | 2 |
| Mines and Quarries: Other Mines | 5 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| Mines and Quarries: Quarries | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 56 | – | – | – | – | 2 | – | – | 1 | 2 | 3 | 7 | 5 | 5 |
| Vehicles and Horses: Vehicles other than R'wys. | 19 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | 2 |
| Vehicles and Horses: Horses | 9 | – | – | – | – | – | – | – | – | 1 | 3 | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 16 | – | – | – | – | – | – | – | – | 1 | 2 | 4 | 3 | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 34 | – | – | 1 | 5 | 3 | 6 | 1 | 5 | – | – | – | – | 1 |
| Burns and Scalds: Explosions | 8 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 1 |
| Poisons, Poisonous Vapours | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 170 | 1 | – | – | 3 | – | 2 | – | 7 | 14 | 14 | 21 | 15 | 15 |
| Suffocation: In Bed | 13 | 11 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 15 | 4 | – | – | 1 | – | – | – | – | 1 | – | 2 | – | 1 |
| Falls | 22 | 1 | – | – | – | – | – | – | – | 1 | 1 | – | 2 | – |
| Weather Agencies | 17 | 1 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 2 |
| Otherwise, or Not Stated | 65 | 5 | – | – | 1 | – | – | 2 | 5 | 4 | 4 | 4 | 1 | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suicide | 40 | – | – | – | – | – | – | – | – | 1 | 2 | 3 | – | 3 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 16 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 241 | 195 | 15 | 11 | 12 | 1 | 1 | – | 1 | 1 | 1 | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Abscess | 5 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Hæmorrhage | 5 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Other ill-defined and not specified Causes | 125 | 36 | 9 | 5 | 6 | 2 | – | 1 | 3 | – | – | 3 | 2 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1890. — FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | AGES UNDER | | | | | | | | | | | | |
| | ALL AGES. | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 17 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 2 |
| Diseases of Uterus and Vagina | 19 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 4 |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pelvic Abscess | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Pelvical Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 7 | – | – | – | – | – | – | – | – | – | – | 2 | – | 2 |
| Puerperal Mania | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Puerperal Convulsions | 13 | – | – | – | – | – | – | – | – | – | – | 1 | 4 | 3 |
| Placenta Prævia, Flooding | 20 | – | – | – | – | – | – | – | – | – | 1 | 1 | 3 | 2 |
| Phlegmasia Dolens | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Accidents of Childbirth | 44 | – | – | – | – | – | – | – | – | – | – | 4 | 9 | 11 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 13 | – | – | – | – | – | – | – | 3 | 1 | 2 | 2 | – | – |
| Arthritis, Ostitis, Periostitis | 16 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Organs of Locomotion | 10 | – | – | – | – | 1 | – | – | 2 | 3 | – | 1 | – | 1 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmon, Cellulitis | 8 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 11 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Eczema | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 3 | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 27 | 1 | – | 2 | 2 | 2 | 2 | 2 | 3 | 1 | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 5 | – | – | 1 | – | – | 1 | – | 1 | – | 2 | 1 | 1 | 1 |
| Drowning | 21 | 1 | – | – | 2 | 3 | 1 | – | 1 | – | – | – | – | 1 |
| Suffocation: In Bed | 10 | 6 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 11 | 4 | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Falls | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 7 | 1 | – | – | – | – | – | – | 4 | – | – | – | 1 | 1 |
| Otherwise, or Not Stated | 42 | 4 | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 2 | 2 | – | – | – | – | – | – | – | – | – | 2 | 1 | 2 | 1 |
| Suicide | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 24 | – | – | – | – | – | – | – | – | – | – | 2 | – | 2 | 3 |
| Debility, Atrophy, Inanition | 192 | 132 | 14 | 19 | 5 | 1 | 1 | 1 | – | – | 1 | – | – | – | – |
| Mortification | 4 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tumour | 5 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Abscess | 9 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 138 | 38 | 9 | 6 | 4 | – | 1 | – | 1 | 3 | – | 3 | 3 | 2 | |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | 1 | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | 2 | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 2 | 3 | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | 2 | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 3 | 3 | 9 | 4 | 3 | 2 | 3 | 2 | 1 | 1 | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | 2 | – | 2 | – | 3 | 3 | 2 | 1 | 1 | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | 1 | – | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 2 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | 1 | 1 | – | 1 | 1 | 1 | 2 | 1 | 1 | 3 | – | – | – | – |
| Burns and Scalds: Explosions | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 13 | 13 | 15 | 10 | 7 | 6 | 2 | 3 | 1 | – | – | – | – | – | 8 |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 2 | – | – | 2 | 1 | – | – | – | – | 1 | 1 | – | – | – | – |
| Falls | 2 | 3 | 2 | 1 | 3 | 2 | 1 | 1 | – | 1 | 1 | – | – | – | – |
| Weather Agencies | – | 1 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | 3 | 8 | 8 | 6 | 3 | 2 | 4 | 3 | – | 1 | 1 | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 7 | 6 | 8 | 4 | 1 | 3 | – | 1 | 1 | 1 | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | 1 | 1 | 2 | 1 | 1 | 1 | 5 | – | 2 | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 2 | 2 | 1 | 5 | 4 | 8 | 15 | 12 | 8 | – | – | – | – | – | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 1 | 1 | 2 | 1 | 2 | 1 | 3 | 2 | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 1 | 2 | 1 | – | 3 | 2 | 1 | – | 3 | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 8 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 11 | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 2 | – | 1 | 1 | 2 | 1 | 1 | 4 | 3 | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | 1 | 2 | 1 | 2 | 1 | 2 | 1 | – | – | – |
| Eczema | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | – | – | – | – | 1 | 1 | 3 | 2 | 3 | – | 2 | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Drowning | 1 | 1 | 1 | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – |
| Falls | – | – | – | – | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – |
| Weather Agencies | 1 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – |
| Otherwise, or Not Stated | – | 1 | – | – | 3 | 1 | 2 | 4 | 4 | 3 | 4 | 8 | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | 1 | 4 | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | 1 | 1 | – | – | 3 | 3 | 5 | 5 | 4 | 1 | 1 | – | – | – |
| Debility, Atrophy, Inanition | – | 2 | – | 3 | 7 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – |
| Abscess | 1 | – | – | – | 1 | – | – | 3 | 1 | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 3 | 1 | 3 | 8 | 9 | 10 | 14 | 11 | 9 | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 936 | 68 | 10 | 19 | 25 | 11 | 8 | 10 | 22 | 23 | 27 | 46 | 40 | 25 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 69 | 5 | 1 | 3 | 6 | 3 | 1 | 1 | 1 | 7 | 3 | 2 | 4 | 3 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 150 | – | – | 1 | 3 | 1 | – | 1 | 4 | 6 | 8 | 28 | 22 | 11 |
| V. DEVELOPMENTAL ,, | 168 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 388 | 20 | 6 | 12 | 13 | 6 | 6 | 4 | 10 | 4 | 10 | 7 | 9 | 7 |
| VII. VIOLENCE | 58 | 2 | – | – | 2 | – | 1 | 1 | 3 | 3 | 5 | 7 | 4 | 4 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 103 | 34 | 3 | 3 | 1 | 1 | – | 3 | 4 | 3 | 1 | 2 | 1 | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 62 | 4 | 1 | 2 | 6 | 2 | 1 | 1 | 1 | 6 | 3 | 2 | 4 | 1 |
| 2. DIARRHŒAL ,, | 5 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 6. SEPTIC ,, | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 150 | – | – | 1 | 3 | 1 | – | 1 | 4 | 6 | 8 | 28 | 22 | 11 |
| V. DEVELOPMENTAL DISEASES | 168 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 80 | 7 | 1 | 2 | 3 | 2 | – | 1 | 3 | 1 | 4 | 3 | 2 | 1 |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 67 | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 | 1 |
| 4. ,, RESPIRATORY SYSTEM | 133 | 8 | 3 | 8 | 6 | 4 | 3 | 3 | 5 | 2 | 2 | 2 | 2 | 2 |
| 5. ,, DIGESTIVE SYSTEM | 68 | 4 | 2 | 2 | 2 | – | 2 | – | 2 | – | 2 | – | – | 3 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 29 | 1 | – | – | – | – | 1 | – | – | – | – | – | 2 | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 6 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – |
| 10. ,, INTEGUMENTARY SYSTEM | 5 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 1040 | 59 | 8 | 13 | 29 | 15 | 9 | 11 | 20 | 14 | 25 | 23 | 46 | 25 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 100 | 2 | – | 7 | 9 | 7 | 2 | 3 | 6 | 3 | 3 | 2 | 8 | 3 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 152 | 1 | – | 2 | 1 | – | – | 2 | 5 | 4 | 14 | 11 | 20 | 9 |
| V. DEVELOPMENTAL „ | 288 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL „ | 366 | 14 | 6 | 4 | 14 | 4 | 4 | 4 | 6 | 6 | 7 | 7 | 15 | 11 |
| VII. VIOLENCE | 15 | 1 | 1 | – | – | 1 | 2 | – | 1 | 1 | – | – | 1 | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 119 | 33 | 1 | – | 5 | 3 | 1 | 2 | 2 | – | 1 | 3 | 2 | 2 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 74 | – | – | 5 | 9 | 7 | 2 | 3 | 6 | 3 | 3 | 2 | 3 | 1 |
| 2. DIARRHŒAL „ | 9 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 16 | 1 | – | – | – | – | – | – | – | – | – | – | 5 | 2 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 152 | 1 | – | 2 | 1 | – | – | 2 | 5 | 4 | 14 | 11 | 20 | 9 |
| V. DEVELOPMENTAL DISEASES | 288 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 72 | 6 | 1 | 1 | 1 | – | – | 1 | 2 | 2 | – | 1 | 3 | – |
| 2. „ ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 51 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | 3 |
| 4. „ RESPIRATORY SYSTEM | 156 | 7 | 4 | 3 | 12 | 4 | 3 | 2 | 4 | 4 | 4 | 3 | 5 | 3 |
| 5. „ DIGESTIVE SYSTEM | 52 | 1 | 1 | – | – | – | 1 | 1 | – | – | 1 | – | 3 | 3 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 12 | – | – | – | – | – | – | – | – | – | 2 | 1 | – | – |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| (*b*) DISEASES OF PARTURITION | 14 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 2 |
| 9. „ ORGANS OF LOCOMOTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 24 | 22 | 31 | 41 | 25 | 49 | 55 | 81 | 92 | 86 | 57 | 25 | 9 | 3 | 2 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 3 | 1 | 5 | – | 2 | 5 | 2 | 4 | 6 | 1 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 8 | 5 | 5 | 11 | 3 | 4 | 7 | 8 | 13 | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL „ | – | – | – | – | – | 3 | 6 | 9 | 19 | 52 | 43 | 20 | 7 | 2 | – |
| VI. LOCAL „ | 7 | 14 | 17 | 20 | 12 | 30 | 34 | 49 | 39 | 31 | 13 | 5 | 2 | 1 | – |
| VII. VIOLENCE | 4 | 1 | 3 | 5 | 2 | 3 | – | 2 | 2 | 1 | 1 | – | – | – | 2 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 1 | 1 | 5 | 6 | 4 | 6 | 9 | 13 | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 3 | – | 5 | – | 2 | 5 | 2 | 4 | 6 | 1 | – | – | – | – | – |
| 2. DIARRHŒAL „ | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 8 | 5 | 5 | 11 | 3 | 4 | 7 | 8 | 13 | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 3 | 6 | 9 | 19 | 52 | 43 | 20 | 7 | 2 | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 2 | 1 | 2 | 4 | 1 | 2 | 3 | 10 | 9 | 11 | 3 | 1 | 1 | – | – |
| 2. „ ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | – | 2 | 4 | 5 | 4 | 9 | 11 | 11 | 6 | 2 | 5 | 2 | – | – | – |
| 4. „ RESPIRATORY SYSTEM | 5 | 2 | 5 | 3 | 3 | 9 | 12 | 18 | 12 | 10 | 2 | 2 | – | – | – |
| 5. „ DIGESTIVE SYSTEM | – | 6 | 4 | 6 | 3 | 6 | 7 | 5 | 5 | 3 | 3 | – | – | 1 | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | – | – | 2 | 1 | 1 | 4 | 1 | 4 | 7 | 4 | – | – | 1 | – | – |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | – | 1 | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 27 | 26 | 39 | 29 | 34 | 54 | 74 | 103 | 119 | 113 | 72 | 36 | 14 | 3 | - |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 3 | 4 | 2 | 5 | 1 | 1 | 4 | 10 | 9 | 4 | - | 1 | 1 | - | - |
| II. PARASITIC DISEASES | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC „ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL „ | 5 | 7 | 11 | 6 | 10 | 6 | 13 | 11 | 10 | 2 | 1 | - | - | 1 | - |
| V. DEVELOPMENTAL „ | - | - | - | - | - | 7 | 14 | 34 | 43 | 75 | 61 | 32 | 12 | 2 | - |
| VI. LOCAL „ | 17 | 13 | 20 | 9 | 15 | 32 | 34 | 35 | 46 | 30 | 9 | 3 | 1 | - | - |
| VII. VIOLENCE | - | - | - | 1 | 1 | - | 1 | 1 | 2 | - | 1 | - | - | - | - |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 2 | 6 | 8 | 7 | 8 | 8 | 12 | 9 | 2 | - | - | - | - | - |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 3 | 2 | 1 | 3 | 1 | - | 4 | 5 | 7 | 3 | - | 1 | - | - | - |
| 2. DIARRHŒAL „ | - | 1 | - | - | - | 1 | - | 3 | - | 1 | - | - | 1 | - | - |
| 3. MALARIAL „ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS „ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL „ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6. SEPTIC „ | - | 1 | 1 | 2 | - | - | - | 2 | 2 | - | - | - | - | - | - |
| II. PARASITIC DISEASES | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC DISEASES | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL DISEASES | 5 | 7 | 11 | 6 | 10 | 6 | 13 | 11 | 10 | 2 | 1 | - | - | 1 | - |
| V. DEVELOPMENTAL DISEASES | - | - | - | - | - | 7 | 14 | 34 | 43 | 75 | 61 | 32 | 12 | 2 | - |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 2 | 2 | 4 | 2 | 7 | 2 | 6 | 7 | 13 | 6 | 2 | 1 | - | - | - |
| 2. „ ORGANS OF SPECIAL SENSE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3. „ CIRCULATORY SYSTEM | 2 | 2 | 5 | 1 | 2 | 8 | 6 | 10 | 6 | 3 | 1 | - | - | - | - |
| 4. „ RESPIRATORY SYSTEM | 4 | 4 | 3 | - | 4 | 11 | 13 | 12 | 23 | 16 | 5 | 2 | 1 | - | - |
| 5. „ DIGESTIVE SYSTEM | 2 | 2 | 5 | 4 | 1 | 8 | 5 | 5 | 4 | 4 | 1 | - | - | - | - |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | - | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 7. „ URINARY SYSTEM | 1 | 1 | 1 | 1 | - | 3 | 2 | - | - | - | - | - | - | - | - |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | - | - | 1 | - | 1 | - | 1 | - | - | 1 | - | - | - | - | - |
| (*b*) DISEASES OF PARTURITION | 6 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 9. „ ORGANS OF LOCOMOTION | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 10. „ INTEGUMENTARY SYSTEM | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 57 | 1 | – | – | 2 | – | 1 | 1 | 3 | 3 | 5 | 7 | 4 | 4 |
| 2. HOMICIDE | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 103 | 34 | 3 | 3 | 1 | 1 | – | 3 | 4 | 3 | 1 | 2 | 1 | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 8 | 2 | – | – | 3 | – | – | – | – | – | 1 | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Typhus | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 37 | 2 | 1 | – | 1 | 1 | – | – | 1 | 3 | 2 | 1 | 2 | 1 |
| Hooping-cough | 4 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 6 | – | – | – | – | – | – | 1 | – | 1 | – | 1 | 1 | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 5 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 13 | 1 | 1 | – | – | 1 | 2 | – | 1 | 1 | – | – | 1 | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 119 | 33 | 1 | – | 5 | 3 | 1 | 2 | 2 | – | 1 | 3 | 2 | 2 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 14 | – | – | 1 | 4 | 2 | – | 2 | – | 1 | 1 | – | 1 | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 6 | – | – | 2 | – | 2 | 1 | – | 1 | – | – | – | – | – |
| Typhus | 2 | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 34 | – | – | 1 | 2 | 1 | 1 | – | 1 | – | – | – | 1 | – |
| Hooping-cough | 6 | – | – | 1 | 3 | – | – | 1 | – | 1 | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 6 | – | – | – | – | – | – | – | 4 | – | – | 1 | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 2 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Enteric Fever | 4 | – | – | – | – | – | – | – | – | 1 | 2 | – | – | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 9 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 7 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 8 | – | – | – | – | – | – | – | – | – | – | – | 5 | 2 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 4 | 1 | 3 | 5 | 2 | 3 | – | 2 | 2 | 1 | 1 | – | – | – | 2 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 1 | 1 | 5 | 6 | 4 | 6 | 9 | 13 | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 3 | – | 4 | – | 1 | 3 | 1 | 4 | 5 | 1 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | – | – | – | – | – | – | 1 | 1 | 2 | – | 1 | – | – | – | – |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 2 | 2 | 6 | 8 | 7 | 8 | 8 | 12 | 9 | 2 | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | 2 | – | 3 | – | – | 4 | 5 | 7 | 3 | – | 1 | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | 1 | – | – | – | 1 | – | 3 | – | 1 | – | – | 1 | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – | – |
| Erysipelas | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cancer | 22 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 3 | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 4 | – | – | – | 1 | – | – | 1 | 1 | – | 1 | – | – | – |
| Phthisis | 107 | – | – | – | – | – | – | – | 2 | 5 | 6 | 28 | 21 | 11 |
| Other forms of Tuberculosis, Scrofula | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 161 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 9 | – | – | – | – | 2 | – | – | 2 | – | 3 | 1 | – | – |
| Apoplexy | 15 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Softening of the Brain | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 25 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Paralysis Agitans | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 5 | – | – | – | 1 | – | – | 1 | – | – | – | – | 1 | – |
| Convulsions | 11 | 5 | 1 | 1 | 2 | – | – | – | 1 | 1 | – | – | – | – |
| Laryngismus Stridulus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cancer | 31 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Tabes Mesenterica | 5 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 5 | – | – | 1 | – | – | – | 2 | 1 | – | 1 | – | – | – |
| Phthisis | 91 | – | – | 1 | – | – | – | – | 3 | 2 | 12 | 11 | 18 | 8 |
| Other forms of Tuberculosis, Scrofula | 5 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 7 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 280 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 11 | – | – | 1 | 1 | – | – | 1 | 2 | 2 | – | – | 1 | – |
| Apoplexy | 16 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Softening of the Brain | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 21 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Nervous System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | 1 | – | – | – | – | – | – | 3 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | 1 | 2 | 1 | 1 | 4 | 3 | 9 | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 6 | 3 | 4 | 9 | 2 | 3 | 1 | 4 | 1 | 1 | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 3 | 6 | 9 | 19 | 52 | 43 | 20 | 7 | 2 | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | 1 | – | – | – | 1 | 3 | 4 | 3 | 2 | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | 1 | – | 2 | 1 | 1 | 2 | 4 | 3 | 6 | 1 | 1 | 1 | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Rheumatism | – | – | – | – | 3 | 1 | 1 | 4 | 1 | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 2 | 1 | 2 | 4 | 3 | 7 | 4 | 5 | 1 | 1 | – | – | – | – |
| Tabes Mesenterica | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 5 | 5 | 8 | 3 | 3 | 2 | 5 | 3 | 2 | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | 7 | 14 | 34 | 33 | 75 | 61 | 32 | 12 | 2 | – |
| Old Age | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | 2 | 1 | 3 | 1 | – | 2 | 3 | 2 | – | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | 2 | 1 | – | – | – | 4 | 4 | 5 | 4 | 1 | – | – | – | – |
| Paralysis Agitans | – | – | – | – | 1 | – | 1 | 1 | 2 | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 12 | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 | 1 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Croup | 13 | 1 | – | 1 | 2 | 3 | 2 | 2 | 2 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 60 | 4 | 2 | 5 | 3 | – | – | 1 | 1 | – | – | 1 | 1 | – |
| Pneumonia | 34 | 1 | 1 | 1 | – | 1 | 1 | – | 1 | 2 | 2 | 1 | – | 1 |
| Pleurisy | 7 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Respiratory System | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 5 | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 21 | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | 1 |
| Enteritis | 5 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 6 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 11 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 3 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Bright's Disease | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Uræmia | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 49 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | 3 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Croup | 15 | 1 | – | 3 | 6 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 9 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Bronchitis | 82 | 5 | 2 | – | 4 | 2 | 1 | – | 1 | 1 | 1 | 1 | 1 | – |
| Pneumonia | 27 | – | 1 | – | 2 | – | 1 | – | 1 | – | 2 | 1 | 2 | 3 |
| Pleurisy | 10 | 1 | 1 | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – |
| Other Diseases of Respiratory System | 11 | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Dyspepsia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 7 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | 2 |
| Enteritis | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 7 | – | – | – | – | – | 1 | – | – | – | – | – | 2 | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Digestive System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 7 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | 2 | 1 | 3 | 4 | 9 | 11 | 10 | 5 | 2 | 4 | 2 | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | 1 | – | 1 | 2 | 1 | 3 | 1 | 1 | 1 | – | – | – | – |
| Bronchitis | – | 1 | – | – | 1 | 3 | 8 | 10 | 9 | 7 | 1 | 2 | – | – | – |
| Pneumonia | 4 | – | 4 | 2 | 1 | 4 | 2 | 3 | 1 | 1 | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | 1 | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – |
| Hæmatemesis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | 2 | 1 | 4 | – | 2 | 2 | 2 | 1 | 2 | 1 | – | – | – | – |
| Enteritis | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | 1 | – | 1 | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | 1 | 1 | – | 1 | 3 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | 1 | – | – | 2 | 1 | 2 | – | – | – | – | 1 | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | – | – | – | – | – | 1 | – | – | 3 | – | – | – | – | – | – |
| Uræmia | – | – | 1 | – | – | 2 | – | – | 1 | 1 | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | 1 | – | – | – | – | 1 | 2 | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | 1 | 1 | 2 | 1 | 2 | – | – | 1 | – | – |
| Other Diseases of Urinary System | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2 | 2 | 5 | 1 | 2 | 6 | 6 | 10 | 6 | 3 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | 2 | 2 | – | 1 | 1 | 2 | – | – | – | – |
| Emphysema, Asthma | 2 | 1 | 1 | – | 2 | 7 | 8 | 8 | 19 | 10 | 2 | 2 | 1 | – | – |
| Bronchitis | 2 | 2 | 1 | – | 1 | 2 | 1 | 2 | 2 | 1 | – | – | – | – | – |
| Pneumonia | – | – | 1 | – | – | – | 1 | – | – | 2 | – | – | – | – | – |
| Pleurisy | – | 1 | – | – | 1 | – | 1 | 2 | 1 | 2 | 1 | – | – | – | – |
| Other Diseases of Respiratory System | | | | | | | | | | | | | | | |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | 2 | 3 | – | 3 | 1 | 1 | 1 | 1 | 1 | – | – | – | – |
| Enteritis | – | – | – | – | – | – | 1 | 3 | 1 | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 1 | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 1 | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Bright's Disease | 1 | 1 | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – |
| Arthritis, Ostitis, Periostitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 4 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 45 | – | – | – | 1 | – | – | – | 2 | 2 | 5 | 7 | 3 | 4 |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 3 | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 15 | 7 | – | 1 | 1 | – | – | 1 | 1 | 1 | – | 2 | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 80 | 26 | 3 | 2 | – | 1 | – | 2 | 3 | 2 | 1 | – | 1 | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Puerperal Mania | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 9 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 3 | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Suffocation: In Bed | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 8 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Debility, Atrophy, Inanition | 20 | 12 | – | – | 1 | 1 | – | – | 1 | – | – | 1 | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 88 | 21 | 1 | – | [illegible] | 2 | 1 | 2 | 1 | – | 1 | [illegible] | 2 | 1 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 4 | 1 | 3 | 5 | 1 | 2 | – | 1 | 1 | – | 1 | – | – | 2 |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | 1 | – | 2 | 1 | 3 | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 8 | 1 | 1 | 4 | 5 | 4 | 1 | 2 | 10 | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | 1 | – | 2 | – | 1 | 1 | – | 2 | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Tumour | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 2 | 1 | 3 | 7 | 4 | 8 | 5 | 10 | 9 | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 6816 | 743 | 266 | 588 | 839 | 347 | 207 | 108 | 278 | 116 | 198 | 252 | 215 | 237 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1081 | 84 | 55 | 177 | 325 | 150 | 65 | 36 | 66 | 11 | 10 | 17 | 20 | 11 |
| II. PARASITIC DISEASES | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 42 | 3 | 1 | – | – | – | – | – | – | – | – | 2 | 3 | 3 |
| IV. CONSTITUTIONAL ,, | 1195 | 4 | 24 | 60 | 103 | 48 | 35 | 30 | 68 | 40 | 89 | 112 | 95 | 93 |
| V. DEVELOPMENTAL ,, | 330 | 206 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 3511 | 254 | 152 | 335 | 383 | 133 | 93 | 38 | 128 | 54 | 79 | 82 | 64 | 101 |
| VII. VIOLENCE | 354 | 27 | 4 | 2 | 4 | 7 | 11 | 3 | 13 | 11 | 16 | 37 | 32 | 27 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 301 | 164 | 28 | 14 | 23 | 9 | 3 | 1 | 3 | – | 4 | 2 | 1 | 2 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 874 | 34 | 28 | 133 | 297 | 146 | 61 | 36 | 66 | 11 | 9 | 15 | 16 | 7 |
| 2. DIARRHŒAL ,, | 136 | 25 | 23 | 36 | 26 | 4 | 1 | – | – | – | – | – | 1 | 2 |
| 3. MALARIAL ,, | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 36 | 20 | 2 | 8 | 1 | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 34 | 5 | 2 | – | 1 | – | 2 | – | – | – | 1 | 2 | 3 | 2 |
| II. PARASITIC DISEASES | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 42 | 3 | 1 | – | – | – | – | – | – | – | – | 2 | 3 | 3 |
| IV. CONSTITUTIONAL DISEASES | 1195 | 4 | 24 | 60 | 103 | 48 | 35 | 30 | 68 | 40 | 89 | 112 | 95 | 93 |
| V. DEVELOPMENTAL DISEASES | 330 | 206 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 722 | 62 | 33 | 69 | 80 | 27 | 21 | 13 | 39 | 17 | 11 | 17 | 8 | 17 |
| 2. ,, ORGANS OF SPECIAL SENSE | 5 | – | 1 | – | 1 | 1 | – | – | – | 1 | – | 1 | – | – |
| 3. ,, CIRCULATORY SYSTEM | 390 | 10 | – | 1 | – | – | – | – | 7 | 3 | 12 | 12 | 10 | 15 |
| 4. ,, RESPIRATORY SYSTEM | 1702 | 104 | 85 | 207 | 254 | 89 | 58 | 17 | 49 | 14 | 28 | 29 | 34 | 39 |
| 5. ,, DIGESTIVE SYSTEM | 435 | 73 | 32 | 51 | 46 | 12 | 10 | 2 | 12 | 8 | 10 | 7 | 4 | 16 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 9 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| 7. ,, URINARY SYSTEM | 189 | 1 | – | 2 | 1 | 2 | 4 | 4 | 9 | 5 | 10 | 12 | 7 | 12 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 46 | – | 1 | 2 | 1 | 2 | – | 2 | 11 | 6 | 8 | 4 | 1 | – |
| 10. ,, INTEGUMENTARY SYSTEM | 10 | 2 | – | 3 | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 6558 | 532 | 225 | 476 | 766 | 304 | 205 | 115 | 260 | 130 | 185 | 241 | 227 | 246 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1142 | 54 | 71 | 146 | 328 | 142 | 82 | 52 | 98 | 18 | 11 | 22 | 28 | 24 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 24 | 3 | 1 | – | – | – | – | – | – | – | – | – | 2 | 5 |
| IV. CONSTITUTIONAL ,, | 1195 | 13 | 17 | 46 | 73 | 24 | 28 | 16 | 52 | 51 | 106 | 135 | 107 | 105 |
| V. DEVELOPMENTAL ,, | 424 | 164 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| VI. LOCAL ,, | 3556 | 150 | 111 | 262 | 341 | 131 | 80 | 42 | 93 | 62 | 66 | 81 | 84 | 104 |
| VII. VIOLENCE | 151 | 22 | 2 | 3 | 10 | 2 | 11 | 3 | 8 | 4 | 1 | 2 | 5 | 5 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 267 | 133 | 22 | 19 | 14 | 5 | 4 | 2 | 5 | – | 1 | 1 | 1 | 3 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 908 | 26 | 39 | 119 | 293 | 134 | 82 | 51 | 94 | 13 | 7 | 10 | 7 | 9 |
| 2. DIARRHŒAL ,, | 132 | 15 | 25 | 21 | 30 | 7 | – | 1 | 3 | – | – | – | 1 | 2 |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 23 | 9 | 3 | 5 | 4 | 1 | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 78 | 4 | 4 | 1 | 1 | – | – | – | 1 | – | 4 | 12 | 20 | 13 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 24 | 3 | 1 | – | – | – | – | – | – | – | – | – | 2 | 5 |
| IV. CONSTITUTIONAL DISEASES | 1195 | 13 | 17 | 46 | 73 | 24 | 28 | 16 | 52 | 51 | 106 | 135 | 107 | 105 |
| V. DEVELOPMENTAL DISEASES | 424 | 164 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 682 | 51 | 23 | 60 | 57 | 22 | 18 | 13 | 27 | 12 | 10 | 9 | 11 | 10 |
| 2. ,, ORGANS OF SPECIAL SENSE | 12 | – | – | 1 | – | 1 | – | 1 | 2 | 1 | – | 1 | 2 | 1 |
| 3. ,, CIRCULATORY SYSTEM | 436 | 7 | – | 1 | 1 | 1 | 1 | – | 9 | 13 | 14 | 16 | 18 | 22 |
| 4. ,, RESPIRATORY SYSTEM | 1490 | 76 | 67 | 151 | 225 | 93 | 51 | 24 | 35 | 11 | 17 | 21 | 21 | 26 |
| 5. ,, DIGESTIVE SYSTEM | 464 | 58 | 21 | 49 | 54 | 12 | 5 | 4 | 14 | 9 | 5 | 7 | 13 | 10 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 7 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| 7. ,, URINARY SYSTEM | 131 | – | – | – | 3 | – | 3 | – | 5 | 7 | 7 | 9 | 5 | 12 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 36 | – | – | – | – | – | – | – | – | – | 4 | 5 | 4 | 3 |
| (*b*) DISEASES OF PARTURITION | 50 | – | – | – | – | – | – | – | – | – | 1 | 8 | 8 | 17 |
| 9. ,, ORGANS OF LOCOMOTION | 40 | 1 | – | – | 1 | 1 | 1 | – | 4 | 9 | 7 | 4 | 2 | 2 |
| 10. ,, INTEGUMENTARY SYSTEM | 7 | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 276 | 283 | 312 | 328 | 293 | 282 | 242 | 202 | 116 | 51 | 30 | 7 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 8 | 8 | 11 | 7 | 7 | 3 | 4 | 1 | 1 | 2 | 1 | 1 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 7 | 5 | 3 | 6 | 7 | 2 | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 90 | 80 | 73 | 64 | 28 | 21 | 24 | 9 | 4 | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 12 | 18 | 27 | 28 | 20 | 12 | 5 | – | – | – |
| VI. LOCAL ,, | 133 | 152 | 196 | 215 | 229 | 229 | 184 | 156 | 80 | 25 | 15 | 1 | – | – | – |
| VII. VIOLENCE | 32 | 33 | 21 | 25 | 15 | 13 | 7 | 8 | 2 | 2 | 2 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 6 | 5 | 8 | 11 | 7 | 2 | 5 | 1 | 1 | 1 | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 4 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| 2. DIARRHŒAL ,, | 1 | 1 | 6 | 1 | 3 | 2 | 1 | – | 1 | 1 | 1 | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 2 | 2 | 3 | 3 | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 7 | 5 | 3 | 6 | 7 | 2 | – | – | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 90 | 80 | 73 | 64 | 28 | 21 | 24 | 9 | 4 | 1 | – | – | – | – | – |
| **V.** DEVELOPMENTAL DISEASES | – | – | – | – | – | 12 | 18 | 27 | 28 | 20 | 12 | 5 | – | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 14 | 24 | 25 | 31 | 40 | 52 | 44 | 44 | 22 | 5 | 6 | 1 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 37 | 32 | 36 | 37 | 41 | 37 | 38 | 34 | 18 | 8 | 2 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 50 | 68 | 102 | 96 | 111 | 99 | 71 | 52 | 30 | 11 | 5 | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 14 | 17 | 18 | 31 | 25 | 13 | 15 | 12 | 7 | – | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 3 | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 13 | 10 | 13 | 14 | 11 | 25 | 14 | 14 | 3 | 1 | 2 | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 1 | – | 2 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 1 | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 249 | 241 | 281 | 282 | 297 | 336 | 308 | 245 | 175 | 114 | 55 | 13 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 15 | 12 | 8 | 7 | 11 | 5 | 5 | 4 | 1 | 1 | 2 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 3 | 2 | 3 | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 94 | 72 | 67 | 59 | 41 | 42 | 24 | 13 | 7 | 2 | 1 | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 18 | 36 | 53 | 70 | 49 | 22 | 10 | – | – | – |
| VI. LOCAL ,, | 124 | 144 | 183 | 198 | 213 | 257 | 235 | 166 | 96 | 55 | 28 | 3 | – | – | – |
| VII. VIOLENCE | 7 | 7 | 11 | 10 | 12 | 7 | 4 | 5 | 1 | 7 | 2 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 6 | 4 | 9 | 7 | 19 | 5 | 4 | 3 | – | – | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 5 | 5 | 3 | 5 | – | 3 | 1 | 1 | – | 1 | – | – | – | – | – |
| 2. DIARRHŒAL ,, | 3 | 4 | 3 | 1 | 8 | 1 | 4 | 1 | 1 | – | 2 | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 7 | 3 | 2 | 1 | 2 | 1 | – | 2 | – | – | – | – | – | – | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 3 | 2 | 3 | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 94 | 72 | 67 | 59 | 41 | 42 | 24 | 13 | 7 | 2 | 1 | – | – | – | – |
| **V.** DEVELOPMENTAL DISEASES | – | – | – | – | – | 18 | 36 | 53 | 70 | 49 | 22 | 10 | – | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 21 | 19 | 25 | 38 | 44 | 60 | 54 | 50 | 25 | 15 | 7 | 1 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 25 | 31 | 38 | 34 | 47 | 54 | 38 | 32 | 19 | 6 | 7 | 2 | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 33 | 56 | 80 | 32 | 76 | 101 | 100 | 64 | 39 | 28 | 13 | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 20 | 24 | 21 | 22 | 27 | 36 | 27 | 16 | 5 | 5 | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 8 | 8 | 13 | 16 | 14 | 3 | 7 | 3 | 7 | – | 1 | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 5 | – | 4 | 6 | 2 | – | 2 | – | 1 | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 11 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 1 | 1 | – | – | 1 | – | 3 | 1 | – | 1 | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 328 | 25 | 4 | 2 | 4 | 7 | 11 | 3 | 13 | 11 | 16 | 34 | 30 | 22 |
| 2. HOMICIDE | 4 | 2 | – | – | – | – | – | – | – | – | – | 1 | – | |
| 3. SUICIDE | 21 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | |
| 4. EXECUTION | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 301 | 164 | 28 | 14 | 23 | 9 | 3 | 1 | 3 | – | 4 | 2 | 1 | 3 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Chickenpox | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | |
| Measles | 343 | 2 | 2 | 57 | 156 | 71 | 27 | 10 | 17 | – | – | 1 | – | |
| Epidemic Rose Rash | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | |
| Scarlet Fever | 58 | – | – | 2 | 12 | 11 | 8 | 8 | 13 | 3 | – | 1 | – | |
| Typhus | 9 | – | – | – | – | – | 1 | – | – | – | – | 3 | 2 | |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Influenza | 15 | 3 | – | – | 2 | 3 | – | – | – | – | 2 | – | – | |
| Hooping-cough | 321 | 28 | 25 | 66 | 108 | 48 | 18 | 11 | 17 | – | – | – | – | |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diphtheria | 65 | 1 | 1 | 8 | 16 | 12 | 5 | 6 | 12 | 2 | – | 1 | – | |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Enteric Fever | 61 | – | – | – | 2 | 1 | 2 | 1 | 6 | 6 | 9 | 9 | 12 | 7 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 3 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | |
| Diarrhœa, Dysentery | 133 | 25 | 23 | 35 | 25 | 3 | 1 | – | – | – | – | 1 | 2 | 2 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 34 | 20 | 2 | 8 | 1 | – | – | – | – | – | – | – | – | |
| Gonorrhœa, Stricture of Urethra | 2 | – | – | – | – | – | – | – | – | – | – | – | – | |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Erysipelas | 26 | 5 | 2 | – | 1 | – | 1 | – | – | – | 1 | 1 | 1 | 1 |
| Pyæmia, Septicæmia | 8 | – | – | – | – | – | 1 | – | – | – | – | 1 | 2 | 1 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 138 | 20 | 2 | 3 | 10 | 2 | 11 | 3 | 8 | 4 | 1 | 1 | 4 | 4 |
| 2. HOMICIDE | 4 | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 3. SUICIDE | 9 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 267 | 133 | 22 | 19 | 14 | 5 | 4 | 2 | 5 | – | 1 | 1 | 1 | 3 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 297 | 2 | 5 | 43 | 130 | 50 | 31 | 13 | 22 | – | – | – | – | 1 |
| Epidemic Rose Rash | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Scarlet Fever | 69 | 1 | – | 1 | 12 | 9 | 12 | 10 | 17 | 3 | 2 | – | – | 1 |
| Typhus | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 14 | – | – | – | – | – | 1 | – | – | – | – | – | – | 4 |
| Hooping-cough | 387 | 22 | 33 | 71 | 134 | 65 | 22 | 18 | 22 | – | 1 | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 72 | – | 1 | 3 | 15 | 9 | 14 | 9 | 20 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 4 | – | – | 1 | – | – | – | – | 2 | – | – | – | – | – |
| Enteric Fever | 58 | – | – | – | 2 | 1 | 1 | 1 | 10 | 10 | 5 | 10 | 7 | 3 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 4 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 129 | 15 | 25 | 19 | 29 | 7 | – | 1 | 3 | – | – | – | 1 | 2 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 23 | 9 | 3 | 5 | 4 | 1 | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 22 | 3 | 4 | 1 | 1 | – | – | – | 1 | – | 1 | 1 | 1 | – |
| Pyæmia, Septicæmia | 5 | 1 | – | – | – | – | – | – | – | – | – | – | 3 | – |
| Puerperal Fever | 51 | – | – | – | – | – | – | – | – | – | 8 | 11 | 16 | 13 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 31 | 29 | 20 | 23 | 13 | 11 | 5 | 7 | 2 | 2 | 2 | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | 4 | – | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 6 | 5 | 8 | 11 | 7 | 2 | 5 | 1 | 1 | 1 | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 1 | 1 | 6 | 1 | 3 | 2 | 1 | – | 1 | 1 | 1 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 1 | 3 | 2 | 2 | – | 2 | – | – | – | – | 1 | – | – | – |
| Pyæmia, Septicæmia | – | 1 | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 7 | 5 | 8 | 9 | 10 | 7 | 4 | 5 | 1 | 7 | 2 | – | – | – | – |
| 2. HOMICIDE | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | 2 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 6 | 4 | 9 | 7 | 19 | 5 | 4 | 3 | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | 2 | – | 3 | 1 | 1 | – | 1 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 2 | 4 | 3 | 1 | 8 | 1 | 4 | 1 | 1 | – | 2 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | 1 | 1 | 2 | 1 | – | 2 | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 5 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER: MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 26 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | 22 |
| Intemp. { Delirium Tremens | 12 | – | – | – | – | – | – | – | – | – | – | – | 1 | 11 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 19 | – | – | 1 | – | – | – | – | 2 | 2 | 6 | 3 | – | – |
| Rheumatism | 7 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 6 | – | – | – | 2 | 3 | – | – | 1 | – | – | – | – | – |
| Cancer | 116 | – | – | – | – | – | – | – | 1 | 1 | 2 | 5 | 2 | 4 |
| Tabes Mesenterica | 125 | 4 | 8 | 16 | 40 | 12 | 10 | 10 | 16 | 6 | 1 | 2 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 136 | – | 10 | 31 | 32 | 23 | 9 | 9 | 13 | 5 | 2 | 1 | 1 | – |
| Phthisis | 698 | – | 4 | 8 | 14 | 5 | 11 | 8 | 26 | 19 | 69 | 94 | 89 | 85 |
| Other forms of Tuberculosis, Scrofula | 62 | – | 2 | 4 | 14 | 3 | 4 | 2 | 9 | 5 | 6 | 4 | 2 | 1 |
| Purpura, Hæmorrhagic Diathesis | 4 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 11 | – | – | – | 1 | 1 | – | – | – | – | – | 1 | 1 | 2 |
| Diabetes Mellitus | 10 | – | – | – | – | 1 | – | 1 | – | 1 | 2 | 1 | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 182 | 180 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 7 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 122 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 169 | 5 | 9 | 28 | 31 | 12 | 14 | 10 | 25 | 10 | 6 | 8 | 2 | 3 |
| Apoplexy | 171 | 2 | 2 | 4 | 1 | 2 | – | 1 | 2 | 1 | 2 | – | 2 | 6 |
| Softening of the Brain | 15 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Hemiplegia, Brain Paralysis | 104 | – | – | – | 1 | – | – | – | 2 | – | – | 4 | – | 2 |
| Paralysis Agitans | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Insanity, General Paralysis of Insane | 1 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Chorea | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epilepsy | 17 | – | – | – | 2 | 1 | 2 | – | – | 2 | 1 | 1 | 3 | 1 |
| Convulsions | 125 | 50 | 15 | 22 | 26 | 7 | 2 | – | – | 2 | 1 | – | – | – |
| Laryngismus Stridulus | 10 | 1 | 2 | 4 | 3 | 1 | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 2 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 17 | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | 1 | 1 |
| Other Diseases of Nervous System | 86 | 2 | 4 | 11 | 16 | 5 | 3 | 2 | 8 | – | – | 3 | – | 3 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 5 | – | 1 | – | 1 | 1 | – | – | – | 1 | – | 1 | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 19 | – | – | – | – | – | – | – | – | – | – | – | 2 | 5 |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 21 | – | – | – | – | – | – | – | 1 | 4 | 4 | 3 | – | 1 |
| Rheumatism | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 3 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Cancer | 198 | – | – | – | – | – | – | – | – | – | 1 | 2 | 3 | 12 |
| Tabes Mesenterica | 77 | 2 | 4 | 11 | 18 | 7 | 10 | 3 | 13 | 1 | 2 | 1 | 1 | 3 |
| Tubercular Meningitis (Acute Hydrocephalus) | 103 | 4 | 7 | 22 | 30 | 6 | 9 | 8 | 10 | 5 | 1 | 1 | – | – |
| Phthisis | 705 | 4 | 4 | 12 | 17 | 8 | 7 | 5 | 19 | 35 | 93 | 122 | 96 | 83 |
| Other forms of Tuberculosis, Scrofula | 41 | 2 | – | 1 | 5 | 3 | 2 | – | 8 | 4 | 3 | 3 | 4 | 4 |
| Purpura, Hæmorrhagic Diathesis | 5 | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 20 | – | 1 | – | 1 | – | – | – | – | 1 | 2 | 2 | 3 | 2 |
| Diabetes Mellitus | 8 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 145 | 144 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Spina Bifida | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 258 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 135 | 4 | 9 | 24 | 23 | 11 | 9 | 9 | 19 | 6 | 3 | 2 | 3 | 3 |
| Apoplexy | 181 | 2 | – | 5 | 2 | 1 | – | 1 | – | 2 | 4 | – | 2 | 4 |
| Softening of the Brain | 23 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 113 | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 2 | 3 |
| Paralysis Agitans | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Insanity, General Paralysis of Insane | 5 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Chorea | 2 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Epilepsy | 16 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 112 | 39 | 11 | 19 | 23 | 6 | 8 | 1 | 2 | – | – | 1 | – | 1 |
| Laryngismus Stridulus | 9 | 3 | 1 | 1 | 3 | – | – | 1 | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 16 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Other Diseases of Nervous System | 67 | 3 | 2 | 10 | 6 | 4 | 1 | 1 | 5 | 2 | 2 | 2 | 2 | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 10 | – | – | 1 | – | 1 | – | 1 | 1 | 1 | – | 1 | 2 | 1 |
| Epistaxis and Disease of Nose | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 4 | 2 | 2 | 6 | 4 | 2 | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 3 | 3 | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | 1 | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 4 | 10 | 18 | 17 | 16 | 11 | 15 | 6 | 3 | 1 | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 77 | 66 | 52 | 43 | 10 | 9 | 6 | 3 | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 3 | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 12 | 18 | 27 | 28 | 20 | 12 | 5 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | 7 | 13 | 11 | 19 | 14 | 29 | 18 | 19 | 10 | 3 | 3 | – | – | – | – |
| Softening of the Brain | – | – | 1 | 1 | 2 | 2 | 3 | 3 | 1 | – | 1 | – | – | – | – |
| Hemiplegia, Brain Paralysis | 3 | 4 | 10 | 5 | 15 | 15 | 16 | 18 | 6 | 2 | 1 | 1 | – | – | – |
| Paralysis Agitans | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | 1 | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | 1 | 1 | 1 | 3 | 1 | 1 | – | 2 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 2 | 5 | 1 | 2 | 4 | 4 | 5 | 3 | 3 | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 3 | 1 | 3 | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | 1 | – | 1 | – | 1 | 2 | – | 1 | 1 | – | – | – | – | – |
| Rheumatism | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 3 | 1 | – | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 19 | 16 | 32 | 32 | 27 | 26 | 15 | 7 | 5 | 1 | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 87 | 52 | 34 | 20 | 11 | 10 | 4 | 2 | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 2 | 1 | – | 1 | – | 3 | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | 1 | – | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | 18 | 36 | 53 | 70 | 49 | 22 | 10 | – | – |
| Old Age | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 3 | 1 | 2 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | 6 | 9 | 12 | 18 | 20 | 21 | 25 | 25 | 13 | 5 | 3 | 1 | – | – | – |
| Softening of the Brain | 2 | – | 3 | 1 | 1 | 6 | 5 | 3 | – | 1 | 1 | – | – | – | – |
| Hemiplegia, Brain Paralysis | 1 | 3 | 5 | 5 | 15 | 20 | 17 | 17 | 10 | 8 | 3 | – | – | – | – |
| Paralysis Agitans | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | 2 | 1 | 2 | – | 4 | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 3 | 1 | – | 4 | – | 3 | – | 1 | 1 | 1 | – | – | – | – | – |
| Other Diseases of Nervous System | 4 | 2 | 2 | 4 | 4 | 3 | 5 | 3 | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 310 | 4 | – | – | – | – | – | – | 7 | 3 | 12 | 11 | 8 | 12 |
| Pericarditis | 4 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Hypertrophy of Heart | 12 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Angina Pectoris | 12 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Syncope | 13 | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Aneurism | 17 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Senile Gangrene | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Varicose Veins | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 5 | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 13 | 1 | – | 5 | 1 | 1 | – | – | 1 | 1 | – | – | – | – |
| Croup | 37 | – | 1 | 3 | 13 | 6 | 10 | 1 | 3 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 5 | – | – | – | 1 | – | – | – | – | 1 | – | – | 1 | – |
| Emphysema, Asthma | 13 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | 3 |
| Bronchitis | 786 | 56 | 35 | 92 | 85 | 26 | 20 | 9 | 17 | 1 | 9 | 8 | 9 | 7 |
| Pneumonia | 617 | 25 | 31 | 77 | 118 | 44 | 21 | 6 | 22 | 8 | 16 | 15 | 15 | 21 |
| Pleurisy | 37 | – | 3 | 3 | 2 | 1 | – | – | 2 | 1 | – | 3 | 4 | 2 |
| Other Diseases of Respiratory System | 194 | 22 | 15 | 27 | 34 | 11 | 6 | 1 | 4 | 2 | 3 | 3 | 4 | 6 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 6 | 2 | – | – | 1 | – | 1 | 1 | – | – | – | – | – | 1 |
| Dentition | 57 | – | 2 | 24 | 28 | 3 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 5 | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Dyspepsia | 13 | 7 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 71 | 14 | 7 | 9 | 4 | 1 | 2 | – | 2 | 1 | – | – | 1 | 1 |
| Enteritis | 89 | 29 | 16 | 13 | 8 | 1 | 2 | – | 3 | 2 | 1 | 1 | – | 2 |
| Ulceration of Intestine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 23 | 3 | – | 1 | – | – | 1 | – | – | – | 2 | 2 | – | – |
| Stricture or Strangulation of Intestines | 4 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Intussusception of Intestines | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Hernia | 16 | 1 | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 |
| Fistula | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 40 | – | 2 | 2 | 1 | 2 | 1 | – | 4 | 3 | 5 | 2 | 1 | 4 |
| Ascites | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Gallstones | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 16 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Other Diseases of Liver | 56 | 13 | 3 | – | 1 | – | 2 | – | 1 | 1 | 1 | 2 | – | 3 |
| Other Diseases of Digestive System | 26 | 4 | 2 | 1 | 2 | 3 | – | – | 1 | – | – | – | – | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Lymphatics | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 43 | – | – | – | – | 2 | 2 | 2 | 3 | 3 | 2 | 2 | – | 3 |
| Bright's Disease | 75 | – | – | 1 | 1 | – | 2 | – | 4 | 1 | 3 | 8 | 3 | 5 |
| Uræmia | 7 | – | – | 1 | – | – | – | – | 1 | – | 1 | 1 | – | – |
| Suppression of Urine | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hæmaturia | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 30 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 2 |
| Other Diseases of Urinary System | 24 | – | – | – | – | – | – | 2 | 1 | 1 | 3 | 1 | 2 | 1 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER: MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 379 | 3 | – | 1 | 1 | 1 | – | – | 6 | 13 | 13 | 16 | 17 | 20 |
| Pericarditis | 3 | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – |
| Hypertrophy of Heart | 6 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Angina Pectoris | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Syncope | 23 | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Aneurism | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 9 | 1 | – | 2 | 2 | – | – | 2 | 1 | – | – | 1 | – | – |
| Croup | 30 | 2 | – | 7 | 10 | 4 | 2 | 3 | 2 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 6 | 1 | – | 1 | 3 | – | – | – | 1 | – | – | – | – | – |
| Emphysema, Asthma | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 820 | 41 | 41 | 52 | 97 | 37 | 13 | 8 | 9 | 1 | 4 | 3 | 14 | 11 |
| Pneumonia | 439 | 21 | 18 | 65 | 75 | 37 | 26 | 8 | 19 | 10 | 5 | 12 | 7 | 10 |
| Pleurisy | 26 | – | 1 | 1 | 3 | 1 | 4 | – | – | – | 1 | 4 | – | – |
| Other Diseases of Respiratory System | 153 | 10 | 7 | 23 | 35 | 14 | 6 | 3 | 3 | – | 7 | 1 | – | 5 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 9 | 3 | – | – | 2 | – | 2 | – | 1 | – | – | – | – | – |
| Dentition | 51 | 1 | 1 | 18 | 26 | 5 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 7 | 1 | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – |
| Dyspepsia | 18 | 5 | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 9 | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 77 | 6 | 2 | 11 | 6 | 1 | 1 | – | 1 | – | – | 3 | 3 | 2 |
| Enteritis | 99 | 27 | 10 | 15 | 15 | 4 | 1 | 2 | 4 | 2 | 1 | – | 1 | – |
| Ulceration of Intestine | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 18 | 3 | – | 2 | – | – | – | – | 1 | 1 | – | – | – | – |
| Stricture or Strangulation of Intestine | 4 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 58 | – | 1 | – | 1 | 1 | – | 1 | 5 | 2 | 2 | 3 | 3 | 5 |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 9 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Liver | 65 | 8 | 1 | – | 1 | 1 | 1 | – | 1 | 2 | – | 1 | 2 | 3 |
| Other Diseases of Digestive System | 26 | 4 | 2 | 2 | 1 | – | – | – | – | – | 1 | – | 2 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Lymphatics | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 44 | – | – | – | 3 | – | 2 | – | 2 | 3 | 1 | 5 | 2 | 4 |
| Bright's Disease | 42 | – | – | – | – | – | 1 | – | 2 | 4 | 3 | 2 | 3 | 1 |
| Uræmia | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Bladder and of Prostate | 3 | – | – | – | – | – | – | – | 1 | – | 3 | 1 | – | 5 |
| Other Diseases of Urinary System | 33 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 32 | 24 | 26 | 30 | 34 | 30 | 30 | 25 | 14 | 7 | 1 | – | – | – | – |
| Pericarditis | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | 1 | 2 | 1 | 3 | 2 | 1 | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | 2 | – | 2 | 2 | 2 | 3 | – | – | – | – | – | – | – |
| Syncope | 1 | 1 | – | 2 | – | – | 2 | 2 | 1 | – | – | – | – | – | – |
| Aneurism | 2 | 2 | 5 | 3 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 1 | 1 | 1 | 3 | 1 | 1 | – | – | – | – |
| Embolism, Thrombosis | – | 2 | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | 1 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Bronchitis | 11 | 28 | 52 | 59 | 71 | 72 | 48 | 37 | 23 | 7 | 4 | – | – | – | – |
| Pneumonia | 31 | 35 | 34 | 26 | 27 | 15 | 14 | 9 | 4 | 2 | 1 | – | – | – | – |
| Pleurisy | 3 | 2 | 5 | 2 | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| Other Diseases of Respiratory System | 3 | 3 | 9 | 7 | 9 | 11 | 6 | 4 | 3 | 1 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 1 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 3 | 4 | 3 | 4 | 5 | 2 | 3 | 3 | 2 | – | – | – | – | – | – |
| Enteritis | 1 | 1 | 2 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 2 | 2 | 1 | 2 | 4 | – | 2 | 1 | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | 2 | 1 | 1 | 3 | – | 1 | 3 | 1 | – | – | – | – | – | – |
| Fistula | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | 4 | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 2 | – | 1 | 4 | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Digestive System | 3 | 1 | 1 | 6 | 6 | 5 | 3 | 2 | 2 | – | – | – | – | – | – |
| | – | 1 | 2 | 4 | 2 | – | 1 | 2 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 3 | 2 | 2 | 3 | 2 | 5 | 6 | – | 1 | – | – | – | – | – | – |
| Bright's Disease | 9 | 6 | 8 | 6 | 3 | 7 | 3 | 5 | – | – | – | – | – | – | – |
| Uræmia | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | 3 | – | 3 | 1 | – | – | – | – | – | – |
| Calculus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | 1 | 3 | 4 | 4 | 4 | 5 | 1 | 1 | 2 | – | – | – | – |
| Other Diseases of Urinary System | 1 | 1 | 2 | 1 | 2 | 5 | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10 | 15 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 23 | 28 | 34 | 28 | 43 | 47 | 30 | 29 | 13 | 5 | 7 | 1 | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Syncope | 1 | 2 | 3 | 4 | 3 | 1 | 2 | 1 | 2 | – | – | – | – | – | – |
| Aneurism | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 3 | 2 | – | 3 | 1 | – | 1 | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Varicose Veins | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 20 | 41 | 56 | 60 | 59 | 75 | 72 | 46 | 32 | 19 | 9 | – | – | – | – |
| Pneumonia | 10 | 10 | 19 | 18 | 11 | 19 | 16 | 12 | 7 | 4 | – | – | – | – | – |
| Pleurisy | – | 3 | – | 1 | – | 1 | 4 | – | – | 1 | 1 | – | – | – | – |
| Other Diseases of Respiratory System | 2 | 2 | 4 | 2 | 3 | 5 | 8 | 6 | – | 4 | 3 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Dyspepsia | 2 | 2 | 1 | – | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 2 | 5 | 5 | 5 | 7 | 7 | 4 | 5 | 1 | – | – | – | – | – | – |
| Enteritis | – | 1 | 2 | 4 | 3 | 1 | 4 | 1 | 1 | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | 1 | 1 | 5 | 1 | 2 | – | 2 | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hernia | 1 | 1 | 1 | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Fistula | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Peritonitis | 6 | 5 | 5 | 8 | 2 | 5 | 6 | 1 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | 2 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 3 | 6 | 3 | 5 | 7 | 10 | 6 | 3 | – | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | 5 | 2 | 1 | 1 | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | 2 | 4 | 6 | 3 | – | 2 | – | 2 | – | 1 | – | – | – | – |
| Bright's Disease | 3 | 3 | 2 | 3 | 6 | 2 | 2 | 1 | 4 | – | – | – | – | – | – |
| Uræmia | – | – | – | 2 | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 3 | 3 | 6 | 5 | 5 | – | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 25 | – | 1 | 2 | – | – | – | 1 | 5 | 5 | 4 | 3 | 1 | – |
| Arthritis, Ostitis, Periostitis | 6 | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – |
| Other Diseases of Organs of Locomotion | 15 | – | – | – | 1 | 1 | – | – | 6 | – | 4 | 1 | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 3 | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 9 | – | – | – | – | – | – | – | – | – | 1 | – | – | 2 |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 32 | – | – | – | – | – | – | – | – | 3 | 2 | 9 | 4 | 4 |
| Vehicles and Horses: Vehicles other than R'wys. | 14 | – | – | – | – | 3 | 4 | 1 | – | – | – | 1 | 1 | – |
| Vehicles and Horses: Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 14 | – | – | – | – | – | – | – | – | – | – | 2 | 3 | 1 |
| Building Operations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Machinery | 14 | – | – | – | – | – | – | – | – | 2 | 1 | 2 | 1 | 1 |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 32 | – | – | 1 | 3 | 3 | 6 | – | 5 | 1 | 3 | 3 | 2 | 1 |
| Burns and Scalds: Explosions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 61 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Suffocation: In Bed | 22 | 16 | 4 | 1 | – | – | 1 | 1 | 3 | 1 | 4 | 7 | 11 | 7 |
| Suffocation: Otherwise | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 60 | – | – | – | – | 1 | – | 1 | 2 | 3 | 2 | 4 | 3 | 3 |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 54 | 7 | – | – | 1 | – | – | – | 3 | – | 2 | 4 | 5 | 3 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | 4 | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Suicide | 21 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | 4 |
| Execution | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | 11 | 1 | – | – | – | – | – | 1 | 1 | – | 1 | – | – | 1 |
| Debility, Atrophy, Inanition | 240 | 150 | 24 | 14 | 22 | 8 | 3 | – | 1 | – | 2 | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 7 | 1 | – | – | – | 1 | – | – | 1 | – | 1 | 2 | 1 | – |
| Hæmorrhage | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other ill-defined and not specified Causes | 38 | 12 | 4 | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | 11 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Uterus and Vagina | 17 | – | – | – | – | – | – | – | – | – | 2 | 3 | 3 | 2 |
| Disorders of Menstruation | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pelvic Abscess | 6 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 10 | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 4 |
| Puerperal Mania | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| Puerperal Convulsions | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Placenta Prævia, Flooding | 14 | – | – | – | – | – | – | – | – | – | – | – | 2 | 4 |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 19 | – | – | – | – | – | – | – | – | – | – | 5 | 3 | 7 |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 21 | 1 | – | – | – | 1 | 1 | – | 2 | 5 | 6 | 1 | – | 1 |
| Arthritis, Ostitis, Periostitis | 8 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – |
| Other Diseases of Organs of Locomotion | 11 | – | – | – | 1 | – | – | – | 1 | 3 | 1 | 2 | 2 | 1 |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Lupus | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 4 | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 31 | – | – | 1 | 4 | – | 9 | 3 | 6 | – | 1 | – | 1 | 1 |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Drowning | 6 | – | – | – | 2 | – | – | – | – | – | – | – | – | 1 |
| Suffocation: In Bed | 20 | 16 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 8 | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Falls | 38 | – | – | – | – | – | 1 | – | 1 | 3 | – | 1 | – | 2 |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 24 | 2 | – | 1 | 3 | – | – | – | 1 | – | – | – | 1 | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | 4 | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Suicide | 9 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | 16 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 203 | 119 | 19 | 17 | 13 | 4 | 4 | 1 | 4 | – | 1 | 1 | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Abscess | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | 2 |
| Other ill-defined and not specified Causes | 38 | 13 | 3 | 2 | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 3 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 2 | 4 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 3 | – | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 5 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | 7 | 4 | 7 | 2 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Falls | 11 | 11 | 2 | 6 | 4 | 1 | 1 | 3 | – | – | 2 | – | – | – | – |
| Weather Agencies | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 3 | 2 | 4 | 5 | 3 | 5 | 2 | 3 | 1 | 1 | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | 4 | – | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Execution | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | 2 | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | 2 | 5 | 3 | 6 | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 4 | 1 | 3 | 6 | – | 1 | 4 | 1 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | |
| Ovarian Disease | 2 | – | 2 | 3 | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 3 | – | – | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 6 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | 1 | – | 2 | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Falls | 4 | 2 | 2 | 2 | 7 | 5 | 2 | 2 | – | 3 | 1 | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | 1 | 2 | – | 3 | – | – | 2 | 1 | 3 | 1 | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | |
| Homicide | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | 2 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | |
| Dropsy | 1 | 1 | 1 | 2 | 2 | 3 | 2 | 2 | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 2 | 1 | 4 | 1 | 12 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 2 | – | 2 | 4 | 4 | 2 | 2 | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 2320 | 289 | 120 | 195 | 249 | 99 | 57 | 32 | 108 | 55 | 61 | 78 | 49 | 68 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 372 | 15 | 26 | 56 | 104 | 38 | 30 | 13 | 39 | 7 | 6 | 8 | 4 | 8 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 11 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 399 | 6 | 12 | 20 | 26 | 14 | 8 | 9 | 18 | 15 | 31 | 41 | 31 | 29 |
| V. DEVELOPMENTAL ,, | 161 | 82 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| VI. LOCAL ,, | 1181 | 97 | 65 | 109 | 110 | 47 | 18 | 9 | 48 | 23 | 20 | 20 | 13 | 28 |
| VII. VIOLENCE | 68 | 5 | 2 | – | 2 | – | 1 | 1 | 2 | 8 | 4 | 9 | 1 | 3 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 128 | 83 | 13 | 8 | 7 | – | – | – | – | 2 | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 324 | 6 | 15 | 46 | 98 | 38 | 30 | 13 | 37 | 7 | 5 | 7 | 4 | 8 |
| 2. DIARRHŒAL ,, | 31 | 2 | 7 | 8 | 6 | – | – | – | 1 | – | 1 | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 9 | 4 | 3 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| 6. SEPTIC ,, | 8 | 3 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 11 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 399 | 6 | 12 | 20 | 26 | 14 | 8 | 9 | 18 | 15 | 31 | 41 | 31 | 29 |
| V. DEVELOPMENTAL DISEASES | 161 | 82 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 333 | 30 | 24 | 30 | 27 | 13 | 8 | 2 | 15 | 8 | 4 | 2 | 2 | 6 |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 164 | 1 | 1 | 2 | – | – | 1 | – | 6 | 1 | 1 | 4 | 2 | 3 |
| 4. ,, RESPIRATORY SYSTEM | 480 | 38 | 32 | 54 | 67 | 31 | 8 | 5 | 14 | 3 | 5 | 12 | 6 | 10 |
| 5. ,, DIGESTIVE SYSTEM | 126 | 26 | 5 | 19 | 14 | 3 | 1 | 1 | 2 | 4 | 6 | 1 | 2 | 1 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 3 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| 7. ,, URINARY SYSTEM | 47 | 1 | 1 | 1 | – | – | – | 1 | 6 | – | 3 | – | – | 2 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 20 | – | 1 | 1 | 1 | – | – | – | 4 | 7 | 1 | 1 | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 8 | 1 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 2263 | 202 | 91 | 184 | 233 | 85 | 55 | 47 | 85 | 53 | 64 | 69 | 74 | 95 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 411 | 22 | 17 | 60 | 113 | 41 | 28 | 24 | 35 | 10 | 7 | 11 | 12 | 7 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 8 | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 408 | 4 | 10 | 15 | 21 | 6 | 4 | 6 | 15 | 28 | 39 | 38 | 33 | 43 |
| V. DEVELOPMENTAL ,, | 168 | 51 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 1121 | 59 | 55 | 103 | 86 | 34 | 23 | 14 | 30 | 11 | 16 | 19 | 28 | 44 |
| VII. VIOLENCE | 38 | 3 | 1 | 1 | – | 2 | – | 3 | 5 | 3 | 1 | 1 | – | 1 |
| III. ILL-DEFINED AND NOT SPECIFIED CAUSES | 109 | 60 | 5 | 5 | 13 | 2 | – | – | – | 1 | 1 | – | 1 | – |
| I. | | | | | | | | | | | | | | |
| . MIASMATIC DISEASES | 325 | 9 | 6 | 49 | 100 | 41 | 28 | 23 | 34 | 10 | 4 | 5 | 3 | 3 |
| . DIARRHŒAL ,, | 49 | 5 | 11 | 9 | 13 | – | – | 1 | – | – | 1 | – | – | 1 |
| . MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| . ZOOGENOUS ,, | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| . VENEREAL ,, | 6 | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| . SEPTIC ,, | 30 | 4 | – | – | – | – | – | – | 1 | – | 2 | 6 | 9 | 3 |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 8 | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 408 | 4 | 10 | 15 | 21 | 6 | 4 | 6 | 15 | 28 | 39 | 38 | 33 | 43 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 168 | 51 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM | 252 | 13 | 14 | 29 | 12 | 8 | 7 | 4 | 7 | 2 | 3 | 5 | 1 | 8 |
| ,, ORGANS OF SPECIAL SENSE | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| ,, CIRCULATORY SYSTEM | 154 | 1 | – | – | – | – | – | – | 3 | 4 | 2 | 2 | 7 | 4 |
| ,, RESPIRATORY SYSTEM | 477 | 29 | 27 | 61 | 62 | 24 | 14 | 7 | 12 | 2 | 6 | 3 | 9 | 10 |
| ,, DIGESTIVE SYSTEM | 139 | 16 | 14 | 11 | 12 | 1 | 1 | – | 2 | 2 | 1 | 4 | 6 | 6 |
| ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| ,, URINARY SYSTEM | 58 | – | – | 1 | – | 1 | 1 | 1 | 3 | – | 2 | 3 | 3 | 6 |
| ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| (*b*) DISEASES OF PARTURITION | 17 | – | – | – | – | – | – | – | – | – | – | – | 1 | 8 |
| ,, ORGANS OF LOCOMOTION | 10 | – | – | – | – | – | – | 1 | 3 | 1 | 2 | – | – | – |
| ,, INTEGUMENTARY SYSTEM | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65. | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 83 | 79 | 83 | 116 | 100 | 103 | 91 | 103 | 65 | 23 | 11 | 3 | – | – | |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 3 | 4 | 2 | – | 1 | 3 | 1 | 4 | – | – | – | – | – | – | |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| III. DIETETIC ,, | 3 | – | – | 3 | – | 1 | 1 | – | – | – | – | – | – | – | |
| IV. CONSTITUTIONAL ,, | 34 | 20 | 20 | 17 | 16 | 17 | 7 | 6 | 1 | 1 | – | – | – | – | |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 12 | 11 | 13 | 19 | 13 | 7 | 1 | – | – | |
| VI. LOCAL ,, | 37 | 45 | 61 | 85 | 74 | 67 | 67 | 78 | 45 | 9 | 4 | 2 | – | – | |
| VII. VIOLENCE | 5 | 9 | – | 4 | 5 | 2 | 3 | 2 | – | – | – | – | – | – | |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | 1 | – | 7 | 4 | 1 | 1 | – | – | – | – | – | – | – | |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 3 | 3 | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | |
| 2. DIARRHŒAL ,, | – | 1 | 1 | – | – | 2 | 1 | 1 | – | – | – | – | – | – | |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| 6. SEPTIC ,, | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **III.** DIETETIC DISEASES | 3 | – | – | 3 | – | 1 | 1 | – | – | – | – | – | – | – | |
| **IV.** CONSTITUTIONAL DISEASES | 34 | 20 | 20 | 17 | 16 | 17 | 7 | 6 | 1 | 1 | – | – | – | – | |
| **V.** DEVELOPMENTAL DISEASES | – | – | – | – | – | 12 | 11 | 13 | 19 | 13 | 7 | 1 | – | – | |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 8 | 9 | 13 | 26 | 24 | 16 | 20 | 27 | 14 | 3 | – | 2 | – | – | |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| 3. ,, CIRCULATORY SYSTEM | 12 | 12 | 9 | 23 | 16 | 17 | 21 | 14 | 8 | 2 | 2 | – | – | – | |
| 4. ,, RESPIRATORY SYSTEM | 13 | 17 | 21 | 24 | 21 | 28 | 18 | 31 | 19 | 1 | 2 | – | – | – | |
| 5. ,, DIGESTIVE SYSTEM | 1 | 3 | 11 | 7 | 6 | 4 | 4 | 1 | 3 | 1 | – | – | – | – | |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | |
| 7. ,, URINARY SYSTEM | 2 | 4 | 5 | 4 | 5 | 2 | 3 | 4 | 1 | 2 | – | – | – | – | |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| 9. ,, ORGANS OF LOCOMOTION | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 72 | 73 | 84 | 78 | 96 | 111 | 121 | 114 | 99 | 56 | 16 | 6 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 3 | 5 | 3 | 1 | 2 | 4 | 1 | 3 | 1 | 1 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 27 | 32 | 17 | 10 | 19 | 17 | 10 | 7 | 4 | 3 | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 12 | 19 | 21 | 33 | 21 | 6 | 4 | – | – | – |
| VI. LOCAL ,, | 39 | 32 | 59 | 60 | 66 | 73 | 91 | 79 | 59 | 30 | 9 | 2 | – | – | – |
| VII. VIOLENCE | 2 | 1 | 2 | – | 1 | 3 | – | 4 | 2 | 1 | 1 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | 1 | 3 | 6 | 8 | 2 | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 2 | 3 | 2 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| 2. DIARRHŒAL ,, | – | 1 | – | – | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 1 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| II. | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 27 | 32 | 17 | 10 | 19 | 17 | 10 | 7 | 4 | 3 | – | – | – | – | – |
| V. | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | – | – | – | – | – | 12 | 19 | 21 | 33 | 21 | 6 | 4 | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 1 | 6 | 10 | 17 | 15 | 15 | 27 | 19 | 18 | 9 | 1 | 1 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 12 | 11 | 18 | 8 | 15 | 18 | 18 | 12 | 7 | 9 | 2 | 1 | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 10 | 9 | 16 | 23 | 27 | 25 | 33 | 35 | 23 | 7 | 3 | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 5 | 2 | 8 | 4 | 6 | 10 | 6 | 8 | 7 | 4 | 3 | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 5 | 1 | 6 | 6 | 1 | 3 | 7 | 4 | 3 | 1 | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 6 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 64 | 5 | 2 | – | 2 | – | 1 | 1 | 2 | 8 | 4 | 9 | 1 | 2 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 128 | 83 | 18 | 8 | 7 | – | – | – | – | 2 | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 120 | 1 | 1 | 25 | 51 | 19 | 10 | 4 | 9 | – | – | – | – | – |
| Epidemic Rose Rash | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlet Fever | 21 | – | – | 1 | 2 | 1 | 4 | 4 | 9 | – | – | – | – | – |
| Typhus | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Hooping-cough | 108 | 5 | 14 | 17 | 39 | 14 | 11 | 2 | 5 | – | – | 1 | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 31 | – | – | 3 | 6 | 2 | 4 | 2 | 12 | 2 | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Enteric Fever | 33 | – | – | – | – | 1 | 1 | 1 | 2 | 5 | 4 | 5 | 3 | 8 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 29 | 2 | 7 | 7 | 6 | – | – | – | 1 | – | 1 | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 9 | 4 | 3 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 5 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 3 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 35 | 3 | 1 | 1 | – | 2 | – | 3 | 5 | 3 | 1 | 1 | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 109 | 60 | 5 | 5 | 13 | 2 | – | – | – | 1 | 1 | – | 1 | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Measles | 100 | – | 1 | 18 | 43 | 12 | 13 | 7 | 6 | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 21 | – | – | 1 | 1 | 6 | 2 | 2 | 6 | 2 | – | 1 | – | – |
| Typhus | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 11 | – | – | – | – | 1 | – | – | 3 | – | 1 | – | 1 | 1 |
| Hooping-cough | 124 | 9 | 5 | 26 | 47 | 15 | 9 | 9 | 4 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 43 | – | – | 4 | 9 | 6 | 4 | 4 | 13 | 2 | – | 1 | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Enteric Fever | 22 | – | – | – | – | – | – | 1 | 2 | 5 | 3 | 2 | 2 | 2 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 48 | 5 | 11 | 9 | 12 | – | – | 1 | – | – | 1 | – | – | 1 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 6 | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 7 | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pyæmia, Septicæmia | 3 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Puerperal Fever | 20 | – | – | – | – | – | – | – | – | – | 1 | 6 | 9 | 2 |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 5 | 8 | 4 | 4 | 4 | 1 | 3 | 2 | – | – | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | 1 | – | 7 | 4 | 1 | 1 | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | 1 | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 1 | 1 | 1 | – | 1 | 3 | – | 4 | 2 | 1 | 1 | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | 1 | 3 | 6 | 8 | 2 | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | 1 | – | – | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 6 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | |
| Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | |
| Gout | 2 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Rickets | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | |
| Cancer | 36 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Tabes Mesenterica | 33 | 1 | 4 | 6 | 7 | 5 | 2 | 2 | 4 | 1 | – | – | – | |
| Tubercular Meningitis (Acute Hydrocephalus) | 35 | 1 | 2 | 6 | 10 | 6 | 2 | 3 | 3 | 1 | – | – | – | |
| Phthisis | 246 | 2 | 3 | 3 | 2 | 1 | 1 | 2 | 6 | 10 | 29 | 39 | 29 | 28 |
| Other forms of Tuberculosis, Scrofula | 34 | 2 | 3 | 5 | 7 | 2 | 3 | 1 | 5 | 2 | – | 1 | 1 | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 68 | 67 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 5 | 4 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Spina Bifida | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 76 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 72 | 4 | 9 | 15 | 12 | 5 | 7 | 1 | 9 | 3 | 2 | – | – | 2 |
| Apoplexy | 72 | 1 | 1 | – | 1 | 3 | 1 | – | 1 | 1 | – | 2 | – | 1 |
| Softening of the Brain | 12 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hemiplegia, Brain Paralysis | 56 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Paralysis Agitans | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Insanity, General Paralysis of Insane | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 8 | – | – | 1 | – | – | – | – | – | 1 | 2 | – | – | – |
| Convulsions | 53 | 23 | 11 | 6 | 10 | 2 | – | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 35 | 2 | 3 | 8 | 4 | 3 | – | 1 | 4 | 2 | – | – | 2 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 5 | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 6 | – | – | – | – | – | – | – | – | – | 2 | 3 | – | – |
| Rheumatism | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 3 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – |
| Cancer | 24 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Tabes Mesenterica | 26 | 1 | 4 | 2 | 2 | 2 | 2 | 3 | 2 | 5 | 3 | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 36 | 1 | 5 | 11 | 10 | 3 | 1 | 1 | 3 | – | 1 | – | – | – |
| Phthisis | 228 | 1 | 1 | 2 | 3 | 1 | 1 | – | 8 | 21 | 31 | 35 | 31 | 42 |
| Other forms of Tuberculosis, Scrofula | 6 | – | – | – | 3 | – | – | 1 | – | 1 | 1 | – | – | – |
| Purpura, Hæmorrhagic Diathesis | 3 | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 8 | 1 | – | – | 1 | – | – | – | 1 | – | – | – | 1 | – |
| Diabetes Mellitus | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 44 | 44 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 116 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 46 | 3 | 5 | 8 | 7 | 1 | 5 | 3 | 5 | 1 | – | 3 | 1 | 1 |
| Apoplexy | 77 | – | – | 3 | – | – | – | – | 1 | – | – | 1 | – | 1 |
| Softening of the Brain | 10 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hemiplegia, Brain Paralysis | 36 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | 36 | 7 | 5 | 12 | 4 | 4 | 2 | – | – | – | 1 | – | – | 1 |
| Laryngismus Stridulus | 3 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 7 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Other Diseases of Nervous System | 27 | 2 | 3 | 4 | 1 | 3 | – | 1 | – | – | 1 | 1 | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 2 | – | – | 3 | – | – | 1 | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 1 | 4 | 6 | 7 | 8 | 4 | 4 | 1 | 1 | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 32 | 19 | 14 | 7 | 9 | 7 | 2 | 1 | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 12 | 11 | 13 | 19 | 13 | 7 | 1 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Apoplexy | 3 | 4 | 5 | 11 | 9 | 4 | 7 | 12 | 3 | 1 | – | 1 | – | – | – |
| Softening of the Brain | – | – | – | 2 | 1 | 2 | – | 4 | 1 | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 2 | 2 | 1 | 5 | 9 | 8 | 12 | 7 | 6 | 1 | – | 1 | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 2 | – | 6 | 4 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | 1 | – | 2 | 1 | – | – | 2 | 1 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | – | 1 | 3 | – | – | 2 | 1 | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890,—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 9 | 12 | 8 | 7 | 13 | 15 | 7 | 4 | 4 | 3 | – | – | – | – | – |
| Cancer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 16 | 19 | 7 | 3 | 4 | – | 1 | 1 | – | – | – | – | – | – | – |
| Phthisis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | 12 | 19 | 21 | 33 | 21 | 6 | 4 | – | – |
| Old Age | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Apoplexy | – | 1 | 6 | 11 | 4 | 10 | 14 | 10 | 8 | 5 | 1 | 1 | – | – | – |
| Softening of the Brain | – | 1 | – | 2 | – | 1 | 4 | – | 1 | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | 2 | 3 | 2 | 9 | 2 | 6 | 5 | 5 | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | 1 | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | – | – | – | 1 | 2 | 2 | 2 | 3 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 122 | 1 | – | – | – | – | 1 | – | 5 | 1 | 1 | 3 | – | 7 |
| Pericarditis | 6 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | 1 |
| Hypertrophy of Heart | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Angina Pectoris | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Aneurism | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Senile Gangrene | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 4 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Croup | 16 | – | 2 | 1 | 7 | 5 | – | – | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 5 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 193 | 20 | 15 | 23 | 16 | 4 | 2 | 3 | – | 1 | – | 1 | 1 | – |
| Pneumonia | 178 | 11 | 9 | 18 | 29 | 16 | 5 | 1 | 8 | 2 | 3 | 6 | 5 | 7 |
| Pleurisy | 21 | – | – | 1 | – | – | – | 1 | 1 | – | 2 | 4 | – | 2 |
| Other Diseases of Respiratory System | 61 | 7 | 6 | 9 | 12 | 5 | 1 | – | 4 | – | – | 1 | – | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 15 | – | – | 5 | 10 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Dyspepsia | 5 | 1 | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 16 | 4 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 36 | 13 | 2 | 7 | 3 | 1 | 1 | – | – | 2 | 2 | 1 | – | – |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 6 | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Stricture or Strangulation of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 8 | – | – | – | – | – | 1 | – | – | – | 3 | – | – | – |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gallstones | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 16 | 4 | 1 | 1 | – | 1 | – | – | – | 1 | – | – | 1 | – |
| Other Diseases of Digestive System | 9 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 3 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 13 | – | 1 | 1 | – | – | – | – | 4 | – | 1 | – | – | 2 |
| Bright's Disease | 20 | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 7 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Urinary System | 5 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 131 | – | – | – | – | – | – | – | 2 | 8 | 2 | 2 | 6 | 3 |
| Pericarditis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 5 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Syncope | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 4 | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – |
| Croup | 21 | – | – | 5 | 6 | 3 | 3 | 1 | 3 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Bronchitis | 245 | 15 | 11 | 24 | 16 | 5 | 3 | 1 | 4 | 1 | 2 | 2 | 5 | 4 |
| Pneumonia | 136 | 8 | 12 | 26 | 23 | 12 | 6 | 3 | 4 | 1 | 1 | – | 3 | 3 |
| Pleurisy | 18 | – | – | – | 2 | 1 | – | – | 1 | – | – | 1 | 1 | 1 |
| Other Diseases of Respiratory System | 47 | 6 | 4 | 4 | 15 | 2 | 2 | 2 | – | – | 2 | – | – | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dentition | 7 | – | – | 4 | 3 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 5 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 18 | 2 | 2 | 1 | – | – | 1 | – | 2 | – | – | – | – | – |
| Enteritis | 29 | 10 | 3 | 2 | 4 | 1 | – | – | – | – | 1 | 1 | 1 | – |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 9 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Stricture or Strangulation of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Intussusception of Intestines | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 20 | 1 | 1 | – | – | – | – | – | – | 2 | – | 1 | 2 | 2 |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 20 | 1 | 1 | 1 | 3 | – | – | – | – | – | – | – | 1 | 2 |
| Other Diseases of Digestive System | 12 | 1 | 3 | 1 | 1 | – | – | – | – | – | – | 1 | 2 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Lymphatics | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 14 | – | – | 1 | – | 1 | 1 | 1 | 1 | – | – | 1 | 1 | 2 |
| Bright's Disease | 29 | – | – | – | – | – | – | – | 2 | – | 1 | 2 | – | 3 |
| Uræmia | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Urinary System | 7 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 7 | 8 | 7 | 20 | 13 | 11 | 15 | 13 | 6 | 2 | 1 | – | – | – | – |
| Pericarditis | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | 1 | – | – | 3 | 2 | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Syncope | 3 | – | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Aneurism | 1 | 3 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Embolism, Thrombosis | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 4 | 5 | 8 | 15 | 11 | 13 | 13 | 21 | 13 | – | 1 | – | – | – | – |
| Pneumonia | 8 | 9 | 9 | 6 | 4 | 10 | 2 | 7 | 2 | 1 | – | – | – | – | – |
| Pleurisy | – | – | 2 | – | – | 2 | 2 | 2 | 2 | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | 3 | 2 | 3 | 1 | 1 | 1 | 1 | 2 | – | 1 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | 1 | 1 | 3 | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Diseases of Stomach | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | 2 | – | 2 | – | 2 | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 2 | 1 | 1 | 2 | – | – | 2 | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 2 | 2 | 2 | 3 | 3 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | 1 | 1 | 2 | – | 1 | 2 | 1 | 2 | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | I |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 10 | 9 | 16 | 8 | 13 | 15 | 16 | 9 | 7 | 8 | 1 | 1 | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Syncope | 1 | – | – | – | 1 | 3 | – | 1 | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 7 | 5 | 9 | 14 | 21 | 22 | 23 | 25 | 19 | 5 | 2 | – | – | – | – |
| Pneumonia | 2 | 3 | 4 | 4 | 4 | 1 | 7 | 5 | 3 | – | 1 | – | – | – | – |
| Pleurisy | 1 | – | 2 | 3 | 1 | – | 1 | 2 | – | 1 | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | – | 1 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | 1 | 1 | 2 | 3 | – | 2 | – | 1 | – | – | – | – | – |
| Enteritis | 1 | – | – | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | 1 | 3 | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | 1 | 1 | 2 | 1 | 3 | – | – | – | 2 | – | – | – | – | – |
| Ascites | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | 1 | – | 1 | 1 | 1 | 3 | 3 | – | 1 | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | – | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Bright's Disease | 3 | 1 | 2 | 4 | 1 | 1 | 4 | 2 | 3 | – | – | – | – | – | – |
| Uræmia | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Previa, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 11 | – | – | – | 1 | – | – | – | 2 | 4 | 1 | 1 | – | – |
| Arthritis, Ostitis, Periostitis | 4 | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Other Diseases of Organs of Locomotion | 5 | – | – | 1 | – | – | – | – | 1 | 2 | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Eczema | 4 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 5 | – | – | – | – | – | – | – | 1 | 2 | – | 1 | – | 1 |
| Vehicles other than R'wys. | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 |
| Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Burns & Scalds | 5 | – | 1 | – | 1 | – | – | 1 | – | – | – | 1 | – | – |
| Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Drowning | 19 | – | – | – | – | – | – | – | – | 4 | 2 | 4 | – | – |
| Suffocation: In Bed | 5 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise | 4 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Falls | 7 | – | – | – | – | – | 1 | – | – | – | – | 1 | 1 | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 6 | – | – | – | – | – | – | – | – | 2 | 1 | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Debility, Atrophy, Inanition | 113 | 80 | 12 | 8 | 7 | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Uterus and Vagina | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Placenta Prævia, Flooding | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 7 | – | – | – | – | – | – | 1 | 1 | 1 | 2 | – | – | – |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 8 | – | 1 | – | – | 1 | – | 2 | 1 | 1 | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Suffocation: In Bed | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 10 | – | – | – | – | – | – | – | 2 | 1 | 1 | 1 | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 9 | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 91 | 55 | 5 | 4 | 12 | 2 | – | – | – | 1 | 1 | – | 1 | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 10 | 5 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES OF DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Drowning | 1 | 4 | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | 1 | – | 4 | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | – | – | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | 1 | – | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | 2 | – | 2 | 1 | 1 | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 1 | – | 1 | 3 | 5 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life. in 1890.—
MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | |
| | ALL AGES. | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 2699 | 274 | 118 | 203 | 255 | 79 | 60 | 33 | 104 | 52 | 70 | 91 | 117 | 95 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 436 | 49 | 32 | 60 | 110 | 35 | 32 | 12 | 36 | 6 | 4 | 2 | 7 | 6 |
| II. PARASITIC DISEASES | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 15 | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| IV. CONSTITUTIONAL ,, | 515 | 6 | 7 | 18 | 31 | 17 | 10 | 5 | 27 | 15 | 34 | 42 | 50 | 38 |
| V. DEVELOPMENTAL ,, | 136 | 75 | 3 | 3 | 1 | – | – | – | 1 | – | – | – | – | – |
| VI. LOCAL ,, | 1382 | 89 | 61 | 112 | 110 | 27 | 16 | 14 | 36 | 25 | 29 | 30 | 36 | 43 |
| VII. VIOLENCE | 152 | 15 | 7 | 2 | 2 | – | 2 | 2 | 3 | 6 | 3 | 17 | 23 | 7 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 62 | 35 | 8 | 8 | 1 | – | – | – | 1 | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases | 344 | 15 | 20 | 54 | 102 | 35 | 32 | 12 | 36 | 5 | 4 | 2 | 6 | 4 |
| 2. Diarrhœal ,, | 49 | 17 | 10 | 6 | 6 | – | – | – | – | – | – | – | – | – |
| 3. Malarial ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. Zoogenous ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. Venereal ,, | 20 | 10 | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – |
| 6. Septic ,, | 23 | 7 | 1 | – | 1 | – | – | – | – | 1 | – | – | – | 2 |
| II. Parasitic Diseases | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Dietetic Diseases | 15 | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| IV. Constitutional Diseases | 515 | 6 | 7 | 18 | 31 | 17 | 10 | 5 | 27 | 15 | 34 | 42 | 50 | 38 |
| V. Developmental Diseases | 136 | 75 | 3 | 3 | 1 | – | – | – | 1 | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. Diseases of Nervous System | 303 | 17 | 18 | 19 | 27 | 2 | 6 | 3 | 11 | 4 | 4 | 5 | 11 | 11 |
| 2. ,, Organs of Special Sense | 6 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | 2 |
| 3. ,, Circulatory System | 223 | 5 | – | – | 1 | – | 1 | – | 3 | 2 | 4 | 8 | 5 | 8 |
| 4. ,, Respiratory System | 530 | 51 | 31 | 71 | 67 | 22 | 8 | 8 | 9 | 5 | 6 | 6 | 12 | 13 |
| 5. ,, Digestive System | 171 | 15 | 8 | 19 | 15 | 2 | – | 1 | 7 | 7 | 4 | 4 | 1 | 4 |
| 6. ,, Lymphatic System and Ductless Glands | 5 | – | – | 1 | – | – | – | – | – | – | 1 | 1 | 1 | – |
| 7. ,, Urinary System | 118 | – | 2 | – | – | – | 1 | 1 | 5 | 3 | 8 | 3 | 4 | 4 |
| 8. ,, Reproductive System :— | | | | | | | | | | | | | | |
| (*a*) Diseases of Organs of Generation | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) Diseases of Parturition | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, Organs of Locomotion | 16 | – | – | – | – | – | – | 1 | 1 | 4 | 2 | 3 | 2 | 1 |
| 10. ,, Integumentary System | 8 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES OF DEATH in EDINBURGH, at different Periods of Life, in 1890.—
FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 51 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 2724 | 188 | 83 | 166 | 224 | 109 | 64 | 44 | 99 | 52 | 68 | 89 | 106 | 102 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 473 | 31 | 29 | 58 | 104 | 65 | 34 | 19 | 29 | 14 | 3 | 21 | 9 | 14 |
| II. PARASITIC DISEASES | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 6 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 490 | 3 | 2 | 9 | 20 | 12 | 7 | 8 | 30 | 16 | 32 | 27 | 45 | 34 |
| V. DEVELOPMENTAL ,, | 196 | 69 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 1442 | 46 | 44 | 92 | 90 | 29 | 23 | 15 | 34 | 22 | 30 | 38 | 48 | 51 |
| VII. VIOLENCE | 66 | 8 | 1 | 2 | 4 | 2 | – | 2 | 5 | – | 3 | 3 | 4 | 3 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 50 | 30 | 5 | 4 | 5 | 1 | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 363 | 14 | 16 | 47 | 82 | 63 | 34 | 18 | 29 | 13 | 1 | 14 | 3 | 4 |
| 2. DIARRHŒAL ,, | 49 | 6 | 10 | 10 | 8 | 2 | – | 1 | – | – | – | 1 | – | 1 |
| 3. MALARIAL ,, | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 13 | 6 | 1 | 1 | 1 | – | – | – | – | – | 2 | – | – | 2 |
| 6. SEPTIC ,, | 46 | 5 | 1 | – | 2 | – | – | – | – | 1 | – | 6 | 6 | 7 |
| II. PARASITIC DISEASES | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 6 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 490 | 3 | 2 | 9 | 20 | 12 | 7 | 8 | 30 | 16 | 32 | 27 | 45 | 34 |
| V. DEVELOPMENTAL DISEASES | 196 | 69 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 324 | 18 | 10 | 18 | 19 | 7 | 6 | 3 | 6 | 5 | 4 | 8 | 5 | 9 |
| 2. ,, ORGANS OF SPECIAL SENSE | 6 | – | – | 1 | – | – | – | – | 2 | – | – | 1 | 1 | – |
| 3. ,, CIRCULATORY SYSTEM | 239 | 2 | – | – | – | – | – | 1 | 4 | 4 | 4 | 4 | 6 | 8 |
| 4. ,, RESPIRATORY SYSTEM | 519 | 18 | 28 | 58 | 56 | 17 | 15 | 9 | 16 | 4 | 5 | 8 | 10 | 12 |
| 5. ,, DIGESTIVE SYSTEM | 180 | 8 | 6 | 13 | 15 | 4 | 1 | 2 | 4 | 3 | 6 | 6 | 7 | 6 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| 7. ,, URINARY SYSTEM | 78 | – | – | – | – | – | 1 | – | 1 | 2 | 6 | 3 | 12 | 5 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 33 | – | – | – | – | – | – | – | – | – | 2 | 2 | 1 | 4 |
| (*b*) DISEASES OF PARTURITION | 33 | – | – | – | – | – | – | – | – | – | 2 | 5 | 4 | 6 |
| 9. ,, ORGANS OF LOCOMOTION | 15 | – | – | – | – | 1 | – | – | 1 | 4 | 1 | 1 | 1 | – |
| 10. ,, INTEGUMENTARY SYSTEM | 9 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 110 | 115 | 139 | 150 | 105 | 146 | 107 | 107 | 68 | 62 | 28 | 8 | 2 | – | 1 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 7 | 6 | 9 | 6 | 2 | 6 | 3 | 3 | – | 2 | 1 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 2 | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 39 | 32 | 31 | 39 | 22 | 27 | 12 | 9 | 3 | – | 1 | – | – | – | – |
| V. DEVELOPMENTAL „ | – | – | – | – | – | 1 | 3 | 8 | 9 | 17 | 8 | 5 | 2 | – | – |
| VI. LOCAL „ | 56 | 70 | 81 | 89 | 76 | 106 | 78 | 85 | 54 | 40 | 16 | 3 | – | – | – |
| VII. VIOLENCE | 5 | 5 | 12 | 14 | 3 | 6 | 10 | 2 | 2 | 3 | 1 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | 3 | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – | 1 |
| I. | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases | 2 | 4 | 3 | 3 | – | 1 | 2 | 1 | – | 1 | – | – | – | – | – |
| 2. Diarrhœal „ | 2 | – | 2 | – | – | 1 | 1 | 2 | – | 1 | 1 | – | – | – | – |
| 3. Malarial „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. Zoogenous „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. Venereal „ | 1 | 1 | 2 | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| 6. Septic „ | 2 | 1 | 2 | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| II. Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Dietetic Diseases | 2 | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. Constitutional Diseases | 39 | 32 | 31 | 39 | 22 | 27 | 12 | 9 | 3 | – | 1 | – | – | – | – |
| V. Developmental Diseases | – | – | – | – | – | 1 | 3 | 8 | 9 | 17 | 8 | 5 | 2 | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. Diseases of Nervous System | 10 | 10 | 15 | 22 | 13 | 20 | 23 | 14 | 17 | 16 | 4 | 1 | – | – | – |
| 2. „ Organs of Special Sense | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ Circulatory System | 7 | 16 | 17 | 15 | 20 | 33 | 22 | 29 | 12 | 13 | 1 | 1 | – | – | – |
| 4. „ Respiratory System | 18 | 23 | 22 | 30 | 25 | 27 | 15 | 29 | 19 | 7 | 5 | 1 | – | – | – |
| 5. „ Digestive System | 10 | 7 | 9 | 12 | 16 | 15 | 4 | 6 | 1 | 3 | 1 | – | – | – | – |
| 6. „ Lymphatic System and Ductless Glands | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 7. „ Urinary System | 10 | 11 | 16 | 9 | 2 | 10 | 12 | 7 | 4 | 1 | 5 | – | – | – | – |
| 8. „ Reproductive System :— | | | | | | | | | | | | | | | |
| (*a*) Diseases of Organs of Generation | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| (*b*) Diseases of Parturition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ Organs of Locomotion | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. „ Integumentary System | – | 1 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—
FEMALES. *(Continued.)*

| CAUSES OF DEATH | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 105 | 87 | 113 | 101 | 137 | 141 | 150 | 171 | 142 | 118 | 45 | 15 | 4 | 1 | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 7 | 2 | 6 | 2 | 5 | 1 | 6 | 5 | 5 | 4 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 30 | 30 | 35 | 28 | 25 | 35 | 22 | 18 | 13 | 7 | 2 | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 4 | 8 | 14 | 26 | 38 | 25 | 5 | 3 | 1 | – |
| VI. LOCAL ,, | 65 | 50 | 69 | 70 | 99 | 100 | 107 | 131 | 95 | 67 | 17 | 9 | 1 | – | – |
| VII. VIOLENCE | 2 | 3 | 2 | – | 5 | 1 | 7 | 2 | 3 | 2 | 1 | 1 | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | 2 | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 2 | 1 | 3 | – | 3 | – | 1 | 1 | 3 | 1 | – | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | 1 | – | 1 | 1 | 1 | 2 | 1 | 3 | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 5 | 1 | 2 | 2 | 1 | – | 4 | 2 | 1 | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 30 | 30 | 35 | 28 | 25 | 35 | 22 | 18 | 13 | 7 | 2 | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 4 | 8 | 14 | 26 | 38 | 25 | 5 | 3 | 1 | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 11 | 8 | 20 | 17 | 23 | 21 | 24 | 31 | 25 | 18 | 6 | 2 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 13 | 10 | 14 | 19 | 24 | 24 | 27 | 33 | 17 | 21 | 2 | 2 | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 11 | 11 | 14 | 21 | 30 | 28 | 33 | 45 | 37 | 22 | 6 | 4 | 1 | – | – |
| 5. ,, DIGESTIVE SYSTEM | 6 | 5 | 8 | 7 | 12 | 15 | 14 | 13 | 11 | 4 | 3 | 1 | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 8 | 7 | 5 | 3 | 5 | 5 | 4 | 5 | 4 | 2 | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 5 | 2 | 4 | 1 | 4 | 5 | 2 | 1 | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 10 | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | 1 | 2 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | 1 | 2 | 2 | 2 | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 138 | 15 | 7 | 2 | 2 | – | 2 | 2 | 3 | 6 | 3 | 16 | 20 | 7 |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 14 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 62 | 35 | 8 | 8 | 1 | – | – | – | 1 | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Measles | 130 | 2 | 4 | 23 | 60 | 18 | 12 | – | 11 | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 20 | – | – | – | 1 | 1 | 8 | 2 | 5 | 1 | 1 | – | – | – |
| Typhus | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 14 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Hooping-cough | 117 | 12 | 15 | 29 | 37 | 10 | 7 | 3 | 4 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 40 | 1 | – | 2 | 3 | 6 | 4 | 7 | 13 | 1 | 2 | – | 1 | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 20 | – | – | – | – | – | 1 | – | 3 | 3 | 1 | 2 | 3 | 2 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 49 | 17 | 10 | 6 | 6 | – | – | – | – | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | |
| Syphilis | 15 | 10 | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Gonorrhœa, Stricture of Urethra | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 15 | 5 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 8 | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 62 | 8 | 1 | 2 | 4 | 2 | – | 2 | 5 | – | 3 | 3 | 4 | 3 |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 50 | 30 | 5 | 4 | 5 | 1 | – | – | – | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 111 | – | 2 | 24 | 39 | 22 | 9 | 6 | 9 | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 29 | 1 | 1 | – | 2 | 6 | 3 | 4 | 7 | 1 | – | 3 | 1 | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 13 | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Hooping-cough | 135 | 10 | 13 | 23 | 45 | 22 | 13 | 4 | 5 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 46 | 3 | – | – | 6 | 12 | 9 | 4 | 6 | 4 | – | 1 | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 29 | – | – | – | – | 1 | – | – | 2 | 8 | 1 | 10 | 1 | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 48 | 6 | 10 | 10 | 8 | 1 | – | 1 | – | – | – | 1 | – | 1 |
| **Malarial Diseases.** | | | | | | | | | | | | | | |
| Remittent Fever | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | |
| Syphilis | 12 | 6 | 1 | 1 | 1 | – | – | – | – | – | 1 | – | – | 2 |
| Gonorrhœa, Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 21 | 5 | 1 | – | 1 | – | – | – | – | 1 | – | – | 1 | 1 |
| Pyæmia, Septicæmia | 7 | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 | 1 |
| Puerperal Fever | 18 | – | – | – | – | – | – | – | – | – | – | 5 | 4 | 5 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 5 | 5 | 11 | 10 | 3 | 4 | 10 | 1 | 1 | 2 | 1 | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | 1 | 4 | – | 2 | – | 1 | 1 | 1 | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | 3 | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – | 1 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 3 | 3 | – | – | 2 | 1 | – | 1 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 2 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 2 | – | 2 | – | – | 1 | 1 | 2 | – | 1 | 1 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.
FEMALES. *(Continued.)*

| CAUSES OF DEATH | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 2 | 3 | 2 | – | 2 | + | 7 | 2 | 3 | 2 | 1 | 1 | – | | |
| 2. Homicide | – | – | – | – | – | | – | | | | | | | | |
| 3. Suicide | – | – | – | – | 3 | 1 | – | | | | | | | | |
| 4. Execution | – | – | – | – | – | | – | | | | | | | | |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | – | 2 | – | – | 3 | + | – | – | – | | | | | | |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | 1 | 2 | – | – | – | 1 | 1 | 3 | 1 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 2 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | 1 | – | 1 | 1 | 1 | 2 | 1 | 3 | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | 2 | 1 | – | 4 | 2 | 1 | – | – | – | – | – | 1 |
| Pyæmia, Septicæmia | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 11 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 10 | – | – | – | – | – | – | – | – | 2 | 1 | 1 | 2 | 1 |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 8 | 2 | – | 3 | 2 | 1 | – | – | – | – | – | – | – | – |
| Cancer | 85 | – | – | – | – | – | – | – | 1 | – | – | 3 | – | 2 |
| Tabes Mesenterica | 27 | 3 | 1 | 3 | 5 | 2 | 2 | 1 | 3 | 3 | 2 | 1 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 60 | – | 3 | 5 | 14 | 11 | 6 | 1 | 13 | 5 | 1 | – | – | – |
| Phthisis | 275 | – | – | 2 | 4 | 1 | 1 | 2 | 5 | 5 | 28 | 35 | 42 | 32 |
| Other forms of Tuberculosis, Scrofula | 31 | 1 | 2 | 5 | 6 | 2 | – | 1 | 3 | – | 2 | 1 | 2 | 2 |
| Purpura, Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 12 | – | 1 | – | – | – | 1 | – | 2 | – | – | 1 | 2 | – |
| Diabetes Mellitus | 5 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 64 | 63 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 7 | 6 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cyanosis | 3 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Spina Bifida | 4 | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 53 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 43 | – | 5 | 5 | 5 | 1 | 5 | 1 | 7 | 2 | 3 | 1 | 1 | – |
| Apoplexy | 74 | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – |
| Softening of the Brain | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 36 | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 27 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 5 |
| Epilepsy | 15 | 1 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Convulsions | 53 | 13 | 10 | 11 | 13 | 1 | 1 | 1 | 1 | 1 | – | 1 | 4 | 4 |
| Laryngismus Stridulus | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 32 | 1 | 3 | 2 | 8 | – | – | – | 2 | – | 1 | 1 | 1 | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 5 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | 2 |
| Epistaxis and Disease of Nose | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 3 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 16 | – | – | – | – | – | – | 1 | 2 | – | 3 | 1 | 2 | 1 |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 4 | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Cancer | 142 | – | – | – | – | – | – | – | – | 2 | – | – | 2 | 2 |
| Tabes Mesenterica | 19 | 1 | – | 4 | 3 | 3 | 1 | 1 | 1 | 2 | – | – | 1 | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 45 | 1 | 2 | 2 | 10 | 4 | 1 | 4 | 16 | 1 | 1 | 1 | 1 | 1 |
| Phthisis | 217 | – | – | – | 2 | 3 | 3 | 2 | 7 | 6 | 23 | 22 | 37 | 29 |
| Other forms of Tuberculosis, Scrofula | 22 | – | – | 1 | 4 | 2 | 1 | – | 4 | 4 | 2 | 1 | – | – |
| Purpura, Hæmorrhagic Diathesis | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 15 | – | – | – | – | – | – | – | – | – | 2 | 1 | 2 | 1 |
| Diabetes Mellitus | 6 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 59 | 58 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 6 | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 124 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 37 | 2 | 4 | 7 | 3 | 2 | 4 | 2 | 3 | 3 | 1 | 1 | 1 | 1 |
| Apoplexy | 111 | – | – | – | 1 | 1 | – | – | – | – | – | 2 | 1 | 5 |
| Softening of the Brain | 19 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 40 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Paralysis Agitans | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 8 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Chorea | 2 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Epilepsy | 8 | – | – | – | – | – | 1 | – | – | – | – | 1 | 1 | 1 |
| Convulsions | 47 | 14 | 6 | 9 | 14 | 2 | – | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 8 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Other Diseases of Nervous System | 41 | 1 | – | 2 | 1 | 1 | 1 | 1 | 2 | – | 3 | 3 | 2 | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 5 | – | – | 1 | – | – | – | – | 2 | – | – | 1 | 1 | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.
MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **Parasitic Diseases.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Dietetic Diseases.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 2 | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| **Constitutional Diseases.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 7 | 7 | 10 | 14 | 11 | 11 | 10 | 6 | 2 | – | 1 | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 30 | 22 | 20 | 23 | 10 | 11 | 2 | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | 1 | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Developmental Diseases.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 3 | 8 | 9 | 17 | 8 | 5 | 2 | – | – |
| **Diseases of Nervous System.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 1 | 3 | 9 | 7 | 10 | 16 | 7 | 6 | 8 | 2 | 1 | – | – | – |
| Softening of the Brain | 1 | 1 | – | – | – | – | 1 | 1 | 4 | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | 3 | 3 | 3 | 2 | 3 | 4 | 6 | 5 | 4 | 1 | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 3 | 1 | 4 | 2 | 3 | 3 | – | – | 1 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | 2 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | 2 | 4 | – | 1 | 1 | – | – | 3 | 1 | – | – | – | – |
| **Diseases of Organs of Special Sense.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | 1 | – | 3 | – | – | – | – | 1 | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 6 | 9 | 19 | 11 | 18 | 24 | 17 | 15 | 10 | 5 | 2 | – | – | – | – |
| Tabes Mesenterica | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 22 | 17 | 13 | 11 | 5 | 9 | 3 | 1 | 1 | 1 | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Purpura, Hemorrhagic Diathesis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | 2 | 1 | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 4 | 8 | 14 | 26 | 38 | 25 | 5 | 3 | 1 | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Apoplexy | 4 | 3 | 9 | 10 | 12 | 13 | 14 | 12 | 12 | 8 | 3 | 1 | – | – | – |
| Softening of the Brain | 1 | 1 | – | 1 | 1 | 2 | 2 | 5 | 5 | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 1 | 2 | 2 | 3 | 1 | 4 | 4 | 6 | 7 | 7 | 2 | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Insanity, General Paralysis of Insane | – | 1 | 2 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | 3 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 3 | 1 | 3 | 1 | 5 | 1 | 2 | 5 | 1 | 1 | – | 1 | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 163 | – | – | – | – | – | 1 | – | 2 | 1 | 2 | 8 | 5 | 6 |
| Pericarditis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 7 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Angina Pectoris | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 11 | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Aneurism | 19 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Senile Gangrene | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 4 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Croup | 16 | – | – | 6 | 6 | 2 | – | 1 | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Emphysema, Asthma | 7 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 277 | 38 | 24 | 37 | 35 | 14 | 2 | 3 | 5 | 1 | – | 1 | – | 1 |
| Pneumonia | 177 | 8 | 5 | 25 | 25 | 6 | 5 | 4 | 3 | 4 | 3 | 4 | 10 | 8 |
| Pleurisy | 24 | 1 | – | 1 | – | – | – | – | – | – | 1 | – | 1 | 2 |
| Other Diseases of Respiratory System | 22 | 3 | 2 | 1 | 1 | – | – | – | – | – | 1 | 1 | 1 | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Dentition | 19 | – | 1 | 10 | 6 | 2 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 19 | 2 | 2 | 2 | 1 | – | – | – | – | – | 1 | 2 | – | – |
| Enteritis | 25 | 6 | 3 | 5 | 4 | – | – | – | 2 | 1 | – | – | 1 | 1 |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 15 | 2 | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – |
| Stricture or Strangulation of Intestine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Intussusception of Intestine | 4 | – | – | – | 2 | – | – | – | – | – | – | 1 | – | – |
| Hernia | 10 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 23 | 1 | – | 2 | 1 | – | – | – | 2 | 5 | 2 | 1 | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 14 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 13 | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Lymphatics | 3 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 18 | – | – | – | – | – | 1 | – | 4 | – | – | 1 | 1 | 2 |
| Bright's Disease | 50 | – | 1 | – | – | – | – | 1 | 1 | 1 | 4 | 1 | 1 | 2 |
| Uræmia | 5 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Suppression of Urine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Bladder and of Prostate | 24 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Other Diseases of Urinary System | 15 | – | 1 | – | – | – | – | – | – | 1 | 2 | – | 2 | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 192 | – | – | – | – | – | – | – | 3 | 4 | 2 | 4 | 5 | 6 |
| Pericarditis | 4 | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – |
| Hypertrophy of Heart | 17 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Angina Pectoris | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 11 | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 5 | – | – | – | – | – | 1 | – | 2 | – | 1 | – | – | – |
| Croup | 16 | – | – | 5 | 3 | 3 | 2 | 2 | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Emphysema, Asthma | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Bronchitis | 292 | 14 | 21 | 30 | 31 | 5 | 5 | 2 | 3 | 1 | 1 | 1 | 4 | 1 |
| Pneumonia | 148 | 2 | 6 | 19 | 18 | 8 | 5 | 4 | 8 | 1 | 2 | 6 | 4 | 9 |
| Pleurisy | 17 | – | – | – | – | 1 | – | – | – | 2 | 1 | – | 1 | 2 |
| Other Diseases of Respiratory System | 35 | 2 | 1 | 4 | 4 | – | 2 | 1 | 1 | – | – | 1 | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 17 | – | – | 5 | 11 | 1 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 4 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | 1 |
| Melæna | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Stomach | 19 | – | 1 | 2 | 1 | – | – | – | – | – | 1 | – | 1 | – |
| Enteritis | 15 | 4 | 3 | 3 | 1 | 2 | – | – | – | – | – | 1 | – | – |
| Ulceration of Intestine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 13 | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Stricture or Strangulation of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Intussusception of Intestines | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hernia | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 37 | – | – | 1 | 2 | 1 | – | – | 2 | 1 | 5 | 3 | 3 | 4 |
| Ascites | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gallstones | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 25 | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 |
| Other Diseases of Digestive System | 18 | 3 | 2 | 2 | – | – | 1 | – | – | 1 | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Bright's Disease | 36 | – | – | – | – | – | 1 | – | 1 | 1 | 2 | – | 6 | 2 |
| Uræmia | 7 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 7 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – |
| Other Diseases of Urinary System | 22 | – | – | – | – | – | – | – | – | 1 | 3 | 2 | 2 | 1 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 6 | 10 | 9 | 11 | 15 | 20 | 17 | 21 | 11 | 3 | 1 | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | 2 | – | – | – | – | 3 | – | 1 | – | – | – | – |
| Angina Pectoris | – | 1 | – | – | 2 | 1 | 2 | 1 | – | 1 | – | 1 | – | – |
| Syncope | – | – | 2 | – | – | 1 | 1 | 2 | – | 2 | – | – | – | – |
| Aneurism | 1 | 4 | 4 | 3 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 1 | 2 | 1 | 1 | – | – | – | – |
| Embolism, Thrombosis | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | 1 | 2 | 1 | – | – | 1 | – | – | – |
| Bronchitis | 2 | 7 | 8 | 20 | 14 | 14 | 8 | 17 | 16 | 6 | 3 | 1 | – | – |
| Pneumonia | 11 | 12 | 7 | 7 | 10 | 8 | 2 | 7 | 2 | 1 | – | – | – | – |
| Pleurisy | 3 | 3 | 6 | 1 | 1 | 3 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | 1 | – | 2 | – | 1 | 3 | 2 | 1 | – | 1 | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | 2 | – | 6 | 1 | – | – | – | – | – | – | – | – |
| Enteritis | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 1 | 1 | – | 2 | – | 1 | 2 | – | – | 3 | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | 1 | 1 | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 2 | 1 | – | 2 | 1 | 3 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | 2 | 1 | 4 | 4 | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Liver | 3 | – | 1 | 3 | 1 | 1 | 1 | 1 | – | – | 1 | – | – | – |
| Other Diseases of Digestive System | 1 | 1 | 1 | 1 | – | 3 | – | 2 | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | 1 | 3 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Bright's Disease | 5 | 3 | 8 | 3 | 1 | 6 | 5 | – | 2 | – | – | – | – | – |
| Uræmia | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | 1 | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 1 | 1 | 2 | – | 3 | 2 | 6 | 2 | 1 | 4 | – | – | – |
| Other Diseases of Urinary System | 4 | – | 2 | – | – | – | 2 | – | – | – | 1 | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—
FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 12 | 9 | 10 | 18 | 17 | 22 | 23 | 25 | 13 | 15 | 2 | 2 | – | – | – |
| Pericarditis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | 1 | – | – | 3 | – | 2 | 6 | 1 | 2 | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Syncope | – | – | 1 | – | 2 | 2 | 1 | – | – | 2 | – | – | – | – | – |
| Aneurism | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – |
| Embolism, Thrombosis | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | 1 | – | 1 | – | – | – | 2 | – | – | – | – | – |
| Bronchitis | 4 | 3 | 8 | 9 | 16 | 22 | 24 | 32 | 31 | 18 | 3 | 2 | 1 | – | – |
| Pneumonia | 4 | 7 | 3 | 7 | 11 | 4 | 3 | 8 | 5 | – | 3 | 1 | – | – | 1 |
| Pleurisy | – | – | 2 | – | 2 | – | 3 | 3 | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 3 | 1 | 1 | 4 | 1 | – | 3 | 2 | 1 | 2 | – | 1 | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 1 | 1 | 1 | 1 | – | 1 | 1 | 3 | 2 | 1 | – | – | – | – | – |
| Enteritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | – | 2 | – | 2 | 1 | 1 | 3 | 1 | 1 | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 2 | – | 1 | – | 3 | 1 | – | 2 | 2 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | 2 | 3 | 2 | 1 | 3 | 2 | – | – | – | 1 | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | 1 | – | – | 1 | 2 | – | – | – | 1 | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Liver | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 | – | 1 | 1 | – | – | – |
| Other Diseases of Digestive System | – | – | – | 1 | – | 1 | 3 | 1 | 1 | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Bright's Disease | 2 | 2 | 4 | 1 | 4 | 4 | 2 | – | 3 | 1 | – | – | – | – | – |
| Uræmia | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—
MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 10 | – | – | – | – | – | – | 1 | 1 | 3 | 1 | 3 | – | 1 |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Organs of Locomotion | 5 | – | – | – | – | – | – | – | – | 1 | – | – | 2 | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries — Coal Mines | 5 | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | – |
| Mines and Quarries — Other Mines | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Mines and Quarries — Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Railways | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Vehicles other than R'wys. | 6 | – | – | – | – | – | 1 | – | 1 | – | – | 6 | 1 | 1 |
| Vehicles and Horses — Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| Burns and Scalds — Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Other Burns & Scalds | 7 | – | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – |
| Burns and Scalds — Explosions | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Poisons, Poisonous Vapours | 7 | 1 | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – |
| Drowning | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Suffocation — In Bed | 7 | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation — Otherwise | 17 | 7 | 4 | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | 30 | – | 1 | – | – | – | – | – | – | – | – | 1 | 2 | 1 |
| Weather Agencies | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 8 | 3 |
| Otherwise, or Not Stated | 31 | 3 | – | – | – | – | – | – | 1 | 4 | – | 3 | 4 | 2 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 49 | 33 | 7 | 8 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other ill-defined and not specified Causes | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 10 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Uterus and Vagina | 18 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 3 |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pelvic Abscess | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 6 | – | – | – | – | – | – | – | – | – | – | 4 | 1 | – |
| Placenta Prævia, Flooding | 6 | – | – | – | – | – | – | – | – | – | – | 4 | – | 1 |
| Phlegmasia Dolens | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Accidents of Childbirth | 15 | – | – | – | – | – | – | – | – | – | 1 | – | 3 | 3 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 9 | – | – | – | – | 1 | – | – | 1 | 2 | – | – | 1 | – |
| Arthritis, Ostitis, Periostitis | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Other Diseases of Organs of Locomotion | 3 | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 2 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 11 | 1 | – | – | 2 | 1 | – | – | 2 | – | 2 | 2 | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Drowning | 2 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Suffocation: In Bed | 6 | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Falls | 11 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 |
| Weather Agencies | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 17 | 3 | – | – | 1 | – | – | – | 3 | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 47 | 30 | 4 | 4 | 5 | 1 | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | 1 | 4 | 1 | – | 2 | 1 | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'ways. | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | 1 | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | 2 | 3 | 1 | – | 2 | 5 | – | – | – | 1 | – | – | – | – |
| Otherwise, or Not Stated | 2 | 1 | 3 | 3 | – | 1 | 2 | – | – | 2 | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | 1 | 4 | – | 2 | – | 1 | 1 | 1 | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1890.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 2 | – | 1 | 1 | 4 | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 3 | 2 | 2 | – | – | 4 | 2 | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Previa, Flooding | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 3 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | 1 | – | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| Falls | 1 | – | 1 | – | – | – | 4 | – | 1 | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | 1 | – | 1 | – | 1 | 2 | 1 | 2 | 1 | 1 | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 31 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 1715 | 281 | 99 | 152 | 191 | 73 | 39 | 29 | 63 | 28 | 46 | 47 | 33 | 31 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 244 | 21 | 16 | 44 | 80 | 24 | 14 | 10 | 13 | – | 2 | – | 1 | 1 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 9 | – | 2 | – | – | – | – | – | – | – | – | 1 | – | – |
| IV. CONSTITUTIONAL ,, | 284 | 2 | 5 | 17 | 13 | 8 | 7 | 6 | 13 | 10 | 35 | 37 | 21 | 12 |
| V. DEVELOPMENTAL ,, | 127 | 77 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 874 | 81 | 63 | 82 | 90 | 40 | 17 | 12 | 35 | 15 | 9 | 9 | 14 | 13 |
| VII. VIOLENCE | 76 | 20 | 7 | 1 | 2 | 1 | 1 | 1 | 2 | 3 | – | – | 2 | 5 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 101 | 80 | 6 | 6 | 6 | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 183 | 6 | 8 | 31 | 71 | 21 | 14 | 10 | 13 | – | 1 | – | – | – |
| 2. DIARRHŒAL ,, | 51 | 10 | 6 | 12 | 9 | 3 | – | – | – | – | 1 | – | 1 | 1 |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 6 | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 9 | – | 2 | – | – | – | – | – | – | – | – | 1 | – | – |
| IV. CONSTITUTIONAL DISEASES | 284 | 2 | 5 | 17 | 13 | 8 | 7 | 6 | 13 | 10 | 35 | 37 | 21 | 12 |
| V. DEVELOPMENTAL DISEASES | 127 | 77 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 182 | 14 | 9 | 10 | 19 | 5 | 8 | 4 | 9 | 4 | – | 1 | 3 | 1 |
| 2. ,, ORGANS OF SPECIAL SENSE | 4 | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 118 | – | – | – | – | – | – | – | 2 | 2 | 1 | 2 | 3 | 1 |
| 4. ,, RESPIRATORY SYSTEM | 403 | 46 | 37 | 55 | 59 | 31 | 7 | 7 | 12 | 2 | 5 | 2 | 3 | 5 |
| 5. ,, DIGESTIVE SYSTEM | 116 | 21 | 17 | 15 | 10 | 3 | – | 1 | 5 | 1 | 2 | 2 | 3 | 3 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 7. ,, URINARY SYSTEM | 34 | – | – | – | – | – | – | – | 1 | 3 | 1 | 2 | 1 | 2 |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 13 | – | – | – | – | 1 | 2 | – | 5 | 3 | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 2 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 1973 | 208 | 88 | 166 | 175 | 64 | 38 | 28 | 65 | 44 | 55 | 59 | 76 | 75 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 299 | 21 | 23 | 64 | 78 | 25 | 14 | 11 | 18 | 3 | 6 | 2 | 5 | 4 |
| II. PARASITIC DISEASES | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 366 | 2 | 4 | 13 | 9 | 6 | 1 | 5 | 16 | 24 | 35 | 36 | 40 | 27 |
| V. DEVELOPMENTAL ,, | 123 | 52 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 1054 | 56 | 50 | 85 | 85 | 30 | 21 | 12 | 29 | 16 | 14 | 21 | 30 | 43 |
| VII. VIOLENCE | 51 | 16 | 9 | 2 | 1 | 1 | 1 | – | 2 | 1 | – | – | 1 | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 76 | 60 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | 1 |
| **I.** | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 220 | 6 | 9 | 47 | 68 | 23 | 14 | 11 | 18 | 3 | 5 | – | 5 | 1 |
| 2. DIARRHŒAL ,, | 56 | 6 | 14 | 15 | 10 | 2 | – | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 9 | 7 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 14 | 2 | – | – | – | – | – | – | – | – | 1 | 2 | – | 3 |
| **II.** PARASITIC DISEASES | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 366 | 2 | 4 | 13 | 9 | 6 | 1 | 5 | 16 | 24 | 35 | 36 | 40 | 27 |
| **V.** DEVELOPMENTAL DISEASES | 123 | 52 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **VI.** | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 198 | 10 | 11 | 11 | 10 | 7 | 5 | 2 | 7 | 2 | 1 | 2 | 2 | 7 |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 150 | 1 | 2 | – | – | – | – | 1 | – | 4 | 2 | 3 | 8 | 6 |
| 4. ,, RESPIRATORY SYSTEM | 492 | 31 | 28 | 53 | 59 | 18 | 13 | 7 | 10 | 8 | 3 | 11 | 11 | 12 |
| 5. ,, DIGESTIVE SYSTEM | 136 | 13 | 9 | 20 | 16 | 4 | – | 2 | 4 | 1 | 3 | 4 | 2 | 4 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 7. ,, URINARY SYSTEM | 37 | – | – | 1 | – | 1 | 1 | – | 5 | – | 2 | – | 3 | 3 |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 9 | – | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| (*b*) DISEASES OF PARTURITION | 14 | – | – | – | – | – | – | – | – | – | 1 | – | 3 | 6 |
| 9. ,, ORGANS OF LOCOMOTION | 14 | 1 | – | – | – | – | 2 | – | 3 | 1 | 2 | 1 | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 40 | 41 | 72 | 97 | 64 | 76 | 73 | 61 | 38 | 25 | 10 | 1 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 2 | – | 2 | 5 | 4 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | – | 1 | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 10 | 16 | 19 | 21 | 5 | 13 | 6 | 4 | 3 | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL „ | – | – | – | – | – | 1 | 10 | 9 | 12 | 10 | 6 | – | – | – | – |
| VI. LOCAL „ | 25 | 22 | 43 | 61 | 49 | 55 | 56 | 44 | 21 | 14 | 3 | 1 | – | – | – |
| VII. VIOLENCE | 3 | 2 | 4 | 10 | 4 | 4 | – | 2 | 1 | – | 1 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 1 | – | 1 | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| 2. DIARRHŒAL „ | 1 | – | – | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | 1 | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 10 | 16 | 19 | 21 | 5 | 13 | 6 | 4 | 3 | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 1 | 10 | 9 | 12 | 10 | 6 | – | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 9 | 8 | 9 | 9 | 14 | 15 | 15 | 12 | 5 | 4 | – | – | – | – | – |
| 2. „ ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 7 | 6 | 9 | 14 | 12 | 13 | 20 | 15 | 9 | 1 | 1 | – | – | – | – |
| 4. „ RESPIRATORY SYSTEM | 4 | 10 | 21 | 28 | 11 | 20 | 14 | 10 | 5 | 6 | 2 | 1 | – | – | – |
| 5. „ DIGESTIVE SYSTEM | 4 | 2 | – | 9 | 6 | 2 | 4 | 4 | 1 | 1 | – | – | – | – | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 1 | 1 | 3 | 1 | 6 | 3 | 3 | 3 | 1 | 2 | – | – | – | – | – |
| 8. „ REPRODUCTIVE SYSTEM — | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 72 | 64 | 86 | 99 | 102 | 95 | 83 | 101 | 59 | 43 | 18 | 8 | 2 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1 | 2 | 4 | 2 | – | 2 | 5 | 3 | 4 | – | 2 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 27 | 20 | 16 | 28 | 22 | 10 | 12 | 7 | 2 | 2 | 2 | – | – | – | – |
| V. DEVELOPMENTAL „ | – | – | – | – | – | 6 | 7 | 14 | 14 | 14 | 6 | 7 | 1 | – | – |
| VI. LOCAL „ | 41 | 42 | 61 | 63 | 73 | 75 | 58 | 76 | 37 | 26 | 8 | 1 | 1 | – | – |
| VII. VIOLENCE | 1 | – | 3 | 4 | 3 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | 1 | 2 | 4 | 1 | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | – | 1 | 2 | 1 | – | 1 | 2 | – | 3 | – | – | – | – | – | – |
| 2. DIARRHŒAL „ | – | – | 2 | 1 | – | – | 2 | 1 | 1 | – | 2 | – | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 1 | 1 | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 27 | 20 | 16 | 28 | 22 | 10 | 12 | 7 | 2 | 2 | 2 | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 6 | 7 | 14 | 14 | 14 | 6 | 7 | 1 | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 7 | 9 | 8 | 15 | 12 | 22 | 14 | 14 | 10 | 9 | – | 1 | – | – | – |
| 2. „ ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 12 | 9 | 12 | 10 | 19 | 16 | 17 | 19 | 4 | 4 | 1 | – | – | – | – |
| 4. „ RESPIRATORY SYSTEM | 16 | 15 | 30 | 22 | 29 | 29 | 17 | 34 | 19 | 11 | 5 | – | 1 | – | – |
| 5. „ DIGESTIVE SYSTEM | 1 | 4 | 6 | 9 | 10 | 5 | 8 | 6 | 1 | 2 | 2 | – | – | – | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 1 | 2 | 4 | 4 | 2 | 3 | – | 3 | 2 | – | – | – | – | – | – |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (α) DISEASES OF ORGANS OF GENERATION | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| (β) DISEASES OF PARTURITION | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 1 | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 73 | 19 | 7 | 1 | 2 | 1 | 1 | 1 | 2 | 3 | – | – | 2 | 5 |
| 2. Homicide | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 101 | 80 | 6 | 6 | 6 | – | – | – | – | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 72 | 2 | 3 | 16 | 36 | 8 | 4 | 1 | 2 | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 6 | – | – | – | – | 1 | 2 | 1 | 2 | – | – | – | – | – |
| Typhus | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 5 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hooping-cough | 70 | 3 | 5 | 15 | 27 | 8 | 5 | 3 | 4 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 23 | 1 | – | – | 8 | 3 | 2 | 5 | 4 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 6 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 51 | 10 | 6 | 13 | 9 | 3 | – | – | – | – | 1 | – | 1 | 1 |
| **Malarial Diseases.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | |
| Syphilis | 6 | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 47 | 16 | 9 | 2 | 1 | 1 | 1 | – | 2 | 1 | – | – | 1 | – |
| 2. HOMICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 76 | 60 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | 1 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | 92 | – | 2 | 24 | 46 | 9 | 5 | 3 | 3 | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 3 | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 12 | – | 1 | – | 1 | – | – | – | 2 | – | – | – | 1 | – |
| Hooping-cough | 68 | 6 | 6 | 21 | 18 | 9 | 2 | 5 | 1 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 28 | – | – | 1 | 2 | 3 | 7 | 2 | 9 | 1 | 1 | – | 2 | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 14 | – | – | – | – | 1 | – | 1 | 2 | 2 | 3 | – | 2 | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 55 | 6 | 14 | 14 | 10 | 2 | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 9 | 7 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Puerperal Fever | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 3 | 2 | 4 | 8 | 4 | 4 | – | 2 | 1 | – | 1 | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | 3 | – | – | 1 | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 1 | – | – | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | – | – | 2 | 3 | 2 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| 2. Homicide | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | – | – | 1 | 2 | 4 | 1 | – | – | – | – | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 2 | – | – | 1 | 2 | – | 2 | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Enteric Fever | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | 2 | 1 | – | – | 2 | 1 | 1 | – | 2 | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 9 | – | – | 1 | – | – | – | – | – | 2 | 3 | 1 | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 5 | – | – | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| Cancer | 33 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Tabes Mesenterica | 23 | 2 | 2 | 2 | 4 | 2 | – | 3 | 6 | 1 | – | 1 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 27 | – | 3 | 7 | 5 | 2 | 4 | 1 | 3 | 2 | – | – | – | – |
| Phthisis | 166 | – | – | – | – | 2 | 3 | 2 | 3 | 4 | 29 | 33 | 20 | 11 |
| Other forms of Tuberculosis, Scrofula | 13 | – | – | 5 | 2 | 1 | – | – | – | 1 | 2 | 1 | – | 1 |
| Purpura, Hæmorrhagic Diathesis | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 64 | 64 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 4 | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 48 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 37 | 2 | 5 | 4 | 7 | 4 | 5 | 2 | 5 | 2 | – | – | – | – |
| Apoplexy | 53 | 1 | – | – | 1 | – | – | – | – | 1 | – | – | 2 | – |
| Softening of the Brain | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 24 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Paralysis Agitans | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Convulsions | 28 | 10 | 3 | 4 | 7 | 1 | 2 | – | – | – | – | – | – | 1 |
| Laryngismus Stridulus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 6 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 21 | 1 | 1 | 1 | 3 | – | 1 | 1 | 4 | 1 | – | – | 1 | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 4 | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 6 | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – |
| Rheumatism | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cancer | 71 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Tabes Mesenterica | 21 | 1 | 2 | 4 | 2 | 2 | – | 2 | 4 | 4 | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 15 | – | – | 5 | 3 | 2 | 1 | 1 | 3 | – | – | – | – | – |
| Phthisis | 224 | – | – | 2 | – | 1 | – | 1 | 4 | 16 | 32 | 35 | 38 | 27 |
| Other forms of Tuberculosis, Scrofula | 18 | – | 2 | 2 | 4 | 1 | – | – | 2 | 4 | 2 | – | – | – |
| Purpura, Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 45 | 45 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 3 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Old Age | 69 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 38 | – | 5 | 7 | 3 | 6 | 1 | 1 | 7 | 1 | – | 2 | – | 1 |
| Apoplexy | 67 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | 3 |
| Softening of the Brain | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 37 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 5 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Convulsions | 29 | 9 | 5 | 1 | 7 | 1 | 2 | 1 | – | – | – | – | – | 1 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 9 | – | 1 | 2 | – | – | 1 | – | – | 1 | – | – | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 3 | 4 | 4 | 6 | – | 4 | 4 | 4 | 2 | 1 | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 6 | 12 | 13 | 15 | 3 | 8 | 1 | – | 1 | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 10 | 9 | 12 | 10 | 6 | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 4 | 1 | 5 | 4 | 9 | 5 | 6 | 8 | 3 | 1 | – | – | – | – | – |
| Softening of the Brain | – | 1 | 1 | – | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 1 | 2 | 2 | 4 | 1 | 3 | 2 | 3 | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 2 | – | 2 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER, | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 2 | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 5 | 4 | 8 | 13 | 16 | 7 | 8 | 3 | 1 | 2 | 2 | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 21 | 16 | 8 | 13 | 3 | 2 | 3 | 1 | 1 | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 6 | 7 | 14 | 14 | 14 | 6 | 7 | 1 | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Apoplexy | 3 | 5 | 6 | 8 | 5 | 12 | 7 | 5 | 6 | 5 | – | – | – | – | – |
| Softening of the Brain | – | – | – | 1 | – | 1 | – | 2 | 2 | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | 2 | 2 | 4 | 4 | 5 | 6 | 7 | 1 | 2 | – | 1 | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | – | – | 2 | 2 | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 97 | – | – | – | – | – | – | – | 1 | 2 | 1 | 2 | 3 | 1 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Aneurism | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 7 | – | – | – | 1 | 1 | 1 | – | 1 | 1 | – | – | 1 | – |
| Croup | 14 | – | – | 4 | 3 | 3 | 1 | 1 | 2 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Emphysema, Asthma | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Bronchitis | 212 | 34 | 28 | 28 | 33 | 13 | 2 | 3 | 4 | 1 | – | – | – | 2 |
| Pneumonia | 140 | 7 | 7 | 22 | 22 | 14 | 3 | 3 | 5 | – | 4 | 1 | 1 | 1 |
| Pleurisy | 8 | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – |
| Other Diseases of Respiratory System | 16 | 5 | 2 | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Dentition | 10 | 1 | 2 | 3 | 4 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 12 | 1 | 2 | 1 | – | – | – | 1 | 1 | – | – | 1 | – | – |
| Enteritis | 35 | 9 | 10 | 6 | 1 | 1 | – | – | – | 1 | – | – | – | 1 |
| Ulceration of Intestine | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 5 | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stricture or Strangulation of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 15 | – | – | 1 | – | 1 | – | – | 3 | – | 1 | 1 | 1 | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 10 | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Digestive System | 13 | 4 | 3 | 2 | 3 | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 4 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Bright's Disease | 15 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 2 |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 12 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Other Diseases of Urinary System | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 130 | 1 | – | – | – | – | – | – | – | 4 | 2 | 3 | 7 | 5 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Angina Pectoris | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Syncope | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 5 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – |
| Croup | 11 | 1 | – | – | 5 | 2 | 2 | – | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 2 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Emphysema, Asthma | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Bronchitis | 276 | 22 | 20 | 31 | 26 | 6 | 5 | 4 | 4 | 1 | – | 4 | 2 | 5 |
| Pneumonia | 178 | 6 | 8 | 20 | 28 | 9 | 6 | 8 | 4 | 4 | 2 | 5 | 8 | 7 |
| Pleurisy | 4 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Other Diseases of Respiratory System | 12 | 2 | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 12 | – | – | 10 | 2 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Dyspepsia | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Hæmatemesis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 23 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – | 2 | – | 1 |
| Enteritis | 29 | 3 | 4 | 3 | 8 | – | – | 1 | 1 | – | 1 | – | – | 1 |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ileus, Obstruction of Intestine | 9 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 13 | – | 1 | – | – | 1 | – | 1 | 1 | – | – | 1 | – | 1 |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Liver | 15 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Other Diseases of Digestive System | 20 | 5 | 2 | 5 | 4 | 1 | – | – | – | – | – | – | 1 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 4 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | 1 | – |
| Bright's Disease | 23 | – | – | – | – | – | – | – | 3 | – | 1 | – | 1 | 3 |
| Uræmia | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Suppression of Urine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – |
| Other Diseases of Urinary System | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 6 | 4 | 9 | 10 | 11 | 11 | 12 | 14 | 8 | 1 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | 1 | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Syncope | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Bronchitis | 1 | 3 | 9 | 14 | 2 | 13 | 8 | 5 | 3 | 4 | 2 | – | – | – | – |
| Pneumonia | 2 | 6 | 7 | 11 | 8 | 6 | 4 | 3 | 1 | 1 | – | 1 | – | – | – |
| Pleurisy | – | – | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 1 | 1 | 1 | 2 | – | 1 | – | – | 1 | 1 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 1 | – | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Enteritis | – | 1 | – | – | 3 | – | – | – | 1 | 1 | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | 1 | – | 4 | – | – | – | 1 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | 1 | 1 | – | 3 | 1 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 1 | 1 | 2 | – | 2 | 2 | – | 1 | – | 1 | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | 1 | 3 | – | 2 | 2 | 1 | 1 | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 10 | 8 | 12 | 9 | 18 | 12 | 16 | 17 | 2 | 3 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | 1 | – | – | 1 | 3 | – | 1 | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | 1 | – | – | – | – | 2 | 1 | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 11 | 7 | 17 | 13 | 17 | 15 | 11 | 27 | 15 | 7 | 5 | – | 1 | – | – |
| Pneumonia | 3 | 8 | 10 | 7 | 12 | 10 | 6 | 6 | 4 | 2 | – | – | – | – | |
| Pleurisy | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Respiratory System | – | – | 1 | – | – | 3 | – | 1 | – | 2 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | 3 | 1 | 1 | 2 | 2 | – | 2 | – | – | 2 | – | – | – | – |
| Enteritis | – | – | – | 1 | 1 | 1 | 2 | 1 | – | 1 | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | 1 | – | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | 2 | – | 2 | – | 3 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 1 | – | 2 | 3 | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | – | – | 2 | 4 | 3 | 1 | 2 | – | 1 | 2 | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 9 | – | – | – | – | – | 1 | – | 4 | 2 | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 2 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 2 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines & Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 4 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 5 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 28 | 19 | 7 | 1 | 1 | – | – | – | – | 1 | – | – | 1 | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 3 |
| Otherwise, or Not Stated | 10 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 97 | 79 | 6 | 6 | 5 | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Uterus and Vagina | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Pelvic Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Pesinal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion: Miscarriage | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Placenta Prævia, Flooding | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 5 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 6 | – | – | – | – | – | 1 | – | 2 | 1 | 1 | – | – | – |
| Arthritis, Ostitis, Periostitis | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 5 | – | – | – | – | – | 1 | – | 1 | – | 1 | 1 | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 7 | 1 | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 25 | 15 | 8 | 2 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 4 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Falls | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 5 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 73 | 60 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | | | | | | | | | | |
| Diseases of Uterus and Vagina | – | – | – | – | – | | | | | | | | | | |
| Disorders of Menstruation | – | – | – | – | – | | | | | | | | | | |
| Pelvic Abscess | – | – | – | – | – | | | | | | | | | | |
| Perineal Abscess | – | – | 1 | – | – | | | | | | | | | | |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | | | | | | | | | | |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion; Miscarriage | – | – | – | – | – | | | | | | | | | | |
| Puerperal Mania | – | – | – | – | – | | | | | | | | | | |
| Puerperal Convulsions | – | – | – | – | – | | | | | | | | | | |
| Placenta Prævia, Flooding | – | – | – | – | – | | | | | | | | | | |
| Phlegmasia Dolens | – | – | – | – | – | | | | | | | | | | |
| Other Accidents of Childbirth | – | – | – | – | – | | | | | | | | | | |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | | | | | | | | | | |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | | | | | | | | | | |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | – | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | 4 | – | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | 1 | 2 | 2 | 2 | – | – | – | – | 1 | 1 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | 1 | 1 | 4 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 1234 | 177 | 64 | 86 | 85 | 38 | 24 | 14 | 38 | 28 | 41 | 38 | 48 | 29 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 191 | 17 | 14 | 31 | 32 | 10 | 4 | 7 | 14 | 4 | 3 | 6 | 4 | 4 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 8 | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 177 | 2 | 6 | 5 | 7 | 3 | 5 | 1 | 4 | 9 | 17 | 19 | 20 | 12 |
| V. DEVELOPMENTAL ,, | 93 | 53 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 659 | 69 | 35 | 45 | 44 | 22 | 13 | 4 | 14 | 14 | 16 | 10 | 19 | 13 |
| VII. VIOLENCE | 61 | 2 | 4 | – | 1 | 2 | 2 | 2 | 5 | 1 | 4 | 3 | 5 | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 45 | 29 | 4 | 4 | 1 | – | – | – | 1 | – | 1 | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 145 | 12 | 10 | 25 | 28 | 9 | 4 | 7 | 14 | 3 | 1 | 6 | 3 | 1 |
| 2. DIARRHŒAL ,, | 26 | 3 | 2 | 5 | 4 | 1 | – | – | – | – | – | – | – | 1 |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 5 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 14 | – | 1 | – | – | – | – | – | – | 1 | 2 | – | 1 | 1 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 8 | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 177 | 2 | 6 | 5 | 7 | 3 | 5 | 1 | 4 | 9 | 17 | 19 | 20 | 12 |
| V. DEVELOPMENTAL DISEASES | 93 | 53 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 175 | 28 | 16 | 10 | 12 | 3 | 4 | 1 | 6 | 6 | 2 | 1 | 5 | 3 |
| 2. ,, ORGANS OF SPECIAL SENSE | 3 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| 3. ,, CIRCULATORY SYSTEM | 90 | 2 | 1 | – | – | – | – | – | 2 | 2 | 4 | 1 | 2 | 2 |
| 4. ,, RESPIRATORY SYSTEM | 257 | 21 | 10 | 27 | 28 | 15 | 6 | 1 | 3 | 2 | 5 | 7 | 9 | 4 |
| 5. ,, DIGESTIVE SYSTEM | 77 | 16 | 8 | 8 | 4 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 2 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 40 | – | – | – | – | 1 | 1 | – | – | 1 | – | – | 2 | 1 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 10 | – | – | – | – | 1 | 1 | 1 | 1 | 2 | 3 | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 1369 | 105 | 58 | 99 | 88 | 38 | 22 | 19 | 46 | 29 | 38 | 61 | 58 | 49 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 247 | 18 | 14 | 40 | 27 | 19 | 10 | 8 | 20 | 2 | 6 | 15 | 12 | 8 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 229 | 1 | 2 | 8 | 9 | 1 | 1 | 1 | 4 | 17 | 22 | 23 | 26 | 24 |
| V. DEVELOPMENTAL ,, | 134 | 36 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 714 | 34 | 36 | 50 | 48 | 18 | 10 | 10 | 21 | 10 | 10 | 23 | 20 | 16 |
| VII. VIOLENCE | 17 | 3 | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 24 | 10 | 3 | 1 | 3 | – | 1 | – | – | – | – | – | – | 1 |
| I. | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases | 162 | 9 | 5 | 31 | 27 | 17 | 10 | 8 | 19 | 1 | 5 | 8 | 4 | 2 |
| 2. Diarrhœal ,, | 32 | 7 | 6 | 5 | – | 2 | – | – | – | – | – | – | – | – |
| 3. Malarial ,, | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 4. Zoogenous ,, | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 5. Venereal ,, | 7 | 1 | 3 | 3 | – | – | – | – | – | – | – | – | – | – |
| 6. Septic ,, | 44 | 1 | – | – | – | – | – | – | – | 1 | 1 | 7 | 8 | 6 |
| II. Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Dietetic Diseases | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. Constitutional Diseases | 229 | 1 | 2 | 8 | 9 | 1 | 1 | 1 | 4 | 17 | 22 | 23 | 26 | 24 |
| V. Developmental Diseases | 134 | 36 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. Diseases of Nervous System | 164 | 18 | 13 | 10 | 9 | 5 | 1 | – | 2 | 1 | 2 | 4 | 2 | 2 |
| 2. ,, Organs of Special Sense | 2 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 3. ,, Circulatory System | 100 | 1 | – | – | – | – | – | – | 2 | 2 | 2 | 5 | 1 | 4 |
| 4. ,, Respiratory System | 285 | 8 | 18 | 31 | 30 | 10 | 8 | 10 | 10 | 2 | 2 | 3 | 5 | 4 |
| 5. ,, Digestive System | 101 | 6 | 5 | 9 | 8 | 1 | 1 | – | 2 | 3 | – | 6 | 3 | 4 |
| 6. ,, Lymphatic System and Ductless Glands | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, Urinary System | 22 | – | – | – | – | 1 | – | – | 2 | 1 | – | 1 | 2 | 1 |
| 8. ,, Reproductive System :— | | | | | | | | | | | | | | |
| (*a*) Diseases of Organs of Generation | 13 | – | – | – | – | – | – | – | – | – | 1 | 3 | 2 | – |
| (*b*) Diseases of Parturition | 11 | – | – | – | – | – | – | – | – | – | 2 | 1 | 5 | – |
| 9. ,, Organs of Locomotion | 10 | – | – | – | 1 | – | – | – | 3 | – | 1 | – | – | 1 |
| 10. ,, Integumentary System | 6 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 35 | 39 | 49 | 40 | 60 | 65 | 66 | 74 | 57 | 23 | 11 | 5 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 3 | 3 | 6 | 4 | 7 | 5 | 3 | 9 | – | 1 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 12 | 10 | 8 | 8 | 10 | 8 | 5 | 3 | 2 | – | 1 | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | – | 3 | 4 | 15 | 8 | 4 | 4 | – | – | – |
| VI. LOCAL ,, | 14 | 23 | 26 | 27 | 38 | 46 | 54 | 57 | 36 | 14 | 5 | 1 | – | – | – |
| VII. VIOLENCE | 5 | 3 | 8 | 1 | 4 | 4 | 1 | 1 | 3 | – | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | 1 | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 2 | 2 | 6 | 1 | 3 | 3 | – | 5 | – | – | – | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | – | 1 | 3 | 1 | 2 | 2 | – | 1 | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 1 | 1 | – | 2 | – | 1 | 1 | 2 | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 12 | 10 | 8 | 8 | 10 | 8 | 5 | 3 | 2 | – | 1 | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | – | 3 | 4 | 15 | 8 | 4 | 4 | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 4 | 3 | 8 | 5 | 6 | 9 | 10 | 14 | 15 | 3 | 1 | 1 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 3 | 6 | 9 | 6 | 6 | 11 | 12 | 11 | 6 | 4 | – | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 5 | 8 | 6 | 7 | 14 | 18 | 24 | 21 | 10 | 4 | 2 | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | – | 2 | 1 | 8 | 7 | 1 | 3 | 4 | 1 | 1 | 1 | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 2 | 4 | 2 | 1 | 3 | 6 | 4 | 6 | 3 | 2 | 1 | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 53 | 40 | 38 | 49 | 45 | 63 | 81 | 95 | 77 | 69 | 37 | 11 | 1 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 8 | 4 | 3 | 2 | 3 | 4 | 5 | 6 | 5 | 7 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 19 | 11 | 14 | 13 | 9 | 3 | 10 | 7 | 1 | 1 | – | 2 | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 4 | 6 | 14 | 18 | 23 | 24 | 7 | 1 | – | – |
| VI. LOCAL ,, | 23 | 22 | 20 | 33 | 30 | 51 | 59 | 67 | 51 | 38 | 12 | 2 | – | – | – |
| VII. VIOLENCE | 1 | 3 | 1 | 1 | – | 1 | – | 1 | 2 | – | 1 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases | 3 | – | 2 | 2 | – | 2 | 1 | 1 | 2 | 3 | – | – | – | – | – |
| 2. Diarrhœal ,, | 1 | 2 | – | – | 1 | – | 2 | 3 | 1 | 2 | – | – | – | – | – |
| 3. Malarial ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. Zoogenous ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. Venereal ,, | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| 6. Septic ,, | 5 | 2 | 1 | – | 2 | 2 | 2 | 2 | 2 | 2 | – | – | – | – | – |
| II. Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Dietetic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. Constitutional Diseases | 19 | 11 | 14 | 13 | 9 | 3 | 10 | 7 | 1 | 1 | – | 2 | – | – | – |
| V. Developmental Diseases | – | – | – | – | – | 4 | 6 | 14 | 18 | 23 | 24 | 7 | 1 | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. Diseases of Nervous System | 5 | 3 | 2 | 6 | 8 | 9 | 14 | 19 | 12 | 13 | 3 | 1 | – | – | – |
| 2. ,, Organs of Special Sense | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, Circulatory System | 5 | 2 | 5 | 9 | 5 | 11 | 14 | 15 | 8 | 7 | 2 | – | – | – | – |
| 4. ,, Respiratory System | 4 | 7 | 8 | 9 | 10 | 18 | 25 | 24 | 19 | 13 | 7 | – | – | – | – |
| 5. ,, Digestive System | 5 | 6 | 3 | 7 | 5 | 6 | 5 | 4 | 8 | 3 | – | 1 | – | – | – |
| 6. ,, Lymphatic System and Ductless Glands | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, Urinary System | 2 | 1 | 2 | – | – | 3 | 1 | 1 | 3 | 2 | – | – | – | – | – |
| 8. ,, Reproductive System :— | | | | | | | | | | | | | | | |
| (*a*) Diseases of Organs of Generation | 1 | 1 | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| (*b*) Diseases of Parturition | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, Organs of Locomotion | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| 10. ,, Integumentary System | – | – | – | – | – | 1 | – | 3 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | ALL AGES. | AGE UNDER | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 55 | 2 | 4 | – | 1 | 2 | 2 | 2 | 5 | 1 | 3 | 2 | 5 | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 6 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 45 | 29 | 4 | 4 | 1 | – | – | – | 1 | – | 1 | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 25 | 1 | 1 | 8 | 9 | 1 | 1 | 2 | 1 | – | – | 1 | – | – |
| Epidemic Roseo Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 7 | – | – | – | – | – | 2 | 2 | 2 | 1 | – | – | – | – |
| Typhus | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 24 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 69 | 11 | 9 | 16 | 19 | 7 | – | 2 | 5 | – | 1 | 3 | 1 | 1 |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 5 | – | – | 1 | – | – | 1 | – | 2 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 13 | – | – | – | – | 1 | – | 1 | 3 | 2 | – | 2 | 2 | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 26 | 3 | 2 | 5 | 4 | 1 | – | – | – | – | – | – | – | 1 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 5 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 4 | – | 1 | – | – | – | – | – | – | 1 | 2 | – | 1 | 1 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 17 | 3 | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 24 | 10 | 3 | 1 | 3 | – | 1 | – | – | – | – | – | – | 1 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 29 | – | – | 9 | 6 | 7 | 3 | 1 | 2 | – | – | 1 | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 11 | – | – | – | 1 | – | 2 | 3 | 3 | – | – | 1 | 1 | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 25 | 1 | – | – | – | – | – | – | 2 | – | – | 4 | 1 | 2 |
| Hooping-cough | 76 | 8 | 5 | 22 | 19 | 8 | 4 | 2 | 8 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 7 | – | – | – | 1 | 1 | 1 | 2 | 2 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 13 | – | – | – | – | 1 | – | – | 2 | 1 | 5 | 2 | 2 | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 31 | 7 | 6 | 4 | – | 2 | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 7 | 1 | 3 | 3 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 14 | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Pyæmia, Septicæmia | 6 | – | – | – | – | – | – | – | – | – | – | 7 | 8 | 5 |
| Puerperal Fever | 24 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 4 | 3 | 6 | 1 | 4 | 3 | 1 | 1 | 3 | – | – | – | – | – | – |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 1 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | – | – | 1 | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | 1 | 5 | 1 | 2 | 3 | – | 5 | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | 1 | 3 | 1 | 2 | 2 | – | 1 | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | 1 | – | 2 | – | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 1 | 3 | 1 | 1 | – | 1 | – | 1 | 2 | – | 1 | – | – | – | – |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 1 | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | – | 2 | 2 | – | 2 | 1 | 1 | 2 | 3 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 1 | 2 | – | – | 1 | – | 2 | 3 | 1 | 2 | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | – | – | 1 | 2 | 2 | 1 | 2 | 2 | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Puerperal Fever | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER. | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 6 | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 31 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Tabes Mesenterica | 9 | – | 3 | – | – | – | 3 | – | – | 1 | – | – | 1 | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 17 | 1 | 2 | 4 | 3 | – | 1 | – | – | 2 | 3 | – | 1 | – |
| Phthisis | 103 | – | 1 | 1 | 2 | 1 | 1 | 1 | 3 | 3 | 14 | 18 | 15 | 11 |
| Other forms of Tuberculosis, Scrofula | 13 | 1 | – | – | 2 | 2 | – | – | 1 | 3 | – | – | 1 | 1 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 39 | 38 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 38 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 38 | 3 | 3 | 5 | 5 | 3 | 3 | 1 | 6 | 5 | 1 | 1 | – | – |
| Apoplexy | 33 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of the Brain | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Insanity, General Paralysis of Insane | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 50 | 25 | 13 | 5 | 5 | – | 1 | – | – | 1 | – | – | 2 | 1 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 10 | – | – | – | 2 | – | – | – | – | – | – | – | 1 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 3 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 6 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 3 |
| Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Rickets | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Cancer | 41 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Tabes Mesenterica | 10 | – | 2 | 3 | 2 | 1 | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 9 | – | – | 2 | 5 | – | – | – | 1 | – | 1 | – | – | – |
| Phthisis | 139 | – | – | – | 1 | – | – | 1 | 2 | 13 | 20 | 22 | 23 | 19 |
| Other forms of Tuberculosis, Scrofula | 8 | 1 | – | 3 | 1 | – | – | – | – | 1 | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Diabetes Mellitus | 4 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 32 | 32 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 37 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 24 | 2 | 3 | 3 | 4 | 1 | 1 | – | 2 | 1 | 1 | 4 | – | – |
| Apoplexy | 53 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of the Brain | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 25 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Insanity, General Paralysis of Insane | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 37 | 15 | 9 | 5 | 5 | 3 | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Other Diseases of Nervous System | 6 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 2 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 2 | 2 | 5 | 9 | 4 | 3 | 1 | 2 | – | 1 | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 11 | 6 | 4 | 2 | 1 | 1 | 2 | 2 | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | 3 | 4 | 15 | 8 | 4 | 4 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | 1 | – | 1 | 5 | 5 | 10 | 6 | 3 | 1 | – | – | – | – |
| Softening of the Brain | – | – | 1 | 1 | – | – | – | 1 | 2 | – | – | 1 | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 1 | 1 | 2 | – | 2 | 2 | 7 | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | 1 | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | 2 | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 1 | 7 | 9 | 6 | 2 | 9 | 5 | 1 | 1 | – | 2 | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 17 | 8 | 5 | 4 | 3 | – | – | 1 | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | 4 | 6 | 14 | 18 | 23 | 24 | 7 | 1 | – | – |
| Old Age | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | 2 | – | 1 | 2 | 5 | 1 | 8 | 12 | 7 | 11 | 3 | 1 | – | – | – |
| Softening of the Brain | – | – | – | 1 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 1 | 1 | – | 2 | 1 | 3 | 4 | 7 | 4 | 2 | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 72 | – | – | – | – | – | – | – | 2 | 2 | 4 | 1 | 2 | 2 |
| Pericarditis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 8 | – | 2 | – | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| Croup | 13 | – | – | 3 | 5 | 3 | 2 | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 115 | 14 | 6 | 15 | 12 | 5 | 1 | – | – | – | 1 | 2 | – | – |
| Pneumonia | 39 | 5 | 1 | 8 | 7 | 4 | 1 | – | 2 | 2 | 1 | 4 | 8 | 4 |
| Pleurisy | 7 | – | – | – | 1 | 1 | – | – | – | – | 2 | 1 | 1 | – |
| Other Diseases of Respiratory System | 21 | 2 | 1 | 1 | 2 | – | 1 | – | – | – | 1 | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 4 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 14 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | 1 |
| Enteritis | 16 | 6 | 3 | 1 | 2 | 1 | – | – | – | – | – | – | 1 | – |
| Ulceration of Intestine | 2 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Ileus, Obstruction of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 16 | 1 | – | 2 | – | 1 | – | 1 | 2 | 1 | 1 | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 11 | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 10 | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – |
| Bright's Disease | 9 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Uræmia | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Bladder and of Prostate | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 84 | – | – | – | – | – | – | – | 1 | 2 | 1 | 3 | 1 | 4 |
| Pericarditis | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Hypertrophy of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 15 | – | 2 | 2 | 2 | 3 | 1 | 2 | 1 | – | – | – | – | – |
| Croup | 18 | 1 | 1 | 1 | 4 | 2 | 2 | 3 | 3 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 141 | 5 | 10 | 18 | 15 | – | 2 | 2 | 1 | 1 | – | – | 1 | 2 |
| Pneumonia | 83 | 1 | 1 | 9 | 9 | 4 | 3 | 3 | 4 | 1 | 1 | 1 | 4 | 2 |
| Pleurisy | 4 | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Other Diseases of Respiratory System | 23 | 1 | 4 | 1 | – | – | – | – | 1 | – | – | 2 | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 8 | – | – | 2 | 6 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 5 | – | 1 | – | – | – | – | – | – | – | – | 2 | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 18 | 1 | – | 1 | 1 | 1 | – | – | 1 | – | – | 1 | – | 3 |
| Enteritis | 9 | 1 | 2 | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ileus, Obstruction of Intestine | 7 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | 2 | – | 2 | 3 | – |
| Peritonitis | 24 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Ascites | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Cirrhosis of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Liver | 11 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 8 | – | – | – | – | 1 | – | – | 2 | 1 | – | 1 | – | – |
| Bright's Disease | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Uræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2 | 4 | 8 | 5 | 5 | 10 | 9 | 10 | 4 | 2 | | | | | |
| Pericarditis | 1 | 1 | – | – | – | 1 | – | – | – | – | | | | | |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | 1 | | | | | |
| Angina Pectoris | – | 1 | – | – | – | – | – | 1 | – | – | | | | | |
| Syncope | – | – | – | – | – | – | – | – | – | – | | | | | |
| Aneurism | – | – | 1 | 1 | 1 | – | 2 | – | – | – | | | | | |
| Senile Gangrene | – | – | – | – | – | – | 1 | – | 2 | – | | | | | |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | | | | | |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | | | | | |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | | | | | |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | 1 | | | | | |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | 2 | 2 | 2 | 6 | 7 | 13 | 15 | 9 | 2 | 2 | – | – | – | – |
| Pneumonia | 2 | 4 | 3 | 5 | 6 | 9 | 7 | 5 | 1 | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 1 | 2 | – | – | 1 | 2 | 4 | 1 | – | 2 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | 3 | 1 | – | – | 3 | 1 | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | 2 | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | 2 | 1 | – | 1 | – | – | – | 1 | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 1 | 1 | – | – | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| Uræmia | 1 | 2 | – | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Suppression of Urine | – | – | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Urinary System | – | 1 | 1 | – | – | 1 | 1 | 5 | 2 | 1 | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 3 | 2 | 5 | 9 | 4 | 10 | 12 | 13 | 6 | 6 | 2 | – | – | – | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 3 | 3 | 3 | 2 | 2 | 15 | 16 | 14 | 12 | 8 | 6 | – | – | – | – |
| Pneumonia | 1 | 3 | 4 | 5 | 7 | 2 | 7 | 5 | 4 | 1 | 1 | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 2 | 2 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | 2 | – | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Enteritis | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | 1 | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 4 | 3 | – | 2 | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – |
| Ascites | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 1 | – | – | – | – | 1 | – | 1 | 1 | 2 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Bright's Disease | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | 2 | – | – | 2 | – | 1 | 2 | 1 | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 7 | – | – | – | – | 1 | 1 | 1 | – | – | 3 | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 3 | – | – | – | – | – | – | – | 1 | 2 | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles other than R'wys. | 2 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Horses | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Burns & Scalds | 7 | – | 1 | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – |
| Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 13 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Suffocation: In Bed | 4 | 1 | 3 | – | – | – | – | – | 2 | – | 1 | – | 4 | – |
| Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 5 | – | – | – | – | – | – | 1 | 1 | – | 2 | – | 1 | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 14 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 6 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 28 | 23 | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Sudden (Cause unascertained) | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 7 | 2 | 2 | – | – | – | – | – | 1 | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 7 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Diseases of Uterus and Vagina | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 4 | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Placenta Prævia, Flooding | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 8 | – | – | – | – | – | – | – | – | – | 1 | 1 | 3 | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 5 | – | – | – | 1 | – | – | – | 2 | – | 1 | – | – | – |
| Arthritis, Ostitis, Periostitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Organs of Locomotion | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 5 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 12 | 8 | 2 | – | 2 | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Hæmorrhage | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 8 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Previa, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | 4 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | 3 | 1 | – | 1 | 2 | – | 1 | 3 | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | 1 | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | 1 | 1 | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 726 | 90 | 43 | 75 | 78 | 28 | 18 | 23 | 30 | 14 | 24 | 19 | 17 | 17 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 137 | 9 | 13 | 18 | 31 | 15 | 9 | 11 | 11 | 3 | 2 | 2 | 3 | 2 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 9 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 141 | – | 5 | 8 | 20 | 3 | 4 | 2 | 9 | 6 | 15 | 9 | 5 | 5 |
| V. DEVELOPMENTAL „ | 38 | 26 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL „ | 353 | 35 | 24 | 49 | 26 | 10 | 5 | 10 | 7 | 5 | 4 | 6 | 4 | 9 |
| VII. VIOLENCE | 31 | 6 | – | – | – | – | – | – | 2 | – | 3 | 2 | 5 | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 17 | 13 | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 107 | 3 | 8 | 11 | 27 | 15 | 7 | 11 | 11 | 3 | 2 | 2 | 2 | 1 |
| 2. DIARRHŒAL „ | 21 | 5 | 2 | 7 | 4 | – | 2 | – | – | – | – | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 6 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 9 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 141 | – | 5 | 8 | 20 | 3 | 4 | 2 | 9 | 6 | 15 | 9 | 5 | 5 |
| V. DEVELOPMENTAL DISEASES | 38 | 26 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 59 | 10 | 6 | 5 | 3 | – | – | 2 | 1 | – | 1 | – | – | 1 |
| 2. „ ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 52 | – | – | – | 2 | – | – | – | – | 2 | 2 | 3 | – | 2 |
| 4. „ RESPIRATORY SYSTEM | 166 | 14 | 14 | 28 | 19 | 8 | 4 | 7 | 1 | 2 | 1 | 2 | 3 | 4 |
| 5. „ DIGESTIVE SYSTEM | 52 | 11 | 4 | 15 | 1 | 2 | – | – | 2 | – | – | 1 | – | 2 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 18 | – | – | 1 | 1 | – | 1 | 1 | 1 | – | – | – | 1 | – |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 4 | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 791 | 75 | 37 | 61 | 86 | 35 | 22 | 11 | 46 | 21 | 20 | 28 | 22 | 18 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 153 | 7 | 5 | 17 | 33 | 19 | 10 | 8 | 20 | 4 | 3 | 6 | 3 | 2 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 172 | 1 | 8 | 11 | 17 | 5 | 4 | – | 10 | 10 | 7 | 13 | 8 | 9 |
| V. DEVELOPMENTAL ,, | 53 | 25 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 375 | 29 | 16 | 31 | 35 | 10 | 8 | 3 | 15 | 7 | 9 | 9 | 11 | 6 |
| VII. VIOLENCE | 11 | 2 | 1 | – | – | – | – | – | 1 | – | 1 | – | – | 1 |
| III. ILL-DEFINED AND NOT SPECIFIED CAUSES | 24 | 11 | 7 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 128 | 1 | 4 | 14 | 32 | 19 | 10 | 8 | 20 | 4 | 3 | 3 | 2 | 1 |
| 2. DIARRHŒAL ,, | 14 | 6 | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 10 | – | – | – | – | – | – | – | – | – | – | 3 | 1 | 1 |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 172 | 1 | 8 | 11 | 17 | 5 | 4 | – | 10 | 10 | 7 | 13 | 8 | 9 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 53 | 25 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 76 | 6 | 1 | 3 | 4 | 1 | 3 | – | 1 | – | 3 | – | 1 | 2 |
| ,, ORGANS OF SPECIAL SENSE | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| ,, CIRCULATORY SYSTEM | 65 | 1 | – | – | – | – | – | – | 2 | 3 | 2 | – | 1 | 1 |
| ,, RESPIRATORY SYSTEM | 145 | 13 | 10 | 15 | 24 | 8 | 3 | 3 | 7 | 1 | 2 | 4 | 2 | 3 |
| ,, DIGESTIVE SYSTEM | 63 | 7 | 5 | 13 | 7 | – | – | – | 3 | 3 | – | 4 | 3 | – |
| ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, URINARY SYSTEM | 15 | – | – | – | – | 1 | 1 | – | 1 | – | 2 | – | 1 | – |
| ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | – |
| ,, ORGANS OF LOCOMOTION | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| ,, INTEGUMENTARY SYSTEM | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 25 | 23 | 37 | 27 | 24 | 28 | 25 | 30 | 18 | 8 | 5 | – | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 3 | 1 | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 1 | 2 | – | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 9 | 5 | 10 | 9 | 4 | 4 | 8 | – | 1 | – | – | – | – | – | – |
| V. DEVELOPMENTAL „ | – | – | – | – | – | – | 1 | 6 | 3 | 2 | – | – | – | – | – |
| VI. LOCAL „ | 12 | 14 | 19 | 14 | 15 | 23 | 16 | 22 | 14 | 5 | 5 | – | – | – | – |
| VII. VIOLENCE | – | 1 | 5 | 1 | 4 | 1 | – | – | – | – | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| 2. DIARRHŒAL „ | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **II.** | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 1 | 2 | – | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| **IV.** | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 9 | 5 | 10 | 9 | 4 | 4 | 8 | – | 1 | – | – | – | – | – | – |
| **V.** | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | – | – | – | – | – | – | 1 | 6 | 3 | 2 | – | – | – | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 1 | – | 2 | 1 | – | 6 | 8 | 6 | 4 | 1 | 1 | – | – | – | – |
| 2. „ ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 3 | 2 | 4 | 6 | 5 | 5 | 4 | 6 | 1 | 4 | 1 | – | – | – | – |
| 4. „ RESPIRATORY SYSTEM | 5 | 8 | 11 | 7 | 7 | 6 | 3 | 5 | 4 | – | 3 | – | – | – | – |
| 5. „ DIGESTIVE SYSTEM | 1 | 2 | 2 | – | 1 | 3 | – | 2 | 3 | – | – | – | – | – | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 2 | 2 | – | – | 2 | 2 | – | 2 | 2 | – | – | – | – | – | – |
| 8. „ REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10 „ INTEGUMENTARY SYSTEM | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 25 | 26 | 31 | 35 | 35 | 36 | 32 | 28 | 28 | 22 | 8 | 3 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 2 | 6 | 1 | 2 | – | – | – | 2 | 2 | 1 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 13 | 9 | 11 | 11 | 6 | 8 | 5 | 2 | 1 | 3 | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | – | 2 | 5 | 10 | 7 | 2 | 2 | – | – | – |
| VI. LOCAL ,, | 9 | 11 | 19 | 21 | 26 | 27 | 23 | 19 | 14 | 10 | 6 | 1 | – | – | – |
| VII. VIOLENCE | 1 | – | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 1 | 3 | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – |
| 2. DIARRHŒAL ,, | 1 | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | – | 3 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 13 | 9 | 11 | 11 | 6 | 8 | 5 | 2 | 1 | 3 | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | – | 2 | 5 | 10 | 7 | 2 | 2 | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 4 | 3 | 4 | 4 | 8 | 4 | 5 | 8 | 6 | 2 | 3 | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 2 | 2 | 6 | 5 | 9 | 8 | 12 | 4 | 4 | 3 | – | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 2 | 3 | 5 | 7 | 6 | 8 | 2 | 6 | 3 | 4 | 3 | 1 | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 1 | 1 | 2 | 4 | – | 4 | 4 | 1 | 1 | – | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | – | 1 | 1 | 1 | 3 | 2 | – | – | – | 1 | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 3 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 28 | 6 | – | – | – | – | – | – | 2 | – | 3 | 2 | 5 | |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| 3. SUICIDE | 3 | – | – | – | – | – | – | – | – | – | – | – | – | |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 17 | 13 | – | – | 1 | – | – | – | 1 | – | – | – | – | |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Measles | 27 | – | 1 | 5 | 12 | 5 | – | 2 | 1 | 1 | – | – | – | |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Scarlet Fever | 26 | – | – | – | 7 | 4 | 3 | 3 | 9 | – | – | – | – | |
| Typhus | 3 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Influenza | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Hooping-cough | 24 | 3 | 7 | 6 | 5 | 1 | – | 1 | 1 | – | – | – | – | |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diphtheria | 19 | – | – | – | 3 | 5 | 4 | 5 | – | – | – | 1 | – | |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Enteric Fever | 7 | – | – | – | – | – | – | – | – | 2 | – | 1 | 1 | |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 3 | – | – | 2 | – | – | – | – | – | – | – | – | – | |
| Diarrhœa, Dysentery | 18 | 5 | 2 | 5 | 4 | – | 2 | – | – | – | – | – | – | |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Erysipelas | 5 | – | 1 | – | – | – | – | – | – | – | – | – | – | |
| Pyæmia, Septicæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 11 | 2 | 1 | – | – | – | – | – | 1 | – | 1 | – | – | 1 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 24 | 11 | 7 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 23 | – | – | 3 | 13 | 4 | 3 | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 33 | – | – | 2 | 2 | 4 | 5 | 5 | 9 | 4 | 1 | – | – | 1 |
| Typhus | 7 | – | 1 | – | – | – | – | – | 1 | – | 1 | 1 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hooping-cough | 34 | 1 | 3 | 7 | 13 | 6 | 1 | 1 | 2 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 20 | – | – | 2 | 4 | 5 | 1 | 1 | 6 | – | – | 1 | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 8 | – | – | – | – | – | – | 1 | 1 | – | 1 | 1 | 2 | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 13 | 6 | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Pyæmia, Septicæmia | 3 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Puerperal Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGES UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | 1 | 5 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 1 | – | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 17 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 9 | – | 2 | 1 | 5 | – | 1 | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 27 | – | 2 | 5 | 11 | 2 | 2 | 1 | 2 | 1 | 1 | – | – | – |
| Phthisis | 68 | – | – | – | 2 | – | – | – | – | 5 | 14 | 8 | 5 | 5 |
| Other forms of Tuberculosis, Scrofula | 14 | – | 1 | 2 | 2 | 1 | 1 | 1 | 6 | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 23 | 23 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Hare-lip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 7 | 2 | 2 | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| Apoplexy | 17 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Softening of the Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Convulsions | 15 | 8 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 4 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Cancer | 37 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Tabes Mesenterica | 11 | – | 4 | 3 | 2 | 2 | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 29 | 1 | 2 | 4 | 8 | 2 | 2 | – | 7 | 3 | – | – | – | – |
| Phthisis | 77 | – | – | 4 | 3 | – | – | – | 2 | 7 | 6 | 12 | 7 | 8 |
| Other forms of Tuberculosis, Scrofula | 8 | – | 2 | – | 3 | 1 | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 4 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 24 | 24 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 28 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 6 | – | – | 1 | – | – | 1 | – | 1 | – | 1 | – | 1 | – |
| Apoplexy | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of the Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Convulsions | 16 | 5 | 1 | 1 | 4 | 1 | 1 | – | – | – | – | – | – | 2 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 4 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epistaxis and Disease of Nose | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 1 | 1 | – | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism o Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 1 | 3 | 2 | 3 | 2 | 5 | – | 1 | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 9 | 2 | 6 | 6 | 1 | 2 | 3 | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofu | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | 1 | 6 | 3 | 2 | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | 1 | 1 | – | 4 | 5 | 2 | 1 | 1 | 1 | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 1 | – | 1 | – | – | 2 | 2 | 4 | 3 | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 3 | 3 | 8 | 5 | 5 | 3 | 4 | 2 | 1 | 2 | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 8 | 4 | 3 | 5 | 1 | 5 | 1 | – | – | 1 | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | 2 | 5 | 10 | 7 | 2 | 2 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 3 | 2 | 2 | 5 | 1 | 1 | – | 5 | 2 | 1 | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 1 | 2 | 1 | 3 | 3 | 6 | – | – | 2 | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 39 | – | – | – | 1 | – | – | – | – | 2 | 2 | 3 | – | 1 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Syncope | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Croup | 5 | – | – | – | 1 | 1 | 1 | 2 | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 61 | 10 | 8 | 8 | 6 | 3 | – | 1 | 1 | – | – | – | – | 1 |
| Pneumonia | 91 | 4 | 6 | 19 | 11 | 4 | 3 | 4 | – | 2 | 1 | 2 | 3 | 2 |
| Pleurisy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Respiratory System | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 5 | – | – | 4 | 1 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 2 | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 6 | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 19 | 4 | 3 | 9 | – | 1 | – | – | – | – | – | – | 1 | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Hernia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 5 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Bright's Disease | 11 | – | – | 1 | – | – | 1 | – | – | – | – | – | 1 | – |
| Uræmia | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 59 | – | – | – | – | – | – | – | 2 | 3 | 2 | – | 1 | 1 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Croup | 5 | – | – | – | 2 | 2 | – | – | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 74 | 6 | 8 | 8 | 11 | 2 | 1 | 1 | – | 1 | 1 | 1 | – | 1 |
| Pneumonia | 47 | 3 | 2 | 7 | 9 | 4 | – | 1 | 3 | – | – | 2 | 2 | 1 |
| Pleurisy | 6 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – |
| Other Diseases of Respiratory System | 10 | 4 | – | – | 1 | – | – | – | 2 | – | – | – | – | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 5 | – | – | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Dyspepsia | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 5 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Enteritis | 23 | 4 | 5 | 8 | 4 | – | – | – | – | – | – | 1 | – | – |
| Ulceration of Intestine | 2 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Ileus, Obstruction of Intestines | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Stricture or Strangulation of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Ascites | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 5 | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Other Diseases of Digestive System | 5 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 3 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Bright's Disease | 9 | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – |
| Uræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2 | 1 | 2 | 6 | 5 | 3 | 4 | 4 | – | 2 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 1 | – | 1 | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Aneurism | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 2 | 2 | 3 | 3 | 4 | 3 | 3 | 3 | – | – | – | – | – | – |
| Pneumonia | 4 | 4 | 9 | 3 | 4 | 1 | – | 2 | 1 | – | 2 | – | – | – | – |
| Pleurisy | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | 1 | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 2 | 2 | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2 | 2 | 6 | 5 | 8 | 8 | 9 | 4 | 4 | 2 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | 1 | 2 | 4 | 5 | 7 | 1 | 5 | 3 | 2 | 2 | – | – | – | – |
| Pneumonia | 1 | 2 | 2 | 2 | – | 1 | – | 1 | – | 1 | 1 | 1 | – | – | – |
| Pleurisy | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 1 | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Enteritis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | – | 1 | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 3 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 14 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 2 | 1 |
| Suffocation: In Bed | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 3 | 1 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 4 | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 16 | 13 | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Placenta Prævia, Flooding | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 4 | – | – | – | – | – | – | – | – | – | – | – | 3 | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 24 | 11 | 7 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | 4 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 1 | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 753 | 84 | 34 | 51 | 85 | 32 | 11 | 18 | 34 | 14 | 25 | 38 | 16 | 29 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 120 | 7 | 6 | 22 | 34 | 12 | 6 | 6 | 6 | – | 3 | 3 | 1 | 2 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 11 | 2 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| IV. CONSTITUTIONAL „ | 123 | – | 5 | 1 | 4 | 3 | – | 5 | 11 | 4 | 12 | 19 | 7 | 11 |
| V. DEVELOPMENTAL „ | 32 | 20 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL „ | 378 | 30 | 16 | 25 | 42 | 16 | 4 | 5 | 14 | 9 | 6 | 7 | 5 | 12 |
| VII. VIOLENCE | 53 | – | 5 | – | 2 | 1 | 1 | 2 | 3 | 1 | 3 | 3 | 3 | 3 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 36 | 25 | 2 | 3 | 3 | – | – | – | – | – | 1 | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 97 | 2 | 3 | 20 | 32 | 12 | 6 | 5 | 6 | – | 2 | 2 | 1 | 2 |
| 2. DIATHETICAL „ | 16 | 2 | 3 | 2 | 2 | – | – | 1 | – | – | 1 | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 11 | 2 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 123 | – | 5 | 1 | 4 | 3 | – | 5 | 11 | 4 | 12 | 19 | 7 | 11 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 32 | 20 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 81 | 6 | 2 | 11 | 5 | 6 | 1 | – | 4 | 3 | – | – | 1 | 4 |
| 2. „ ORGANS OF SPECIAL SENSE | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 54 | – | – | – | – | – | – | – | 1 | 2 | 1 | – | 2 | |
| 4. „ RESPIRATORY SYSTEM | 173 | 16 | 7 | 11 | 34 | 9 | 3 | 4 | 5 | 1 | 2 | 4 | 3 | 3 |
| 5. „ DIGESTIVE SYSTEM | 40 | 8 | 7 | 3 | 3 | 1 | – | – | 1 | 1 | 1 | 2 | 1 | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 21 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 3 |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 5 | – | – | – | – | – | – | – | 2 | 2 | 1 | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 666 | 66 | 24 | 44 | 78 | 28 | 22 | 7 | 31 | 18 | 26 | 30 | 27 | 30 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 97 | 7 | 3 | 13 | 31 | 9 | 7 | 5 | 6 | 1 | 1 | 1 | – | 4 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 154 | – | 4 | 6 | 2 | 1 | 3 | – | 10 | 10 | 19 | 21 | 23 | 19 |
| V. DEVELOPMENTAL ,, | 47 | 23 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 331 | 20 | 15 | 23 | 34 | 17 | 11 | 2 | 14 | 7 | 5 | 8 | 3 | 7 |
| VII. VIOLENCE | 9 | 2 | – | – | 3 | – | – | – | – | – | 1 | – | 1 | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 27 | 14 | 2 | 2 | 3 | 1 | 1 | – | 1 | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 77 | 1 | 2 | 12 | 29 | 9 | 7 | 5 | 5 | 1 | 1 | 1 | – | 2 |
| 2. DIARRHŒAL ,, | 10 | 2 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 4 | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 6 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | 2 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 154 | – | 4 | 6 | 2 | 1 | 3 | – | 10 | 10 | 19 | 21 | 23 | 19 |
| V. DEVELOPMENTAL DISEASES | 47 | 23 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 90 | 5 | 6 | 6 | 10 | 4 | 2 | 1 | 5 | 3 | 2 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 41 | – | – | 2 | – | – | – | – | – | 1 | 1 | 1 | – | 2 |
| 4. ,, RESPIRATORY SYSTEM | 124 | 6 | 3 | 11 | 22 | 10 | 7 | 1 | 5 | 2 | – | 2 | – | 2 |
| 5. ,, DIGESTIVE SYSTEM | 49 | 7 | 6 | 4 | 2 | 2 | 2 | – | 2 | 1 | – | – | 2 | 1 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 14 | – | – | – | – | – | – | – | 1 | – | 1 | 4 | – | 2 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| 9. ,, ORGANS OF LOCOMOTION | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 4 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 35 | 28 | 33 | 37 | 33 | 35 | 30 | 17 | 21 | 7 | 6 | – | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 3 | 1 | 1 | 2 | – | 2 | 3 | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 4 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 7 | 7 | 7 | 5 | 4 | 5 | 4 | 1 | 1 | – | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 1 | – | 3 | 3 | 2 | 3 | – | – | – | – |
| VI. LOCAL ,, | 17 | 15 | 20 | 28 | 26 | 23 | 21 | 12 | 17 | 5 | 3 | – | – | – | – |
| VII. VIOLENCE | 4 | 4 | 4 | 1 | 2 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 2. DIARRHŒAL ,, | 1 | 1 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 4 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 7 | 7 | 7 | 5 | 4 | 5 | 4 | 1 | 1 | – | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 1 | – | 3 | 3 | 2 | 3 | – | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 5 | 3 | 4 | 4 | 6 | 5 | 4 | 2 | 5 | – | – | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 2 | 1 | 4 | 5 | 8 | 6 | 7 | 6 | 5 | 2 | 2 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 6 | 10 | 10 | 11 | 6 | 9 | 8 | 3 | 7 | – | 1 | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 2 | 1 | 1 | 3 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 2 | – | 1 | 4 | 3 | – | 2 | 1 | – | 3 | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UTOPH | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 16 | 10 | 23 | 33 | 22 | 36 | 30 | 25 | 18 | 12 | 10 | 4 | 1 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 2 | – | – | 1 | – | 2 | – | 4 | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 6 | 3 | 6 | 6 | 3 | 4 | 2 | 5 | 1 | – | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 4 | 4 | 2 | 2 | 3 | 7 | 1 | 1 | – | – |
| VI. LOCAL ,, | 7 | 7 | 17 | 25 | 17 | 26 | 23 | 14 | 15 | 8 | 3 | 3 | – | – | – |
| VII. VIOLENCE | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| 2. DIARRHŒAL ,, | 1 | – | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 6 | 3 | 6 | 6 | 3 | 4 | 2 | 5 | 1 | – | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 4 | 4 | 2 | 2 | 3 | 7 | 1 | 1 | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 1 | 2 | 4 | 7 | 2 | 13 | 5 | 3 | 5 | 3 | – | 1 | – | – | |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 1 | 2 | 4 | 8 | 4 | 5 | 6 | 1 | – | 2 | – | 1 | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 2 | 2 | 6 | 8 | 6 | 4 | 6 | 6 | 7 | 2 | 3 | 1 | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 1 | 1 | 1 | 2 | 3 | 4 | 3 | 3 | 1 | 1 | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | – | – | 1 | – | 1 | – | 1 | 1 | 2 | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 0. ,, INTEGUMENTARY SYSTEM | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 51 | – | 5 | – | 2 | 1 | 1 | 2 | 3 | 1 | 3 | 8 | 3 | 3 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 36 | 25 | 2 | 3 | 3 | – | – | – | – | – | 1 | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 47 | 1 | – | 12 | 22 | 7 | 2 | 1 | 2 | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 6 | – | – | 2 | 1 | – | 2 | 1 | – | – | – | – | – | – |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Hooping-cough | 19 | 1 | 3 | 5 | 6 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Mumps | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 13 | – | – | | 3 | 4 | 1 | 2 | 3 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 7 | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 2 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 16 | 2 | 3 | 2 | 2 | – | – | 1 | – | – | 1 | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 8 | 2 | – | – | 3 | – | – | – | – | – | 1 | – | 1 | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 27 | 14 | 2 | 2 | 3 | 1 | 1 | – | 1 | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 31 | – | 1 | 4 | 15 | 3 | 4 | 2 | 1 | – | – | – | – | 1 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 6 | – | – | 1 | 2 | – | 1 | – | 1 | 1 | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hooping-cough | 26 | 1 | 1 | 6 | 10 | 5 | 1 | 1 | 1 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 9 | – | – | 1 | 2 | 1 | 1 | 2 | 2 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 10 | 2 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 4 | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Erysipelas | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Puerperal Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 3 | 4 | 4 | 1 | 2 | 3 | 2 | – | – | – | – | – | – | – | – |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 1 | 1 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 1 | – | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Intemp. { Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Rheumatism | 5 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 8 | – | 2 | – | 1 | 1 | – | 1 | 1 | – | 1 | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 8 | – | 2 | 1 | 1 | 1 | – | – | 2 | 1 | – | – | – | – |
| Phthisis | 74 | – | – | – | – | 1 | – | 2 | 4 | 1 | 10 | 19 | 7 | 10 |
| Other forms of Tuberculosis, Scrofula | 11 | – | 1 | – | 2 | – | – | 2 | 4 | 1 | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 15 | 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 26 | 3 | 1 | 6 | 5 | 5 | – | – | 1 | 3 | – | – | – | – |
| Apoplexy | 20 | – | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Softening of the Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 6 | 1 | – | 3 | – | – | 1 | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Nervous System | 16 | 2 | 1 | 2 | – | 1 | – | – | 2 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 17 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 10 | – | 2 | 3 | 1 | – | – | – | 2 | – | 1 | – | 1 | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 9 | – | 1 | 3 | – | 1 | 1 | – | 3 | – | – | – | – | – |
| Phthisis | 104 | – | – | – | 1 | – | 1 | – | 4 | 8 | 18 | 20 | 20 | 17 |
| Other forms of Tuberculosis, Scrofula | 6 | – | 1 | – | – | – | 1 | – | 1 | – | – | – | 2 | – |
| Purpura, Hemorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 17 | 17 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 24 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 29 | 3 | 4 | 5 | 5 | 3 | 1 | 1 | 3 | 2 | 1 | – | – | – |
| Apoplexy | 19 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Softening of the Brain | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Convulsions | 7 | 1 | – | – | 4 | 1 | 1 | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 13 | 1 | 1 | – | – | – | – | – | 2 | 1 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—MALES. (*Continued*).

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 1 | 2 | 2 | 3 | 3 | 2 | – | 1 | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 5 | 5 | 3 | 2 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | – | 3 | 3 | 2 | 3 | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 3 | – | 2 | 2 | 4 | 3 | 1 | 1 | 2 | – | – | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | – | – | 2 | 1 | 1 | – | 3 | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | 1 | 1 | 2 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | – | 3 | 2 | 2 | 3 | 1 | 5 | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 5 | 3 | 3 | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 4 | 4 | 2 | 2 | 3 | 7 | 1 | 1 | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 1 | 3 | 1 | 2 | 2 | 3 | 2 | 3 | 1 | – | – | – | – | – |
| Softening of the Brain | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | – | 2 | – | 6 | 2 | – | – | 2 | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | – | 1 | – | 3 | – | 1 | 2 | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 52 | – | – | – | – | – | – | – | – | 1 | 2 | 1 | – | 2 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 6 | 1 | – | – | 1 | 2 | – | 1 | – | – | – | – | 1 | |
| Croup | 8 | – | – | – | 4 | – | 1 | – | 3 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Bronchitis | 75 | 8 | 3 | 8 | 13 | 4 | – | 1 | 1 | – | – | – | – | 1 |
| Pneumonia | 72 | 7 | 4 | 3 | 16 | 3 | 1 | 2 | 1 | 1 | 2 | 3 | 1 | 1 |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 9 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 4 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 9 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Enteritis | 12 | 6 | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 5 | – | 1 | – | – | – | – | – | 1 | – | – | 2 | – | – |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 7 | 1 | 1 | – | – | 1 | – | – | – | 1 | 1 | – | 1 | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 4 | | | | | | | | | | | | | |
| Bright's Disease | 4 | | | | | | | | | | | | | 1 |
| Uræmia | 3 | | | | | | | | 1 | 1 | | | | |
| Suppression of Urine | – | | | | | | | | | | | | | |
| Calculus | – | | | | | | | | | | | | | |
| Hæmaturia | – | | | | | | | | | | | | | |
| Diseases of Bladder and of Prostate | 7 | | | | | | | | | | | | | |
| Other Diseases of Urinary System | 3 | | | | | | – | | | | | | | 2 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 37 | – | – | 1 | – | – | – | – | – | 1 | 1 | 1 | – | 2 |
| Pericarditis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Croup | 6 | – | – | – | 3 | 2 | – | – | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 60 | 3 | 3 | 4 | 8 | 2 | 2 | 1 | 1 | 1 | – | 1 | – | – |
| Pneumonia | 51 | 3 | – | 6 | 11 | 6 | 5 | – | 2 | 1 | – | 1 | – | 1 |
| Pleurisy | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Dentition | 7 | – | 2 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 14 | 5 | 3 | 1 | – | 1 | 2 | – | – | – | – | – | – | – |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ileus, Obstruction of Intestine | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 6 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Ascites | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 8 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Bright's Disease | 7 | – | – | – | – | – | – | – | – | – | – | 3 | – | 1 |
| Uræmia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Urinary System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2 | 1 | 4 | 5 | 7 | 6 | 7 | 6 | 5 | 1 | 2 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | 4 | 3 | 7 | 3 | 6 | 4 | 2 | 6 | – | – | – | – | – | – |
| Pneumonia | 4 | 5 | 6 | 2 | 3 | 2 | 3 | – | 1 | – | 1 | – | – | – | – |
| Pleurisy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 1 | 1 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 2 | – | – | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | 1 | 2 | – | 2 | – | – | 2 | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—FEMALES, *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1 | 2 | 3 | 7 | 4 | 5 | 5 | 1 | – | 2 | – | 1 | – | – | – |
| Pericarditis | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 1 | 4 | 5 | 4 | 1 | 4 | 4 | 6 | 2 | 2 | 1 | – | – | – |
| Pneumonia | 1 | 1 | 1 | 2 | 2 | 3 | 2 | 2 | 1 | – | – | – | – | – | – |
| Pleurisy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 3 | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Vehicles and Horses: Vehicles other than R'wys. | 5 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Vehicles and Horses: Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ships, Boats, Docks (ex. Drowning) | 8 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | 1 |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 4 | – | – | – | 1 | – | – | 2 | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 12 | – | – | – | – | 1 | – | – | 2 | – | – | 3 | 1 | 1 |
| Suffocation: In Bed | 5 | – | 5 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 5 | – | – | – | – | – | – | – | – | – | 1 | 3 | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 5 | – | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 27 | 21 | – | 2 | 3 | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 5 | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 3 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Suffocation: In Bed | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 21 | 13 | 2 | 1 | 2 | – | 1 | – | 1 | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 4 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 1 | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1890,—FEMALES, (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'ways. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 674 | 56 | 20 | 40 | 69 | 23 | 21 | 12 | 40 | 22 | 18 | 25 | 15 | 20 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 83 | 4 | 4 | 8 | 17 | 5 | 6 | 5 | 18 | 4 | 2 | 1 | 2 | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 112 | – | 2 | 3 | 3 | 2 | 2 | – | 8 | 7 | 6 | 17 | 10 | 8 |
| V. DEVELOPMENTAL ,, | 38 | 9 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 379 | 18 | 12 | 28 | 44 | 15 | 12 | 6 | 14 | 9 | 8 | 4 | 1 | 10 |
| VII. VIOLENCE | 29 | 2 | – | – | 2 | 1 | 1 | 1 | – | 2 | 2 | 3 | 2 | 2 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 32 | 23 | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 64 | 1 | 1 | 4 | 13 | 4 | 6 | 5 | 18 | 4 | 1 | 1 | 2 | – |
| 2. DIARRHŒAL ,, | 16 | 2 | 3 | 3 | 4 | 1 | – | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 112 | – | 2 | 3 | 3 | 2 | 2 | – | 8 | 7 | 6 | 17 | 10 | 8 |
| V. DEVELOPMENTAL DISEASES | 38 | 9 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 102 | 7 | 4 | 4 | 11 | 9 | 3 | 2 | 4 | 1 | 1 | 1 | – | 3 |
| 2. ,, ORGANS OF SPECIAL SENSE | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 50 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | 3 |
| 4. ,, RESPIRATORY SYSTEM | 156 | 7 | 6 | 14 | 28 | 5 | 5 | 3 | 4 | 3 | 3 | 1 | 1 | 4 |
| 5. ,, DIGESTIVE SYSTEM | 44 | 2 | 2 | 10 | 5 | 1 | 2 | – | 2 | 2 | 1 | 1 | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 18 | – | – | – | – | – | 1 | 1 | 3 | 1 | 1 | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 7 | – | – | – | – | – | 1 | – | 1 | 1 | 2 | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 29 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 681 | 45 | 26 | 37 | 40 | 20 | 12 | 13 | 29 | 15 | 29 | 23 | 28 | 35 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 71 | 3 | 5 | 9 | 9 | 4 | 1 | 5 | 12 | 2 | 4 | – | 3 | 4 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 136 | 1 | 1 | 2 | 4 | 2 | 2 | 2 | 6 | 6 | 16 | 14 | 15 | 16 |
| V. DEVELOPMENTAL ,, | 70 | 9 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 354 | 11 | 17 | 24 | 24 | 11 | 8 | 5 | 10 | 7 | 9 | 8 | 9 | 15 |
| VII. VIOLENCE | 13 | 1 | – | – | 1 | 3 | – | 1 | – | – | – | – | 1 | – |
| VIII. ILL DEFINED AND NOT SPECIFIED CAUSES | 32 | 18 | 3 | 1 | 1 | – | 1 | – | 1 | – | – | 1 | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 49 | 2 | 2 | 6 | 6 | 4 | 1 | 5 | 12 | 2 | 3 | – | – | 2 |
| 2. DIARRHŒAL ,, | 14 | 1 | 3 | 3 | 3 | – | – | – | – | – | 1 | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 8 | – | – | – | – | – | – | – | – | – | – | – | 3 | 2 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 136 | 1 | 1 | 2 | 4 | 2 | 2 | 2 | 6 | 6 | 16 | 14 | 15 | 16 |
| V. DEVELOPMENTAL DISEASES | 70 | 9 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 93 | 4 | 4 | 8 | 4 | 1 | 1 | 1 | 4 | 1 | 1 | – | – | 2 |
| 2. ,, ORGANS OF SPECIAL SENSE | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 46 | – | – | – | – | – | – | – | – | – | 3 | 1 | 3 | 4 |
| 4. ,, RESPIRATORY SYSTEM | 130 | 5 | 7 | 9 | 11 | 8 | 7 | 3 | 5 | 2 | 3 | 3 | 2 | 4 |
| 5. ,, DIGESTIVE SYSTEM | 50 | 2 | 6 | 7 | 9 | 1 | – | – | 1 | 2 | – | 1 | 1 | 3 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 18 | – | – | – | – | 1 | – | 1 | – | – | – | 1 | 2 | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 8 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 2 |
| 9. ,, ORGANS OF LOCOMOTION | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 22 | 30 | 42 | 38 | 30 | 29 | 32 | 29 | 21 | 16 | 4 | – | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1 | 1 | – | 1 | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 7 | 11 | 10 | 2 | 8 | 3 | 2 | – | – | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL „ | – | – | – | – | – | – | 4 | 6 | 5 | 10 | 3 | – | – | – | – |
| VI. LOCAL „ | 13 | 17 | 29 | 29 | 20 | 23 | 25 | 22 | 16 | 3 | 1 | – | – | – | – |
| VII. VIOLENCE | 1 | – | 3 | 4 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| 2. DIARRHŒAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 7 | 11 | 10 | 2 | 8 | 3 | 2 | – | – | 1 | – | – | – | – | – |
| **V.** DEVELOPMENTAL DISEASES | – | – | – | – | – | – | 4 | 6 | 5 | 10 | 3 | – | – | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 4 | 3 | 4 | 11 | 4 | 5 | 10 | 5 | 4 | 2 | – | – | – | – | – |
| 2. „ ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | – | 6 | 9 | 2 | 6 | 6 | 6 | 7 | 3 | – | – | – | – | – | – |
| 4. „ RESPIRATORY SYSTEM | 6 | 6 | 13 | 7 | 9 | 8 | 7 | 7 | 7 | 1 | 1 | – | – | – | – |
| 5. „ DIGESTIVE SYSTEM | 2 | 2 | 2 | 4 | – | 2 | 2 | 2 | – | – | – | – | – | – | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 1 | – | – | 5 | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 26 | 27 | 27 | 27 | 28 | 38 | 46 | 44 | 24 | 26 | 10 | 4 | 2 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 2 | 4 | – | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 9 | 8 | 4 | 6 | 6 | 6 | 8 | 1 | – | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 4 | 9 | 9 | 11 | 14 | 7 | 4 | 1 | – | – |
| VI. LOCAL ,, | 14 | 15 | 21 | 18 | 18 | 24 | 27 | 33 | 12 | 11 | 2 | – | 1 | – | – |
| VII. VIOLENCE | – | – | – | – | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | 1 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **II.** | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **IV.** | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 9 | 8 | 4 | 6 | 6 | 6 | 8 | 1 | – | 1 | – | – | – | – | – |
| **V.** | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | – | – | – | – | – | 4 | 9 | 9 | 11 | 14 | 7 | 4 | 1 | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 5 | 3 | 2 | 4 | 4 | 11 | 9 | 8 | 7 | 7 | 1 | – | 1 | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 1 | 3 | 6 | 3 | 5 | 4 | 5 | 6 | 1 | – | 1 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 5 | 1 | 6 | 6 | 6 | 8 | 7 | 14 | 4 | 4 | – | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 1 | 4 | 2 | 2 | 1 | 1 | 3 | 3 | – | – | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | – | 4 | 2 | 1 | 2 | – | 2 | 2 | – | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 27 | 2 | – | – | 2 | 1 | 1 | 1 | – | 2 | 2 | 3 | 2 | 2 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 32 | 23 | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 20 | – | – | – | – | 2 | 2 | 3 | 10 | 3 | – | – | – | – |
| Typhus | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hooping-cough | 16 | – | 1 | 4 | 9 | 1 | 1 | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 14 | 1 | – | – | 1 | 1 | 3 | 2 | 6 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 5 | – | – | – | – | – | – | – | 2 | 1 | – | – | 1 | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 16 | 2 | 3 | 3 | 4 | 1 | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 11 | 1 | – | – | 1 | 3 | – | 1 | – | – | – | – | 1 | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 32 | 18 | 3 | 1 | 1 | – | 1 | – | 1 | – | – | 1 | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 13 | – | – | – | 2 | 3 | – | 2 | 5 | 1 | – | – | – | 1 |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 13 | 2 | 2 | 5 | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 11 | – | – | – | 1 | – | 1 | 3 | 4 | – | 1 | – | – | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 9 | – | – | – | 1 | – | – | – | 2 | 1 | 2 | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 14 | 1 | 3 | 3 | 3 | – | – | – | – | – | 1 | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | – | – | – | 1 | – | – | – | – | – | – | – | 3 | 2 |
| Puerperal Fever | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 1 | – | 3 | 3 | – | 2 | – | – | – | – | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | – | – | 1 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 4 | – | – | – | – | – | – | – | 2 | – | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 18 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Tabes Mesenterica | 8 | – | 1 | 2 | – | – | – | – | 1 | 3 | – | 1 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 12 | – | 1 | 1 | 2 | 1 | 1 | – | 3 | 3 | – | – | – | – |
| Phthisis | 64 | – | – | – | – | – | – | – | 1 | – | 5 | 16 | 10 | 6 |
| Other forms of Tuberculosis, Scrofula | 6 | – | – | – | 1 | 1 | 1 | – | 1 | 1 | 1 | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 7 | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 28 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 23 | 1 | 1 | 1 | 8 | 5 | 1 | 2 | 1 | 1 | 1 | – | – | 1 |
| Apoplexy | 17 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 20 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Paralysis Agitans | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | 5 | – | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 |
| Convulsions | 11 | 4 | 3 | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 15 | 2 | – | 2 | – | 2 | 1 | – | 2 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 2 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Rheumatism | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 21 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Tabes Mesenterica | 9 | 1 | 1 | – | 1 | – | 2 | 1 | 2 | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 6 | – | – | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Phthisis | 85 | – | – | – | 1 | – | – | – | 4 | 5 | 15 | 13 | 13 | 12 |
| Other forms of Tuberculosis, Scrofula | 2 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 5 | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 59 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 14 | 1 | 3 | 4 | 2 | – | 1 | 1 | 2 | – | – | – | – | – |
| Apoplexy | 21 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of the Brain | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 27 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 5 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Convulsions | 7 | 3 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Nervous System | 12 | – | 1 | 2 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Epistaxis and Disease of Nose | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | | | | | | | | | | | | | | | |
| Other Dis. from Vegetable Parasites | | | | | | | | | | | | | | | |
| Hydatid Disease | | | | | | | | | | | | | | | |
| Other Dis. from Animal Parasites | | | | | | | | | | | | | | | |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | | | | | | | | | | | | | | | |
| Scurvy | | | | | | | | | | | | | | | |
| Intemp. { Chronic Alcoholism | | 1 | | | | | | | | | | | | | |
| Intemp. { Delirium Tremens | | | | | | | | | | | | | | | |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | | | | | | | | | | | | | | | |
| Rheumatism | | 1 | | | | | | | | | | | | | |
| Gout | | | | | | | | | | | | | | | |
| Rickets | | | | | | | | | | | | | | | |
| Cancer | 1 | 3 | 2 | 2 | 4 | 3 | 1 | | | 1 | | | | | |
| Tabes Mesenterica | | | | | | | | | | | | | | | |
| Tubercular Meningitis (Acute Hydrocephalus) | | | | | | | | | | | | | | | |
| Phthisis | 6 | 7 | 8 | | 4 | | 1 | | | | | | | | |
| Other forms of Tuberculosis, Scrofula | | | | | | | | | | | | | | | |
| Purpura, Hæmorrhagic Diathesis | | | | | | | | | | | | | | | |
| Anæmia, Chlorosis, Leucocythæmia | | | | | | | | | | | | | | | |
| Diabetes Mellitus | | | | | | | | | | | | | | | |
| Other Constitutional Diseases | | | | | | | | | | | | | | | |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | | | | | | | | | | | | | | | |
| Atelectasis | | | | | | | | | | | | | | | |
| Cyanosis | | | | | | | | | | | | | | | |
| Spina Bifida | | | | | | | | | | | | | | | |
| Imperforate Anus | | | | | | | | | | | | | | | |
| Cleft Palate, Harelip | | | | | | | | | | | | | | | |
| Other Congenital Defects | | | | | | | | | | | | | | | |
| Old Age | | | | | | | 4 | 6 | 5 | 10 | 3 | | | | |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | | | | | | | | | | | | | | | |
| Apoplexy | | 1 | 1 | 4 | 3 | 1 | 4 | 1 | 1 | 1 | | | | | |
| Softening of the Brain | | | | | | | | | | | | | | | |
| Hemiplegia, Brain Paralysis | | | | 4 | 1 | 2 | 5 | 4 | 2 | 1 | | | | | |
| Paralysis Agitans | | | | 1 | | | | | 1 | | | | | | |
| Insanity, General Paralysis of Insane | 3 | | | 1 | | | | | | | | | | | |
| Chorea | | | | | | | | | | | | | | | |
| Epilepsy | 1 | | | | | | 1 | | | | | | | | |
| Convulsions | | | | | | | | | | | | | | | |
| Laryngismus Stridulus | | | | | | | | | | | | | | | |
| Idiopathic Tetanus | | | | | | | | | | | | | | | |
| Paraplegia, Diseases of Spinal Cord | | | 1 | 1 | | | | | | | | | | | |
| Other Diseases of Nervous System | | 2 | 2 | | | 2 | | | | | | | | | |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | | | | | | | | | | | | | | | |
| Epistaxis and Disease of Nose | | | | | | | | | | | | | | | |
| Ophthalmia and Disease of Eye | | | | | | | | | | | | | | | |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890. -FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | 1 | – | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | 1 | 1 | 2 | 2 | 3 | 8 | 1 | – | 1 | – | – | – | – | – |
| Tabes Mesenterica | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 8 | 6 | 2 | 4 | 2 | – | – | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 4 | 9 | 9 | 11 | 14 | 7 | 4 | 1 | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 1 | 1 | 2 | 2 | 4 | 1 | 4 | 3 | 1 | 1 | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Hemiplegia, Brain Paralysis | 1 | 1 | – | 1 | 1 | 5 | 5 | 3 | 4 | 6 | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 2 | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 43 | – | – | – | – | – | – | – | – | 1 | – | – | – | 3 |
| Pericarditis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 4 | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Croup | 13 | – | – | 2 | 5 | 3 | 3 | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 76 | 5 | 6 | 6 | 13 | 1 | 1 | – | – | 1 | – | – | – | – |
| Pneumonia | 47 | 2 | – | 3 | 6 | 1 | 1 | 2 | 4 | 2 | 2 | 1 | 1 | 4 |
| Pleurisy | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Respiratory System | 10 | – | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 11 | – | 2 | 7 | 2 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 2 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Dyspepsia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 3 | – | – | 1 | – | – | – | – | 1 | – | – | 1 | – | – |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 12 | – | – | – | 2 | – | 2 | – | 1 | 1 | 1 | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 5 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 4 | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – |
| Bright's Disease | 9 | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 37 | – | – | – | – | – | – | – | – | – | 3 | 1 | 2 | 4 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Syncope | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 3 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Croup | 15 | – | – | 2 | 4 | 3 | 2 | 2 | 2 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 75 | 3 | 6 | 6 | 4 | 3 | 1 | – | 1 | 2 | – | – | 1 | 1 |
| Pneumonia | 24 | 1 | – | 1 | 3 | 1 | 3 | – | 2 | – | 1 | 2 | – | 3 |
| Pleurisy | 5 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – |
| Other Diseases of Respiratory System | 7 | 1 | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 17 | – | 3 | 6 | 8 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 7 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | 1 | – |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ileus, Obstruction of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 9 | – | – | – | – | – | – | 1 | 2 | – | 1 | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 6 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 4 | – | – | – | – | 1 | – | 1 | – | – | – | 1 | – | – |
| Bright's Disease | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Uræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | 4 | 8 | 2 | 6 | 6 | 5 | 5 | 3 | – | – | – | – | – | – |
| Pericarditis | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 1 | 9 | 5 | 8 | 6 | 4 | 5 | 4 | – | 1 | – | – | – | – |
| Pneumonia | 4 | 3 | 2 | 2 | 1 | 2 | 1 | 2 | – | 1 | – | – | – | – | – |
| Pleurisy | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 1 | – | – | – | – | – | 2 | – | 3 | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | 1 | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 1 | – | – | 4 | 1 | – | – | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | 1 | – | 1 | 2 | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at Different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1 | 3 | 3 | | 4 | 4 | 3 | 6 | 1 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Bronchitis | 2 | 1 | 4 | 5 | 5 | 7 | 5 | 11 | 4 | 3 | – | – | – | – | – |
| Pneumonia | 2 | – | 1 | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | – | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | 2 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | – | 4 | 1 | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – |
| Uræmia | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 5 | – | – | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'ways. | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 4 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Suffocation: In Bed | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 9 | – | – | – | – | – | – | – | – | – | 2 | 2 | 2 | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 28 | 23 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | | | | | | | | | | | | | | |
| Diseases of Uterus and Vagina | 2 | | | | | | | | | | | | | |
| Disorders of Menstruation | | | | | | | | | | | | | | |
| Pelvic Abscess | | | | | | | | | | | | | | |
| Perineal Abscess | | | | | | | | | | | | | | |
| Diseases of Testes, Penis, Scrotum, &c. | | | | | | | | | | | | | | |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | | | | | | | | | | | | | | |
| Puerperal Mania | 1 | | | | | | | | | | | | 1 | |
| Puerperal Convulsions | 1 | | | | | | | | | | | | | 1 |
| Placenta Prævia, Flooding | 1 | | | | | | | | | | | | | |
| Phlegmasia Dolens | | | | | | | | | | | | | | |
| Other Accidents of Childbirth | 5 | | | | | | | | | | | 2 | | 1 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | | | | | | | | | | 1 | | | |
| Arthritis, Ostitis, Periostitis | | | | | | | | | | | | | | |
| Other Diseases of Organs of Locomotion | 1 | | | | | | | | | 1 | | | | |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | | | | | | | | | | | | | | |
| Phlegmon, Cellulitis | 1 | | | | | | | | | | | | | |
| Lupus | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 2 | | | | | | | | | | | | | |
| Eczema | | | | | | | | | | | | | | |
| Pemphigus | | | | | | | | | | | | | | |
| Other Dis. of Integumentary System | | | | | | | | | | | | | | |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | | | | | | | | | | | | | | |
| Mines and Quarries: Other Mines | | | | | | | | | | | | | | |
| Mines and Quarries: Quarries | | | | | | | | | | | | | | |
| Vehicles and Horses: Railways | | | | | | | | | | | | | | |
| Vehicles and Horses: Vehicles other than R'wys. | 3 | | | | | 1 | | | | | | | 1 | |
| Vehicles and Horses: Horses | | | | | | | | | | | | | | |
| Ships, Boats, Docks (ex. Drowning) | | | | | | | | | | | | | | |
| Building Operations | | | | | | | | | | | | | | |
| Machinery | | | | | | | | | | | | | | |
| Weapons and Implements | | | | | | | | | | | | | | |
| Burns and Scalds: Conflagrations | | | | | | | | | | | | | | |
| Burns and Scalds: Other Burns & Scalds | 2 | | | | | 1 | | | | | | | | |
| Burns and Scalds: Explosions | | | | | | | | | | | | | | |
| Poisons, Poisonous Vapours | | | | | | | | | | | | | | |
| Drowning | | | | | | | | | | | | | | |
| Suffocation: In Bed | | | | | | | | | | | | | | |
| Suffocation: Otherwise | | | | | | | | | | | | | | |
| Falls | 1 | | | | | 1 | | | | | | | | |
| Weather Agencies | | | | | | | | | | | | | | |
| Otherwise, or Not Stated | 5 | 1 | | | 1 | | | | | | | | | |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | | | | | | | | | | | | | | |
| Suicide | 2 | | | | | | | | | | | | | |
| Execution | | | | | | | | | | | | | | |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 2 | | | | | | 1 | | | | | | | |
| Debility, Atrophy, Inanition | 28 | 18 | 3 | 1 | 1 | | | | | | | | | |
| Mortification | | | | | | | | | | | | | | |
| Tumour | | | | | | | | | | | | | | |
| Abscess | | | | | | | | | | | | | | |
| Hæmorrhage | 1 | | | | | | | | 1 | | | | | |
| Sudden (Cause unascertained) | | | | | | | | | | | | | | |
| Other ill-defined and not specified Causes | 1 | | | | | | | | | | | 1 | | |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 1 | – | 1 | – | – | – | | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 344 | 33 | 13 | 20 | 37 | 9 | 6 | 6 | 8 | 10 | 12 | 8 | 6 | 12 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 64 | 4 | 5 | 9 | 21 | 3 | 4 | 5 | 2 | 1 | 3 | – | 1 | 2 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| IV. CONSTITUTIONAL „ | 53 | – | 1 | 2 | 1 | 1 | – | – | 1 | 5 | 6 | 7 | 2 | 4 |
| V. DEVELOPMENTAL „ | 29 | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL „ | 168 | 10 | 7 | 8 | 15 | 5 | 2 | 1 | 4 | 4 | 2 | 1 | 1 | 4 |
| VII. VIOLENCE | 16 | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 10 | 7 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 50 | 1 | 4 | 8 | 16 | 3 | 4 | 5 | 2 | 1 | 2 | – | 1 | 1 |
| 2. DIATHETICAL „ | 12 | 3 | – | 1 | 5 | – | – | – | – | – | 1 | – | – | 1 |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| IV. CONSTITUTIONAL DISEASES | 53 | – | 1 | 2 | 1 | 1 | – | – | 1 | 5 | 6 | 7 | 2 | 4 |
| V. DEVELOPMENTAL DISEASES | 29 | 11 | .. | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 26 | 2 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | 1 |
| 2. „ ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 35 | – | – | – | – | – | – | – | – | 3 | 1 | – | – | 2 |
| 4. „ RESPIRATORY SYSTEM | 78 | 7 | 5 | 4 | 10 | 4 | 1 | 1 | 3 | 1 | – | 1 | 1 | 1 |
| 5. „ DIGESTIVE SYSTEM | 18 | 1 | 1 | 3 | 3 | – | – | – | 1 | – | 1 | – | – | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 337 | 18 | 9 | 12 | 19 | 16 | 7 | 6 | 12 | 10 | 14 | 17 | 11 | 8 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 49 | 4 | 2 | 8 | 9 | 8 | 3 | 2 | 6 | 1 | – | 1 | – | 1 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 3 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| IV. CONSTITUTIONAL ,, | 66 | – | 1 | – | 3 | 1 | 2 | – | 1 | 8 | 9 | 12 | 5 | 1 |
| V. DEVELOPMENTAL ,, | 28 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 181 | 6 | 5 | 4 | 7 | 6 | 2 | 4 | 5 | 1 | 5 | 4 | 5 | 5 |
| VII. VIOLENCE | 5 | 1 | – | – | | | – | – | – | – | – | – | – | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 5 | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 41 | 3 | 1 | 7 | 8 | 8 | 3 | 2 | 6 | 1 | – | – | – | – |
| 2. DIARRHŒAL ,, | 6 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | 1 | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 3 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| IV. CONSTITUTIONAL DISEASES | 66 | – | 1 | – | 3 | 1 | 2 | – | 1 | 8 | 9 | 12 | 5 | 1 |
| V. DEVELOPMENTAL DISEASES | 28 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 46 | – | 1 | 1 | – | 2 | 1 | 1 | 2 | – | – | 2 | 1 | 1 |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 39 | – | – | – | – | – | – | – | 1 | – | 2 | – | 1 | – |
| 4. ,, RESPIRATORY SYSTEM | 58 | 4 | 2 | 3 | 5 | 4 | 1 | 2 | 2 | – | 1 | – | 1 | 1 |
| 5. ,, DIGESTIVE SYSTEM | 22 | 2 | 2 | – | 2 | – | – | 1 | – | 1 | 1 | – | – | 1 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| (*b*) DISEASES OF PARTURITION | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| 9. ,, ORGANS OF LOCOMOTION | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 9 | 19 | 11 | 12 | 16 | 24 | 18 | 25 | 14 | 8 | 5 | 3 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 4 | 4 | 2 | 3 | 2 | – | 2 | 5 | 1 | – | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 1 | 2 | 4 | 3 | 3 | 3 | 2 | – | – | – |
| VI. LOCAL ,, | 4 | 11 | 5 | 9 | 12 | 20 | 12 | 15 | 8 | 5 | 2 | 1 | – | – | – |
| VII. VIOLENCE | 1 | 2 | 3 | – | – | 3 | – | – | 2 | – | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 4 | 4 | 2 | 3 | 2 | – | 2 | 5 | 1 | – | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 1 | 2 | 4 | 3 | 3 | 3 | 2 | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | – | 2 | 1 | 2 | 1 | 2 | 1 | 4 | 1 | 2 | 1 | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 1 | – | 1 | 3 | 6 | 7 | 5 | 2 | 2 | 1 | 1 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 2 | 4 | 3 | 4 | 4 | 5 | 5 | 7 | 4 | 1 | – | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 1 | 2 | – | – | – | 3 | 1 | – | – | 1 | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | – | 2 | – | – | – | 3 | – | 2 | 1 | – | – | 1 | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 8 | 8 | 10 | 13 | 20 | 25 | 29 | 25 | 15 | 12 | 12 | 1 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 2 | 3 | 3 | 3 | 4 | 4 | 2 | – | – | – | 2 | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | – | 5 | 5 | 6 | 2 | 6 | – | – | – | – |
| VI. LOCAL ,, | 4 | 4 | 7 | 8 | 14 | 21 | 20 | 20 | 9 | 10 | 4 | 1 | – | – | – |
| VII. VIOLENCE | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 2 | 3 | 3 | 3 | 4 | 4 | 2 | – | – | – | 2 | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | – | 5 | 5 | 6 | 2 | 6 | – | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | – | – | 3 | 3 | – | 5 | 9 | 7 | 1 | 3 | 2 | 1 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | – | 1 | 1 | 1 | 5 | 8 | 5 | 7 | 4 | 3 | – | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | – | 1 | 1 | 1 | 5 | 6 | 6 | 4 | 2 | 4 | 2 | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 3 | 1 | 1 | – | 3 | – | – | 2 | 2 | – | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 1 | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*). DISEASES OF ORGANS OF GENERATION | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| (*b*). DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER: MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 15 | – | – | – | – | – | – | – | 1 | – | – | – | 2 | 1 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 10 | 7 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | 14 | – | – | 3 | 8 | 2 | – | 1 | – | – | – | – | – | – |
| Epidemic Rose Rash | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 3 | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 20 | 1 | 3 | 4 | 7 | 1 | 2 | 2 | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 6 | – | – | – | 1 | – | 2 | 1 | 1 | 1 | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 12 | 3 | – | 1 | 5 | – | – | – | – | – | 1 | – | – | 1 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 2. HOMICIDE | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 5 | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 8 | – | – | 2 | 3 | 3 | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hooping-cough | 22 | 3 | 1 | 5 | 5 | 4 | 1 | 2 | 1 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 5 | – | – | – | – | 1 | 1 | – | 3 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 6 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | 1 | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 1 | 2 | 3 | – | – | 3 | – | – | 2 | – | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 11 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 6 | – | – | 1 | 1 | 1 | – | – | 1 | 2 | – | – | – | – |
| Phthisis | 28 | – | – | – | – | – | – | – | – | 1 | 4 | 7 | 1 | 4 |
| Other forms of Tuberculosis, Scrofula | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 11 | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Hare-lip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 4 | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Apoplexy | 11 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Nervous System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 2 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 3 | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Phthisis | 38 | – | – | – | – | – | 1 | – | – | 6 | 8 | 11 | 4 | 1 |
| Other forms of Tuberculosis, Scrofula | 2 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 3 | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 24 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 5 | – | – | 1 | – | 2 | – | – | 1 | – | – | – | 1 | – |
| Apoplexy | 14 | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Softening of the Brain | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 3 | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Nervous System | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | 1 | – | 1 | 1 | – | 1 | 4 | 1 | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 2 | 3 | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 2 | 4 | 3 | 3 | 3 | 2 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 1 | – | 1 | 1 | – | 1 | 2 | 1 | 2 | 1 | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| Cancer | 1 | 1 | 1 | 3 | 2 | 3 | 2 | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 1 | 2 | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | 5 | 5 | 6 | 2 | 6 | – | – | – | – |
| Old Age | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | 1 | 1 | – | 1 | 2 | 2 | – | 3 | 1 | 1 | – | – | – |
| Apoplexy | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Softening of the Brain | – | – | – | 1 | – | 2 | 2 | 3 | – | – | 1 | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 1 | 1 | – | 1 | 3 | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 31 | – | – | – | – | – | – | – | – | 2 | 1 | – | – | 2 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Croup | 6 | – | – | 1 | 2 | 1 | – | – | 2 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Bronchitis | 25 | 2 | 2 | 3 | 3 | 2 | – | – | – | – | – | – | – | – |
| Pneumonia | 35 | 5 | 2 | – | 5 | 1 | 1 | 1 | 1 | – | – | 1 | 1 | 1 |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 5 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | 4 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uræmia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 35 | – | – | – | – | – | – | – | 1 | – | 2 | – | 1 | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 6 | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Croup | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 32 | 4 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Pneumonia | 17 | – | 1 | 1 | 3 | 2 | 1 | 1 | 1 | – | – | – | – | 1 |
| Pleurisy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 9 | 2 | 1 | – | 1 | – | – | 1 | – | – | 1 | – | – | 1 |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Stricture or Strangulation of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Urinary System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1 | – | 1 | 3 | 6 | 7 | 4 | 2 | 1 | – | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Pneumonia | – | 1 | – | 2 | 1 | 2 | 3 | 3 | – | 1 | – | – | – | – | – |
| Pleurisy | 1 | 2 | 2 | 2 | – | 2 | 2 | 2 | 3 | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 1 | 1 | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Uræmia | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | 2 | 1 | – | – | 1 | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | – | 1 | 1 | 4 | 7 | 5 | 6 | 4 | 3 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Emphysema, Asthma | – | 1 | 1 | 1 | 4 | 5 | 4 | 4 | – | 2 | 2 | – | – | – | – |
| Bronchitis | – | – | – | – | 1 | 1 | 2 | – | 2 | – | – | – | – | – | – |
| Pneumonia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Stomach | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 5 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 4 | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 5 | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries — Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries — Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries — Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Railways | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation — In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation — Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | 1 | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH, in PERTH at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—MALES.

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 313 | 41 | 6 | 21 | 37 | 18 | 10 | 7 | 10 | 4 | 12 | 7 | 12 | 7 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 80 | 6 | 3 | 9 | 17 | 11 | 6 | 5 | 9 | 1 | 2 | – | 1 | 2 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 40 | – | 1 | 2 | 2 | 2 | – | 1 | 1 | 1 | 4 | 1 | 5 | 2 |
| V. DEVELOPMENTAL ,, | 16 | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 151 | 14 | 2 | 10 | 18 | 5 | 4 | 1 | – | 1 | 6 | 4 | 4 | 2 |
| VII. VIOLENCE | 16 | 1 | – | – | – | – | – | – | – | 1 | – | 2 | 2 | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 8 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 70 | 1 | 2 | 9 | 16 | 11 | 5 | 5 | 9 | 1 | 2 | – | 1 | 2 |
| 2. DIARRHŒAL ,, | 8 | 5 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 40 | – | 1 | 2 | 2 | 2 | – | 1 | 1 | 1 | 4 | 1 | 5 | 2 |
| V. DEVELOPMENTAL DISEASES | 16 | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 26 | 2 | 1 | – | 3 | 2 | 2 | – | – | 1 | – | – | 1 | – |
| 2. ,, ORGANS OF SPECIAL SENSE | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 26 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| 4. ,, RESPIRATORY SYSTEM | 66 | 10 | 1 | 7 | 12 | 2 | 2 | – | – | – | 2 | 3 | 2 | – |
| 5. ,, DIGESTIVE SYSTEM | 16 | 2 | – | 2 | 2 | – | – | 1 | – | – | – | – | 1 | 1 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 12 | – | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 3 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 306 | 30 | 8 | 22 | 29 | 13 | 5 | 9 | 16 | 1 | 9 | 8 | 8 | 12 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 68 | 6 | 5 | 9 | 14 | 9 | 4 | 6 | 5 | – | – | 1 | 3 | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 54 | 1 | – | 1 | 2 | – | – | 1 | 6 | – | 5 | 5 | 3 | 5 |
| V. DEVELOPMENTAL ,, | 10 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL | 155 | 12 | 3 | 12 | 13 | 4 | 1 | 2 | 3 | 1 | 4 | 2 | 2 | 7 |
| VII. VIOLENCE | 11 | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 8 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| . MIASMATIC DISEASES | 4 | 4 | 1 | 8 | 14 | 8 | 4 | 6 | 5 | – | – | 1 | 1 | – |
| . DIARRHŒAL ,, | 10 | 1 | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| . MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| . ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| . VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| . SEPTIC ,, | 4 | 1 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 54 | 1 | – | 1 | 2 | – | – | 1 | 6 | – | 5 | 5 | 3 | 5 |
| V. DEVELOPMENTAL DISEASES | 10 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| . DISEASES OF NERVOUS SYSTEM | 21 | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | 1 |
| . ,, ORGANS OF SPECIAL SENSE | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| . ,, CIRCULATORY SYSTEM | 30 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| . ,, RESPIRATORY SYSTEM | 69 | 7 | 3 | 10 | 9 | 3 | – | 1 | 2 | – | 3 | 2 | – | 2 |
| . ,, DIGESTIVE SYSTEM | 22 | 2 | – | 1 | 3 | – | 1 | – | 1 | – | – | – | 1 | 1 |
| . ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| . ,, URINARY SYSTEM | 4 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 |
| . ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| . ,, ORGANS OF LOCOMOTION | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| . ,, INTEGUMENTARY SYSTEM | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 13 | 8 | 16 | 9 | 6 | 16 | 17 | 21 | 7 | 6 | 1 | 1 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | – | – | 2 | 2 | 1 | – | 1 | 2 | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 1 | 2 | 1 | 2 | 2 | 4 | 3 | 2 | – | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – |
| VI. LOCAL ,, | 7 | 4 | 9 | 5 | 3 | 12 | 12 | 17 | 6 | 4 | 1 | – | – | – | – |
| VII. VIOLENCE | 3 | 2 | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | – | – | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 1 | 2 | 1 | 2 | 2 | 4 | 3 | 2 | – | 1 | – | – | – | – | – |
| **V.** DEVELOPMENTAL DISEASES | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | – | – | 1 | – | – | 3 | 3 | 5 | – | 2 | – | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 2 | 1 | 3 | 1 | – | 3 | 4 | 6 | 2 | 1 | 1 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 4 | 1 | 3 | – | 3 | 4 | 4 | 3 | 3 | – | – | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | – | 1 | 1 | 1 | – | 1 | – | 2 | – | 1 | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 1 | 1 | – | 3 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 13 | 7 | 9 | 10 | 8 | 17 | 16 | 22 | 20 | 10 | 3 | 1 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1 | 1 | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 6 | 3 | 5 | 1 | 2 | 2 | 3 | 1 | 2 | – | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | – | – | 2 | 3 | 2 | – | – | – | – | – |
| VI. LOCAL ,, | 6 | 3 | 4 | 7 | 4 | 13 | 10 | 19 | 13 | 7 | 3 | – | – | – | – |
| VII. VIOLENCE | – | – | – | 1 | 2 | 1 | 2 | – | 1 | – | – | 1 | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| 2. DIARRHŒAL ,, | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 6 | 3 | 5 | 1 | 2 | 2 | 3 | 1 | 2 | – | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | – | – | 2 | 3 | 2 | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 1 | – | 1 | – | 1 | 4 | 1 | 3 | 2 | 1 | 1 | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 1 | 1 | 1 | 4 | 1 | 4 | 4 | 6 | 4 | 2 | – | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 1 | 1 | 1 | – | 1 | 3 | 3 | 8 | 5 | 3 | 1 | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 1 | – | – | 3 | 1 | – | 2 | 1 | 2 | 1 | 1 | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—MALES. (*Continued*.

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 12 | 1 | – | – | – | – | – | – | – | 1 | – | 2 | 2 | 1 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 8 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 22 | – | – | 4 | 8 | 5 | 1 | 1 | 2 | 1 | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 7 | – | – | – | – | 1 | 1 | – | 5 | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 5 | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Hooping-cough | 21 | 1 | 2 | 4 | 7 | 3 | – | 4 | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 7 | – | – | – | 1 | 2 | 2 | – | 2 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 6 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 8 | 5 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 10 | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 8 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 16 | – | – | 2 | 6 | 4 | 1 | 1 | 2 | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 6 | – | – | – | – | 1 | 2 | 1 | 2 | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 25 | 4 | 1 | 6 | 8 | 2 | 1 | 3 | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 10 | 1 | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Puerperal Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 1 | 1 | 2 | – | – | – | – | – | – | 1 | – | – | – | – | |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| 3. SUICIDE | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Influenza | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Simple and Ill-defined Fever | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | |
| Enteric Fever | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diarrhœa, Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | – | – | – | 1 | 2 | 1 | 2 | – | – | – | – | 1 | – | – | – |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 3 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Phthisis | 22 | – | – | – | – | 1 | – | – | – | 1 | 4 | 1 | 5 | 2 |
| Other forms of Tuberculosis, Scrofula | 3 | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 8 | – | – | – | 1 | 1 | 2 | – | – | 1 | – | – | 1 | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 17 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Tabes Mesenterica | 7 | 1 | – | – | – | – | – | 1 | 4 | – | 1 | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Phthisis | 26 | – | – | 1 | 1 | – | – | – | 1 | – | 3 | 5 | 3 | 3 |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 3 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | 10 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Softening of the Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 5 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 1 | – | – | 1 | 3 | 2 | 1 | – | 1 | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 1 | 1 | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | – | – | 2 | 2 | – | – | 2 | – | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | 2 | 3 | 1 | 2 | 1 | 2 | 1 | 2 | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 5 | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | – | 2 | 3 | 2 | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | 1 | 2 | 1 | 3 | – | 1 | 1 | – | – | – | – |
| Apoplexy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of the Brain | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 1 | – | – | 2 | – | – | 1 | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 23 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | 4 | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 33 | 8 | 1 | 5 | 5 | – | 1 | – | – | – | – | – | 1 | – |
| Pneumonia | 23 | 2 | – | 1 | 4 | 2 | – | – | – | – | 2 | 2 | 1 | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 4 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dentition | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 3 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Bright's Disease | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 30 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | 6 | – | – | 1 | 3 | 2 | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 38 | 6 | 1 | 3 | 2 | – | – | 1 | – | – | – | 2 | – | 1 |
| Pneumonia | 21 | 1 | 2 | 6 | 4 | 1 | – | – | 2 | – | 2 | – | – | – |
| Pleurisy | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Other Diseases of Respiratory System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 3 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Enteritis | 3 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Peritonitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Bright's Disease | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1 | 1 | 3 | 1 | – | 2 | 3 | 6 | 2 | 1 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | 1 | – | 2 | 3 | 2 | 2 | 2 | – | – | – | – | – | – |
| Pneumonia | 3 | 1 | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1 | 1 | 1 | 4 | 1 | 4 | 4 | 6 | 4 | 2 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 1 | 1 | – | 1 | 3 | 2 | 6 | 4 | 3 | 1 | – | – | – | – |
| Pneumonia | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Liver | 1 | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Vehicles and Horses: Vehicles other than R'wys. | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 3 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 6 | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 7 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1890.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Burns & Scalds | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | 1 | 1 | – | 1 | – | – | – | – | 1 | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

# CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES BY AN ASTERISK (*).

| No. | Districts. | Component Parts (Parishes). |
|---|---|---|
| 14 | Deerness | Part of St Andrews. |
| 15 | Eday and Pharay | Part of Stronsay and Eday. |
| 22 | North Ronaldshay | Part of Cross and Burness. |
| 26 | Sanday | Lady, and part of Cross and Burness. |
| 37b | Keiss | Parts of Canisbay and Wick. |
| 58 | Applecross | (1) Part of Applecross; (2) Rest of Applecross and part of Gairloch. |
| 59b | Carnoch | Parts of Contin, Fodderty, and Urray. |
| 71b | Kinlochluichart | Parts of Contin, Fodderty, and Urray. |
| 86b | Carloway | Parts of Lochs and Uig. |
| 87 | Lochs | Parts of Lochs and Uig. |
| 112 | Kilmuir | (1) Part of Kilmuir; (2) Rest of Kilmuir and part of Snizort |
| 135 | Elgin | Elgin, and parts of New Spynie and St Andrews-Lhanbryde |
| 152 | Enzie | Parts of Bellie and Rathven. |
| 155b | Glenrinnes | Parts of Aberlour and Mortlach. |
| 167 | Seafield | Parts of Cullen and Rathven. |
| 210b | Kinninmonth | Parts of Crimond, Longside, Lonmay, Old Deer, and Strichen. |
| 217 | Logie Coldstone and Cromar | Logie Coldstone, and part of Glenmuick, Tullich, and Glengairn. |
| 222b | Millbrex | Parts of Fyvie and Monquhitter. |
| 227b | New Pitsligo | Parts of Aberdour, New Deer, Strichen, and Tyrie. |
| 237b | Savoch | Parts of Ellon, New Deer, Old Deer, and Tarves. |
| 240 | Strathdon | Strathdon, and part of Tarland. |
| 249b | Ythan Wells | Parts of Auchterless and Forgue. |
| 272 | Arbroath | Arbroath, and part of St Vigeans. |
| 282 | Dundee | Dundee, and part of Liff, Benvie, and Invergowrie. |
| 294 | Kettins | Kettins and part of Scone. |
| 297 | Kinnettles | Kinnettles and part of Caputh. |
| 324 | Aberfeldy | Parts of Dull, Fortingall, Kenmore, Logierait, and Weem. |
| 331 | Balquhidder | Balquhidder, and part of Comrie. |
| 344 | Dowally | Part of Dunkeld and Dowally. |
| 349 | Dunkeld | Parts of Caputh and of Dunkeld and Dowally. |
| 355a | Fortingall | (1) Parts of Fortingall and Weem; (2) Part of Fortingall. |
| 355b | Foss | Part of Dull. |
| 360 | Kenmore | Parts of Kenmore and Weem. |
| 361 | Killin | Parts of Kenmore, Killin, and Weem. |
| 367 | Kinloch-Rannoch | Parts of Fortingall and Logierait. |
| 375 | Logiealmond | Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton. |
| 379 | Meigle | Meigle, and part of Coupar-Angus. [Kinloch, and Rattray. |
| 386b | Persie | Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael Lethendy and |
| 387 | Perth | Perth, and parts of Kinnoull, Scone, and Tibbermore |
| 393b | Stanley | Parts of Auchtergaven, Kinclaven, and Redgorton. |
| 394b | Strathfillan | Part of Killin. |
| 394c | Tenandry | Parts of Blair-Athol, Dull, and Moulin. |
| 402 | Anstruther-Easter | Anstruther-Easter and part of Kilrenny. |
| 417 | Crail | Part of Crail and May Island. |
| 423 | Dunbog | Dunbog, and parts of Abdie and Flisk. |
| 424 | Dunfermline | Parts of Dunfermline and Inverkeithing |
| 425 | Dunino | Dunino and part of Crail. |
| 432 | Inverkeithing | Parts of Inverkeithing and Dunfermline. |
| 442 | Kirkcaldy and Abbotshall | Kirkcaldy, Abbotshall, and part of Kinghorn. |
| 481b | Grangemouth | Parts of Bothkennar, Falkirk, and Polmont. |
| 490 | Stirling | Stirling, and part of St Ninians. |
| 496 | Dumbarton | Dumbarton, and part of Cardross. |
| 506 | Ballachulish, etc. | Part of Kilmalie. |
| 509 | Cumlodden and Minard | Parts of Glassary and Glenaray. |
| 513 | Inveraray | Inveraray and part of Glenaray. |
| 515 | Kilbrandon and Kilchattan | Kilbrandon and Kilchattan, and part of Jura. [of Kilchrenan and Dalavich. |
| 517 | Kilchrenan | (1) Parts of Kilchrenan and Dalavich, and of Glenorchy and Inishail; (2) Rest |
| 526 | Lochgilphead | Parts of Glassary and South Knapdale. |
| 529 | Muckairn | Parts of Ardchattan and Muckairn, and of Glenorchy and Inishail. |
| 535 | Tarbert | Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South |
| 536 | Bowmore (or Kilarrow) | Part of Kilarrow and Kilmeny. [Knapdale. |
| 542 | Kilfinichen and Kilvickeon | Parts of Kilfinichen and Kilvickeon, and of Torosay. |
| 543 | Kilmeny | Part of Kilarrow and Kilmeny. |
| 545 | Kinlochspelvie | Part of Torosay. |
| 547 | Portnahaven | Part of Kilchoman. |
| 548 | Salen | Parts of Kilminian and Kilmore, and of Torosay. |
| 549 | Tobermory | Part of Kilminian and Kilmore. |
| 556 | Lochranza | Parts of Kilbride and of Kilmory. |
| 557 | North Bute | North Bute, and part of Rothesay. |
| 572 | Neilston | (1) Part of Neilston; (2) Rest of Neilston and part of Abbey. |
| 573 | Paisley | High, Middle, and Low Church Parishes, and parts of Abbey and of Renfrew. |
| 576 | Ardrossan | (1) Parts of Ardrossan and of West Kilbride; (2) Rest of Ardrossan. |
| 578 | Ayr | Ayr, Newton-upon-Ayr and part of St Quivox. |
| 584b | Crosshill | Parts of Kirkmichael, Kirkoswald, and Maybole. |
| 595 | Irvine | Irvine, and part of Dundonald. |
| 612 | St Quivox, etc. | Parts of Newton-upon-Ayr, and St Quivox. |
| 628b | Calderhead | Parts of Cambusnethan and Shotts. |
| 639 | Dalziel | Dalziel and part of Hamilton. |
| 644 | Glasgow | City of Glasgow, including Gorbals and parts of Barony and Govan. |
| 652 | Old Monkland | Old Monkland and part of New Monkland. |
| 670 | Queensferry | Queensferry, and part of Dalmeny. |
| 684 | Portobello | Parts of Duddingston and South Leith. [ton, and North Leith and South Leith. |
| 685 | Edinburgh | City of Edinburgh, Canongate, and parts of St Cuthberts, Duddingston, Liber- |
| 690 | Kirknewton & East Calder | Kirknewton and East Calder, and part of Kirkliston. |
| 692 | Leith | (1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith. |
| 698b | Stobhill | Parts of Borthwick, Cockpen, Newbattle, and Temple. |
| 774a | Caddonfoot | Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow. |
| 776b | Ladhope | Part of Melrose. |
| 787b | Edgerston | Parts of Jedburgh, Oxnam, and Southdean. |
| 794 | Kirktown | Kirktown and part of Cavers. |
| 813b | Brydekirk | Parts of Annan, Cummertrees and Hoddom. |
| 830 | Holywood | Holywood and part of Terregles. |
| 858b | Wanlockhead | Part of Sanquhar. |
| 857b | Bargrennan | Parts of Minnigaff (Kirkcudbright) and of Penninghame (Wigtown). |
| 862 | Corsockbridge | Parts of Balmaclellan, Kirkpatrick-Durham, and Parton. |
| 864 | Dalbeattie | Part of Urr. |

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants, and upwards, *or parts thereof*, bearing a different name from the Districts in which they are situated.

| No. | Registration Districts. | Burghs. | Towns. |
|---|---|---|---|
| 80 | Rosemarkie | *Fortrose. | *Lossiemouth. |
| 130 | Drainie | | |
| 155a[2] | Macduff | Banff. | *Buckie. |
| 164 | Isathven | | |
| 167 | Seafield | Cullen. | |
| 211 | Kinnellar | Kintore. | |
| 213 | Kintore | Inverurie. | |
| 251[1] | Banchory-Devenick | Aberdeen. | |
| 253 | Benholm | Inverbervie. | Stonehaven. |
| 255 | Dunnottar | | Do. |
| 258[1] | Fetteresso | | |
| 262 | Kinneff, etc. | Inverbervie. | Carnoustie. |
| 274 | Barry | | |
| 280 | Craig | Montrose. | Broughty-Ferry. |
| 282[4] | St Andrews (Dundee) | | Do. |
| 310 | Monifieth | | Carnoustie. |
| 316 | Panbride | | Bridge of Allan. |
| 371 | Lecropt | | Do. |
| 374 | Logie | Stirling. | Dollar. |
| 385 | Muckhart | | Crieff. |
| 386a | Muthill | | Blairgowrie. |
| 389[2] | Rattray | | Suburban of Newburgh |
| 400 | Abdie | | Lochgelly. |
| 405 | Auchterderran | | Do. |
| 408 | Ballingry | | Cowdenbeath |
| 410 | Beath | | Newport. |
| 431 | Forgan | | |
| 436 | Kilconquhar | Earlsferry. | |
| 438 | Kilrenny | Anstruther-Easter. | *Leven. |
| 456 | Saltoun | | Buckhaven. |
| 459 | Wemyss | | Alloa. |
| 466 | Clackmannan | | *Lennoxtown. |
| 475 | Campsie | | Denny. |
| 478 | Dunipace | | Stenhousemuir. |
| 485 | Larbert | | Bannockburn. |
| 488 | St Ninians | | *Alexandria. |
| 493 | Bonhill | | *Renton. |
| 494 | Cardross | | *Milngavie. |
| 500 | New or East Kilpatrick | | *Helensburgh. |
| 503 | Row | | |
| 523 | Kilmore and Kilbride | Oban. | Johnstone. |
| 559[3] | Abbey | | Busby. |
| 560 | Cathcart | | Suburban of Glasgow (Crosshill). *Pollokshaws and Thornliebank. |
| 562 | Eastwood | | |
| 564 | Greenock, East | Port-Glasgow. | Busby. |
| 571 | Mearns | | Saltcoats. |
| 576[1] | Old Aedrossan | | Cumnock. |
| 577 | Auchinleck | | Newmilns. |
| 593 | Galston | | Hurlford. |
| 597 | Kilmarnock | | Galston and Newmilns. |
| 603 | Loudoun | Kilmarnock. | Hurlford. |
| 611 | Riccarton | | *Catrine. |
| 613 | Sorn | | Saltcoats. [Possilpark). |
| 615 | Stevenston | | *Strathaven. |
| 621 | Avondale | | Suburban of Glasgow (Maryhill and |
| 622[1] | Maryhill | | Suburban of Glasgow (Shettleston and part of Tollcross). |
| 622[2] | Shettleston | | Stonefield. |
| 624 | Blantyre | | *Bellshill, Uddingston and Mossend. |
| 625[1] | Bothwell | | *Newmains and Wishaw. |
| 628 | Cambusnethan | | Motherwell. |
| 639 | Dalziel | | Busby. [Polmadie). |
| 643 | East Kilbride | | Suburban of Glasgow (Govanhill and |
| 644[11] | Glasgow (Hutchesontown) | | Suburban of Glasgow (Govanhill, Pollockshields, and Strathbungo) |
| 644[13] | Glasgow (Gorbals) | | Suburban of Glasgow (Pollockshields, Strathbungo, and Kinning Park) |
| 644[14] | Glasgow (Kinning Park) | | Suburban of Glasgow (Govan). [Brand) |
| 646[1] | Govan | | Suburban of Glasgow (Partick and Hill |
| 646[2] | Partick | | Larkhall and Motherwell. |
| 647 | Hamilton | | Suburban of Airdrie. |
| 651[2] | New Monkland (Landward) | | |
| 652 | Old Monkland | | Baillieston, and Tollcross. |
| | (1) Western District | | Coatbridge and Rosehall. |
| | (2) Middle District | | Do. do. |
| | (3) Eastern District | | Cumbernauld. |
| 654 | Rutherglen | | Lesmahagow. |
| 664 | Carluke | | Broxburn. |
| 672 | Uphall | | *Croftfoot. |
| 673[2] | Pandhouse | | Bonnyrigg. |
| 676 | Cockpen | | |
| 689 | Inveresk | *Musselburgh. | Penicuik, Loanhead. |
| 691 | Lasswade | | Eyemouth. |
| 727 | Ayton | | |
| 776b | Ladhope | Galashiels. | |
| 810 | Wilton | Hawick. | |
| 813b | Brydekirk | Annan. | Lockerbie. |
| 820 | Dryfesdale | | Castle Douglas. |
| 863 | Crossmichael | | |
| 868 | Kells | *New Galloway. | Castle Douglas. |
| 869 | Kelton | | Newton-Stewart |
| 876 | Minnigaff | | |
| 880 | Terregles | Dumfries. | |
| 882 | Troqueer | Do. | Newton-Stewart |
| 895 | Penninghame | | |

[illegible] Burgh or Town is embraced in the Registration District

# INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from* 1 *to* 901.*


Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen . 168
Aberdour(Aberdeen), . 169
Aberdour(Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy, 326
Abernethy and Kincardine, 90
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston,. 644
Annan, . 812
Anstruther-E., 402
Anstruther-W., 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardoch, . 328
Ardrossan, . 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727

Baldernock, 471
Balfron, . 472
Ballachulish and Corran of Ardgour, . 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, . 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bannockburn, 488
Bargrennan, 857
Barony, . 622
Barr, . . 580
Barra(Inverness)108
Barrhead and Levern, . 572
Barrhill, . 582
Barry (Forfar), 274
Barvas, . . 86
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . . 175
Blackford, . 333
Blackfriars, 644
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boddam, . 232
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, . 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore . 536
Boyndie, . 149
Bracadale, . 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, . 813
Buchanan, . 474
Buckhaven, 459
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1
Busby, . 571

Cabrach, . 177
Cadder, . 626
Caddonfoot, 774
Cairney, 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Camlachie, 644
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, . 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnoch (Ross), 59
Carnock (Fife), 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . . 415
Channelkirk, 729
Chapel-of-Garioch, 179
Chirnside, . 730
Clackmannan, 466
Clatt, . . 180
Cleish, . 460
Closeburn, . 816
Clunie (Perth), 339
Cluny(Aberd'n), 181
Clyne, . . 45
Coatbridge, 652
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy&Clova 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, . 635
Crawfordjohn, 636
Creich (Fife), 418
Crichton, . 681
Criech (Sutherland), . 46
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Advie, . 128
Crosshill, . 584


* The actual number of Districts is 1051—many Parishes and Burghs having been divided into two or more Districts for the purpose of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 14 Districts respectively. In forming the alphabetical arrangement the principle adopted has been to place *compound* names in the order in which they are pronounced.

Crosshill, . 584
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Cuisamond, 186
Culter, . 637
Cults (Fife), 419
Cumbernauld, 495
Cumbrae, . 552
Cumlodden and Minard, . 509
Cummertrees, 817
Cupar, . 420
Currie, . 682

Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, . 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dairy (Ayr), 587
Dairy (Kirkcudbright), . 865
Dairymple, 588
Dalserf, . 638
Dalton, . 813
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Dennistoun, 644
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . . 345
Drumblade, 188
Drumelzier, 759
Dramoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon, . 510
Dunrossness, 3
Duns, . 735
Dunscore, . 822
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 96
Dyce, . . 190
Dyke, . 133
Dysart, . 426

Eaglesham, 561
Earlsferry, . 426
Earlston, . 730
Eassie & Nevay, 284
East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . . 191
Eckford, . 787
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Edrachillis, 49
Edgerston, . 787
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . 135
Elie, . . 427
Ellon, . . 192
Enzie, . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . . 50
Fauldhouse, 673
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberd.), 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . . 430
Flotta, . . 32
Fodderty, . 65
Fogo, . . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Forth, . 632
Fortingall, . 355
Fortrose, . 80
Foss, . . 356
Fossoway and Tullibole, 461
Foula, . 12
Fouiden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Garmouth, . 144
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glamis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencorse, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, . 99
Glenholm, . 761
Glenisla, . 290
Glenlivat, . 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy, . 512
Glenrinnes, . 155
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gorbals, . 644
Gordon, . 742
Gourock, . 567
Govan, . 646
Graitney (or Gretna), . 827
Grange, . 156
Grangemouth, 481
Grantshouse, 732
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Haggs, . 476
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddom, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hurlford, . 611
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumf.) 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerleithen, 762
Innerwick (Had.) 711
Innerwick in Glenlyon, 355
Insch (Aberd'n), 203
Inverallan, . 128
Inverallochy, 235
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverkip, . 567
Invernèss, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone and Elderslie (Renfrew), . 569
Jura, . 539

Keig, . . 205
Keir, . . 833
Keiss, . 37
Keith, . 159
Keith-hall, . 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kelvin, . 644
Kemback, . 433
Kennay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, &c., 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kilcreggan, 502
Kildalton & Oa, 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmallie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, . 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll) 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 522
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 510
Kilninian and Kilmore, 544
Kilniniver, . 524
Kilrenny, . 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, . 441
Kingussie, &c., 102
Kininmonth, 210
Kinlochbervie, 49
Kinlochluichart, 71
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinning Park, 644
Kinnoull, . 369

Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy and Abbotshall, 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, . 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall and St Ola, . 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 799
Ladykirk, . 746
Laggan, . 104
Lairg, . . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie 214
Lerwick, . 5
Leslie (Aberd'n), 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy and Kinloch 372
Lethnot and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edin.) 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Linwood, . 568
Lismore, . 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochee, . 282
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone and Cromar, 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . . 54
Loudoun, . 603
Lugar, . . 577
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . . 499
Lyne, . 765

Macduff, . 155
Madderty, . 378
Mains, . . 307
Makerston, 797
Manor, . . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, . 308
Mauchline, . 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, 841
Midmar, . 222
Mid & So. Yell, 6
Millbrex, . 222
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, . 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird and Strowan, . 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mouswald, . 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
New Ardrossan, 576
Newbattle, . 695
Newburgh, . 450
Newburn, . 451
New Byth, . 210
New Cumnock, 608
New Deer, . 225
New Galloway, 868
Newhills, . 226
Newington, . 685
New Kilpatrick, 500
Newlands, . 767
New Luce, . 893
New Machar, 227
New Monkland, 651
New Pitsligo, 227
New Spynie, 136
Newton, . 696
Newton Mearns, 571
Newtyle, . 314
Nigg (Kincard.), 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Harris, 111
North Knapdale, 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, 22
North Uist, 113
North Yell, . 4

Oa, . . 546
Oathlaw, . 315
Oban, . . 523
Ochiltree, . 609
Old Aberdeen, 168
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick 501
Old Luce, . 894
Old Meldrum, 229
Old Monkland, 652
Olrig, . . 39
Ordiquhill, . 163
Ormiston, . 715
Orphir, . . 23
Orwell, . . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Patna, . . 610
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386
Perth, . 387
Peterculter, 231
Peterhead, . 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Plantation, . 646
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Port of Monteith, 388
Portlethen, . 251
Portmoak, . 464
Portnahaven, 547
Portobello, . 684
Portpatrick, 896
Portree, . 114
Portsoy, . 153
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718
Queensferry, 670

Raasay, . 114
Rafford, . 140
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . . 40
Redgorton, . 390
Renfrew, . 575
Renton, . 494
Rerrick, . 879
Rescobie, . 317
Resolis, . . 79
Rhynd, . . 391
Rhynie, . . 237
Riccarton, . 611
Roberton, . 777
Rogart, . . 55
Rosemarkie, . 503
Roseneath, 502
Rosehall, . 46
Rosskeen, 81
Rothes, . 141
Rothesay, . . 558
Rothiemay, . 165
Rothiemurchus, 96
Rousay and Egilsay, . 24
Row, . . 503
Roxburgh, . 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clement, 282
St Cyrus, . 267
St Fergus, . 166
St George . 685
St Giles, . 685
St Kilda, . 111
St Madoes, . 392
St Martins, . 393
St Mary, . 282
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, . 488
St Peter, . 282
St Quivox, &c., 612
St Rollox, . 649
St Vigeans, 314
Salen (Argyll), 548
Saline (Fife), 458
Salton, . . 715
Sanday, . 29
Sandness, . 16
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cunningsburgh, 3
Sanquhar, . 848
Savoch, . 237
Scone, . 394
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, . 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, . 489
Sleat, . 115
Smailholm, . 805
Small Isles, . 116
Snizort, . . 117

Sorbie, . 897
Sorn, 613
Southdean, 806
Southend, . 532
South Harris, 111
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, 29
South Uist, 118
Speymouth, 143
Spott, . 720
Sprouston, . 807
Stair, . . 614
Stanley, . 393
Stenscholl, . 112
Stenton, . 721
Stevenston, . 615
Stewarton, . 616
Stirling, . 490
Stitchell, . 808
Stobhill, . 698
Stobo, 770
Stoer, . . 44
Stonehouse, . 656
Stoneykirk, . 898
Stornoway, 88
Stow, . 699
Stracathro, . 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, 899
Strath, . 119
Strathblane, 491
Strathdon, . 240
Strathfillan, 394
Strathloch, . 384
Strathmartin, 507
Strathmiglo, 457
Strathoykel, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Stuart, . 505
Swanton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657
Tain, . 82
Tannadice, . 321
Tarbat, . 83
Tarbert, . 535
Tarbolton, . 619
Tarland, . 242
Tarves, . 243
Tealing, 322
Temple, . 700
Tenandry, . 394
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, . 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, . 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, . 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troon, . 590
Troqueer, . 882
Tullichlan, . 397
Tullyvessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 277
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie . 248
Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . 884
Urray, . 85
Walkerburn, 762
Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853
Wandell and Lamington, 659
Wanlockhead, 853
Waternish, . 110
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, . 7
Whitburn, . 673
Whitekirk and Tyninghame, 723
Whiteness and Weisdale, 10
Whithorn, . 900
Whitsome, . 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660
Woodside, . 168
Yarrow, . 779
Yester (or Gifford), . 729
Yetholm, . 811
Ythan Wells, 249

EDINBURGH: PRINTED BY NEILL AND COMPANY
FOR HER MAJESTY'S STATIONERY OFFICE.

# THIRTY-SEVENTH

# DETAILED ANNUAL REPORT

OF THE

# REGISTRAR-GENERAL

OF

# BIRTHS, DEATHS, AND MARRIAGES

# IN SCOTLAND.

[ABSTRACTS OF 1891.]

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY NEILL & CO., OLD FISHMARKET CLOSE.

And to be purchased, either directly or through any Bookseller, from
JOHN MENZIES & CO., 12 HANOVER STREET, EDINBURGH, and
90 WEST NILE STREET, GLASGOW; or
EYRE & SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
HODGES, FIGGIS, & CO., LIMITED, 104 GRAFTON STREET, DUBLIN.

1893.

[C. 7246.] *Price* 2s. 1d.

WI
IS6
642
M1
1904



# REPORT.

TO THE RIGHT HON.

SIR GEORGE OTTO TREVELYAN, BART., M.P.,

*Her Majesty's Secretary for Scotland.*

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, 23*rd December* 1893.

SIR,

I had the honour in 1892, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict., cap. 90, to transmit to you as Her Majesty's Secretary for Scotland, General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1891, along with the usual explanation and commentary.

At the same time, my Twenty-seventh Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict., cap. 108.

I have now the honour to transmit the Detailed Annual Report, together with the relative Tables, regarding the Births, Deaths, and Marriages registered in Scotland during the same year (1891).

I have the honour to be,

SIR,

Your most obedient Servant,

STAIR AGNEW,

*Registrar-General.*

# CONTENTS.


Page

Report of Registrar-General to the Secretary for Scotland, . . . . . iii

Report by Dr Cunynghame to the Registrar-General, . . . . . ix

Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855–1891 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths, . . . . . ix

Population, . . . . . x

Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1891, . . . . . x & xi

BIRTHS.

Table showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Towns of Scotland during 1891, . . . . . xi

Occasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1891, . . . . . xii

Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Groups of Districts, Divisions, and Counties of Scotland during the year 1891, . xiii

Births in 1891, and their Proportion to the Population, with relative Tables, . . . xiv

Tables showing particulars relative to the Births during each of the years 1855 to 1891 inclusive, . . . . . xiv

Number and Proportion of Twins and Triplets, . . . . . xiv & xv

MARRIAGES.

Number of Marriages in 1891, and their Proportion to the Total Marriages, . . . xvi

Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1891, and 1855–1891, with relative Tables, . . xvii–xix

Proportion of Legitimate Children to the Marriages in Scotland and England, . . xix

Number and Proportion of Persons marrying at different Ages, with relative Tables, . . xx & xxi

Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables, . . . . . xxiii & xxiv

Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark, . xxv

DEATHS.

Number of Deaths in Scotland in 1891, and their Proportion to the Population, . . xxvi

Page

Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1891, with relative Tables, . . . . . xxvii

Death-rates in Principal Towns of Scotland during each of the years 1881–1891, . . xxviii

Mortality in Principal Towns, . . . . . xxviii

Series of Tables of the Deaths at different Ages in Scotland, and its Five Great Groups of Districts, during the year 1891, . . . . . xxix

Causes of Death in 1891, with relative Tables, . . . . . xxxiii

Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables, . xxxviii

Deaths from Influenza in 1891, . . . . . xlii

Small-pox Deaths in Scotland for thirty-seven years, . . . . . xliv

Vaccinations in Scotland, 1881–1891, . . . . . xlv

Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths, . . xlvii & xlviii

The Twenty-two most fatal Diseases in Scotland in 1891, . . . . . xlix

Deaths by Suicide, . . . . . li

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1891.

Weather, Weekly and Monthly, and its Influence on the Mortality, . . . . . lii

Table showing the Meteorology of Scotland during each month of the year 1891, together with the Monthly and Daily Number of Births, Deaths, and Marriages, . . lii

Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland during each Month of the year 1891, . . liii

Deaths, Temperatures, and Fall of Rain in Eight of the Principal Towns of Scotland, during each week of the year 1891, . . . . . liv

Influence of Season, etc., on the Mortality at different Ages, . . . . . lv

## APPENDIX.

Vaccinations in the several Counties of Scotland during the year 1891, . . . lviii
Numbers of Certified and Uncertified Deaths during 1891, . . . . . lix
Distribution of Deaths according to months, or the influence of season on the mortality, . lx

## ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1891, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1881 and 1891, the Excess of Births over Deaths, and the Area in Square Miles of each County, . . . . . .

Tables of the Population in 1881 and 1891, and of the Births, Deaths, and Marriages during the year 1891, also of the Illegitimate Births in every Registration District, 2–23

## MARRIAGES.

Page

Table of the Marriages in Scotland and its Counties in 1891; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, . . . . . 24

Table of the Civil Condition of the parties who married in 1891; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25

Table of the Ages of all Males who married in Scotland and its Counties in 1891, . . 26

Table of the Ages of all Females who married in Scotland and its Counties in 1891, . . 28

## DEATHS.

Table of the Ages of all persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Town Districts of Scotland in 1891, together with the Populations in 1881 and 1891, . . . . . 30

Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Town Districts of Scotland in 1891, together with the Male Populations in 1881 and 1891, . . . . . 32

Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Town Districts of Scotland in 1891, together with the Female Populations in 1881 and 1891, . . . . . 34

Deaths at different Ages in both Sexes in each of the Large Town Districts, and in the Small Town Districts of the Counties of Scotland in 1891, . . . . . 36
Do. Males, . . . . . 38
Do. Females, . . . . . 40

Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular-Rural Districts of Scotland in 1891, . . . . . 42
Do. Males, . . . . . 44
Do. Females, . . . . . 46

Summary Table of the Causes of Death in each of the Counties of Scotland in 1891—
Males, . . . . . 48
Females, . . . . . 49

Summary Table of the Causes of Death in each of the Principal Town Districts of Scotland in 1891—
Males, . . . . . 68
Females, . . . . . 69

Summary Table of the Causes of Death in each of the Large Town Districts of Scotland in 1891—
Males, . . . . . 78
Females, . . . . . 79

Summary Table of the Causes of Death in each of the Small Town Districts of the Counties of Scotland in 1891—
Males, . . . . . 89
Females, . . . . . 90

Summary Table of the Causes of Death in the Mainland-Rural Districts of Scotland in 1891—
Males, . . . . . 108
Females, . . . . . 109

Summary Table of the Causes of Death in the Insular-Rural Districts of Scotland in 1891—
Males and Females, . . . . . 128

Table of the Causes of Death in all Scotland at different Periods of Life—
Males, . . . . . 134
Females, . . . . . 135

Page

Table of the Causes of Death in the Principal Town Districts of Scotland at different Periods of Life—
Males, . . . . . 154
Females, . . . . . 155

Table of the Causes of Death in the Large Town Districts of Scotland at different Periods of Life—
Males, . . . . . 174
Females, . . . . . 175

Table of the Causes of Death in the Small Town Districts of Scotland at different Periods of Life—
Males, . . . . . 194
Females, . . . . . 195

Table of the Causes of Death in the Mainland-Rural Districts of Scotland at different Periods of Life—
Males, . . . . . 214
Females, . . . . . 215

Table of the Causes of Death in the Insular-Rural Districts of Scotland at different Periods of Life—
Males, . . . . . 234
Females, . . . . . 235

Table of the Causes of Death in Glasgow at different Periods of Life—
Males, . . . . . 254
Females, . . . . . 255

Table of the Causes of Death in Glasgow (Landward and Suburban) at different Periods of Life—
Males, . . . . . 274
Females, . . . . . 275

Table of the Causes of Death in Edinburgh at different Periods of Life—
Males, . . . . . 294
Females, . . . . . 295

Table of the Causes of Death in Dundee at different Periods of Life—
Males, . . . . . 314
Females, . . . . . 315

Table of the Causes of Death in Aberdeen at different Periods of Life—
Males, . . . . . 334
Females, . . . . . 335

Table of the Causes of Death in Leith at different Periods of Life—
Males, . . . . . 354
Females, . . . . . 355

Table of the Causes of Death in Greenock at different Periods of Life—
Males, . . . . . 374
Females, . . . . . 375

Table of the Causes of Death in Paisley at different periods of Life—
Males, . . . . . 394
Females, . . . . . 395

Table of the Causes of Death in Perth at different periods of Life—
Males, . . . . . 414
Females, . . . . . 415

Table of the Causes of Death in Kilmarnock at different periods of Life—
Males, . . . . . 434
Females, . . . . . 435

---

Constitution of the Compound Districts, . . . . . 454

List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof bearing a different name from the Districts in which they are situated, . . . . . 455

Districts, Index to, . . . . . 456

# REPORT TO THE REGISTRAR-GENERAL,

BY R. J. BLAIR CUNYNGHAME, M.D., F.R.S.E.

SIR,

As bearing upon the welfare of the community it may be noted that during the year (1891), there was throughout Scotland a general prevalence of northerly and easterly winds, and a diminution of those from a westerly direction.

The temperature on the mean of the year was slightly above the average in the west of the country, where there was also the greatest rainfall, the reverse as to both occurring in the east. The hours of sunshine were de-deficient—specially so during the months of July and August.

TABLE I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the Years 1855 to 1891, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

| YEARS | Estimated Population. | BIRTHS. | | Deaths. | Marriages. | Excess of Births over Deaths. | Percentage to Population. | | | Percent. of Illegit. to Total Births. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Total. | Illegit. | | | | Births. | Deaths. | Marriages. | |
| 1855 | 2,978,065 | 93,349 | 7,357 | 62,004 | 19,680 | 31,345 | 3·1491 | 2·0820 | 0·6608 | 7·8 |
| 1856 | 2,995,771 | 101,821 | 8,695 | 58,529 | 20,740 | 43,292 | 3·3988 | 1·9537 | 0·6923 | 8·5 |
| 1857 | 3,012,310 | 103,415 | 8,869 | 61,906 | 21,369 | 41,509 | 3·4331 | 2·0551 | 0·7094 | 8·5 |
| 1858 | 3,027,665 | 104,018 | 9,354 | 63,539 | 19,655 | 40,479 | 3·4356 | 2·0986 | 0·6492 | 8·9 |
| 1859 | 3,041,812 | 106,543 | 9,715 | 61,714 | 21,201 | 44,829 | 3·5026 | 2·0288 | 0·6969 | 9·1 |
| 1860 | 3,054,738 | 105,629 | 9,736 | 68,170 | 21,225 | 37,459 | 3·5578 | 2·2316 | 0·6948 | 9·2 |
| 1861 | 3,069,404 | 107,009 | 9,929 | 62,341 | 20,896 | 44,668 | 3·4863 | 2·0310 | 0·6808 | 9·2 |
| 1862 | 3,097,009 | 107,069 | 10,376 | 67,195 | 20,597 | 39,874 | 3·4572 | 2·1697 | 0·6651 | 9·7 |
| 1863 | 3,126,879 | 109,341 | 10,948 | 71,481 | 22,234 | 37,860 | 3·4968 | 2·2860 | 0·7160 | 10·0 |
| 1864 | 3,156,021 | 112,333 | 11,197 | 74,416 | 22,725 | 37,917 | 3·5594 | 2·3579 | 0·7200 | 9·9 |
| 1865 | 3,185,437 | 113,070 | 11,262 | 70,891 | 23,611 | 42,179 | 3·5496 | 2·2255 | 0·7412 | 9·9 |
| 1866 | 3,215,129 | 113,667 | 11,673 | 71,348 | 23,688 | 42,319 | 3·5354 | 2·2191 | 0·7367 | 10·2 |
| 1867 | 3,245,098 | 114,044 | 11,148 | 69,067 | 22,618 | 44,976 | 3·5063 | 2·1284 | 0·6970 | 9·7 |
| 1868 | 3,275,350 | 115,514 | 11,354 | 69,416 | 21,855 | 46,098 | 3·5267 | 2·1193 | 0·6673 | 9·8 |
| 1869 | 3,305,885 | 113,354 | 11,066 | 75,875 | 22,144 | 37,479 | 3·4288 | 2·2951 | 0·6698 | 9·7 |
| 1870 | 3,336,707 | 115,390 | 11,108 | 74,165 | 23,854 | 41,225 | 3·4582 | 2·2227 | 0·7149 | 9·6 |
| 1871 | 3,368,921 | 116,128 | 11,077 | 74,712 | 24,019 | 41,416 | 3·4470 | 2·2177 | 0·7130 | 9·5 |
| 1872 | 3,404,798 | 118,765 | 10,927 | 75,794 | 25,641 | 42,971 | 3·4882 | 2·2261 | 0·7531 | 9·2 |
| 1873 | 3,441,056 | 119,700 | 10,925 | 76,946 | 26,748 | 42,754 | 3·4786 | 2·2361 | 0·7773 | 9·1 |
| 1874 | 3,477,704 | 123,711 | 10,991 | 80,720 | 26,390 | 42,991 | 3·5573 | 2·3211 | 0·7588 | 8·9 |
| 1875 | 3,514,744 | 123,578 | 10,786 | 81,767 | 25,974 | 41,811 | 3·5160 | 2·3264 | 0·7390 | 8·73 |
| 1876 | 3,552,183 | 126,534 | 11,029 | 74,129 | 26,579 | 52,405 | 3·5621 | 2·0869 | 0·7482 | 8·72 |
| 1877 | 3,590,022 | 126,822 | 10,568 | 73,937 | 25,817 | 52,885 | 3·5326 | 2·0595 | 0·7191 | 8·33 |
| 1878 | 3,628,268 | 126,773 | 10,641 | 76,793 | 24,358 | 49,980 | 3·4940 | 2·1165 | 0·6713 | 8·39 |
| 1879 | 3,665,443 | 125,730 | 10,727 | 73,347 | 23,519 | 52,383 | 3·4301 | 2·0010 | 0·6416 | 8·53 |
| 1880 | 3,705,995 | 124,570 | 10,589 | 75,803 | 24,505 | 48,767 | 3·3613 | 2·0454 | 0·6612 | 8·50 |
| 1881 | 3,742,564 | 126,171 | 10,484 | 72,325 | 26,004 | 53,846 | 3·3712 | 1·9325 | 0·6948 | 8·31 |
| 1882 | 3,770,657 | 126,158 | 10,546 | 72,989 | 26,596 | 53,169 | 3·3458 | 1·9357 | 0·7053 | 8·36 |
| 1883 | 3,798,961 | 124,458 | 10,114 | 76,891 | 26,869 | 47,567 | 3·2761 | 2·0240 | 0·7073 | 8·13 |
| 1884 | 3,827,478 | 129,157 | 10,439 | 75,168 | 26,106 | 53,989 | 3·3745 | 1·9639 | 0·6821 | 8·12 |
| 1885 | 3,856,307 | 126,100 | 10,680 | 74,607 | 25,304 | 51,493 | 3·2700 | 1·9347 | 0·6562 | 8·47 |
| 1886 | 3,885,155 | 127,890 | 10,506 | 73,640 | 24,515 | 54,250 | 3·2886 | 1·8936 | 0·6304 | 8·21 |
| 1887 | 3,914,318 | 124,418 | 10,380 | 74,546 | 24,876 | 49,872 | 3·1749 | 1·9022 | 0·6348 | 8·34 |
| 1888 | 3,943,701 | 123,269 | 9,968 | 71,174 | 25,305 | 52,095 | 3·1257 | 1·8048 | 0·6417 | 8·09 |
| 1889 | 3,973,305 | 122,783 | 9,770 | 73,238 | 26,344 | 49,545 | 3·0902 | 1·8433 | 0·6630 | 7·96 |
| 1890 | 4,003,132 | 121,526 | 9,241 | 79,004 | 27,469 | 42,522 | 3·0358 | 1·9736 | 0·6862 | 7·60 |
| 1891 | 4,033,180 | 125,986 | 9,647 | 83,573 | 27,969 | 42,413 | 3·1237 | 2·0721 | 0·6935 | 7·66 |

# POPULATION.

## The population of Scotland as enumerated on the Census day, the 5th

TABLE II.—Population of Scotland, in its Five Groups of Districts, by the Censuses of 1881 and 1891, and estimated to the middle of 1891.

| FIVE GROUPS OF DISTRICTS. | CENSUS 1881. | | | CENSUS 1891. | | | Estimated to 30th June 1891. | | |
|---|---|---|---|---|---|---|---|---|---|
| | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. |
| Principal Town . | 667,902 | 738,936 | 1,406,838 | 756,698 | 833,612 | 1,590,310 | 759,088 | 836,147 | 1,595,235 |
| Large Town | 197,657 | 209,067 | 406,724 | 228,678 | 239,194 | 467,872 | 229,491 | 239,983 | 469,474 |
| Small Town | 377,834 | 406,820 | 784,654 | 405,239 | 435,100 | 840,339 | 405,847 | 435,741 | 841,588 |
| Mainland-Rural . | 494,903 | 512,066 | 1,006,969 | 493,346 | 507,828 | 1,001,174 | 493,317 | 507,723 | 1,001,040 |
| Insular-Rural | 61,179 | 69,209 | 130,388 | 58,756 | 67,196 | 125,952 | 58,697 | 67,146 | 125,843 |
| SCOTLAND . | 1,799,475 | 1,936,098 | 3,735,573 | 1,942,717 | 2,082,930 | 4,025,647 | 1,946,440 | 2,086,740 | 4,033,180 |

TABLE III.—Births, Deaths, and Marriages in the Five Groups of Districts in Scotland, 1855–1891.

| YEARS. | PRINCIPAL TOWN. | | | LARGE TOWN. | | | SMALL TOWN. | | | MAINLAND-RURAL. | | | INSULAR-RURAL. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Births. | Deaths | Marriages. | Births. | Deaths | Marriages. | Births. | Deaths | Marriages. | Births. | Deaths | Marriages. | Births. | Deaths | Marriages. |
| 1855 | 28113 | 22706 | 6937 | 8374 | 8954 | 1980 | 16042 | 10015 | 3371 | 37994 | 21656 | 6829 | 2826 | 1673 | 563 |
| 1856 | 31719 | 22254 | 7507 | 9221 | 5374 | 1975 | 17289 | 19542 | 3428 | 39649 | 19462 | 7106 | 3943 | 1897 | 724 |
| 1857 | 32674 | 23363 | 7476 | 9387 | 5860 | 2113 | 17848 | 10009 | 3442 | 39466 | 20706 | 7483 | 4040 | 1968 | 855 |
| 1858 | 32563 | 23445 | 6865 | 9282 | 6163 | 1824 | 17678 | 10076 | 3133 | 40307 | 21789 | 7044 | 4188 | 2066 | 789 |
| 1859 | 33027 | 22352 | 7554 | 9545 | 5775 | 1918 | 18533 | 10045 | 3643 | 41210 | 21090 | 7222 | 4228 | 2452 | 864 |
| 1860 | 32958 | 26066 | 7688 | 9223 | 6042 | 1983 | 18239 | 11070 | 3443 | 41043 | 22593 | 7408 | 4166 | 2399 | 703 |
| 1861 | 34351 | 23149 | 7753 | 9695 | 5831 | 1940 | 18453 | 10366 | 3365 | 40432 | 20820 | 7032 | 4078 | 2175 | 806 |
| 1862 | 34436 | 24960 | 7724 | 9618 | 6566 | 1837 | 18376 | 10933 | 3289 | 40621 | 22108 | 6998 | 4018 | 2628 | 749 |
| 1863 | 35888 | 27045 | 8544 | 9895 | 6780 | 2086 | 18707 | 11542 | 3521 | 40975 | 23509 | 7416 | 3876 | 2605 | 667 |
| 1864 | 37058 | 28845 | 8897 | 10263 | 7132 | 2234 | 19389 | 12294 | 3750 | 41704 | 23805 | 7178 | 3919 | 2341 | 666 |
| 1865 | 38109 | 28515 | 9347 | 10594 | 6896 | 2304 | 19283 | 11256 | 3775 | 40449 | 22080 | 7512 | 4635 | 2144 | 669 |
| 1866 | 38541 | 27466 | 9458 | 10453 | 6906 | 2279 | 19326 | 11809 | 3839 | 41485 | 22905 | 7430 | 3862 | 2262 | 682 |
| 1867 | 39012 | 26519 | 8870 | 10651 | 6776 | 2156 | 19178 | 11557 | 3607 | 41339 | 21986 | 7271 | 3864 | 2230 | 714 |
| 1868 | 39492 | 28037 | 8589 | 10733 | 6684 | 2101 | 19563 | 11392 | 3469 | 41840 | 21164 | 7090 | 3886 | 2139 | 606 |
| 1869 | 39517 | 31467 | 9156 | 10618 | 7486 | 2201 | 18895 | 11901 | 3398 | 40640 | 22616 | 6806 | 3684 | 2405 | 583 |
| 1870 | 40452 | 28508 | 9733 | 10999 | 7712 | 2369 | 18958 | 12097 | 3762 | 41378 | 23654 | 7383 | 3603 | 2194 | 607 |
| 1871 | 40442 | 31426 | 9819 | 12599 | 8071 | 2656 | 26507 | 16200 | 5081 | 32825 | 17180 | 5863 | 3755 | 1835 | 600 |
| 1872 | 41673 | 30199 | 10427 | 13318 | 8940 | 2967 | 28059 | 16478 | 5545 | 32157 | 18093 | 6063 | 3558 | 2084 | 639 |
| 1873 | 41500 | 30008 | 10594 | 14033 | 9306 | 3140 | 28841 | 17357 | 6130 | 31963 | 18098 | 6291 | 3363 | 2177 | 593 |
| 1874 | 42631 | 32124 | 10574 | 15189 | 10026 | 3051 | 29557 | 17560 | 5695 | 32877 | 18816 | 6443 | 3457 | 2194 | 627 |
| 1875 | 43621 | 30983 | 10670 | 14638 | 9802 | 2995 | 28926 | 18285 | 5594 | 33104 | 20303 | 6160 | 3289 | 2394 | 555 |
| 1876 | 44265 | 27977 | 10722 | 15439 | 9024 | 3116 | 29601 | 16826 | 5773 | 33802 | 18192 | 6351 | 3427 | 2110 | 617 |
| 1877 | 44575 | 28227 | 10706 | 15863 | 9057 | 2938 | 29510 | 16060 | 5434 | 33596 | 18475 | 6207 | 3278 | 2118 | 532 |
| 1878 | 44329 | 29425 | 9727 | 16228 | 10188 | 2942 | 29499 | 17005 | 5150 | 33422 | 18212 | 5938 | 3295 | 1963 | 601 |
| 1879 | 43613 | 27144 | 9490 | 15896 | 9433 | 2781 | 30048 | 16562 | 5096 | 32886 | 18039 | 5569 | 3287 | 2169 | 583 |
| 1880 | 42903 | 28873 | 9763 | 15734 | 9840 | 3091 | 29843 | 17482 | 5562 | 32790 | 17557 | 5554 | 3300 | 2051 | 535 |
| 1881 | 51157 | 32140 | 12157 | 14026 | 7704 | 2985 | 27072 | 14746 | 5017 | 30643 | 15712 | 5338 | 3273 | 2023 | 507 |
| 1882 | 52296 | 32697 | 12547 | 14236 | 8054 | 2909 | 26713 | 14785 | 5067 | 29710 | 15436 | 5525 | 3203 | 2017 | 548 |
| 1883 | 52154 | 35306 | 13114 | 13899 | 8217 | 2878 | 26152 | 15169 | 5111 | 29112 | 16087 | 5241 | 3141 | 2112 | 525 |
| 1884 | 54156 | 34025 | 12242 | 14549 | 8248 | 2877 | 27497 | 14917 | 5166 | 29740 | 16024 | 5232 | 3215 | 1954 | 589 |
| 1885 | 52058 | 32727 | 11618 | 14262 | 8103 | 2909 | 27094 | 15412 | 5033 | 29477 | 16287 | 5214 | 3209 | 2078 | 530 |
| 1886 | 52324 | 32236 | 11574 | 15178 | 8436 | 2750 | 27555 | 15116 | 4792 | 29569 | 15860 | 4922 | 3264 | 1992 | 477 |
| 1887 | 50849 | 32676 | 11767 | 15018 | 8911 | 2841 | 26219 | 15144 | 4838 | 29176 | 15801 | 4988 | 3156 | 2014 | 442 |
| 1888 | 50571 | 30505 | 12323 | 14992 | 8400 | 2958 | 26346 | 14284 | 4847 | 28293 | 15927 | 4755 | 3067 | 2058 | 422 |
| 1889 | 51028 | 32436 | 12903 | 14974 | 8462 | 3200 | 25989 | 14613 | 5018 | 27786 | 15863 | 4773 | 3006 | 1864 | 450 |
| 1890 | 50861 | 35262 | 13312 | 15233 | 9431 | 3367 | 25640 | 15657 | 5270 | 26539 | 16678 | 5103 | 2814 | 1976 | 417 |
| 1891 | 52407 | 36598 | 13365 | 15883 | 10215 | 3470 | 26860 | 17119 | 5411 | 27977 | 17390 | 5272 | 2859 | 2251 | 451 |

Principal Towns above 25000 inhabitants. Large Towns above 10000 and under 25000 inhabitants. The Small Towns from 3000 to 10000 inhabitants from 1855 to 1881 but from 1881 and upwards the Small Towns have from 2000 to 10000 of population.

April of the present year 1891, was 4,025,647, the males numbering 1,942,717, and the females 2,082,930. The population from which all deductions are drawn in these and other reports is that as estimated to the middle of each year, so at 30th June 1891, the total population is considered to be 4,033,180, the males being 1,946,440, and the females 2,086,740.

The inhabitants of the five great Registration Districts into which the whole country is divided, and in the area of which no change is made for the present, stand as follows. The Principal Town Districts have a total of 1,595,235, males 759,088, females 836,147; the Large Town Districts number in population 469,474, males 229,491, females 239,983; the Small Town Districts include 841,588 souls, males 405,847, females 435,741; the Mainland-Rural Districts number 1,001,040, males 493,317, females 507,723; the Insular-Rural Districts having a total of 125,843, males 58,697, females 67,146.

## BIRTHS.

The number of Births registered throughout the country during the year is 125,986, giving a birth-rate of 3·12 per cent., or 312 in every ten

TABLE IV.—Percentage of Births, Deaths, and Marriages in the Five Groups of Districts of Scotland, to the Population during each of the Years 1855–1891.

| YEARS. | Principal Town. | | | Large Town. | | | Small Town. | | | Mainland-Rural. | | | Insular-Rural. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Births. | Deaths | Marriages. | Births. | Deaths | Marriages. | Births. | Deaths | Marriages. | Births. | Deaths | Marriages. | Births. | Deaths | Marriages. |
| 1855 | 3·397 | 2·747 | 0·838 | 3·525 | 2·506 | 0·823 | 3·324 | 2·075 | 0·698 | 2·955 | 1·684 | 0·531 | 2·192 | 1·298 | 0·437 |
| 1856 | 3·787 | 2·657 | 0·896 | 3·835 | 2·235 | 0·821 | 3·554 | 1·962 | 0·705 | 3·080 | 1·512 | 0·552 | 3·078 | 1·481 | 0·565 |
| 1857 | 3·855 | 2·757 | 0·882 | 3·858 | 2·409 | 0·868 | 3·641 | 2·042 | 0·702 | 3·062 | 1·606 | 0·580 | 3·173 | 1·546 | 0·672 |
| 1858 | 3·797 | 2·734 | 0·801 | 3·717 | 2·503 | 0·741 | 3·579 | 2·040 | 0·634 | 3·052 | 1·689 | 0·546 | 3·310 | 1·633 | 0·623 |
| 1859 | 3·807 | 2·577 | 0·871 | 3·833 | 2·319 | 0·770 | 3·724 | 2·018 | 0·732 | 3·190 | 1·632 | 0·559 | 3·362 | 1·950 | 0·688 |
| 1860 | 3·756 | 2·971 | 0·876 | 3·662 | 2·398 | 0·787 | 3·637 | 2·207 | 0·686 | 3·173 | 1·747 | 0·573 | 3·334 | 1·920 | 0·563 |
| 1861 | 3·863 | 2·603 | 0·872 | 3·797 | 2·284 | 0·760 | 3·664 | 2·058 | 0·668 | 3·121 | 1·607 | 0·543 | 3·282 | 2·115 | 0·603 |
| 1862 | 3·809 | 2·761 | 0·854 | 3·701 | 2·521 | 0·705 | 3·621 | 2·155 | 0·648 | 3·122 | 1·703 | 0·539 | 3·177 | 2·126 | 0·606 |
| 1863 | 3·867 | 2·929 | 0·[illegible] | 3·724 | 2·552 | 0·767 | 3·631 | 2·240 | 0·683 | 3·150 | 1·807 | 0·569 | 3·153 | 2·119 | 0·543 |
| 1864 | 3·939 | 3·073 | 0·946 | 3·699 | 2·631 | 0·824 | 3·751 | 2·378 | 0·725 | 3·199 | 1·826 | 0·550 | 3·205 | 1·914 | 0·545 |
| 1865 | 3·975 | 2·906 | 0·975 | 3·831 | 2·[illegible] | 0·823 | 3·718 | 2·170 | 0·728 | 3·096 | 1·690 | 0·562 | 3·810 | 1·762 | 0·550 |
| 1866 | 3·945 | 2·811 | 0·968 | 3·705 | 2·448 | 0·808 | 3·699 | 2·260 | 0·735 | 3·169 | 1·750 | 0·567 | 3·191 | 1·869 | 0·563 |
| 1867 | 3·958 | 2·691 | 0·900 | 3·701 | 2·[illegible] | 0·749 | 3·645 | 2·196 | 0·685 | 3·151 | 1·675 | 0·554 | 3·210 | 1·852 | 0·593 |
| 1868 | 3·893 | 2·763 | 0·866 | 3·656 | 2·[illegible] | 0·716 | 3·690 | 2·149 | 0·654 | 3·182 | 1·610 | 0·539 | 3·245 | 1·786 | 0·487 |
| 1869 | 3·822 | 3·044 | 0·886 | 3·545 | 2·[illegible] | 0·735 | 3·[illegible] | 2·229 | 0·636 | 3·085 | 1·717 | 0·517 | 3·092 | 2·019 | 0·478 |
| 1870 | 3·836 | 2·703 | 0·923 | 3·559 | 2·524 | 0·775 | 3·[illegible] | 2·219 | [illegible] | 3·134 | 1·791 | 0·559 | 3·040 | 1·851 | 0·512 |
| 1871 | 3·739 | 2·906 | 0·907 | 3·821 | 2·448 | 0·806 | 3·[illegible] | 2·097 | 0·658 | 3·117 | 1·632 | 0·557 | 2·846 | 1·391 | 0·455 |
| 1872 | 3·811 | 2·762 | 0·954 | 3·913 | 2·627 | 0·872 | 3·[illegible] | 2·107 | 0·709 | 3·046 | 1·714 | 0·574 | 2·700 | 1·581 | 0·485 |
| 1873 | 3·754 | 2·715 | 0·958 | 3·994 | 2·649 | 0·894 | 3·641 | 2·191 | 0·774 | 3·020 | 1·710 | 0·594 | 2·555 | 1·654 | 0·450 |
| 1874 | 3·815 | 2·874 | 0·946 | 4·188 | 2·764 | 0·841 | 3·685 | 2·189 | 0·710 | 3·099 | 1·773 | 0·607 | 2·629 | 1·669 | 0·477 |
| 1875 | 3·861 | 2·742 | 0·944 | 3·910 | 2·618 | 0·800 | 3·561 | 2·251 | 0·689 | 3·112 | 1·909 | 0·579 | 2·505 | 1·823 | 0·423 |
| 1876 | 3·875 | 2·449 | 0·939 | 3·995 | 2·335 | 0·806 | 3·599 | 2·016 | 0·702 | 3·169 | 1·706 | 0·596 | 2·613 | 1·609 | 0·470 |
| 1877 | 3·860 | 2·444 | 0·927 | 3·976 | 2·270 | 0·736 | 3·543 | 1·928 | 0·652 | 3·142 | 1·728 | 0·581 | 2·503 | 1·617 | 0·406 |
| 1878 | 3·797 | 2·520 | 0·833 | 3·941 | 2·474 | 0·714 | 3·497 | 2·015 | 0·611 | 3·118 | 1·699 | 0·554 | 2·519 | 1·480 | 0·459 |
| 1879 | 3·694 | 2·299 | 0·804 | 3·738 | 2·218 | 0·654 | 3·517 | 1·939 | 0·596 | 3·060 | 1·678 | 0·518 | 2·516 | 1·660 | 0·446 |
| 1880 | 3·596 | 2·420 | 0·818 | 3·581 | 2·239 | 0·703 | 3·448 | 2·020 | 0·643 | 3·043 | 1·629 | 0·515 | 2·529 | 1·572 | 0·410 |
| 1881 | 3·613 | 2·270 | 0·859 | 3·477 | 1·910 | 0·740 | 3·451 | 1·876 | 0·638 | 3·043 | 1·560 | 0·530 | 2·512 | 1·553 | 0·389 |
| 1882 | 3·649 | 2·282 | 0·876 | 3·477 | 1·967 | 0·711 | 3·[illegible] | 1·868 | 0·640 | 2·[illegible] | 1·[illegible] | 0·[illegible] | 2·467 | 1·554 | 0·422 |
| 1883 | 3·596 | 2·434 | 0·904 | 3·345 | 1·978 | 0·693 | 3·[illegible] | 1·904 | 0·641 | 2·890 | 1·597 | 0·520 | 2·428 | 1·632 | 0·406 |
| 1884 | 3·689 | 2·318 | 0·834 | 3·450 | 1·956 | 0·682 | 3·427 | 1·859 | 0·644 | 2·952 | 1·590 | 0·519 | 2·494 | 1·516 | 0·457 |
| 1885 | 3·504 | 2·203 | 0·782 | 3·332 | 1·893 | 0·680 | 3·354 | 1·908 | 0·623 | 2·925 | 1·616 | 0·517 | 2·498 | 1·617 | 0·413 |
| 1886 | 3·479 | 2·144 | 0·770 | 3·494 | 1·942 | 0·633 | 3·388 | 1·858 | 0·589 | 2·934 | 1·574 | 0·488 | 2·549 | 1·556 | 0·373 |
| 1887 | 3·341 | 2·147 | 0·773 | 3·406 | 2·021 | 0·644 | 3·201 | 1·849 | 0·591 | 2·895 | 1·568 | 0·495 | 2·473 | 1·578 | 0·346 |
| 1888 | 3·283 | 1·980 | 0·800 | 3·350 | 1·877 | 0·661 | 3·195 | 1·732 | 0·588 | 2·807 | 1·580 | 0·472 | 2·412 | 1·619 | 0·332 |
| 1889 | 3·272 | 2·080 | 0·827 | 3·296 | 1·863 | 0·704 | 3·129 | 1·759 | 0·604 | 2·756 | 1·573 | 0·473 | 2·372 | 1·471 | 0·355 |
| 1890 | 3·223 | 2·235 | 0·844 | 3·296 | 2·040 | 0·728 | 3·071 | 1·875 | 0·631 | 2·693 | 1·665 | 0·509 | 2·229 | 1·565 | 0·330 |
| 1891 | 3·285 | 2·294 | 0·838 | 3·383 | 2·176 | 0·739 | 3·192 | 2·034 | 0·643 | 2·795 | 1·737 | 0·527 | 2·272 | 1·789 | 0·358 |

thousand of the inhabitants, and is the largest number since the year 1886. The mean annual birth-rate for the last ten years is 323 in like proportion. The births exceed the deaths during the year by 42,413.

Of the total births 9647 are illegitimate—a somewhat larger number than during the previous year 1890.

The total number of male infants born during the year is 64,769, and of female 61,217, the former exceeding the latter by 3552.

---

TABLE V*a*.—Number of Births, Deaths, and Marriages in the Principal Towns of Scotland during 1891, and their Proportion to the Estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

| TOWNS. | Estimated Population, 1891. | BIRTHS. | | ILLEGITIMATE BIRTHS. | | DEATHS. | | MARRIAGES. | |
|---|---|---|---|---|---|---|---|---|---|
| | | Births. | Per cent. to Pop. | Illegit. Births. | Per cent. to Total Births. | Deaths. | Per cent. to Pop. | Marriages. | Per cent. to Pop. |
| Glasgow . | 567,272 | 19,857 | 3·500 | 1,553 | 7·8 | 14,324 | 2·525 | 5,241 | 0·924 |
| Edinburgh . | 261,933 | 7,354 | 2·808 | 631 | 8·6 | 5,646 | 2·156 | 2,337 | 0·892 |
| Dundee . . | 156,021 | 5,039 | 3·230 | 472 | 9·4 | 3,516 | 2·254 | 1,306 | 0·837 |
| Aberdeen . | 122,348 | 3,868 | 3·161 | 404 | 10·4 | 2,422 | 1·980 | 1,013 | 0·828 |
| Leith . . | 70,128 | 2,374 | 3·385 | 151 | 6·4 | 1,395 | 1·989 | 507 | 0·723 |
| Paisley . . | 66,720 | 2,237 | 3·353 | 102 | 4·6 | 1,780 | 2·668 | 517 | 0·775 |
| Greenock . | 63,432 | 2,065 | 3·255 | 82 | 4·0 | 1,430 | 2·254 | 510 | 0·804 |
| Perth . . | 30,794 | 844 | 2·741 | 62 | 7·3 | 625 | 2·030 | 194 | 0·630 |
| Kilmarnock | 28,023 | 931 | 3·322 | 45 | 4·8 | 619 | 2·209 | 224 | 0·799 |
| Glasgow Landward &Suburban | 228,564 | 7,838 | 3·429 | 294 | 3·8 | 4,841 | 2·118 | 1,516 | 0·663 |

OCCASIONAL TABLE V*b*.—Showing the state of Illegitimacy in all Scotland, in the Five Groups of Registration Districts, in the Principal Towns, and in two Counties, in 1891.

| LOCALITIES. | Estimated Number of Unmarried Women and of Widows living between the ages of 15 and 45 at middle of 1891. | Number of Illegitimate Children born during 1891. | Percentage of Illegitimate Children to the Unmarried and Widowed Women aged 15–45. | Percentage of Illegitimate to Total Births. |
|---|---|---|---|---|
| Scotland . . . . | 530,770 | 9,647 | 1·82 | 7·66 |
| Principal Town Districts . | 224,301 | 3,796 | 1·69 | 7·2 |
| Large Town Districts . . | 57,646 | 971 | 1·68 | 6·1 |
| Small Town Districts . . | 106,182 | 1,939 | 1·83 | 7·2 |
| Mainland-Rural Districts . | 124,355 | 2,788 | 2·24 | 10·0 |
| Insular-Rural Districts . | 18,286 | 153 | 0·84 | 5·4 |
| Glasgow . . . | 74,079 | 1,553 | 2·10 | 7·8 |
| Edinburgh . . . | 44,098 | 631 | 1·43 | 8·6 |
| Dundee . . . | 25,998 | 472 | 1·82 | 9·4 |
| Aberdeen . . . | 17,578 | 404 | 2·30 | 10·4 |
| Leith . . . . | 7,440 | 151 | 2·03 | 6·4 |
| Paisley . . . . | 10,258 | 102 | 0·99 | 4·6 |
| Greenock . . . | 6,590 | 82 | 1·24 | 4·0 |
| Perth . . . . | 4,564 | 62 | 1·36 | 7·3 |
| Kilmarnock . . . | 3,329 | 45 | 1·35 | 4·8 |
| Glasgow Landward and Suburban . . . | 30,367 | 294 | 0·97 | 3·8 |
| County Banff . . . | 7,741 | 261 | 3·37 | 14·2 |
| County Wigtown . . . | 5,023 | 159 | 3·17 | 16·5 |

The births occur in the five Registration Districts as follows:—in the Principal Town Districts the total births are 52,407, males 26,665, females 25,742, together equivalent to a birth-rate of 3·29 per 100 of the population as estimated; in the Large Town Districts the total is 15,883, males 8212, females 7671, a birth-rate of 3·38 per cent.; in the Small Town Districts

---

TABLE VI.—Number of Births, Deaths, and Marriages in 1891, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

| | Divisions and Counties. | Population Estimated to middle of Year 1891. | Total Births. | | Births. Illegit. | | Deaths. | | Marriages. | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | No. | Per cent to Pop. | No. | Per cent to Births | No. | Per cent to Pop. | No. | Per cent to Pop. |
| | SCOTLAND | 4,033,180 | 125986 | 3·1237 | 9647 | 7·66 | 83573 | 2·0721 | 27969 | 0·6935 |
| 1. | Principal Town Dists. | 1,595,235 | 52407 | 3·2852 | 3796 | 7·24 | 36598 | 2·2942 | 13365 | 0·8378 |
| 2. | Large Town Districts | 469,474 | 15883 | 3·3831 | 971 | 6·11 | 10215 | 2·1758 | 3470 | 0·7391 |
| 3. | Small Town Districts | 841,588 | 26860 | 3·1916 | 1939 | 7·22 | 17119 | 2·0341 | 5411 | 0·6430 |
| 4. | Mainland-Rural Dists. | 1,001,040 | 27977 | 2·7948 | 2788 | 9·97 | 17390 | 1·7372 | 5272 | 0·5267 |
| 5. | Insular-Rural Dists. | 125,843 | 2859 | 2·2719 | 153 | 5·35 | 2251 | 1·7887 | 451 | 0·3584 |
| | Divisions. | | | | | | | | | |
| I. | Northern | 118,097 | 2746 | 2·3252 | 200 | 7·28 | 2030 | 1·7189 | 507 | 0·4293 |
| II. | North-Western | 163,786 | 3972 | 2·4251 | 226 | 5·69 | 2946 | 1·7987 | 758 | 0·4628 |
| III. | North-Eastern | 433,970 | 13062 | 3·0099 | 1766 | 13·52 | 7333 | 1·6897 | 2745 | 0·6325 |
| IV. | East-Midland | 629,688 | 18117 | 2·8771 | 1477 | 8·15 | 12582 | 1·9981 | 4170 | 0·6622 |
| V. | West-Midland | 315,653 | 9426 | 2·9862 | 597 | 6·33 | 6442 | 2·0408 | 1865 | 0·5908 |
| VI. | South-Western | 1,567,912 | 55157 | 3·5179 | 3367 | 6·11 | 35773 | 2·2816 | 12300 | 0·7845 |
| VII. | South-Eastern | 600,982 | 18126 | 3·0161 | 1345 | 7·42 | 12430 | 2·0683 | 4504 | 0·7494 |
| VIII. | Southern | 203,092 | 5380 | 2·6490 | 669 | 12·43 | 4037 | 1·9878 | 1120 | 0·5515 |
| | Counties. | | | | | | | | | |
| 1 | Shetland | 28,687 | 635 | 2·2135 | 33 | 5·20 | 518 | 1·8057 | 148 | 0·5159 |
| 2 | Orkney | 30,414 | 660 | 2·1701 | 45 | 6·82 | 509 | 1·6736 | 139 | 0·4570 |
| 3 | Caithness | 38,026 | 966 | 2·5404 | 99 | 10·25 | 658 | 1·7304 | 157 | 0·4129 |
| 4 | Sutherland | 20,970 | 485 | 2·3128 | 23 | 4·74 | 345 | 1·6452 | 63 | 0·3004 |
| 5 | Ross and Cromarty | 78,620 | 1990 | 2·5312 | 88 | 4·42 | 1347 | 1·7133 | 327 | 0·4161 |
| 6 | Inverness | 85,166 | 1982 | 2·3272 | 138 | 6·96 | 1599 | 1·8775 | 421 | 0·4947 |
| 7 | Nairn | 8,547 | 178 | 2·0826 | 23 | 12·92 | 166 | 1·9422 | 37 | 0·4329 |
| 8 | Elgin (or Moray) | 44,822 | 1264 | 2·8200 | 174 | 13·77 | 791 | 1·7648 | 233 | 0·5198 |
| 9 | Banff | 61,245 | 1832 | 2·9913 | 261 | 14·25 | 944 | 1·5414 | 340 | 0·5551 |
| 10 | Aberdeen | 282,292 | 8717 | 3·0879 | 1166 | 13·38 | 4869 | 1·7248 | 1938 | 0·6865 |
| 11 | Kincardine | 37,064 | 1071 | 2·8896 | 142 | 13·26 | 563 | 1·5190 | 197 | 0·5315 |
| 12 | Forfar | 280,368 | 8434 | 3·0082 | 798 | 9·46 | 5911 | 2·1083 | 2066 | 0·7369 |
| 13 | Perth | 127,828 | 2996 | 2·3438 | 247 | 8·24 | 2444 | 1·9119 | 657 | 0·5140 |
| 14 | Fife | 187,991 | 5667 | 3·0145 | 367 | 6·48 | 3627 | 1·9293 | 1255 | 0·6676 |
| 15 | Kinross | 6,711 | 174 | 2·5928 | 14 | 8·05 | 135 | 2·0116 | 38 | 0·5662 |
| 16 | Clackmannan | 26,787 | 846 | 3·1582 | 51 | 6·03 | 465 | 1·7359 | 154 | 0·5749 |
| 17 | Stirling | 119,426 | 4038 | 3·3812 | 242 | 5·99 | 2545 | 2·1310 | 874 | 0·7318 |
| 18 | Dumbarton | 98,547 | 3238 | 3·2857 | 180 | 5·56 | 2013 | 2·0427 | 587 | 0·5957 |
| 19 | Argyll | 79,274 | 1779 | 2·2441 | 144 | 8·09 | 1467 | 1·8506 | 307 | 0·3873 |
| 20 | Bute | 18,406 | 371 | 2·0156 | 31 | 8·36 | 417 | 2·2656 | 97 | 0·5270 |
| 21 | Renfrew | 245,638 | 7915 | 3·2222 | 360 | 4·55 | 5633 | 2·2932 | 1701 | 0·6925 |
| 22 | Ayr | 226,613 | 7557 | 3·3348 | 535 | 7·08 | 4614 | 2·0361 | 1593 | 0·7030 |
| 23 | Lanark | 1,095,661 | 39685 | 3·6220 | 2472 | 6·23 | 25526 | 2·3297 | 9006 | 0·8220 |
| 24 | Linlithgow | 53,685 | 2147 | 3·9993 | 115 | 5·36 | 1040 | 1·9372 | 417 | 0·7768 |
| 25 | Edinburgh | 434,803 | 13069 | 3·0057 | 979 | 7·49 | 9346 | 2·1495 | 3480 | 0·8004 |
| 26 | Haddington | 37,475 | 989 | 2·6391 | 73 | 7·38 | 672 | 1·7932 | 205 | 0·5470 |
| 27 | Berwick | 32,240 | 782 | 2·4256 | 90 | 11·51 | 617 | 1·9138 | 165 | 0·5118 |
| 28 | Peebles | 14,675 | 376 | 2·5622 | 36 | 9·57 | 267 | 1·8194 | 93 | 0·6337 |
| 29 | Selkirk | 28,104 | 763 | 2·7149 | 52 | 6·82 | 488 | 1·7364 | 144 | 0·5124 |
| 30 | Roxburgh | 52,963 | 1285 | 2·4262 | 117 | 9·11 | 1012 | 1·9108 | 242 | 0·4569 |
| 31 | Dumfries | 74,202 | 2062 | 2·7789 | 249 | 12·08 | 1593 | 2·1468 | 477 | 0·6428 |
| 32 | Kirkcudbright | 40,111 | 1072 | 2·6726 | 144 | 13·43 | 727 | 1·8125 | 195 | 0·4862 |
| 33 | Wigtown | 35,818 | 961 | 2·6830 | 159 | 16·55 | 705 | 1·9683 | 206 | 0·5751 |

they are 26,860, males 13,887, females 12,973, together a rate of 3·19 per cent.; in the Mainland-Rural Districts 27,977 births are registered, males 14,462, females 13,515, *i.e.*, a rate of 2·79 per cent.; and in the Insular-Rural Districts they are 2859, the males 1543, the females 1316, a rate of 2·27 per cent. of the estimated population of the same.

---

TABLE VII.—Births in Scotland, 1855–1891; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year; and the Proportion of Mothers who had Multiple Births.

| YEARS. | TOTAL BIRTHS. | | LEGITIMATE BIRTHS. | | ILLEGIT. BIRTHS. | | TWIN BIRTHS. | TRIPLET BIRTHS. | Proportion of Males to every 100 Females in the | | | Proportion of Mothers who had Multiple Births. One in every |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | | | Total Births. | Legit. Births. | Illeg. Births. | |
| 1855 | 47804 | 45545 | 44044 | 41948 | 3760 | 3597 | ... | ... | 104·9 | 104·9 | 104·5 | ... |
| 1856 | 52289 | 49582 | 47761 | 45365 | 4478 | 4217 | 1267 | 12 | 105·3 | 105·2 | 106·1 | 77 |
| 1857 | 53158 | 50257 | 48632 | 45924 | 4526 | 4333 | 1300 | 16 | 105·7 | 105·8 | 104·4 | 76 |
| 1858 | 53694 | 50324 | 48743 | 45921 | 4951 | 4403 | 1262 | 17 | 106·6 | 106·1 | 110·2 | 79 |
| 1859 | 54628 | 51915 | 49539 | 47289 | 5089 | 4626 | 1335 | 11 | 105·2 | 104·7 | 110·0 | 77 |
| 1860 | 54409 | 51220 | 49370 | 46523 | 5039 | 4697 | 1247 | 28 | 106·2 | 106·1 | 107·3 | 80 |
| 1861 | 54606 | 52403 | 49438 | 47642 | 5168 | 4761 | 1249 | 18 | 104·2 | 103·7 | 108·5 | 82 |
| 1862 | 55257 | 51812 | 49886 | 46807 | 5371 | 5005 | 1279 | 18 | 106·6 | 106·5 | 107·3 | 80 |
| 1863 | 56226 | 53115 | 50559 | 47834 | 5667 | 5281 | 1267 | 6 | 105·8 | 105·7 | 107·3 | 84 |
| 1864 | 57374 | 54959 | 51644 | 49492 | 5730 | 5467 | 1362 | 12 | 104·4 | 104·3 | 104·8 | 82 |
| 1865 | 58220 | 54850 | 52441 | 49367 | 5779 | 5483 | 1364 | 9 | 106·1 | 106·2 | 105·4 | 81 |
| 1866 | 58360 | 55307 | 52386 | 49608 | 5974 | 5699 | 1366 | 12 | 105·5 | 105·6 | 104·8 | 81 |
| 1867 | 58517 | 55527 | 52751 | 50145 | 5766 | 5382 | 1365 | 13 | 105·4 | 105·1 | 107·1 | 82 |
| 1868 | 59222 | 56292 | 53375 | 50785 | 5847 | 5507 | 1443 | 15 | 105·2 | 105·1 | 106·1 | 78 |
| 1869 | 58821 | 55033 | 52711 | 49577 | 5610 | 5456 | 1407 | 15 | 105·9 | 106·3 | 102·8 | 78 |
| 1870 | 58959 | 56431 | 53254 | 51028 | 5705 | 5403 | 1384 | 9 | 104·4 | 104·3 | 105·6 | 81 |
| 1871 | 60029 | 56099 | 54220 | 50831 | 5809 | 5268 | 1299 | 17 | 107·0 | 106·7 | 110·3 | 87 |
| 1872 | 61293 | 57472 | 55641 | 52197 | 5652 | 5275 | 1383 | 11 | 106·6 | 106·6 | 107·1 | 85 |
| 1873 | 61467 | 58233 | 55925 | 52542 | 5542 | 5383 | 1416 | 15 | 105·5 | 105·6 | 103·0 | 84 |
| 1874 | 63602 | 60109 | 57960 | 54760 | 5642 | 5349 | 1512 | 13 | 105·8 | 105·8 | 105·5 | 81 |
| 1875 | 63432 | 60146 | 57886 | 54906 | 5546 | 5240 | 1477 | 9 | 105·5 | 105·4 | 105·8 | 83 |
| 1876 | 64819 | 61715 | 59113 | 56392 | 5706 | 5323 | 1463 | 20 | 105·0 | 104·8 | 107·2 | 85 |
| 1877 | 65089 | 61738 | 59657 | 56597 | 5432 | 5136 | 1429 | 12 | 105·4 | 105·4 | 105·8 | 91 |
| 1878 | 65200 | 61573 | 59716 | 56416 | 5484 | 5157 | 1367 | 12 | 105·9 | 105·8 | 106·3 | 91 |
| 1879 | 64346 | 61384 | 58796 | 56207 | 5550 | 5177 | 1452 | 20 | 104·8 | 104·6 | 107·2 | 84 |
| 1880 | 63786 | 60784 | 58239 | 55742 | 5547 | 5042 | 1438 | 8 | 104·9 | 104·4 | 110·0 | 85 |
| 1881 | 64720 | 61451 | 59472 | 56215 | 5248 | 5236 | 1418 | 13 | 105·3 | 105·8 | 100·2 | 87 |
| 1882 | 64505 | 61653 | 59109 | 56503 | 5396 | 5150 | 1415 | 7 | 104·6 | 104·6 | 104·8 | 86 |
| 1883 | 63879 | 60579 | 58637 | 55707 | 5242 | 4872 | 1370 | 18 | 105·4 | 105·3 | 107·6 | 89 |
| 1884 | 66379 | 62778 | 60958 | 57760 | 5421 | 5018 | 1457 | 19 | 105·7 | 105·5 | 108·0 | 86 |
| 1885 | 64543 | 61557 | 59123 | 56297 | 5420 | 5260 | 1423 | 14 | 104·9 | 105·0 | 103·0 | 87 |
| 1886 | 65910 | 61980 | 60489 | 56895 | 5421 | 5085 | 1331 | 10 | 106·3 | 106·3 | 106·6 | 94 |
| 1887 | 63842 | 60576 | 58500 | 55588 | 5342 | 5038 | 1385 | 18 | 105·4 | 105·3 | 106·0 | 91 |
| 1888 | 63129 | 60140 | 58048 | 55253 | 5081 | 4887 | 1380 | 12 | 105·0 | 105·1 | 104·0 | 88 |
| 1889 | 63303 | 59480 | 58230 | 54783 | 5073 | 4697 | 1423 | 10 | 106·4 | 106·3 | 108·0 | 85 |
| 1890 | 61950 | 59137 | 57259 | 54626 | 4691 | 4511 | 1421 | 13 | 104·8 | 104·8 | 104·0 | 83 |
| 1891 | 64769 | 61217 | 59777 | 56562 | 4992 | 4655 | 1372 | 14 | 105·8 | 105·7 | 107·2 | 90 |

TABLE VIII.—Births, 1891. Number of Legitimate, Illegitimate, and Total Births in Scotland, and its Five Groups of Districts, distinguishing the Sexes. Also the number of Twin and Triplet Births.

| FIVE GROUPS OF DISTRICTS. | TOTAL BIRTHS. | | | Legitimate Births. | | | Illegitimate Births. | | | Twin Births. | Triplet Births. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | | |
| Principal Town | 26665 | 25742 | 52407 | 24693 | 23918 | 48611 | 1972 | 1824 | 3796 | 558 | 5 |
| Large Town | 8212 | 7671 | 15883 | 7703 | 7209 | 14912 | 509 | 462 | 971 | 163 | 3 |
| Small Town | 13887 | 12973 | 26860 | 12853 | 12068 | 24921 | 1034 | 905 | 1939 | 296 | 4 |
| Mainland-Rural | 14462 | 13515 | 27977 | 13074 | 12115 | 25189 | 1388 | 1400 | 2788 | 312 | 12 |
| Insular-Rural | 1543 | 1316 | 2859 | 1454 | 1252 | 2706 | 89 | 64 | 153 | 43 | - |
| SCOTLAND . . | 64769 | 61217 | 125986 | 59777 | 56562 | 116339 | 4992 | 4655 | 9647 | 1372 | 14 |

Of the 9647 illegitimate births registered during the year 4992 are males and 4655 females, and are equal to 7·66 per cent. of the total births. In the Principal Town Districts 3796 of such are registered, males 1972, females 1824, equal to 7·24 per cent. of the total occurring there; in the Large Town Districts they number 971, males being 509, females 462, together equivalent to 6·11 per cent. of all; in the Small Town Districts they are 1939, males 1034, females 905, equal to 7·22 per cent. of all; in the Mainland-Rural Districts they are 2788, males 1380, females 1400, and form 9·97 per cent. of all the births therein registered; and in the Insular-Rural Districts they are 153, the males 89, the females 64, being 5·35 per cent. of the whole. Or in other words one birth in every thirteen in Scotland is illegitimate. In the Principal Town Districts one in nearly every fourteen is of like nature; in the Large Town Districts one in every sixteen; in the Small Town Districts one in every fourteen; in the Mainland-Rural Districts one in every ten, and in the Insular Rural Districts one in approaching every nineteen.

Tables V*a*., V*b*., and VI. afford some further insight into the rate and distribution of such births in Scotland. Thus in the Principal Towns the highest rate of illegitimacy during the year occurs in Aberdeen, where 10·4 per cent. of the total natal events are of this nature; followed by Dundee with 9·4 per cent.; Edinburgh with 8·6 per cent.; Glasgow with 7·8 per cent.; Perth with 7·3 per cent.; Leith with 6·4 per cent.; Kilmarnock with 4·8 per cent.; Paisley with 4·6 per cent.; Greenock with 4·0 per cent.; and Glasgow Landward and Suburban with 3·8 per cent.

In the case of the counties, Table VI. shows how the proportion of illegitimate births to the total varies in each, the lowest 4·42 per cent. occurring in Ross and Cromarty; the highest 16·55 per cent. in Wigtown; followed by Banff with 14·25 per cent.; Elgin with 13·77 per cent.; Kirkcudbright with 13·43 per cent.; Aberdeen with 13·38 per cent.; and Kincardine with 13·26 per cent. In sixteen counties the rate is under 8 per cent., the lowest being in Linlithgow 5·36 per cent.; Shetland 5·20 per cent.; Sutherland 4·74 per cent.; Renfrew 4·55 per cent.; and Ross and Cromarty 4·42 per cent.

Of the 125,986 births registered throughout Scotland during the year, 64,769 are males, and 61,217 females, being in the proportion of 105·8 of the former to every 100 of the latter. Among the legitimate alone the

---

TABLE IX.—Proportion of Births in 1891. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportion of Mothers who bare Twins and Triplets in Scotland, and its Five Groups of Districts in 1891.

| FIVE GROUPS OF DISTRICTS. | Percentage of Births to Population. | Percentage of Illegit. to Total Births. | Proportion of Males to every 100 Females in the | | | Proportion of MOTHERS who bare TWINS. — One in every | Proportion of MOTHERS who bare TRIPLETS. — One in every |
|---|---|---|---|---|---|---|---|
| | | | Total Births. | Legitimate Births. | Illegit. Births. | | |
| Principal Town | 3·285 | 7·2 | 103·6 | 103·2 | 108·1 | 92·9 | 10368 |
| Large Town | 3·383 | 6·1 | 107·1 | 106·9 | 110·2 | 96·4 | 5238 |
| Small Town | 3·192 | 7·2 | 107·0 | 106·5 | 114·3 | 89·7 | 6639 |
| Mainland-Rural | 2·795 | 10·0 | 107·0 | 107·9 | 99·1 | 88·7 | 13830 |
| Insular-Rural | 2·272 | 5·4 | 117·2 | 116·1 | 139·1 | 65·5 | – |
| SCOTLAND . . . | 3·124 | 7·66 | 105·8 | 105·7 | 107·2 | 90·8 | 8899 |

ratio is nearly the same, 105·7, while among the illegitimate it is 107·2 male to every 100 female births. The greatest proportion of male to female births in Scotland occurred in the Insular-Rural Districts, viz., 117·2 to 100, the smallest in the Principal Town Districts 103·6 to 100.

During the year, throughout the country there were 1386 cases of multiple births; in 1372 of these twins were produced, and in 14 triplets, so that the number of mothers bearing live children during the year is 124,586, of whom one in every 91 bore twins, and one in every 8899 bore triplets.

Births were registered in Scotland during each month as follows:—8·93 per cent. of them during April, 8·84 per cent. during June, 8·74 per cent. during May, 8·69 per cent. during March, 8·66 per cent. during January, 8·46 per cent. during July, 8·38 per cent. during October, 8·09 per cent. during December, 7·99 per cent. during September, 7·95 per cent. during August, 7·71 per cent. during February, and 7·56 per cent. during November. When the months are equalized to a common length of 31 days, 9·10 per cent. of the births were registered in April, 9·01 per cent. in June, 8·63 per cent. in May, 8·57 per cent. in March, 8·54 per cent. in January, 8·35 per cent. in July, 8·27 per cent. in October, 8·14 per cent. in September, 7·98 per cent. in December, 7·87 per cent. in February, 7·84 per cent. in August, and 7·70 per cent. in November.

The birth-rate for each ten thousand of population in the following European States is, for the year, 381 in Austria, 377 in Prussia, 373 in Italy, 370 in the German Empire, 337 in the Netherlands, 310 in Denmark, 296 in Belgium, 282 in Switzerland, and 226 in France.

## MARRIAGES.

The marriages registered as taking place in Scotland during 1891 number 27,969, an increase of 500 over those of the previous year, and affording a marriage-rate of 69·35 per ten thousand of population, the

---

TABLE X.—Marriages, 1891. Number of Marriages contracted in Scotland and its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

| | Religious Denominations. | Number of Marriages. | | | | | | Proportion in every 100 Marriages. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Scotland. | Principal Town. | Large Town. | Small Town. | Mainland Rural. | Insular Rural. | Scotland. | Principal Town. | Large Town. | Small Town. | Mainland Rural. | |
| Regular Marriages. | Established Church . | 12698 | 4382 | 1581 | 2682 | 3361 | 192 | 45·40 | 36·53 | 45·56 | 49·56 | 63·75 | 42·57 |
| | Free Church . . | 5415 | 2446 | 618 | 999 | 1174 | 178 | 19·36 | 18·30 | 17·81 | 18·46 | 22·27 | 39·47 |
| | United Presb. Church | 3207 | 1637 | 392 | 733 | 407 | 38 | 11·47 | 12·25 | 11·30 | 13·55 | 7·72 | 8·43 |
| | Roman Catholic Ch. . | 2692 | 1607 | 397 | 527 | 130 | 31 | 9·62 | 12·02 | 11·44 | 9·74 | 2·46 | 6·87 |
| | Episcopal Church . | 788 | 497 | 121 | 120 | 50 | – | 2·82 | 3·72 | 3·49 | 2·22 | 0·95 | 0·00 |
| | Other Denominations | 2050 | 1271 | 299 | 321 | 147 | 12 | 7·33 | 9·51 | 8·62 | 5·93 | 2·79 | 2·66 |
| | Denomin. not stated | – | – | – | – | – | – | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 |
| | Irregular Marriages . | 1119 | 1025 | 62 | 29 | 3 | – | 4·00 | 7·67 | 1·78 | 0·54 | 0·06 | 0·00 |
| | Total Marriages . | 27969 | 13365 | 3470 | 5411 | 5272 | 451 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

highest rate since the year 1883. The mean average rate for the last ten years is 67 per ten thousand of the population.

This rate varies much in the five districts into which the whole country is divided for registration purposes. Thus in the Principal Town Districts it is 83·78 per ten thousand of the inhabitants of the same; in the Large Town Districts it is 73·91; in the Small Town Districts it is 64·30; in the Mainland-Rural Districts it is 52·67; and in the Insular-Rural Districts it is 35·84 per ten thousand as estimated. When compared with last year a larger rate is found to occur in each, with the exception of the Principal Town Districts in which it is not quite so high.

---

TABLE XA.—Marriages, 1891. Number of Marriages contracted in Scotland and each of the Counties and Principal Towns according to the Rites of the Several Religious Denominations, and their proportion to the Total Marriages in each.

| | | Population estimated to the middle of 1891. | Marriages according to each Denomination. | | | | | | | | | Percentage to Total. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total Marriages. | Established Church. | Free Church. | United Presb. Church. | Roman Catholic Church. | Episcopal Church. | Other Denominations. | Not Stated. | Irregular Marriages. | Established Church. | Free Church. | United Presb. Church. | Roman Catholic Church. | Episcopal Church. | Other Denominations. | Not Stated. | Irregular Marriages. |
| | SCOTLAND, . . | 4033180 | 27969 | 12698 | 5415 | 3207 | 2692 | 788 | 2050 | – | 1119 | 45·40 | 19·36 | 11·47 | 9·62 | 2·82 | 7·33 | 0·00 | 4·00 |
| | COUNTIES. | | | | | | | | | | | | | | | | | | |
| 1 | Shetland . . . | 28687 | 148 | 92 | 10 | 31 | – | 1 | 14 | – | – | 62·16 | 6·76 | 20·94 | 0·00 | 0·68 | 9·46 | 0·00 | 0·00 |
| 2 | Orkney . . . | 30944 | 139 | 57 | 36 | 40 | – | – | 5 | – | 1 | 41·00 | 25·90 | 28·78 | 0·00 | 0·00 | 3·60 | 0·00 | 0·72 |
| 3 | Caithness . . | 38026 | 157 | 51 | 93 | – | – | 2 | 11 | – | – | 32·48 | 59·24 | 0·00 | 0·00 | 1·27 | 7·01 | 0·00 | 0·00 |
| 4 | Sutherland . | 20970 | 63 | 9 | 54 | – | – | – | – | – | – | 14·29 | 85·71 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 |
| 5 | Ross and Cromarty. | 78620 | 335 | 54 | 263 | 6 | 1 | – | 10 | – | 1 | 16·12 | 78·51 | 1·79 | 0·30 | 0·00 | 2·98 | 0·00 | 0·30 |
| 6 | Inverness. . . | 85166 | 423 | 132 | 236 | 4 | 42 | 5 | 2 | – | 2 | 31·21 | 55·79 | 0·95 | 9·93 | 1·18 | 0·47 | 0·00 | 0·47 |
| 7 | Nairn . . . | 8547 | 37 | 14 | 14 | 6 | 1 | – | 2 | – | – | 37·84 | 37·84 | 16·22 | 2·70 | 0·00 | 5·40 | 0·00 | 0·00 |
| 8 | Elgin (or Moray) . | 44822 | 233 | 112 | 78 | 20 | 7 | 2 | 9 | – | 5 | 48·07 | 33·48 | 8·58 | 3·00 | 0·86 | 3·86 | 0·00 | 2·15 |
| 9 | Banff . . . | 61245 | 340 | 192 | 63 | 35 | 27 | 9 | 12 | – | 2 | 56·47 | 18·53 | 10·29 | 7·94 | 2·65 | 3·53 | 0·00 | 0·59 |
| 10 | Aberdeen . . . | 282292 | 1938 | 1184 | 365 | 72 | 22 | 84 | 166 | – | 45 | 61·09 | 18·83 | 3·72 | 1·14 | 4·33 | 8·57 | 0·00 | 2·32 |
| 11 | Kincardine . . | 37064 | 197 | 142 | 30 | 10 | – | 14 | – | – | 1 | 72·08 | 15·23 | 5·07 | 0·00 | 7·11 | 0·00 | 0·00 | 0·51 |
| 12 | Forfar . . . | 280368 | 2066 | 921 | 369 | 194 | 221 | 106 | 192 | – | 63 | 44·58 | 17·86 | 9·39 | 10·70 | 5·18 | 9·29 | 0·00 | 3·05 |
| 13 | Perth . . . | 127828 | 657 | 375 | 135 | 77 | 19 | 30 | 17 | – | 4 | 57·08 | 20·55 | 11·72 | 2·89 | 4·56 | 2·59 | 0·00 | 0·61 |
| 14 | Fife . . . . | 187994 | 1255 | 735 | 190 | 218 | 24 | 11 | 67 | – | 10 | 58·56 | 15·14 | 17·37 | 1·91 | 0·88 | 5·34 | 0·00 | 0·80 |
| 15 | Kinross . . . | 6711 | 38 | 19 | 5 | 13 | – | – | – | – | 1 | 50·00 | 13·16 | 34·21 | 0·00 | 0·00 | 0·00 | 0·00 | 2·63 |
| 16 | Clackmannan . . | 26787 | 154 | 86 | 23 | 26 | 6 | 3 | 10 | – | – | 55·84 | 14·94 | 16·88 | 3·90 | 1·95 | 6·49 | 0·00 | 0·00 |
| 17 | Stirling . . . | 119426 | 874 | 437 | 157 | 117 | 71 | 8 | 74 | – | 10 | 50·0 | 17·96 | 13·39 | 8·12 | 0·92 | 8·47 | 0·00 | 1·14 |
| 18 | Dumbarton . . | 98547 | 587 | 260 | 96 | 79 | 99 | 18 | 33 | – | 2 | 44·29 | 16·35 | 13·46 | 16·87 | 3·07 | 5·62 | 0·00 | 0·34 |
| 19 | Argyll . . . | 79274 | 307 | 188 | 73 | 16 | 14 | 8 | 6 | – | 2 | 61·24 | 23·78 | 5·21 | 4·56 | 2·61 | 1·95 | 0·00 | 0·65 |
| 20 | Bute . . . . | 18406 | 97 | 52 | 28 | 9 | 5 | 2 | – | – | 1 | 53·61 | 28·87 | 9·28 | 5·15 | 2·06 | 0·00 | 0·00 | 1·03 |
| 21 | Renfrew . . . | 245638 | 1701 | 651 | 279 | 202 | 307 | 66 | 161 | – | 35 | 38·27 | 16·40 | 11·88 | 18·05 | 3·88 | 9·46 | 0·00 | 2·06 |
| 22 | Ayr . . . . | 226613 | 1593 | 869 | 291 | 160 | 112 | 30 | 120 | – | 11 | 54·55 | 18·27 | 10·05 | 7·03 | 1·88 | 7·53 | 0·00 | 0·69 |
| 23 | Lanark . . . | 1095661 | 9006 | 3194 | 1489 | 1188 | 1412 | 141 | 883 | – | 699 | 35·47 | 16·53 | 13·19 | 15·68 | 1·57 | 9·80 | 0·00 | 7·76 |
| 24 | Linlithgow . . | 58685 | 417 | 227 | 69 | 50 | 38 | 6 | 22 | – | 5 | 54·43 | 16·55 | 11·99 | 9·11 | 1·44 | 5·28 | 0·00 | 1·20 |
| 25 | Edinburgh . . | 434803 | 3480 | 1557 | 715 | 417 | 215 | 206 | 157 | – | 213 | 44·74 | 20·54 | 11·98 | 6·18 | 5·92 | 4·51 | 0·00 | 6·13 |
| 26 | Haddington . . | 37475 | 205 | 138 | 32 | 11 | 17 | 4 | 3 | – | – | 67·32 | 15·61 | 5·37 | 8·29 | 1·95 | 1·46 | 0·00 | 0·00 |
| 27 | Berwick . . . | 32240 | 165 | 94 | 33 | 30 | 2 | 1 | 5 | – | – | 56·97 | 20·00 | 18·18 | 1·21 | 0·61 | 3·03 | 0·00 | 0·00 |
| 28 | Peebles . . . | 14675 | 93 | 56 | 11 | 15 | 4 | 2 | 5 | – | – | 60·21 | 11·83 | 16·13 | 4·30 | 2·15 | 5·38 | 0·00 | 0·00 |
| 29 | Selkirk . . . | 28104 | 144 | 67 | 13 | 35 | 6 | 4 | 19 | – | – | 46·53 | 9·03 | 24·31 | 4·17 | 2·77 | 13·19 | 0·00 | 0·00 |
| 30 | Roxburgh . . | 52963 | 242 | 136 | 43 | 38 | 1 | 10 | 14 | – | – | 56·20 | 17·77 | 15·70 | 0·41 | 4·13 | 5·79 | 0·00 | 0·00 |
| 31 | Dumfries . . . | 74202 | 477 | 315 | 60 | 57 | 12 | 11 | 17 | – | 5 | 66·04 | 12·58 | 11·95 | 2·51 | 2·31 | 3·56 | 0·00 | 1·05 |
| 32 | Kirkcudbright . | 40111 | 195 | 135 | 31 | 19 | 5 | 1 | 4 | – | – | 69·23 | 15·90 | 9·74 | 2·57 | 0·51 | 2·05 | 0·00 | 0·00 |
| 33 | Wigtown . . . | 35818 | 206 | 147 | 31 | 12 | 2 | 3 | 10 | – | 1 | 71·36 | 15·05 | 5·83 | 0·97 | 1·46 | 4·85 | 0·00 | 0·48 |
| | PRINCIPAL TOWNS. | | | | | | | | | | | | | | | | | | |
| | Glasgow . . . | 567272 | 5241 | 1627 | 839 | 712 | 791 | 94 | 554 | – | 624 | 31·04 | 16·01 | 13·59 | 15·09 | 1·79 | 10·57 | 0·00 | 11·91 |
| | Edinburgh . . | 261993 | 2337 | 899 | 528 | 295 | 135 | 179 | 114 | – | 187 | 38·47 | 22·59 | 12·62 | 5·78 | 7·66 | 4·88 | 0·00 | 8·00 |
| | Dundee . . . | 156021 | 1306 | 459 | 201 | 126 | 217 | 89 | 157 | – | 57 | 35·15 | 15·39 | 9·65 | 16·62 | 6·81 | 12·02 | 0·00 | 4·36 |
| | Aberdeen . . . | 122348 | 1013 | 541 | 197 | 49 | 19 | 45 | 117 | – | 45 | 53·40 | 19·45 | 4·84 | 1·88 | 4·44 | 11·55 | 0·00 | 4·44 |
| | Leith . . . . | 70128 | 507 | 254 | 93 | 71 | 16 | 18 | 29 | – | 26 | 50·10 | 18·34 | 14·00 | 3·16 | 3·55 | 5·72 | 0·00 | 5·13 |
| | Paisley . . . | 66720 | 517 | 173 | 92 | 72 | 80 | 20 | 70 | – | 10 | 33·46 | 17·80 | 13·93 | 15·47 | 3·87 | 13·54 | 0·00 | 1·93 |
| | Greenock . . . | 63432 | 510 | 202 | 87 | 40 | 83 | 21 | 58 | – | 19 | 39·61 | 17·06 | 7·84 | 16·27 | 4·12 | 11·37 | 0·00 | 3·73 |
| | Perth . . . | 30794 | 194 | 83 | 48 | 29 | 10 | 11 | 9 | – | 4 | 42·78 | 24·74 | 14·95 | 5·16 | 5·67 | 4·64 | 0·00 | 2·06 |
| | Kilmarnock . . | 28023 | 224 | 99 | 56 | 25 | 18 | 5 | 20 | – | 1 | 44·20 | 25·00 | 11·16 | 8·04 | 2·23 | 8·93 | 0·00 | 0·44 |
| | Glasgow (Landward and Suburban) . | 228564 | 1516 | 545 | 305 | 218 | 238 | 15 | 143 | – | 52 | 35·95 | 20·12 | 14·38 | 15·70 | 0·99 | 9·43 | 0·00 | 3·43 |

In the counties, as seen in Table VI., the rate varies from 82 per ten thousand of the inhabitants of Lanarkshire, the highest, to 30 per same rate in Sutherlandshire, the lowest. In six counties the rate is higher than that for Scotland, viz., in Lanark with 82 as just stated, Edinburgh with 80, Linlithgow with 78, Forfar with 74, Stirling with 73, and Ayr with 70. The lowest rate occurs in Nairn and in Ross and Cromarty, each with 43 per ten thousand, Caithness with 41, Argyll with 39, and Sutherland with 30. In eighteen counties the rate is above that in the same for last year, in fifteen it is below.

Table Va. enables a comparison being made as in the varying rate of marriage among the population in the Principal Towns of Scotland, and where we find that Glasgow comes first with a rate of 92·4 per ten thousand of its population, followed by Edinburgh with one of 89·2, Dundee coming next with a rate of 83·7, Aberdeen 82·8, Greenock 80·4, Kilmarnock 79·9, Paisley 77·5, Leith 72·3, Glasgow Landward and Suburban 66·3, and Perth 63·0.

---

Table XI.—Marriages, 1855–1891. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1891.

| Years. | Total Marriages. | | Regular Marriages according to Rites of the | | | | | | | Irregular Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|
| | Number. | Percentage to Population. | Established Church. | Free Church. | United Presbyterian Church. | Rom. Cath. Church. | Episcopal Church. | Other Denominations. | Denomination not stated. | |
| 1855 | 19680 | 0·660 | 8879 | 4665 | 2952 | 1826 | 350 | 923 | 76 | 9 |
| 1856 | 20740 | 0·692 | 9863 | 4645 | 2875 | 1953 | 360 | 984 | 24 | 36 |
| 1857 | 21369 | 0·709 | 10194 | 4789 | 2926 | 1919 | 416 | 1017 | 101 | 7 |
| 1858 | 19655 | 0·649 | 9104 | 4650 | 2707 | 1697 | 379 | 1034 | 57 | 27 |
| 1859 | 21201 | 0·697 | 9769 | 4861 | 2936 | 1822 | 378 | 1175 | 243 | 17 |
| 1860 | 21225 | 0·695 | 9705 | 4870 | 2837 | 1857 | 414 | 1217 | 309 | 16 |
| 1861 | 20896 | 0·681 | 9332 | 4969 | 2925 | 1806 | 386 | 1290 | 163 | 25 |
| 1862 | 20597 | 0·666 | 9307 | 4930 | 2846 | 1778 | 371 | 990 | 348 | 27 |
| 1863 | 22234 | 0·711 | 9929 | 5242 | 3249 | 2119 | 487 | 1113 | 76 | 19 |
| 1864 | 22725 | 0·720 | 9907 | 5507 | 3198 | 2276 | 469 | 1231 | 115 | 22 |
| 1865 | 23611 | 0·743 | 10177 | 5636 | 3345 | 2399 | 476 | 1516 | 30 | 32 |
| 1866 | 23688 | 0·737 | 10392 | 5570 | 3385 | 2259 | 516 | 1483 | 41 | 42 |
| 1867 | 22618 | 0·697 | 10066 | 5347 | 3247 | 2039 | 488 | 1323 | 65 | 43 |
| 1868 | 21855 | 0·667 | 9736 | 5015 | 3244 | 1872 | 467 | 1403 | 58 | 60 |
| 1869 | 22144 | 0·669 | 9761 | 5095 | 3277 | 2043 | 450 | 1393 | 56 | 69 |
| 1870 | 23854 | 0·7149 | 10678 | 5465 | 3422 | 2121 | 538 | 1496 | 60 | 74 |
| 1871 | 24019 | 0·7102 | 10985 | 5404 | 3325 | 2087 | 551 | 1498 | 64 | 105 |
| 1872 | 25641 | 0·7543 | 11794 | 5661 | 3312 | 2461 | 579 | 1681 | 5 | 148 |
| 1873 | 26748 | 0·7796 | 12187 | 5806 | 3596 | 2451 | 648 | 1853 | 10 | 197 |
| 1874 | 26390 | 0·7621 | 11820 | 5922 | 3586 | 2267 | 643 | 1923 | 13 | 216 |
| 1875 | 25974 | 0·7431 | 11587 | 5889 | 3443 | 2254 | 658 | 1899 | 9 | 235 |
| 1876 | 26579 | 0·7534 | 11996 | 5944 | 3603 | 2279 | 719 | 1703 | 37 | 298 |
| 1877 | 25817 | 0·7251 | 11773 | 5833 | 3313 | 2368 | 651 | 1477 | 47 | 355 |
| 1878 | 24358 | 0·6778 | 11330 | 5431 | 3013 | 2181 | 653 | 1350 | 12 | 388 |
| 1879 | 23519 | 0·6416 | 10744 | 5314 | 2878 | 2171 | 653 | 1415 | 18 | 326 |
| 1880 | 24505 | 0·6346 | 11275 | 5287 | 2981 | 2337 | 700 | 1529 | 33 | 363 |
| 1881 | 26004 | 0·6948 | 12179 | 5402 | 3088 | 2537 | 695 | 1638 | 46 | 419 |
| 1882 | 26596 | 0·7052 | 12356 | 5481 | 3128 | 2697 | 746 | 1678 | 59 | 451 |
| 1883 | 26869 | 0·7070 | 12384 | 5478 | 3252 | 2726 | 728 | 1699 | 11 | 591 |
| 1884 | 26106 | 0·6817 | 12000 | 5499 | 3001 | 2606 | 705 | 1678 | 0 | 617 |
| 1885 | 25304 | 0·6557 | 11692 | 5344 | 2915 | 2443 | 700 | 1642 | 0 | 568 |
| 1886 | 24515 | 0·6304 | 11507 | 5036 | 2821 | 2241 | 723 | 1597 | 0 | 590 |
| 1887 | 24876 | 0·6348 | 11689 | 4866 | 2928 | 2422 | 685 | 1655 | 2 | 629 |
| 1888 | 25305 | 0·6408 | 11647 | 5052 | 2876 | 2464 | 783 | 1724 | 0 | 759 |
| 1889 | 26344 | 0·6620 | 11846 | 5263 | 3004 | 2653 | 791 | 1943 | 3 | 841 |
| 1890 | 27469 | 0·6862 | 12408 | 5347 | 3097 | 2791 | 768 | 2025 | 0 | 1033 |
| 1891 | 27969 | 0·6935 | 12698 | 5415 | 3207 | 2692 | 788 | 2050 | 0 | 1119 |

The fertility of marriage is computed in the usual manner. The number of marriages registered during 1885 is 25,304, and legitimate births during 1891, the present year, are 116,339, so that $\frac{116339}{25304}$ gives 4·60 as the average fertility of each marriage, or 4·60 children were born to every 100 marriages. In England the average number of children born to each marriage was, for the same year, 4·43, or 443 to every 100 marriages.

Table X. shows the number of marriages as performed during the year in Scotland by the clergy of the various denominations, as also the proportions corresponding thereto. Thus of the whole 27,969 ceremonies, 12,698, or 45·40 per cent., were celebrated by ministers of the Established Church; 5415, or 19·36 per cent., by those of the Free Church; 3207, or 11·47 per cent., by those of the United Presbyterian Church; 2692, or 9·62 per cent. by clergy of the Roman Catholic Church; 788, or 2·82 per cent. by those of the Episcopal Church; 2050, or 7·33 per cent. being performed by clergy of other denominations; while 1119, or 4·00 per cent. of the whole are of an irregular nature.

---

TABLE XII.—Proportion of Marriages, 1855–1891. Percentage of Marriages contracted in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1891.

| YEARS. | PERCENTAGE of REGULAR MARRIAGES according to the Rites of the | | | | | | | IRREGULAR MARRIAGES. |
|---|---|---|---|---|---|---|---|---|
| | Established Church. | Free Church. | United Presbyterian Church. | Rom. Cath. Church. | Episcopal Church. | Other Denominations. | Denomination not stated. | |
| 1855 | 45·12 | 23·70 | 15·00 | 9·28 | 1·78 | 4·70 | 0·38 | 0·07 |
| 1856 | 47·55 | 22·40 | 13·87 | 9·42 | 1·73 | 4·74 | 0·12 | 0·14 |
| 1857 | 47·71 | 22·41 | 13·89 | 8·98 | 1·95 | 4·76 | 0·47 | 0·03 |
| 1858 | 46·32 | 23·66 | 13·77 | 8·63 | 1·93 | 5·26 | 0·30 | 0·13 |
| 1859 | 46·08 | 22·93 | 13·85 | 8·59 | 1·78 | 5·54 | 1·15 | 0·08 |
| 1860 | 45·73 | 22·95 | 13·36 | 8·75 | 1·95 | 5·73 | 1·45 | 0·08 |
| 1861 | 44·66 | 23·78 | 14·00 | 8·65 | 1·85 | 6·18 | 0·76 | 0·12 |
| 1862 | 45·19 | 23·94 | 13·81 | 8·64 | 1·80 | 4·80 | 1·69 | 0·13 |
| 1863 | 44·66 | 23·58 | 14·61 | 9·53 | 2·19 | 5·01 | 0·34 | 0·08 |
| 1864 | 43·60 | 24·24 | 14·06 | 10·02 | 2·07 | 5·41 | 0·51 | 0·09 |
| 1865 | 43·10 | 23·87 | 14·17 | 10·16 | 2·02 | 6·42 | 0·13 | 0·13 |
| 1866 | 43·87 | 23·52 | 14·29 | 9·54 | 2·18 | 6·26 | 0·17 | 0·17 |
| 1867 | 44·51 | 23·65 | 14·36 | 9·02 | 2·15 | 5·84 | 0·28 | 0·19 |
| 1868 | 44·55 | 22·95 | 14·85 | 8·57 | 2·13 | 6·42 | 0·26 | 0·27 |
| 1869 | 44·08 | 23·01 | 14·80 | 9·23 | 2·03 | 6·29 | 0·25 | 0·31 |
| 1870 | 44·76 | 22·91 | 14·35 | 8·89 | 2·26 | 6·26 | 0·26 | 0·31 |
| 1871 | 45·73 | 22·50 | 13·85 | 8·69 | 2·29 | 6·24 | 0·26 | 0·44 |
| 1872 | 46·00 | 22·08 | 12·92 | 9·60 | 2·26 | 6·55 | 0·02 | 0·57 |
| 1873 | 45·56 | 21·71 | 13·44 | 9·16 | 2·42 | 6·93 | 0·04 | 0·74 |
| 1874 | 44·79 | 22·44 | 13·59 | 8·59 | 2·44 | 7·29 | 0·05 | 0·81 |
| 1875 | 44·61 | 22·67 | 13·26 | 8·68 | 2·53 | 7·31 | 0·03 | 0·91 |
| 1876 | 45·13 | 22·36 | 13·56 | 8·57 | 2·71 | 6·41 | 0·14 | 1·12 |
| 1877 | 45·60 | 22·59 | 12·83 | 9·17 | 2·53 | 5·72 | 0·18 | 1·33 |
| 1878 | 46·51 | 22·30 | 12·37 | 8·96 | 2·68 | 5·54 | 0·05 | 1·59 |
| 1879 | 45·68 | 22·59 | 12·24 | 9·23 | 2·78 | 6·02 | 0·08 | 1·38 |
| 1880 | 46·02 | 21·58 | 12·17 | 9·53 | 2·85 | 6·24 | 0·13 | 1·48 |
| 1881 | 46·83 | 20·77 | 11·88 | 9·76 | 2·67 | 6·30 | 0·18 | 1·61 |
| 1882 | 46·46 | 20·61 | 11·76 | 10·14 | 2·80 | 6·31 | 0·22 | 1·70 |
| 1883 | 46·09 | 20·39 | 12·10 | 10·15 | 2·71 | 6·32 | 0·04 | 2·20 |
| 1884 | 45·97 | 21·06 | 11·50 | 9·98 | 2·70 | 6·43 | 0·00 | 2·36 |
| 1885 | 46·21 | 21·12 | 11·52 | 9·65 | 2·77 | 6·49 | 0·00 | 2·24 |
| 1886 | 46·94 | 20·54 | 11·51 | 9·14 | 2·95 | 6·51 | 0·00 | 2·41 |
| 1887 | 46·99 | 19·56 | 11·77 | 9·74 | 2·75 | 6·65 | 0·01 | 2·53 |
| 1888 | 46·03 | 19·96 | 11·37 | 9·74 | 3·09 | 6·81 | 0·00 | 3·00 |
| 1889 | 44·97 | 19·98 | 11·40 | 10·07 | 3·00 | 7·38 | 0·01 | 3·19 |
| 1890 | 45·17 | 19·47 | 11·27 | 10·16 | 2·80 | 7·37 | 0·00 | 3·76 |
| 1891 | 45·40 | 19·36 | 11·47 | 9·62 | 2·82 | 7·33 | 0·00 | 4·00 |

When compared with last year the ratios for the present show an increase in the celebrations in accordance with the rites of the Established Church, United Presbyterian, Episcopal Church, and of irregular marriages; a falling off occurring in the case of the others.

On referring back, over the last thirty-six years, it is found that 45·52 per cent. of all the marriages which have been registered in Scotland were performed in accordance with the customs of the Established Church, 22·04 per cent. in accordance with those of the Free Church, 13·02 per cent. in accordance with those of the United Presbyterian Church, 9·33 per cent. with those of the Roman Catholic Church, 2·42 per cent. with those of the Episcopal Church; in 6·21 per cent. the officiating clergyman was of some other denomination mentioned than of any of the foregoing; in 0·24 per cent. the denomination of the officiating clergyman was not stated; while 1·21 per cent. of the marriages were irregular in character. Table XA. which is again given, indicates the number and percentage of marriages as performed in the Counties and Principal Towns in accordance with the rites of the various religious denominations. In each of the counties of Shetland, Aberdeen, Kincardine, Argyll, Haddington, Peebles, Dumfries, Kirkcudbright, and Wigtown, over 60 per cent. of the marriage ceremonies were performed by ministers of the Established Church, and in eleven more between 50 and 60 per cent.; while in two, Sutherland and Ross and Cromarty, the percentage is under 20. Marriages performed by ministers of the Free Church are most prominent in the counties of Sutherland and Ross and Cromarty, in the former of which 86 per cent., and in the latter 79 per cent., are

---

TABLE XIII.—Marriages, 1891. Ages of Men and Women at Marriage.

| AGES. | SCOTLAND. | | PRINCIPAL TOWN DISTRICTS. | | LARGE TOWN DISTRICTS. | | SMALL TOWN DISTRICTS. | | MAINLAND-RURAL DISTRICTS. | | INSULAR-RURAL DISTRICTS. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. |
| Under 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| 15—16 | – | 4 | – | – | – | 1 | – | 1 | – | 2 | – | – |
| 16—17 | – | 51 | – | 29 | – | 6 | – | 9 | – | 6 | – | 1 |
| 17—18 | 14 | 347 | 9 | 167 | 3 | 53 | 2 | 63 | – | 56 | – | 8 |
| 18—19 | 151 | 1020 | 89 | 471 | 14 | 143 | 28 | 206 | 18 | 193 | 2 | 7 |
| 19—20 | 532 | 1723 | 280 | 867 | 70 | 235 | 104 | 334 | 76 | 274 | 2 | 13 |
| 20—21 | 1037 | 2305 | 529 | 1107 | 154 | 312 | 196 | 464 | 152 | 399 | 6 | 23 |
| 21—25 | 8831 | 10233 | 4156 | 4751 | 1236 | 1378 | 1852 | 2072 | 1528 | 1908 | 59 | 124 |
| 25—30 | 9172 | 7319 | 4265 | 3489 | 1131 | 779 | 1789 | 1401 | 1841 | 1496 | 146 | 154 |
| 30—35 | 3943 | 2590 | 1870 | 1241 | 402 | 296 | 724 | 457 | 834 | 524 | 113 | 72 |
| 35—40 | 1871 | 1176 | 925 | 609 | 193 | 123 | 345 | 198 | 353 | 213 | 55 | 33 |
| 40—45 | 1025 | 631 | 511 | 333 | 114 | 69 | 163 | 107 | 205 | 112 | 32 | 10 |
| 45—50 | 604 | 312 | 310 | 158 | 63 | 38 | 91 | 62 | 122 | 50 | 18 | 4 |
| 50—55 | 346 | 149 | 183 | 84 | 32 | 19 | 58 | 21 | 66 | 23 | 7 | 2 |
| 55—60 | 208 | 63 | 116 | 32 | 26 | 11 | 23 | 11 | 37 | 9 | 6 | – |
| 60—65 | 133 | 31 | 72 | 22 | 20 | 5 | 19 | 2 | 17 | 2 | 5 | – |
| 65—70 | 66 | 6 | 38 | 3 | 9 | 1 | 6 | 1 | 13 | 1 | – | – |
| 70—75 | 24 | 6 | 10 | 1 | 2 | 1 | 7 | 2 | 5 | 2 | – | – |
| 75—80 | 7 | – | 1 | – | 1 | – | 3 | – | 2 | – | – | – |
| 80—85 | 3 | – | – | – | – | – | 1 | – | 2 | – | – | – |
| 85—90 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Not stated | 1 | 3 | – | 1 | – | – | – | – | 1 | 2 | – | – |
| TOTAL . | 27969 | 27969 | 13365 | 13365 | 3470 | 3470 | 5411 | 5411 | 5272 | 5272 | 451 | 451 |

registered; the next highest percentages are in Caithness, 59, and Inverness, 56, respectively. In twenty-one counties the celebrations in accordance with the forms of this church are under 20 per cent. The largest proportion of marriages performed by ministers of the United Presbyterian Church occur in Shetland, 21 per cent.; in Selkirk, 24 per cent.; in Orkney, 29 per cent.; and Kinross, 34 per cent. In sixteen counties the ratio is between 10 and 20 per cent., being below this in the remainder. Marriages in accordance with the rites of the Roman Catholic Church are in the highest ratio in Forfar, 11 per cent.; in Lanark, 16 per cent.; in Dumbarton, 17 per cent.; and in Renfrew, 18 per cent.; while in Shetland, Orkney, Caithness, Sutherland, Ross and Cromarty, Kincardine, and Kinross, there are none or almost none. The ceremonies as performed by clergy of the Episcopal Church are most in evidence in Roxburgh and Aberdeen, where 4 per cent. of all fall under this heading; Perth and Forfar each with 5 per cent.; Edinburgh with 6 per cent.; and Kincardine with 7 per cent. There are no marriages in connection with this church in Orkney, Sutherland, Ross and Cromarty, Nairn, and Kinross. Marriages performed by clergy of other denominations than the above are most marked in Shetland, Caithness, Aberdeen, Forfar, Stirling, Renfrew, Ayr, Lanark, and Selkirk. Irregular marriages occur to the largest extent in Elgin, Aberdeen, Forfar, Kinross, Renfrew, Lanark, and Edinburgh.

Among the Principal Towns, in Aberdeen, Leith, Perth, and Kilmarnock, over 40 per cent. of the marriages are solemnised by ministers of the Established Church, the same being lowest in Glasgow and Paisley. Free Church celebrations are most in Edinburgh, Perth, Kilmarnock, and Glasgow Landward and Suburban, in each of which the ratio is over 20 per cent.; the lowest occurring in Glasgow and Dundee. Unions in accordance with the formulæ of the United Presbyterian Church bulk most largely in Leith, Paisley, Perth, and Glasgow Landward and Suburban, viz., 14 per cent. or over, and do least so in Aberdeen, and Greenock. Marriages as performed under the auspices of the Roman Catholic Church are in greatest proportion in Glasgow, Dundee, Paisley, Greenock, and Glasgow Landward and Suburban, viz., 15 per cent. or over, being least so in Aberdeen and Leith. Episcopal

---

TABLE XIV.—Marriages, 1891. Percentage of Men and Women at different Ages who contracted Marriage in Scotland and its Groups of Districts in 1891.

| AGES. | MEN. | | | | | | WOMEN. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | SCOTLAND. | Principal Town. | Large Town. | Small Town. | Mainland-Rural. | Insular-Rural. | SCOTLAND. | Principal Town. | Large Town. | Small Town. | Mainland-Rural. | Insular-Rural. |
| 15—20 years | 2·49 | 2·83 | 2·51 | 2·47 | 1·78 | 0·89 | 11·24 | 11·48 | 12·62 | 11·33 | 10·07 | 6·43 |
| 20—25 | 35·28 | 35·05 | 40·06 | 37·85 | 31·87 | 14·41 | 44·83 | 43·83 | 48·70 | 46·87 | 43·76 | 32·59 |
| 25—30 | 32·79 | 31·91 | 32·59 | 33·06 | 34·92 | 32·37 | 26·17 | 26·11 | 22·45 | 25·89 | 28·38 | 34·15 |
| 30—35 | 14·10 | 13·99 | 11·59 | 13·38 | 15·82 | 25·06 | 9·26 | 9·29 | 8·53 | 8·45 | 9·94 | 15·96 |
| 35—40 | 6·69 | 6·92 | 5·56 | 6·38 | 6·70 | 12·20 | 4·20 | 4·56 | 3·54 | 3·66 | 4·04 | 7·32 |
| 40—45 | 3·67 | 3·82 | 3·28 | 3·01 | 3·89 | 7·10 | 2·26 | 2·49 | 1·99 | 1·98 | 2·12 | 2·22 |
| 45—50 | 2·16 | 2·32 | 1·82 | 1·68 | 2·31 | 3·99 | 1·12 | 1·18 | 1·10 | 1·15 | 0·95 | 0 8 9 |
| 50 and above | 2·82 | 3·15 | 2·59 | 2·16 | 2·69 | 3·99 | 0·91 | 1·06 | 1·06 | 0·68 | 0·70 | 0·45 |
| Not stated | 0·00 | 0·00 | 0·00 | 0·00 | 0·02 | 0·00 | 0·01 | 0·01 | 0·00 | 0·00 | 0·04 | 0·00 |
| TOTAL | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

Church marriages are most marked in Edinburgh, Dundee, and Perth, viz., 6 per cent. and over, and are least so in Glasgow and Glasgow Landward and Suburban. Marriages in accordance with other denominations are chiefly in Dundee, Aberdeen, Paisley, and Greenock; while irregular marriages mostly occur in Glasgow and Edinburgh, least so in Kilmarnock.

Table XIII. indicates how 1734, or 6·2 per cent., of the bridegrooms were under 21 years of age at marriage, 14 of them being below 18 years, and 151 between 18 and 19 years of age. 5450, or 19·0 per cent., of the brides were under 21 years of age, 4 of them apparently not having attained the age of 16 years, and 51 were between 16 and 17 years of age.

From Table XIV. it is seen that while in Scotland 2·49 in every 100 of the men married did so under 20 years of age, 11·24 is the corresponding ratio with the women, exceeded in the case of both sexes in the Principal and Large Town Districts; as also in that of the latter sex in the Small Town Districts. Between 20–25 years 35·28 per 100 of the men married in Scotland, and 44·83 per 100 of the women did likewise, proportions exceeded in the Large and Small Town Districts, and that in the case of both sexes. Between 25–30 years the rate among the men is 32·79 per 100, and among the women 26·17, ratios exceeded in the case of the former in the Small Town and Mainland-Rural Districts, in that of the latter in the two Rural Districts. Between 30–35 years the rate falls to 14·10 per 100 in the case of the men, and 9·26 in that of the women, and at all ages after this the fall continues rapid and great.

The contracting parties in 24,183 of the marriages registered throughout Scotland during the year were bachelors and spinsters, in 740 they were bachelors and widows, in 2248 widowers and spinsters, and in 782 widowers and widows; or 86·46 per cent. of the marriages were between bachelors and spinsters, 2·65 per cent. between bachelors and widows, 8·04 per cent. between widowers and spinsters, and 2·80 per cent. between widowers and widows.

The largest proportion of widows married was in Renfrew, where 5·94 per cent. of the brides were such; in Clackmannan they were 6·50 per cent.; in Lanark, 7·73 per cent.; and Bute, 9·28 per cent. In Caithness and

---

TABLE XV.—Marriages, 1855-1891. Number and Proportion of Men and Women in Scotland at each Quinquennial Period of Age who contracted Marriage during the Years 1855–1891.

| AGES. | MEN. | | WOMEN. | |
|---|---|---|---|---|
| | Number who married at each Age. | Percentage at each Age to Total Marriages. | Number who married at each Age. | Percentage at each Age to Total Marriages. |
| 15—20 years | 26127 | 2·94 | 113407 | 12·76 |
| 20—25 | 338021 | 38·05 | 405477 | 45·66 |
| 25—30 | 270573 | 30·47 | 213843 | 24·08 |
| 30—35 | 112492 | 12·66 | 76409 | 8·60 |
| 35—40 | 57702 | 6·50 | 39435 | 4·44 |
| 40—45 | 33578 | 3·78 | 20847 | 2·35 |
| 45—50 | 20979 | 2·36 | 10623 | 1·20 |
| 50 and above | 28955 | 3·16 | 7006 | 0·78 |
| Not stated | 685 | 0·08 | 1171 | 0·13 |
| TOTAL | 888218 | 100·00 | 888218 | 100·00 |

Kinross no widows re-entered the married state. In Edinburgh, 5·69 per cent. of the brides were widows, while in Glasgow, 8·64 per cent. were the same.

Table XVIII. is prepared as usual with the intention of indicating, from an educational point of view, the condition of those who married during the year, as shown by the proportion of bridegrooms and brides who write. Thus for all Scotland, 96·59 per cent. of the husbands and 94·34 per cent. of the wives signed their names to their Marriage Registers, leaving 3·41 per cent. of the former and 5·66 per cent. of the latter who contented themselves by making use of their *mark* instead of writing on the same occasion. The Mainland-Rural Districts stand first in this respect, inasmuch as 98·07 per cent. of the men and 96·91 per cent. of the women wrote, leaving 1·93 per cent. and 3·09 per cent. respectively to use *mark*. The Insular-Rural Districts are at the other extreme, as but 86·70 per cent. of the men and 74·72 per cent. of the women acted in the first manner, leaving 13·30 per cent. and 25·28 per cent. respectively to act in the latter. The three Urban Districts stand in regard to this matter upon a comparatively even level. In the Counties of Orkney, Kinross, Peebles,

---

TABLE XVI.—Marriages in Scotland, 1855–1891. Numbers.

| YEARS. | Number who Married | | | | | | Number who Signed | | | | Number of Marriages between | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 21 years. | | Under 25 years. | | Above 25 years. | | By Writing. | | By Mark. | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| | Men. | Women | Men. | Women | Men. | Women | Men. | Women | Men. | Women | | | | |
| 1855 | ? | ? | 7724 | 11118 | 11858 | 8390 | 17436 | 15174 | 2244 | 4506 | 15251 | 557 | 1863 | 619 |
| 1856 | ? | ? | 8433 | 12033 | 12307 | 8707 | 18485 | 15772 | 2455 | 4968 | 17035 | 536 | 1721 | 605 |
| 1857 | 1593 | 4568 | 8995 | 12513 | 12374 | 8856 | 13781 | 16064 | 2588 | 5305 | 17030 | 521 | 1648 | 601 |
| 1858 | 1448 | 4172 | 8096 | 11492 | 11511 | 8084 | 17328 | 14929 | 2327 | 4726 | 16196 | 492 | 1624 | 533 |
| 1859 | 1571 | 4565 | 8726 | 12425 | 12443 | 8704 | 13992 | 16494 | 2209 | 4707 | 17536 | 567 | 1864 | 603 |
| 1860 | 1561 | 4607 | 8666 | 12459 | 12525 | 8695 | 19036 | 16616 | 2189 | 4609 | 18157 | 503 | 1738 | 558 |
| 1861 | 1480 | 4403 | 8550 | 12235 | 12323 | 8601 | 18679 | 16439 | 2217 | 4457 | 17431 | 441 | 1768 | 517 |
| 1862 | 1569 | 4496 | 8663 | 12205 | 11912 | 8358 | 18535 | 16405 | 2062 | 4192 | 17392 | 464 | 1747 | 501 |
| 1863 | 1756 | 4897 | 8731 | 13304 | 12488 | 8896 | 19819 | 17319 | 2415 | 4915 | 19142 | 348 | 1856 | 584 |
| 1864 | 1695 | 4989 | 9662 | 13547 | 13033 | 9132 | 20120 | 17298 | 2605 | 5427 | 19383 | 497 | 1922 | 631 |
| 1865 | 1690 | 5010 | 9859 | 13864 | 13724 | 9696 | 20914 | 18364 | 2697 | 5247 | 20158 | 593 | 2055 | 642 |
| 1866 | 1706 | 4896 | 9923 | 13843 | 13752 | 9812 | 21032 | 18483 | 2656 | 5205 | 20080 | 601 | 2094 | 715 |
| 1867 | 1532 | 4611 | 9180 | 12991 | 13414 | 9595 | 20224 | 17931 | 2394 | 4687 | 19067 | 578 | 2075 | 689 |
| 1868 | 1459 | 4463 | 8668 | 12439 | 13169 | 9384 | 19712 | 17701 | 2143 | 4154 | 18609 | 484 | 1966 | 671 |
| 1869 | 1576 | 4622 | 8792 | 12699 | 13352 | 9445 | 19911 | 17723 | 2233 | 4421 | 18818 | 625 | 1949 | 651 |
| 1870 | 1744 | 5175 | 9657 | 13723 | 14176 | 10102 | 21403 | 19194 | 2451 | 4660 | 20262 | 653 | 2132 | 759 |
| 1871 | 1821 | 5321 | 9895 | 13945 | 14124 | 10074 | 21630 | 19315 | 2389 | 4704 | 20440 | 610 | 2099 | 778 |
| 1872 | 1978 | 5666 | 10714 | 14953 | 14927 | 10688 | 22965 | 20380 | 2676 | 5261 | 21637 | 798 | 2269 | 889 |
| 1873 | 2229 | 6129 | 11573 | 15938 | 15175 | 10810 | 24175 | 21754 | 2573 | 4994 | 22648 | 813 | 2368 | 851 |
| 1874 | 2176 | 6000 | 11425 | 15675 | 14965 | 10715 | 23989 | 21643 | 2401 | 4747 | 22291 | 840 | 2330 | 855 |
| 1875 | 2103 | 5829 | 11061 | 15252 | 14913 | 10722 | 23740 | 21581 | 2234 | 4393 | 21877 | 860 | 2353 | 837 |
| 1876 | 2173 | 6014 | 11472 | 15750 | 15107 | 10829 | 24586 | 22291 | 1993 | 4288 | 22438 | 794 | 2432 | 896 |
| 1877 | 2060 | 5767 | 11118 | 15349 | 14699 | 10468 | 23865 | 21839 | 1952 | 3978 | 21945 | 795 | 2285 | 778 |
| 1878 | 1877 | 5436 | 10418 | 14555 | 13940 | 9803 | 22684 | 20839 | 1674 | 3519 | 20809 | 691 | 2083 | 752 |
| 1879 | 1797 | 5188 | 9905 | 13877 | 13614 | 9642 | 21725 | 19919 | 1794 | 3600 | 19915 | 782 | 2083 | 725 |
| 1880 | 1769 | 5393 | 10220 | 14628 | 14285 | 9877 | 22696 | 20777 | 1809 | 3728 | 20848 | 764 | 2122 | 750 |
| 1881 | 1815 | 5792 | 10818 | 15522 | 15186 | 10482 | 24168 | 22380 | 1886 | 3624 | 22320 | 700 | 2151 | 826 |
| 1882 | 2062 | 5994 | 11131 | 15987 | 15465 | 10609 | 24774 | 23097 | 1822 | 3499 | 22984 | 684 | 2134 | 791 |
| 1883 | 2026 | 5935 | 11137 | 16010 | 15735 | 10859 | 25159 | 23617 | 1710 | 3252 | 23112 | 757 | 2224 | 805 |
| 1884 | 1925 | 5821 | 10631 | 15376 | 15472 | 10730 | 24498 | 23149 | 1608 | 2957 | 22354 | 745 | 2186 | 794 |
| 1885 | 1825 | 5430 | 10183 | 14782 | 15121 | 10522 | 23936 | 22854 | 1368 | 2450 | 21761 | 681 | 2063 | 768 |
| 1886 | 1687 | 5039 | 9505 | 14182 | 15007 | 10327 | 23374 | 22485 | 1141 | 2030 | 20917 | 659 | 2178 | 758 |
| 1887 | 1661 | 5063 | 9555 | 14137 | 15321 | 10739 | 23758 | 22836 | 1118 | 2040 | 21271 | 677 | 2166 | 758 |
| 1888 | 1664 | 5168 | 9708 | 14536 | 15597 | 10769 | 24305 | 23437 | 1000 | 1868 | 21807 | 672 | 2078 | 741 |
| 1889 | 1632 | 5154 | 10009 | 14869 | 16335 | 11475 | 25211 | 24401 | 1133 | 1943 | 22621 | 724 | 2176 | 808 |
| 1890 | 1713 | 5428 | 10520 | 15641 | 16949 | 11828 | 26391 | 25706 | 1078 | 1763 | 23715 | 747 | 2178 | 816 |
| 1891 | 1734 | 5450 | 10565 | 15683 | 17404 | 12286 | 27014 | 26385 | 955 | 1584 | 24183 | 740 | 2248 | 782 |

and Selkirk, all the bridegrooms signed their names, and in Kinross and Peebles the brides did likewise. The Counties of Ross and Cromarty and Inverness show the worst record in this way; in the former, but 85·37 per cent. of the husbands and 64·48 per cent. of the wives signed, leaving 14·63 per cent. and 35·52 per cent. respectively not doing so; and in Inverness-shire, which is a little better, 89·60 per cent. of the former and 79·67 per cent. of the latter wrote, leaving 10·40 per cent. and 20·33 per cent. respectively, who were apparently only able to adhibit their *mark.* In the two lower lines of the Table, the cities of Edinburgh and Glasgow are in the same way compared. In the former 98·80 per cent. of the men and 98·20 per cent. of the women married wrote, leaving 1·20 per cent. of the first and 1·80 per cent. of the second to use *mark;* and in Glasgow, the corresponding rates are 95·17 per cent. and 91·55 per cent. for the men, and 4·83 per cent. and 8·45 per cent. for the women.

14·84 per cent. of the marriages were registered during June, 13·45 per cent. during January, 11·90 per cent. during December, 10·54 per cent. during July, 7·88 per cent. during November, 7·35 per cent. during April, 6·55 per cent. during August, 6·38 per cent. during September, 6·10 per

---

TABLE XVII.—Marriages in Scotland, 1855–1891. Proportions.

| YEARS. | Percentage who Married | | | | | | Percentage who signed | | | | Proportion in every 100 Marriages between | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 21 years | | Under 25 years | | Above 25 years | | By Writing. | | By Mark. | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| | Men. | Women | Men. | Women | Men. | Women | Men. | Women | Men. | Women | | | | |
| 1855 | ? | ? | 39·44 | 57·99 | 60·56 | 42·01 | 88·60 | 77·10 | 11·40 | 22·90 | 83·48 | 3·04 | 10·20 | 3·38 |
| 1856 | ? | ? | 40·79 | 58·44 | 59·21 | 41·56 | 89·13 | 76·05 | 10·87 | 23·95 | 85·62 | 2·69 | 8·65 | 3·04 |
| 1857 | 7·47 | 21·43 | 42·19 | 58·84 | 57·81 | 41·16 | 87·89 | 75·34 | 12·11 | 24·66 | 86·01 | 3·63 | 8·32 | 3·04 |
| 1858 | 7·38 | 21·23 | 41·25 | 58·70 | 58·75 | 41·30 | 88·16 | 75·95 | 11·84 | 24·05 | 85·95 | 2·61 | 8·62 | 2·82 |
| 1859 | 7·42 | 21·60 | 41·22 | 58·80 | 58·78 | 41·20 | 89·58 | 77·80 | 10·42 | 22·10 | 85·25 | 2·76 | 9·06 | 2·93 |
| 1860 | 7·36 | 21·77 | 40·89 | 58·89 | 59·11 | 41·11 | 89·68 | 78·28 | 10·32 | 21·72 | 86·62 | 2·42 | 8·29 | 2·67 |
| 1861 | 7·09 | 21 13 | 40·96 | 58·72 | 59·04 | 41·28 | 89·39 | 78·67 | 10·61 | 21·33 | 86·48 | 2·19 | 8·77 | 2·56 |
| 1862 | 7·62 | 21·86 | 42·11 | 59·35 | 57·89 | 40·65 | 89·99 | 79·65 | 10·01 | 20·35 | 86·51 | 2·31 | 8·69 | 2·49 |
| 1863 | 7·91 | 22·05 | 43·79 | 59·93 | 56·21 | 40·07 | 89·14 | 77·89 | 10·86 | 22·11 | 87·29 | 1·59 | 8·46 | 2·66 |
| 1864 | 7·46 | 21·99 | 42·57 | 59·73 | 57·42 | 40·26 | 88·54 | 76·12 | 11·46 | 23·88 | 86·41 | 2·21 | 8·57 | 2·81 |
| 1865 | 7·16 | 21·26 | 41·38 | 58·84 | 58·62 | 41·16 | 88·58 | 77·78 | 11·42 | 22·22 | 85·97 | 2·53 | 8·77 | 2·73 |
| 1866 | 7·20 | 20·69 | 41·91 | 58·52 | 58·09 | 41·48 | 88·78 | 78·50 | 11·22 | 22·00 | 85·49 | 2·55 | 8·92 | 3·04 |
| 1867 | 6·77 | 20·41 | 40·63 | 57·47 | 59·37 | 42·53 | 89·41 | 79·27 | 10·59 | 20·73 | 85·09 | 2·58 | 9·26 | 3·07 |
| 1868 | 6·68 | 20·45 | 39·69 | 57·00 | 60·31 | 43·00 | 90·19 | 80·99 | 9·81 | 19·01 | 85·64 | 2·22 | 9·05 | 3·09 |
| 1869 | 7·08 | 20·87 | 39·70 | 57·34 | 60·30 | 42·66 | 89·92 | 80·04 | 10·08 | 19·96 | 85·38 | 2·83 | 8·84 | 2·95 |
| 1870 | 7·32 | 21·72 | 40·52 | 57·60 | 59·48 | 42·40 | 89·73 | 80·46 | 10·27 | 19·54 | 85·11 | 2·74 | 8·96 | 3·19 |
| 1871 | 7·58 | 22·15 | 41·20 | 58·06 | 58·80 | 41·94 | 90·05 | 80·42 | 9·95 | 19·58 | 85·10 | 2·54 | 8·74 | 3·24 |
| 1872 | 7·71 | 22·10 | 41·78 | 58·32 | 58·22 | 41·68 | 89·56 | 79·48 | 10·44 | 20·52 | 84·38 | 3·11 | 8·35 | 3·47 |
| 1873 | 8·33 | 22·91 | 43·26 | 59·58 | 56·74 | 40·42 | 90·38 | 81·33 | 9·62 | 18·67 | 84·89 | 3·05 | 8·88 | 3·18 |
| 1874 | 8·25 | 22·73 | 43·29 | 59·40 | 56·71 | 40·60 | 90·90 | 82·01 | 9·10 | 17·99 | 84·47 | 3·18 | 8·83 | 3·24 |
| 1875 | 8·10 | 22·44 | 42·58 | 58·72 | 57·42 | 41·28 | 91·40 | 83·09 | 8·60 | 16·91 | 84·23 | 3·31 | 9·06 | 3·22 |
| 1876 | 8·18 | 22·63 | 43·16 | 59·26 | 56·84 | 40·74 | 92·50 | 83·87 | 7·50 | 16·13 | 84·42 | 2·99 | 9·15 | 3·37 |
| 1877 | 7·98 | 22·34 | 43·06 | 59·46 | 56·94 | 40·54 | 92·44 | 84·59 | 7·56 | 15·41 | 85·00 | 3·08 | 8·89 | 3·01 |
| 1878 | 7·71 | 22·32 | 42·77 | 59·75 | 57·23 | 40·25 | 93·13 | 85·55 | 6·87 | 14·45 | 85·43 | 2·84 | 8·55 | 3·09 |
| 1879 | 7·64 | 22·06 | 42·11 | 59·00 | 57·89 | 41·00 | 92·37 | 84·69 | 7·63 | 15·31 | 84·68 | 3·32 | 8·86 | 3·06 |
| 1880 | 7·22 | 22·01 | 41·71 | 59·69 | 58·29 | 40·31 | 92·62 | 84·79 | 7·38 | 15·21 | 85·07 | 3·12 | 8·66 | 3·06 |
| 1881 | 6·98 | 22·27 | 41·60 | 59·69 | 58·40 | 40·31 | 92·94 | 86·06 | 7·06 | 13·94 | 85·83 | 2·69 | 8·27 | 3·18 |
| 1882 | 7·75 | 22·54 | 41·85 | 60·11 | 58·15 | 39·89 | 93·15 | 86·84 | 6·85 | 13·16 | 86·42 | 2·57 | 8·02 | 2·97 |
| 1883 | 7·54 | 22·09 | 41·45 | 59·59 | 58·55 | 40·41 | 93·64 | 87·90 | 6·36 | 12·10 | 86·02 | 2·82 | 8·28 | 2·85 |
| 1884 | 7·37 | 22·30 | 40·72 | 58·90 | 59·28 | 41·10 | 93·84 | 88·67 | 6·16 | 11·33 | 85·63 | 2·85 | 8·37 | 3·10 |
| 1885 | 7·21 | 21·46 | 40·24 | 58·42 | 59·76 | 41·58 | 94·59 | 90·32 | 5·41 | 9·68 | 85·93 | 2·69 | 8·15 | 3·14 |
| 1886 | 6·88 | 20·55 | 38·77 | 57·85 | 61·21 | 42·12 | 95·35 | 91·72 | 4·65 | 8·28 | 85·32 | 2·69 | 8·88 | 3·09 |
| 1887 | 6·68 | 20·35 | 38·41 | 56·83 | 61·59 | 43·17 | 95·51 | 91·80 | 4·49 | 8·20 | 85·51 | 2·72 | 8·71 | 3·05 |
| 1888 | 6·58 | 20·42 | 38·36 | 57·44 | 61·64 | 42·56 | 96·05 | 92·62 | 3·95 | 7·38 | 86·18 | 2·66 | 8·21 | 2·93 |
| 1889 | 6·19 | 19·56 | 34·20 | 56·44 | 65·80 | 43·56 | 95·70 | 92·62 | 4·30 | 7·38 | 85·87 | 2·75 | 8·26 | 3·06 |
| 1890 | 6·24 | 19·76 | 38·30 | 56·94 | 61·70 | 43·06 | 96·08 | 93·58 | 3·92 | 6·42 | 86·33 | 2·72 | 7·93 | 2·97 |
| 1891 | 6·19 | 19·49 | 37·77 | 56·07 | 62·23 | 43·93 | 96·59 | 94·34 | 3·41 | 5·66 | 86·46 | 2·65 | 8·04 | 2·80 |

cent. during October, 6·07 per cent. during March, 5·35 per cent. during February, and 3·59 per cent. during May.

---

TABLE XVIII.—Marriages, 1891. Percentage of Men and Women who signed by Writing or by Mark, of Persons under 21 years of age, and of Marriages between Persons in different conjugal conditions in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

| 1891. | Signed by Writing. | | Signed by Mark. | | Persons under 21 Years. | | Percentage of Marriages between | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Per cent. of Men. | Per cent. of Women. | Per cent. of Men. | Per cent. of Women. | Per cent. of Men. | Per cent. of Women. | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| SCOTLAND. . . | 96·59 | 94·34 | 3·41 | 5·66 | 6·19 | 19·49 | 86·46 | 2·65 | 8·04 | 2·80 |
| GROUPS. | | | | | | | | | | |
| PRINCIPAL TOWN DIST. | 96·42 | 93·69 | 3·58 | 6·31 | 6·79 | 19·76 | 84·53 | 3·39 | 8·42 | 3·61 |
| LARGE TOWN DISTRICTS | 96·22 | 95·01 | 3·78 | 4·99 | 6·95 | 21·61 | 87·18 | 2·25 | 7·72 | 2·85 |
| SMALL TOWN DISTRICTS | 96·62 | 94·62 | 3·38 | 5·38 | 6·10 | 19·90 | 87·88 | 2·29 | 7·43 | 2·35 |
| MAINLAND-RURAL . | 98·07 | 96·91 | 1·93 | 3·09 | 4·67 | 17·64 | 89·40 | 1·52 | 7·68 | 1·29 |
| INSULAR-RURAL . . | 86·70 | 74·72 | 13·30 | 25·28 | 2·21 | 11·53 | 86·92 | 1·10 | 10·64 | 1·10 |
| DIVISIONS. | | | | | | | | | | |
| I. NORTHERN . | 98·22 | 95·07 | 1·78 | 4·93 | 3·55 | 16·17 | 87·77 | 0·99 | 9·86 | 1·38 |
| II. NORTH-WESTERN | 87·73 | 72·96 | 12·27 | 27·04 | 1·58 | 10·29 | 89·18 | 0·79 | 9·37 | 0·53 |
| III. NORTH-EASTERN | 99·13 | 97·85 | 0·87 | 2·15 | 5·10 | 17·78 | 88·34 | 1·89 | 7·98 | 1·79 |
| IV. EAST-MIDLAND . | 98·06 | 95·32 | 1·94 | 4·68 | 6·93 | 16·98 | 87·94 | 1·82 | 7·94 | 2·11 |
| V. WEST-MIDLAND | 95·98 | 94·37 | 4·02 | 5·63 | 4·99 | 18·71 | 87·67 | 2·09 | 7·88 | 2·20 |
| VI. SOUTH-WESTERN | 95·24 | 92·89 | 4·76 | 7·11 | 7·24 | 22·96 | 84·72 | 3·37 | 8·06 | 3·85 |
| VII. SOUTH-EASTERN | 98·47 | 97·62 | 1·53 | 2·38 | 5·02 | 16·96 | 87·03 | 2·91 | 7·57 | 2·35 |
| VIII. SOUTHERN . . | 98·39 | 98·75 | 1·61 | 1·25 | 5·89 | 14·02 | 88·84 | 1·52 | 8·75 | 0·89 |
| COUNTIES. | | | | | | | | | | |
| 1 Shetland . . | 95·95 | 91·89 | 4·05 | 8·11 | 3·38 | 12·84 | 87·84 | 1·35 | 8·78 | 2·03 |
| 2 Orkney . . | 100·00 | 99·28 | 0·00 | 0·72 | 7·19 | 23·02 | 82·73 | 1·44 | 12·95 | 2·88 |
| 3 Caithness . . | 99·36 | 96·82 | 0·64 | 3·18 | 1·27 | 15·92 | 92·99 | 0·00 | 7·01 | 0·00 |
| 4 Sutherland . | 96·83 | 88·89 | 3·17 | 11·11 | 1·59 | 9·52 | 85·71 | 1·59 | 12·70 | 0·00 |
| 5 Ross and Cromarty | 85·37 | 64·48 | 14·63 | 35·52 | 1·19 | 8·36 | 91·04 | 0·30 | 8·06 | 0·60 |
| 6 Inverness . . | 89·60 | 79·67 | 10·40 | 20·33 | 1·89 | 11·82 | 87·71 | 1·18 | 10·40 | 0·47 |
| 7 Nairn . . | 97·30 | 97·30 | 2·70 | 2·70 | 0·00 | 13·51 | 91·89 | 5·41 | 2·70 | 0·00 |
| 8 Elgin (or Moray) | 99·14 | 97·00 | 0·86 | 3·00 | 3·00 | 15·02 | 88·83 | 2·15 | 7·30 | 1·72 |
| 9 Banff . . . | 98·82 | 97·35 | 1·18 | 2·65 | 3·53 | 14·71 | 89·12 | 0·88 | 8·82 | 1·18 |
| 10 Aberdeen . . | 99·17 | 97·94 | 0·83 | 2·06 | 5·78 | 18·83 | 87·82 | 2·01 | 8·15 | 2·01 |
| 11 Kincardine . | 99·49 | 98·98 | 0·51 | 1·02 | 4·57 | 16·75 | 90·86 | 1·52 | 6·60 | 1·02 |
| 12 Forfar . . | 97·39 | 92·50 | 2·61 | 7·50 | 7·21 | 16·84 | 86·59 | 2·13 | 8·57 | 2·71 |
| 13 Perth . . | 98·33 | 97·26 | 1·67 | 2·74 | 4·11 | 14·46 | 89·65 | 1·67 | 6·70 | 1·37 |
| 14 Fife . . . | 98·88 | 98·65 | 1·12 | 1·35 | 8·13 | 17·77 | 89·64 | 1·35 | 7·33 | 1·67 |
| 15 Kinross . . | 100·00 | 100·00 | 0·00 | 0·00 | 13·16 | 15·79 | 86·84 | 0·00 | 13·16 | 0·00 |
| 16 Clackmannan . | 98·70 | 96·75 | 1·30 | 3·25 | 3·90 | 23·38 | 85·06 | 2·60 | 8·44 | 3·90 |
| 17 Stirling . . | 96·80 | 96·11 | 3·20 | 3·89 | 5·84 | 21·51 | 88·10 | 2·17 | 8·01 | 1·72 |
| 18 Dumbarton . | 93·70 | 92·84 | 6·30 | 7·16 | 5·28 | 20·95 | 88·07 | 1·70 | 7·50 | 2·56 |
| 19 Argyll . . | 97·39 | 92·18 | 2·61 | 7·82 | 2·61 | 10·10 | 86·97 | 2·61 | 8·47 | 1·30 |
| 20 Bute . . . | 97·94 | 94·85 | 2·06 | 5·15 | 3·09 | 7·22 | 83·50 | 2·06 | 7·22 | 7·22 |
| 21 Renfrew . . | 94·89 | 92·12 | 5·11 | 7·88 | 7·05 | 18·99 | 84·30 | 2·41 | 9·76 | 3·53 |
| 22 Ayr . . . | 97·30 | 95·23 | 2·70 | 4·77 | 6·84 | 20·53 | 86·00 | 2·32 | 8·35 | 3·33 |
| 23 Lanark . . | 94·94 | 92·63 | 5·06 | 7·37 | 7·34 | 24·14 | 84·57 | 3·73 | 7·68 | 4·00 |
| 24 Linlithgow . | 96·64 | 96·40 | 3·36 | 3·60 | 7·19 | 26·14 | 85·85 | 3·60 | 8·39 | 2·16 |
| 25 Edinburgh . | 98·62 | 97·56 | 1·38 | 2·44 | 5·00 | 16·58 | 86·61 | 3·13 | 7·53 | 2·59 |
| 26 Haddington . | 97·56 | 98·05 | 2·44 | 1·95 | 3·90 | 17·56 | 89·27 | 1·95 | 6·83 | 1·46 |
| 27 Berwick . . | 98·79 | 98·79 | 1·21 | 1·21 | 4·24 | 9·70 | 94·54 | 0·00 | 4·85 | 0·61 |
| 28 Peebles . . | 100·00 | 100·00 | 0·00 | 0·00 | 2·15 | 7·53 | 88·17 | 0·00 | 10·75 | 1·08 |
| 29 Selkirk . . | 100·00 | 99·31 | 0·00 | 0·69 | 3·47 | 13·19 | 88·19 | 2·08 | 8·33 | 1·39 |
| 30 Roxburgh . . | 99·17 | 99·17 | 0·83 | 0·83 | 5·37 | 10·74 | 89·26 | 1·24 | 8·26 | 1·24 |
| 31 Dumfries . . | 98·53 | 99·58 | 1·47 | 0·42 | 5·87 | 13·21 | 89·52 | 1·05 | 9·01 | 0·42 |
| 32 Kirkcudbright . | 98·46 | 98·97 | 1·54 | 1·03 | 4·62 | 17·95 | 89·74 | 2·05 | 7·18 | 1·03 |
| 33 Wigtown . . | 97·09 | 96·12 | 2·91 | 3·88 | 7·77 | 16·02 | 85·92 | 2·43 | 10·19 | 1·46 |
| EDINBURGH . | 98·80 | 98·20 | 1·20 | 1·80 | 5·01 | 14·85 | 86·09 | 3·12 | 8·09 | 2·57 |
| GLASGOW . | 95·17 | 91·55 | 4·83 | 8·45 | 7·63 | 22·19 | 82·90 | 4·29 | 8·41 | 4·35 |

The proportion of marriages per ten thousand of their population was, in the following European States during 1891, as follows:—82 in Prussia; 81 in the German Empire; 77 in Austria; 75 in France and Italy; 74 in Belgium; 72 in Switzerland; 71 in the Netherlands; and 66 in Norway.

## DEATHS.

The total number of deaths registered throughout Scotland during 1891 was 83,573, which affords a mortality-rate of 2·07 per cent., *i.e.*, 207 in every ten thousand of the population, or one death in every 48 of the inhabitants of the country. This is the highest death-rate since the year 1878.

Of the total, 41,122 are males, and 42,451 females, the death-rate among the former being 211 per ten thousand of like sex, and among the latter 203. For the last ten years immediately preceding the present, the mean death-rate is 192 per ten thousand. In England the rate for the present year is equivalent to 202 per ten thousand persons living.

---

TABLE XIX.—Deaths of Males and Females in Scotland, and its Five Groups of Districts, during each of the Years 1855–1891.

| YEARS. | SCOTLAND. | | PRINCIPAL TOWN. | | LARGE TOWN. | | SMALL TOWN. | | MAINLAND-RURAL. | | INSULAR-RURAL. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| 1855 | 30626 | 31378 | 11189 | 11517 | 2972 | 2982 | 4963 | 5052 | 10681 | 10975 | 821 | 852 |
| 1856 | 29418 | 29111 | 11155 | 11099 | 2703 | 2671 | 4785 | 4757 | 9855 | 9607 | 920 | 977 |
| 1857 | 30937 | 30969 | 11692 | 11671 | 2917 | 2943 | 4911 | 5098 | 10421 | 10285 | 996 | 972 |
| 1858 | 31652 | 31887 | 11770 | 11675 | 3034 | 3129 | 5046 | 5030 | 10792 | 10997 | 1010 | 1056 |
| 1859 | 30588 | 31126 | 11075 | 11277 | 2946 | 2829 | 4975 | 5070 | 10418 | 10672 | 1174 | 1278 |
| 1860 | 33610 | 34560 | 12814 | 13252 | 2972 | 3070 | 5480 | 5590 | 11169 | 11424 | 1175 | 1224 |
| 1861 | 30890 | 31451 | 11464 | 11685 | 2869 | 2962 | 5150 | 5216 | 10346 | 10474 | 1061 | 1114 |
| 1862 | 33179 | 34016 | 12270 | 12690 | 3286 | 3280 | 5368 | 5565 | 10967 | 11141 | 1288 | 1340 |
| 1863 | 35631 | 35850 | 13624 | 13421 | 3358 | 3422 | 5862 | 5680 | 11510 | 11999 | 1277 | 1328 |
| 1864 | 37010 | 37406 | 14504 | 14341 | 3544 | 3588 | 6132 | 6162 | 11722 | 12082 | 1108 | 1233 |
| 1865 | 35190 | 35701 | 14263 | 14252 | 3352 | 3544 | 5598 | 5658 | 10906 | 11174 | 1071 | 1073 |
| 1866 | 35355 | 35993 | 13742 | 13724 | 3378 | 3528 | 5777 | 6032 | 11334 | 11571 | 1124 | 1138 |
| 1867 | 34363 | 34705 | 13219 | 13300 | 3322 | 3454 | 5786 | 5771 | 10964 | 11022 | 1072 | 1158 |
| 1868 | 34662 | 34754 | 14154 | 13883 | 3359 | 3325 | 5640 | 5752 | 10522 | 10642 | 987 | 1152 |
| 1869 | 37868 | 38007 | 15744 | 15723 | 3647 | 3839 | 6022 | 5879 | 11274 | 11342 | 1181 | 1224 |
| 1870 | 36866 | 37299 | 14234 | 14274 | 3858 | 3854 | 5929 | 6168 | 11760 | 11894 | 1085 | 1109 |
| 1871 | 36827 | 37885 | 15478 | 15948 | 4003 | 4068 | 7913 | 8287 | 8527 | 8653 | 906 | 929 |
| 1872 | 37939 | 37355 | 15192 | 15007 | 4363 | 4240 | 8500 | 8315 | 8876 | 9217 | 1008 | 1076 |
| 1873 | 39037 | 37909 | 15227 | 14781 | 4766 | 4540 | 8869 | 8488 | 9155 | 8943 | 1020 | 1157 |
| 1874 | 40678 | 40042 | 16245 | 15879 | 5079 | 4947 | 8852 | 8708 | 9419 | 9397 | 1083 | 1111 |
| 1875 | 40323 | 41444 | 15272 | 15711 | 4984 | 4818 | 9026 | 9259 | 9925 | 10378 | 1116 | 1278 |
| 1876 | 37404 | 36725 | 14256 | 13721 | 4500 | 4524 | 8420 | 8406 | 9177 | 9015 | 1051 | 1059 |
| 1877 | 37173 | 36764 | 14190 | 14037 | 4521 | 4536 | 8052 | 8008 | 9383 | 9092 | 1027 | 1091 |
| 1878 | 38389 | 38404 | 14707 | 14718 | 5157 | 5031 | 8512 | 8493 | 9072 | 9140 | 941 | 1022 |
| 1879 | 36296 | 37051 | 13397 | 13747 | 4682 | 4751 | 8217 | 8345 | 8999 | 9040 | 1001 | 1168 |
| 1880 | 38055 | 37748 | 14578 | 14295 | 5019 | 4821 | 8635 | 8847 | 8800 | 8757 | 1023 | 1028 |
| 1881 | 36097 | 36228 | 15996 | 16144 | 3814 | 3890 | 7318 | 7428 | 7970 | 7742 | 999 | 1024 |
| 1882 | 36325 | 36664 | 16343 | 16354 | 4057 | 3997 | 7328 | 7457 | 7644 | 7792 | 953 | 1064 |
| 1883 | 38296 | 38595 | 17728 | 17578 | 4074 | 4143 | 7422 | 7747 | 7987 | 8100 | 1085 | 1027 |
| 1884 | 37556 | 37612 | 17058 | 16967 | 4042 | 4206 | 7403 | 7514 | 8105 | 7919 | 948 | 1006 |
| 1885 | 36932 | 37675 | 16206 | 16521 | 3952 | 4151 | 7620 | 7792 | 8152 | 8135 | 1002 | 1076 |
| 1886 | 36432 | 37208 | 15996 | 16240 | 4179 | 4257 | 7412 | 7704 | 7874 | 7986 | 971 | 1021 |
| 1887 | 36805 | 37741 | 16009 | 16667 | 4453 | 4458 | 7574 | 7570 | 7784 | 8017 | 985 | 1029 |
| 1888 | 34953 | 36221 | 15100 | 15405 | 4153 | 4247 | 6923 | 7361 | 7851 | 8076 | 926 | 1132 |
| 1889 | 36328 | 36910 | 16046 | 16390 | 4259 | 4203 | 7067 | 7546 | 8012 | 7851 | 944 | 920 |
| 1890 | 39130 | 39874 | 17594 | 17668 | 4654 | 4777 | 7752 | 7905 | 8194 | 8484 | 936 | 1040 |
| 1891 | 41122 | 42451 | 18018 | 18580 | 5040 | 5175 | 8414 | 8705 | 8604 | 8786 | 1046 | 1205 |

The number of deaths as they occur in the five Great Registration Di isions or Districts are as follows:—in the Principal Town Districts the total number of registered deaths is 36,598, forming a mortality-rate in the same of 229 per ten thousand of the living population; the male deaths alone are 18,018, equivalent to a rate of 237 per ten thousand of the same sex; the female deaths are 18,580, or 222 per ten thousand of their population. In the Large Town Districts, the deaths number 10,215, equal to 218 per ten thousand of population; the males alone are 5040, or 220 per ten thousand; the females 5175, or 216 per ten thousand. In the Small Town Districts, the deaths amount to 17,119, or 203 per ten thousand; the males 8414, or 207 per ten thousand; the females 8705, or 200 per ten thousand of the sex alive. In the Mainland-Rural Districts, the deaths are 17,390, equal to 174 per ten thousand of inhabitants; the male deaths being 8604; or 174 per ten thousand; the female 8786, or 173 per ten thousand. In the Insural-Rural Districts the deaths are 2251, or 179 per ten thousand; the males 1046, or 178 per ten thousand; and the females 1205, or 179 per ten thousand. The rate is, accordingly, highest in the Principal Town Districts, falling in the Large and Small Town Districts; that in the Insular-Rural, however, being higher than in the Mainland-Rural Districts. The mortality-rate in the Urban Districts collectively is equivalent to 220 per ten thousand of their inhabitants as estimated, in the Rural Districts to

TABLE XX.—Percentage of Male and Female Deaths to the Population in Scotland, and its Five Groups of Districts, during each of the Years 1855–1891.

| YEARS. | SCOTLAND. | | PRINCIPAL TOWN. | | LARGE TOWN. | | SMALL TOWN. | | MAINLAND-RURAL. | | INSULAR-RURAL. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| 1855 | 2·162 | 2·003 | 2·929 | 2·584 | 2·644 | 2·382 | 2·163 | 1·995 | | | | |
| 1856 | 2·065 | 1·850 | 2·887 | 2·460 | 2·378 | 2·107 | 2·070 | 1·863 | | | | |
| 1857 | 2·161 | 1·958 | 2·991 | 2·556 | 2·539 | 2·292 | 2·109 | 1·981 | | | | |
| 1858 | 2·202 | 2·005 | 2·976 | 2·527 | 2·612 | 2·407 | 2·152 | 1·939 | | | | |
| 1859 | 2·120 | 1·940 | 2·769 | 2·412 | 2·509 | 2·179 | 2·107 | 1·938 | | | | |
| 1860 | 2·321 | 2·150 | 3·168 | 2·801 | 2·336 | 2·304 | 2·304 | 2·125 | | | | |
| 1861 | 2·125 | 1·946 | 2·796 | 2·438 | 2·386 | 2·193 | 2·157 | 1·924 | | | | |
| 1862 | 2·260 | 2·087 | 2·931 | 2·603 | 2·675 | 2·384 | 2·231 | 2·085 | | | | |
| 1863 | 2·402 | 2·181 | 3·188 | 2·706 | 2·676 | 2·441 | 2·363 | 2·114 | | | | |
| 1864 | 2·470 | 2·256 | 3·324 | 2·842 | 2·764 | 2·512 | 2·510 | 2·277 | | | | |
| 1865 | 2·325 | 2·135 | 3·202 | 2·777 | 2·559 | 2·435 | 2·274 | 2·076 | | | | |
| 1866 | 2·313 | 2·134 | 3·021 | 2·628 | 2·524 | 2·379 | 2·329 | 2·198 | | | | |
| 1867 | 2·226 | 2·040 | 2·853 | 2·504 | 2·430 | 2·286 | 2·315 | 2·088 | | | | |
| 1868 | 2·222 | 2·025 | 2·985 | 2·569 | 2·405 | 2·159 | 2·240 | 2·067 | | | | |
| 1869 | 2·404 | 2·196 | 3·252 | 2·860 | 2·556 | 2·448 | 2·374 | 2·098 | | | | |
| 1870 | 2·317 | 2·137 | 2·880 | 2·552 | 2·647 | 2·412 | 2·319 | 2·185 | 1·669 | 1·596 | 1·484 | 1·309 |
| 1871 | 2·290 | 2·151 | 3·039 | 2·786 | 2·544 | 2·359 | 2·143 | 2·055 | 1·731 | 1·698 | 1·651 | 1·521 |
| 1872 | 2·333 | 2·100 | 2·949 | 2·594 | 2·682 | 2·386 | 2·271 | 2·038 | 1·778 | 1·645 | 1·671 | 1·639 |
| 1873 | 2·372 | 2·111 | 2·923 | 2·529 | 2·834 | 2·479 | 2·338 | 2·056 | 1·822 | 1·727 | 1·773 | 1·578 |
| 1874 | 2·444 | 2·208 | 3·083 | 2·688 | 2·921 | 2·620 | 2·303 | 2·085 | 1·913 | 1·905 | 1·826 | 1·820 |
| 1875 | 2·394 | 2·263 | 2·865 | 2·632 | 2·772 | 2·476 | 2·317 | 2·191 | 1·762 | 1·652 | 1·719 | 1·512 |
| 1876 | 2·196 | 1·986 | 2·644 | 2·274 | 2·421 | 2·255 | 2·133 | 1·965 | 1·794 | 1·664 | 1·680 | 1·562 |
| 1877 | 2·157 | 1·969 | 2·603 | 2·302 | 2·352 | 2·194 | 2·012 | 1·850 | 1·728 | 1·671 | 1·539 | 1·467 |
| 1878 | 2·202 | 2·037 | 2·667 | 2·389 | 2·595 | 2·361 | 2·099 | 1·939 | 1·707 | 1·651 | 1·637 | 1·680 |
| 1879 | 2·059 | 1·947 | 2·401 | 2·208 | 2·278 | 2·162 | 1·999 | 1·883 | 1·663 | 1·597 | 1·672 | 1·482 |
| 1880 | 2·133 | 1·964 | 2·584 | 2·272 | 2·359 | 2·127 | 2·072 | 1·972 | 1·610 | 1·512 | 1·635 | 1·481 |
| 1881 | 2·002 | 1·868 | 2·374 | 2·172 | 1·948 | 1·874 | 1·933 | 1·823 | 1·542 | 1·524 | 1·566 | 1·543 |
| 1882 | 1·998 | 1·877 | 2·401 | 2·174 | 2·040 | 1·899 | 1·923 | 1·818 | 1·608 | 1·586 | 1·790 | 1·494 |
| 1883 | 2·090 | 1·961 | 2·572 | 2·309 | 2·017 | 1·940 | 1·934 | 1·876 | 1·629 | 1·553 | 1·570 | 1·467 |
| 1884 | 2·032 | 1·897 | 2·441 | 2·202 | 1·970 | 1·942 | 1·916 | 1·807 | 1·636 | 1·597 | 1·666 | 1·574 |
| 1885 | 1·983 | 1·887 | 2·295 | 2·119 | 1·897 | 1·889 | 1·958 | 1·861 | 1·578 | 1·570 | 1·621 | 1·498 |
| 1886 | 1·940 | 1·850 | 2·238 | 2·058 | 1·976 | 1·910 | 1·891 | 1·828 | 1·557 | 1·578 | 1·652 | 1·514 |
| 1887 | 1·944 | 1·863 | 2·213 | 2·087 | 2·073 | 1·972 | 1·919 | 1·784 | 1·568 | 1·592 | 1·559 | 1·671 |
| 1888 | 1·832 | 1·775 | 2·062 | 1·906 | 1·904 | 1·852 | 1·742 | 1·723 | 1·598 | 1·549 | 1·596 | 1·362 |
| 1889 | 1·888 | 1·796 | 2·164 | 2·004 | 1·884 | 1·806 | 1·766 | 1·754 | 1·661 | 1·670 | 1·589 | 1·544 |
| 1890 | 2·026 | 1·925 | 2·343 | 2·136 | 2·061 | 2·021 | 1·926 | 1·828 | 1·744 | 1·730 | 1·782 | 1·795 |
| 1891 | 2·113 | 2·034 | 2·374 | 2·222 | 2·196 | 2·156 | 2·073 | 1·998 | | | | |

174. Table XX. thus indicates how in Scotland and in each of the five Registration Districts, the male death-rate is greater than that of the female, except in the Insular-Rural Districts, in which the reverse holds; the female death-rate being somewhat higher than in the opposite sex. In the Principal Town Districts and Large Town Districts the death-rate of both sexes is above the corresponding for Scotland as a whole, the reverse being the case in the other three districts.

Tables XXI. and XXII. afford information as to the deaths and the corresponding mortality-rates in each of the Principal Towns. In Glasgow, the total registered deaths during the year are 14,324, equal to a mortality-rate of 25 per thousand of the estimated population; in Edinburgh the deaths are 5646, at the rate of 22 per thousand of population; in Dundee they are 3516, equal to 23 per thousand; in Aberdeen they are 2422, at a rate of 20 per thousand; in Leith they are 1395, equivalent to 20 per thousand; in Paisley they are 1780, or 27 per thousand; in Greenock they are 1430, or 23 per thousand; in Perth they are 625, or 20 per thousand; in Kilmarnock they are 619, or 22 per thousand; and in Glasgow Landward and Suburban, the total deaths amount to 4841, or at the rate of 21 per thousand of the inhabitants resident therein.

TABLE XXI.—Town Deaths, 1881–1891. Annual Number of Deaths in the Principal Towns of Scotland.

| TOWNS. | 1881. | 1882. | 1883. | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. | 1891. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow . . . | 12916 | 13046 | 14577 | 13942 | 13492 | 13104 | 12135 | 11681 | 13139 | 13374 | 14324 |
| Edinburgh . . . | 4613 | 4565 | 4544 | 4865 | 4554 | 4889 | 5098 | 4738 | 4815 | 5423 | 5646 |
| Dundee . . . | 2966 | 3054 | 3532 | 3119 | 3078 | 2848 | 3351 | 2957 | 2984 | 3688 | 3516 |
| Aberdeen . . . | 2052 | 2176 | 2082 | 2455 | 2030 | 2230 | 2550 | 2179 | 2287 | 2603 | 2422 |
| Leith . . . . | 1281 | 1177 | 1321 | 1252 | 1149 | 1236 | 1265 | 1175 | 1386 | 1517 | 1395 |
| Paisley . . . . | 1274 | 1455 | 1391 | 1509 | 1476 | 1359 | 1582 | 1593 | 1359 | 1355 | 1780 |
| Greenock . . . | 1525 | 1590 | 1786 | 1493 | 1546 | 1290 | 1504 | 1230 | 1352 | 1419 | 1430 |
| Perth . . . . | 641 | 710 | 584 | 609 | 540 | 579 | 591 | 588 | 584 | 681 | 625 |
| Kilmarnock . . | 538 | 511 | 567 | 561 | 571 | 560 | 510 | 566 | 588 | 619 | 619 |
| Glasgow (Landward and Suburban) | 4039 | 4088 | 4589 | 4220 | 4291 | 4141 | 4090 | 3798 | 3942 | 4583 | 4841 |

TABLE XXII.—Proportion of Town Deaths, 1881–1891. Annual Percentage of Deaths to the Population in the Principal Towns in Scotland.

| TOWNS. | 1881. | 1882. | 1883. | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. | Mean Annual Mortality. | 1891. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow . | 2·52 | 2·52 | 2·78 | 2·64 | 2·53 | 2·43 | 2·23 | 2·12 | 2·36 | 2·38 | 2·45 | 2·53 |
| Edinburgh | 1·96 | 1·92 | 1·89 | 2·00 | 1·86 | 1·97 | 2·03 | 1·87 | 1·88 | 2·09 | 1·95 | 2·16 |
| Dundee . | 2·08 | 2·19 | 2·43 | 2·13 | 2·08 | 1·91 | 2·23 | 1·95 | 1·95 | 2·38 | 2·13 | 2·25 |
| Aberdeen | 1·94 | 2·03 | 1·92 | 2·21 | 1·81 | 1·96 | 2·21 | 1·86 | 1·92 | 2·16 | 2·00 | 1·98 |
| Leith . . | 2·10 | 1·90 | 2·11 | 1·97 | 1·78 | 1·89 | 1·91 | 1·75 | 2·04 | 2·19 | 1·96 | 1·99 |
| Paisley . | 2·28 | 2·55 | 2·40 | 2·56 | 2·46 | 2·23 | 2·55 | 2·52 | 2·11 | 2·07 | 2·37 | 2·67 |
| Greenock | 2·29 | 2·30 | 2·70 | 2·27 | 2·36 | 1·98 | 2·32 | 1·91 | 2·11 | 2·14 | 2·25 | 2·25 |
| Perth . . | 2·15 | 2·38 | 1·95 | 2·02 | 1·79 | 1·91 | 1·95 | 1·93 | 1·91 | 2·22 | 2·02 | 2·03 |
| Kilmarnock | 2·08 | 1·96 | 2·15 | 2·11 | 2·14 | 2·08 | 1·88 | 2·07 | 2·13 | 2·23 | 2·08 | 2·21 |
| Glasgow (Landward and Suburban) | 2·30 | 2·27 | 2·48 | 2·21 | 2·20 | 2·07 | 1·99 | 1·80 | 1·82 | 2·06 | 2·12 | 2·12 |

Tables XXIII. and XXIV. give the number of deaths and the corresponding percentages at various ages in Scotland, and in each of the Registration Districts. Thus in Scotland, the rate of mortality among male infants under one year of age is 16·614 per cent. of all of the same sex presumed to be alive at this age during the year; while among the females the corresponding ratio is 13·203 per cent. A higher death-rate at this age occurs in the Principal Town Districts, where it is 19·376 per cent. and 15·603 per cent. respectively, and in the Large Town Districts 16·798 per cent. and 14·052 per cent. The lowest rate is found in the males in the Insular-Rural Districts, 11·734 per cent., and in the females in the Mainland-Rural Districts, 9·157 per cent. In none of the districts does the female death-rate at this age equal or exceed that of the male.

Under two years of age the male rate for Scotland has fallen to 5·881 per cent. and the female to 5·794 per cent. of each sex alive at this age, ratios again exceeded as to both sexes in the Principal and Large Town Districts. In the two Rural Districts the female death-rate overtops that of the male.

Under three years of age the rate for Scotland is, in the case of the males, 2·212 per cent., and of the females 2·348 per cent., exceeded only in the Principal Town Districts. At this age the female rate exceeds the male in the Principal Town Districts, Large Town Districts, and in the two Rural.

Under four years of age the difference in mortality-rate between the sexes is but slight, being, in the case of the males, 1·441 per cent., and of the females, 1·491 per cent., exceeded in both sexes in the Principal Town Districts, and in that of the females in the Large Town Districts; in all the districts, except in that of the Principal Towns, the female rate is above the male rate.

Under five years of age the rate for Scotland is, in the case of the males,

---

TABLE XXIII.—Ages of Males and Females who died in Scotland, and in each of its Groups of Districts, during the Year 1891.

| AGES. | SCOTLAND. | | PRINCIPAL TOWN. | | LARGE TOWN. | | SMALL TOWN. | | MAINLAND-RURAL. | | INSULAR-RURAL. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 9109 | 7001 | 4309 | 3404 | 1150 | 910 | 1914 | 1484 | 1579 | 1088 | 157 | 115 |
| — 2 | 2862 | 2743 | 1563 | 1444 | 378 | 404 | 562 | 530 | 321 | 321 | 38 | 44 |
| — 3 | 1131 | 1161 | 594 | 613 | 128 | 144 | 241 | 227 | 151 | 157 | 17 | 20 |
| — 4 | 727 | 739 | 393 | 372 | 86 | 106 | 137 | 146 | 105 | 104 | 6 | 11 |
| — 5 | 496 | 550 | 245 | 293 | 66 | 66 | 96 | 102 | 81 | 78 | 8 | 11 |
| 0– 5 | 14325 | 12194 | 7104 | 6126 | 1808 | 1630 | 2950 | 2489 | 2237 | 1748 | 226 | 201 |
| 5–10 | 1389 | 1473 | 638 | 618 | 194 | 245 | 282 | 323 | 250 | 246 | 25 | 41 |
| 10–15 | 864 | 930 | 371 | 393 | 112 | 114 | 171 | 214 | 191 | 182 | 19 | 27 |
| 15–20 | 1217 | 1222 | 529 | 518 | 161 | 170 | 250 | 287 | 239 | 225 | 38 | 22 |
| 20–30 | 2519 | 2797 | 1079 | 1319 | 337 | 344 | 510 | 548 | 521 | 522 | 72 | 64 |
| 30–40 | 2454 | 2833 | 1270 | 1392 | 265 | 322 | 451 | 513 | 410 | 540 | 58 | 66 |
| 40–50 | 3081 | 2824 | 1609 | 1469 | 400 | 338 | 526 | 515 | 494 | 443 | 52 | 59 |
| 50–60 | 3868 | 3633 | 1825 | 1789 | 477 | 450 | 766 | 684 | 726 | 627 | 74 | 83 |
| 60–70 | 4644 | 5054 | 1831 | 2181 | 579 | 570 | 986 | 995 | 1146 | 1152 | 102 | 156 |
| 70–80 | 4290 | 5615 | 1287 | 1830 | 492 | 646 | 983 | 1270 | 1349 | 1652 | 179 | 217 |
| 80–90 | 2159 | 3356 | 435 | 863 | 199 | 302 | 477 | 751 | 896 | 1214 | 152 | 226 |
| 90–100 | 295 | 507 | 40 | 82 | 15 | 44 | 56 | 116 | 141 | 224 | 43 | 41 |
| 100 and above | 14 | 12 | – | – | – | – | 5 | – | 3 | 11 | 6 | 1 |
| Not stated | 3 | 1 | – | – | 1 | – | 1 | – | 1 | – | – | 1 |
| ALL AGES | 41122 | 42451 | 18018 | 18580 | 5040 | 5175 | 8414 | 8705 | 8604 | 8786 | 1046 | 1205 |

0·983 per cent., and of the females 1·130 per cent., exceeded in both in the Principal Town Districts, and by the males alone in the Large Town Districts. In each district the female death-rate is over that of the male.

During the first quinquennial period of life (0–5 years) the proportion of deaths to those alive at the same age in Scotland was, in the case of the males, 5·612 per cent., and of the females 4·916 per cent., ratios which have fallen during the following period, 5–10 years, to 0·574 per cent. in the males, and 0·623 per cent. in the females, exceeded in the case of both sexes in the Principal and Large Town Districts, and slightly by the females in the Small Town Districts, and in each district, except that of the Principal Towns, the female rate is over that of the male. Between 10–15 years the rate attains its minimum, 0·376 per cent. for the males, and 0·416 per cent. for the females, again exceeded by both sexes in the Principal and Large Town Districts, and the female death-rate is also greater than that for the male in each district. Between 15–20 years the rate begins to rise, and is still highest in the Urban Districts, and the rate for the males in the Insular-Rural Districts is above that for the same sex for Scotland. Between 20–30 years the rate for Scotland is 0·788 per cent. for males, and 0·782 per cent. for females, exceeded in the case of both sexes in the Large Town Districts, by the males in the Small Town Districts and Insular-Rural Districts, and by the females in the Principal Town Districts. In the Principal Town Districts alone does the female rate exceed the male. Between 30–40 years the mortality-rate in the Principal Town Districts is over that for Scotland and for both sexes, and in each district, except the Insular-Rural Districts, the female exceeds the male rate. After 40 the mortality-rate at each age begins to increase with great rapidity, and continues to do so, and as a general rule, the male death-rate at all ages exceeds that of the female of the same years.

Table XXVII. affords similar information as to the Principal Towns, where it is seen that in Dundee the heaviest infantile mortality occurred

---

TABLE XXIV.—Percentage of Deaths to the Population at each Age in 1891.

| AGE. | SCOTLAND | | PRINCIPAL TOWN. | | LARGE TOWN. | | SMALL TOWN. | | MAINLAND-RURAL. | | INSULAR-RURAL. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 16·614 | 13·203 | 19·376 | 15·603 | 16·798 | 14·052 | 16·156 | 12·873 | 12·668 | 9·157 | 11·734 | 9·185 |
| — 2 | 5·881 | 5·794 | 8·142 | 7·673 | 6·342 | 7·089 | 5·326 | 5·154 | 2·750 | 2·838 | 2·910 | 3·688 |
| — 3 | 2·212 | 2·348 | 2·987 | 3·197 | 2·041 | 2·320 | 2·154 | 2·065 | 1·229 | 1·344 | 1·179 | 1·503 |
| — 4 | 1·441 | 1·491 | 2·040 | 1·944 | 1·376 | 1·754 | 1·248 | 1·350 | 0·841 | 0·857 | 0·422 | 0·789 |
| — 5 | 0·983 | 1·130 | 1·286 | 1·548 | 1·079 | 1·109 | 0·877 | 0·969 | 0·646 | 0·658 | 0·522 | 0·795 |
| 0– 5 | 5·612 | 4·916 | 7·131 | 6·259 | 5·750 | 5·366 | 5·321 | 4·596 | 3·641 | 2·970 | 3·211 | 3·069 |
| 5–10 | 0·574 | 0·623 | 0·701 | 0·688 | 0·657 | 0·850 | 0·536 | 0·627 | 0·405 | 0·417 | 0·350 | 0·596 |
| 10–15 | 0·376 | 0·416 | 0·435 | 0·459 | 0·407 | 0·428 | 0·343 | 0·449 | 0·319 | 0·320 | 0·263 | 0·406 |
| 15–20 | 0·576 | 0·588 | 0·653 | 0·595 | 0·626 | 0·703 | 0·562 | 0·668 | 0·441 | 0·475 | 0·637 | 0·358 |
| 20–30 | 0·788 | 0·782 | 0·779 | 0·834 | 0·884 | 0·832 | 0·806 | 0·762 | 0·764 | 0·683 | 0·951 | 0·670 |
| 30–40 | 1·009 | 1·067 | 1·235 | 1·273 | 0·927 | 1·067 | 0·921 | 0·957 | 0·731 | 0·897 | 0·886 | 0·814 |
| 40–50 | 1·690 | 1·369 | 2·142 | 1·720 | 1·921 | 1·397 | 1·448 | 1·235 | 1·103 | 0·899 | 0·794 | 0·859 |
| 50–60 | 2·980 | 2·310 | 3·792 | 2·967 | 3·302 | 2·631 | 2·883 | 2·096 | 2·022 | 1·525 | 1·505 | 1·324 |
| 60–70 | 5·564 | 4·609 | 7·016 | 5·804 | 6·566 | 5·100 | 5·588 | 4·272 | 4·177 | 3·551 | 2·705 | 2·877 |
| 70–80 | 10·959 | 9·775 | 13·386 | 10·966 | 13·301 | 11·495 | 11·704 | 10·135 | 8·800 | 8·514 | 7·569 | 6·360 |
| 80–90 | 22·767 | 21·018 | 25·217 | 22·123 | 27·448 | 21·900 | 23·314 | 21·661 | 20·930 | 1·970 | 19·000 | 19·584 |
| 90–100 | 43·510 | 37·143 | 43·478 | 31·660 | 34·091 | 39·640 | 39·161 | 39·322 | 44·326 | 38·031 | 47·778 | 34·167 |
| 100 and above | 100·000 | 38·710 | 0·000 | 0·000 | 0·000 | 0·000 | 100·000 | 0·000 | 100·000 | 57·895 | 100·000 | 20·000 |
| Not stated | 0·000 | 0·000 | 0·000 | 0·000 | 100·000 | 0·000 | 100·000 | 0·000 | 100·000 | 0·000 | 0·000 | 100·000 |
| TOTAL . | 2·113 | 2·034 | 2·374 | 2·222 | 2·196 | 2·156 | 2·073 | 1·998 | 1·744 | 1·730 | 1·782 | 1·795 |

during the year, inasmuch as 20·32 in every 100 of those alive there during the first year of life succumbed, followed by Glasgow where the rate is 16·69; Greenock, 16·16; and Paisley, 15·78 per 100; the lowest being in Glasgow Landward and Suburban, 13·86; Kilmarnock, 13·50; and Perth 11·43, in like proportion. During the second year of life, the greatest mortality is in Glasgow, 8·86 per 100, and Paisley, 11·19; the lowest in Aberdeen, 3·93, and Perth, 2·64. The mortality among the young during the first five years of life is heaviest in Dundee, 6·51 per cent.; in Glasgow, 6·99 per cent.; and Paisley, 7·69 per cent.; lowest in Leith, 4·86 per cent.; Kilmarnock and Aberdeen, each 4·72 per cent.; and Perth, 3·78 per cent.

Table XXV. affords somewhat similar information, but the proportions of deaths here given at each age are to the total deaths. Thus in Scotland, in every 100 deaths among the males 22·15 occur to infants during the first year of life; 16·49 being the corresponding ratio among the females. This infantile mortality is exceeded in each of the Urban Districts, and that for both sexes; the lowest occurring in the Insular-Rural Districts, where 15·02 in every 100 male deaths, and 9·55 in every 100 female, are at this early age. Taking the mortality during the first five years of life, the rate for Scotland and for the males is 34·84 per cent., that for the females 28·72 per cent., exceeded in the case of the males in each Urban District, and of the females in the Principal and Large Town Districts, the more crowded parts; while in the more sparsely populated Insular-Rural Districts the death-rates at this age are at a minimum, 21·61 per cent. in the case of the males, and 16·68 per cent. in that of the females. When we compare the whole Urban mortality with that in the Rural Districts at the same age (0–5 years), we find that in the case of the males in the former 37·6 per cent. die thus early, as compared with 25·3 per cent. in the Rural Districts, the corresponding rates among the females being 31·5 per cent. and 19·5 per cent. respectively. The lowest rate occurs between 10 and 15 years of age, and that in Scotland and in each district, except the females in the Insular-Rural, in which the rate for the same in the following quinquennial period

Table XXV.—Percentage of Deaths at each Age to the Total Deaths in 1890.

| Age. | Scotland. | | Principal Town Districts. | | Large Town Districts. | | Small Town Districts. | | Mainland-Rural Districts. | | Insular-Rural Districts. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 22·15 | 16·49 | 23·92 | 18·32 | 22·81 | 17·58 | 22·75 | 17·04 | 18·35 | 12·38 | 15·02 | 9·55 |
| — 2 | 6·96 | 6·46 | 8·67 | 7·77 | 7·50 | 7·81 | 6·68 | 6·09 | 3·73 | 3·65 | 3·63 | 3·65 |
| — 3 | 2·75 | 2·73 | 3·30 | 3·30 | 2·54 | 2·78 | 2·86 | 2·61 | 1·76 | 1·79 | 1·63 | 1·66 |
| — 4 | 1·77 | 1·74 | 2·18 | 2·00 | 1·71 | 2·05 | 1·63 | 1·68 | 1·22 | 1·19 | 0·57 | 0·91 |
| — 5 | 1·21 | 1·30 | 1·36 | 1·58 | 1·31 | 1·28 | 1·14 | 1·17 | 0·94 | 0·89 | 0·76 | 0·91 |
| 0– 5 | 34·84 | 28·72 | 39·43 | 32·97 | 35·87 | 31·50 | 35·06 | 28·59 | 26·00 | 19·90 | 21·61 | 16·68 |
| 5–10 | 3·38 | 3·47 | 3·54 | 3·33 | 3·85 | 4·73 | 3·35 | 3·71 | 2·91 | 2·80 | 2·39 | 3·40 |
| 10–15 | 2·10 | 2·19 | 2·06 | 2·12 | 2·22 | 2·20 | 2·03 | 2·46 | 2·22 | 2·07 | 1·82 | 2·24 |
| 15–20 | 2·96 | 2·87 | 2·94 | 2·79 | 3·19 | 3·29 | 2·97 | 3·30 | 2·78 | 2·56 | 3·63 | 1·83 |
| 20–30 | 6·13 | 6·59 | 5·99 | 7·10 | 6·69 | 6·65 | 6·06 | 6·30 | 6·06 | 5·94 | 6·89 | 5·31 |
| 30–40 | 5·97 | 6·68 | 7·04 | 7·49 | 5·26 | 6·22 | 5·36 | 5·89 | 4·76 | 6·14 | 5·54 | 5·48 |
| 40–50 | 7·49 | 6·65 | 8·93 | 7·90 | 7·94 | 6·53 | 6·25 | 5·91 | 5·74 | 5·04 | 4·97 | 4·90 |
| 50–60 | 9·40 | 8·56 | 10·13 | 9·63 | 9·46 | 8·70 | 9·11 | 7·86 | 8·44 | 7·14 | 7·08 | 6·89 |
| 60–70 | 11·29 | 11·91 | 10·16 | 11·74 | 11·49 | 11·01 | 11·72 | 11·43 | 13·32 | 13·11 | 9·75 | 12·95 |
| 70–80 | 10·43 | 13·23 | 7·14 | 9·85 | 9·76 | 12·48 | 11·68 | 14·59 | 15·68 | 18·80 | 17·11 | 18·01 |
| 80–90 | 5·25 | 7·91 | 2·42 | 4·64 | 3·95 | 5·84 | 5·67 | 8·63 | 10·41 | 13·82 | 14·53 | 18·74 |
| 90–100 | 0·72 | 1·19 | 0·22 | 0·44 | 0·30 | 0·85 | 0·67 | 1·33 | 1·64 | 2·55 | 4·11 | 3·40 |
| 100 and above | 0·03 | 0·03 | 0·00 | 0·00 | 0·00 | 0·00 | 0·06 | 0·00 | 0·03 | 0·13 | 0·57 | 0·08 |
| Not stated | 0·01 | 0·00 | 0·00 | 0·00 | 0·02 | 0.00 | 0·01 | 0·00 | 0·01 | 0·00 | 0·00 | 0·08 |
| Total . . | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

is under that for the above. The greatest rate is found between 60–70 years, and in the Urban Districts generally, but in the Rural Districts it is during the following decennial period 70–80 years. Again, after 70 years of age, it is seen from the table how, in every 100 deaths among either sex at all ages, a greater proportion of those occurs among the females than among the males, 16·43 per cent. being the proportion of the former, 22·36 per cent. that of the latter.

---

TABLE XXVa.—Percentage of Deaths at each Age to the Total Deaths in Scotland, for the ten years 1881–90, and the mean of the same. Also the percentage for 1891.

| AGES. | 1881. | | 1882. | | 1883. | | 1884. | | 1885. | | 1886. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year. | 21·97 | 17·30 | 22·81 | 17·99 | 21·42 | 17·13 | 22·87 | 17·65 | 23·04 | 17·76 | 22·64 | 17·60 |
| — 2 | 7·47 | 6·68 | 8·59 | 8·02 | 8·16 | 7·47 | 8·35 | 7·74 | 8·03 | 7·22 | 7·74 | 6·95 |
| — 3 | 3·50 | 3·38 | 3·57 | 3·55 | 3·49 | 3·56 | 3·44 | 3·55 | 3·59 | 3·10 | 3·26 | 3·13 |
| — 4 | 2·39 | 2·19 | 2·47 | 2·34 | 2·41 | 2·37 | 2·26 | 2·06 | 2·10 | 2·20 | 2·05 | 1·84 |
| — 5 | 1·55 | 1·54 | 1·78 | 1·65 | 1·67 | 1·59 | 1·60 | 1·57 | 1·46 | 1·50 | 1·37 | 1·34 |
| 0– 5 | 36·88 | 31·09 | 39·22 | 33·55 | 37·15 | 32·12 | 38·52 | 32·57 | 38·22 | 31·78 | 37·06 | 30·86 |
| 5–10 | 4·48 | 4·21 | 4·75 | 4·40 | 4·22 | 4·35 | 4·49 | 4·38 | 4·09 | 3·87 | 4·05 | 3·83 |
| 10–15 | 2·48 | 2·45 | 2·30 | 2·57 | 2·35 | 2·51 | 2·45 | 2·64 | 2·43 | 2·51 | 2·46 | 2·46 |
| 15–20 | 3·31 | 3·42 | 3·16 | 3·41 | 3·55 | 3·29 | 3·36 | 3·28 | 3·23 | 3·36 | 3·12 | 3·29 |
| 20–30 | 7·04 | 7·60 | 6·92 | 7·29 | 6·72 | 7·36 | 6·73 | 7·19 | 6·65 | 7·60 | 6·61 | 7·11 |
| 30–40 | 6·06 | 6·68 | 5·84 | 6·50 | 5·99 | 6·69 | 5·93 | 6·76 | 5·83 | 6·65 | 5·98 | 6·61 |
| 40–50 | 7·10 | 6·77 | 6·96 | 6·58 | 7·09 | 6·50 | 6·78 | 6·66 | 6·90 | 6·52 | 7·17 | 6·59 |
| 50–60 | 8·17 | 7·97 | 7·72 | 7·59 | 8·48 | 7·82 | 8·10 | 7·65 | 8·27 | 7·93 | 8·35 | 8·11 |
| 60–70 | 9·94 | 10·68 | 9·28 | 9·74 | 9·72 | 10·10 | 9·44 | 10·22 | 9·62 | 10·39 | 9·82 | 11·12 |
| 70–80 | 9·10 | 11·17 | 8·74 | 10·61 | 9·05 | 11·21 | 8·87 | 10·94 | 9·24 | 11·01 | 9·61 | 11·55 |
| 80–90 | 4·82 | 6·90 | 4·50 | 6·66 | 4·91 | 6·85 | 4·72 | 6·59 | 5·00 | 7·20 | 5·05 | 7·25 |
| 90–100 | 0·57 | 1·00 | 0·57 | 1·04 | 0·64 | 1·14 | 0·55 | 1·04 | 0·47 | 1·12 | 0·67 | 1·17 |
| 100 and above | 0·01 | 0·05 | 0·02 | 0·06 | 0·02 | 0·06 | 0·01 | 0·07 | 0·02 | 0·06 | 0·03 | 0·04 |
| Not stated | 0·04 | 0·01 | 0·02 | 0·00 | 0·11 | 0·00 | 0·05 | 0·01 | 0·03 | 0·00 | 0·02 | 0·01 |
| TOTAL | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

| AGES. | 1887. | | 1888. | | 1889. | | 1890. | | Mean of Ten Years. | | 1891. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 22·93 | 17·92 | 22·22 | 17·05 | 23·03 | 17·69 | 22·45 | 17·79 | 22·54 | 17·59 | 22·15 | 16·49 |
| — 2 | 8·41 | 7·75 | 7·48 | 6·80 | 8·31 | 7·55 | 8·55 | 7·79 | 8·11 | 7·40 | 6·96 | 6·46 |
| — 3 | 3·79 | 3·54 | 3·28 | 2·96 | 3·33 | 3·26 | 3·41 | 3·22 | 3·47 | 3·33 | 2·75 | 2·73 |
| — 4 | 2·28 | 2·06 | 2·02 | 1·91 | 2·02 | 2·09 | 2·13 | 1·99 | 2·21 | 2·10 | 1·77 | 1·74 |
| — 5 | 1·61 | 1·53 | 1·34 | 1·35 | 1·47 | 1·49 | 1·48 | 1·44 | 1·53 | 1·50 | 1·21 | 1·30 |
| 0– 5 | 39·02 | 32·80 | 36·34 | 30·07 | 38·16 | 32·08 | 38·02 | 32·23 | 37·86 | 31·92 | 34·84 | 28·72 |
| 5–10 | 4·16 | 4·18 | 3·83 | 3·85 | 3·62 | 3·74 | 3·71 | 3·60 | 4·14 | 4·04 | 3·38 | 3·47 |
| 10–15 | 2·50 | 2·52 | 2·43 | 2·50 | 2·24 | 2·32 | 2·14 | 2·34 | 2·38 | 2·48 | 2·10 | 2·19 |
| 15–20 | 3·01 | 3·00 | 3·23 | 3·14 | 3·25 | 3·35 | 3·18 | 2·88 | 3·24 | 3·24 | 2·96 | 2·87 |
| 20–30 | 6·44 | 6·70 | 6·20 | 6·92 | 6·34 | 6·79 | 6·44 | 6·89 | 6·61 | 7·15 | 6·13 | 6·59 |
| 30–40 | 5·85 | 6·58 | 5·87 | 6·74 | 5·97 | 6·39 | 6·11 | 6·74 | 5·94 | 6·63 | 5·97 | 6·68 |
| 40–50 | 6·68 | 6·27 | 7·22 | 6·48 | 7·02 | 6·55 | 7·24 | 6·64 | 7·02 | 6·56 | 7·49 | 6·65 |
| 50–60 | 7·90 | 7·87 | 8·46 | 8·27 | 8·06 | 8·23 | 8·43 | 8·05 | 8·19 | 7·95 | 9·40 | 8·56 |
| 60–70 | 10·02 | 10·52 | 10·62 | 11·21 | 10·23 | 10·64 | 9·90 | 10·58 | 9·86 | 10·52 | 11·29 | 11·91 |
| 70–80 | 9·08 | 11·16 | 9·93 | 12·12 | 9·54 | 11·68 | 9·42 | 11·97 | 9·26 | 11·34 | 10·43 | 13·23 |
| 80–90 | 4·77 | 7·19 | 5·27 | 7·46 | 4·91 | 7·07 | 4·74 | 6·87 | 4·87 | 7·00 | 5·25 | 7·91 |
| 90–100 | 0·52 | 1·14 | 0·58 | 1·20 | 0·63 | 1·11 | 0·61 | 1·17 | 0·58 | 1·11 | 0·72 | 1·19 |
| 100 and above | 0·01 | 0·06 | 0·01 | 0·03 | 0·02 | 0·04 | 0·02 | 0·03 | 0·02 | 0·05 | 0·03 | 0·03 |
| Not stated | 0·04 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·04 | 0·01 | 0·03 | 0·01 | 0·01 | 0·00 |
| TOTAL | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

The death-rate per ten thousand of population during 1891 is in the undernoted European States as follows:—175 in Norway; 200 in Denmark; 207 in the Netherlands; 208 in Switzerland; 210 in Belgium; 226 in France; 229 in Prussia; 234 in the German Empire; 262 in Italy; and 279 in Austria.

## CAUSES OF DEATH.

The total number of deaths registered throughout Scotland during 1891 amounts to 83,573, but in 820, or about 1 per cent. of these, the cause was

TABLE XXVI.—Deaths at different Ages in the Principal Towns of Scotland during the Year 1891.

| AGE. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Leith. | Paisley. | Greenock. | Perth. | Kilmarnock. | Glasgow (Landward and Suburban). |
|---|---|---|---|---|---|---|---|---|---|---|
| Under 1 Year | 2946 | 1019 | 927 | 552 | 331 | 316 | 336 | 96 | 121 | 1069 |
| — 2 | 1342 | 356 | 258 | 130 | 98 | 193 | 122 | 19 | 43 | 446 |
| — 3 | 552 | 126 | 75 | 55 | 40 | 93 | 53 | 9 | 13 | 191 |
| — 4 | 352 | 78 | 63 | 30 | 25 | 57 | 31 | 15 | 9 | 105 |
| — 5 | 238 | 64 | 33 | 28 | 19 | 31 | 16 | 6 | 7 | 96 |
| 0– 5 | 5430 | 1643 | 1356 | 795 | 513 | 690 | 558 | 145 | 193 | 1907 |
| 5–10 | 520 | 182 | 92 | 70 | 41 | 83 | 56 | 16 | 22 | 174 |
| 10–15 | 291 | 101 | 86 | 57 | 27 | 40 | 33 | 8 | 15 | 106 |
| 15–20 | 459 | 150 | 94 | 77 | 22 | 41 | 41 | 11 | 24 | 128 |
| 20–30 | 1002 | 388 | 202 | 154 | 88 | 108 | 75 | 29 | 39 | 313 |
| 30–40 | 1109 | 447 | 231 | 122 | 89 | 111 | 95 | 49 | 50 | 359 |
| 40–50 | 1289 | 495 | 291 | 173 | 114 | 112 | 105 | 56 | 48 | 395 |
| 50–60 | 1492 | 571 | 348 | 208 | 144 | 168 | 153 | 57 | 58 | 415 |
| 60–70 | 1457 | 670 | 409 | 289 | 165 | 194 | 151 | 95 | 70 | 512 |
| 70–80 | 932 | 635 | 274 | 305 | 124 | 170 | 108 | 118 | 64 | 387 |
| 80–90 | 322 | 325 | 127 | 150 | 61 | 61 | 52 | 37 | 33 | 130 |
| 90–100 | 21 | 39 | 6 | 22 | 7 | 2 | 3 | 4 | 3 | 15 |
| 100 and above | – | – | – | – | – | – | – | – | – | – |
| Not stated | – | – | – | – | – | – | – | – | – | – |
| ALL AGES. | 14324 | 5646 | 3516 | 2422 | 1395 | 1780 | 1430 | 625 | 619 | 4841 |

TABLE XXVII.—Percentage of Deaths to the Population at each Age in the Principal Towns of Scotland in 1891.

| AGE. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Leith. | Paisley. | Greenock. | Perth. | Kilmarnock. | Glasgow (Landward and Suburban). |
|---|---|---|---|---|---|---|---|---|---|---|
| Under 1 Year | 16·69 | 14·05 | 20·32 | 14·98 | 14·51 | 15·78 | 16·16 | 11·43 | 13·50 | 13·86 |
| — 2 | 8·86 | 5·61 | 6·37 | 3·93 | 4·65 | 11·19 | 6·97 | 2·64 | 5·44 | 6·63 |
| — 3 | 3·54 | 1·98 | 1·86 | 1·63 | 1·88 | 5·15 | 2·73 | 1·15 | 1·59 | 2·66 |
| — 4 | 2·33 | 1·25 | 1·51 | 0·91 | 1·24 | 3·23 | 1·71 | 2·03 | 1·14 | 1·56 |
| — 5 | 1·67 | 1·07 | 0·82 | 0·88 | 0·94 | 1·84 | 0·88 | 0·80 | 0·88 | 1·45 |
| 0– 5 | 6·99 | 5·11 | 6·51 | 4·72 | 4·86 | 7·69 | 5·93 | 3·78 | 4·72 | 5·46 |
| 5–10 | 0·82 | 0·66 | 0·49 | 0·49 | 0·48 | 1·07 | 0·71 | 0·47 | 0·61 | 0·61 |
| 10–15 | 0·53 | 0·40 | 0·51 | 0·44 | 0·37 | 0·56 | 0·50 | 0·25 | 0·47 | 0·47 |
| 15–20 | 0·79 | 0·55 | 0·57 | 0·60 | 0·34 | 0·56 | 0·70 | 0·35 | 0·80 | 0·58 |
| 20–30 | 0·90 | 0·75 | 0·73 | 0·74 | 0·69 | 0·85 | 0·64 | 0·55 | 0·82 | 0·71 |
| 30–40 | 1·44 | 1·26 | 1·17 | 0·83 | 0·93 | 1·44 | 1·11 | 1·27 | 1·54 | 1·11 |
| 40–50 | 2·24 | 1·86 | 1·79 | 1·53 | 1·61 | 1·76 | 1·61 | 1·84 | 1·96 | 1·86 |
| 50–60 | 4·04 | 3·18 | 3·27 | 2·43 | 3·41 | 3·79 | 4·08 | 2·34 | 3·34 | 3·40 |
| 60–70 | 6·86 | 5·86 | 6·91 | 4·77 | 6·54 | 6·72 | 6·80 | 5·74 | 5·69 | 7·29 |
| 70–80 | 12·73 | 12·59 | 11·36 | 9·92 | 12·25 | 13·56 | 13·70 | 16·01 | 10·53 | 14·17 |
| 80–90 | 23·75 | 27·57 | 27·49 | 21·93 | 34·08 | 22·59 | 30·41 | 16·89 | 25·78 | 25·29 |
| 90–100 | 23·08 | 70·91 | 30·00 | 56·41 | 100·00 | 8·70 | 30·00 | 80·00 | 23·08 | 46·87 |
| 100 and above | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 |
| Not stated | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 |

not ascertained, or was specified in such a manner as to be of no use for statistical purposes.

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 100,000 Persons Living. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SCOTLAND. | | | PRINCIPAL TOWN DISTRICTS. | | | LARGE TOWN DISTRICTS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| TOTAL DEATHS . . | 2072 | 211 | 2034 | 2294 | 2374 | 2222 | 2176 | 2196 | 2156 |
| 1. Zymotic . . . . | 301 | 291 | 311 | 330 | 326 | 334 | 331 | 309 | 352 |
| 2. Constitutional . . | 346 | 332 | 358 | 395 | 391 | 398 | 371 | 355 | 386 |
| 3. Developmental . . | 187 | 170 | 202 | 158 | 147 | 168 | 179 | 154 | 203 |
| 4. Nervous System . | 237 | 247 | 229 | 262 | 275 | 251 | 274 | 280 | 268 |
| 5. Organs of Circulation | 174 | 170 | 178 | 170 | 167 | 173 | 169 | 160 | 177 |
| 6. Respiratory Organs . | 448 | 478 | 421 | 567 | 614 | 525 | 450 | 484 | 417 |
| 7. Organs of Digestion . | 139 | 139 | 140 | 147 | 148 | 147 | 138 | 136 | 140 |
| 8. Urinary Organs . . | 49 | 60 | 38 | 53 | 63 | 43 | 48 | 54 | 42 |
| 9. Reproductive Organs | 14 | 1 | 27 | 17 | 1 | 32 | 15 | 3 | 26 |
| 10. Organs of Locomotion | 12 | 13 | 10 | 15 | 18 | 13 | 8 | 9 | 8 |
| 11. Integumentary Syst. | 6 | 5 | 7 | 6 | 6 | 6 | 6 | 6 | 6 |
| 12. Violent Deaths . . | 74 | 112 | 38 | 77 | 113 | 44 | 74 | 110 | 39 |
| Small-pox . . . . | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 44 | 47 | 42 | 57 | 61 | 53 | 52 | 50 | 54 |
| Scarlet Fever . . . | 18 | 19 | 18 | 25 | 25 | 25 | 21 | 18 | 24 |
| Influenza . . . . | 60 | 58 | 61 | 48 | 45 | 51 | 59 | 55 | 63 |
| Hooping-cough . . | 61 | 57 | 65 | 77 | 75 | 78 | 57 | 50 | 63 |
| Diphtheria . . . | 21 | 19 | 23 | 23 | 21 | 24 | 27 | 25 | 29 |
| All FEVERS, viz. . | 24 | 26 | 21 | 24 | 26 | 23 | 31 | 39 | 22 |
| Typhus . . . | 3 | 3 | 3 | 4 | 3 | 4 | 3 | 4 | 3 |
| Enteric . . . | 20 | 22 | 18 | 20 | 22 | 19 | 27 | 34 | 19 |
| Relapsing . . | – | – | – | – | – | – | – | – | – |
| Cerebro-Spinal | – | – | – | – | – | – | – | – | – |
| Simple or Ill-def. | 1 | 1 | 1 | – | – | – | – | 1 | – |
| Simple Cholera . . | 1 | 2 | 1 | 2 | 2 | 1 | 1 | 1 | 1 |
| DIARRHŒA AND DYSENTERY. . | 43 | 42 | 44 | 42 | 43 | 41 | 50 | 46 | 54 |
| Erysipelas . . . . | 8 | 9 | 7 | 9 | 11 | 7 | 11 | 12 | 11 |
| Puer. Fever (Metria) | 9 | – | 18 | 9 | – | 17 | 11 | – | 21 |
| Rheumatism . . . | 11 | 10 | 13 | 11 | 8 | 14 | 9 | 9 | 8 |
| Cancer . . . . . | 68 | 52 | 82 | 70 | 56 | 83 | 67 | 49 | 84 |
| Tubercular Dis., viz. | 254 | 259 | 249 | 302 | 316 | 288 | 284 | 284 | 284 |
| Tabes Mesenterica | 22 | 23 | 20 | 26 | 31 | 22 | 28 | 25 | 30 |
| Tuber. Meningitis | 31 | 35 | 27 | 40 | 46 | 34 | 34 | 39 | 29 |
| PHTHISIS . . | 184 | 182 | 187 | 218 | 218 | 217 | 201 | 196 | 205 |
| Scrofula . . . | 17 | 19 | 15 | 18 | 21 | 14 | 21 | 23 | 20 |
| Dev. Dis. of Children | 61 | 73 | 51 | 73 | 84 | 63 | 67 | 71 | 64 |
| Age . . . . . | 125 | 97 | 151 | 85 | 63 | 105 | 112 | 83 | 139 |
| Apoplexy . . . . | 70 | 68 | 71 | 73 | 72 | 74 | 77 | 68 | 85 |
| Paralysis . . . . | 52 | 50 | 53 | 54 | 50 | 59 | 48 | 50 | 45 |
| Epilepsy . . . . | 8 | 9 | 7 | 7 | 8 | 6 | 9 | 8 | 10 |
| Convulsions . . . | 27 | 31 | 23 | 36 | 42 | 30 | 34 | 39 | 30 |
| Croup . . . . . | 16 | 17 | 14 | 13 | 15 | 10 | 21 | 18 | 24 |
| BRONCHITIS . . | 233 | 228 | 238 | 294 | 286 | 300 | 236 | 241 | 231 |
| Pneumonia . . . . | 141 | 168 | 116 | 191 | 234 | 151 | 142 | 166 | 118 |
| Dentition . . . . | 12 | 13 | 11 | 16 | 19 | 14 | 14 | 13 | 14 |
| Enteritis . . . . | 31 | 33 | 28 | 32 | 35 | 30 | 35 | 34 | 35 |
| All Liver Diseases . | 24 | 24 | 24 | 22 | 21 | 22 | 26 | 25 | 27 |
| Dropsy . . . . . | 3 | 3 | 4 | 3 | 2 | 3 | 7 | 6 | 7 |
| Organs of Generation | 6 | 1 | 10 | 7 | 1 | 13 | 6 | 3 | 8 |
| Organs of Parturition (Childbirth) . . | 9 | – | 16 | 10 | – | 19 | 9 | – | 18 |
| Atrophy and Debility | 65 | 72 | 59 | 74 | 80 | 70 | 89 | 108 | 71 |
| Poisoning (including Suicide) . . . . | 3 | 3 | 2 | 3 | 5 | 2 | 2 | 2 | 3 |
| Burns and Scalds . | 7 | 7 | 6 | 8 | 9 | 8 | 8 | 10 | 6 |
| Drowning . . . . | 15 | 27 | 5 | 10 | 17 | 3 | 13 | 22 | 6 |

The death-rate for the country as a whole, is, in the case of both sexes, and for each hundred thousand of population as estimated to the middle

Hundred Thousand Persons of the Population in 1891, allowing for Causes not Specified.

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 100,000 Persons Living. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SMALL TOWN DISTRICTS. | | | MAINLAND-RURAL DISTRICTS. | | | INSULAR-RURAL DISTRICTS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| TOTAL DEATHS . | 2034 | 2073 | 1998 | 1737 | 1744 | 1730 | 1789 | 1782 | 1795 |
| 1. Zymotic . . . . | 325 | 312 | 336 | 223 | 213 | 233 | 285 | 269 | 303 |
| 2. Constitutional . . | 333 | 319 | 346 | 274 | 248 | 298 | 282 | 280 | 285 |
| 3. Developmental . . | 176 | 165 | 187 | 220 | 195 | 243 | 414 | 378 | 451 |
| 4. Nervous System . | 235 | 255 | 217 | 196 | 193 | 199 | 124 | 136 | 113 |
| 5. Organs of Circulation | 185 | 176 | 194 | 182 | 183 | 182 | 114 | 110 | 117 |
| 6. Respiratory Organs. | 400 | 423 | 379 | 320 | 335 | 305 | 267 | 265 | 268 |
| 7. Organs of Digestion. | 152 | 150 | 154 | 122 | 124 | 120 | 100 | 96 | 104 |
| 8. Urinary Organs . . | 48 | 61 | 35 | 44 | 58 | 31 | 47 | 61 | 35 |
| 9. Reproductive Organs | 12 | – | 23 | 11 | – | 22 | 12 | – | 23 |
| 10. Organs of Locomotion | 9 | 11 | 8 | 9 | 11 | 8 | 10 | 15 | 7 |
| 11. Integumentary Syst. | 6 | 4 | 8 | 5 | 4 | 6 | 9 | 9 | 8 |
| 12. Violent Deaths . . | 72 | 107 | 39 | 70 | 113 | 29 | 73 | 125 | 26 |
| Small-pox . . . . | – | – | – | – | – | – | – | – | – |
| Measles . . . . | 48 | 55 | 41 | 19 | 18 | 19 | 43 | 42 | 44 |
| Scarlet Fever . . . | 16 | 17 | 15 | 10 | 12 | 7 | 11 | 7 | 15 |
| Influenza . . . . | 61 | 60 | 63 | 76 | 76 | 76 | 70 | 75 | 66 |
| Hooping-cough . . | 63 | 56 | 69 | 32 | 30 | 34 | 100 | 81 | 117 |
| Diphtheria . . . . | 20 | 18 | 22 | 17 | 15 | 19 | 8 | 6 | 10 |
| All FEVERS, viz. . | 28 | 32 | 24 | 15 | 15 | 15 | 20 | 20 | 20 |
| Typhus . . . | 3 | 4 | 2 | – | – | – | 5 | 7 | 3 |
| Enteric . . . | 24 | 27 | 21 | 14 | 15 | 13 | 14 | 13 | 15 |
| Relapsing . . | – | – | – | – | – | – | – | – | – |
| Cerebro-Spinal | – | – | – | – | – | – | – | – | – |
| Simple or Ill-def. | 1 | 1 | 1 | 1 | – | 1 | 1 | – | 2 |
| Simple Cholera . . | 3 | 4 | 2 | 1 | 1 | 1 | – | – | – |
| DIARRHŒA AND DYSENTERY . | 56 | 52 | 59 | 33 | 31 | 34 | 16 | 18 | 13 |
| Erysipelas . . . . | 8 | 8 | 8 | 7 | 7 | 6 | 4 | 6 | 3 |
| Puer. Fever (Metria) | 11 | – | 21 | 8 | – | 16 | 10 | – | 18 |
| Rheumatism . . . | 11 | 10 | 12 | 13 | 11 | 15 | 21 | 28 | 15 |
| Cancer . . . . . | 61 | 49 | 73 | 70 | 53 | 87 | 61 | 40 | 79 |
| Tubercular Dis. viz. | 246 | 248 | 244 | 178 | 176 | 181 | 189 | 197 | 183 |
| Tabes Mesenterica | 23 | 24 | 22 | 12 | 12 | 12 | 6 | 7 | 5 |
| Tuber. Meningitis | 30 | 34 | 26 | 19 | 20 | 17 | 15 | 15 | 15 |
| PHTHISIS . . | 174 | 169 | 178 | 134 | 131 | 138 | 163 | 164 | 163 |
| Scrofula . . . | 19 | 20 | 17 | 14 | 14 | 14 | 5 | 11 | – |
| Dev. Dis. of Children | 65 | 79 | 53 | 42 | 55 | 29 | 14 | 26 | 3 |
| Age . . . . . | 111 | 86 | 134 | 178 | 140 | 214 | 400 | 348 | 447 |
| Apoplexy . . . . | 70 | 71 | 69 | 66 | 63 | 69 | 30 | 29 | 30 |
| Paralysis . . . . | 49 | 52 | 45 | 53 | 49 | 57 | 47 | 53 | 41 |
| Epilepsy . . . . | 9 | 10 | 9 | 7 | 9 | 5 | 3 | 4 | 2 |
| Convulsions . . . | 22 | 26 | 19 | 16 | 16 | 15 | 7 | 9 | 5 |
| Croup . . . . . | 19 | 19 | 18 | 13 | 16 | 10 | 25 | 22 | 28 |
| BRONCHITIS . . | 207 | 198 | 214 | 169 | 167 | 171 | 134 | 136 | 132 |
| Pneumonia . . . | 121 | 141 | 102 | 90 | 102 | 79 | 46 | 59 | 35 |
| Dentition . . . . | 10 | 12 | 9 | 5 | 5 | 6 | 3 | 2 | 5 |
| Enteritis . . . . | 84 | 87 | 81 | 25 | 30 | 20 | 12 | 11 | 13 |
| All Liver Diseases . | 29 | 29 | 29 | 23 | 22 | 23 | 20 | 20 | 20 |
| Dropsy . . . . . | 2 | 1 | 2 | 3 | 2 | 3 | 13 | 13 | 13 |
| Organs of Generation | 4 | – | 8 | 5 | – | 9 | 4 | – | 8 |
| Organs of Parturition (Childbirth) . . | 8 | – | 15 | 7 | – | 13 | 8 | – | 15 |
| Atrophy and Debility | 64 | 71 | 57 | 45 | 49 | 41 | 27 | 28 | 26 |
| Poisoning (including Suicide) . . . . | 3 | 4 | 2 | 1 | 2 | | – | – | – |
| Burns and Scalds . | 7 | 7 | 6 | 5 | 5 | 5 | 1 | 2 | – |
| Drowning . . . . | 17 | 31 | 4 | 21 | 35 | | 43 | 85 | 7 |

of the year, 2072, for the males alone it is 2113, and for the females 2034, being in each case above that for the previous year. The rates in the

TABLE XXIX.—Proportion of Deaths from different

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 10,000 Specified Causes of Death. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SCOTLAND. | | | PRINCIPAL TOWN DISTRICTS. | | | LARGE TOWN DISTRICTS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| 1. Zymotic | 1454 | 1375 | 1529 | 1440 | 1373 | 1504 | 1520 | 1407 | 1630 |
| 2. Constitutional | 1668 | 1572 | 1760 | 1720 | 1646 | 1793 | 1705 | 1617 | 1791 |
| 3. Developmental | 901 | 805 | 994 | 689 | 620 | 756 | 823 | 701 | 941 |
| 4. Nervous System | 1146 | 1168 | 1124 | 1144 | 1160 | 1128 | 1260 | 1277 | 1243 |
| 5. Organs of Circulation | 842 | 805 | 876 | 742 | 703 | 779 | 775 | 729 | 819 |
| 6. Respiratory Organs | 2164 | 2262 | 2069 | 2473 | 2585 | 2364 | 2066 | 2202 | 1933 |
| 7. Organs of Digestion | 673 | 659 | 687 | 642 | 623 | 660 | 635 | 621 | 648 |
| 8. Urinary Organs | 235 | 285 | 186 | 229 | 267 | 193 | 219 | 244 | 195 |
| 9. Reproductive Organs | 69 | 4 | 131 | 75 | 5 | 143 | 68 | 12 | 123 |
| 10. Organs of Locomotion | 56 | 63 | 49 | 67 | 76 | 59 | 38 | 40 | 37 |
| 11. Integumentary Syst. | 29 | 25 | 32 | 27 | 25 | 29 | 28 | 28 | 27 |
| 12. Violent Deaths | 355 | 528 | 188 | 334 | 474 | 199 | 339 | 502 | 181 |
| Small-pox | – | – | – | – | – | – | – | – | – |
| Measles | 214 | 222 | 207 | 247 | 255 | 239 | 240 | 228 | 251 |
| Scarlet Fever | 89 | 88 | 90 | 108 | 104 | 112 | 98 | 82 | 113 |
| Influenza | 288 | 275 | 302 | 348 | 190 | 230 | 272 | 252 | 292 |
| Hooping-cough | 294 | 269 | 320 | 369 | 316 | 352 | 261 | 228 | 294 |
| Diphtheria | 100 | 89 | 111 | 99 | 88 | 109 | 124 | 116 | 132 |
| All FEVERS, viz. | 114 | 123 | 104 | 107 | 108 | 105 | 141 | 180 | 103 |
| Typhus | 13 | 13 | 13 | 16 | 13 | 18 | 16 | 18 | 14 |
| Enteric | 97 | 106 | 88 | 89 | 92 | 85 | 122 | 156 | 89 |
| Relapsing | – | – | – | – | – | – | 1 | 2 | – |
| Cerebro-Spinal | 1 | 1 | – | 1 | 1 | 1 | – | – | – |
| Simple or Ill-def. | 3 | 3 | 3 | 1 | 2 | 1 | 2 | 4 | – |
| Simple Cholera | 7 | 9 | 6 | 7 | 8 | 6 | 4 | 4 | 4 |
| DIARRHŒA AND DYSENTERY | 207 | 197 | 216 | 185 | 183 | 186 | 229 | 208 | 249 |
| Erysipelas | 39 | 44 | 35 | 37 | 45 | 30 | 52 | 54 | 51 |
| Puer. Fever (Metria) | 46 | – | 90 | 40 | – | 78 | 50 | – | 100 |
| Rheumatism | 55 | 47 | 63 | 48 | 35 | 61 | 40 | 42 | 37 |
| Cancer | 327 | 248 | 403 | 306 | 236 | 375 | 309 | 224 | 391 |
| Tubercular Dis. viz. | 1226 | 1228 | 1224 | 1314 | 1333 | 1295 | 1304 | 1291 | 1317 |
| Tabes Mesenterica | 104 | 110 | 98 | 114 | 129 | 98 | 127 | 114 | 140 |
| Tuber. Meningitis | 150 | 167 | 134 | 174 | 194 | 155 | 156 | 180 | 132 |
| PHTHISIS | 890 | 860 | 918 | 949 | 920 | 978 | 924 | 893 | 953 |
| Scrofula | 82 | 91 | 73 | 77 | 90 | 64 | 97 | 104 | 91 |
| Dev. Dis. of Children | 296 | 344 | 250 | 319 | 356 | 283 | 309 | 322 | 296 |
| Age | 605 | 461 | 744 | 370 | 264 | 472 | 515 | 380 | 646 |
| Apoplexy | 336 | 321 | 350 | 318 | 305 | 331 | 353 | 312 | 393 |
| Paralysis | 250 | 237 | 262 | 237 | 209 | 264 | 219 | 230 | 208 |
| Epilepsy | 37 | 42 | 33 | 32 | 36 | 29 | 40 | 36 | 45 |
| Convulsions | 130 | 147 | 114 | 156 | 179 | 133 | 158 | 178 | 138 |
| Croup | 75 | 81 | 69 | 56 | 65 | 47 | 97 | 82 | 113 |
| BRONCHITIS | 1125 | 1080 | 1168 | 1280 | 1207 | 1350 | 1085 | 1099 | 1072 |
| Pneumonia | 682 | 796 | 571 | 832 | 987 | 682 | 651 | 755 | 549 |
| Dentition | 56 | 61 | 52 | 71 | 81 | 62 | 62 | 60 | 64 |
| Enteritis | 147 | 158 | 137 | 141 | 148 | 135 | 159 | 156 | 161 |
| All Liver Diseases | 116 | 111 | 120 | 94 | 89 | 99 | 120 | 114 | 126 |
| Dropsy | 15 | 13 | 18 | 12 | 9 | 14 | 30 | 28 | 33 |
| Organs of Generation | 28 | 4 | 50 | 32 | 5 | 58 | 26 | 12 | 39 |
| Organs of Parturition | 41 | – | 81 | 43 | – | 85 | 42 | – | 84 |
| Atrophy and Debility | 314 | 340 | 289 | 324 | 334 | 314 | 408 | 490 | 329 |
| Poisoning (including Suicide) | 12 | 16 | 8 | 14 | 20 | 8 | 11 | 8 | 14 |
| Burns and Scalds | 33 | 35 | 31 | 35 | 37 | 34 | 36 | 44 | 29 |
| Drowning | 74 | 128 | 22 | 43 | 73 | 14 | 63 | 100 | 27 |

Principal and Large Town Districts are above that for Scotland, the reverse holding good in the Small Town and two Rural Districts. The mortality-

Diseases to the Total Deaths from Specified Causes in 1891.

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 10,000 Specified Causes of Death. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SMALL TOWN DISTRICTS. | | | MAINLAND-RURAL DISTRICTS. | | | INSULAR-RURAL DISTRICTS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| 1. Zymotic | 1595 | 1507 | 1679 | 1286 | 1222 | 1349 | 1592 | 1455 | 1714 |
| 2. Constitutional | 1636 | 1538 | 1729 | 1576 | 1424 | 1724 | 1578 | 1569 | 1586 |
| 3. Developmental | 866 | 796 | 932 | 1264 | 1120 | 1405 | 2316 | 2095 | 2511 |
| 4. Nervous System | 1156 | 1228 | 1085 | 1127 | 1105 | 1149 | 694 | 764 | 632 |
| 5. Organs of Circulation | 911 | 847 | 971 | 1050 | 1047 | 1053 | 636 | 619 | 651 |
| 6. Respiratory Organs | 1966 | 2040 | 1893 | 1840 | 1919 | 1763 | 1490 | 1486 | 1494 |
| 7. Organs of Digestion | 748 | 723 | 772 | 701 | 709 | 693 | 558 | 537 | 577 |
| 8. Urinary Organs | 235 | 296 | 175 | 254 | 332 | 177 | 262 | 341 | 192 |
| 9. Reproductive Organs | 60 | 2 | 115 | 65 | 1 | 127 | 68 | - | 128 |
| 10. Organs of Locomotion | 45 | 51 | 38 | 53 | 60 | 46 | 58 | 83 | 37 |
| 11. Integumentary Syst. | 30 | 22 | 38 | 30 | 24 | 36 | 49 | 52 | 5 |
| 12. Violent Deaths | 353 | 518 | 194 | 405 | 648 | 168 | 408 | 702 | 147 |
| Small-pox | – | – | – | – | – | – | – | – | – |
| Measles | 234 | 266 | 203 | 107 | 103 | 111 | 243 | 237 | 247 |
| Scarlet Fever | 79 | 81 | 76 | 56 | 70 | 43 | 63 | 41 | 82 |
| Influenza | 301 | 288 | 314 | 439 | 436 | 442 | 393 | 423 | 367 |
| Hooping-cough | 309 | 269 | 346 | 184 | 170 | 197 | 558 | 454 | 651 |
| Diphtheria | 100 | 87 | 112 | 97 | 86 | 108 | 44 | 31 | 55 |
| All FEVERS, viz. | 138 | 155 | 121 | 87 | 88 | 85 | 112 | 114 | 109 |
| Typhus | 15 | 18 | 12 | 2 | 2 | 1 | 29 | 41 | 18 |
| Enteric | 117 | 129 | 105 | 80 | 85 | 75 | 78 | 72 | 82 |
| Relapsing | – | – | 1 | – | – | 1 | – | – | – |
| Cerebro-Spinal | 1 | 2 | – | – | – | – | – | – | – |
| Simple or Ill-defi. | 5 | 6 | 3 | 5 | 1 | 8 | 5 | – | 9 |
| Simple Cholera | 15 | 20 | 9 | 4 | 4 | 3 | – | – | – |
| DIARRHŒA AND DYSENTERY | 273 | 251 | 294 | 188 | 179 | 198 | 87 | 103 | 73 |
| Erysipelas | 40 | 41 | 39 | 37 | 41 | 34 | 24 | 31 | 18 |
| Puer. Fever (Metria) | 53 | – | 105 | 47 | – | 93 | 53 | – | 101 |
| Rheumatism | 55 | 49 | 60 | 73 | 61 | 84 | 117 | 155 | 82 |
| Cancer | 302 | 237 | 365 | 403 | 301 | 503 | 340 | 227 | 440 |
| Tubercular Dis. viz. | 1209 | 1196 | 1220 | 1027 | 1011 | 1043 | 1058 | 1104 | 1017 |
| Tabes Mesenterica | 114 | 118 | 111 | 67 | 66 | 67 | 34 | 41 | 27 |
| Tuber. Meningitis | 147 | 164 | 130 | 107 | 113 | 101 | 82 | 83 | 82 |
| PHTHISIS | 855 | 816 | 892 | 774 | 750 | 797 | 913 | 918 | 908 |
| Scrofula | 92 | 98 | 87 | 80 | 82 | 78 | 29 | 62 | – |
| Dev. Dis. of Children | 322 | 381 | 264 | 241 | 317 | 167 | 78 | 144 | 18 |
| Age | 544 | 415 | 668 | 1023 | 815 | 1239 | 2238 | 1950 | 2493 |
| Apoplexy | 342 | 341 | 343 | 380 | 362 | 398 | 165 | 165 | 165 |
| Paralysis | 239 | 251 | 227 | 305 | 283 | 327 | 262 | 299 | 229 |
| Epilepsy | 46 | 50 | 43 | 41 | 53 | 29 | 15 | 21 | 9 |
| Convulsions | 111 | 124 | 97 | 89 | 93 | 85 | 39 | 52 | 27 |
| Croup | 93 | 93 | 92 | 76 | 95 | 58 | 141 | 124 | 156 |
| BRONCHITIS | 1015 | 957 | 1070 | 973 | 958 | 989 | 748 | 764 | 733 |
| Pneumonia | 594 | 682 | 508 | 520 | 584 | 457 | 257 | 330 | 192 |
| Dentition | 51 | 59 | 43 | 32 | 28 | 35 | 19 | 10 | 27 |
| Enteritis | 167 | 181 | 154 | 143 | 171 | 117 | 63 | 62 | 73 |
| All Liver Diseases | 143 | 140 | 145 | 132 | 129 | 134 | 112 | 114 | 109 |
| Dropsy | 8 | 7 | 9 | 15 | 11 | 20 | 73 | 72 | 73 |
| Organs of Generation | 22 | 2 | 40 | 27 | 1 | 52 | 24 | .. | 46 |
| Organs of Parturition | 38 | – | 75 | 38 | – | 75 | 44 | – | 82 |
| Atrophy and Debility | 315 | 345 | 285 | 258 | 281 | 235 | 150 | 155 | 147 |
| Poisoning (including Suicide) | 15 | 19 | 10 | 8 | 12 | 5 | – | – | – |
| Burns and Scalds | 32 | 32 | 32 | 29 | 29 | 29 | 5 | 10 | – |
| Drowning | 84 | 150 | 21 | 118 | 202 | 36 | 243 | 475 | 37 |

rate in the Principal Town Districts is 2294 per hundred thousand, and is higher than in any other of the Registration Districts, Urban or Rural. The lowest rate is in the Mainland-Rural Districts, viz., 1737 in like proportion.

12,029 deaths from Zymotics were registered in Scotland during the year, being 292 more than during the previous year, and giving a death-rate of 301 in every hundred thousand of the population, the male rate alone being 291, and the female 311, together constituting 14·54 per cent. of all the specified deaths. (Tables XXVIII. and XXIX.) This rate is exceeded in each of the Urban Districts and that for both sexes, and in every district the female rate is above that of the male.

The number and proportions of deaths from the chief Zymotics and from ordinary causes are so arranged in Table XXXII. as to exhibit the mortality due to each during five of the successive periods of life. Thus of the total 12,029 Zymotic deaths, 6554 occurred during the first five years of life, 911 between 5–10 years, 264 between 10–15 years

---

TABLE XXX.—Proportion of Deaths from different Diseases to the Population in the Principal Towns of Scotland during the Year 1891, allowing for Causes not Specified.

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 100,000 Persons living. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Leith. | Paisley. | Greenock. | Perth. | Kilmarnock. | Glasgow Landward & Suburban. |
| TOTAL DEATHS . . | 2525 | 2156 | 2254 | 1980 | 1989 | 2668 | 2254 | 2030 | 2209 | 2118 |
| Zymotic . . . . | 366 | 291 | 263 | 233 | 228 | 594 | 314 | 312 | 442 | 331 |
| Constitutional . . | 417 | 396 | 415 | 321 | 415 | 423 | 339 | 302 | 353 | 380 |
| Developmental . . | 157 | 159 | 145 | 180 | 135 | 216 | 181 | 172 | 114 | 141 |
| Nervous System . | 267 | 239 | 269 | 236 | 215 | 315 | 288 | 263 | 243 | 280 |
| Organs of Circulation | 157 | 207 | 169 | 167 | 178 | 177 | 131 | 208 | 200 | 158 |
| Respiratory Organs . | 697 | 488 | 549 | 448 | 421 | 567 | 531 | 409 | 485 | 498 |
| Organs of Digestion . | 164 | 134 | 147 | 171 | 124 | 145 | 191 | 117 | 136 | 108 |
| Violent Deaths . . | 95 | 71 | 89 | 53 | 98 | 51 | 109 | 62 | 50 | 39 |
| Small-pox . . . | – | – | – | – | – | – | – | – | – | – |
| Measles . . . | 78 | 26 | 1 | 2 | 4 | 345 | 28 | 10 | 18 | 58 |
| SCARLET FEVER . | 37 | 18 | 5 | 32 | 7 | 13 | 33 | 13 | 4 | 22 |
| HOOPING-COUGH | 86 | 61 | 83 | 32 | 90 | 75 | 63 | 16 | 36 | 105 |
| Diphtheria . . . | 23 | 20 | 19 | 13 | 23 | 15 | 22 | 42 | 43 | 29 |
| All FEVERS, viz. . | 30 | 18 | 21 | 12 | 27 | 25 | 25 | 16 | 75 | 21 |
| Typhus . . . | 4 | – | 5 | – | 3 | 1 | 17 | 3 | 4 | 4 |
| Enteric . . . | 25 | 18 | 15 | 11 | 21 | 22 | 8 | 13 | 67 | 17 |
| Relapsing . . | – | – | – | – | 1 | – | – | – | – | – |
| Cerebro-Spinal . | – | – | – | 1 | – | 1 | – | – | – | – |
| Simple or Ill-defined | – | – | – | – | 1 | – | – | – | 4 | – |
| Simple Cholera . . | 2 | 1 | 1 | 2 | 6 | – | 2 | – | – | 2 |
| DIARRHŒA AND DYSENTERY . | 44 | 25 | 55 | 25 | 29 | 57 | 65 | 81 | 114 | 39 |
| Rheumatism . . | 12 | 11 | 4 | 7 | 14 | 16 | 19 | 16 | 11 | 11 |
| Cancer . . . . | 60 | 97 | 82 | 76 | 77 | 60 | 76 | 65 | 57 | 55 |
| PHTHISIS . . . | 243 | 190 | 228 | 171 | 194 | 253 | 183 | 140 | 214 | 221 |
| Dev. Dis. of Children | 77 | 76 | 87 | 65 | 64 | 55 | 102 | 68 | 75 | 55 |
| Age . . . . . | 80 | 83 | 59 | 115 | 71 | 160 | 79 | 104 | 39 | 85 |
| Apoplexy . . . | 75 | 74 | 88 | 62 | 61 | 67 | 54 | 78 | 93 | 70 |
| Paralysis . . . | 52 | 47 | 54 | 51 | 56 | 94 | 60 | [illegible] | 32 | 58 |
| Croup . . . . | 12 | 10 | 10 | 16 | 10 | 12 | 10 | 13 | 29 | 19 |
| BRONCHITIS . . | 350 | 272 | 321 | 272 | 232 | 310 | 249 | 208 | 232 | 216 |
| Pneumonia . . | 237 | 151 | 174 | 100 | 147 | 198 | 233 | 107 | 164 | 196 |
| Dentition . . . | 24 | 10 | 12 | 12 | 11 | 42 | 14 | 3 | 11 | 8 |
| All Liver Diseases . | 26 | 23 | 17 | 18 | 13 | 15 | 25 | 26 | 32 | 17 |
| Dropsy . . . . | 4 | 1 | 1 | 2 | 1 | 4 | 2 | – | – | 2 |

2458 between 15–60 years, and 1842 at greater ages than this, or 54·5 per cent. of all deaths from Zymotics occurred during the first five years of life, 7·6 per cent. during the following quinquennial period, 2·2 per cent. between 10–15 years, 20·4 per cent. between 15–60 years, and 15·3 per cent. at ages above this. So that of the whole, 64·3 per cent. occurred during the first fifteen years of life. Table XXXIII. shows that 24·79 per cent. of the deaths between 0–15 years were due to Zymotics, and 8·21 per cent. at ages over 15 years.

Hooping-Cough caused the largest number of such deaths, 2437 thus succumbing, 2278 of these, or 93·5 per cent. of all died during the first five years of life, and 149 or 6·1 per cent. during the next quinquennial period. Measles is the ascribed cause of 1775 exits, 1539 or 86·7 per cent. of those between 0–5 years, and 187 or 10·6 per cent. between 5–10 years, while 38 deaths from this disease are registered as between 15–60 years. Diarrhœa and Dysentery caused 1710 deaths, 1131 or 66·2 per cent. at ages 0–5 years, 40 or 2·3 per cent. between 5–15 years, 207 or 12·1 per cent. between 15–60 years, and 332 or 19·4

---

TABLE XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in the Principal Towns of Scotland, during the Year 1891.

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 10,000 Specified Causes of Death. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Leith. | Paisley. | Greenock. | Perth. | Kilmarnock. | Glasgow Landward & Suburban. |
| Zymotic | 1449 | 1352 | 1168 | 1179 | 1149 | 2225 | 1395 | 1546 | 2023 | 1563 |
| Constitutional | 1652 | 1836 | 1746 | 1624 | 2091 | 1584 | 1507 | 1498 | 1615 | 1792 |
| Developmental | 623 | 739 | 647 | 909 | 682 | 809 | 806 | 853 | 522 | 665 |
| Nervous System | 1059 | 1108 | 1193 | 1192 | 1085 | 1180 | 1282 | 1304 | 1109 | 1322 |
| Organs of Circulation | 623 | 962 | 752 | 843 | 898 | 663 | 582 | 1031 | 914 | 746 |
| Respiratory Organs | 2759 | 2265 | 2441 | 2263 | 2119 | 2124 | 2362 | 2029 | 2219 | 2353 |
| Organs of Digestion | 651 | 622 | 655 | 864 | 625 | 545 | 848 | 580 | 620 | 509 |
| Violent Deaths | 375 | 331 | 396 | 270 | 496 | 191 | 484 | 306 | 228 | 183 |
| Small-pox | – | – | – | – | – | – | – | – | – | – |
| Measles | 309 | 122 | 3 | 8 | 22 | 1292 | 126 | 48 | 82 | 272 |
| SCARLET FEVER | 148 | 85 | 23 | 162 | 36 | 51 | 147 | 64 | 16 | 102 |
| HOOPING-COUGH | 340 | 284 | 367 | 162 | 453 | 281 | 280 | 81 | 163 | 495 |
| Diphtheria | 91 | 94 | 85 | 66 | 115 | 56 | 98 | 209 | 196 | 135 |
| All FEVERS, viz. | 120 | 82 | 91 | 58 | 136 | 96 | 112 | 81 | 343 | 100 |
| Typhus | 18 | – | 23 | – | 14 | 6 | 77 | 16 | 16 | 17 |
| Enteric | 100 | 82 | 68 | 54 | 108 | 84 | 35 | 64 | 310 | 81 |
| Relapsing | – | – | – | – | 7 | – | – | – | – | – |
| Cerebro-Spinal | 1 | – | – | 4 | – | 6 | – | – | – | 2 |
| Simple or Ill-defined | 1 | – | – | – | 7 | – | – | – | 16 | – |
| Simple Cholera | 6 | 5 | 3 | 8 | 29 | – | 7 | – | – | 10 |
| DIARRHŒA AND DYSENTERY | 173 | 117 | 245 | 125 | 144 | 213 | 287 | 403 | 522 | 185 |
| Rheumatism | 46 | 53 | 20 | 37 | 72 | 62 | 84 | 81 | 49 | 50 |
| Cancer | 238 | 452 | 365 | 382 | 388 | 225 | 336 | 322 | 261 | 258 |
| PHTHISIS | 964 | 881 | 1014 | 864 | 977 | 949 | 813 | 692 | 979 | 1044 |
| Dev. Dis. of Children | 305 | 353 | 385 | 328 | 323 | 208 | 456 | 338 | 343 | 262 |
| Age | 318 | 386 | 262 | 581 | 359 | 601 | 350 | 515 | 179 | 403 |
| Apoplexy | 295 | 342 | 390 | 316 | 309 | 253 | 238 | 386 | 424 | 333 |
| Paralysis | 207 | 220 | 242 | 257 | 280 | 354 | 266 | 274 | 147 | 272 |
| Croup | 46 | 48 | 46 | 79 | 50 | 45 | 49 | 64 | 131 | 89 |
| BRONCHITIS | 1385 | 1262 | 1427 | 1375 | 1171 | 1163 | 1107 | 1031 | 1060 | 1019 |
| Pneumonia | 937 | 702 | 775 | 507 | 740 | 742 | 1037 | 531 | 750 | 925 |
| Dentition | 94 | 44 | 51 | 62 | 57 | 157 | 68 | 16 | 49 | 40 |
| All Liver Diseases | 101 | 108 | 74 | 91 | 64 | 56 | 112 | 129 | 147 | 79 |
| Dropsy | 17 | 5 | 6 | 12 | 7 | 17 | 7 | – | – | 10 |

per cent. at ages over 60. Fevers together caused 939 deaths, 799 of these being Enteric or Typhoid, 107 Typhus, 23 Simple or Ill-Defined, 4 Relapsing and 6 Cerebro-Spinal. 45 or 5·6 per cent. of the Typhoid deaths are registered as during the first five years of life, 99 or 12·4 per cent. between 5–10, and also between 10–15 years, 524 or 65·6 per cent. between 15–60 years, and 32 or 4 per cent. at greater ages. Of the Typhus deaths 10 occur during the first fifteen years of life, 88 or 82·2 per cent. between 15–60 years, and 9 at greater ages; *i.e.*, 90·6 per cent. of them occur after the age of 15. Diphtheria caused 830 deaths, 545 or 65·7 per cent. of these during the first quinquennial term of life, and 205 or 24·7 per cent. during the following, leaving 80 or 9·6 per cent. at greater ages. Scarlet-Fever caused 736 deaths, 430 or 58·4 per cent. of them between 0–5 years, 194 or 26·4 per cent. between 5–10 years, 58 or 7·9 per cent. between 10–15 years, and 54 at ages over this. Syphilis is the ascribed cause of 214 deaths, 180 or 84·1 per cent. of them during the first five years of life, and 33 or 15·4 per cent. at ages over 15. Erysipelas caused 326 deaths, 120 or 36·9 per cent. between 0–5 years, 107 or 32·8 per cent. between 15–60 years, and 93 or 28·5 per cent. at ages over 60. Croup caused 620 deaths, 522 or 84·2 per cent. between 0–5 years, 92 or 14·8 per cent. between 5–10 years, and 3 during each of the periods 10–15 years and 15–60 years. The deaths from other diseases than Zymotics and Croup amount to 70,924, of which 19,443, or 27·4 per cent. occurred during the first five years of life, 1859 or 2·6 per cent. between 5–10 years, 1527 or 2·2 per cent. between 10–15 years, 23,987 or 33·8 per cent. between 15–60 years, and 24,108 or 34·0 per cent. at ages over 60.

Of every hundred thousand of the inhabitants of Scotland, 301 are estimated to have died during the year from Zymotic diseases in one form

---

TABLE XXXII.—Number and Proportion of Deaths at different Ages from the Zymotic and Ordinary Diseases in Scotland in 1891.

| DISEASES. | NUMBER OF DEATHS AT EACH AGE. | | | | | | PERCENTAGE AT EACH AGE. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 years. | 5–10. | 10–15. | 15–60. | Above 60. | Total. | 0–5. | 5–10 | 10–15 | 15–60 | Above 60. | Total. |
| Small-pox | – | – | – | – | – | – | 0·0 | 0·0 | 0·0 | 0·0 | 0·0 | 0·0 |
| Measles | 1539 | 187 | 11 | 38 | – | 1775 | 86·7 | 10·6 | 0·6 | 2·1 | 0·0 | 100 |
| Scarlet Fever | 430 | 194 | 58 | 53 | 1 | 736 | 58·4 | 26·4 | 7·9 | 7·2 | 0·1 | 100 |
| Hooping-cough | 2278 | 149 | 4 | 5 | 1 | 2437 | 93·5 | 6·1 | 0·2 | 0·2 | 0·0 | 100 |
| Diphtheria | 545 | 205 | 31 | 47 | 2 | 830 | 65·7 | 24·7 | 3·7 | 5·7 | 0·2 | 100 |
| All Fevers, viz. | 54 | 104 | 105 | 627 | 49 | 939 | 5·7 | 11·1 | 11·2 | 66·8 | 5·2 | 100 |
| Typhus | 3 | 2 | 5 | 88 | 9 | 107 | 2·8 | 1·9 | 4·7 | 82·2 | 8·4 | 100 |
| Enteric | 45 | 99 | 99 | 524 | 32 | 799 | 5·6 | 12·4 | 12·4 | 65·6 | 4·0 | 100 |
| Relapsing | 1 | 1 | – | 1 | 1 | 4 | 25·0 | 25·0 | 0·0 | 25·0 | 25·0 | 100 |
| Cerebro-Spinal | 2 | 2 | – | 2 | – | 6 | 33·3 | 33·3 | 0·0 | 33 3 | 0·0 | 100 |
| Simple or Ill-defi. | 3 | – | 1 | 12 | 7 | 23 | 13·1 | 0·0 | 4·3 | 52·2 | 30·4 | 100 |
| Simple Cholera | 52 | 1 | 1 | 6 | – | 60 | 86·6 | 1·7 | 1·7 | 10·0 | 0·0 | 100 |
| Diarrhœa&Dysentery | 1131 | 24 | 16 | 207 | 332 | 1710 | 66·2 | 1·4 | 0·9 | 12·1 | 19·4 | 100 |
| Syphilis | 180 | – | 1 | 30 | 3 | 214 | 84·1 | 0·0 | 0·5 | 14·0 | 1·4 | 100 |
| Erysipelas | 120 | 2 | 4 | 107 | 93 | 326 | 36·9 | 0·6 | 1·2 | 32·8 | 28·5 | 100 |
| Puerperal Fever | – | – | – | 378 | – | 378 | 0·0 | 0·0 | 0·0 | 100·0 | 0·0 | 100 |
| Zymotic Diseases | 6554 | 911 | 264 | 2458 | 1842 | 12029 | 54·5 | 7·6 | 2·2 | 20·4 | 15·3 | 100 |
| Croup | 522 | 92 | 3 | 3 | – | 620 | 84·2 | 14·8 | 0·5 | 0·5 | 0·0 | 100 |
| All other Diseases, excl'd'g Zymotics | 19443 | 1859 | 1527 | 23987 | 24108 | 70924 | 27·4 | 2·6 | 2·2 | 33·8 | 34·0 | 100 |
| Total Deaths | 26519 | 2862 | 1794 | 26448 | 25950 | 83573 | 31·7 | 3·4 | 2·2 | 31·6 | 31·1 | 100 |

or other, which is equal to 14·54 per cent. of the specified deaths. In the Principal Town Districts the rate is 330 per hundred thousand or 14·40 per cent., in the Large Town Districts it is 331 per hundred thousand of population, or 15·20 per cent.; in the Small Town Districts it is 325 to population, or 15·95 per cent. of specified deaths; in the Mainland-Rural Districts it is 223, or 12·86 per cent.; and in the Insular-Rural Districts the rate per hundred thousand of population is 285, the percentage to the total specified deaths being 15·92.

Tables XXX. and XXXI. show the proportion of deaths from Zymotics, &c., in the Principal Towns of Scotland. Thus in Glasgow there were 366 deaths of this nature registered during the year, for every hundred thousand of the inhabitants as estimated, and equal to 14·49 per cent. of the specified deaths which occurred therein. Hooping-Cough accounts for 86 of the proportion, Measles for 78, Diarrhœa and Dysentery for 44, Scarlet-Fever for 37, Fevers for 30 (25 of these being Enteric and 4 Typhus), and Diphtheria for 23.

In Edinburgh 291 in every hundred thousand of the population succumbed to Zymotics, or 13·52 per cent. of the specified deaths were of this nature: 61 of this proportion were due to Hooping-Cough, 26 to Measles, 25 to Diarrhœal Affections, 20 to Diphtheria, and 18 to Scarlet-Fever, as also to Typhoid Fever.

In Dundee 263 per hundred thousand died from Zymotics, 11·68 per cent. of the total deaths being so accounted for. Hooping-Cough is the cause of 83 as above, Diarrhœa and Dysentery of 55, Fevers of 21 (15 being Enteric and 5 Typhus), Diphtheria of 19, Scarlet-Fever of 5, and Measles of 1.

Aberdeen exhibits 233 as the total proportional mortality from diseases of this nature, or 11·79 per cent. of all the deaths are due to them. Of these Scarlet-Fever and Hooping-Cough each account for 32, Diarrhœa and Dysentery for 25, Diphtheria for 13, Fevers for 12 (11 of these Typhoid), and Measles for 2.

In Leith, the proportion to population from Zymotic deaths is 228, equivalent to 11·49 per cent. of the total deaths, of which Hooping-Cough accounts for 90 in like proportion, Diarrhœal Affections for 29, Fevers for 27 (21 being Typhoid and 3 Typhus), Diphtheria for 23, Scarlet-Fever for 7, and Measles for 4.

In Paisley, 594 deaths per hundred thousand of its inhabitants occurred from Zymotics during the year, equal to 22·25 per cent. of the total specified mortality. Of this Measles accounts for 345, Hooping-Cough for 75, Diarrhœa and Dysentery for 57, Fevers for 25 (22 of these being Enteric), Diphtheria for 15, and Scarlet-Fever for 13.

In Greenock the proportion to population is 314, or 13·95 per cent. of all the deaths were ascribed to Zymotics. Of this 65 are due to Diarrhœa and Dysentery, 63 to Hooping-Cough, 33 to Scarlet-Fever, 28 to Measles, 25 to Fevers (17 being Typhus and 8 Enteric), and 22 to Diphtheria.

In Perth, 312 is the ratio as before, or 15·46 per cent. of the total mortality, 81 being from Diarrhœal Affections, 42 from Diphtheria, 16 from Hooping-Cough, as also Fevers (13 Enteric and 3 Typhus), 13 from Scarlet-Fever, and 10 from Measles.

In Kilmarnock, 442 is the rate in which such deaths occurred per hundred thousand of population, or 20·23 per cent. of the total deaths: 114 of this proportion is due to Diarrhœa and Dysentery, 75 to Fevers (67 Typhoid and 4 each to Typhus and Simple Continued), 43 to Diphtheria, 36 to Hooping-Cough, 18 to Measles, and 4 to Scarlet-Fever.

In Glasgow Landward and Suburban the proportion is 331, or 15·63 per cent. of the total mortality is due to Zymotics. Hooping-Cough accounts for 105 of the above proportion, Measles for 58, Diarrhœal Affections for 39, Diphtheria for 29, Scarlet-Fever for 22, Fevers for 21 (17 Typhoid and 4 Typhus).

There was no death from Small-pox throughout Scotland during 1891.

Hooping-Cough caused 2437 deaths in Scotland during the year, males

---

TABLE XXXIIA.—Deaths from Influenza in Scotland, its

| | | Jan. | | Feb. | | March. | | April. | | May. | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | SCOTLAND | M. 11 | F. 11 | M. 22 | F. 22 | M. 23 | F. 38 | M. 24 | F. 24 | M. 83 | F. 71 |
| | GROUPS. | | | | | | | | | | |
| 1 | PRINCIPAL TOWN DISTRICTS | 4 | 5 | 4 | 5 | 6 | 6 | 2 | 3 | 31 | 29 |
| 2 | LARGE TOWN DISTRICTS | – | – | 3 | 4 | 3 | 4 | 1 | 2 | 9 | 6 |
| 3 | SMALL TOWN DISTRICTS | 1 | 3 | 6 | 6 | 2 | 6 | 2 | 3 | 12 | 13 |
| 4 | MAINLAND-RURAL DISTRICTS | 4 | 3 | 7 | 6 | 10 | 19 | 11 | 13 | 24 | 18 |
| 5 | INSULAR-RURAL DISTRICTS | 2 | – | 2 | 1 | 2 | 3 | 8 | 3 | 7 | 5 |
| | COUNTIES. | | | | | | | | | | |
| | I. *Northern Division.* | | | | | | | | | | |
| 1 | Shetland | – | – | – | – | – | 2 | – | – | – | 1 |
| 2 | Orkney | – | – | – | 1 | 1 | – | 1 | – | – | 1 |
| 3 | Caithness | – | – | – | – | 1 | – | – | – | 1 | 1 |
| 4 | Sutherland | – | – | – | – | – | – | – | 2 | – | – |
| | II. *North-Western Division.* | | | | | | | | | | |
| 5 | Ross and Cromarty | 2 | 1 | – | – | 1 | 2 | – | 1 | 1 | 1 |
| 6 | Inverness | 1 | – | 3 | – | 1 | 2 | 6 | 3 | 7 | 6 |
| | III. *North-Eastern Division.* | | | | | | | | | | |
| 7 | Nairn | – | – | – | – | – | – | – | – | – | – |
| 8 | Elgin (or Moray) | – | – | – | 1 | 1 | – | – | 1 | – | – |
| 9 | Banff | – | – | – | – | – | 2 | 1 | 3 | 2 | 3 |
| 10 | Aberdeen | – | – | – | 2 | 2 | 2 | 1 | 2 | 11 | 14 |
| 11 | Kincardine | – | – | – | – | – | – | – | 1 | 3 | – |
| | IV. *East-Midland Division.* | | | | | | | | | | |
| 12 | Forfar | 1 | – | – | – | – | 1 | – | 1 | 3 | 2 |
| 13 | Perth | – | – | – | 1 | – | 1 | 2 | – | 5 | 2 |
| 14 | Fife | – | – | 1 | – | – | – | – | 1 | 4 | – |
| 15 | Kinross | 1 | – | – | – | – | – | – | – | – | – |
| 16 | Clackmannan | – | – | – | – | – | – | 1 | – | 1 | – |
| | V. *West-Midland Division.* | | | | | | | | | | |
| 17 | Stirling | – | – | – | – | – | – | 1 | 1 | – | 1 |
| 18 | Dumbarton | – | 2 | – | – | – | – | – | – | 2 | – |
| 19 | Argyll | 1 | – | 2 | 3 | 4 | 8 | 3 | 3 | 3 | 2 |
| 20 | Bute | – | – | – | – | – | 1 | 1 | – | 1 | – |
| | VI. *South-Western Division.* | | | | | | | | | | |
| 21 | Renfrew | – | – | 3 | 1 | – | – | – | – | – | 1 |
| 22 | Ayr | 1 | 2 | 2 | 1 | 1 | – | 1 | – | 3 | 2 |
| 23 | Lanark | 4 | 5 | 7 | 8 | 7 | 10 | 3 | 3 | 15 | 11 |
| | VII. *South-Eastern Division.* | | | | | | | | | | |
| 24 | Linlithgow | – | 1 | – | – | – | – | – | – | 3 | – |
| 25 | Edinburgh | – | – | – | 1 | 2 | 4 | 2 | 1 | 8 | 9 |
| 26 | Haddington | – | – | – | – | – | – | – | – | 2 | 1 |
| 27 | Berwick | – | – | – | 2 | 1 | – | – | – | 1 | 2 |
| 28 | Peebles | – | – | 2 | 1 | – | 1 | – | – | 1 | 1 |
| 29 | Selkirk | – | – | – | – | – | – | – | – | – | 2 |
| | VIII. *Southern Division.* | | | | | | | | | | |
| 30 | Roxburgh | – | – | 1 | – | – | 1 | – | 1 | 4 | 4 |
| 31 | Dumfries | – | – | – | – | 1 | – | – | – | 2 | 1 |
| 32 | Kirkcudbright | – | – | – | – | – | – | 1 | – | – | 1 |
| 33 | Wigtown | – | – | 1 | – | – | 1 | – | – | – | 2 |

1094, females 1343, together equal to a rate of 61 in every hundred thousand of the population or 2·94 per cent. of the total specified deaths are of this nature. In the Principal Town Districts 77 of the deaths per hundred thousand of population are from Hooping-Cough, in the Small Town Districts 63, and in the Insular-Rural Districts 100, being lowest in the Mainland-Rural Districts, viz., 32.

Influenza, which had commenced in an epidemic form during the year

five Registration Districts and Counties during the Year 1891.

| June. | | July. | | Aug. | | Sept. | | Oct. | | Nov. | | Dec. | | Male. | Female. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M. 117 | F. 124 | M. 50 | F. 57 | M. 25 | F. 18 | M. 17 | F. 19 | M. 23 | F. 21 | M. 287 | F. 315 | M. 490 | F. 616 | 1,172 | 1,336 | 2,508 |
| 39 | 50 | 16 | 21 | 7 | 5 | 9 | 5 | 9 | 8 | 105 | 124 | 116 | 170 | 348 | 431 | 779 |
| 7 | 8 | 4 | 8 | 2 | 1 | – | 2 | 4 | 1 | 35 | 45 | 64 | 76 | 132 | 157 | 289 |
| 27 | 26 | 11 | 10 | 5 | 4 | 2 | 5 | 6 | 8 | 70 | 74 | 112 | 145 | 256 | 303 | 559 |
| 40 | 37 | 18 | 12 | 8 | 5 | 5 | 7 | 4 | 4 | 77 | 69 | 184 | 211 | 392 | 404 | 796 |
| 4 | 3 | 1 | 6 | 3 | 3 | 1 | – | – | – | – | 3 | 14 | 14 | 44 | 41 | 85 |
| – | 2 | – | – | – | – | – | – | – | – | – | 2 | 8 | 14 | 8 | 21 | 29 |
| – | – | – | 2 | 1 | 1 | – | – | – | – | – | 1 | 7 | – | 10 | 6 | 16 |
| – | – | – | 1 | – | – | 1 | – | – | – | – | 1 | 1 | 2 | 4 | 5 | 9 |
| – | – | – | – | 1 | 1 | 1 | 1 | – | 2 | 2 | – | 1 | 2 | 5 | 8 | 13 |
| 3 | – | 1 | – | – | – | – | – | – | – | – | 1 | 4 | 7 | 12 | 13 | 25 |
| 2 | 1 | 1 | 3 | 3 | 3 | 1 | – | – | – | 1 | – | 9 | 10 | 35 | 28 | 63 |
| – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | 2 |
| 3 | – | 1 | 4 | 1 | 2 | – | – | – | – | – | 3 | 7 | 5 | 13 | 16 | 29 |
| 1 | 2 | – | – | – | – | – | 1 | – | 1 | 1 | 1 | 10 | 15 | 15 | 28 | 43 |
| 27 | 35 | 11 | 8 | 1 | – | 1 | 2 | – | – | 6 | 3 | 33 | 28 | 93 | 96 | 189 |
| 6 | 2 | 2 | – | 1 | – | – | 1 | – | – | – | 1 | 10 | 9 | 22 | 14 | 36 |
| 10 | 10 | 4 | 9 | 1 | 2 | 3 | 3 | 1 | 6 | 32 | 37 | 25 | 34 | 80 | 105 | 185 |
| 1 | 2 | 2 | 1 | 2 | 1 | 2 | 2 | – | – | 18 | 25 | 15 | 28 | 47 | 63 | 110 |
| 6 | 3 | 2 | – | 1 | – | – | – | 1 | 1 | 18 | 27 | 46 | 41 | 79 | 73 | 152 |
| – | 1 | 1 | – | – | – | – | – | – | – | 2 | 1 | 1 | 3 | 5 | 5 | 10 |
| 1 | – | – | – | – | – | – | – | – | – | 4 | 1 | 1 | 4 | 8 | 5 | 13 |
| 1 | 3 | 1 | 2 | 1 | – | – | – | 2 | – | 15 | 12 | 22 | 14 | 43 | 33 | 76 |
| 1 | 6 | 2 | 1 | – | – | 1 | – | – | – | 9 | 8 | 13 | 10 | 28 | 27 | 55 |
| 4 | 8 | 3 | 2 | – | 1 | 1 | 1 | 2 | 1 | 6 | 5 | 5 | 11 | 34 | 45 | 79 |
| – | – | – | 2 | – | – | – | – | – | – | 2 | 4 | 3 | 3 | 7 | 10 | 17 |
| 1 | 2 | – | – | 1 | 1 | – | – | 2 | 3 | 22 | 23 | 18 | 19 | 47 | 50 | 97 |
| 9 | 4 | 4 | 5 | 2 | 1 | 1 | 3 | 1 | 1 | 12 | 20 | 24 | 40 | 61 | 79 | 140 |
| 12 | 15 | 4 | 3 | 4 | 4 | 2 | 1 | 11 | 3 | 63 | 45 | 56 | 100 | 188 | 208 | 396 |
| 3 | – | – | – | 1 | – | 1 | 1 | 1 | – | 8 | 9 | 10 | 14 | 27 | 25 | 52 |
| 11 | 13 | 6 | 10 | 3 | – | – | 1 | 2 | 2 | 37 | 47 | 84 | 119 | 155 | 207 | 362 |
| 3 | 2 | – | 1 | – | – | – | 1 | – | – | 3 | 6 | 8 | 8 | 16 | 19 | 35 |
| 1 | 2 | – | 1 | – | – | – | – | – | 1 | 1 | 5 | 9 | 9 | 13 | 22 | 35 |
| 3 | 2 | 1 | – | – | – | 1 | – | – | – | 4 | 2 | 2 | 3 | 14 | 10 | 24 |
| – | – | 1 | – | – | – | – | – | – | – | 2 | 3 | 8 | 9 | 11 | 14 | 25 |
| 3 | 4 | 2 | – | – | 1 | – | 1 | – | – | 3 | 2 | 17 | 20 | 30 | 34 | 64 |
| 2 | 3 | – | 2 | 1 | – | 1 | – | – | – | 6 | 10 | 19 | 17 | 32 | 33 | 65 |
| 1 | 1 | 1 | – | – | – | – | – | – | – | 4 | 4 | 10 | 5 | 17 | 11 | 28 |
| 2 | 1 | – | – | | – | – | – | – | – | 6 | 6 | 3 | 12 | 12 | 22 | 34 |

1889, and had much increased throughout the following year 1890, attains this year a still greater prominence in our Tables of Causes of Death, no fewer than 2508 being ascribed to it;—males 1172, females 1336—and together forming a mortality-rate of 60 per hundred thousand of the inhabitants, and equal to 2·88 per cent. of all the specified deaths which occurred during the year. In 2387 of the above 2508, the deaths were directly ascribed to Influenza, 1118 of them being males, and 1269 females, while in the remaining 121 cases—54 males, and 67 females—though not the only cause, this affection was mentioned as one cause, and as in last year's report we have included them all in the total number 2508, and Table XXXIIA is drawn up to afford further information on the subject. There it is seen, as regards the period of mortality, that during January 22 deaths are registered, during February 44, during March 61, during April 48, during May 154, during June 241, during July 107, during August 43,

---

TABLE XXXIII.—Number and Percentage of Deaths from the Zymotic and Ordinary Diseases at each Age.

| AGE. | NUMBER OF DEATHS. | | | PERCENTAGE OF DEATHS AT EACH AGE FROM | |
|---|---|---|---|---|---|
| | Total Deaths. | Zymotic Deaths. | All other Diseases. | Zymotic Diseases. | All other Diseases. |
| 0— 5 | 26,519 | 6,554 | 19,965 | 24·71 | 75·29 |
| 5—10 | 2,862 | 911 | 1,951 | 31·83 | 68·17 |
| 10—15 | 1,794 | 264 | 1,530 | 14·72 | 85·28 |
| 15—60 | 26,448 | 2,458 | 23,990 | 9·29 | 90·71 |
| Above 60 | 25,950 | 1,842 | 24,108 | 7·10 | 92·90 |
| 0—15 | 31,175 | 7,729 | 23,446 | 24·79 | 75·21 |
| 15 and upwards | 52,398 | 4,300 | 48,098 | 8·21 | 91·79 |

TABLE XXXIV.— Small-pox Deaths in Scotland.

| YEAR. | Small-pox Deaths. | YEAR. | Small-pox Deaths. |
|---|---|---|---|
| 1855 | 1,309 | 1874 | 1,246 |
| 1856 | 1,306 | 1875 | 76 |
| 1857 | 845 | 1876 | 39 |
| 1858 | 332 | 1877 | 38 |
| 1859 | 682 | 1878 | 4 |
| 1860 | 1,495 | 1879 | 8 |
| 1861 | 766 | 1880 | 10 |
| 1862 | 426 | 1881 | 19 |
| 1863 | 1,648 | 1882 | 3 |
| 1864 | 1,741 | 1883 | 11 |
| 1865 | 383 | 1884 | 14 |
| 1866 | 200 | 1885 | 39 |
| 1867 | 100 | 1886 | 24 |
| 1868 | 15 | 1887 | 17 |
| 1869 | 64 | 1888 | 3 |
| 1870 | 114 | 1889 | 8 |
| 1871 | 1,442 | 1890 | 0 |
| 1872 | 2,448 | 1891 | 0 |
| 1873 | 1,126 | | |

during September 36, during October 44, during November they suddenly mount up to 602, and during December 1106; so that there were apparently two distinct exacerbations or outbreaks of the disease during the year, one during the months of May and June, the other during November and December. On inquiry as to how the deaths were distributed throughout the five Primary Registration Districts, we find that of the 22 deaths registered during January—11 males and 11 females—9 are in the Principal Town Districts, 4 in the Small Town Districts, 7 in the Mainland-Rural Districts, and 2 in the Insular-Rural Districts. During February, in which the deaths of 22 males and 22 females are registered, 9 occur in the Principal Town Districts, 7 in the Large Town Districts, 12 in the Small Town Districts, 13 in the Mainland-Rural Districts, and 3 in the Insular-Rural Districts. Of the 23 males and 38 females during March, 12 are in the Principal Town Districts, 7 in the Large Town Districts, 8 in the Small Town Districts, 29 in the Mainland-Rural Districts, and 5 in the Insular-Rural Districts. Of the 24 males and 24 females in April, 5 are in the Principal Town Districts, 3 in the Large Town Districts, 5 in the Small Town Districts, 24 in the Mainland-Rural Districts, and 11 in the Insular-Rural Districts. Of the 83 males and 71 females in May, 60 are in the Principal Town Districts, 15 in the Large Town Districts, 25 in the Small Town Districts, 42 in the Mainland-Rural Districts and 12 in the Insular-Rural Districts. Of the 117 males and 124 females in June, 89 are in the Principal Town Districts 15 in the large Town Districts, 53 in the Small Town Districts, 77 in the Mainland-Rural Districts, and 7 in the Insular-Rural Districts. Of the 50 males and 57 females in July, 37 are in the Principal Town Districts, 12 in the Large Town Districts, 21 in the Small Town Districts, 30 in the Mainland-Rural Districts, and 7 in the Insular-

TABLE XXXV.—Vaccinations in Scotland, 1881–1891, and Proportion to the Births each Year.

| Years. | | Successfully Vaccinated. | Vaccination Postponed. | Insusceptible of Vaccination— From Constitutional Insusceptibility. | From having had Small-pox. | From previous Vaccination. | Died before Vaccination. | Removed from District before Vaccination or otherwise unaccounted for. | Total Births. |
|---|---|---|---|---|---|---|---|---|---|
| 1881 | Numbers . | 111008 | 1586 | 150 | 0 | 352 | 10587 | 2594 | 126277 |
| 1882 | Numbers . | 110263 | 1713 | 192 | 4 | 280 | 11073 | 2637 | 126162 |
| 1883 | Numbers . | 108906 | 1884 | 194 | 2 | 365 | 10713 | 2452 | 124516 |
| 1884 | Numbers . | 112122 | 1964 | 242 | 0 | 265 | 11694 | 2836 | 129123 |
| 1885 | Numbers . | 109866 | 2073 | 225 | 0 | 228 | 10872 | 2888 | 126152 |
| 1886 | Numbers . | 110864 | 2325 | 201 | 0 | 241 | 11282 | 3055 | 127968 |
| 1887 | Numbers . | 107077 | 2465 | 236 | 0 | 373 | 11269 | 3047 | 124467 |
| 1888 | Numbers . | 106734 | 2417 | 216 | 0 | 397 | 10434 | 3096 | 123294 |
| 1889 | Numbers . | 104921 | 2692 | 235 | 0 | 286 | 11479 | 3226 | 122849 |
| 1890 | Numbers . | 103635 | 2710 | 222 | 2 | 248 | 11779 | 3016 | 121612 |
| 10 Years | Average . | 108541 | 2183 | 211 | 1 | 303 | 11118 | 2885 | 125242 |
| 1891 | Numbers . | 107482 | 2637 | 268 | 1 | 280 | 12293 | 3115 | 126076 |
| 1881 | Percentage | 87·908 | 1·256 | 0·119 | 0·000 | 0·279 | 8·384 | 2·054 | 100·000 |
| 1882 | Percentage | 87·399 | 1·358 | 0·152 | 0·000 | 0·222 | 8·776 | 2·090 | 100·000 |
| 1883 | Percentage | 87·463 | 1·513 | 0·156 | 0·003 | 0·293 | 8·603 | 1·970 | 100·000 |
| 1884 | Percentage | 86·834 | 1·521 | 0·187 | 0·002 | 0·205 | 9·057 | 2·195 | 100·000 |
| 1885 | Percentage | 87·090 | 1·643 | 0·179 | 0·000 | 0·181 | 8·618 | 2·289 | 100·000 |
| 1886 | Percentage | 86·634 | 1·817 | 0·157 | 0·000 | 0·189 | 8·816 | 2·387 | 100·000 |
| 1887 | Percentage | 86·028 | 1·980 | 0·190 | 0·000 | 0·300 | 9·054 | 2·448 | 100·000 |
| 1888 | Percentage | 86·569 | 1·960 | 0·175 | 0·000 | 0·322 | 8·463 | 2·511 | 100·000 |
| 1889 | Percentage | 85·415 | 2·191 | 0·191 | 0·000 | 0·233 | 9·344 | 2·626 | 100·000 |
| 1890 | Percentage | 85·217 | 2·229 | 0·183 | 0·002 | 0·204 | 9·635 | 2·480 | 100·000 |
| 10 Years | Percentage | 86·655 | 1·747 | 0·169 | 0·001 | 0·243 | 8·880 | 2·305 | 100·000 |
| 1891 | Percentage | 85·251 | 2·092 | 0·213 | 0·001 | 0·222 | 9·750 | 2·471 | 100·000 |

Rural Districts. Of the 25 males and 18 females in August, 12 are in the Principal Town Districts, 3 in the Large Town Districts, 9 in the Small Town Districts, 13 in the Mainland-Rural Districts, and 6 in the Insular-Rural Districts. Of the 17 males and 19 females in September, 14 are in the Principal Town Districts, 2 in the Large Town Districts, 7 in the Small Town Districts, 12 in the Mainland-Rural Districts, and 1 in the Insular-Rural Districts. Of the 23 males and 21 females in October, 17 are in the Principal Town Districts, 5 in the Large Town Districts, 14 in the Small Town Districts, and 8 in the Mainland-Rural Districts. Of the 287 males and 315 females in November, 229 are in the Principal Town Districts, 80 in the Large Town Districts, 144 in the Small Town Districts, 146 in the Mainland-Rural Districts, and 3 in the Insular-Rural Districts. Of the 490 males and 616 female deaths from Influenza, registered during December, 286 are in the Principal Town Districts, 140 in the Large Town Districts, 257 in the Small Town Districts, 395 in the Mainland-Rural Districts, and 28 in the Insular-Rural Districts. The total deaths from this disease in each District during the year are 779 in the Principal Town Districts, equal to a death-rate of 48 per hundred thousand of the inhabitants of the same, or 3·48 per cent. of the certified deaths which occurred there; in the Large Town Districts they are 289, or at the rate of 59 per hundred thousand, and equal to 2·72 per cent. of the total deaths; in the Small Town Districts the deaths number 559, or 61 per hundred thousand, and 3·01 per cent.; in the Mainland-Rural Districts they are 796, or 76 per hundred thousand, and 4·39 per cent.; and in the Insular-Rural Districts

---

TABLE XXXVI.—Vaccinations in Scotland, 1881–1891, deducting from the Births those who died before they could be Vaccinated, and giving the Proportion of the Vaccinated to the surviving Births of each Year.

| Years. | | Successfully Vaccinated. | Vaccination Postponed. | Insusceptible of Vaccination. | | | Removed from District before Vaccination, or otherwise unaccounted for. | TOTAL LIVING. |
|---|---|---|---|---|---|---|---|---|
| | | | | From Constitutional Insusceptibility. | From having had Small-pox. | From previous Vaccination. | | |
| 1881 | Numbers . | 111008 | 1586 | 150 | 0 | 352 | 2594 | 115690 |
| 1882 | Numbers . | 110263 | 1713 | 192 | 4 | 280 | 2637 | 115089 |
| 1883 | Numbers . | 108906 | 1884 | 194 | 2 | 365 | 2452 | 113803 |
| 1884 | Numbers . | 112122 | 1964 | 242 | 0 | 265 | 2836 | 117429 |
| 1885 | Numbers . | 109866 | 2073 | 225 | 0 | 228 | 2888 | 115280 |
| 1886 | Numbers . | 110864 | 2325 | 201 | 0 | 241 | [illegible] | 116[illegible] |
| 1887 | Numbers . | 107077 | 2465 | 236 | 0 | 373 | 3047 | 113198 |
| 1888 | Numbers . | 106734 | 2417 | 216 | 0 | 397 | 3096 | 112860 |
| 1889 | Numbers . | 104931 | 2692 | 235 | 0 | 286 | 3226 | 111370 |
| 1890 | Numbers . | 103635 | 2710 | 222 | 2 | 248 | 3016 | 109833 |
| 10 Years. | Average . | 108541 | 2183 | 211 | 1 | 303 | 2885 | 114124 |
| 1891 | Numbers . | 107482 | 2637 | 268 | 1 | 280 | 3115 | 113783 |
| 1881 | Percentage | 95·953 | 1·371 | 0·130 | 0·000 | 0·304 | 2·242 | 100·000 |
| 1882 | Percentage | 95·807 | 1·488 | 0·167 | 0·004 | 0·243 | 2·291 | 100·000 |
| 1883 | Percentage | 95·697 | 1·655 | 0·170 | 0·002 | 0·321 | 2·155 | 100·000 |
| 1884 | Percentage | 95·481 | 1·672 | 0·206 | 0·000 | 0·226 | 2·415 | 100·000 |
| 1885 | Percentage | 95·304 | 1·799 | 0·195 | 0·000 | 0·197 | 2·505 | 100·000 |
| 1886 | Percentage | 95·011 | 1·993 | 0·172 | 0·000 | 0·206 | 2·618 | 100·000 |
| 1887 | Percentage | 94·593 | 2·178 | 0·208 | 0·000 | 0·329 | 2·692 | 100·000 |
| 1888 | Percentage | 94·572 | 2·142 | 0·191 | 0·000 | 0·352 | 2·743 | 100·000 |
| 1889 | Percentage | 94·218 | 2·417 | 0·211 | 0·000 | 0·257 | 2·897 | 100·000 |
| 1890 | Percentage | 94·356 | 2·468 | 0·202 | 0·002 | 0·226 | 2·746 | 100·000 |
| 10 Years. | Percentage | 95·099 | 1·918 | 0·185 | 0·001 | 0·266 | 2·531 | 100·000 |
| 1891 | Percentage | 94·462 | 2·318 | 0·236 | 0·001 | 0·246 | 2·737 | 100·000 |

the deaths from Influenza are 85 in all, or at the rate of 70 in every hundred thousand of the inhabitants, and form 3·93 per cent. of the total certified deaths in the same. In the Counties—29 deaths are registered during the year from Influenza in Shetland, or 6 per cent. of the total specified deaths in the same, 16 or 3 per cent. in Orkney, 9 or 1 per cent. in Caithness, 13 or 4 per cent. in Sutherland, 25 or 2 per cent. in Ross and Cromarty, 63 or 5 per cent. in Inverness, 2 or 1 per cent. in Nairn, 29 or 4 per cent. in Elgin, 43 or 5 per cent. in Banff, 189 or 4 per cent. in Aberdeen, 36 or 6 per cent. in Kincardine, 185 or 3 per cent. in Forfar, 110 or 5 per cent. in Perth, 152 or 4 per cent. in Fife, 10 or 7 per cent. in Kinross, 13 or 3 per cent. in Clackmannan, 76 or 3 per cent. in Stirling, 55 or 3 per cent. in Dumbarton, 79 or 5 per cent. in Argyll, 17 or 4 per cent. in Bute, 97 or 2 per cent. in Renfrew, 140 or 3 per cent. in Ayr, 396 or 2 per cent. in Lanark, 52 or 5 per cent. in Linlithgow, 362 or 4 per cent. in Edinburgh, 35 or 5 per cent. in Haddington, 35 or 6 per cent. in Berwick, 24 or 9 per cent. in Peebles, 25 or 5 per cent. in Selkirk, 64 or 6 per cent. in Roxburgh, 65 or 4 per cent. in Dumfries, 28 or 4 per cent. in Kirkcudbright, and 34 or 5 per cent. of the total certified deaths in Wigtown. Of the total 2508 deaths from Influenza, during the year, 176 or 7 per cent. of the whole succumbed during childhood, 0–5 years; 106 or 4 per cent. during adolescence, 5–20 years; 856 or 34 per cent. during adult life, 20–60 years; and 1370 or 55 per cent. at ages over 60 years.

Measles is the cause of 1775 deaths during the year, males 904, females 871, equivalent to 44 in every hundred thousand of the population or 2·14 per cent. of the specified deaths. The Principal and Large Town Districts show the heaviest mortality-rate from this disease, being 57 in the former and 52 in the latter, the lowest occurring in the Mainland-Rural Districts where it is 19.

Diarrhœal Affections account for 1710 deaths, males 803, females 907, together giving a rate of 43 per hundred thousand of population, and forming 2·07 per cent. of all the deaths. The rate is highest in the Large Town Districts 50, and Small Town Districts 56, while it is lowest in the Insular-Rural Districts, viz., 16 per hundred thousand.

From Fevers together there are 939 exits, males 501, females 438, together forming a death-rate of 24 per hundred thousand of population, or 1·14 per cent. of the total deaths. The highest rate is in the Large Town

---

TABLE XXXVII.—Deaths from Fever in 1891.

| FEVERS. | RURAL DISTRICTS. | | TOWN DISTRICTS. | |
|---|---|---|---|---|
| | Deaths from each Fever. | Percentage to Total Fever Deaths. | Deaths from each Fever. | Percentage to Total Fever Deaths. |
| Typhus | 9 | 5·23 | 98 | 12·78 |
| Enteric | 153 | 88·96 | 646 | 84·22 |
| Relapsing | 1 | 0·58 | 3 | 0·39 |
| Cerebro-Spinal | – | 0·00 | 6 | 0·78 |
| Simple or Ill-defined | 9 | 5·23 | 14 | 1·83 |
| ALL FEVERS | 172 | 100·00 | 767 | 100·00 |

Districts 31, and Small Town Districts 28, the lowest in the Main-and-Rural Districts 15. Typhus caused 107 deaths, equal to 3 in every hundred thousand of population, while Enteric or Typhoid caused 799, or 20 in like proportion, and most marked in the Large Town Districts where the rate is 27, being lowest in the two Rural Districts, in each of which it is 14. The male deaths from Typhoid are 430, the female 369. Table XXXVII. shows how, in the Rural Districts, 5·23 per cent. of the total fever deaths are due to Typhus, and 88·96 per cent. to Typhoid or Enteric; the corresponding proportions in the Urban Districts being 12·78 per cent. and 84·22 per cent. respectively.

Diphtheria caused 830 deaths, 364 males and 466 females, together giving a rate of 21 in every hundred thousand of population, or 1·00 per cent. of the total deaths. The highest ratio is in the Large Town Districts, viz., 27, and the lowest in the Insular-Rural Districts, 8, in like proportion. Scarlet Fever caused 736 deaths, or 18 in every hundred thousand of the population, and equal to 0·89 per cent. of the total specified deaths, males 358, females 378. The highest rate for this Zymotic is in the Principal Town Districts and Large Town Districts, being 25 in the former and 21 in the latter, lowest in the Mainland-Rural Districts, viz., 10 per hundred thousand of the inhabitants of the same.

The deaths from Cancer number 2703, the males 1010, the females 1693, together forming a death-rate of 68 per hundred thousand of population, or 3·27 per cent. of the certified deaths. The rate is highest in the Principal Town Districts and Mainland-Rural Districts, being in each 70 per hundred thousand, and lowest, 61, in both the Small Town Districts and Insular-Rural Districts. In the Principal Towns, as shown in Tables XXX. and XXXI., this disease is proportionately most fatal in Edinburgh, where in each hundred thousand of its inhabitants 97 so perished; followed by Dundee with a rate of 82; Leith 77; Aberdeen and Greenock each 76; Perth 65; Glasgow and Paisley each 60; Kilmarnock 57; and Glasgow Landward and Suburban 55.

Diseases of a Tubercular nature caused 10,141 deaths, males 4998, females 5143, together giving a mortality-rate of 254 per hundred thousand of population, or 12·26 per cent. of total deaths. The ratios in the five Registration Districts are as follows:—302 per hundred thousand of population in the Principal Town Districts; 284 in the Large Town Districts; 246 in the Small Town Districts; 178 in the Mainland-Rural Districts; and 189 in the Insular-Rural Districts. From Phthisis alone 7361 deaths are caused, males 3501, females 3860, and equal to 184 deaths per hundred thousand of population, or 8·90 per cent. of all certified deaths, being most

---

TABLE XXXVIII.—Monthly Deaths from Fever in Eight of the Principal Towns of Scotland during the Ten Years 1882–1891; specifying those from Typhus and Enteric Fever.

| MONTHS. | Total Fever Deaths. | Typhus. | Enteric. | MONTHS. | Total Fever Deaths. | Typhus. | Enteric. |
|---|---|---|---|---|---|---|---|
| January . | 317 | 63 | 244 | July . . | 221 | 43 | 165 |
| February . | 288 | 69 | 208 | August . | 270 | 50 | 213 |
| March . . | 260 | 70 | 180 | September . | 295 | 42 | 244 |
| April . . | 262 | 75 | 176 | October . | 353 | 39 | 310 |
| May . . | 238 | 61 | 168 | November . | 329 | 50 | 268 |
| June . . | 212 | 46 | 155 | December . | 358 | 54 | 287 |

pronounced in the Principal and Large Town Districts, least so in the Mainland-Rural Districts. In the case of the males who succumb to this disease 11·0 per cent. do so at ages under 15 years, 68·0 per cent. at ages between 15 and 45, and 21·0 per cent. at ages above 45; the corresponding ratios among the females being 14·5 per cent., 71·4 per cent., and 14·1 per cent. respectively. In the Principal Towns, Phthisis is the cause of a large proportion of the mortality occurring in each, thus in Glasgow 9·64 per cent. of the certified deaths are thus accounted for, in Edinburgh the percentage is 8·81, in Dundee 10·14, in Aberdeen 8·64, in Leith 9·77, in Paisley 9·49, in Greenock 8·13, in Perth 6·92, in Kilmarnock 9·79, and in Glasgow Landward and Suburban 10·44. Tabes Mesenterica caused 858 deaths throughout Scotland, males 447, females 411, most marked in the Urban Districts. Tubercular Meningitis killed 1242 persons, males 679, females 563, and except in the Insular-Rural Districts, the males suffered more in proportion than the females from it. From Scrofula, and other forms of Tuberculosis, 680 deaths occur, males 371, females 309.

To Diseases of the Brain and Nervous System 9482 deaths are ascribed, males 4754, females 4728, and affording a mortality-rate of 237 per hundred thousand of population, or 11·46 per cent. of the total specified deaths, exceeded in the Principal and Large Town Districts, in the former of which 262, and in the latter 274 in every hundred thousand of population died from the same. In the towns the heaviest mortality-rate for such diseases occurred in Paisley, where in every hundred thousand of the inhabitants, 315 succumbed during the year; followed by Greenock with 288; Glasgow Landward and Suburban with 280; Dundee with 269; Glasgow with 267; Perth with 263; Kilmarnock with 243; Edinburgh with 239; Aberdeen with 236; and Leith with 215. Apoplexy was the cause of death of 1309 males and 1473 females; Paralysis of 967 males and 1100 females; and Convulsions of 598 males and 479 females.

Diseases of the Circulatory System—Heart and Blood-Vessels, were the cause of 6964 deaths, males 3279, females 3685, being at the rate of 174 per hundred thousand living, or 8·42 per cent. of the specified deaths were of this nature. This rate is exceeded in the Small Town Districts and Mainland-Rural Districts, being in the former 185, and in the latter 182, in the other three it is below that for Scotland. In the towns the highest rate occurs in Perth, where 208 deaths from the above were registered

---

TABLE XXXIX.—The Twenty-two most fatal Causes of Death in Scotland in 1891, arranged in the order of their fatality.

| DISEASES. | Proportion of Deaths to 100,000 living. | DISEASES. | Proportion of Deaths to 100,000 living. |
|---|---|---|---|
| Bronchitis | 233 | Influenza | 60 |
| Phthisis | 184 | Paralysis | 52 |
| Diseases of Heart, &c. | 174 | Measles | 44 |
| Pneumonia | 141 | Diarrhœa and Dysentery | 43 |
| Age | 125 | Tubercular Meningitis | 31 |
| Violent Deaths | 74 | Enteritis | 31 |
| Apoplexy | 70 | Convulsions | 27 |
| Cancer | 68 | All Liver Diseases | 24 |
| Atrophy and Debility | 65 | Tabes Mesenterica | 22 |
| Hooping-cough | 61 | Diphtheria | 21 |
| Developmental Diseases of Children | 61 | Enteric Fever | 20 |

during the year, for every hundred thousand of its inhabitants, followed by Edinburgh with a rate of 207; Kilmarnock with one of 200; Leith with 178; Paisley with 177; Dundee with 169; Aberdeen with 167; Glasgow Landward and Suburban with 158; Glasgow with 157; and Greenock with one of 131.

From Diseases of the Respiratory Organs, excluding Phthisis, there were 17,904 deaths, the males 9209 and the females 8695, giving a mortality-rate of 448 per hundred thousand of population, or 21·64 per cent. of the specified deaths are of this nature. The proportion in the five Registration Districts and for both sexes together, are, in the Principal Town Districts, 567 or 24·73 per cent.; in the Large Town Districts 450 or 20·66 per cent.; in the Small Town Districts 400 or 19·66 per cent.; in the Mainland-Rural Districts 320 or 18·40 per cent.; and in the Insular-Rural Districts 267 or 14·90 per cent. Of these affections Bronchitis caused 9309 deaths, males 4398, females 4911; Pneumonia a total of 5642, males 3243, females 2399; while Croup caused 620 deaths, males 328, females 292. Among the Principal Towns, Glasgow shows the highest rate of such mortality, viz., 697 per hundred thousand of population, or 27·59 per cent. of the total deaths registered therein during the year, followed by Paisley with ratios of 567 or 21·24 per cent.; Dundee with 549 or 24·41 per cent.; Greenock with 531 or 23·62 per cent.; Glasgow Landward and Suburban with 498 or 23·53 per cent.; Edinburgh with 488 or 22·65 per cent.; Kilmarnock with 485 or 22·19 per cent.; Aberdeen with 448 or 22·63 per cent.; Leith with 421 or 21·19 per cent.; and Perth with 409 or 20·29 per cent.

To Diseases of the Digestive System 5560 deaths are ascribed, males 2684, females 2886, being at the rate of 139 per hundred thousand of population, or 6·73 per cent. of all the certified deaths. This mean rate for Scotland is exceeded by that in the Principal and Small Town Districts, the reverse holding good in the other three. Among the Principal Towns the highest mortality from the above occurs in Greenock, viz., 191 deaths in every hundred thousand of population; followed by Aberdeen with 171; Glasgow with 164; Dundee with 147; Paisley with 145; Kilmarnock with 136; Edinburgh with 134; Leith with 124; Perth with 117; and Glasgow Landward and Suburban with 108. Enteritis caused 1219 deaths, Peritonitis 730, Hernia 152, Liver Diseases 956, and Ileus, Stricture of the Gut and Intussusception together 410.

Diseases of the Urinary Organs account for 1945 deaths, 1161 males and 784 females, together forming a mortality-rate of 49 in every hundred thousand of the population, and equivalent to 2·35 per cent. of the total deaths. Acute Nephritis caused 381 deaths, Bright's Disease 748, Calculus 34, diseases of Bladder and Prostate 330, while other specified diseases of the Urinary System account for 188.

Diseases of the Organs of Generation caused 230 deaths—males 18, females 212, of which 67 are from Ovarian disease.

From diseases incidental to Parturition, other than Puerperal Fever, to which 378 are due, 340 deaths occur, together giving a total of 718.

Diseases of the Organs of Locomotion (Bones and Joints), caused 463 deaths, males 258, females 205, and diseases of the Skin are the cause of 102 male and 136 female deaths.

To Developmental diseases, Old Age excluded, 2450 deaths are credited —males 1399, females 1051, of which Premature Birth accounts for 1975, Atelectasis for 139, Cyanosis for 60, Spina Bifida and other Congenital Defects for 276—males 153, females 123.

From Old Age 1878 men and 3128 women are said to have died, 36 of the former and 66 of the latter at ages between 95 and 100, and 14 of the men and 12 of the women are stated to have been 100 years or over. The age of one of the men was reported at his death to be about 105 years, one woman was 106 years and four 103 years at death.

To Violence 2940 deaths are credited in the persons of 2150 males and 790 females, being together at the rate of 74 per hundred thousand of population, that of the males alone being 112 and the females 38. The deaths due to Accident or Negligence are 2670, males 1973, females 697; and those due to Violence other than accidental are 270, males 177, females 93, and of these latter 27 are Homicidal and 243 Suicidal. Of the Accidental deaths 126 occurred in the persons of a like number of males in mines and quarries, 343 deaths were caused by railways, by other vehicles or by horses. Burns and Scalds account for 272 exits, and Drowning for 537 (in addition to which there are 79 Suicides by Drowning, 46 of the latter being males and 33 females); 53 males and 23 females were accidentally poisoned; while 12 of each sex committed Suicide by taking poison. The poisons which caused death accidentally were Opium or one of its alkaloids or preparations in the case of 20 males and 7 females, Belladonna in that of 1 male and 1 female, Aconite in that of 1 female, Chloroform in that of 1 male and 2 females, Strychnia in that of 1 male, Lead in that of 1 male, Carbolic Acid in that of 2 males and 3 females, Alcohol in that of 4 males, Phosphorus in that of 1 male and 2 females, Creasote in that of 1 male, Arsenic in that of 1 male and 1 female, Sulphuric Acid in that of 2 males and 1 female, Hydrochloric Acid in that of 3 males and 1 female, Ammonia in that of 1 male, Sucking Matches in that of 1 male, overdose of Epsom Salts in that of 1 female, Eating Mussels in that of 1 male, Coal Gas in that of 3 males, other Noxious Gases in that of 2 males and 1 female, the Poison not being particularized in that of 7 males and 2 females. The Poisons which Suicides had recourse to, in order to effect their purpose, were Opium by 7 males and 6 females, Strychnia by 2 females, Arsenic by 1 male, Sulphuric Acid by 1 male and 1 female, Carbolic Acid by 2 females, while in the case of 3 males and 1 female the exact poison is not stated.

---

TABLE XL.—Monthly Mortality and Mean Temperature in Scotland during 1891, compared with the Mean of the Ten Years 1881-1890.

| | YEAR 1891. | | | 1881–1890. | |
|---|---|---|---|---|---|
| MONTHS. | Mean Temperature. | Actual Deaths. | Proportion to 12,000 per Annum, or 1000 per Month. | Monthly Proportion of Deaths. | Mean Temperature. |
| | ° | | | | ° |
| January | 36·1 | 8228 | 1182 | 1157 | 37·5 |
| February | 41·6 | 6467 | 929 | 1052 | 37·9 |
| March | 37·0 | 7776 | 1117 | 1139 | 38·9 |
| April | 41·3 | 7061 | 1014 | 1052 | 43·1 |
| May | 46·8 | 6830 | 981 | 1031 | 49·0 |
| June | 55·6 | 6913 | 993 | 941 | 54·1 |
| July | 57·3 | 5783 | 831 | 916 | 56·5 |
| August | 55·6 | 5528 | 794 | 882 | 55·7 |
| September | 54·3 | 5493 | 790 | 847 | 52·6 |
| October | 46·7 | 5736 | 824 | 911 | 46·3 |
| November | 40·5 | 8205 | 1178 | 960 | 41·4 |
| December | 38·5 | 9523 | 1367 | 1112 | 37·0 |
| YEAR | 45·9 | 83,548 | 12,000 | 12,000 | 45·8 |

69 of the male Suicides and 26 of the female occurred in the Principal Town Districts; 20 male and 12 female in the Large Town Districts; 37 male and 16 female in the Small Town Districts; 39 males and 18 females in the Mainland-Rural Districts; and 3 males and 3 females in the Insular-Rural Districts.

## WEATHER AND ITS INFLUENCE ON THE MORTALITY.

The following remarks on the weather of 1891 are extracted from the Notes of the Astronomer-Royal, appended to the monthly Reports issued by the Registrar-General.

*January* was on the whole decidedly cold, with little wind, although a violent gale swept across the country on the 31st.

For the season, the month of *February* was calm, warm, and extremely dry. The high barometric pressure was very remarkable, for not only was it greater than in any month since 1856, but was also steadier than in any previous February.

*March* was a cold, windy month, with somewhat wide range of temperature, and a strangely steady barometer, in spite of frequent violent gales.

TABLE XLI.—Meteorology of Scotland for 1891, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1891, as stated in the Quarterly Reports,

| 1891. | Jan. | Feb. | Mar. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. | YEAR |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Highest Temp. in shade | 57°·8 | 65°·6 | 65°·2 | 65°·0 | 79°·2 | 84°·0 | 80°·0 | 75°·5 | 81°·0 | 68°·5 | 59°·4 | 57°·7 | 84°·0 |
| Lowest Temp. in do. | 8°·0 | 16°·0 | 0°·4 | 17°·0 | 23°·0 | 28°·0 | 37°·0 | 29°·0 | 29°·0 | 20°·0 | 16°·4 | 10°·8 | 0°·4 |
| Mean Day Temp. . . | 41°·2 | 48°·5 | 43°·7 | 48°·9 | 54°·8 | 64°·2 | 64°·5 | 62°·4 | 61°·2 | 53°·5 | 45°·7 | 43°·7 | 52°·7 |
| Mean Night Temp. . | 31°·0 | 34°·7 | 30°·4 | 33°·8 | 38°·7 | 47°·0 | 50°·1 | 48°·8 | 47°·4 | 39°·9 | 35°·3 | 33°·3 | 39°·2 |
| Daily Range . . . . | 10°·2 | 13°·8 | 13°·4 | 15°·1 | 16°·1 | 17°·2 | 14°·5 | 13°·6 | 13°·8 | 13°·6 | 10°·4 | 10°·4 | 13°·5 |
| Mean Temperature . | 36°·1 | 41°·6 | 37°·0 | 41°·3 | 46°·8 | 55°·6 | 57°·3 | 55°·6 | 54 ·3 | 46°·7 | 40°·5 | 38°·5 | 45°·9 |
| Highest Temp. in sun | 86°·7 | 106°·5 | 125°·0 | 130°·0 | 135°·0 | 139°·3 | 140°·0 | 138°·0 | 126°·5 | 125°·0 | 100°·0 | 90°·0 | 140°·0 |
| Lowest on grass at night . . . . . | 0°·0 | 13°·1 | 8°·0 | 11°·3 | 20°·5 | 22°·8 | 28°·5 | 27°·0 | 24°·5 | 14°·5 | 11°·0 | 7°·8 | 0°·0 |
| Wet-bulb Temperature | 34°·8 | 38°·6 | 34°·5 | 38°·5 | 43°·7 | 52°·0 | 53°·8 | 52°·9 | 51°·6 | 44°·1 | 39°·0 | 37°·0 | 43°·4 |
| Dew-point Temp. . . | 32°·6 | 36°·2 | 31°·4 | 34°·8 | 40°·1 | 48°·9 | 51°·0 | 50°·5 | 49°·2 | 41°·7 | 37°·2 | 34°·9 | 40°·7 |
| Humidity of Air . . | 86 | 85 | 81 | 78 | 78 | 79 | 81 | 84 | 84 | 85 | 89 | 87 | 83 |
| Elastic force of Vapour (inches) . . . . | ·186 | ·214 | ·177 | ·203 | ·248 | ·346 | ·376 | ·370 | ·351 | ·265 | ·222 | ·204 | ·263 |
| Number of Rainy Days | 16 | 8 | 15 | 10 | 15 | 8 | 16 | 21 | 19 | 16 | 16 | 19 | 179 |
| Amount of Rain (inch) | 2·67 | 1·26 | 3·35 | 1·20 | 2·28 | 1·14 | 2·87 | 5·51 | 5·16 | 4·31 | 3·72 | 5·80 | 39·27 |
| Amount of Cloud . | 6·1 | 5·5 | 5·7 | 6·1 | 6·2 | 5·9 | 7·1 | 7·2 | 6·6 | 5·5 | 6·7 | 6·1 | 6·2 |
| Hours of Sunshine . | 54 | 89 | 116 | 157 | 174 | 195 | 152 | 126 | 112 | 116 | 51 | 47 | 1389 |
| Mean Barometer (inch) | 29·966 | 30·298 | 29·748 | 30·022 | 29·787 | 30·066 | 29·862 | 29·667 | 29·800 | 29·615 | 29·752 | 29·696 | 29·857 |
| Easterly Winds (days) | 5 | 2 | 8 | 17 | 14 | 15 | 7 | 9 | 5 | 8 | 9 | 4 | 103 |
| Westerly Winds (days) | 17 | 17 | 15 | 7 | 8 | 9 | 15 | 15 | 17 | 13 | 12 | 18 | 163 |
| Births . . . . . | 10911 | 9708 | 10944 | 11250 | 11015 | 11130 | 10664 | 10010 | 10064 | 10556 | 9521 | 10192 | 125965 |
| Deaths . . . . . | 8228 | 6467 | 7776 | 7061 | 6830 | 6913 | 5783 | 5528 | 5498 | 5736 | 8205 | 9523 | 83548 |
| Marriages . . . . . | 3760 | 1496 | 1696 | 2055 | 1003 | 4148 | 2946 | 1831 | 1783 | 1705 | 2201 | 3325 | 27949 |
| Daily Births . . . . | 352 | 347 | 353 | 375 | 355 | 371 | 344 | 323 | 335 | 341 | 317 | 329 | 345 |
| Daily Deaths . . . . | 265 | 231 | 251 | 235 | 220 | 230 | 187 | 178 | 183 | 185 | 273 | 307 | 229 |

The month of *April* was marked by unusually high and steady barometric pressure, low mean temperature, and exceptional dryness.

*May* was an unusually cold month, with low and somewhat unsteady barometer, while rain and humidity have been normal in quantity.

The weather of *June* was on the whole somewhat warmer and much drier than usual at this season.

The weather of *July* was warm and dry, while the barometric pressure was nearly normal, though attended with rather greater fluctuations than are usual in this month. The mean temperature was higher than that of any July since 1887.

The weather of *August* was characterised chiefly by the excessive rainfall, while the temperature was low and the barometric pressure uniformly low during the first three weeks, but fluctuating considerably in the last eight days. With the exception of the July of 1889, the rainfall has not been exceeded since 1877. Storms of great violence for the season were experienced all over the country in the last week of the month, and with the accompanying rain inflicted great damage on the corn crops.

The weather of *September* was most unusually varied in character, the only feature common to all the towns being a high temperature, and a series of magnificently fine warm days extending from about the 10th to the 13th.

The month of *October* 1891 was remarkable for its repeated sudden gales, associated with corresponding violent fluctuations of the relatively low barometric pressure.

*November* was remarkable for the great range of barometric pressure, accompanied by frequent rains and unusual dampness of air.

The month of *December* 1891 was extremely wet, both as to the frequency of rains and their large amount. The somewhat low barometric pressure was very variable.

---

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in Eight of the Principal Towns of Scotland, during each Month of the Year 1891.

| 1891. | Jan. | Feb. | Mar. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature | 36°·6 | 41°·8 | 38°·1 | 42°·1 | 47°·6 | 56°·2 | 59°·1 | 56°·8 | 55°·4 | 47°·1 | 41°·2 | 39°·1 |
| Highest Temperature | 53°·6 | 61°·1 | 65°·2 | 60°·8 | 74°·5 | 82°·0 | 79°·6 | 72°·1 | 79°·9 | 63°·6 | 53°·0 | 57°·1 |
| Lowest Temperature | 11°·9 | 24°·5 | 11°·0 | 25°·2 | 29°·5 | 34°·0 | 43°·0 | 38°·0 | 36°·5 | 25°·0 | 22°·9 | 10°·8 |
| Rainfall in inches | 1·87 | 0·55 | 2·77 | 1·16 | 2·18 | 0·83 | 2·51 | 4·99 | 4·81 | 3·25 | 3·71 | 5·75 |
| Easterly Winds (days) | 7 | 6 | 9 | 18 | 15 | 17 | 7 | 10 | 6 | 9 | 11 | 5 |
| Westerly Winds (days) | 18 | 17 | 16 | 7 | 9 | 9 | 17 | 15 | 18 | 12 | 13 | 20 |
| Total Deaths | 3040 | 2346 | 3003 | 2633 | 2650 | 2694 | 2094 | 1973 | 1980 | 2232 | 3260 | 3234 |
| Daily Deaths | 98 | 84 | 97 | 88 | 85 | 90 | 68 | 64 | 66 | 72 | 109 | 104 |
| Miasmatic Diseases | 253 | 217 | 340 | 343 | 344 | 334 | 181 | 152 | 154 | 269 | 361 | 438 |
| Small-pox | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 49 | 41 | 118 | 162 | 117 | 101 | 38 | 20 | 21 | 30 | 40 | 30 |
| Scarlet Fever | 45 | 28 | 29 | 17 | 33 | 26 | 12 | 24 | 29 | 38 | 34 | 33 |
| Hooping-cough | 97 | 81 | 143 | 120 | 106 | 97 | 65 | 59 | 40 | 43 | 51 | 68 |
| Diphtheria | 33 | 29 | 24 | 25 | 16 | 11 | 7 | 16 | 17 | 38 | 30 | 34 |
| All Fevers | 22 | 32 | 17 | 13 | 24 | 22 | 21 | 29 | 36 | 39 | 45 | 28 |
| Simple Cholera | – | – | – | – | – | – | – | 4 | 13 | 3 | – | – |
| Diarrhœa and Dysentery | 30 | 33 | 31 | 28 | 38 | 46 | 68 | 99 | 129 | 102 | 52 | 33 |
| Phthisis | 239 | 266 | 298 | 248 | 260 | 261 | 248 | 200 | 170 | 170 | 248 | 230 |
| Croup | 18 | 15 | 15 | 11 | 8 | 10 | 4 | 5 | 13 | 9 | 21 | 18 |
| Diseases Respiratory Organs | 953 | 597 | 780 | 638 | 638 | 570 | 322 | 273 | 299 | 470 | 1109 | 1038 |
| Heart, etc., Diseases | 212 | 175 | 216 | 216 | 187 | 226 | 169 | 154 | 133 | 141 | 214 | 208 |
| Brain, etc., Diseases | 344 | 258 | 322 | 289 | 287 | 327 | 268 | 257 | 222 | 268 | 312 | 302 |
| Premature Births | 79 | 79 | 76 | 84 | 67 | 88 | 61 | 68 | 59 | 77 | 56 | 72 |
| Age | 171 | 82 | 122 | 123 | 90 | 99 | 72 | 66 | 69 | 84 | 149 | 147 |

From Table XL. and several of the succeeding tables, some information may be extracted as to the connection between the comparative mortality from some diseases and the meteorological conditions of the successive months of the year, founded chiefly upon data furnished month by month from eight of the principal towns of Scotland. The first of those tables indicates the mean temperature of each month of the year, and for comparison there is given the mean of the preceding ten years. The mean for the year under review is 45°·9, almost the same as the mean for the ten years 45°·8. Six of the months during the year have a higher mean temperature than in the same for the ten years, and six have a lower. The summer and autumn months show a higher mean temperature than was the case for the mean of the ten years. The connection between the death-rate and climatic conditions is seen in Tables XLI. and XLII., and when the rates of monthly deaths are noted it is found that 11·40 per cent. of the whole are registered during December, 9·85 per cent. during January, 9·82 per cent. during November, 9·31 per cent. during March, 8·45 per cent. during April, 8·27 per cent. during June, 8·18 per cent. during May, 7·74 per cent. during February, 6·92 per cent. during July, 6·86 per cent. during October, 6·62 per cent. during August, and 6·58 per cent. during September.

By means of Table XLII. the occurrence of deaths from some of the more ordinary causes is seen in the eight towns for each month of the year. Thus Measles had its maximum of deaths during the spring and summer months, March, April, May, and June, its minimum during the autumnal months, August and September. Scarlet-Fever, as a rule, caused the majority of its deaths during the early and late months of the year, being highest during January, October, November, and December, which was also much the same with Diphtheria, and in both the summer months showed the fewest. Hooping-Cough, like Measles, had its maximum during March, April, May, and June, while Fevers were most fatal during the later months of the year, least so during the spring months, March and April.

TABLE XLIII.—Deaths, Temperature, and Fall of Rain in Eight of the Principal Towns of Scotland during each Week of the Year 1891; also the Proportion of Deaths to every Thousand of the Population.

| No. of Week. | Week ending | Deaths. | Prop. to every 1000 of Population. | Temperature. Mean. | Highest | Lowest | Rain, in inches | No. of Week. | Week ending | Deaths | Prop. to every 1000 of Population. | Temperature. Mean. | Highest | Lowest | Rain, in inches |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | ° | ° | ° | | | | | | ° | ° | ° | |
| 1 | January 3 | 643 | 24·8 | 35·8 | 42·6 | 28·5 | 0·24 | 27 | July 4 | 530 | 20·6 | 59·7 | 72·8 | 46·5 | 0·59 |
| 2 | 10 | 755 | 28·8 | 31·6 | 43·4 | 11·9 | 0·17 | 28 | 11 | 484 | 18·8 | 57·7 | 75·8 | 41·0 | 0·58 |
| 3 | 17 | 729 | 27·8 | 39·0 | 53·6 | 17·0 | 0·10 | 29 | 18 | 487 | 18·9 | 61·3 | 79·7 | 46·5 | 0·73 |
| 4 | 24 | 651 | 24·9 | 34·4 | 48·9 | 20·5 | 0·94 | 30 | 25 | 464 | 18·0 | 60·2 | 72·5 | 48·0 | 0·77 |
| 5 | February 31 | 690 | 26·4 | 42·2 | 51·9 | 31·3 | 0·79 | 31 | August 1 | 436 | 16·9 | 56·9 | 73·3 | 43·0 | 0·16 |
| 6 | 7 | 574 | 21·9 | 43·4 | 53·0 | 30·0 | 0·34 | 32 | 8 | 410 | 15·9 | 57·8 | 70·5 | 43·0 | 0·99 |
| 7 | 14 | 561 | 21·4 | 39·9 | 53·4 | 27·4 | 0·40 | 33 | 15 | 442 | 17·2 | 57·5 | 68·9 | 45·1 | 0·92 |
| 8 | 21 | 591 | 22·6 | 41·7 | 55·5 | 25·3 | 0·01 | 34 | 22 | 482 | 18·7 | 58·0 | 72·3 | 44·3 | 1·30 |
| 9 | 28 | 620 | 23·8 | 41·3 | 60·9 | 24·5 | 0·12 | 35 | 29 | 452 | 17·6 | 55·4 | 67·2 | 38·8 | 1·02 |
| 10 | March 7 | 628 | 24·1 | 42·6 | 65·2 | 24·2 | 0·60 | 36 | September 5 | 477 | 18·5 | 54·9 | 68·5 | 38·0 | 1·45 |
| 11 | 14 | 684 | 26·2 | 32·0 | 47·8 | 11·0 | 0·10 | 37 | 12 | 481 | 18·7 | 58·4 | 79·8 | 36·5 | 0·45 |
| 12 | 21 | 676 | 25·9 | 38·3 | 52·0 | 22·0 | 1·49 | 38 | 19 | 397 | 15·4 | 56·8 | 79·9 | 42·9 | 0·48 |
| 13 | 28 | 698 | 26·7 | 39·7 | 56·8 | 27·0 | 0·67 | 39 | 26 | 485 | 18·8 | 51·2 | 64·8 | 37·0 | 2·40 |
| 14 | April 4 | 684 | 26·2 | 38·0 | 50·4 | 23·5 | 0·66 | 40 | October 3 | 450 | 17·5 | 53·0 | 64·5 | 34·2 | 0·69 |
| 15 | 11 | 653 | 25·0 | 40·6 | 57·9 | 30·0 | 0·21 | 41 | 10 | 514 | 20·0 | 53·0 | 63·8 | 38·3 | 1·08 |
| 16 | 18 | 590 | 22·6 | 43·0 | 57·9 | 27·5 | 0·09 | 42 | 17 | 482 | 18·7 | 47·8 | 59·8 | 34·0 | 1·26 |
| 17 | 25 | 586 | 22·1 | 43·5 | 57·4 | 27·0 | 0·04 | 43 | 24 | 490 | 19·0 | 45·6 | 57·9 | 29·5 | 0·86 |
| 18 | May 2 | 603 | 23·1 | 45·6 | 60·3 | 29·5 | 0·95 | 44 | 31 | 578 | 22·5 | 41·0 | 55·1 | 25·0 | 0·02 |
| 19 | 9 | 625 | 23·9 | 46·9 | 62·9 | 34·0 | 0·49 | 45 | November 7 | 653 | 25·2 | 44·3 | 52·6 | 26·0 | 0·08 |
| 20 | 16 | 630 | 24·1 | 49·9 | 74·5 | 32·0 | 0·13 | 46 | 14 | 732 | 28·4 | 43·1 | 52·5 | 34·0 | 1·72 |
| 21 | 23 | 622 | 23·8 | 45·2 | 59·7 | 29·5 | 0·30 | 47 | 21 | 802 | 31·2 | 42·7 | 54·3 | 28·0 | 1·08 |
| 22 | 30 | 607 | 23·6 | 48·3 | 62·9 | 36·0 | 0·69 | 48 | 28 | 815 | 31·7 | 35·3 | 47·6 | 22·9 | 0·44 |
| 23 | June 6 | 651 | 25·3 | 50·9 | 69·0 | 37·0 | 0·01 | 49 | December 5 | 830 | 32·2 | 43·9 | 57·1 | 27·0 | 1·18 |
| 24 | 13 | 623 | 24·2 | 52·2 | 74·5 | 34·0 | 0·06 | 50 | 12 | 787 | 30·6 | 39·8 | 52·8 | 28·5 | 2·14 |
| 25 | 20 | 597 | 23·2 | 58·9 | 82·0 | 45·1 | 0·21 | 51 | 19 | 669 | 26·0 | 36·3 | 48·0 | 10·8 | 1·13 |
| 26 | 27 | 561 | 21·8 | 61·1 | 82·5 | 42·6 | 0·43 | 52 | 26 | 698 | 27·1 | 36·0 | 49·3 | 21·5 | 0·14 |
| | | | | | | | | 53 | January 2 | 670 | 26·0 | 39·5 | 50·9 | 32·0 | 1·18 |

Diarrhœal Affections are, as usual, most fatal during the autumnal months of August, September, and October, least so during the early ones.

Phthisis or Consumption causes many deaths each month, the smallest number from this fell disease being registered during August, September, and October. Croup claims the majority of its victims during the early and late months of the year, the fewest deaths from it occurring during July and August.

Diseases of the Respiratory Organs were distinctly most fatal during the colder months of January, March, November and December, and much the same occurred in the case of those suffering from Disease of the Heart, and in both cases the minimum of mortality occurred during the warm autumnal months of August, September, and October, both classes of disease being, it is well known, affected by climatic conditions.

---

TABLE XLIV.—Monthly Mortality at Four Periods of Life in Eight of the Principal Towns of Scotland during the Year 1891, and Proportion at each Age in every Hundred Deaths per Month.

| MONTHS. | Actual Number of Deaths in 1890. | | | | | Proportion at each Age in every Hundred Deaths per Month. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 years. | 5–20. | 20–60. | 60 and above. | Total Deaths. | 0–5 years. | 5–20. | 20–60. | 60 and above. | Total. |
| January . . | 946 | 199 | 1062 | 833 | 3040 | 31·1 | 6·6 | 34·9 | 27·4 | 100 |
| February . | 827 | 201 | 788 | 530 | 2346 | 35·2 | 8·6 | 33·6 | 22·6 | 100 |
| March . . | 1073 | 268 | 973 | 689 | 3003 | 35·7 | 8·9 | 32·4 | 23·0 | 100 |
| April . . . | 976 | 231 | 824 | 602 | 2633 | 37·1 | 8·8 | 31·3 | 22·8 | 100 |
| May . . . | 991 | 237 | 885 | 537 | 2650 | 37·4 | 8·9 | 33·4 | 20·3 | 100 |
| June . . . | 982 | 251 | 878 | 583 | 2694 | 36·5 | 9·3 | 32·6 | 21·6 | 100 |
| July . . . | 733 | 204 | 717 | 440 | 2094 | 35·0 | 9·8 | 34·2 | 21·0 | 100 |
| August . . | 830 | 170 | 612 | 361 | 1973 | 42·1 | 8·6 | 31·0 | 18·3 | 100 |
| September . | 800 | 181 | 618 | 381 | 1980 | 40·4 | 9·1 | 31·2 | 19·3 | 100 |
| October . | 871 | 184 | 714 | 463 | 2232 | 39·0 | 8·2 | 32·0 | 20·8 | 100 |
| November . | 1051 | 247 | 1006 | 956 | 3260 | 32·2 | 7·6 | 30·9 | 29·3 | 100 |
| December . | 1067 | 224 | 1004 | 939 | 3234 | 33·0 | 6·9 | 31·1 | 29·0 | 100 |
| YEAR . | 11,147 | 2,597 | 10,081 | 7,314 | 31,139 | 35·8 | 8·3 | 32·4 | 23·5 | 100 |

TABLE XLV.—Months equalised to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in Eight of the Principal Towns during each Month of the Year 1891.

| MONTHS. | Relative Number of Deaths in 1891. | | | | | Monthly Deaths proportioned to 1000 per Month or 12,000 per annum. |
|---|---|---|---|---|---|---|
| | 0–5 years. | 5–20. | 20–60. | 60 and above. | Total. | |
| January . . . | 946 | 199 | 1062 | 833 | 3040 | 1149 |
| February . . . | 915 | 223 | 872 | 587 | 2597 | 982 |
| March . . . | 1073 | 268 | 973 | 689 | 3003 | 1135 |
| April . . . | 1009 | 239 | 851 | 622 | 2721 | 1029 |
| May . . . | 991 | 237 | 885 | 537 | 2650 | 1002 |
| June . . . | 1015 | 259 | 907 | 602 | 2783 | 1052 |
| July . . . | 733 | 204 | 717 | 440 | 2094 | 792 |
| August . . . | 830 | 170 | 612 | 361 | 1973 | 746 |
| September . . | 827 | 187 | 638 | 394 | 2046 | 773 |
| October . . . | 871 | 184 | 714 | 463 | 2232 | 844 |
| November . . | 1086 | 255 | 1040 | 988 | 3369 | 1274 |
| December . . | 1067 | 224 | 1004 | 939 | 3234 | 1222 |
| YEAR . . | 11,363 | 2,649 | 10,275 | 7,455 | 31,742 | 12,000 |

Diseases of the Brain and Nervous System caused the largest number of deaths during January, March, June, November, and December.

The Aged succumbed, as may be supposed, in largest number during the three coldest months of January, November, and December, and least so during the warm autumnal months August, September, and October.

Tables XLIV. and XLV. are constructed with the purpose of indicating the number and proportion of those dying in these same towns at four series of ages, viz., in childhood, during adolescence, adult life, and among the aged. Thus the number of children, 0–5 years, who died during the year is 11,147 or 35·8 per cent. of the total deaths, the largest number of them occurring during the months of March, April, May, November, and December, months when Measles and Hooping-Cough among the Zymotics, as also Respiratory Affections generally, were most fatal.

The number of adolescents, 5–20 years, who died is 2597 or 8·3 per cent. of deaths at all ages, and these deaths were most marked during March, April, May, June, and November, months when Phthisis and Diseases of the Respiratory Organs, as Bronchitis and Pneumonia, claimed many victims.

Among those who died during adult life, 20–60 years, in all 10,081 or 32·4 per cent. of the whole, the heaviest mortality appears during the early and late months of the year.

The deaths of the aged, 60 and above, number 7314 or 23·5 per cent. of all, and are most numerous during the most inclement months of January, March, November, and December.

I have the honour to be,

SIR,

Your most obedient Servant,

R. J. BLAIR CUNYNGHAME, M.D.

GENERAL REGISTRY OFFICE OF BIRTHS, &c.
EDINBURGH, 15*th December* 1893.

# APPENDIX TABLES.

# VACCINATIONS IN SCOTLAND—1891.

| No. of Division, &c. | REGISTRATION GROUPS, DIVISIONS, AND COUNTIES. | Successfully Vaccinated. | Vaccination Postponed. | Insusceptible of Vaccine Disease: On the ground of Constitutional Insusceptibility. | Insusceptible of Vaccine Disease: In respect of the Children having already had Small-pox. | Insusceptible of Vaccine Disease: On the ground of previous Successful Vaccination. | Died before Vaccination. | Removed from District before Vaccination, or otherwise unaccounted for. | Total Births for 1891. |
|---|---|---|---|---|---|---|---|---|---|
| | **SCOTLAND,** | 107482 | 2637 | 268 | 1 | 280 | 12293 | 3115 | 126076 |
| | **GROUPS OF DISTRICTS.** | | | | | | | | |
| 1 | PRINCIPAL TOWN, | 44452 | 600 | 105 | 1 | 173 | 5717 | 1372 | 52420 |
| 2 | LARGE TOWN, | 13616 | 324 | 13 | 0 | 46 | 1587 | 302 | 15888 |
| 3 | SMALL TOWN, | 22816 | 626 | 65 | 0 | 48 | 2629 | 662 | 26846 |
| 4 | MAINLAND-RURAL, | 24606 | 757 | 67 | 0 | 11 | 2142 | 472 | 28055 |
| 5 | INSULAR-RURAL, | 1992 | 330 | 18 | 0 | 2 | 218 | 307 | 2867 |
| | *DIVISIONS.* | | | | | | | | |
| I. | NORTHERN, | 2176 | 208 | 13 | 0 | 1 | 201 | 157 | 2756 |
| II. | NORTH-WESTERN, | 2787 | 402 | 13 | 0 | 3 | 366 | 308 | 3879 |
| III. | NORTH-EASTERN, | 11410 | 309 | 30 | 0 | 10 | 1199 | 121 | 13079 |
| IV. | EAST-MIDLAND, | 15454 | 396 | 46 | 1 | 16 | 1903 | 303 | 18119 |
| V. | WEST-MIDLAND, | 7880 | 319 | 19 | 0 | 11 | 825 | 375 | 9429 |
| VI. | SOUTH-WESTERN, | 47668 | 518 | 93 | 0 | 218 | 5507 | 1170 | 55174 |
| VII. | SOUTH-EASTERN, | 15451 | 349 | 36 | 0 | 6 | 1776 | 532 | 18150 |
| VIII. | SOUTHERN, | 4656 | 126 | 18 | 0 | 15 | 516 | 59 | 5390 |
| | *COUNTIES.* | | | | | | | | |
| | I. NORTHERN. | | | | | | | | |
| 1 | Shetland, | 480 | 67 | 4 | 0 | 0 | 33 | 54 | 638 |
| 2 | Orkney, | 571 | 29 | 7 | 0 | 1 | 43 | 13 | 664 |
| 3 | Caithness, | 716 | 91 | 1 | 0 | 0 | 95 | 63 | 966 |
| 4 | Sutherland, | 409 | 21 | 1 | 0 | 0 | 30 | 27 | 488 |
| | II. NORTH-WESTERN. | | | | | | | | |
| 5 | Ross and Cromarty, | 1476 | 236 | 10 | 0 | 1 | 166 | 116 | 2005 |
| 6 | Inverness, | 1311 | 176 | 3 | 0 | 2 | 200 | 282 | 1974 |
| | III. NORTH-EASTERN. | | | | | | | | |
| 7 | Nairn, | 152 | 6 | 1 | 0 | 0 | 16 | 4 | 179 |
| 8 | Elgin (or Moray), | 1086 | 49 | 2 | 0 | 0 | 108 | 19 | 1264 |
| 9 | Banff, | 1628 | 50 | 12 | 0 | 0 | 132 | 15 | 1837 |
| 10 | Aberdeen, | 7588 | 183 | 12 | 0 | 10 | 856 | 79 | 8728 |
| 11 | Kincardine, | 956 | 21 | 3 | 0 | 0 | 87 | 4 | 1071 |
| | IV. EAST-MIDLAND. | | | | | | | | |
| 12 | Forfar, | 7017 | 154 | 27 | 1 | 7 | 1068 | 162 | 8436 |
| 13 | Perth, | 2590 | 74 | 5 | 0 | 0 | 234 | 90 | 2993 |
| 14 | Fife, | 4955 | 130 | 11 | 0 | 8 | 519 | 47 | 5670 |
| 15 | Kinross, | 161 | 2 | 1 | 0 | 0 | 8 | 0 | 172 |
| 16 | Clackmannan, | 731 | 36 | 2 | 0 | 1 | 74 | 4 | 848 |
| | V. WEST-MIDLAND. | | | | | | | | |
| 17 | Stirling, | 3418 | 100 | 6 | 0 | 10 | 387 | 98 | 4020 |
| 18 | Dumbarton, | 2891 | 82 | 2 | 0 | 0 | 315 | 149 | 3239 |
| 19 | Argyll, | 1450 | 102 | 7 | 0 | 0 | 97 | 124 | 1780 |
| 20 | Bute, | 301 | 35 | 4 | 0 | 1 | 26 | 4 | 371 |
| | VI. SOUTH-WESTERN. | | | | | | | | |
| 21 | Renfrew, | 6666 | 149 | 31 | 0 | 76 | 813 | 246 | 7921 |
| 22 | Ayr, | 6723 | 69 | 14 | 0 | 16 | 666 | 72 | 7560 |
| 23 | Lanark, | 34339 | 300 | 48 | 0 | 126 | 4028 | 852 | 39693 |
| | VII. SOUTH-EASTERN. | | | | | | | | |
| 24 | Linlithgow, | 1830 | 61 | 4 | 0 | 0 | 204 | 51 | 2150 |
| 25 | Edinburgh, | 11133 | 234 | 26 | 0 | 0 | 1317 | 374 | 13084 |
| 26 | Haddington, | 864 | 19 | 2 | 0 | 1 | 80 | 26 | 992 |
| 27 | Berwick, | 684 | 18 | 2 | 0 | 0 | 75 | 6 | 785 |
| 28 | Peebles, | 344 | 6 | 2 | 0 | 0 | 23 | 1 | 376 |
| 29 | Selkirk, | 596 | 11 | 0 | 0 | 5 | 77 | 74 | 763 |
| | VIII. SOUTHERN. | | | | | | | | |
| 30 | Roxburgh, | 1095 | 39 | 1 | 0 | 2 | 142 | 5 | 1284 |
| 31 | Dumfries, | 1797 | 41 | 7 | 0 | 11 | 188 | 32 | 2076 |
| 32 | Kirkcudbright, | 946 | 24 | 3 | 0 | 2 | 87 | 13 | 1075 |
| 33 | Wigtown, | 828 | 22 | 7 | 0 | 0 | 99 | 9 | 965 |

DEATHS in 1891.—NUMBER of CERTIFIED and UNCERTIFIED DEATHS, with the Proportion of Uncertified Deaths, in the Groups of Districts, Counties, and Principal Towns of Scotland.

| | | POPULATION. | | Total Deaths. | Certified. | Uncertified. | Per Centage of Uncertified to Total Deaths. |
|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | | | | |
| | SCOTLAND, | 3,735,573 | 4,025,647 | 83,573 | 78,882 | 4,691 | 5·6 |
| | GROUPS OF DISTRICTS. | | | | | | |
| 1 | PRINCIPAL TOWN | 1,406,838 | 1,590,310 | 36,598 | 35,446 | 1,152 | 3·1 |
| 2 | LARGE TOWN | 406,724 | 467,872 | 10,215 | 9,859 | 356 | 3·5 |
| 3 | SMALL TOWN | 784,634 | 845,839 | 17,113 | 16,560 | 553 | 3·2 |
| 4 | MAINLAND-RURAL | 1,006,969 | 1,001,174 | 17,390 | 15,760 | 1,630 | 9·4 |
| 5 | INSULAR-RURAL | 130,388 | 125,952 | 2,251 | 1,257 | 994 | 44·2 |
| | *DIVISIONS.* | | | | | | |
| I. | NORTHERN, | 123,384 | 118,237 | 2,030 | 1,483 | 547 | 26·9 |
| II. | NORTH-WESTERN, | 165,856 | 163,836 | 2,946 | 1,854 | 1,092 | 37·1 |
| III. | NORTH-EASTERN, | 418,250 | 435,580 | 7,333 | 7,005 | 328 | 4·5 |
| IV. | EAST-MIDLAND, | 602,421 | 629,035 | 12,582 | 11,957 | 625 | 5·0 |
| V. | WEST-MIDLAND, | 283,460 | 314,840 | 6,442 | 5,954 | 488 | 7·6 |
| VI. | SOUTH-WESTERN, | 1,385,447 | 1,563,253 | 33,573 | 32,700 | 873 | 2·6 |
| VII. | SOUTH-EASTERN, | 546,658 | 599,620 | 12,430 | 11,825 | 605 | 4·9 |
| VIII. | SOUTHERN, | 209,497 | 203,246 | 4,037 | 3,904 | 133 | 3·3 |
| | *COUNTIES.* | | | | | | |
| | I. NORTHERN. | | | | | | |
| 1 | Shetland, | 29,705 | 28,711 | 518 | 288 | 230 | 44·4 |
| 2 | Orkney, | 32,044 | 30,153 | 509 | 394 | 115 | 22·6 |
| 3 | Caithness, | 39,869 | 38,070 | 658 | 587 | 71 | 10·8 |
| 4 | Sutherland, | 22,376 | 21,003 | 345 | 214 | 131 | 38·0 |
| | II. NORTH-WESTERN. | | | | | | |
| 5 | Ross and Cromarty, | 79,467 | 78,640 | 1,347 | 843 | 504 | 37·4 |
| 6 | Inverness, | 86,389 | 85,196 | 1,599 | 1,011 | 588 | 36·8 |
| | III. NORTH-EASTERN. | | | | | | |
| 7 | Nairn, | 8,847 | 8,554 | 166 | 141 | 25 | 15·1 |
| 8 | Elgin, | 45,108 | 44,829 | 791 | 718 | 73 | 9·2 |
| 9 | Banff, | 59,763 | 61,703 | 944 | 874 | 70 | 7·4 |
| 10 | Aberdeen, | 269,047 | 281,994 | 4,869 | 4,728 | 141 | 2·9 |
| 11 | Kincardine, | 35,465 | 37,024 | 563 | 544 | 19 | 3·4 |
| | IV. EAST-MIDLAND. | | | | | | |
| 12 | Forfar, | 268,653 | 280,098 | 5,911 | 5,703 | 208 | 3·5 |
| 13 | Perth, | 130,282 | 127,895 | 2,444 | 2,269 | 175 | 7·2 |
| 14 | Fife, | 172,131 | 187,601 | 3,627 | 3,401 | 226 | 6·2 |
| 15 | Kinross, | 7,330 | 6,725 | 135 | 128 | 7 | 5·2 |
| 16 | Clackmannan, | 24,025 | 26,716 | 465 | 456 | 9 | 1·9 |
| | V. WEST-MIDLAND. | | | | | | |
| 17 | Stirling, | 106,383 | 119,129 | 2,845 | 2,442 | 103 | 4·0 |
| 18 | Dumbarton, | 78,182 | 98,014 | 2,013 | 1,940 | 73 | 3·6 |
| 19 | Argyll, | 80,761 | 79,310 | 1,467 | 1,178 | 289 | 19·7 |
| 20 | Bute, | 17,634 | 18,387 | 417 | 394 | 23 | 5·5 |
| | VI. SOUTH-WESTERN. | | | | | | |
| 21 | Renfrew, | 225,611 | 245,147 | 5,633 | 5,435 | 198 | 3·5 |
| 22 | Ayr, | 221,630 | 226,403 | 4,614 | 4,543 | 71 | 1·5 |
| 23 | Lanark, | 942,206 | 1,091,703 | 25,526 | 24,922 | 604 | 2·4 |
| | VII. SOUTH-EASTERN. | | | | | | |
| 24 | Linlithgow, | 44,005 | 53,441 | 1,040 | 1,010 | 30 | 2·9 |
| 25 | Edinburgh, | 388,836 | 433,946 | 9,346 | 8,835 | 511 | 5·5 |
| 26 | Haddington, | 38,510 | 37,500 | 672 | 629 | 43 | 6·4 |
| 27 | Berwick, | 35,273 | 32,511 | 617 | 607 | 10 | 1·6 |
| 28 | Peebles, | 13,688 | 14,654 | 267 | 263 | 4 | 1·5 |
| 29 | Selkirk, | 26,346 | 28,068 | 488 | 481 | 7 | 1·4 |
| | VIII. SOUTHERN. | | | | | | |
| 30 | Roxburgh, | 52,592 | 52,054 | 1,012 | 997 | 15 | 1·5 |
| 31 | Dumfries, | 76,167 | 74,249 | 1,293 | 1,233 | 60 | 3·8 |
| 32 | Kirkcudbright, | 42,290 | 40,168 | 727 | 701 | 26 | 3·6 |
| 33 | Wigtown, | 38,448 | 35,980 | 705 | 673 | 32 | 4·5 |
| | PRINCIPAL TOWNS. | | | | | | |
| | Glasgow, | 511,415 | 565,839 | 14,324 | 13,962 | 362 | 2·5 |
| | Edinburgh, | 234,402 | 261,225 | 5,646 | 5,239 | 407 | 7·2 |
| | Dundee, | 142,455 | 155,675 | 3,516 | 3,398 | 118 | 3·4 |
| | Aberdeen, | 105,076 | 121,895 | 2,422 | 2,404 | 18 | 0·7 |
| | Leith, | 60,843 | 69,885 | 1,395 | 1,346 | 49 | 3·5 |
| | Paisley, | 55,638 | 66,425 | 1,780 | 1,736 | 44 | 2·5 |
| | Greenock, | 66,816 | 63,512 | 1,430 | 1,362 | 68 | 4·7 |
| | Perth, | 29,756 | 30,768 | 625 | 600 | 25 | 4·0 |
| | Kilmarnock, | 25,864 | 27,968 | 619 | 613 | 6 | 1·0 |
| | Glasgow, Landward & Suburb., | 174,573 | 227,118 | 4,841 | 4,786 | 55 | 1·1 |

TABLE showing the Distribution of DEATHS according to Months, or the influence of the SEASON on the MORTALITY, 1891.

| | | DEATHS IN 1891. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Jan. | Feb. | Mar. | Apr. | May. | Jun. | Jul. | Aug. | Sep. | Oct. | Nov. | Dec. | Year. |
| | SCOTLAND, - - | 8228 | 6467 | 7776 | 7061 | 6830 | 6913 | 5783 | 5528 | 5498 | 5736 | 8205 | 9523 | 83548 |
| | Mean Temperature in 1891 | 36°·6 | 41°·8 | 38°·1 | 42°·1 | 47°·6 | 56°·2 | 59°·1 | 56°·8 | 55°·4 | 47°·1 | 41°·2 | 39°·1 | 46°·8 |
| | GROUPS OF DISTRICTS. | | | | | | | | | | | | | |
| 1 | PRINCIPAL TOWN, - - | 3602 | 2762 | 3524 | 3096 | 3155 | 3148 | 2464 | 2398 | 2353 | 2581 | 3777 | 3744 | 36604 |
| 2 | LARGE TOWN, - - - | 989 | 793 | 896 | 892 | 784 | 889 | 680 | 675 | 707 | 739 | 1042 | 1130 | 10216 |
| 3 | SMALL TOWN, - - | 1686 | 1300 | 1556 | 1436 | 1361 | 1300 | 1171 | 1132 | 1174 | 1175 | 1713 | 2120 | 17124 |
| 4 | MAINLAND-RURAL, - | 1720 | 1432 | 1595 | 1461 | 1338 | 1403 | 1267 | 1119 | 1113 | 1115 | 1503 | 2302 | 17368 |
| 5 | INSULAR-RURAL, - - | 231 | 180 | 205 | 176 | 192 | 173 | 201 | 204 | 151 | 126 | 170 | 227 | 2236 |
| | *DIVISIONS.* | | | | | | | | | | | | | |
| I. | NORTHERN, - - - | 202 | 144 | 198 | 160 | 200 | 147 | 151 | 147 | 165 | 125 | 149 | 233 | 2021 |
| II. | NORTH-WESTERN, - - | 303 | 264 | 263 | 260 | 231 | 222 | 209 | 227 | 210 | 211 | 222 | 319 | 2941 |
| III. | NORTH-EASTERN, - - | 724 | 598 | 661 | 615 | 576 | 639 | 534 | 477 | 473 | 524 | 635 | 871 | 7327 |
| IV. | EAST-MIDLAND, - - | 1133 | 948 | 1099 | 1056 | 973 | 979 | 894 | 811 | 857 | 850 | 1407 | 1576 | 12583 |
| V. | WEST-MIDLAND, - - | 661 | 505 | 631 | 527 | 508 | 507 | 431 | 439 | 421 | 442 | 629 | 730 | 6431 |
| VI. | SOUTH-WESTERN, - - | 3677 | 2757 | 3413 | 3101 | 3001 | 3053 | 2427 | 2396 | 2360 | 2524 | 3537 | 3529 | 35775 |
| VII. | SOUTH-EASTERN, - - | 1107 | 939 | 1130 | 1003 | 998 | 1006 | 858 | 797 | 770 | 821 | 1277 | 1726 | 12432 |
| VIII. | SOUTHERN, - - - | 421 | 312 | 381 | 339 | 343 | 360 | 279 | 234 | 242 | 239 | 349 | 539 | 4038 |
| | *COUNTIES.* | | | | | | | | | | | | | |
| | I. NORTHERN. | | | | | | | | | | | | | |
| 1 | Shetland, - - - - | 58 | 27 | 50 | 36 | 45 | 44 | 36 | 42 | 41 | 27 | 32 | 78 | 516 |
| 2 | Orkney, - - - - | 51 | 43 | 55 | 35 | 65 | 37 | 34 | 40 | 34 | 28 | 38 | 49 | 509 |
| 3 | Caithness, - - - - | 58 | 38 | 62 | 59 | 68 | 47 | 51 | 40 | 58 | 48 | 54 | 74 | 657 |
| 4 | Sutherland, - - - | 35 | 36 | 31 | 30 | 22 | 19 | 30 | 25 | 32 | 22 | 25 | 32 | 339 |
| | II. NORTH-WESTERN. | | | | | | | | | | | | | |
| 5 | Ross and Cromarty - - | 131 | 127 | 113 | 103 | 116 | 106 | 82 | 85 | 114 | 115 | 124 | 137 | 1353 |
| 6 | Inverness, - - - - | 172 | 137 | 150 | 157 | 115 | 116 | 127 | 142 | 96 | 96 | 98 | 182 | 1588 |
| | III. NORTH-EASTERN. | | | | | | | | | | | | | |
| 7 | Nairn, - - - - | 20 | 18 | 11 | 10 | 12 | 17 | 15 | 10 | 8 | 15 | 10 | 20 | 166 |
| 8 | Elgin (or Moray), - - | 94 | 63 | 74 | 69 | 50 | 57 | 62 | 60 | 52 | 45 | 56 | 108 | 790 |
| 9 | Banff, - - - - | 99 | 83 | 78 | 85 | 71 | 68 | 71 | 71 | 62 | 65 | 80 | 111 | 944 |
| 10 | Aberdeen, - - - - | 457 | 380 | 449 | 404 | 405 | 449 | 347 | 308 | 304 | 373 | 437 | 551 | 4864 |
| 11 | Kincardine, - - - - | 54 | 54 | 49 | 47 | 38 | 48 | 39 | 28 | 47 | 26 | 52 | 81 | 563 |
| | IV. EAST-MIDLAND. | | | | | | | | | | | | | |
| 12 | Forfar, - - - - | 482 | 431 | 509 | 495 | 485 | 515 | 423 | 398 | 409 | 429 | 666 | 670 | 5912 |
| 13 | Perth, - - - - | 240 | 190 | 236 | 210 | 170 | 160 | 203 | 132 | 169 | 168 | 263 | 306 | 2447 |
| 14 | Fife, - - - - - | 341 | 277 | 309 | 302 | 285 | 253 | 222 | 234 | 242 | 214 | 420 | 525 | 3624 |
| 15 | Kinross, - - - - | 19 | 13 | 12 | 13 | 3 | 3 | 14 | 11 | 6 | 6 | 15 | 20 | 135 |
| 16 | Clackmannan, - - - | 51 | 37 | 33 | 36 | 30 | 48 | 32 | 36 | 31 | 33 | 43 | 55 | 465 |
| | V. WEST-MIDLAND. | | | | | | | | | | | | | |
| 17 | Stirling, - - - - | 263 | 209 | 249 | 183 | 197 | 200 | 151 | 172 | 154 | 203 | 251 | 311 | 2543 |
| 18 | Dumbarton, - - - | 197 | 154 | 223 | 161 | 160 | 165 | 132 | 134 | 158 | 126 | 185 | 218 | 2013 |
| 19 | Argyll, - - - - | 145 | 114 | 134 | 147 | 121 | 111 | 105 | 94 | 84 | 90 | 158 | 157 | 1460 |
| 20 | Bute, - - - - - | 56 | 28 | 25 | 36 | 30 | 31 | 43 | 39 | 25 | 28 | 35 | 44 | 415 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | | |
| 21 | Renfrew, - - - - | 568 | 398 | 561 | 530 | 482 | 482 | 369 | 396 | 336 | 405 | 576 | 530 | 5633 |
| 22 | Ayr, - - - - - | 475 | 344 | 432 | 404 | 373 | 340 | 321 | 303 | 329 | 308 | 451 | 535 | 4615 |
| 23 | Lanark, - - - - | 2634 | 2015 | 2420 | 2167 | 2146 | 2231 | 1737 | 1697 | 1695 | 1811 | 2510 | 2464 | 25527 |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | | |
| 24 | Linlithgow, - - - | 92 | 67 | 84 | 82 | 86 | 67 | 65 | 71 | 68 | 80 | 134 | 145 | 1041 |
| 25 | Edinburgh, - - - | 833 | 731 | 848 | 725 | 754 | 774 | 657 | 580 | 597 | 616 | 953 | 1281 | 9349 |
| 26 | Haddington, - - - | 61 | 49 | 56 | 66 | 58 | 57 | 44 | 45 | 45 | 39 | 55 | 96 | 671 |
| 27 | Berwick, - - - - | 61 | 49 | 72 | 57 | 48 | 37 | 45 | 41 | 31 | 36 | 46 | 93 | 616 |
| 28 | Peebles, - - - - | 21 | 16 | 27 | 29 | 24 | 30 | 16 | 21 | 11 | 18 | 23 | 31 | 267 |
| 29 | Selkirk, - - - - | 39 | 27 | 43 | 44 | 28 | 41 | 31 | 39 | 18 | 32 | 66 | 80 | 488 |
| | VIII. SOUTHERN. | | | | | | | | | | | | | |
| 30 | Roxburgh, - - - - | 92 | 78 | 95 | 92 | 82 | 101 | 69 | 55 | 60 | 62 | 80 | 144 | 1010 |
| 31 | Dumfries, - - - - | 181 | 125 | 154 | 134 | 130 | 157 | 108 | 85 | 103 | 102 | 132 | 183 | 1594 |
| 32 | Kirkcudbright, - - - | 77 | 54 | 73 | 62 | 65 | 42 | 47 | 42 | 44 | 40 | 68 | 113 | 727 |
| 33 | Wigtown, - - - - | 71 | 55 | 59 | 51 | 66 | 60 | 55 | 52 | 35 | 35 | 69 | 99 | 707 |

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from

## Births, Deaths, and Marriages registered in Scotland during the Year 1891.

| 1891. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. | Excess of Births over Deaths. | Areas in Square Miles.* |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1881. | 1891. | Male. | Fem. | Total. | Mal. | Fem | Total. | Male. | Fem. | Total. | | | |
| SCOTLAND, - - | 3,735,573 | 4,025,647 | 64769 | 61217 | 125986 | 4992 | 4655 | 9647 | 41192 | 42451 | 83573 | 27969 | 42413 | 29785·1 |
| **GROUPS OF DISTRICTS.** | | | | | | | | | | | | | | |
| 1 PRINCIPAL TOWNS . | 1,406,838 | 1,590,310 | 26665 | 25742 | 52407 | 1972 | 1824 | 3796 | 18018 | 18580 | 36598 | 13365 | 15809 | |
| 2 LARGE TOWNS . . | 406,724 | 467,872 | 8219 | 7671 | 15883 | 509 | 462 | 971 | 5040 | 5175 | 10215 | 3470 | 5668 | |
| 3 SMALL TOWNS . . | 784,654 | 849,359 | 13887 | 12974 | 26860 | 1034 | 905 | 1939 | 8414 | 8705 | 17119 | 5411 | 9741 | |
| 4 MAINLAND-RURAL . | 1,006,969 | 1,001,174 | 14462 | 13515 | 27977 | 1388 | 1400 | 2788 | 8604 | 8786 | 17390 | 5272 | 10587 | |
| 5 INSULAR-RURAL . . | 130,388 | 125,952 | 1543 | 1316 | 2859 | 89 | 64 | 153 | 1046 | 1205 | 2251 | 451 | 608 | |
| **DIVISIONS.** | | | | | | | | | | | | | | |
| 1 NORTHERN . . . | 123,984 | 118,237 | 1452 | 1294 | 2746 | 91 | 109 | 200 | 909 | 1121 | 2030 | 507 | 716 | 3640·8 |
| 2 NORTH-WESTERN . . | 165,856 | 157,898 | 2074 | 1898 | 3972 | 115 | 111 | 226 | 1383 | 1563 | 2946 | 758 | 1026 | 7166·5 |
| 3 NORTH-EASTERN . . | 418,290 | 466,580 | 6746 | 6316 | 13062 | 920 | 846 | 1766 | 3577 | 3756 | 7333 | 2745 | 5729 | 3650·7 |
| 4 EAST-MIDLAND . . | 602,421 | 672,035 | 9306 | 8811 | 18117 | 753 | 724 | 1477 | 5890 | 6692 | 12582 | 4170 | 5535 | 4015·5 |
| 5 WEST-MIDLAND . . | 285,180 | 314,840 | 4885 | 4541 | 9426 | 326 | 271 | 597 | 3311 | 3131 | 6442 | 1865 | 2984 | 4111·0 |
| 6 SOUTH-WESTERN . . | 1,385,447 | 1,563,254 | 28274 | 26863 | 55137 | 1731 | 1636 | 3367 | 17995 | 17778 | 35773 | 12300 | 19384 | 2255·2 |
| 7 SOUTH-EASTERN . . | 340,338 | 399,620 | 9301 | 8825 | 18126 | 716 | 629 | 1345 | 6180 | 6250 | 12430 | 4504 | 5696 | 1825·3 |
| 8 SOUTHERN . . . | 209,457 | 263,246 | 2731 | 2649 | 5380 | 340 | 329 | 669 | 1877 | 2160 | 4037 | 1120 | 1343 | 3111·3 |
| **COUNTIES.** | | | | | | | | | | | | | | |
| **I. NORTHERN.** | | | | | | | | | | | | | | |
| 1 Shetland . . . | 29,705 | 28,711 | 342 | 293 | 635 | 19 | 14 | 33 | 227 | 201 | 518 | 148 | 117 | 551·4 |
| 2 Orkney . . . | 32,044 | 30,458 | 351 | 309 | 660 | 22 | 23 | 45 | 230 | 279 | 509 | 130 | 151 | 375·7 |
| 3 Caithness . . . | 39,552 | 38,079 | 497 | 469 | 966 | 41 | 58 | 99 | 298 | 360 | 658 | 157 | 308 | 685·7 |
| 4 Sutherland . . . | 22,575 | 21,093 | 262 | 223 | 485 | 9 | 14 | 23 | 154 | 191 | 345 | 63 | 140 | 2027·9 |
| **II. NORTH-WESTERN.** | | | | | | | | | | | | | | |
| 5 Ross and Cromarty . | 77,457 | 78,649 | 1044 | 946 | 1990 | 42 | 46 | 88 | 651 | 696 | 1347 | 385 | 643 | 3078·1 |
| 6 Inverness . . . | 88,399 | 85,196 | 1030 | 952 | 1982 | 73 | 65 | 138 | 732 | 867 | 1599 | 423 | 383 | 4088·3 |
| **III. NORTH-EASTERN.** | | | | | | | | | | | | | | |
| 7 Nairn . . . . | 8,847 | 8,554 | 98 | 80 | 178 | 13 | 10 | 23 | 83 | 83 | 166 | 37 | 12 | 195·3 |
| 8 Elgin (or Moray) . | 44,108 | 44,829 | 632 | 632 | 1264 | 98 | 76 | 174 | 392 | 399 | 791 | 233 | 473 | 475·9 |
| 9 Banff . . . . | 59,284 | 61,209 | 976 | 856 | 1832 | 144 | 117 | 261 | 432 | 512 | 944 | 340 | 888 | 640·8 |
| 10 Aberdeen . . . | 269,047 | 281,964 | 4487 | 4230 | 8717 | 591 | 575 | 1166 | 2368 | 2501 | 4869 | 1938 | 3848 | 1955·4 |
| 11 Kincardine . . . | 37,485 | 37,024 | 553 | 518 | 1071 | 74 | 68 | 142 | 302 | 261 | 563 | 197 | 508 | 383·3 |
| **IV. EAST-MIDLAND.** | | | | | | | | | | | | | | |
| 12 Forfar . . . . | 268,653 | 280,098 | 4352 | 4082 | 8434 | 413 | 385 | 798 | 2713 | 3198 | 5911 | 2066 | 2523 | 875·2 |
| 13 Perth . . . . | 130,282 | 127,895 | 1485 | 1511 | 2996 | 124 | 123 | 247 | 1162 | 1282 | 2444 | 657 | 552 | 2527·8 |
| 14 Fife . . . . | 172,131 | 187,601 | 2954 | 2713 | 5667 | 184 | 183 | 367 | 1730 | 1897 | 3627 | 1255 | 2040 | 492·1 |
| 15 Kinross . . . | 7,330 | 6,725 | 92 | 82 | 174 | 6 | 8 | 14 | 62 | 73 | 135 | 38 | 39 | 72·6 |
| 16 Clackmannan . . | 24,025 | 26,716 | 423 | 423 | 846 | 26 | 25 | 51 | 223 | 242 | 465 | 154 | 381 | 47·6 |
| **V. WEST-MIDLAND.** | | | | | | | | | | | | | | |
| 17 Stirling . . . . | 106,883 | 119,129 | 2093 | 1945 | 4038 | 140 | 102 | 242 | 1316 | 1229 | 2545 | 874 | 1493 | 447·4 |
| 18 Dumbarton . . . | 78,182 | 98,014 | 1687 | 1551 | 3238 | 95 | 85 | 180 | 1056 | 957 | 2013 | 587 | 1225 | 241·5 |
| 19 Argyll . . . . | 80,731 | 79,416 | 907 | 872 | 1779 | 76 | 68 | 144 | 724 | 743 | 1467 | 307 | 312 | 3213·1 |
| 20 Bute . . . . | 17,634 | 18,387 | 198 | 173 | 371 | 15 | 16 | 31 | 215 | 202 | 417 | 97 | -46 | 217·9 |
| **VI. SOUTH-WESTERN.** | | | | | | | | | | | | | | |
| 21 Renfrew . . . . | 225,611 | 245,147 | 4058 | 3857 | 7915 | 177 | 183 | 360 | 2815 | 2918 | 5733 | 1701 | 2282 | 245·0 |
| 22 Ayr . . . . | 217,630 | 226,468 | 3865 | 3692 | 7557 | 286 | 249 | 535 | 2321 | 2293 | 4614 | 1593 | 2943 | 1128·5 |
| 23 Lanark . . . . | 942,206 | 1,091,703 | 20351 | 19664 | 40015 | 1268 | 1204 | 2472 | 12859 | 12667 | 25526 | 9006 | 14159 | 881·7 |
| **VII. SOUTH-EASTERN.** | | | | | | | | | | | | | | |
| 24 Linlithgow . . . | 44,005 | 53,441 | 1157 | 990 | 2147 | 59 | 56 | 115 | 568 | 472 | 1040 | 417 | 1107 | 120·0 |
| 25 Edinburgh . . . | 388,836 | 433,646 | 6634 | 6435 | 13069 | 516 | 463 | 979 | 4610 | 4736 | 9346 | 3480 | 3723 | 362·1 |
| 26 Haddington . . | 38,510 | 37,500 | 507 | 482 | 989 | 42 | 31 | 73 | 322 | 350 | 672 | 205 | 317 | 271·0 |
| 27 Berwick . . . | 35,273 | 32,311 | 408 | 374 | 782 | 49 | 41 | 90 | 310 | 307 | 617 | 165 | 165 | 460·6 |
| 28 Peebles . . . | 13,688 | 14,654 | 185 | 191 | 376 | 23 | 13 | 36 | 132 | 135 | 267 | 93 | 109 | 354·5 |
| 29 Selkirk . . . | 26,346 | 28,068 | 410 | 353 | 763 | 27 | 25 | 52 | 288 | 250 | 488 | 144 | 275 | 257·1 |
| **VIII. SOUTHERN.** | | | | | | | | | | | | | | |
| 30 Roxburgh . . . | 52,592 | 52,954 | 642 | 643 | 1285 | 66 | 51 | 117 | 462 | 550 | 1012 | 242 | 273 | 665·1 |
| 31 Dumfries . . . | 76,167 | 74,249 | 1042 | 1020 | 2062 | 128 | 121 | 249 | 766 | 827 | 1593 | 477 | 469 | 1062·8 |
| 32 Kirkcudbright . . | 42,290 | 40,163 | 558 | 514 | 1072 | 81 | 63 | 144 | 341 | 386 | 727 | 195 | 345 | 897·8 |
| 33 Wigtown . . . | 38,448 | 35,880 | 489 | 472 | 961 | 65 | 94 | 159 | 368 | 397 | 705 | 206 | 256 | 485·5 |

* The acreage of Scotland, excluding inland waters and foreshore, as furnished by the Ordnance Survey Department, Southampton, 19,062,482 acres.

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| | NORTHERN. | | | | | | | | | | | | |
| | 1. Shetland. | | | | | | | | | | | | |
| 1 | Bressay, etc.—(1) Bressay, | 850 | 802 | 7 | 12 | 19 | – | – | – | 8 | 8 | 16 | 2 |
| | (2) Burra and Quarff | 918 | 987 | 14 | 16 | 30 | – | 1 | 1 | 10 | 12 | 22 | 3 |
| 2 | Delting, . . . . | 1654 | 1512 | 11 | 14 | 25 | 1 | 4 | 5 | 8 | 23 | 31 | 4 |
| 3 | Dunrossness, etc.— | | | | | | | | | | | | |
| | (1) Dunrossness, . . | 1604 | 1415 | 10 | 8 | 18 | – | – | – | 12 | 18 | 30 | 5 |
| | (2) Sandwick and Cunningsburgh, . . | 2308 | 2114 | 36 | 23 | 59 | 2 | 1 | 3 | 9 | 14 | 23 | 12 |
| | (3) Fair Isle, . . | 214 | 223 | 6 | 5 | 11 | – | – | – | 3 | 2 | 5 | 2 |
| 4 | Fetlar, etc.— | | | | | | | | | | | | |
| | (1) Fetlar, . . . | 431 | 363 | 4 | 4 | 8 | – | – | – | 5 | 7 | 12 | 1 |
| | (2) North Yell, . . | 821 | 713 | 6 | 4 | 10 | – | – | – | 4 | 11 | 15 | – |
| 5 | Lerwick, . . . | 4772 | 4770 | 59 | 42 | 101 | 4 | 5 | 9 | 39 | 43 | 82 | 78 |
| 6 | Mid and South Yell, . | 1708 | 1798 | 29 | 16 | 45 | 1 | – | 1 | 21 | 18 | 39 | 4 |
| 7 | Nesting, etc.— | | | | | | | | | | | | |
| | (1) Nesting, . . | 816 | 776 | 9 | 8 | 17 | 1 | 1 | 2 | 2 | 4 | 6 | 1 |
| | (2) Lunnasting, . . | 783 | 719 | 9 | 6 | 15 | 1 | – | 1 | 5 | 5 | 10 | 3 |
| | (3) Whalsay & Skerries, | 1027 | 1094 | 8 | 22 | 30 | 2 | 1 | 3 | 8 | 7 | 15 | 7 |
| 8 | Northmavine, . . . | 2269 | 2197 | 23 | 13 | 36 | – | – | – | 16 | 24 | 40 | 4 |
| 9 | Sandsting and Aithsting, | 2702 | 2562 | 30 | 27 | 57 | 2 | – | 2 | 25 | 25 | 50 | 6 |
| 10 | Tingwall, etc.— . . | | | | | | | | | | | | |
| | (1) Tingwall, . . | 1484 | 1515 | 20 | 23 | 43 | 1 | – | 1 | 11 | 19 | 30 | 6 |
| | (2) Whiteness & Weisdale, | 901 | 814 | 7 | 10 | 17 | 1 | – | 1 | 2 | 6 | 8 | 1 |
| 11 | Unst, . . . . | 2181 | 2280 | 28 | 21 | 49 | – | 1 | 1 | 18 | 29 | 47 | 3 |
| 12 | Walls, etc.—(1) Walls, . | 1166 | 1062 | 15 | 7 | 22 | 2 | – | 2 | 6 | 14 | 20 | 4 |
| | (2) Sandness, . | 575 | 512 | 5 | 6 | 11 | – | – | – | 10 | 1 | 11 | – |
| | (3) Papa-Stour, . | 254 | 244 | 5 | 4 | 9 | 1 | – | 1 | 2 | 1 | 3 | – |
| | (4) Foula, . . | 267 | 289 | 1 | 2 | 3 | – | – | – | 3 | – | 3 | 2 |
| | —— Total, | 29705 | 28711 | 342 | 293 | 635 | 19 | 14 | 33 | 227 | 291 | 518 | 148 |
| | 2. Orkney. | | | | | | | | | | | | |
| †13 | Birsay (part of Harray & Birsay) | 1581 | 1524 | 10 | 11 | 21 | – | – | – | 12 | 14 | 26 | 7 |
| *14 | Deerness, . . . | 867 | 844 | 9 | 6 | 15 | – | – | – | 4 | 7 | 11 | 4 |
| *15 | Eday and Pharay, . . | 802 | 705 | 12 | 5 | 17 | – | – | – | 3 | 6 | 9 | 1 |
| 16 | Evie and Rendall, . | 1351 | 1233 | 9 | 12 | 21 | 1 | 1 | 2 | 4 | 12 | 16 | 6 |
| 17 | Firth and Stennes, . | 1362 | 1325 | 16 | 16 | 32 | 2 | 1 | 3 | 10 | 13 | 23 | 8 |
| 18 | Harray (part of Harray & Birsay) | 745 | 735 | 9 | 6 | 15 | – | – | – | 5 | 6 | 11 | 5 |
| 19 | Holm and Paplay, . . | 1090 | 950 | 10 | 7 | 17 | 4 | – | 4 | 6 | 8 | 14 | 2 |
| 20 | Hoy and Graemsay, . | 603 | 537 | 3 | 5 | 8 | 1 | – | 1 | 4 | 4 | 8 | 1 |
| 21 | KIRKWALL and St Ola, | 4801 | 4755 | 64 | 54 | 118 | 4 | 6 | 10 | 46 | 56 | 102 | 31 |
| *22 | North Ronaldshay, . | 547 | 501 | 4 | 6 | 10 | – | 1 | 1 | 4 | 3 | 7 | 3 |
| 23 | Orphir, . . . . | 1015 | 1001 | 7 | 8 | 15 | – | 1 | 1 | 8 | 5 | 13 | 5 |
| 24 | Rousay and Egilshay, . | 1118 | 988 | 6 | 4 | 10 | 1 | – | 1 | 10 | 9 | 19 | 5 |
| †25 | St Andrews, . . . | 828 | 763 | 13 | 5 | 18 | – | – | – | 7 | 7 | 14 | 6 |
| *26 | Sanday, . . . . | 2082 | 1929 | 23 | 15 | 38 | 1 | 2 | 3 | 14 | 15 | 29 | 5 |
| 27 | Sandwick, . . . | 1198 | 1109 | 17 | 10 | 27 | 1 | 1 | 2 | 8 | 10 | 18 | 2 |
| 28 | Shapinshay, . . . | 974 | 903 | 8 | 7 | 15 | 1 | 1 | 2 | 4 | 5 | 9 | 4 |
| 29 | South Ronaldshay and Burray, . . . | 3314 | 3059 | 33 | 30 | 63 | – | – | – | 24 | 23 | 47 | 13 |
| 30 | Stromness, . . . | 2410 | 2333 | 24 | 32 | 56 | 1 | 4 | 5 | 13 | 42 | 55 | 6 |
| †31 | Stronsay, . . . | 1305 | 1309 | 19 | 21 | 40 | 2 | – | 2 | 12 | 11 | 23 | 7 |
| 32 | Walls, etc.—(1) Walls, . | 1013 | 1006 | 15 | 14 | 29 | – | 2 | 2 | 16 | 8 | 24 | 2 |
| | (2) Flotta, . | 493 | 499 | 4 | 4 | 8 | – | 1 | 1 | 2 | 5 | 7 | 2 |
| 33 | Westray, etc.—(1) Westray | 2200 | 2108 | 32 | 28 | 60 | 3 | 2 | 5 | 11 | 10 | 21 | 13 |
| | (2) Papa-Westray, | 345 | 337 | 4 | 3 | 7 | – | – | – | 3 | – | 3 | 1 |
| | Total, | 32044 | 30453 | 351 | 309 | 660 | 22 | 23 | 45 | 230 | 279 | 509 | 139 |

Districts containing Parliamentary and Royal Burghs are printed in capitals, thus:—EDINBURGH. Districts containing Towns of 2000 Inhabitants and upwards are printed in small capitals, thus:—Carluke.

*N.B.*—An asterisk "*" is prefixed to those Districts which have different names from the Parishes in which they are situated, or are comprised of more, or parts of more, than one Parish, and the component parts of these Districts will be found at page 454.

A dagger "†" is prefixed to those Districts which consist of only a part of a Parish of the same name.

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| | 3. Caithness. | | | | | | | | | | | | |
| 34 | Bower, | 1608 | 1506 | 19 | 16 | 35 | 2 | 5 | 7 | 8 | 15 | 23 | |
| 35 | Canisbay, | 2373 | 2168 | 16 | 33 | 49 | – | 5 | 5 | 10 | 20 | 30 | |
| †36 | Dunnet, | 1607 | 1488 | 23 | 20 | 43 | 2 | 4 | 6 | 9 | 14 | 23 | |
| 37*a* | Halkirk, | 2705 | 2564 | 33 | 35 | 68 | – | 4 | 4 | 19 | 26 | 45 | |
| *37*b* | Keiss, | 1348 | 1266 | 23 | 11 | 34 | 1 | 2 | 3 | 13 | 11 | 24 | 1 |
| 38 | Latheron, | 6675 | 5875 | 65 | 59 | 124 | 7 | 7 | 14 | 49 | 45 | 94 | 1 |
| 39 | Olrig, | 2002 | 1837 | 28 | 21 | 49 | 2 | 4 | 6 | 7 | 20 | 27 | |
| 40 | Reay, | 2191 | 2075 | 12 | 14 | 26 | 1 | 1 | 2 | 16 | 6 | 22 | |
| 41 | Thurso, | 6217 | 5838 | 74 | 65 | 139 | 10 | 10 | 20 | 45 | 52 | 97 | 4 |
| 42 | Watten, | 1406 | 1390 | 19 | 14 | 33 | – | 1 | 1 | 5 | 10 | 15 | |
| †43 | WICK, | 11727 | 12063 | 185 | 181 | 366 | 16 | 15 | 31 | 117 | 141 | 258 | 4 |
| | Total, | 39859 | 38070 | 497 | 469 | 966 | 41 | 58 | 99 | 298 | 360 | 658 | 15 |
| | 4. Sutherland. | | | | | | | | | | | | |
| 44 | Assynt—(1) Kirkton, | 498 | 400 | 6 | 3 | 9 | – | – | – | 3 | 3 | 6 | |
| | (2) Stoer, | 2283 | 2151 | 20 | 23 | 43 | – | – | – | 20 | 18 | 38 | |
| 45 | Clyne, | 1812 | 1713 | 23 | 21 | 44 | 1 | 3 | 4 | 15 | 18 | 33 | |
| 46 | Creich—(1) Bonar, | 1571 | 1486 | 18 | 24 | 42 | – | 5 | 5 | 13 | 17 | 30 | |
| | (2) Rosehall, | 652 | 577 | 6 | 4 | 10 | – | – | – | 3 | 6 | 9 | |
| 47 | DORNOCH, | 2525 | 2404 | 23 | 27 | 50 | 1 | – | 1 | 10 | 23 | 33 | |
| 48 | Durness, | 987 | 960 | 12 | 6 | 18 | – | – | – | 10 | 8 | 18 | |
| 49 | Eddrachillis—(1) Scourie, | 605 | 511 | 7 | 6 | 13 | – | – | – | 4 | 2 | 6 | |
| | (2) Kinlochbervie, | 920 | 898 | 7 | 14 | 21 | 1 | 1 | 2 | 2 | 9 | 11 | |
| 50 | Farr—(1) Kirkton, | 1140 | 1081 | 12 | 11 | 23 | – | 1 | 1 | 5 | 9 | 14 | |
| | (2) Strathy, | 790 | 776 | 17 | 10 | 27 | 1 | – | 1 | 14 | 12 | 26 | |
| 51 | Golspie, | 1556 | 1451 | 20 | 17 | 37 | – | 1 | 1 | 9 | 15 | 24 | |
| 52 | Kildonan, | 1942 | 1828 | 29 | 18 | 47 | – | – | – | 13 | 18 | 31 | 1 |
| 53 | Lairg, | 1355 | 1169 | 11 | 9 | 20 | – | – | – | 7 | 7 | 14 | |
| 54 | Rath, | 584 | 528 | 6 | 4 | 10 | – | 2 | 2 | 2 | 6 | 8 | |
| 55 | Rogart, | 1227 | 1195 | 13 | 9 | 22 | 4 | 1 | 5 | 9 | 12 | 21 | |
| 56 | Tongue, | 1929 | 1925 | 32 | 17 | 49 | 1 | – | 1 | 15 | 8 | 23 | |
| | —— Total, | 22376 | 21003 | 262 | 223 | 485 | 9 | 14 | 23 | 154 | 191 | 345 | 6 |
| | II. NORTH-WESTERN. | | | | | | | | | | | | |
| | 5. Ross and Cromarty. | | | | | | | | | | | | |
| | *Mainland.* | | | | | | | | | | | | |
| 57 | Alness, | 1033 | 1039 | 10 | 10 | 20 | 1 | 2 | 3 | 12 | 6 | 18 | 1 |
| *58 | Applecross— | | | | | | | | | | | | |
| | (1) Applecross, | 958 | 890 | 7 | 10 | 17 | – | – | – | 8 | 4 | 12 | 2 |
| | (2) Shieldaig, | 1396 | 1239 | 12 | 14 | 26 | – | 1 | 1 | 8 | 5 | 13 | 3 |
| 59*a* | Avoch, | 1691 | 1817 | 35 | 27 | 62 | 1 | – | 1 | 19 | 17 | 36 | 15 |
| *59*b* | Carnoch, | 296 | 249 | 4 | 1 | 5 | – | – | – | 1 | – | 1 | 1 |
| †60 | Contin, | 708 | 592 | 6 | 5 | 11 | – | 1 | 1 | 5 | 5 | 10 | 2 |
| 61 | CROMARTY, | 2009 | 2007 | 33 | 25 | 58 | 2 | 1 | 3 | 18 | 20 | 38 | 8 |
| 62 | DINGWALL, | 2220 | 2607 | 40 | 33 | 73 | 3 | – | 3 | 28 | 29 | 57 | 24 |
| 63 | Edderton, | 789 | 642 | 8 | 8 | 16 | – | – | – | 3 | 6 | 9 | 1 |
| 64 | Fearn, | 2135 | 1900 | 30 | 17 | 47 | 1 | – | 1 | 9 | 13 | 22 | 7 |
| †65 | Fodderty, | 1880 | 1866 | 19 | 15 | 34 | 2 | 2 | 4 | 13 | 14 | 27 | 4 |
| †66 | Gairloch, (1) Northern, | 1461 | 1317 | 16 | 17 | 33 | – | – | – | 10 | 19 | 29 | 3 |
| | (2) Southern, | 3018 | 2773 | 28 | 23 | 51 | 1 | 1 | 2 | 22 | 23 | 45 | 10 |
| 67 | Glenshiel, | 424 | 394 | 5 | 2 | 7 | 1 | – | 1 | 3 | – | 3 | – |
| 68 | Killearnan, | 1059 | 920 | 7 | 12 | 19 | 1 | 1 | 2 | 8 | 8 | 16 | 6 |
| 69 | Kilmuir-Easter, | 1146 | 1024 | 11 | 8 | 19 | – | 1 | 1 | 5 | 8 | 13 | 3 |
| 70 | Kiltearn, | 1182 | 1301 | 23 | 17 | 40 | 2 | 2 | 4 | 10 | 19 | 29 | 3 |
| 71*a* | Kincardine— | | | | | | | | | | | | |
| | (1) Kincardine, | 1148 | 1078 | 9 | 13 | 22 | – | 1 | 1 | 11 | 7 | 18 | 8 |
| | (2) Strathoykel, | 324 | 339 | 2 | 1 | 3 | – | – | | 4 | 6 | 10 | – |
| *71*b* | Kinlochluichart, | 632 | 630 | 9 | 8 | 17 | 2 | 1 | 3 | 2 | 1 | 3 | 4 |
| 72 | Kintail, | 688 | 588 | 9 | 1 | 10 | – | – | – | 8 | 5 | 13 | 2 |

| Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| Knockbain, | 1866 | 1698 | 18 | 22 | 40 | 2 | 1 | 3 | 15 | 19 | 34 | 5 |
| Lochalsh, | 2050 | 1868 | 16 | 16 | 32 | 1 | – | 1 | 15 | 20 | 35 | 15 |
| Lochbroom— | | | | | | | | | | | | |
| (1) Lochbroom, | 3024 | 2836 | 24 | 41 | 65 | 3 | 1 | 4 | 26 | 34 | 60 | 6 |
| (2) Coigach, | 1167 | 1074 | 12 | 11 | 23 | 1 | 1 | 2 | 10 | 4 | 14 | 3 |
| Lochcarron, | 1456 | 1390 | 16 | 12 | 28 | – | 1 | 1 | 6 | 17 | 23 | 3 |
| Logie-Easter, | 827 | 870 | 4 | 10 | 14 | – | 1 | 1 | 5 | 10 | 15 | 4 |
| Nigg, | 1000 | 930 | 17 | 8 | 25 | 1 | 1 | 2 | 7 | 11 | 18 | 5 |
| Resolis, | 1424 | 1339 | 15 | 10 | 25 | – | 1 | 1 | 5 | 9 | 14 | 5 |
| ROSEMARKIE, | 1357 | 1343 | 17 | 17 | 34 | 2 | 3 | 5 | 8 | 14 | 22 | 6 |
| Rosskeen, | 3773 | 3480 | 39 | 40 | 79 | 3 | 6 | 9 | 31 | 24 | 55 | 14 |
| TAIN, | 3009 | 2818 | 36 | 25 | 61 | 2 | 6 | 8 | 24 | 39 | 63 | 12 |
| Tarbat, | 1878 | 1703 | 20 | 15 | 35 | 2 | – | 2 | 12 | 15 | 27 | 8 |
| Urquhart & Logie-Wester | 2525 | 2328 | 23 | 22 | 45 | 1 | 2 | 3 | 17 | 19 | 36 | 8 |
| Urray, | 2427 | 2161 | 21 | 22 | 43 | 1 | – | 1 | 17 | 17 | 34 | 13 |
| *Insular.* | | | | | | | | | | | | |
| Barvas, | 5325 | 5699 | 87 | 79 | 166 | 1 | 1 | 2 | 47 | 44 | 91 | 25 |
| Carloway, | 2974 | 2959 | 49 | 41 | 90 | – | 1 | 1 | 23 | 29 | 52 | 10 |
| Lochs, | 4543 | 4717 | 89 | 60 | 149 | 2 | – | 2 | 52 | 28 | 80 | 16 |
| Stornoway, | 10389 | 11799 | 186 | 210 | 396 | 3 | 6 | 9 | 109 | 104 | 213 | 62 |
| Uig, | 2256 | 2416 | 32 | 18 | 50 | – | – | – | 15 | 24 | 39 | 8 |
| Total, | 79467 | 78640 | 1044 | 946 | 1990 | 42 | 46 | 88 | 651 | 696 | 1347 | 335 |
| 6. Inverness. | | | | | | | | | | | | |
| *Mainland.* | | | | | | | | | | | | |
| Abernethy & Kincardine, | 1530 | 1354 | 10 | 14 | 24 | 3 | 6 | 9 | 9 | 13 | 22 | 4 |
| Alvie, | 707 | 656 | 4 | 4 | 8 | 1 | 1 | 2 | 9 | 7 | 16 | 3 |
| Ardersier, | 2086 | 1914 | 20 | 20 | 40 | 2 | – | 2 | 7 | 12 | 19 | 12 |
| Boleskine, etc.— | | | | | | | | | | | | |
| (1) Boleskine, | 575 | 499 | 6 | 2 | 8 | 1 | – | 1 | 3 | 5 | 8 | 1 |
| (2) Fort-Augustus or Abertarff, | 873 | 930 | 6 | 4 | 10 | – | – | – | 5 | 6 | 11 | 3 |
| Cromdale and Inverallan. (Now 128*b infra.*) | | | | | | | | | | | | |
| Croy and Dalcross, | 1709 | 1516 | 20 | 12 | 32 | – | 1 | 1 | 7 | 9 | 16 | 6 |
| Daviot and Dunlichty, | 1252 | 1106 | 7 | 15 | 22 | – | – | – | 11 | 6 | 17 | 2 |
| Dores, | 1148 | 932 | 10 | 13 | 23 | 1 | 1 | 2 | 2 | 6 | 8 | 4 |
| Duthil, etc.—(1) Duthil, | 1371 | 1728 | 32 | 27 | 59 | 8 | 4 | 12 | 16 | 14 | 30 | 11 |
| (2) Rothiemurchus, | 293 | 266 | 4 | 3 | 7 | – | – | – | 3 | 4 | 7 | 2 |
| Glenelg—(1) Glenelg, | 658 | 644 | 5 | 6 | 11 | – | – | – | 8 | 5 | 13 | 1 |
| (2) Knoydart, | 458 | 415 | 4 | 3 | 7 | – | – | – | 6 | 3 | 9 | – |
| (3) North Morar, | 485 | 444 | 3 | 5 | 8 | – | – | – | 3 | 2 | 5 | 3 |
| INVERNESS, | 21725 | 23895 | 314 | 306 | 620 | 23 | 25 | 48 | 257 | 289 | 546 | 195 |
| Kilmonivaig— | | | | | | | | | | | | |
| (1) Glengarry, | 553 | 501 | 4 | 4 | 8 | – | – | – | 4 | 6 | 10 | 1 |
| (2) Lochaber, | 1375 | 1704 | 12 | 17 | 29 | – | 1 | 1 | 14 | 10 | 24 | 1 |
| Kilmorack, | 2618 | 2224 | 30 | 13 | 43 | – | 1 | 1 | 23 | 24 | 47 | 6 |
| Kiltarlity, | 2134 | 1878 | 18 | 17 | 35 | 1 | 2 | 3 | 13 | 16 | 29 | 11 |
| Kingussie and Insh, | 1987 | 1948 | 24 | 17 | 41 | 4 | 2 | 6 | 18 | 13 | 31 | 9 |
| Kirkhill, | 1480 | 1307 | 10 | 16 | 26 | 1 | 3 | 4 | 6 | 6 | 12 | 3 |
| Laggan, | 917 | 850 | 10 | 8 | 18 | 1 | 1 | 2 | 7 | 7 | 14 | – |
| Moy and Dalarossie, | 822 | 741 | 7 | 6 | 13 | 1 | – | 1 | 5 | 12 | 17 | 2 |
| Petty, | 1531 | 1298 | 19 | 9 | 28 | 2 | – | 2 | 8 | 8 | 16 | 4 |
| Urquhart, etc.— | | | | | | | | | | | | |
| (1) Urquhart, | 2013 | 1663 | 16 | 15 | 31 | 1 | 1 | 2 | 7 | 16 | 23 | 3 |
| (2) Glenmoriston, | 425 | 377 | – | 5 | 5 | – | – | – | 3 | 8 | 11 | 1 |
| *Insular.* | | | | | | | | | | | | |
| Barra, | 2161 | 2365 | 34 | 38 | 72 | 1 | 1 | 2 | 21 | 28 | 49 | 18 |
| Bracadale, | 929 | 920 | 6 | 8 | 14 | – | – | – | 5 | 13 | 18 | 5 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Tota |
| 110 | Duirinish, (1) Duirinish, | 3313 | 3056 | 26 | 27 | 53 | – | 1 | 1 | 28 | 26 | 5 |
| | (2) Waternish, | 1006 | 877 | 11 | 10 | 21 | – | – | – | 6 | 10 | 1 |
| 111 | Harris—(1) North Harris, | 2844 | 2981 | 49 | 38 | 87 | 3 | 3 | 5 | 35 | 49 | 8 |
| | (2) South Harris, | 1439 | 1468 | 15 | 15 | 30 | 2 | – | 2 | 8 | 9 | 1 |
| | (3) Bernera, | 454 | 504 | 3 | 12 | 15 | – | – | – | 1 | 6 | |
| | (4) St Kilda, | 77 | 71 | 2 | 2 | 4 | – | – | – | 1 | 3 | |
| *112 | Kilmuir—(1) Kilmuir, | 1265 | 1148 | 11 | 12 | 23 | 2 | – | 2 | 17 | 13 | 3 |
| | (2) Stenscholl, | 1314 | 1261 | 21 | 15 | 36 | 1 | 1 | 2 | 12 | 14 | 2 |
| 113 | North Uist, | 4264 | 4187 | 50 | 47 | 97 | 1 | 3 | 4 | 30 | 30 | 6 |
| 114 | Portree—(1) Portree, | 2483 | 2506 | 31 | 31 | 62 | 1 | – | 1 | 20 | 29 | 4 |
| | (2) Raasay, | 708 | 670 | 11 | 7 | 18 | – | – | – | 8 | 10 | 1 |
| 115 | Sleat, | 2060 | 1850 | 22 | 23 | 45 | 1 | – | 1 | 18 | 19 | 3 |
| 116 | Small Isles, | 550 | 436 | 2 | 1 | 3 | – | – | – | – | 4 | |
| †117 | Snizort—(1) North, | 731 | 665 | 9 | 6 | 15 | – | – | – | 3 | 10 | 1 |
| | (2) South, | 1372 | 1228 | 19 | 10 | 29 | 3 | – | 3 | 9 | 13 | 2 |
| 118 | South Uist— | | | | | | | | | | | |
| | (1) Benbecula, | 1781 | 1659 | 23 | 16 | 39 | 1 | 2 | 3 | 9 | 8 | 1 |
| | (2) Howmore, | 1968 | 1879 | 31 | 24 | 55 | 5 | 4 | 9 | 13 | 25 | 3 |
| | (3) Boisdale, | 2329 | 2283 | 35 | 22 | 57 | 2 | 1 | 3 | 17 | 20 | 3 |
| 119 | Strath, | 2616 | 2392 | 24 | 27 | 51 | 1 | – | 1 | 22 | 21 | 4 |
| | Total, | 86389 | 85196 | 1030 | 952 | 1982 | 73 | 65 | 138 | 732 | 867 | 1599 |
| | III. NORTH-EASTERN. | | | | | | | | | | | |
| | 7. Nairn. | | | | | | | | | | | |
| 120 | Ardclach, | 1117 | 991 | 8 | 8 | 16 | 3 | 3 | 6 | 10 | 10 | 2 |
| 121 | Auldearn, | 1292 | 1315 | 17 | 6 | 23 | 2 | – | 2 | 11 | 9 | 2 |
| 122 | Cawdor, | 1070 | 1026 | 13 | 16 | 29 | 2 | 2 | 4 | 12 | 6 | 1 |
| 123 | Nairn, | 5368 | 5222 | 60 | 50 | 110 | 6 | 5 | 11 | 50 | 58 | 108 |
| | Total, | 8847 | 8554 | 98 | 80 | 178 | 13 | 10 | 23 | 83 | 83 | 166 |
| | 8. Elgin (or Moray). | | | | | | | | | | | |
| 124 | Abernethy and Kincardine.—(Now 90*a supra*.) | | | | | | | | | | | |
| 125 | Alves, | 1117 | 1096 | 20 | 21 | 41 | 1 | 1 | 2 | 9 | 6 | 1 |
| †126 | Bellie, | 2047 | 1914 | 24 | 19 | 43 | 7 | 3 | 10 | 11 | 23 | 3 |
| 127 | Birnie, | 367 | 405 | 7 | 3 | 10 | 1 | 1 | 2 | 9 | 4 | 1 |
| 128*a* | Boharm, | 1166 | 1266 | 21 | 24 | 45 | 8 | 4 | 12 | 10 | 4 | 1 |
| 128*b* | Cromdale, etc.,— | | | | | | | | | | | |
| | (1) Cromdale & Advie, | 1166 | 1016 | 10 | 11 | 21 | 1 | 1 | 2 | 15 | 5 | 2 |
| | (2) Inverallan, | 2476 | 2447 | 30 | 26 | 56 | 8 | 7 | 15 | 16 | 22 | 3 |
| 129 | Dallas, | 915 | 860 | 7 | 16 | 23 | 1 | 1 | 2 | 5 | 7 | 1 |
| 130 | Drainie, | 3991 | 3922 | 64 | 75 | 139 | 5 | 6 | 11 | 33 | 33 | 6 |
| 131 | Duffus, | 3985 | 4293 | 71 | 62 | 133 | 5 | – | 5 | 28 | 20 | 4 |
| 132 | Duthil, etc.–(Now 96*b sup*.) | | | | | | | | | | | |
| 133 | Dyke, | 1236 | 1044 | 14 | 13 | 27 | 1 | 1 | 2 | 7 | 8 | 1 |
| 134 | Edinkillie, | 1175 | 983 | 13 | 10 | 23 | 2 | 1 | 3 | 7 | 6 | 1 |
| *135 | ELGIN, | 9868 | 10473 | 127 | 132 | 259 | 22 | 18 | 40 | 113 | 112 | 22 |
| †136 | New Spynie, | 544 | 548 | 7 | 12 | 19 | 3 | 2 | 5 | 12 | 10 | 2 |
| 137 | FORRES, | 4752 | 4801 | 84 | 65 | 149 | 15 | 9 | 24 | 35 | 60 | 9 |
| 138 | Kinloss, | 1072 | 958 | 14 | 11 | 25 | 2 | – | 2 | 13 | 8 | 2 |
| 139 | Knockando, | 1838 | 1712 | 17 | 28 | 45 | 4 | 6 | 10 | 14 | 22 | 3 |
| 140 | Rafford, | 1052 | 982 | 11 | 16 | 27 | 2 | 1 | 3 | 6 | 2 | |
| 141 | Rothes, | 2201 | 2299 | 38 | 39 | 77 | 4 | 8 | 12 | 17 | 18 | 3 |
| †142 | St. Andrews-Lhanbryde, | 1345 | 1277 | 20 | 18 | 38 | 2 | 1 | 3 | 9 | 12 | 2 |
| 143 | Speymouth | 656 | 616 | 9 | 11 | 20 | – | 2 | 2 | 2 | 4 | |
| 144 | Urquhart— | | | | | | | | | | | |
| | (1) Urquhart | 1187 | 1149 | 10 | 10 | 20 | 2 | 2 | 4 | 15 | 7 | 2 |
| | (2) Garmouth | 952 | 768 | 14 | 10 | 24 | 2 | 1 | 3 | 6 | 6 | 1 |
| | Total, | 45108 | 44829 | 632 | 632 | 1264 | 98 | 76 | 174 | 392 | 399 | 791 |

| | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| | 9. Banff. | | | | | | | | | | | | |
| | Aberlour, | 1794 | 2072 | 34 | 22 | 56 | 2 | 1 | 3 | 18 | 22 | 40 | 4 |
| | Alvah, | 1356 | 1332 | 19 | 15 | 34 | 4 | 1 | 5 | 2 | 11 | 13 | 6 |
| | BANFF, | 5218 | 4763 | 77 | 54 | 131 | 9 | 4 | 13 | 41 | 43 | 84 | 36 |
| | Botriphnie, | 696 | 729 | 7 | 8 | 15 | – | 1 | 1 | 3 | 3 | 6 | 4 |
| | Boyndie, | 2004 | 2113 | 40 | 34 | 74 | 5 | 4 | 9 | 17 | 10 | 27 | 9 |
| | CULLEN, | 2033 | 2100 | 44 | 37 | 81 | 3 | 1 | 4 | 17 | 22 | 39 | 9 |
| | Deskford, | 849 | 745 | 10 | 8 | 18 | 4 | 2 | 6 | 9 | 10 | 19 | 5 |
| | Enzie, | 2413 | 2460 | 29 | 40 | 69 | 4 | 9 | 13 | 14 | 21 | 35 | 13 |
| | Fordyce—(1) Fordyce, | 1976 | 1994 | 38 | 34 | 72 | 6 | 4 | 10 | 14 | 12 | 26 | 9 |
| | (2) Portsoy, | 2313 | 2274 | 33 | 29 | 62 | 8 | 3 | 11 | 21 | 18 | 39 | 11 |
| | Forglen, | 744 | 714 | 9 | 13 | 22 | – | 1 | 1 | 6 | 4 | 10 | 1 |
| | GAMRIE—(1) Gamrie, | 2652 | 2839 | 47 | 39 | 86 | 6 | 3 | 9 | 22 | 20 | 42 | 13 |
| | (2) MACDUFF, | 4104 | 4164 | 59 | 59 | 118 | 9 | 5 | 14 | 28 | 37 | 65 | 22 |
| | Glenrinnes, | 401 | 374 | 6 | 4 | 10 | – | 1 | 1 | 4 | 2 | 6 | 1 |
| | Grange, | 1754 | 1685 | 20 | 19 | 39 | 4 | 3 | 7 | 7 | 12 | 19 | 13 |
| | Inveravon—(1) Inveravon, | 952 | 842 | 8 | 6 | 14 | 1 | 1 | 2 | 6 | 3 | 9 | 3 |
| | (2) Glenlivat, | 1616 | 1477 | 21 | 15 | 36 | 4 | 4 | 8 | 9 | 12 | 21 | 13 |
| | Inverkeithny, | 909 | 826 | 6 | 13 | 19 | – | 2 | 2 | 3 | 7 | 10 | 2 |
| | Keith, | 6396 | 6630 | 115 | 89 | 204 | 20 | 12 | 32 | 40 | 47 | 87 | 33 |
| | Kirkmichael, etc.— | | | | | | | | | | | | |
| | (1) Kirkmichael, | 387 | 348 | 1 | 5 | 6 | 1 | 3 | 4 | 4 | 2 | 6 | – |
| | (2) Tomintoul, | 686 | 695 | 6 | 13 | 19 | 2 | 4 | 6 | 9 | 5 | 14 | 2 |
| | Marnoch, | 3230 | 3006 | 53 | 42 | 95 | 15 | 14 | 29 | 23 | 30 | 53 | 20 |
| | Mortlach, | 2651 | 2754 | 33 | 43 | 76 | 4 | 9 | 13 | 10 | 20 | 30 | 17 |
| | Ordiquhill, | 714 | 684 | 7 | 5 | 12 | 1 | – | 1 | 2 | 1 | 3 | 7 |
| | Rathven, | 7396 | 9095 | 156 | 142 | 298 | 19 | 15 | 34 | 80 | 98 | 178 | 61 |
| | Rothiemay, | 1363 | 1291 | 31 | 18 | 49 | 6 | 3 | 9 | 5 | 10 | 15 | 4 |
| | St. Fergus, | 1527 | 1318 | 23 | 17 | 40 | 4 | 4 | 8 | 6 | 9 | 15 | 6 |
| | SEAFIELD, | 1649 | 1885 | 44 | 33 | 77 | 3 | 3 | 6 | 12 | 21 | 33 | 16 |
| | Total, | 59783 | 61209 | 976 | 856 | 1832 | 144 | 117 | 261 | 432 | 512 | 944 | 340 |
| | 10. Aberdeen. | | | | | | | | | | | | |
| 8 | ABERDEEN— | | | | | | | | | | | | |
| | (1) St. Nicholas, | 50525 | 51748 | 965 | 860 | 1825 | 134 | 90 | 224 | 609 | 583 | 1192 | 624 |
| | (2) Aberdeen, | 46029 | 61436 | 881 | 885 | 1766 | 74 | 69 | 143 | 479 | 601 | 1080 | 333 |
| | (3) Woodside, | 5722 | 6108 | 105 | 108 | 213 | 22 | 14 | 36 | 57 | 58 | 115 | 39 |
| | Do. (Landward), | 412 | 438 | 5 | 5 | 10 | – | 1 | 1 | 4 | 3 | 7 | 1 |
| | (4) Old Aberdeen, | 2800 | 2603 | 27 | 37 | 64 | – | 1 | 1 | 17 | 18 | 35 | 17 |
| | Do. (Landward), | 1039 | 994 | 17 | 17 | 34 | 3 | 1 | 4 | 7 | 6 | 13 | 3 |
| 9 | Aberdour, | 1931 | 1835 | 25 | 23 | 48 | 2 | 3 | 5 | 13 | 12 | 25 | 18 |
| 0 | Aboyne, | 1427 | 1468 | 23 | 17 | 40 | 1 | 3 | 4 | 17 | 21 | 38 | 5 |
| 1 | Alford, | 1472 | 1402 | 24 | 18 | 42 | 3 | 7 | 10 | 20 | 10 | 30 | 4 |
| 2 | Auchindoir, | 1514 | 1374 | 18 | 18 | 36 | 3 | 4 | 7 | 13 | 12 | 25 | 7 |
| 3 | Auchterless, | 1948 | 1698 | 28 | 26 | 54 | 10 | 8 | 18 | 17 | 12 | 29 | 9 |
| 4 | Belhelvie, | 1850 | 1613 | 19 | 13 | 32 | 1 | 3 | 4 | 13 | 6 | 19 | 13 |
| 5 | Birse, | 1093 | 1094 | 17 | 9 | 26 | 1 | – | 1 | 8 | 4 | 12 | 2 |
| 6 | Bourtie, | 463 | 454 | 3 | – | 3 | – | – | – | 2 | 1 | 3 | 2 |
| 7 | Cabrach, | 682 | 646 | 16 | 6 | 22 | 4 | 2 | 6 | 4 | 6 | 10 | 3 |
| 8 | Cairney, | 1565 | 1473 | 23 | 26 | 49 | 4 | 1 | 5 | 10 | 9 | 19 | 11 |
| 9 | Chapel of Garioch, | 1923 | 1690 | 17 | 26 | 43 | 4 | 8 | 12 | 11 | 13 | 24 | 6 |
| 0 | Clatt, | 452 | 458 | 4 | 4 | 8 | – | 1 | 1 | 5 | 5 | 10 | 1 |
| 1 | Cluny, | 1298 | 1217 | 16 | 13 | 29 | 3 | 2 | 5 | 7 | 10 | 17 | 4 |
| 2 | Coull, | 783 | 746 | 12 | 11 | 23 | 5 | 3 | 8 | 4 | 7 | 11 | 5 |
| 3 | Crathie and Braemar, | 1611 | 1534 | 11 | 15 | 26 | 1 | 4 | 5 | 10 | 12 | 22 | 4 |
| 4 | Crimond, | 815 | 808 | 11 | 14 | 25 | 1 | 1 | 2 | 7 | 2 | 9 | 7 |
| 5 | Cruden, | 3444 | 3593 | 54 | 55 | 109 | 7 | 6 | 13 | 23 | 19 | 42 | 17 |
| 6 | Culsamond, | 828 | 791 | 12 | 10 | 22 | 3 | 2 | 5 | 6 | 4 | 10 | 3 |
| 7 | Daviot, | 515 | 520 | 6 | 7 | 13 | – | 1 | 1 | 1 | 4 | 5 | 1 |
| 8 | Drumblade, | 943 | 956 | 12 | 12 | 24 | 1 | 3 | 4 | 4 | 7 | 11 | 5 |
| 9 | Drumoak, | 930 | 869 | 9 | 10 | 19 | 3 | – | 3 | 5 | 9 | 14 | 6 |
| 0 | Dyce, | 1162 | 1343 | 22 | 21 | 43 | 1 | 3 | 4 | 12 | 10 | 22 | 3 |
| 1 | Echt, | 1297 | 1207 | 15 | 14 | 29 | 1 | 4 | 5 | 7 | 7 | 14 | 3 |
| 2 | Ellon, | 3057 | 3212 | 65 | 64 | 129 | 9 | 12 | 21 | 34 | 35 | 69 | 13 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 193 | Fintray, | 1032 | 999 | 19 | 13 | 32 | 5 | 3 | 8 | 7 | 4 | 11 | 8 |
| 194 | Forgue, | 1303 | 1258 | 18 | 13 | 31 | 5 | 4 | 9 | 4 | 6 | 10 | 4 |
| 195 | Foveran, | 2042 | 1945 | 43 | 34 | 77 | 1 | 4 | 5 | 9 | 10 | 19 | 12 |
| 196 | Fraserburgh, | 7596 | 8352 | 179 | 164 | 343 | 12 | 16 | 28 | 68 | 65 | 133 | 38 |
| †197 | Fyvie, | 3317 | 3050 | 44 | 32 | 76 | 3 | 3 | 6 | 24 | 14 | 38 | 31 |
| 198 | Gartly, | 890 | 928 | 11 | 14 | 25 | – | – | – | 8 | 15 | 23 | 7 |
| 199 | Glass, | 1020 | 964 | 18 | 14 | 32 | 4 | 4 | 8 | 3 | 4 | 7 | 10 |
| 200 | Glenbucket, | 506 | 408 | 4 | 3 | 7 | 1 | – | 1 | 4 | – | 4 | 1 |
| †201 | Glenmuick, Tullich, and Glengairn, | 1946 | 2152 | 35 | 31 | 66 | 4 | 2 | 6 | 17 | 19 | 36 | 19 |
| 202 | Huntly, | 4388 | 4583 | 75 | 65 | 140 | 13 | 18 | 31 | 42 | 42 | 84 | 30 |
| 203 | Insch, | 1536 | 1384 | 26 | 20 | 46 | 4 | 4 | 8 | 7 | 8 | 15 | 6 |
| 204 | Inverurie, | 3038 | 2954 | 50 | 43 | 93 | 10 | 12 | 22 | 34 | 24 | 58 | 24 |
| 205 | Keig, | 776 | 748 | 12 | 6 | 18 | – | 1 | 1 | 1 | 3 | 4 | 5 |
| 206 | Keithhall, | 880 | 822 | 10 | 11 | 21 | 3 | 2 | 5 | 8 | 2 | 10 | 5 |
| 207 | Kemnay, | 1636 | 1799 | 23 | 34 | 57 | 3 | 5 | 8 | 13 | 13 | 26 | 8 |
| 208 | Kildrummy, | 656 | 569 | 8 | 8 | 16 | 3 | 3 | 6 | 3 | 5 | 8 | 3 |
| 209 | Kincardine O'Neil, | 1931 | 1830 | 24 | 18 | 42 | 3 | 3 | 6 | 17 | 23 | 40 | 9 |
| 210*a* | King Edward— | | | | | | | | | | | | |
| | (1) King Edward, | 1164 | 1085 | 13 | 11 | 24 | – | 2 | 2 | 3 | 2 | 5 | 4 |
| | (2) New Byth, | 1904 | 1732 | 31 | 20 | 51 | 9 | 9 | 18 | 13 | 21 | 34 | 15 |
| *210*b* | Kinnimonth, | 1116 | 1004 | 17 | 19 | 36 | 5 | 4 | 9 | 6 | 10 | 16 | 12 |
| 211 | Kinnellar, | 580 | 580 | 7 | 7 | 14 | 1 | 2 | 3 | 1 | 1 | 2 | – |
| 212 | Kinnethmont, | 999 | 932 | 8 | 17 | 25 | 1 | 4 | 5 | 9 | 4 | 13 | 2 |
| 213 | KINTORE, | 2327 | 2409 | 41 | 45 | 86 | 8 | 7 | 15 | 19 | 24 | 43 | 10 |
| 214 | Leochel-Cushnie, | 1217 | 1146 | 16 | 12 | 28 | 4 | 5 | 9 | 10 | 2 | 12 | 5 |
| 215 | Leslie, | 523 | 461 | 6 | 6 | 12 | 2 | – | 2 | 2 | 5 | 7 | 2 |
| 216 | Logie-Buchan, | 767 | 763 | 14 | 8 | 22 | 2 | – | 2 | 7 | 5 | 12 | 7 |
| *217 | Logie Coldstone & Cromar, | 1071 | 945 | 10 | 10 | 20 | 1 | 5 | 6 | 5 | 6 | 11 | 10 |
| †218 | Longside, | 3211 | 3018 | 39 | 46 | 85 | 7 | 10 | 17 | 19 | 28 | 47 | 20 |
| †219 | Lonmay, | 1767 | 1710 | 24 | 32 | 56 | 4 | 6 | 10 | 13 | 7 | 20 | 12 |
| 220 | Lumphanan, | 1130 | 992 | 14 | 17 | 31 | 1 | 4 | 5 | 4 | 10 | 14 | 3 |
| 221 | Methlic, | 2162 | 2067 | 33 | 29 | 62 | 4 | 6 | 10 | 12 | 12 | 24 | 10 |
| 222*a* | Midmar, | 1041 | 1060 | 16 | 11 | 27 | 3 | 2 | 5 | 9 | 5 | 14 | 2 |
| *222*b* | Millbrex, | 1406 | 1291 | 22 | 13 | 35 | 1 | 4 | 5 | 10 | 11 | 21 | 6 |
| †223 | Monquhitter, | 2474 | 2220 | 43 | 33 | 76 | 12 | 4 | 16 | 18 | 20 | 38 | 13 |
| 224 | Monymusk, | 1155 | 1025 | 13 | 13 | 26 | 1 | 3 | 4 | 10 | 8 | 18 | 5 |
| †225 | New Deer, | 4097 | 3732 | 45 | 42 | 87 | 5 | 9 | 14 | 30 | 29 | 59 | 26 |
| 226 | Newhills, | 5480 | 5526 | 89 | 76 | 165 | 14 | 11 | 25 | 45 | 51 | 96 | 27 |
| 227*a* | New Machar, | 1505 | 1397 | 23 | 15 | 38 | 4 | 4 | 8 | 8 | 9 | 17 | 5 |
| *227*b* | New Pitsligo, | 2964 | 2436 | 34 | 38 | 72 | 9 | 8 | 17 | 25 | 20 | 45 | 17 |
| †228 | Old Deer, | 4274 | 3882 | 60 | 52 | 112 | 9 | 11 | 20 | 33 | 27 | 60 | 27 |
| 229 | Old Meldrum, | 2254 | 2019 | 30 | 20 | 50 | 10 | 3 | 13 | 18 | 11 | 29 | 12 |
| 230 | Oyne, | 962 | 883 | 19 | 17 | 36 | 5 | 6 | 11 | 4 | 6 | 10 | 7 |
| 231 | Peterculter, | 1908 | 2052 | 19 | 31 | 50 | 2 | 5 | 7 | 16 | 13 | 29 | 14 |
| 232 | PETERHEAD— | | | | | | | | | | | | |
| | (1) PETERHEAD, | 12491 | 13975 | 261 | 242 | 503 | 26 | 28 | 54 | 120 | 164 | 284 | 119 |
| | (2) Boddam, | 1766 | 1855 | 27 | 26 | 53 | 2 | 3 | 5 | 11 | 8 | 19 | 12 |
| 233 | Pitsligo, | 2582 | 2290 | 37 | 38 | 75 | 1 | 5 | 6 | 12 | 25 | 37 | 9 |
| 234 | Premnay, | 930 | 930 | 16 | 16 | 32 | 2 | 4 | 6 | 7 | 3 | 10 | 5 |
| 235 | Rathen,—(1) Rathen, | 1248 | 1164 | 14 | 21 | 35 | 2 | 3 | 5 | 7 | 10 | 17 | 6 |
| | (2) Inverallochy, | 1577 | 1463 | 17 | 25 | 42 | – | 3 | 3 | 9 | 10 | 19 | 9 |
| 236 | Rayne, | 1284 | 1225 | 16 | 17 | 33 | 3 | – | 3 | 12 | 18 | 30 | 6 |
| 237*a* | Rhynie, | 1126 | 1043 | 17 | 15 | 32 | 2 | 5 | 7 | 9 | 3 | 12 | 5 |
| *237*b* | Savoch, | 2040 | 1953 | 40 | 29 | 69 | 5 | 5 | 10 | 16 | 8 | 24 | 8 |
| 238 | Skene, | 1787 | 1673 | 14 | 17 | 31 | 3 | 3 | 6 | 14 | 10 | 24 | 3 |
| 239 | Slains, | 1256 | 1279 | 17 | 27 | 44 | – | 6 | 6 | 6 | 10 | 16 | 6 |
| *240 | Strathdon, | 1542 | 1391 | 19 | 12 | 31 | 3 | – | 3 | 13 | 11 | 24 | 3 |
| †241 | Strichen, | 2013 | 1902 | 41 | 37 | 78 | 6 | 5 | 11 | 13 | 32 | 45 | 14 |
| †242 | Tarland, | 947 | 910 | 14 | 18 | 32 | 2 | 1 | 3 | 4 | 8 | 12 | 5 |
| †243 | Tarves, | 2389 | 2196 | 38 | 30 | 68 | 6 | 3 | 9 | 14 | 11 | 25 | 11 |
| 244 | Tough, | 681 | 675 | 8 | 11 | 19 | 1 | 1 | 2 | 3 | 4 | 7 | 5 |
| 245 | Towie, | 759 | 734 | 13 | 10 | 23 | 4 | – | 4 | 5 | 1 | 6 | 2 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 246 | Tullynessle and Forbes, | 981 | 975 | 18 | 12 | 30 | 2 | 2 | 4 | 3 | 5 | 8 | 4 |
| 247 | Turriff . . . | 4343 | 4253 | 59 | 58 | 117 | 8 | 10 | 18 | 22 | 30 | 52 | 21 |
| †248 | Tyrie, . . . . | 871 | 795 | 6 | 14 | 20 | 2 | 1 | 3 | 6 | 5 | 11 | 6 |
| †249*a* | Udny, . . . . | 1638 | 1712 | 26 | 31 | 57 | 5 | 6 | 11 | 9 | 12 | 21 | 8 |
| *249*b* | Ythan Wells, . . | 1315 | 1136 | 22 | 17 | 39 | 7 | 6 | 13 | 9 | 3 | 12 | 11 |
| | Total, | 269047 | 281964 | 4487 | 4230 | 8717 | 591 | 575 | 1166 | 2368 | 2501 | 4869 | 193 |
| | 11. Kincardine. | | | | | | | | | | | | |
| 250 | Arbuthnot, . . . | 809 | 795 | 8 | 4 | 12 | 1 | – | 1 | 3 | 3 | 6 | 4 |
| 251 | Banchory-Devenick— | | | | | | | | | | | | |
| | (1) Banchory-Devenick, . | 491 | 2083 | 5 | 4 | 9 | – | – | – | 3 | – | 3 | 3 |
| | (2) Portlethen, . . | 1610 | 1481 | 23 | 26 | 49 | 4 | 5 | 9 | 17 | 9 | 26 | 18 |
| | (3) Cults, . . . | 1216 | 1583 | 25 | 16 | 41 | 4 | 1 | 5 | 15 | 9 | 24 | 7 |
| 252 | Banchory-Ternan, . . | 3066 | 3193 | 39 | 39 | 78 | 4 | 5 | 9 | 24 | 24 | 48 | 12 |
| 253 | Benholm, . . . | 1527 | 1552 | 31 | 27 | 58 | 2 | – | 2 | 10 | 8 | 18 | 6 |
| 254 | Bervie, . . . | 2107 | 2387 | 41 | 39 | 80 | 3 | 4 | 7 | 22 | 23 | 45 | 15 |
| 255 | Dunnottar, . . . | 2498 | 2739 | 47 | 63 | 110 | 8 | 8 | 16 | 18 | 19 | 37 | 27 |
| 256 | Durris, . . . . | 1014 | 918 | 11 | 5 | 16 | 2 | – | 2 | 5 | 8 | 13 | 2 |
| 257 | Fettercairn, . . . | 1503 | 1376 | 19 | 18 | 37 | 5 | 2 | 7 | 11 | 13 | 24 | 9 |
| 258 | Fetteresso— | | | | | | | | | | | | |
| | (1) Fetteresso, . | 3565 | 3743 | 40 | 52 | 92 | 8 | 8 | 16 | 41 | 38 | 79 | 20 |
| | (2) Cookney, . | 1976 | 1784 | 25 | 23 | 48 | 5 | 1 | 6 | 13 | 11 | 24 | 8 |
| 259 | Fordoun, . . . | 1992 | 2004 | 21 | 27 | 48 | 1 | 9 | 10 | 14 | 11 | 25 | 7 |
| 260 | Garvock, . . . | 428 | 415 | 6 | 5 | 11 | – | 1 | 1 | 2 | – | 2 | 3 |
| 261 | Glenbervie, . . . | 972 | 887 | 13 | 11 | 24 | 1 | 1 | 2 | 7 | 7 | 14 | 6 |
| 262 | Kinneff and Catterline, . | 997 | 907 | 12 | 16 | 28 | – | 3 | 3 | 6 | – | 6 | 5 |
| 263 | Laurencekirk, . . | 2045 | 1934 | 27 | 15 | 42 | 5 | 4 | 9 | 15 | 21 | 36 | 9 |
| 264 | Maryculter, . . . | 1072 | 1024 | 9 | 11 | 20 | 2 | 1 | 3 | 11 | 3 | 14 | 1 |
| 265 | Marykirk, . . . | 1461 | 1307 | 21 | 13 | 34 | 5 | 2 | 7 | 16 | 11 | 27 | 2 |
| 266 | Nigg, . . . . | 2935 | 4513 | 94 | 77 | 171 | 8 | 8 | 16 | 35 | 29 | 64 | 23 |
| 267 | St. Cyrus, . . . | 1487 | 1327 | 27 | 19 | 46 | 5 | 3 | 8 | 12 | 11 | 23 | 8 |
| 268 | Strachan, . . . | 694 | 655 | 9 | 8 | 17 | 1 | 2 | 3 | 2 | 3 | 5 | 2 |
| | Total, | 35465 | 37024 | 553 | 518 | 1071 | 74 | 68 | 142 | 302 | 261 | 563 | 197 |
| | IV. EAST-MIDLAND. 12. Forfar. | | | | | | | | | | | | |
| 269 | Aberlemno, . . . | 993 | 926 | 15 | 13 | 28 | 2 | – | 2 | 8 | 5 | 13 | 4 |
| 270 | Airlie, . . . . | 844 | 741 | 14 | 8 | 22 | 1 | – | 1 | 6 | 3 | 9 | 8 |
| 271 | Arbirlot, . . . | 822 | 848 | 22 | 20 | 42 | 3 | 2 | 5 | 3 | 2 | 5 | 8 |
| *272 | ARBROATH, . . | 21995 | 23008 | 327 | 330 | 657 | 35 | 35 | 70 | 189 | 250 | 439 | 138 |
| 273 | Auchterhouse, . . | 661 | 547 | 5 | 8 | 13 | 2 | 1 | 3 | 2 | 8 | 10 | 4 |
| 274 | Barry, . . . . | 3233 | 3787 | 38 | 48 | 86 | 1 | 2 | 3 | 28 | 40 | 68 | 19 |
| 275 | BRECHIN, . . . | 10499 | 10453 | 129 | 123 | 252 | 18 | 19 | 37 | 94 | 113 | 207 | 70 |
| 276 | Carmylie, . . . | 1137 | 1083 | 8 | 10 | 18 | 1 | 2 | 3 | 7 | 9 | 16 | 10 |
| 277 | Careston, . . . | 194 | 198 | 4 | 1 | 5 | – | – | – | 1 | – | 1 | – |
| 278 | Cortachy and Clova, . | 442 | 440 | 6 | 6 | 12 | – | – | – | 5 | 4 | 9 | 7 |
| †279 | Coupar-Angus, . . | 2546 | 2496 | 30 | 26 | 56 | 3 | 2 | 5 | 29 | 30 | 59 | 9 |
| 280 | CRAIG, . . . . | 2589 | 2472 | 36 | 49 | 85 | 2 | 4 | 6 | 24 | 17 | 41 | 18 |
| †281 | Dun, . . . . | 541 | 552 | 11 | 3 | 14 | 2 | – | 2 | 5 | 2 | 7 | – |
| *282 | DUNDEE, . . . | | | | | | | | | | | | |
| | (1) St. Peter, . | 28014 | 30079 | 483 | 465 | 948 | 45 | 41 | 86 | 303 | 324 | 627 | 222 |
| | (2) St. Mary, . | 25320 | 26803 | 456 | 409 | 865 | 58 | 50 | 108 | 390 | 398 | 788 | 266 |
| | (3) St. Clement, . | 25978 | 28929 | 505 | 491 | 996 | 39 | 52 | 91 | 284 | 319 | 603 | 251 |
| | (4) St. Andrew, . | 50773 | 55997 | 924 | 878 | 1802 | 66 | 68 | 134 | 507 | 677 | 1184 | 448 |
| | (5) Lochee, . . | 12370 | 13867 | 216 | 212 | 428 | 24 | 29 | 53 | 128 | 186 | 314 | 119 |
| 283 | Dunnichen, . . . | 1422 | 1308 | 27 | 14 | 41 | 5 | 1 | 6 | 12 | 15 | 27 | 7 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 284 | Eassie and Nevay, | 561 | 553 | 13 | 5 | 18 | 1 | 1 | 2 | 2 | 2 | 4 | |
| 285 | Edzell, | 823 | 745 | 11 | 5 | 16 | 2 | – | 2 | 12 | 4 | 16 | |
| 286 | Farnell, | 613 | 627 | 7 | 7 | 14 | – | – | – | 4 | 1 | 5 | |
| 287 | Fearn, | 316 | 277 | 3 | 3 | 6 | – | – | – | 3 | 1 | 4 | |
| 288 | FORFAR, | 14470 | 13665 | 189 | 194 | 383 | 23 | 20 | 43 | 144 | 175 | 319 | 94 |
| 289 | Glamis, | 1631 | 1464 | 20 | 25 | 45 | 3 | 3 | 6 | 11 | 15 | 26 | 8 |
| 290 | Glenisla, | 791 | 676 | 9 | 10 | 19 | 1 | 2 | 3 | 7 | 3 | 10 | 6 |
| 291 | Guthrie, | 459 | 402 | 8 | 3 | 11 | 1 | – | 1 | 3 | 3 | 6 | 2 |
| 292 | Inverarity, | 862 | 769 | 18 | 13 | 31 | – | 1 | 1 | 8 | 7 | 15 | 4 |
| 293 | Inverkeilor, | 1671 | 1531 | 23 | 23 | 46 | 2 | 1 | 3 | 6 | 9 | 15 | 10 |
| *294 | Kettins, | 903 | 827 | 11 | 13 | 24 | – | 1 | 1 | 4 | 7 | 11 | 4 |
| 295 | Kingoldrum, | 389 | 368 | 3 | 2 | 5 | – | 1 | 1 | 1 | 3 | 4 | 1 |
| 296 | Kinnell, | 696 | 643 | 17 | 12 | 29 | 4 | 2 | 6 | 4 | 5 | 9 | 1 |
| *297 | Kinnettles, | 418 | 340 | 8 | 7 | 15 | – | – | – | 3 | – | 3 | 3 |
| 298 | Kirkden, | 1682 | 1488 | 29 | 20 | 49 | 3 | 2 | 5 | 9 | 15 | 24 | 10 |
| 299 | Kirriemuir, | 6616 | 6265 | 108 | 68 | 176 | 16 | 11 | 27 | 43 | 78 | 121 | 51 |
| 300 | Lethnott and Navar, | 288 | 289 | 4 | 6 | 10 | – | – | – | 2 | 3 | 5 | 1 |
| †301 | Liff, Benvie, and Invergowrie, | 1333 | 1816 | 23 | 21 | 44 | 2 | – | 2 | 39 | 31 | 70 | 11 |
| 302 | Lintrathen, | 641 | 558 | 7 | 3 | 10 | 2 | – | 2 | 2 | 5 | 7 | 2 |
| 303 | Lochlee, | 359 | 343 | 5 | 5 | 10 | 1 | – | 1 | 4 | 1 | 5 | 1 |
| 304 | Logie-Pert, | 995 | 979 | 23 | 17 | 40 | 4 | 2 | 6 | 16 | 8 | 24 | 7 |
| 305 | Lunan, | 243 | 253 | 2 | 3 | 5 | 1 | – | 1 | 1 | 1 | 2 | – |
| 306 | Lundie, | 317 | 301 | 4 | 6 | 10 | – | 1 | 1 | 4 | 2 | 6 | – |
| 307 | MAINS, etc.—(1) MAINS, (2) Strathmartine, | 2292 | 2672 | 43 | 41 | 84 | 4 | 1 | 5 | 22 | 18 | 40 | 15 |
| | | 1198 | 1326 | 19 | 12 | 31 | – | 1 | 1 | 12 | 9 | 21 | 2 |
| 308 | Marytown, | 389 | 376 | 8 | 1 | 9 | – | – | – | 1 | – | 1 | 4 |
| 309 | Menmuir, | 755 | 664 | 7 | 7 | 14 | 1 | 2 | 3 | 2 | 3 | 5 | 4 |
| 310 | Monifieth, | 9521 | 10531 | 153 | 144 | 297 | 12 | 6 | 18 | 75 | 92 | 167 | 66 |
| 311 | Monikie, | 1412 | 1328 | 18 | 12 | 30 | 1 | 1 | 2 | 14 | 15 | 29 | 8 |
| 312 | MONTROSE, | 16303 | 14428 | 172 | 173 | 345 | 13 | 10 | 23 | 165 | 206 | 371 | 76 |
| 313 | Murroes, | 749 | 773 | 14 | 9 | 23 | 1 | 1 | 2 | 8 | 9 | 17 | 1 |
| 314 | Newtyle, | 911 | 883 | 13 | 5 | 18 | – | – | – | 9 | 13 | 22 | 1 |
| 315 | Oathlaw, | 440 | 390 | 6 | 5 | 11 | – | – | – | 2 | 2 | 4 | 1 |
| 316 | Panbride, | 1595 | 1625 | 25 | 25 | 50 | 2 | 1 | 3 | 11 | 16 | 27 | 1 |
| 317 | Rescobie, | 685 | 660 | 10 | 12 | 22 | 1 | – | 1 | – | 2 | 2 | 1 |
| 318 | Ruthven, | 195 | 188 | 2 | 1 | 3 | 2 | – | 2 | 1 | – | 1 | 1 |
| †319 | St. Vigeans, | 2480 | 2361 | 37 | 24 | 61 | 3 | 4 | 7 | 17 | 15 | 32 | 2 |
| 320 | Stracathro, | 487 | 505 | 8 | 5 | 13 | – | 1 | 1 | 4 | 5 | 9 | 1 |
| 321 | Tannadice, | 1254 | 1117 | 9 | 10 | 19 | – | – | – | 6 | 7 | 13 | 1 |
| 322 | Tealing, | 757 | 649 | 7 | 11 | 18 | – | 1 | 1 | 7 | 5 | 12 | 1 |
| | Total, | 268653 | 280098 | 4352 | 4082 | 8434 | 413 | 385 | 798 | 2713 | 3198 | 5911 | 20 |
| | 13. Perth. | | | | | | | | | | | | |
| 323 | Aberdalgie, | 297 | 280 | 3 | 2 | 5 | – | – | – | 1 | – | 1 | |
| *324 | Aberfeldy, | 2268 | 2278 | 28 | 21 | 49 | 2 | – | 2 | 22 | 22 | 44 | 1 |
| 325 | Aberfoyle, | 465 | 1023 | 20 | 15 | 35 | – | – | – | 8 | 5 | 13 | |
| 326 | Abernethy, | 1714 | 1585 | 21 | 22 | 43 | 3 | 2 | 5 | 16 | 19 | 35 | |
| 327 | Abernyte, | 275 | 263 | 6 | 2 | 8 | – | – | – | 3 | – | 3 | |
| †328a | Alyth, | 3372 | 3324 | 43 | 41 | 84 | 6 | 4 | 10 | 32 | 38 | 70 | 1 |
| 328b | Ardoch, | 1102 | 959 | 12 | 14 | 26 | 1 | – | 1 | 10 | 11 | 21 | |
| 329 | Auchterarder, | 3648 | 3494 | 36 | 41 | 77 | 5 | 5 | 10 | 49 | 41 | 90 | 1 |
| †330 | Auchtergaven, | 1339 | 1263 | 17 | 15 | 32 | 3 | 2 | 5 | 10 | 17 | 27 | |
| *331 | Balquhidder, | 759 | 728 | 8 | 7 | 15 | 1 | 1 | 2 | 4 | 5 | 9 | |
| †332 | Bendochy, | 499 | 478 | 3 | 9 | 12 | – | – | – | 2 | 5 | 7 | |
| 333 | Blackford, | 1595 | 1522 | 19 | 16 | 35 | 1 | 1 | 2 | 9 | 17 | 26 | |
| †334 | Blair-Athol, | 1687 | 1560 | 17 | 11 | 28 | 1 | 3 | 4 | 4 | 15 | 19 | |
| †335 | Blairgowrie, | 4936 | 4561 | 51 | 48 | 99 | 7 | 9 | 16 | 37 | 51 | 88 | 2 |
| 336 | Callander, | 2167 | 2279 | 21 | 19 | 40 | – | 1 | 1 | 15 | 17 | 32 | 1 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| †337 | Caputh, | 1509 | 1301 | 18 | 10 | 28 | 1 | 1 | 2 | 9 | 10 | 19 | 6 |
| 338 | Cargill, | 1348 | 1238 | 18 | 16 | 34 | 2 | 3 | 5 | 15 | 13 | 28 | 11 |
| 339 | Clunie, | 582 | 489 | 6 | 12 | 18 | – | 1 | 1 | 3 | 3 | 6 | – |
| 340 | Collace, | 409 | 388 | 5 | 2 | 7 | 1 | – | 1 | 3 | 4 | 7 | 2 |
| †341 | Comrie, | 1726 | 1413 | 10 | 22 | 32 | 1 | – | 1 | 22 | 21 | 43 | 7 |
| 342 | Crieff, | 4852 | 5296 | 59 | 67 | 126 | 7 | – | 7 | 53 | 56 | 109 | 29 |
| 343 | CULROSS, | 1130 | 1096 | 12 | 10 | 22 | 1 | 1 | 2 | 9 | 14 | 23 | 2 |
| *†344 | Dowally, | 431 | 393 | 4 | 6 | 10 | 1 | – | 1 | 4 | 3 | 7 | 2 |
| 345 | Dron, | 335 | 298 | 8 | 5 | 13 | – | 1 | 1 | 2 | – | 2 | 1 |
| †346 | Dull, | 618 | 548 | 4 | 9 | 13 | 1 | 1 | 2 | 4 | 4 | 8 | 1 |
| 347 | Dunbarney, | 756 | 829 | 10 | 6 | 16 | – | – | – | 8 | 9 | 17 | 3 |
| 348 | Dunblane, | 3123 | 3220 | 26 | 38 | 64 | 2 | 7 | 9 | 24 | 34 | 58 | 19 |
| *†349 | Dunkeld, | 882 | 740 | 6 | 8 | 14 | 2 | – | 2 | 2 | 9 | 11 | 2 |
| 350 | Dunning, | 1635 | 1345 | 16 | 15 | 31 | – | 2 | 2 | 14 | 22 | 36 | 6 |
| 351 | Errol, | 2421 | 2158 | 29 | 27 | 56 | 1 | 2 | 3 | 14 | 16 | 30 | 13 |
| 352 | Findo-Gask, | 364 | 361 | 4 | 4 | 8 | – | 1 | 1 | 3 | 4 | 7 | – |
| 353 | Forgandenny, | 627 | 574 | 5 | 6 | 11 | – | 2 | 2 | 6 | 2 | 8 | 1 |
| 354 | Forteviot, | 618 | 539 | 6 | 5 | 11 | 1 | – | 1 | 9 | 1 | 10 | 4 |
| *†355 | *a* Fortingall, | | | | | | | | | | | | |
| | (1) Innerwick in Glenlyon | 355 | 297 | 3 | 5 | 8 | – | – | – | 4 | – | 4 | 2 |
| | (2) Fortingall, | 568 | 476 | 5 | 3 | 8 | – | 1 | 1 | 5 | – | 5 | – |
| *355*b* | Foss, | 226 | 210 | 1 | 1 | 2 | – | – | – | 2 | – | 2 | 1 |
| 356 | Fowlis-Easter, | 311 | 283 | 3 | 5 | 8 | – | – | – | 3 | 5 | 8 | 1 |
| †357 | Fowlis-Wester, | 979 | 853 | 4 | 8 | 12 | – | – | – | 10 | 12 | 22 | 3 |
| 358 | Glendevon, | 147 | 109 | 2 | 1 | 3 | – | – | – | – | 2 | 2 | 1 |
| 359 | Inchture, | 650 | 624 | 6 | 4 | 10 | – | 1 | 1 | 1 | 5 | 6 | 1 |
| *†360 | Kenmore, | 1112 | 1039 | 13 | 3 | 16 | 1 | – | 1 | 11 | 10 | 21 | 7 |
| *†361 | Killin, | 1379 | 1395 | 12 | 16 | 28 | – | 3 | 3 | 10 | 10 | 20 | 4 |
| 362 | Kilmadock, | 3012 | 2837 | 28 | 25 | 53 | 1 | 1 | 2 | 12 | 35 | 47 | 16 |
| †363 | Kilspindie, | 693 | 630 | 8 | 9 | 17 | – | 2 | 2 | 2 | 7 | 9 | 1 |
| 364 | Kincardine, | 1351 | 1200 | 11 | 19 | 30 | 2 | 1 | 3 | 14 | 12 | 26 | 7 |
| 365 | Kinclaven, | 490 | 511 | 7 | 4 | 11 | 1 | – | 1 | 2 | 5 | 7 | – |
| 366 | Kinfauns, | 583 | 566 | 7 | 8 | 15 | – | – | – | 5 | 2 | 7 | 1 |
| *367 | Kinloch-Rannoch, | 894 | 837 | 9 | 9 | 18 | 1 | – | 1 | 5 | 8 | 13 | 1 |
| 368 | Kinnaird, | 260 | 228 | 5 | 5 | 10 | – | – | – | 2 | – | 2 | 2 |
| †369 | Kinnoul, | 734 | 660 | 5 | 5 | 10 | – | – | – | 4 | 3 | 7 | – |
| †370 | Kirkmichael— | | | | | | | | | | | | |
| | (1) Kirkmichael, | 568 | 534 | 6 | 6 | 12 | 1 | 1 | 2 | 3 | 4 | 7 | 3 |
| | (2) Glenshee, | 226 | 163 | 2 | 1 | 3 | – | – | – | – | – | – | 1 |
| 371 | Lecropt, | 602 | 613 | 3 | 9 | 12 | – | – | – | 3 | – | 3 | 1 |
| †372 | Lethendy and Kinloch, | 401 | 327 | 4 | 1 | 5 | 1 | 1 | 2 | 3 | 2 | 5 | 1 |
| †373 | Little Dunkeld, | 2149 | 2068 | 16 | 13 | 29 | 2 | 4 | 6 | 36 | 36 | 72 | 10 |
| 374 | LOGIE, | 4696 | 4976 | 43 | 55 | 98 | 2 | 2 | 4 | 40 | 57 | 97 | 26 |
| *375 | Logiealmond, | 623 | 551 | 7 | 9 | 16 | 2 | – | 2 | 3 | 6 | 9 | 7 |
| †376 | Logierait, | 1697 | 1450 | 16 | 15 | 31 | 3 | 3 | 6 | 20 | 17 | 37 | 8 |
| 377 | Longforgan, | 1854 | 1779 | 30 | 24 | 54 | 4 | 3 | 7 | 11 | 23 | 34 | 9 |
| 378 | Madderty, | 527 | 483 | 3 | 6 | 9 | – | – | – | 5 | 4 | 9 | 2 |
| *379 | Meigle, | 966 | 924 | 10 | 10 | 20 | – | 1 | 1 | 6 | 9 | 15 | 4 |
| †380 | Methven, | 1848 | 1619 | 17 | 19 | 36 | 3 | 2 | 5 | 20 | 21 | 41 | 8 |
| 381 | Moneydie, | 233 | 243 | 4 | 4 | 8 | – | – | – | – | – | – | 3 |
| †382 | Monzie, | 381 | 274 | 3 | 1 | 4 | – | – | – | 1 | – | 1 | – |
| 383 | Monzievaird and Strowan | 700 | 608 | 6 | 4 | 10 | – | – | – | 7 | 4 | 11 | 1 |
| †384 | Moulin,—(1) Moulin, | 1623 | 1993 | 31 | 23 | 54 | 1 | 1 | 2 | 19 | 13 | 32 | 13 |
| | (2) Strathloch, | 218 | 202 | – | 2 | 2 | – | – | – | 1 | 3 | 4 | 1 |
| 385 | Muckart, | 601 | 542 | 3 | 4 | 7 | – | 2 | 2 | 1 | 5 | 6 | 4 |
| 386 | Muthill, | 1702 | 1622 | 24 | 16 | 40 | 2 | 1 | 3 | 22 | 21 | 43 | 12 |
| *387 | Perale, | 715 | 596 | – | 8 | 8 | – | – | – | 7 | 5 | 12 | 3 |
| *387 | PERTH, | 29756 | 30768 | 404 | 440 | 844 | 33 | 29 | 62 | 318 | 307 | 625 | 194 |
| 388 | Port of Menteith | 1175 | 1092 | 13 | 11 | 24 | 1 | – | 1 | 5 | 13 | 18 | 2 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| †389 | Rattray, | 3018 | 2667 | 34 | 25 | 59 | 3 | 4 | 7 | 23 | 30 | 53 | 13 |
| †390 | Redgorton, | 1100 | 996 | 10 | 6 | 16 | 1 | – | 1 | 10 | 9 | 19 | 5 |
| 391 | Rhynd, | 297 | 270 | 3 | 5 | 8 | – | – | – | 1 | 1 | 2 | 2 |
| 392 | St. Madoes, | 316 | 299 | 6 | 6 | 12 | – | – | – | 2 | 4 | 6 | – |
| 393*a* | St. Martins, | 741 | 663 | 12 | 11 | 23 | – | – | – | 3 | 6 | 9 | 5 |
| *393*b* | Stanley, | 1276 | 1304 | 14 | 14 | 28 | – | 4 | 4 | 8 | 10 | 18 | 12 |
| †394*a* | Scone, | 2806 | 2093 | 17 | 20 | 37 | 3 | – | 3 | 22 | 23 | 45 | 4 |
| 394*b* | Strathfillan, | 827 | 1862 | 7 | 7 | 14 | 2 | 1 | 3 | 15 | 1 | 16 | 3 |
| *394*c* | Tenandry, | 497 | 389 | 3 | 2 | 5 | – | – | – | 3 | 4 | 7 | 1 |
| †395 | Tibbermore, | 1181 | 1120 | 15 | 16 | 31 | 1 | 2 | 3 | 8 | 7 | 15 | 8 |
| 396 | Trinity-Gask, | 396 | 386 | 3 | 8 | 11 | – | 1 | 1 | 2 | – | 2 | 2 |
| 397 | Tullialan, | 2207 | 2177 | 35 | 29 | 64 | 2 | 1 | 3 | 11 | 31 | 42 | 13 |
| †398 | Weem, | 181 | 164 | 1 | – | 1 | – | – | – | 5 | 2 | 7 | 2 |
| | Total, | 130282 | 127895 | 1485 | 1511 | 2996 | 154 | 123 | 247 | 1162 | 1282 | 2444 | 657 |
| | **14. Fife.** | | | | | | | | | | | | |
| 399 | Abbotshall (merged in 442), | | | | | | | | | | | | |
| †400 | Abdie, | 862 | 778 | 5 | 5 | 10 | – | 3 | 3 | 6 | 6 | 12 | 1 |
| 401 | Aberdour, | 1736 | 1977 | 37 | 39 | 76 | – | 5 | 5 | 16 | 17 | 33 | 10 |
| *402 | ANSTRUTHER-EASTER, | 1349 | 1142 | 13 | 12 | 25 | 1 | 2 | 3 | 12 | 11 | 23 | 5 |
| 403 | ANSTRUTHER-WESTER, | 673 | 593 | 5 | 9 | 14 | – | 1 | 1 | 3 | 9 | 12 | 6 |
| 404 | Arngask, | 547 | 564 | 4 | 2 | 6 | 1 | 1 | 2 | 6 | 6 | 12 | 8 |
| 405 | Auchterderran, | 4332 | 6185 | 137 | 122 | 259 | 5 | 6 | 11 | 54 | 46 | 100 | 46 |
| 406 | AUCHTERMUCHTY, | 2322 | 2062 | 23 | 13 | 36 | 3 | 1 | 4 | 23 | 32 | 55 | 7 |
| 407 | Auchtertool, | 706 | 721 | 16 | 18 | 34 | 1 | – | 1 | 13 | 4 | 17 | 3 |
| 408 | Ballingry, | 1065 | 2275 | 61 | 55 | 116 | 4 | 1 | 5 | 17 | 12 | 29 | 11 |
| 409 | Balmerino, | 664 | 688 | 8 | 8 | 16 | – | 1 | 1 | 3 | 6 | 9 | 2 |
| 410 | Beath, | 5442 | 8298 | 212 | 170 | 382 | 11 | 9 | 20 | 91 | 62 | 153 | 66 |
| 411 | BURNTISLAND, | 4821 | 6174 | 109 | 103 | 212 | 5 | 4 | 9 | 41 | 48 | 89 | 23 |
| 412 | Cameron, | 1003 | 886 | 12 | 9 | 21 | 2 | 1 | 3 | 10 | 9 | 19 | 5 |
| 413 | Carnbee, | 1057 | 952 | 8 | 13 | 21 | – | 3 | 3 | 7 | 11 | 18 | 5 |
| 414 | Carnock, | 1055 | 987 | 20 | 11 | 31 | 2 | – | 2 | 11 | 13 | 24 | 8 |
| 415 | Ceres, | 2068 | 1677 | 24 | 15 | 39 | 3 | 1 | 4 | 19 | 17 | 36 | 15 |
| 416 | Collessie | 1989 | 2073 | 29 | 36 | 65 | 1 | 2 | 3 | 15 | 17 | 32 | 8 |
| *†417 | CRAIL | 1644 | 1625 | 26 | 12 | 38 | 4 | – | 4 | 13 | 21 | 34 | 4 |
| 418 | Creich, | 386 | 325 | 3 | 3 | 6 | – | – | – | 3 | 2 | 5 | 3 |
| 419 | Cults, | 704 | 700 | 10 | 7 | 17 | 1 | – | 1 | 5 | 10 | 15 | 8 |
| 420 | CUPAR | 7404 | 6990 | 77 | 55 | 132 | 9 | 5 | 14 | 89 | 90 | 179 | 47 |
| 421 | Dairsie, | 603 | 606 | 5 | 8 | 13 | 1 | 1 | 2 | 6 | 6 | 12 | 7 |
| 422 | Dalgetty, | 1321 | 1341 | 29 | 22 | 51 | 3 | 1 | 4 | 8 | 15 | 23 | 9 |
| *423 | Dunbog, | 386 | 346 | 3 | 8 | 11 | – | – | – | 4 | 5 | 9 | 2 |
| *†424 | DUNFERMLINE, | 26346 | 28659 | 460 | 421 | 881 | 25 | 18 | 43 | 276 | 284 | 560 | 246 |
| *425 | Dunino, | 415 | 383 | 3 | 6 | 9 | – | – | – | 3 | 5 | 8 | 8 |
| 426 | DYSART, | 11601 | 13626 | 199 | 211 | 410 | 10 | 14 | 24 | 137 | 143 | 280 | 97 |
| 427 | Elie, | 670 | 704 | 8 | 8 | 16 | – | – | – | 7 | 9 | 16 | 5 |
| 428 | FALKLAND, | 2698 | 2470 | 22 | 29 | 51 | 2 | 4 | 6 | 18 | 30 | 48 | 23 |
| 429 | Ferry-Port-on-Craig, | 2818 | 3008 | 37 | 31 | 68 | 3 | 2 | 5 | 20 | 33 | 53 | 15 |
| †430 | Flisk, | 213 | 192 | 5 | 1 | 6 | – | – | – | 4 | – | 4 | 3 |
| 431 | Forgan, | 3308 | 3763 | 48 | 39 | 87 | 3 | 1 | 4 | 27 | 36 | 63 | 16 |
| *†432 | INVERKEITHING, | 2787 | 2960 | 51 | 36 | 87 | 2 | 6 | 8 | 27 | 19 | 46 | 15 |
| 433 | Kemback, | 853 | 794 | 11 | 12 | 23 | 4 | – | 4 | 12 | 13 | 25 | 2 |
| 434 | Kennoway, | 1560 | 1458 | 14 | 23 | 37 | – | 6 | 6 | 21 | 26 | 47 | 13 |
| 435 | Kettle, | 2054 | 1939 | 32 | 27 | 59 | 6 | 3 | 9 | 16 | 19 | 35 | 11 |
| 436 | KILCONQUHAR, | 2053 | 2050 | 17 | 19 | 36 | 1 | 1 | 2 | 15 | 13 | 28 | 8 |
| 437 | Kilmany, | 634 | 588 | 14 | 10 | 24 | 1 | 2 | 3 | 5 | 6 | 11 | – |
| †438 | KILRENNY, | 3097 | 2889 | 35 | 43 | 78 | 2 | 3 | 5 | 22 | 29 | 51 | 16 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| †439 | KINGHORN, | 2773 | 2768 | 60 | 50 | 110 | 1 | 5 | 6 | 42 | 39 | 81 | 1 |
| 440 | Kinglassie, | 1292 | 1372 | 32 | 17 | 49 | 2 | 2 | 4 | 12 | 8 | 20 | 1 |
| 441 | Kingsbarns, | 795 | 753 | 9 | 9 | 18 | 1 | – | 1 | 6 | 8 | 14 | |
| *442 | KIRKCALDY and ABBOTSHALL, | 15840 | 17975 | 270 | 227 | 497 | 14 | 13 | 27 | 157 | 209 | 366 | 13 |
| 443 | Largo, | 2234 | 2324 | 29 | 26 | 55 | 5 | – | 5 | 27 | 28 | 55 | |
| 444 | Leslie, | 4345 | 3886 | 49 | 50 | 99 | 4 | 3 | 7 | 26 | 44 | 70 | 3 |
| 445 | Leuchars, | 2185 | 2370 | 31 | 37 | 68 | 6 | 4 | 10 | 18 | 11 | 29 | 1 |
| 446 | Logie, | 350 | 360 | 2 | 4 | 6 | – | – | – | 2 | – | 2 | |
| 447 | Markinch, | 5868 | 6377 | 113 | 87 | 200 | 7 | 7 | 14 | 69 | 84 | 153 | 5 |
| 448 | Monimail, | 834 | 769 | 8 | 10 | 18 | 1 | 1 | 2 | 7 | 6 | 13 | |
| 449 | Moonzie, | 148 | 128 | 1 | 4 | 5 | – | 1 | 1 | 2 | 3 | 5 | |
| 450 | NEWBURGH, | 2191 | 1812 | 14 | 27 | 41 | 6 | 3 | 9 | 9 | 18 | 27 | |
| 451 | Newburn, | 344 | 322 | 3 | 2 | 5 | – | – | – | 3 | 3 | 6 | |
| 452 | PITTENWEEM, | 2119 | 1991 | 30 | 29 | 59 | – | 3 | 3 | 10 | 20 | 30 | |
| 453 | ST. ANDREWS and ST. LEONARDS, | 8604 | 8755 | 105 | 97 | 202 | 6 | 7 | 13 | 67 | 75 | 142 | 4 |
| 454 | St. Monance (or Abercrombie), | 2054 | 1998 | 30 | 27 | 57 | 1 | 3 | 4 | 19 | 13 | 32 | 1 |
| 455 | Saline, | 954 | 879 | 10 | 9 | 19 | – | 2 | 2 | 9 | 5 | 14 | |
| 456 | Scoonie, | 3730 | 4693 | 75 | 75 | 150 | 2 | 5 | 7 | 34 | 42 | 76 | 3 |
| 457 | Strathmiglo, | 2061 | 1753 | 15 | 18 | 33 | 1 | 2 | 3 | 14 | 22 | 36 | |
| 458 | Torryburn, | 737 | 913 | 14 | 15 | 29 | 1 | 1 | 2 | 11 | 9 | 20 | |
| 459 | Wemyss—(1) Wemyss, | 2711 | 3024 | 62 | 49 | 111 | 1 | 2 | 3 | 35 | 31 | 66 | 1 |
| | (2) Buckhaven, | 4596 | 6931 | 160 | 173 | 333 | 9 | 11 | 20 | 66 | 79 | 145 | 4 |
| | Total, | 172131 | 187601 | 2954 | 2713 | 5667 | 184 | 183 | 367 | 1730 | 1897 | 3627 | 12 |
| | **15. Kinross.** | | | | | | | | | | | | |
| 460 | Cleish, | 498 | 530 | 9 | 14 | 23 | 2 | 1 | 3 | 2 | 4 | 6 | |
| 461 | Fossoway and Tulliebole, | 1267 | 1085 | 11 | 11 | 22 | 1 | 2 | 3 | 9 | 12 | 21 | |
| 462 | Kinross, | 2492 | 2385 | 37 | 20 | 57 | 1 | 2 | 3 | 24 | 28 | 52 | 1 |
| 463 | Orwell, | 2031 | 1852 | 23 | 27 | 50 | 2 | 2 | 4 | 17 | 21 | 38 | |
| 464 | Portmoak, | 1042 | 873 | 12 | 10 | 22 | – | 1 | 1 | 10 | 8 | 18 | |
| | Total, | 7330 | 6725 | 92 | 82 | 174 | 6 | 8 | 14 | 62 | 73 | 135 | 3 |
| | **16. Clackmannan.** | | | | | | | | | | | | |
| 465 | Alloa, | 11638 | 13728 | 266 | 252 | 518 | 16 | 16 | 32 | 127 | 136 | 263 | 9 |
| 466 | Clackmannan, | 4543 | 5072 | 62 | 72 | 134 | 2 | 3 | 5 | 34 | 41 | 75 | 1 |
| 467 | Dollar, | 2500 | 2221 | 16 | 20 | 36 | 2 | 3 | 5 | 19 | 17 | 36 | 1 |
| 468 | Tillicoultry, | 5344 | 5695 | 79 | 79 | 158 | 6 | 3 | 9 | 43 | 48 | 91 | 3 |
| | Total, | 24025 | 26716 | 423 | 423 | 846 | 26 | 25 | 51 | 223 | 242 | 465 | 15 |
| | **V. WEST-MIDLAND.** | | | | | | | | | | | | |
| | **17. Stirling.** | | | | | | | | | | | | |
| 469 | Airth, | 1362 | 1325 | 23 | 13 | 36 | 2 | 3 | 5 | 15 | 15 | 30 | 1 |
| 470 | Alva, | 5113 | 5360 | 75 | 63 | 138 | 12 | 7 | 19 | 60 | 54 | 114 | 3 |
| 471 | Baldernock, | 569 | 553 | 5 | 5 | 10 | 1 | – | 1 | 5 | 3 | 8 | |
| 472 | Balfron, | 1327 | 1203 | 18 | 10 | 28 | – | – | – | 12 | 17 | 29 | |
| 473 | Bothkennar, | 1798 | 2025 | 46 | 36 | 82 | 8 | 2 | 10 | 20 | 17 | 37 | 2 |
| 474 | Buchanan, | 550 | 658 | 3 | 8 | 11 | – | – | – | 3 | 6 | 9 | |
| 475 | Campsie, | 5873 | 5338 | 87 | 69 | 156 | 12 | 5 | 17 | 59 | 62 | 121 | 3 |
| 476 | Denny—(1) Denny, | 4228 | 4813 | 92 | 94 | 186 | 3 | 6 | 9 | 52 | 60 | 112 | 2 |
| | (2) Haggs, | 1500 | 1560 | 27 | 23 | 50 | 1 | 2 | 3 | 16 | 17 | 33 | 1 |
| 477 | Drymen, | 1431 | 1512 | 19 | 15 | 34 | 4 | – | 4 | 18 | 12 | 30 | |
| 478 | Dunipace, | 1874 | 1716 | 30 | 34 | 64 | 1 | 3 | 4 | 23 | 19 | 42 | |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| †479 | FALKIRK—(1) BURGH | 13170 | 16620 | 329 | 291 | 620 | 19 | 7 | 26 | 199 | 173 | 372 | 158 |
| | (2) LANDWAT | 8980 | 10108 | 185 | 179 | 364 | 6 | 12 | 18 | 88 | 76 | 164 | 54 |
| 480 | Fintry, | 414 | 357 | 5 | 2 | 7 | 1 | – | 1 | 1 | 4 | 5 | 4 |
| 481a | Gargunnock, | 698 | 674 | 9 | 7 | 16 | 1 | 1 | 2 | 3 | 4 | 7 | 3 |
| *481b | GRANGEMOUTH, | 4560 | 6354 | 115 | 104 | 219 | 4 | 2 | 6 | 67 | 36 | 103 | 33 |
| 482 | Killearn, | 1131 | 1182 | 13 | 16 | 29 | 2 | 1 | 3 | 16 | 6 | 22 | 9 |
| 483 | KILSYTH, | 6840 | 7424 | 141 | 164 | 305 | 11 | 7 | 18 | 108 | 129 | 237 | 78 |
| 484 | Kippen, | 1449 | 1486 | 14 | 22 | 36 | – | 3 | 3 | 20 | 11 | 31 | 8 |
| 485 | LARBERT, | 6346 | 8340 | 141 | 141 | 282 | 5 | 3 | 8 | 113 | 85 | 198 | 47 |
| 486 | Muiravonside, | 2713 | 3671 | 81 | 77 | 158 | 3 | 2 | 5 | 36 | 39 | 75 | 19 |
| †487 | Polmont, | 3861 | 4707 | 81 | 74 | 155 | 6 | 1 | 7 | 33 | 52 | 85 | 41 |
| †488 | ST. NINIANS— | | | | | | | | | | | | |
| | (1) ST. NINIANS, | 5465 | 5110 | 68 | 65 | 133 | 3 | 3 | 6 | 41 | 60 | 101 | 36 |
| | (2) BANNOCKBURN, | 4331 | 3620 | 63 | 48 | 111 | 5 | 5 | 10 | 50 | 45 | 95 | 26 |
| 489 | Slamannan, | 5850 | 6731 | 178 | 152 | 330 | 12 | 9 | 21 | 52 | 54 | 106 | 59 |
| *490 | STIRLING, | 14107 | 15011 | 222 | 217 | 439 | 17 | 18 | 35 | 189 | 169 | 358 | 133 |
| †491 | Strathblane, | 1343 | 1671 | 23 | 16 | 39 | 1 | – | 1 | 17 | 4 | 21 | 8 |
| | Total, | 106883 | 119129 | 2093 | 1945 | 4038 | 140 | 102 | 242 | 1316 | 1229 | 2545 | 874 |
| | 18. DUMBARTON. | | | | | | | | | | | | |
| 492 | Arrochar, | 517 | 1457 | 8 | 7 | 15 | | 1 | 1 | 26 | 5 | 31 | 8 |
| 493 | BONHILL, | 12524 | 14379 | 230 | 208 | 438 | 15 | 11 | 26 | 147 | 118 | 265 | 115 |
| †494 | CARDROSS—(1) CARDROSS | 1367 | 1301 | 15 | 20 | 35 | – | – | – | 10 | 7 | 17 | 6 |
| | (2) RENTON, | 4516 | 5459 | 121 | 86 | 267 | 15 | 8 | 23 | 52 | 65 | 117 | 35 |
| 495 | Cumbernauld, | 4270 | 4283 | 67 | 75 | 142 | 10 | 11 | 21 | 47 | 52 | 99 | 30 |
| *496 | DUMBARTON, | 14384 | 17855 | 367 | 299 | 666 | 22 | 15 | 37 | 202 | 188 | 390 | 108 |
| 497 | Kilmaronock, | 927 | 900 | 5 | 9 | 14 | – | 1 | 1 | 11 | 3 | 14 | 3 |
| 498 | KIRKINTILLOCH, | 10591 | 12427 | 203 | 221 | 424 | 15 | 8 | 23 | 160 | 170 | 330 | 68 |
| 499 | Luss, | 719 | 633 | 6 | 11 | 17 | 1 | 1 | 2 | 9 | 1 | 10 | 2 |
| 500 | NEW or EAST KILPATRICK | 7414 | 8309 | 122 | 150 | 273 | 7 | 12 | 19 | 90 | 75 | 165 | 51 |
| 501 | Old or West Kilpatrick, | 8862 | 17775 | 405 | 327 | 732 | 5 | 9 | 14 | 181 | 150 | 331 | 99 |
| 502 | Roseneath—(1) Roseneath | 858 | 900 | 9 | 5 | 14 | – | 1 | 1 | 7 | 10 | 17 | 1 |
| | (2) Kilcreggan and Cove | 1136 | 1164 | 11 | 9 | 20 | – | 1 | 1 | 13 | 7 | 20 | 5 |
| 503 | Row, | 10097 | 11172 | 117 | 124 | 241 | 5 | 6 | 11 | 101 | 106 | 207 | 56 |
| | Total, | 78182 | 98014 | 1687 | 1551 | 3238 | 95 | 85 | 180 | 1056 | 957 | 2013 | 587 |
| | 19. ARGYLL. *Mainland.* | | | | | | | | | | | | |
| †504 | Ardchattan, | 1390 | 1253 | 15 | 15 | 30 | 1 | – | 1 | 10 | 9 | 19 | 7 |
| 505 | Ardnamurchan— | | | | | | | | | | | | |
| | (1) Aharacle, | 1425 | 1318 | 12 | 11 | 23 | 1 | – | 1 | 11 | 9 | 20 | 2 |
| | (2) Arisaig, | 1136 | 929 | 9 | 8 | 17 | – | – | – | 6 | 12 | 18 | 2 |
| | (3) Sunart (or Strontian), | 633 | 614 | 5 | 6 | 11 | – | 2 | 2 | 5 | 4 | 9 | 3 |
| | (4) Western Ardnamurchan, | 911 | 775 | 5 | 12 | 17 | 1 | 2 | 3 | 14 | 10 | 24 | 3 |
| *506 | Ballachulish and Corran of Ardgour, | 749 | 757 | 5 | 4 | 9 | 1 | 1 | 2 | 7 | 7 | 14 | 2 |
| 507 | CAMPBELTOWN, | 9755 | 10260 | 151 | 178 | 329 | 16 | 12 | 28 | 68 | 88 | 156 | 67 |
| 508 | Craignish, | 451 | 394 | 4 | 4 | 8 | – | 2 | 2 | 3 | 2 | 5 | 1 |
| *509 | Cumlodden and Minard, | 1142 | 912 | 7 | 8 | 15 | – | 1 | 1 | 8 | 13 | 21 | 2 |
| 510 | DUNOON and KILMUN, | | | | | | | | | | | | |
| | (1) DUNOON, | 6821 | 7287 | 58 | 72 | 130 | 2 | 4 | 6 | 81 | 83 | 164 | 40 |
| | (2) KILMUN, | 1181 | 1396 | 18 | 16 | 34 | 1 | – | 1 | 13 | 11 | 24 | 1 |
| †511 | Glassary, | 1234 | 1032 | 13 | 11 | 24 | 1 | 3 | 4 | 10 | 10 | 20 | 3 |
| †512 | Glenorchy, | 761 | 1252 | 9 | 6 | 15 | 1 | – | 1 | 6 | 4 | 10 | 1 |
| *513 | INVERARAY, | 1407 | 1261 | 11 | 12 | 23 | 1 | – | 1 | 15 | 13 | 28 | 6 |
| 514 | Inverchaolain, | 407 | 359 | 3 | 4 | 7 | – | – | – | 2 | 3 | 5 | 3 |
| *515 | Kilbrandon & Kilchattan, | 1921 | 1677 | 15 | 24 | 39 | 1 | 3 | 4 | 11 | 16 | 27 | 1 |
| †516 | Kilcalmonell, etc.— | | | | | | | | | | | | |
| | (1) Kilcalmonell, | 583 | 502 | 7 | 5 | 12 | – | – | – | 8 | 1 | 9 | – |
| | (2) Kilberry, | 460 | 388 | 1 | 5 | 6 | – | 2 | 2 | 2 | 3 | 5 | 2 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. |
| *517 | Kilchrenan, etc.— | | | | | | | | | | | |
| | (1) Kilchrenan, | 406 | 406 | 4 | 5 | 9 | 1 | 2 | 3 | 2 | 3 | 5 |
| | (2) Dalavich, | 226 | 158 | – | 2 | 2 | – | – | – | – | – | – |
| 518 | Kilfinan, | 2153 | 2074 | 23 | 23 | 46 | 1 | – | 1 | 18 | 17 | 35 |
| 519 | Killean and Kilchenzie, | 1368 | 1293 | 14 | 12 | 26 | 1 | 1 | 2 | 6 | 7 | 13 |
| †520 | Kilmalie, | 3408 | 3448 | 38 | 34 | 72 | 3 | 5 | 8 | 38 | 29 | 67 |
| 521 | Kilmartin, | 811 | 695 | 5 | 4 | 9 | – | 1 | 1 | 6 | 5 | 11 |
| 522 | Kilmodan, | 323 | 351 | 6 | 3 | 9 | – | – | – | 1 | 1 | 2 |
| 523 | KILMORE AND KILBRIDE, | 5142 | 5729 | 91 | 80 | 171 | 12 | 4 | 16 | 73 | 62 | 135 |
| 524 | Kilninver, etc.— | | | | | | | | | | | |
| | (1) Kilninver, | 224 | 200 | 3 | – | 3 | 1 | – | 1 | 1 | – | 1 |
| | (2) Kilmelford, | 181 | 202 | – | 3 | 3 | – | – | – | 1 | 2 | 3 |
| 525 | Lismore, etc.— | | | | | | | | | | | |
| | (1) Lismore, | 738 | 681 | 3 | 5 | 8 | – | – | – | 10 | 8 | 18 |
| | (2) Appin, | 762 | 669 | 6 | 6 | 12 | – | – | – | 4 | 4 | 8 |
| | (3) Glencoe & Ballachulish, | 1444 | 1480 | 16 | 20 | 36 | 1 | – | 1 | 9 | 8 | 17 |
| | (4) Duror, | 489 | 412 | 7 | 4 | 11 | – | 1 | 1 | 3 | 2 | 5 |
| *526 | Lochgilphead, | 3605 | 3458 | 36 | 47 | 83 | 1 | 4 | 5 | 47 | 56 | 103 |
| 527 | Lochgoilhead, etc.— | | | | | | | | | | | |
| | (1) Lochgoilhead, | 540 | 520 | 2 | 2 | 4 | – | – | – | 1 | 5 | 6 |
| | (2) Kilmorich, | 330 | 267 | 4 | 2 | 6 | – | – | – | 6 | 1 | 7 |
| 528 | Morvern, | 828 | 820 | 12 | 9 | 21 | – | 2 | 2 | 8 | 14 | 22 |
| *529 | Muckairn, | 831 | 962 | 13 | 2 | 15 | 2 | – | 2 | 9 | 7 | 16 |
| 530 | North Knapdale, | 927 | 867 | 6 | 7 | 13 | – | – | – | 10 | 4 | 14 |
| †531 | Saddell, etc.—(1) Saddell, | 686 | 757 | 11 | 8 | 19 | – | – | – | 4 | 7 | 11 |
| | (2) Skipness, | 470 | 395 | 2 | 1 | 3 | – | – | – | 1 | 2 | 3 |
| 532 | Southend, | 955 | 844 | 14 | 6 | 20 | 2 | – | 2 | 9 | 13 | 22 |
| †533 | South Knapdale, | 453 | 463 | 6 | 6 | 12 | – | – | – | 3 | 6 | 9 |
| 534 | Stralachlan, etc.— | | | | | | | | | | | |
| | (1) Stralachlan, | 358 | 270 | 1 | 1 | 2 | – | – | – | – | 2 | 2 |
| | (2) Strachur, | 574 | 478 | 3 | 2 | 5 | – | – | – | 7 | 2 | 9 |
| *535 | Tarbert, | 2017 | 2208 | 35 | 32 | 67 | 1 | 1 | 2 | 20 | 23 | 43 |
| | *Insular.* | | | | | | | | | | | |
| *†536 | Bowmore (or Kilarrow), | 1875 | 1855 | 28 | 14 | 42 | 5 | 2 | 7 | 19 | 18 | 37 |
| 537 | Gigha, | 382 | 401 | 4 | 4 | 8 | 2 | – | 2 | 2 | 2 | 4 |
| 538 | Iona (merged in 542), | | | | | | | | | | | |
| †539 | Jura, etc.—(1) Jura, | 792 | 621 | 9 | 6 | 15 | – | – | – | 7 | 9 | 16 |
| | (2) Colonsay, | 397 | 381 | 3 | 3 | 6 | – | 1 | 1 | 1 | 3 | 4 |
| †540 | Kilchoman, | 1687 | 1828 | 27 | 12 | 39 | 4 | 3 | 7 | 16 | 14 | 30 |
| *541 | Kildalton and Oa, | 2271 | 2027 | 18 | 20 | 38 | 4 | 2 | 6 | 13 | 21 | 34 |
| *542 | Kilfinichen & Kilvickeon, | 1990 | 1745 | 16 | 17 | 33 | 2 | 3 | 5 | 20 | 13 | 33 |
| †543 | Kilmeny, | 881 | 805 | 12 | 4 | 16 | 1 | – | 1 | 10 | 2 | 12 |
| †544 | Kilninian and Kilmore, | 985 | 917 | 13 | 10 | 23 | – | – | – | 4 | 3 | 7 |
| *545 | Kinlochspelvie, | 311 | 270 | 2 | 2 | 4 | – | – | – | 3 | 3 | 6 |
| 546 | Oa (merged in 541), | | | | | | | | | | | |
| *547 | Portnahaven, | 860 | 869 | 10 | 10 | 20 | 1 | – | 1 | 7 | 8 | 15 |
| 548 | Salen, | 600 | 521 | 2 | 1 | 3 | – | – | – | 5 | 6 | 11 |
| *549 | Tobermory, | 1342 | 1265 | 18 | 12 | 30 | – | 2 | 2 | 9 | 21 | 30 |
| *550 | Torosay, | 396 | 358 | 4 | 3 | 7 | – | – | – | 4 | 3 | 7 |
| †551 | Tyree, etc.—(1) Tyree, | 2733 | 2452 | 29 | 25 | 54 | 4 | 2 | 6 | 22 | 25 | 47 |
| | (2) Coll, | 643 | 522 | 3 | 2 | 5 | – | – | – | 5 | 4 | 9 |
| | Total, | 80761 | 79310 | 907 | 872 | 1779 | 76 | 68 | 144 | 724 | 743 | 1467 |
| | 20. Bute. | | | | | | | | | | | |
| 552 | Cumbrae, | 1856 | 1784 | 17 | 13 | 30 | – | 1 | 1 | 28 | 20 | 48 |
| 553 | Kilbride—(1) Brodick, | 837 | 912 | 2 | 9 | 11 | – | – | – | 9 | 8 | 17 |
| | (2) Kilbride, | 1183 | 1276 | 12 | 7 | 19 | – | 1 | 1 | 12 | 11 | 23 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| †554 | Kilmory, | 2028 | 1903 | 19 | 14 | 33 | 3 | 1 | 4 | 26 | 21 | 47 | 11 |
| 555 | Kingarth, | 1260 | 1062 | 8 | 11 | 19 | 1 | 1 | 2 | 10 | 11 | 21 | 8 |
| *556 | Lochranza, | 714 | 759 | 6 | 8 | 14 | – | – | – | 10 | 6 | 16 | 2 |
| *557 | North Bute, | 1427 | 1583 | 21 | 14 | 35 | 3 | 1 | 4 | 17 | 17 | 34 | 9 |
| †558 | ROTHESAY, | 8329 | 9108 | 113 | 97 | 210 | 8 | 11 | 19 | 103 | 108 | 211 | 51 |
| | Total, | 17634 | 18387 | 198 | 178 | 371 | 15 | 16 | 31 | 215 | 202 | 417 | 97 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | |
| | 21. Renfrew. | | | | | | | | | | | | |
| †559 | Abbey — (1) Burghal (merged in 573). | | | | | | | | | | | | |
| | (2) Landward (merged in 559 (3), 572 (2), and 573). | | | | | | | | | | | | |
| | (3) Johnstone and Elderslie, | 11488 | 12088 | 209 | 204 | 413 | 8 | 13 | 21 | 137 | 142 | 279 | 97 |
| 560 | Cathcart, | 12211 | 16589 | 233 | 220 | 453 | 7 | 5 | 12 | 138 | 140 | 278 | 99 |
| 561 | Eaglesham, | 1385 | 1207 | 12 | 10 | 22 | 4 | 1 | 5 | 17 | 16 | 33 | 1 |
| 562 | Eastwood, | 13915 | 16042 | 257 | 246 | 503 | 13 | 9 | 22 | 169 | 181 | 350 | 112 |
| 563 | Erskine, | 1653 | 1691 | 18 | 25 | 43 | 2 | – | 2 | 11 | 12 | 23 | 7 |
| 564 | GREENOCK— | | | | | | | | | | | | |
| | (1) East, | 33744 | 32937 | 617 | 553 | 1170 | 19 | 32 | 51 | 363 | 321 | 684 | 229 |
| | (2) West, | 33042 | 30575 | 445 | 450 | 895 | 15 | 16 | 31 | 370 | 376 | 746 | 281 |
| 565 | Houstoun and Killellan, | 2191 | 1946 | 25 | 21 | 46 | 1 | 2 | 3 | 23 | 26 | 49 | 8 |
| 566 | Inchinnan, | 508 | 567 | 13 | 5 | 18 | – | – | – | 6 | 2 | 8 | 3 |
| 567 | Inverkip—(1) Inverkip, | 1295 | 1253 | 13 | 12 | 25 | – | 1 | 1 | 11 | 2 | 13 | 8 |
| | (2) Gourock, | 4064 | 5288 | 58 | 73 | 131 | 6 | 9 | 15 | 100 | 93 | 193 | 16 |
| 568 | Kilbarchan— | | | | | | | | | | | | |
| | (1) Kilbarchan, | 4363 | 4465 | 57 | 63 | 120 | 4 | 2 | 6 | 38 | 45 | 83 | 21 |
| | (2) Linwood, | 2505 | 2646 | 47 | 42 | 89 | 2 | 2 | 4 | 24 | 20 | 44 | 8 |
| 569 | Kilmalcolm, | 2708 | 3649 | 39 | 37 | 76 | 2 | 3 | 5 | 25 | 33 | 58 | 16 |
| 570 | Lochwinnoch, | 3369 | 3477 | 63 | 45 | 108 | 4 | 2 | 6 | 37 | 25 | 62 | 22 |
| 571 | Mearns,—(1) Busby, | 1650 | 1421 | 22 | 21 | 43 | 3 | 1 | 4 | 20 | 13 | 33 | 12 |
| | (2) Newton Mearns, | 2315 | 2005 | 25 | 25 | 50 | 3 | 2 | 5 | 18 | 21 | 39 | 10 |
| *572 | Neilston—(1) Neilston, | 4631 | 4015 | 56 | 59 | 115 | 5 | 7 | 12 | 29 | 36 | 65 | 22 |
| | (2) Barrhead and Levern, | 9430 | 9976 | 202 | 159 | 361 | 8 | 5 | 13 | 107 | 118 | 225 | 59 |
| *573 | PAISLEY—BURGH, | 55638 | 66425 | 1118 | 1119 | 2237 | 53 | 49 | 102 | 899 | 881 | 1780 | 517 |
| | Landward, | 2733 | 2870 | 42 | 40 | 82 | 1 | – | 1 | 28 | 29 | 57 | 7 |
| 574 | PORT-GLASGOW, | 13335 | 14708 | 313 | 290 | 603 | 10 | 16 | 26 | 141 | 171 | 312 | 103 |
| †575 | RENFREW, | 7408 | 9307 | 174 | 138 | 312 | 7 | 6 | 13 | 104 | 115 | 219 | 44 |
| | Total, | 225611 | 245147 | 4058 | 3857 | 7915 | 177 | 183 | 360 | 2815 | 2818 | 5633 | 170 |
| | 22 Ayr. | | | | | | | | | | | | |
| *576 | Ardrossan— | | | | | | | | | | | | |
| | (1) Old Ardrossan, | 3686 | 4549 | 72 | 69 | 141 | 3 | 3 | 6 | 31 | 51 | 82 | 44 |
| | (2) New Ardrossan, | 4098 | 5362 | 112 | 97 | 209 | 6 | 3 | 9 | 42 | 54 | 96 | 26 |
| 577 | Auchinleck— | | | | | | | | | | | | |
| | (1) Auchinleck, | 2293 | 2278 | 39 | 40 | 79 | 3 | 5 | 8 | 29 | 19 | 48 | 16 |
| | (2) Lugar, | 4388 | 3924 | 70 | 87 | 157 | 3 | 7 | 10 | 56 | 26 | 82 | 16 |
| *578 | AYR, | 22775 | 26288 | 402 | 394 | 796 | 41 | 31 | 72 | 292 | 286 | 578 | 211 |
| 579 | Ballantrae, | 1442 | 1268 | 17 | 16 | 33 | 2 | 3 | 5 | 10 | 10 | 20 | 7 |
| 580 | Barr, | 600 | 549 | 7 | 10 | 17 | 3 | 1 | 4 | 3 | 9 | 12 | 6 |
| 581 | Beith, | 6555 | 7126 | 134 | 117 | 251 | 10 | 4 | 14 | 70 | 70 | 140 | 51 |
| 582 | Colmonell—(1) Colmonell | 1132 | 988 | 11 | 17 | 28 | – | – | – | 8 | 3 | 11 | 2 |
| | (2) Barrhill, | 1059 | 912 | 14 | 20 | 34 | – | 2 | 2 | 9 | 10 | 19 | 10 |
| 583 | Coylton, | 3100 | 2667 | 49 | 46 | 95 | 5 | – | 5 | 25 | 16 | 41 | 21 |
| 584a | Craigie, | 590 | 552 | 4 | 10 | 14 | – | 1 | 1 | 3 | 2 | 5 | 6 |
| 584b | Crosshill, | 1285 | 1178 | 19 | 20 | 39 | 4 | 3 | 7 | 18 | 11 | 29 | 10 |
| 585 | Dailly, | 2226 | 1830 | 29 | 30 | 59 | 3 | – | 3 | 18 | 23 | 41 | 9 |
| 586 | Dalmellington, | 6170 | 4888 | 91 | 97 | 188 | 8 | 10 | 18 | 48 | 33 | 81 | 39 |
| 587 | Dalry, | 10215 | 8164 | 116 | 111 | 227 | 7 | 7 | 14 | 83 | 77 | 160 | 59 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 588 | Dalrymple, | 950 | 1018 | 12 | 7 | 19 | – | – | | 6 | 11 | 17 | |
| 589 | Dreghorn, | 3949 | 4057 | 84 | 87 | 171 | 5 | 12 | 17 | 40 | 36 | 76 | 3 |
| †590 | Dundonald— | | | | | | | | | | | | |
| | (1) Dundonald, | 1509 | 1166 | 18 | 19 | 37 | 1 | – | 1 | 5 | 10 | 15 | |
| | (2) Troon, | 2587 | 3849 | 66 | 45 | 111 | – | 1 | 1 | 40 | 39 | 79 | 2 |
| 591 | Dunlop, | 1363 | 1410 | 21 | 17 | 38 | 1 | 1 | 2 | 15 | 11 | 26 | 1 |
| 592 | Fenwick, | 1152 | 1007 | 10 | 7 | 17 | – | 2 | 2 | 11 | 12 | 23 | |
| 593 | Galston, | 5961 | 6370 | 116 | 124 | 240 | 7 | 7 | 14 | 51 | 64 | 115 | 5 |
| 594 | Girvan, | 5480 | 4906 | 77 | 82 | 159 | 7 | 6 | 13 | 51 | 51 | 102 | 2 |
| 595 | Irvine, | 10022 | 10671 | 200 | 199 | 399 | 20 | 11 | 31 | 164 | 143 | 307 | 5 |
| 596 | Kilbirnie, | 5243 | 5468 | 96 | 97 | 193 | 11 | 5 | 16 | 58 | 49 | 107 | 4 |
| 597 | Kilmarnock, | 25864 | 27968 | 482 | 449 | 931 | 28 | 17 | 45 | 286 | 333 | 619 | 22 |
| 598 | Kilmaurs, | 3704 | 4453 | 100 | 62 | 162 | 9 | 6 | 15 | 44 | 30 | 74 | 3 |
| †599 | Kilwinning, | 7037 | 7007 | 126 | 132 | 258 | 11 | 9 | 20 | 78 | 59 | 137 | 3 |
| †600 | Kirkmichael, | 969 | 886 | 11 | 14 | 25 | 1 | 1 | 2 | 6 | 9 | 15 | 1 |
| †601 | Kirkoswald, | 1540 | 1477 | 20 | 18 | 38 | 4 | 3 | 7 | 11 | 14 | 25 | |
| †602 | Largs, | 5149 | 5320 | 65 | 56 | 121 | 1 | 3 | 4 | 48 | 50 | 98 | 2 |
| 603 | Loudoun, | 5239 | 6379 | 116 | 91 | 207 | 1 | 3 | 4 | 80 | 59 | 139 | 5 |
| 604 | Mauchline, | 2504 | 2339 | 30 | 29 | 59 | 1 | 3 | 4 | 25 | 29 | 54 | 1 |
| †605 | Maybole, | 6590 | 7566 | 131 | 113 | 244 | 12 | 7 | 19 | 76 | 78 | 154 | 4 |
| 606 | Monkton and Prestwick, | 2121 | 2608 | 31 | 38 | 69 | 2 | 1 | 3 | 20 | 28 | 48 | 1 |
| 607 | Muirkirk, | 5123 | 5165 | 104 | 102 | 206 | 11 | 13 | 24 | 53 | 45 | 98 | 3 |
| 608 | New Cumnock, | 3781 | 4419 | 88 | 91 | 179 | 7 | 12 | 19 | 49 | 59 | 108 | 3 |
| 609 | Ochiltree, | 1493 | 2062 | 24 | 40 | 64 | 4 | 1 | 5 | 20 | 14 | 34 | 1 |
| 610*a* | Old Cumnock, | 4861 | 4712 | 86 | 68 | 154 | 8 | 10 | 18 | 53 | 51 | 104 | 3 |
| *610*b* | Patna, | 1179 | 908 | 19 | 13 | 32 | 5 | 2 | 7 | 6 | 2 | 8 | |
| 611 | Riccarton, | | | | | | | | | | | | |
| | (1) Riccarton, | 3201 | 3503 | 67 | 57 | 124 | 1 | 4 | 5 | 27 | 28 | 55 | 2 |
| | (2) Hurlford, | 3911 | 3852 | 85 | 88 | 173 | 6 | 4 | 10 | 36 | 42 | 78 | 2 |
| *†612 | St Quivox, | 1270 | 1138 | 22 | 11 | 33 | 2 | – | 2 | 8 | 4 | 12 | 1 |
| 613 | Sorn, | 4255 | 3919 | 56 | 55 | 111 | 6 | 4 | 10 | 52 | 46 | 98 | 2 |
| 614 | Stair, | 928 | 1137 | 21 | 25 | 46 | 2 | 2 | 4 | 11 | 13 | 24 | |
| 615 | Stevenston, | 5694 | 6209 | 124 | 133 | 257 | 6 | 10 | 16 | 53 | 69 | 122 | 3 |
| 616 | Stewarton, | 4309 | 3804 | 56 | 41 | 97 | 2 | 3 | 5 | 42 | 35 | 77 | 1 |
| 617 | Straiton, | 701 | 633 | 6 | 12 | 18 | 1 | – | 1 | 2 | 10 | 12 | |
| 618 | Symington, | 697 | 621 | 6 | 6 | 12 | 1 | – | 1 | 2 | 5 | 7 | |
| 619 | Tarbolton, | 3599 | 3586 | 66 | 60 | 126 | 3 | 5 | 8 | 28 | 30 | 58 | 3 |
| †620 | West Kilbride, | 2081 | 2288 | 37 | 23 | 60 | 1 | 1 | 2 | 19 | 25 | 44 | 1 |
| | Total, | 217630 | 226403 | 3865 | 3692 | 7557 | 286 | 249 | 535 | 2321 | 2293 | 4614 | 15 |
| | 23. Lanark. | | | | | | | | | | | | |
| 621 | Avondale, | 5466 | 5069 | 65 | 60 | 125 | 4 | 9 | 3 | 38 | 52 | 90 | 3 |
| †622 | Barony,— | | | | | | | | | | | | |
| | (1) Maryhill, | 18385 | 26674 | 485 | 463 | 948 | 21 | 10 | 31 | 239 | 254 | 493 | 19 |
| | (2) Shettleston, | 9238 | 12591 | 256 | 192 | 448 | 15 | 7 | 22 | 127 | 114 | 241 | 7 |
| 623 | Biggar, | 2128 | 1902 | 27 | 20 | 47 | 3 | 3 | 6 | 15 | 20 | 35 | 1 |
| 624 | Blantyre, | 9760 | 11352 | 277 | 245 | 522 | 10 | 9 | 19 | 132 | 133 | 265 | 10 |
| 625 | Bothwell— | | | | | | | | | | | | |
| | (1) Bothwell, | 15017 | 19843 | 416 | 364 | 780 | 16 | 12 | 28 | 225 | 231 | 456 | 15 |
| | (2) Holytown, | 10449 | 11641 | 247 | 266 | 513 | 19 | 15 | 34 | 123 | 139 | 262 | 8 |
| 626*d* | Cadder—(1) Western, | 3507 | 3927 | 48 | 76 | 124 | – | 2 | 2 | 39 | 39 | 78 | 1 |
| | (2) Eastern, | 3458 | 4305 | 55 | 77 | 132 | 2 | 4 | 6 | 37 | 33 | 70 | 1 |
| *626*b* | Calderhead, | 4158 | 4528 | 91 | 97 | 188 | 6 | 8 | 14 | 42 | 37 | 79 | 3 |
| 627 | Cambuslang, | 9447 | 15364 | 337 | 314 | 651 | 10 | 11 | 21 | 129 | 137 | 266 | 12 |
| †628 | Cambusnethan, | 19286 | 21142 | 436 | 374 | 810 | 26 | 21 | 47 | 244 | 192 | 436 | 14 |
| 629 | Carluke, | 8552 | 8058 | 148 | 129 | 277 | 10 | 10 | 20 | 85 | 93 | 178 | 5 |
| 630 | Carmichael, | 770 | 593 | 3 | 10 | 13 | – | – | – | 7 | 1 | 8 | |
| 631 | Carmunnock, | 722 | 703 | 10 | 5 | 15 | – | 1 | 1 | 4 | 6 | 10 | |
| 632 | Carnwath—(1) Carnwath, | 3759 | 3798 | 88 | 88 | 166 | 10 | 8 | 18 | 49 | 33 | 82 | 2 |
| | (2) Forth, | 2072 | 1526 | 44 | 27 | 71 | 4 | 3 | 7 | 22 | 22 | 44 | 1 |
| 633 | Carstairs, | 1955 | 1977 | 29 | 26 | 55 | 1 | 4 | 5 | 18 | 22 | 40 | |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 634 | Covington and Thankerton | 414 | 396 | 8 | 7 | 15 | 1 | 1 | 2 | 3 | 6 | 9 | 2 |
| 635 | Crawford,—(1) Crawford, | 698 | 636 | 14 | 3 | 17 | – | – | – | 3 | 2 | 5 | – |
| | (2) Leadhills, | 1065 | 998 | 18 | 15 | 33 | 2 | 1 | 3 | 11 | 10 | 21 | 11 |
| 636 | Crawfordjohn, | 843 | 789 | 14 | 10 | 24 | 2 | 1 | 3 | 8 | 7 | 15 | 2 |
| 637 | Culter, | 574 | 559 | 3 | 1 | 4 | 1 | – | 1 | 4 | 3 | 7 | 1 |
| 638 | Dalserf—(1) Larkhall | 6703 | 8360 | 206 | 166 | 372 | 12 | 10 | 22 | 94 | 79 | 173 | 79 |
| | (2) Dalserf, | 2675 | 2965 | 67 | 78 | 145 | 7 | 7 | 14 | 30 | 39 | 69 | 30 |
| *639 | Dalziel, | 16151 | 22807 | 507 | 509 | 1016 | 15 | 18 | 33 | 253 | 227 | 480 | 181 |
| 640 | Dolphinton, | 292 | 248 | 3 | 1 | 4 | – | – | – | 1 | 1 | 2 | 1 |
| 641 | Douglas, | 2641 | 2266 | 43 | 30 | 73 | 4 | 4 | 8 | 13 | 15 | 28 | 15 |
| 642 | Dunsyre, | 254 | 191 | 4 | 3 | 7 | 1 | – | 1 | – | – | – | 3 |
| 643 | East Kilbride, | 3975 | 3781 | 48 | 55 | 103 | 1 | – | 1 | 28 | 31 | 59 | 15 |
| *644 | Glasgow— | | | | | | | | | | | | |
| | (1) Bridgeton, | 39630 | 44342 | 826 | 829 | 1655 | 52 | 30 | 82 | 651 | 800 | 1451 | 293 |
| | (2) Camlachie, | 37994 | 43690 | 940 | 869 | 1809 | 52 | 52 | 104 | 442 | 558 | 1000 | 257 |
| | (3) Dennistoun, | 46118 | 55764 | 1009 | 914 | 1923 | 31 | 44 | 75 | 948 | 720 | 1668 | 489 |
| | Do. (Landward), | 6009 | 8124 | 162 | 150 | 312 | 12 | 7 | 19 | 252 | 219 | 471 | 30 |
| | (4) Calton, | 37450 | 36154 | 618 | 609 | 1227 | 42 | 57 | 99 | 425 | 459 | 884 | 400 |
| | (5) Blackfriars, | 33961 | 31610 | 661 | 655 | 1316 | 212 | 210 | 422 | 404 | 424 | 828 | 311 |
| | (6) St. Rollox, | 42490 | 48970 | 892 | 867 | 1759 | 50 | 53 | 103 | 906 | 711 | 1617 | 314 |
| | Do. (Landward), | 945 | 1456 | 25 | 27 | 52 | – | 3 | 3 | 18 | 10 | 28 | 9 |
| | (7) Blythswood, | 30521 | 29311 | 382 | 336 | 718 | 44 | 43 | 87 | 299 | 323 | 622 | 674 |
| | (8) Milton, | 35572 | 38737 | 730 | 691 | 1421 | 65 | 50 | 115 | 471 | 510 | 981 | 309 |
| | (9) Kelvin, | 53794 | 67634 | 917 | 903 | 1820 | 37 | 39 | 76 | 753 | 723 | 1476 | 584 |
| | (10) Anderston, | 39006 | 42263 | 788 | 742 | 1530 | 44 | 32 | 76 | 469 | 501 | 970 | 414 |
| | (11) Hutchesontown, | 44443 | 51692 | 1164 | 1081 | 2245 | 77 | 68 | 145 | 588 | 617 | 1205 | 355 |
| | Do. (Landward), | 5951 | 8058 | 177 | 133 | 310 | 5 | 3 | 8 | 71 | 60 | 131 | 40 |
| | (12) Gorbals, | 39235 | 41611 | 673 | 654 | 1327 | 46 | 39 | 85 | 452 | 464 | 916 | 596 |
| | Do. (Landward), | 5011 | 8328 | 144 | 136 | 280 | 4 | 2 | 6 | 52 | 81 | 133 | 53 |
| | (13) Tradeston, | 18057 | 19555 | 340 | 324 | 664 | 31 | 28 | 59 | 222 | 213 | 435 | 135 |
| | Do. (Landward), | 5451 | 7881 | 90 | 87 | 177 | 1 | 1 | 2 | 56 | 58 | 114 | 43 |
| | (14) Kinning Park, | 13144 | 14506 | 230 | 213 | 443 | 15 | 10 | 25 | 131 | 140 | 271 | 110 |
| | Do. (Landward) | 15752 | 18785 | 328 | 316 | 644 | 12 | 13 | 25 | 166 | 166 | 332 | 203 |
| 645 | Glassford, | 1452 | 1317 | 16 | 23 | 39 | 2 | 1 | 3 | 7 | 10 | 17 | 14 |
| †646 | Govan— | | | | | | | | | | | | |
| | (1) Plantation, | 18405 | 22980 | 418 | 464 | 882 | 21 | 17 | 38 | 212 | 217 | 429 | 120 |
| | (2) Govan, | 33510 | 41735 | 837 | 815 | 1652 | 39 | 38 | 77 | 601 | 580 | 1181 | 264 |
| | (3) Partick, | 39028 | 50466 | 817 | 808 | 1625 | 23 | 28 | 51 | 439 | 462 | 901 | 346 |
| 647 | HAMILTON, | 28933 | 31493 | 653 | 583 | 1236 | 33 | 35 | 68 | 380 | 309 | 689 | 254 |
| 648 | LANARK, | 7580 | 7110 | 82 | 78 | 160 | 8 | 8 | 16 | 81 | 82 | 163 | 44 |
| 649 | Lesmahagow, | 9949 | 9752 | 187 | 173 | 360 | 11 | 15 | 26 | 88 | 77 | 165 | 78 |
| 650 | Libberton, | 625 | 486 | 4 | 3 | 7 | 1 | – | 1 | 5 | 5 | 10 | 4 |
| 651 | NEW MONKLAND— | | | | | | | | | | | | |
| | (1) AIRDRIE, | 21314 | 27443 | 604 | 588 | 1192 | 21 | 26 | 47 | 280 | 292 | 572 | 240 |
| | (2) Landward, | 6419 | 6300 | 141 | 152 | 293 | 9 | 11 | 20 | 81 | 66 | 147 | 46 |
| *652 | Old Monkland— | | | | | | | | | | | | |
| | (1) Western, | 8597 | 9614 | 193 | 186 | 379 | 8 | 12 | 20 | 98 | 71 | 169 | 60 |
| | (2) Coatbridge, | 26488 | 32709 | 699 | 621 | 1311 | 33 | 16 | 49 | 478 | 458 | 936 | 254 |
| | (3) Eastern, | 2321 | 2410 | 58 | 47 | 105 | – | 3 | 3 | 31 | 25 | 56 | 16 |
| 653 | Pettinain, | 360 | 259 | 2 | 2 | 4 | – | 1 | 1 | 1 | 4 | 5 | – |
| 654 | RUTHERGLEN, | 13801 | 16178 | 310 | 289 | 599 | 6 | 12 | 18 | 147 | 164 | 311 | 99 |
| †655 | Shotts,—(1) Middle Dist. | 2596 | 3026 | 51 | 52 | 103 | 3 | 3 | 6 | 35 | 20 | 55 | 17 |
| | (2) Eastern do. | 3466 | 2822 | 71 | 73 | 144 | 5 | 2 | 7 | 24 | 20 | 44 | 22 |
| | (3) Western do. | 2531 | 3148 | 53 | 65 | 118 | 4 | 5 | 9 | 37 | 25 | 62 | 32 |
| | | 8173 | 8400 | 57 | 50 | 107 | 4 | 4 | 8 | 26 | 29 | 55 | 24 |
| 656 | Stonehouse, | 462 | 432 | 4 | 5 | 9 | 1 | 1 | 2 | 5 | 6 | 11 | 1 |
| 657 | Symington, | 340 | 301 | 6 | 2 | 8 | – | – | – | – | 6 | 6 | |
| 658 | Walston | 316 | 305 | 2 | 2 | 4 | – | 1 | 1 | 1 | – | 1 | |
| 659 | Wandell and Lamington, | 562 | 497 | 7 | 11 | 13 | 1 | 2 | 3 | 3 | 4 | 7 | |
| 660 | Wiston and Roberton, | | | | | | | | | | | | |
| | Total, | 942206 | 1091703 | 20351 | 19334 | 39685 | 1268 | 1204 | 2472 | 12859 | 12667 | 25526 | 9006 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891 | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. |
| | VII. SOUTH-EASTERN, | | | | | | | | | | | |
| | 24. Linlithgow. | | | | | | | | | | | |
| 661 | Abercorn, | 856 | 863 | 15 | 12 | 27 | – | – | – | 6 | 5 | 11 |
| 662 | Bathgate— | | | | | | | | | | | |
| | (1) Bathgate, | 6425 | 7557 | 166 | 140 | 306 | 15 | 6 | 21 | 77 | 79 | 156 |
| | (2) Armadale, | 3025 | 3802 | 91 | 97 | 188 | 4 | 6 | 10 | 55 | 44 | 99 |
| 663 | Borrowstounness, | 6088 | 6399 | 153 | 122 | 275 | 8 | 6 | 14 | 63 | 63 | 126 |
| 664 | Carriden, | 1989 | 2453 | 50 | 39 | 89 | – | 1 | 1 | 25 | 22 | 47 |
| †665 | Dalmeny, | 1048 | 1328 | 19 | 25 | 44 | 1 | 2 | 3 | 14 | 4 | 18 |
| 666 | Ecclesmachen, | 278 | 342 | 9 | 5 | 14 | 1 | – | 1 | 7 | 2 | 9 |
| †667 | Kirkliston, | 2563 | 3734 | 71 | 68 | 139 | 4 | 5 | 9 | 25 | 18 | 43 |
| 668 | Linlithgow, | 5619 | 7657 | 156 | 129 | 285 | 6 | 5 | 11 | 104 | 78 | 182 |
| 669 | Livingstone, | 1484 | 1616 | 38 | 19 | 57 | 2 | 2 | 4 | 17 | 19 | 36 |
| *670 | Queensferry, | 1966 | 1531 | 22 | 26 | 48 | 1 | 1 | 2 | 18 | 10 | 28 |
| 671 | Torphichen, | 1526 | 1724 | 31 | 37 | 68 | 5 | 3 | 8 | 14 | 10 | 24 |
| 672 | Uphall, | 4812 | 8653 | 212 | 179 | 391 | 5 | 8 | 13 | 82 | 65 | 147 |
| 673 | Whitburn— | | | | | | | | | | | |
| | (1) Whitburn, | 2393 | 2313 | 45 | 30 | 75 | 2 | 3 | 5 | 23 | 26 | 49 |
| | (2) Fauldhouse, | 3933 | 3469 | 79 | 62 | 141 | 5 | 8 | 13 | 38 | 27 | 65 |
| | Total, | 44005 | 53441 | 1157 | 990 | 2147 | 59 | 56 | 115 | 568 | 472 | 1040 |
| | 25. Edinburgh. | | | | | | | | | | | |
| 674 | Borthwick, | 1374 | 1440 | 26 | 18 | 44 | 4 | – | 4 | 16 | 12 | 28 |
| 675 | Carrington, | 606 | 563 | 6 | 8 | 14 | – | – | – | 1 | 5 | 6 |
| 676 | Cockpen, | 3431 | 3387 | 62 | 56 | 118 | 2 | 1 | 3 | 37 | 37 | 74 |
| 677 | Colinton, | 4347 | 4549 | 62 | 62 | 124 | 10 | 5 | 15 | 101 | 101 | 202 |
| †678 | Corstorphine, | 2156 | 2332 | 27 | 18 | 45 | 3 | 3 | 6 | 22 | 17 | 39 |
| 679 | Cramond, | 2960 | 3066 | 36 | 43 | 79 | 2 | 2 | 4 | 26 | 12 | 38 |
| †680 | Cranston, | 998 | 862 | 11 | 11 | 22 | 1 | – | 1 | 5 | 5 | 10 |
| 681 | Crichton, | 1094 | 943 | 15 | 14 | 29 | 1 | 1 | 2 | 11 | 6 | 17 |
| 682 | Currie, | 2390 | 2574 | 46 | 32 | 78 | 3 | 2 | 5 | 15 | 11 | 26 |
| 683 | Dalkeith, | 7707 | 7704 | 126 | 133 | 259 | 11 | 6 | 17 | 97 | 125 | 222 |
| *†684 | Duddingston— | | | | | | | | | | | |
| | (1) Portobello, | 6794 | 8182 | 110 | 131 | 241 | 4 | 7 | 11 | 72 | 95 | 167 |
| | (2) Landward, | 1111 | 1574 | 12 | 19 | 31 | – | – | – | 10 | 16 | 26 |
| *685 | Edinburgh— | | | | | | | | | | | |
| | (1) St. George, | 60341 | 69154 | 993 | 1049 | 2042 | 51 | 38 | 89 | 547 | 671 | 1218 |
| | Do. (Landward), | 3090 | 3571 | 31 | 32 | 63 | 4 | 4 | 8 | 119 | 112 | 231 |
| | (2) St. Andrew, | 50679 | 56360 | 694 | 675 | 1369 | 44 | 41 | 85 | 407 | 512 | 919 |
| | (3) Canongate, | 35991 | 38252 | 720 | 662 | 1382 | 43 | 46 | 89 | 451 | 448 | 899 |
| | (4) St. Giles, | 34887 | 31779 | 541 | 571 | 1112 | 154 | 136 | 290 | 736 | 549 | 1285 |
| | (5) Newington, | 52504 | 65680 | 725 | 724 | 1449 | 40 | 38 | 78 | 591 | 734 | 1325 |
| 686 | Fala and Soutra, | 312 | 248 | 5 | 2 | 7 | – | – | – | 3 | 2 | 5 |
| 687 | Glencorse, | 1500 | 1451 | 26 | 24 | 50 | 2 | 1 | 3 | 15 | 8 | 23 |
| 688 | Heriot, | 429 | 417 | 8 | 5 | 13 | – | – | – | 3 | 1 | 4 |
| 689 | Inveresk, | 10536 | 11506 | 191 | 160 | 351 | 14 | 10 | 24 | 113 | 121 | 234 |
| *690 | Kirknewton and East Calder, | 2759 | 3355 | 59 | 55 | 114 | 5 | 1 | 6 | 27 | 20 | 47 |
| 691 | Lasswade, | 8872 | 10455 | 208 | 191 | 399 | 8 | 7 | 15 | 144 | 112 | 256 |
| *†692 | Leith— | | | | | | | | | | | |
| | (1) North Leith, | 21977 | 25956 | 443 | 457 | 900 | 27 | 25 | 52 | 225 | 239 | 464 |
| | (2) South Leith, | 38866 | 43929 | 778 | 696 | 1474 | 47 | 52 | 99 | 477 | 454 | 931 |
| †693 | Liberton, | 4931 | 6232 | 129 | 118 | 247 | 4 | 3 | 7 | 70 | 73 | 143 |
| 694 | Mid-Calder, | 1695 | 3126 | 80 | 68 | 148 | 3 | 4 | 7 | 20 | 29 | 49 |
| 695 | Newbattle, | 2771 | 2843 | 47 | 34 | 81 | 1 | – | 1 | 26 | 29 | 55 |
| 696 | Newton, | 1307 | 1180 | 16 | 16 | 32 | 1 | 1 | 2 | 9 | 20 | 29 |
| 697 | Penicuik, | 5309 | 4914 | 83 | 72 | 155 | 8 | 6 | 14 | 43 | 46 | 89 |
| 698a | Ratho, | 1815 | 1839 | 33 | 31 | 64 | 4 | 3 | 7 | 14 | 10 | 24 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| *698 | Stobhill, | 3065 | 3501 | 83 | 64 | 147 | 5 | 7 | 12 | 35 | 23 | 58 | 22 |
| †699 | Stow, | 2010 | 1811 | 26 | 24 | 50 | – | 4 | 4 | 12 | 16 | 28 | 3 |
| †700 | Temple, | 541 | 455 | 3 | 4 | 7 | – | – | – | 3 | – | 3 | 4 |
| 701 | West-Calder, | 7681 | 8456 | 173 | 156 | 329 | 10 | 9 | 19 | 107 | 65 | 172 | 76 |
| | Total, | 388836 | 443646 | 6634 | 6435 | 13069 | 516 | 463 | 979 | 4610 | 4736 | 9346 | 348 |
| | 26. Haddington. | | | | | | | | | | | | |
| 702 | Aberlady, | 1000 | 1063 | 17 | 8 | 25 | – | – | – | 4 | 12 | 16 | 3 |
| 703 | Athelstaneford, | 762 | 745 | 6 | 5 | 11 | 1 | 2 | 3 | 5 | 4 | 9 | 3 |
| 704 | Bolton, | 337 | 271 | 2 | 2 | 4 | – | – | – | 2 | 2 | 4 | – |
| 705 | Dirleton, | 1506 | 1445 | 20 | 13 | 33 | – | 1 | 1 | 9 | 10 | 19 | 10 |
| 706 | DUNBAR, | 5396 | 5210 | 69 | 65 | 134 | 6 | 6 | 12 | 49 | 47 | 96 | 26 |
| 707 | Garvald, | 758 | 600 | 7 | 9 | 16 | – | – | – | 5 | 3 | 8 | 5 |
| 708 | Gladsmuir, | 1747 | 1604 | 17 | 33 | 50 | 2 | 4 | 6 | 7 | 7 | 14 | 6 |
| 709 | HADDINGTON, | 5660 | 5216 | 38 | 57 | 95 | 6 | 2 | 8 | 61 | 73 | 134 | 28 |
| 710 | Humbie, | 907 | 828 | 13 | 5 | 18 | 2 | – | 2 | 7 | 6 | 13 | 5 |
| 711 | Innerwick, | 777 | 761 | 15 | 4 | 19 | – | 1 | 1 | 5 | 5 | 10 | 3 |
| 712 | Morham, | 209 | 199 | 2 | 2 | 4 | – | – | – | 1 | 1 | 2 | 1 |
| 713 | NORTH BERWICK, | 2688 | 3038 | 26 | 42 | 68 | 3 | 3 | 6 | 24 | 24 | 48 | 22 |
| 714 | Oldhamstocks, | 568 | 529 | 10 | 10 | 20 | 1 | 1 | 2 | 7 | 4 | 11 | 2 |
| 715 | Ormiston, | 1026 | 1178 | 21 | 28 | 49 | 1 | 1 | 2 | 3 | 5 | 8 | 3 |
| 716 | Pencaitland, | 1107 | 1125 | 19 | 16 | 35 | – | 2 | 2 | 9 | 11 | 20 | 5 |
| 717 | Prestonkirk, | 1929 | 1798 | 29 | 11 | 40 | 5 | 2 | 7 | 21 | 29 | 50 | 7 |
| 718 | Prestonpans, | 2573 | 2659 | 41 | 41 | 82 | 7 | 1 | 8 | 20 | 21 | 41 | 17 |
| 719 | Salton, | 575 | 495 | 4 | 9 | 13 | – | – | – | 3 | 3 | 6 | 2 |
| 720 | Spott, | 579 | 472 | 6 | 3 | 9 | – | – | – | 1 | 2 | 3 | 3 |
| 721 | Stenton, | 594 | 559 | 5 | 9 | 14 | 2 | – | 2 | 7 | 6 | 13 | 3 |
| 722 | Tranent, | 5198 | 5470 | 122 | 84 | 206 | 5 | 4 | 9 | 55 | 56 | 111 | 39 |
| 723 | Whitekirk and Tynninghame, | 1051 | 933 | 7 | 11 | 18 | – | – | – | 4 | 10 | 14 | 6 |
| 724 | Whittinghame, | 639 | 586 | 6 | 9 | 15 | – | 1 | 1 | 9 | 5 | 14 | 3 |
| 725 | Yester, | 924 | 716 | 5 | 6 | 11 | 1 | – | 1 | 4 | 4 | 8 | 3 |
| | Total, | 38510 | 37500 | 507 | 482 | 989 | 42 | 31 | 73 | 322 | 350 | 672 | 205 |
| | 27. Berwick. | | | | | | | | | | | | |
| 726 | Abbey St Bathans, | 250 | 193 | 1 | 6 | 7 | – | 1 | 1 | 1 | 2 | 3 | 2 |
| 727 | Ayton, | 2040 | 1827 | 24 | 24 | 48 | – | 2 | 2 | 23 | 17 | 40 | 7 |
| 728 | Bunkle and Preston, | 726 | 672 | 8 | 9 | 17 | 2 | 1 | 3 | 3 | 2 | 5 | 5 |
| 729 | Channelkirk, | 607 | 545 | 5 | 8 | 13 | 1 | – | 1 | 3 | 4 | 7 | 1 |
| 730 | Chirnside, | 1516 | 1459 | 13 | 21 | 34 | 1 | 2 | 3 | 8 | 13 | 21 | 11 |
| 731 | Cockburnspath, | 1130 | 1112 | 16 | 11 | 27 | 2 | – | 2 | 7 | 9 | 16 | 3 |
| 732 | Coldingham— | | | | | | | | | | | | |
| | (1) Coldingham, | 2676 | 2479 | 32 | 27 | 59 | 6 | 3 | 9 | 38 | 22 | 60 | 9 |
| | (2) Grantshouse, | 497 | 467 | 4 | 10 | 14 | – | 1 | 1 | 4 | 1 | 5 | 2 |
| 733 | Coldstream, | 2561 | 2388 | 38 | 16 | 54 | 7 | 3 | 10 | 29 | 33 | 62 | 11 |
| 734 | Crunshaws, | 106 | 85 | – | 2 | 2 | – | – | – | 2 | 1 | 3 | – |
| 735 | Duns, | 3353 | 3137 | 28 | 37 | 65 | 1 | 4 | 5 | 21 | 41 | 62 | 14 |
| 736 | Earlston, | 1767 | 1784 | 16 | 26 | 42 | 1 | 3 | 4 | 17 | 20 | 37 | 8 |
| 737 | Eccles, | 1546 | 1446 | 19 | 14 | 33 | 3 | 3 | 6 | 16 | 12 | 28 | 14 |
| 738 | Edrom, | 1514 | 1361 | 21 | 17 | 38 | 2 | 2 | 4 | 10 | 7 | 17 | 6 |
| 739 | Eyemouth, | 2935 | 2670 | 56 | 38 | 94 | 6 | 5 | 11 | 25 | 27 | 52 | 15 |
| 740 | Fogo, | 468 | 420 | 6 | 6 | 12 | 1 | – | 1 | 3 | 2 | 5 | 3 |
| 741 | Foulden, | 393 | 351 | 9 | – | 9 | – | – | – | 4 | 2 | 6 | 1 |
| 742 | Gordon, | 832 | 843 | 16 | 12 | 28 | 1 | 2 | 3 | 16 | 16 | 32 | 4 |
| 743 | Greenlaw, | 1245 | 1110 | 11 | 10 | 21 | 3 | 1 | 4 | 7 | 7 | 14 | 9 |
| 744 | Hume, | 407 | 366 | 2 | 1 | 3 | – | – | – | 3 | 3 | 6 | 3 |
| 745 | Hutton, | 962 | 815 | 10 | 8 | 18 | 1 | 2 | 3 | 9 | 9 | 18 | 7 |
| 746 | Ladykirk | 438 | 339 | 4 | 2 | 6 | 1 | – | 1 | 6 | 2 | 8 | 1 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881 | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 747 | Langton, | 505 | 417 | 4 | 1 | 5 | 1 | – | 1 | 5 | 4 | 9 | 3 |
| 748 | LAUDER, | 1940 | 1588 | 15 | 10 | 25 | 3 | – | 3 | 10 | 13 | 23 | 8 |
| 749 | Legerwood, | 549 | 475 | 8 | 5 | 13 | 2 | – | 2 | 6 | 4 | 10 | 4 |
| 750 | Longformacus, | 385 | 378 | 4 | 3 | 7 | – | 1 | 1 | 3 | 2 | 5 | – |
| 751 | Merton, | 682 | 622 | 7 | 7 | 14 | – | – | – | 5 | 3 | 8 | 2 |
| 752 | Mordington, | 367 | 324 | 4 | 6 | 10 | – | – | – | 6 | 4 | 10 | 3 |
| 753 | Nenthorn, | 454 | 400 | 7 | 7 | 14 | 1 | 1 | 2 | 3 | 4 | 7 | 1 |
| 754 | Polwarth, | 227 | 206 | 3 | 3 | 6 | 1 | – | 1 | – | – | – | 2 |
| 755 | Swinton, | 964 | 847 | 6 | 16 | 22 | 1 | 2 | 3 | 8 | 11 | 19 | 4 |
| 756 | Westruther, | 671 | 615 | 5 | 5 | 10 | – | 1 | 1 | 8 | 4 | 12 | 4 |
| 757 | Whitsome, | 560 | 573 | 6 | 6 | 12 | 1 | 1 | 2 | 1 | 6 | 7 | 3 |
| | Total, | 35273 | 32311 | 408 | 374 | 782 | 49 | 41 | 90 | 310 | 307 | 617 | 165 |
| | 28. Peebles. | | | | | | | | | | | | |
| 758 | Broughton (merged in 763), | | | | | | | | | | | | |
| 759 | Drumelzier, | 208 | 187 | 2 | 2 | 4 | – | – | – | – | – | – | – |
| 760 | Eddlestone, | 711 | 571 | 9 | 11 | 20 | 2 | 3 | 5 | 1 | 6 | 7 | 2 |
| 761 | Glenholm (merged in 763), | | | | | | | | | | | | |
| †762 | Innerleithen— | | | | | | | | | | | | |
| | (1) Innerleithen, | 2557 | 2775 | 42 | 39 | 81 | 5 | 2 | 7 | 30 | 31 | 61 | 28 |
| | (2) Walkerburn, | 1079 | 1358 | 19 | 15 | 34 | 2 | 2 | 4 | 5 | 10 | 15 | 8 |
| 763 | Kilbucho, Broughton, and Glenholm, | 665 | 537 | 4 | 5 | 9 | – | 1 | 1 | 9 | 9 | 18 | 4 |
| 764 | Kirkurd, | 282 | 265 | 5 | 2 | 7 | 1 | – | 1 | 3 | 4 | 7 | 1 |
| 765 | Lyne, etc.—(1) Lyne, | 114 | 104 | – | 1 | 1 | – | – | – | – | – | – | – |
| | (2) Megget, | 90 | 86 | 2 | 1 | 3 | 2 | – | 2 | – | – | – | 1 |
| 766 | Manor, | 277 | 249 | 4 | 5 | 9 | 1 | – | 1 | 1 | 2 | 3 | 1 |
| 767 | Newlands, | 819 | 715 | 5 | 8 | 13 | 1 | 1 | 2 | 4 | – | 4 | 5 |
| 768 | PEEBLES, | 4059 | 5261 | 72 | 68 | 140 | 5 | 2 | 7 | 54 | 46 | 100 | 26 |
| 769 | Skirling, | 274 | 216 | 1 | 3 | 4 | 1 | – | 1 | 3 | 4 | 7 | 3 |
| 770 | Stobo, | 467 | 433 | 5 | 7 | 12 | – | – | – | 3 | 1 | 4 | 3 |
| 771 | Traquair, | 754 | 685 | 7 | 8 | 15 | 2 | – | 2 | 7 | 8 | 15 | 4 |
| 772 | Tweedsmuir, | 215 | 207 | 2 | 5 | 7 | 1 | 1 | 2 | 1 | 1 | 2 | 2 |
| 773 | West Linton, | 1117 | 1005 | 6 | 11 | 17 | – | 1 | 1 | 11 | 13 | 24 | 4 |
| | Total, | 13688 | 14654 | 185 | 191 | 376 | 23 | 13 | 36 | 132 | 135 | 267 | 95 |
| | 29. Selkirk. | | | | | | | | | | | | |
| *774*a* | Caddonfoot, | 693 | 723 | 7 | 13 | 20 | 1 | 1 | 2 | 6 | 2 | 8 | |
| 774*b* | Ettrick, | 397 | 414 | 5 | 5 | 10 | – | 1 | 1 | 3 | 6 | 9 | |
| †775 | GALASHIELS, | 9599 | 11451 | 176 | 156 | 332 | 13 | 11 | 24 | 103 | 100 | 203 | 7 |
| 776*a* | Kirkhope, | 547 | 500 | 6 | 3 | 9 | 1 | – | 1 | 4 | 6 | 10 | |
| *776*b* | LADHOPE, | 6612 | 6784 | 98 | 83 | 181 | 5 | 6 | 11 | 52 | 63 | 115 | 3 |
| 777 | Roberton, | 567 | 455 | 5 | 3 | 8 | – | – | – | 4 | 4 | 8 | |
| †778 | SELKIRK, | 7369 | 7251 | 107 | 82 | 189 | 6 | 6 | 12 | 64 | 67 | 131 | 2 |
| †779 | Yarrow, | 562 | 490 | 6 | 8 | 14 | 1 | – | 1 | 2 | 2 | 4 | |
| | Total, | 26346 | 28068 | 410 | 353 | 763 | 27 | 25 | 52 | 238 | 250 | 488 | 14 |
| | VIII. SOUTHERN. | | | | | | | | | | | | |
| | 30. Roxburgh. | | | | | | | | | | | | |
| 780 | Ancrum, | 1360 | 1241 | 11 | 12 | 23 | – | – | – | 8 | 13 | 21 | |
| 781 | Ashkirk, | 500 | 466 | 5 | 5 | 10 | 2 | 1 | 3 | – | 5 | 5 | |
| 782 | Bedrule, | 269 | 246 | 3 | 1 | 4 | – | – | – | 2 | 1 | 3 | |
| 783 | Bowden, | 769 | 694 | 7 | 7 | 14 | 1 | 1 | 2 | 6 | 8 | 14 | |
| †785 | Cavers, | 842 | 707 | 9 | 6 | 15 | – | – | – | 5 | 6 | 11 | |
| 786 | Crailing, | 638 | 600 | 4 | 6 | 10 | – | 2 | 2 | 1 | 6 | 7 | |
| 787*a* | Eckford, | 912 | 757 | 7 | 8 | 15 | 2 | 2 | 4 | 9 | 8 | 17 | |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 787*b* | Edgerston, | 358 | [illegible] | 4 | 4 | 8 | – | – | – | 2 | 4 | 6 | 2 |
| 788 | Ednam, | 613 | 581 | 7 | 11 | 18 | 1 | 4 | 5 | 6 | 7 | 13 | 2 |
| 789 | HAWICK, | 11758 | 14122 | 204 | 187 | 391 | 10 | 10 | 20 | 154 | 157 | 311 | 74 |
| 790 | Hobkirk, | 662 | [illegible] | 5 | 8 | 13 | – | – | – | 4 | 3 | 7 | 4 |
| 791 | Hownam, | 263 | 223 | 1 | 3 | 4 | – | – | – | 2 | 2 | 4 | – |
| †792 | JEDBURGH, | 4917 | 4662 | 53 | 63 | 116 | 6 | 3 | 9 | 35 | 48 | 83 | 24 |
| 793 | Kelso, | 5235 | 4730 | 56 | 48 | 104 | 5 | 5 | 10 | 50 | 65 | 115 | 15 |
| *794 | Kirkton, | 810 | 824 | 11 | 8 | 19 | – | 1 | 1 | 4 | 4 | 8 | 3 |
| 795 | Lilliesleaf, | 718 | 649 | 6 | 9 | 15 | – | – | – | 2 | 1 | 3 | 3 |
| 796 | Linton, | 543 | 468 | 1 | 5 | 6 | 1 | 1 | 2 | 2 | – | 2 | 2 |
| 797 | Makerston, | 381 | 401 | 8 | 1 | 9 | 2 | 1 | 3 | 4 | 3 | 7 | 3 |
| 798 | Maxton, | 456 | 473 | 5 | 3 | 8 | 2 | – | 2 | 3 | 3 | 6 | 6 |
| †799 | Melrose, | 4519 | 4325 | 44 | 47 | 91 | 5 | 5 | 10 | 42 | 63 | 105 | 13 |
| 800 | Minto, | 433 | 430 | 5 | 6 | 11 | 1 | – | 1 | 3 | 1 | 4 | 2 |
| 801 | Morebattle, | 1003 | 846 | 8 | 13 | 21 | 3 | – | 3 | 10 | 9 | 19 | 4 |
| †802 | Oxnam, | 638 | 607 | 7 | 8 | 15 | 2 | 1 | 3 | 3 | 6 | 9 | – |
| 803 | Roxburgh, | 1012 | 954 | 8 | 8 | 16 | 3 | 1 | 4 | 8 | 7 | 15 | 3 |
| 804 | St Boswells, | 959 | 962 | 15 | 19 | 34 | 1 | 2 | 3 | 7 | 8 | 15 | 7 |
| 805 | Smailholm, | 446 | 340 | 2 | 2 | 4 | – | 1 | 1 | 4 | 2 | 6 | 1 |
| †806 | Southdean, | 641 | 612 | 5 | 4 | 9 | – | – | – | 1 | 4 | 5 | 3 |
| 807 | Sprouston, | 1026 | 1006 | 9 | 11 | 20 | – | – | – | 4 | 9 | 13 | 7 |
| 808 | Stitchel, | 342 | 314 | 5 | 6 | 11 | 4 | – | 4 | 1 | 4 | 5 | 2 |
| 809 | Teviothead, | 486 | 453 | 4 | 5 | 9 | – | – | – | 1 | 6 | 7 | 1 |
| 810 | WILTON, | 5782 | 6434 | 81 | 79 | 160 | 11 | 4 | 15 | 58 | 65 | 123 | 35 |
| 811 | Yetholm, | 1045 | 884 | 7 | 11 | 18 | 1 | 3 | 4 | 6 | 6 | 12 | 1 |
| | Total, | 52592 | 52954 | 642 | 643 | 1285 | 66 | 51 | 117 | 462 | 550 | 1012 | 243 |
| | 31. Dumfries. | | | | | | | | | | | | |
| †812 | ANNAN, | 4943 | 5297 | 75 | 68 | 143 | 10 | 7 | 17 | 52 | 51 | 103 | 31 |
| 813*a* | Applegarth, | 969 | 858 | 11 | 4 | 15 | 1 | – | 1 | 3 | 9 | 12 | 4 |
| *813*b* | BRYDEKIRK, | 702 | 750 | 11 | 9 | 20 | 1 | 1 | 2 | 8 | 6 | 14 | 4 |
| 814 | Canonbie, | 2723 | 2476 | 34 | 38 | 72 | 8 | 6 | 14 | 26 | 38 | 64 | 8 |
| 815 | Carlaverock, | 1051 | 921 | 16 | 14 | 30 | 3 | 2 | 5 | 8 | 11 | 19 | 8 |
| 816 | Closeburn, | 1505 | 1333 | 12 | 21 | 33 | 1 | 5 | 6 | 7 | 9 | 16 | 10 |
| †817 | Cummertrees, | 1068 | 1079 | 9 | 11 | 20 | 3 | 2 | 5 | 7 | 7 | 14 | 3 |
| 818 | Dalton, | 579 | 563 | 7 | 3 | 10 | – | – | – | 4 | 2 | 6 | 1 |
| 819 | Dornock, | 814 | 810 | 11 | 10 | 21 | 2 | 1 | 3 | 4 | 6 | 10 | 8 |
| 820 | Dryfesdale, | 2971 | 3233 | 49 | 52 | 101 | 2 | 7 | 9 | 29 | 42 | 71 | 19 |
| 821 | DUMFRIES, | 16841 | 17878 | 271 | 272 | 543 | 29 | 27 | 56 | 247 | 287 | 484 | 146 |
| 822 | Dunscore, | 1405 | 1260 | 16 | 12 | 28 | 2 | 3 | 5 | 7 | 9 | 16 | 8 |
| 823 | Durrisdeer, | 1107 | 1076 | 13 | 16 | 29 | 1 | 1 | 2 | 6 | 11 | 17 | 8 |
| 824 | Eskdalemuir, | 543 | 488 | 9 | 8 | 17 | 1 | 1 | 2 | 3 | 6 | 9 | 3 |
| 825 | Ewes, | 337 | 299 | 6 | 4 | 10 | 1 | 1 | 2 | 3 | 1 | 4 | 2 |
| 826 | Glencairn, | 1737 | 1647 | 33 | 37 | 70 | 1 | 2 | 3 | 15 | 23 | 38 | 6 |
| 827 | Graitney (or Gretna), | 1212 | 1141 | 22 | 8 | 30 | 1 | 1 | 2 | 8 | 14 | 22 | 7 |
| 828 | Halfmerton, | 497 | 484 | 4 | 4 | 8 | 2 | – | 2 | 3 | 4 | 7 | 4 |
| †829 | Hoddom, | 1445 | 1453 | 25 | 19 | 44 | 3 | 2 | 5 | 16 | 22 | 38 | 6 |
| *830 | Holywood, | 1082 | 1015 | 10 | 12 | 22 | 2 | – | 2 | 6 | 8 | 14 | 10 |
| 831 | Hutton, | 814 | 726 | 14 | 14 | 28 | 3 | 1 | 4 | 5 | 3 | 8 | 3 |
| 832 | Johnstone, | 1002 | 927 | 5 | 16 | 21 | 2 | 2 | 4 | 8 | 8 | 16 | 3 |
| 833 | Keir, | 745 | 639 | 10 | 4 | 14 | 1 | – | 1 | 4 | 7 | 11 | 6 |
| 834 | Kirkconnel, | 1019 | 1087 | 24 | 22 | 46 | 4 | 1 | 5 | 7 | 7 | 14 | 6 |
| 835 | Kirkmahoe, | 1250 | 1159 | 19 | 16 | 35 | 5 | 5 | 10 | 9 | 8 | 17 | 11 |
| 836 | Kirkmichael, | 849 | 808 | 17 | 9 | 26 | 1 | 2 | 3 | 6 | 5 | 11 | 6 |
| 837 | Kirkpatrick-Fleming— | | | | | | | | | | | | |
| | (1) Northern District, | 393 | 318 | 5 | 8 | 13 | 1 | 1 | 2 | 4 | 3 | 7 | 1 |
| | (2) Southern District, | 1071 | 951 | 14 | 11 | 25 | 2 | 2 | 4 | 11 | 2 | 13 | 10 |
| 838 | Kirkpatrick-Juxta, | 1064 | 976 | 16 | 12 | 28 | 2 | – | 2 | 15 | 9 | 24 | 5 |
| 839 | Langholm, | 4612 | 3970 | 46 | 46 | 92 | 4 | 5 | 9 | 40 | 52 | 92 | 14 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 840 | LOCHMABEN, | 2816 | 2522 | 40 | 39 | 79 | 7 | 12 | 19 | 45 | 37 | 82 | 18 |
| 841 | Middlebie, | 1927 | 1806 | 23 | 21 | 44 | 1 | – | 1 | 20 | 15 | 35 | 9 |
| 842 | Moffat, | 2930 | 2977 | 31 | 27 | 58 | 4 | – | 4 | 35 | 40 | 75 | 21 |
| 843 | Morton, | 2118 | 1855 | 16 | 25 | 41 | 2 | 3 | 5 | 11 | 18 | 29 | 12 |
| 844 | Mouswald, | 558 | 500 | 6 | 3 | 9 | – | – | – | 5 | 5 | 10 | 2 |
| 845 | Penpont, | 1176 | 1063 | 17 | 13 | 30 | 2 | 2 | 4 | 8 | 13 | 21 | 6 |
| 846 | Ruthwell, | 868 | 858 | 7 | 14 | 21 | 1 | 3 | 4 | 8 | 5 | 13 | 4 |
| 847 | St Mungo, | 653 | 603 | 6 | 9 | 15 | 1 | 2 | 3 | 6 | 5 | 11 | 7 |
| †848 | SANQUHAR, | 2255 | 2165 | 27 | 29 | 56 | 1 | 1 | 2 | 15 | 24 | 39 | 13 |
| 849 | Tinwald, | 861 | 902 | 8 | 11 | 19 | – | 1 | 1 | 8 | 8 | 16 | 6 |
| 850 | Torthorwald, | 990 | 921 | 11 | 15 | 26 | 4 | 6 | 10 | 12 | 12 | 24 | 6 |
| 851 | Tundergarth, | 466 | 439 | 3 | 5 | 8 | 1 | – | 1 | 1 | 9 | 10 | 1 |
| 852 | Tynron, | 416 | 359 | 5 | 6 | 11 | – | 1 | 1 | 3 | 1 | 4 | 1 |
| *853*a* | Wamphray, | 455 | 458 | 2 | 6 | 8 | – | 1 | 1 | 6 | 4 | 10 | 1 |
| 853*b* | Wanlockhead, | 854 | 745 | 11 | 13 | 24 | 2 | 1 | 3 | 8 | 10 | 18 | 5 |
| 854 | Westerkirk, | 478 | 454 | 15 | 4 | 19 | 3 | – | 3 | 4 | 1 | 5 | 3 |
| | Total, | 76167 | 74349 | 1042 | 1020 | 2062 | 125 | 121 | 249 | 766 | 827 | 1593 | 477 |
| | 32. Kirkcudbright. | | | | | | | | | | | | |
| 855 | Anwoth, | 728 | 724 | 4 | 9 | 13 | 1 | – | 1 | 7 | 5 | 12 | 2 |
| †856 | Balmaclellan, | 787 | 652 | 10 | 7 | 17 | 1 | 1 | 2 | 4 | 10 | 14 | 3 |
| 857*a* | Balmaghie, | 924 | 839 | 9 | 9 | 18 | 2 | 1 | 3 | 5 | 5 | 10 | 6 |
| *857*b* | Bargrennan, | 366 | 391 | 6 | 6 | 12 | – | 1 | 1 | 3 | 3 | 6 | 1 |
| 858 | Borgue, | 1129 | 1121 | 19 | 8 | 27 | 2 | – | 2 | 7 | 4 | 11 | 1 |
| 859 | Buittle, | 991 | 960 | 10 | 14 | 24 | 1 | 1 | 2 | 8 | 7 | 15 | 5 |
| 860 | Carsphairn, | 484 | 394 | 8 | 4 | 12 | – | – | – | 3 | 3 | 6 | 2 |
| *861 | Colvend, | 1281 | 1127 | 16 | 8 | 24 | 2 | – | 2 | 8 | 9 | 17 | 6 |
| 862 | Corsock Bridge, | 551 | 474 | 4 | 4 | 8 | 1 | – | 1 | 1 | 4 | 5 | 2 |
| 863 | Crossmichael, | 1333 | 1348 | 17 | 20 | 37 | 4 | 3 | 7 | 8 | 13 | 21 | 12 |
| 864 | Dalbeattie, | 4140 | 3348 | 50 | 45 | 95 | 11 | 8 | 19 | 40 | 33 | 73 | 23 |
| 865 | Dalry, | 988 | 925 | 12 | 11 | 23 | 1 | 1 | 2 | 6 | 10 | 16 | 6 |
| 866 | Girthon, | 1415 | 1354 | 19 | 16 | 35 | 3 | 4 | 7 | 9 | 15 | 24 | 7 |
| 867 | Irongray, | 784 | 747 | 5 | 10 | 15 | 2 | – | 2 | 3 | 3 | 6 | 5 |
| 868 | KELLS, | 970 | 931 | 19 | 13 | 32 | 1 | 1 | 2 | 8 | 16 | 24 | 3 |
| 869 | Kelton, | 3458 | 3692 | 40 | 45 | 85 | 8 | 6 | 14 | 20 | 35 | 55 | 12 |
| 870 | Kirkbean, | 794 | 714 | 14 | 6 | 20 | 3 | 1 | 4 | 12 | 5 | 17 | 1 |
| 871 | KIRKCUDBRIGHT, | 3479 | 3477 | 50 | 51 | 101 | 6 | 2 | 8 | 38 | 32 | 70 | 13 |
| 872 | Kirkgunzeon, | 656 | 539 | 7 | 6 | 13 | 3 | – | 3 | 6 | 8 | 14 | 4 |
| 873 | Kirkmabreck, | 1834 | 1599 | 21 | 19 | 40 | 4 | 2 | 6 | 20 | 14 | 34 | 10 |
| 874 | Kirkpatrick-Durham, | 1113 | 989 | 6 | 13 | 19 | – | 4 | 4 | 8 | 13 | 21 | 3 |
| 875 | Lochrutton, | 614 | 534 | 5 | 8 | 13 | 1 | 1 | 2 | 8 | 2 | 10 | 2 |
| †876 | Minnigaff, | 1384 | 1216 | 24 | 14 | 38 | 1 | 2 | 3 | 17 | 19 | 36 | 5 |
| 877 | New Abbey, | 906 | 866 | 13 | 14 | 27 | – | 1 | 1 | 5 | 10 | 15 | 3 |
| †878 | Parton, | 519 | 479 | 5 | 1 | 6 | – | – | – | 3 | 1 | 4 | – |
| 879 | Rerrick, | 1807 | 1582 | 24 | 22 | 46 | 5 | 4 | 9 | 9 | 19 | 28 | 5 |
| 880 | TERREGLES, | 467 | 474 | 4 | 6 | 10 | – | – | – | 3 | 4 | 7 | 1 |
| 881 | Tongland, | 829 | 845 | 18 | 13 | 31 | 1 | 5 | 6 | 6 | 4 | 10 | 6 |
| 882 | TROQUEER, | 5524 | 5887 | 91 | 83 | 174 | 13 | 10 | 23 | 49 | 68 | 117 | 36 |
| 883 | Twynholm, | 681 | 694 | 13 | 4 | 17 | 2 | – | 2 | 5 | 3 | 8 | 1 |
| †884 | Urr, | 1350 | 1241 | 15 | 25 | 40 | 2 | 4 | 6 | 12 | 9 | 21 | 9 |
| | Total, | 42290 | 40163 | 558 | 514 | 1072 | 81 | 63 | 144 | 341 | 386 | 727 | 195 |
| | 33. Wigtown. | | | | | | | | | | | | |
| 885 | Glasserton, | 1203 | 1154 | 22 | 21 | 43 | 3 | 9 | 12 | 6 | 6 | 12 | 6 |
| †886 | Inch, | 2260 | 2161 | 22 | 24 | 46 | 3 | 2 | 5 | 12 | 10 | 22 | 18 |
| 887 | Kirkcolm, | 1847 | 1705 | 27 | 32 | 59 | 1 | 4 | 5 | 10 | 10 | 20 | 10 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1881. | 1891. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 888 | Kirkcowan, | 1307 | 1263 | 11 | 15 | 26 | 3 | 3 | 6 | 21 | 20 | 41 | 8 |
| 889 | Kirkinner, | 1597 | 1455 | 21 | 18 | 39 | 1 | 3 | 4 | 13 | 16 | 29 | 4 |
| 890 | Kirkmaiden, | 2446 | 2192 | 15 | 31 | 46 | 1 | 9 | 10 | 7 | 21 | 28 | 14 |
| †891 | Leswalt, | 1254 | 1105 | 21 | 15 | 36 | 4 | 2 | 6 | 11 | 12 | 23 | 5 |
| 892 | Mochrum, | 2315 | 2166 | 32 | 29 | 61 | 7 | 8 | 15 | 21 | 21 | 42 | 12 |
| 893 | New Luce, | 706 | 588 | 10 | 5 | 15 | 2 | 2 | 4 | 4 | 9 | 13 | 2 |
| 894 | Old Luce (or Glenluce), | 2447 | 2517 | 34 | 38 | 72 | 4 | 6 | 10 | 22 | 25 | 47 | 8 |
| †895 | Penninghame, | 3777 | 3411 | 38 | 40 | 78 | 3 | 4 | 7 | 38 | 54 | 92 | 17 |
| 896 | Portpatrick, | 1285 | 1219 | 16 | 20 | 36 | 1 | 5 | 6 | 11 | 15 | 26 | 7 |
| 897 | Sorbie, | 1696 | 1563 | 22 | 19 | 41 | 3 | 3 | 6 | 14 | 15 | 29 | 12 |
| 898 | Stoneykirk, | 2766 | 2703 | 41 | 34 | 75 | 6 | 8 | 14 | 15 | 31 | 46 | 14 |
| *899 | STRANRAER, | 6415 | 6193 | 99 | 86 | 185 | 11 | 15 | 26 | 64 | 80 | 144 | 41 |
| 900 | WHITHORN, | 2929 | 2574 | 32 | 27 | 59 | 5 | 6 | 11 | 18 | 29 | 47 | 15 |
| 901 | WIGTOWN, | 2198 | 1914 | 26 | 18 | 44 | 7 | 5 | 12 | 21 | 23 | 44 | 13 |
| | Total. | 38448 | 35880 | 489 | 452 | 961 | 65 | 94 | 159 | 308 | 397 | 705 | 206 |

MARRIAGES registered in SCOTLAND in 1891, according to the Rites of the several Religious Denominati with the Condition of Parties, and the Number of Men and Women who signed the Registers with Marks

| DISTRICTS, DIVISIONS, AND COUNTIES. | Total Marriages. | Regular Marriages according to the Rites of | | | | | | | Irregular Marriages. | Condition of Parties. | | | | | Signed Regis by Ma | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Established Church. | Free Church. | United Presbyterian Church. | Roman Catholic Church. | Episcopalian. | Other Denominations. | Not stated. | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. | Not stated. | Men. | |
| SCOTLAND | 27969 | 12698 | 5415 | 3207 | 2692 | 788 | 2050 | – | 1119 | 24183 | 740 | 2248 | 782 | 16 | 955 | 11 |
| **GROUPS OF DISTRICTS.** | | | | | | | | | | | | | | | | |
| PRINCIPAL TOWN | 13365 | 4882 | 2446 | 1637 | 1607 | 497 | 1271 | – | 1025 | 11298 | 453 | 1125 | 483 | 6 | 479 | |
| LARGE TOWN | 3470 | 1581 | 618 | 392 | 397 | 121 | 299 | – | 62 | 3025 | 78 | 268 | 99 | – | 131 | |
| SMALL TOWN | 5411 | 2682 | 999 | 733 | 527 | 120 | 321 | – | 29 | 4755 | 124 | 402 | 127 | 3 | 183 | |
| MAINLAND-RURAL | 5272 | 3361 | 1174 | 407 | 130 | 50 | 147 | – | 3 | 4713 | 80 | 405 | 68 | 6 | 102 | |
| INSULAR-RURAL | 451 | 192 | 178 | 38 | 31 | – | 12 | – | – | 392 | 5 | 48 | 5 | 1 | 60 | |
| **DIVISIONS.** | | | | | | | | | | | | | | | | |
| I. NORTHERN | 507 | 209 | 193 | 71 | – | 3 | 30 | – | 1 | 445 | 5 | 50 | 7 | – | 9 | |
| II. NORTH-WESTERN | 758 | 186 | 499 | 10 | 43 | 5 | 12 | – | 3 | 676 | 6 | 71 | 4 | 1 | 93 | |
| III. NORTH-EASTERN | 2745 | 1644 | 550 | 143 | 57 | 109 | 189 | – | 53 | 2425 | 52 | 219 | 49 | – | 24 | |
| IV. EAST MIDLAND | 4170 | 2136 | 722 | 528 | 270 | 150 | 286 | – | 78 | 3667 | 76 | 331 | 92 | 4 | 81 | |
| V. WEST MIDLAND | 1865 | 937 | 354 | 221 | 189 | 36 | 113 | – | 15 | 1635 | 39 | 147 | 41 | 3 | 75 | |
| VI. SOUTH-WESTERN | 12300 | 4714 | 2059 | 1550 | 1831 | 237 | 1164 | – | 745 | 10420 | 414 | 991 | 473 | 2 | 586 | |
| VII. SOUTH-EASTERN | 4504 | 2139 | 873 | 558 | 282 | 223 | 211 | – | 218 | 3920 | 131 | 341 | 106 | 6 | 69 | |
| VIII. SOUTHERN | 1120 | 733 | 165 | 126 | 20 | 25 | 45 | – | 6 | 995 | 17 | 98 | 10 | – | 18 | |
| | **COUNTIES.** | | | | | | | | | | | | | | | |
| 1 Shetland | 148 | 92 | 10 | 31 | – | 1 | 14 | – | – | 130 | 2 | 13 | 3 | – | 6 | |
| 2 Orkney | 139 | 57 | 36 | 40 | – | – | 5 | – | 1 | 115 | 2 | 18 | 4 | – | – | |
| 3 Caithness | 157 | 51 | 93 | – | – | 2 | 11 | – | – | 146 | – | 11 | – | – | 1 | |
| 4 Sutherland | 63 | 9 | 54 | – | – | – | – | – | – | 54 | 1 | 8 | – | – | 2 | |
| 5 Ross and Cromarty | 335 | 54 | 263 | 6 | 1 | – | 10 | – | 1 | 305 | 1 | 27 | 2 | – | 49 | 1 |
| 6 Inverness | 423 | 132 | 236 | 4 | 42 | 5 | 2 | – | 2 | 371 | 5 | 44 | 2 | 1 | 44 | |
| 7 Nairn | 37 | 14 | 14 | 6 | 1 | – | 2 | – | – | 34 | 2 | 1 | – | – | 1 | |
| 8 Elgin | 233 | 112 | 78 | 20 | 7 | 2 | 9 | – | 5 | 207 | 5 | 17 | 4 | – | 2 | |
| 9 Banff | 340 | 192 | 63 | 35 | 27 | 9 | 12 | – | 2 | 303 | 3 | 30 | 4 | – | 4 | |
| 10 Aberdeen | 1938 | 1184 | 365 | 72 | 22 | 84 | 166 | – | 45 | 1702 | 39 | 158 | 39 | – | 16 | |
| 11 Kincardine | 197 | 142 | 30 | 10 | – | 14 | – | – | 1 | 179 | 3 | 13 | 2 | – | 1 | |
| 12 Forfar | 2066 | 921 | 369 | 194 | 221 | 106 | 192 | – | 63 | 1789 | 44 | 177 | 56 | – | 54 | 1 |
| 13 Perth | 657 | 375 | 135 | 77 | 19 | 30 | 17 | – | 4 | 589 | 11 | 44 | 9 | 4 | 11 | |
| 14 Fife | 1255 | 735 | 190 | 218 | 24 | 11 | 67 | – | 10 | 1125 | 17 | 92 | 21 | – | 14 | |
| 15 Kinross | 38 | 19 | 5 | 13 | – | – | – | – | 1 | 33 | – | 5 | – | – | – | |
| 16 Clackmannan | 154 | 86 | 23 | 26 | 6 | 3 | 10 | – | – | 131 | 4 | 13 | 6 | – | 2 | |
| 17 Stirling | 874 | 437 | 157 | 117 | 71 | 8 | 74 | – | 10 | 770 | 19 | 70 | 15 | – | 28 | |
| 18 Dumbarton | 587 | 260 | 96 | 79 | 99 | 18 | 33 | – | 2 | 517 | 10 | 44 | 15 | 1 | 37 | |
| 19 Argyll | 307 | 188 | 73 | 16 | 14 | 8 | 6 | – | 2 | 267 | 8 | 26 | 4 | 2 | 8 | |
| 20 Bute | 97 | 52 | 28 | 9 | 5 | 2 | – | – | 1 | 81 | 2 | 7 | 7 | – | 2 | |
| 21 Renfrew | 1701 | 651 | 279 | 202 | 307 | 66 | 161 | – | 35 | 1131 | 41 | 166 | 60 | – | 87 | 1 |
| 22 Ayr | 1593 | 869 | 291 | 160 | 112 | 30 | 120 | – | 11 | 1370 | 37 | 133 | 53 | – | 43 | |
| 23 Lanark | 9006 | 3194 | 1489 | 1188 | 1412 | 141 | 883 | – | 699 | 7616 | 336 | 692 | 360 | 2 | 456 | 6 |
| 24 Linlithgow | 417 | 227 | 69 | 50 | 38 | 6 | 22 | – | 5 | 358 | 15 | 35 | 9 | – | 14 | |
| 25 Edinburgh | 3480 | 1557 | 715 | 417 | 215 | 206 | 157 | – | 213 | 3014 | 109 | 262 | 90 | 5 | 48 | |
| 26 Haddington | 205 | 138 | 32 | 11 | 17 | 4 | 3 | – | – | 183 | 4 | 14 | 3 | 1 | 5 | |
| 27 Berwick | 165 | 94 | 33 | 30 | 2 | 1 | 5 | – | – | 156 | – | 8 | 1 | – | 2 | |
| 28 Peebles | 93 | 56 | 11 | 15 | 4 | 2 | 5 | – | – | 82 | – | 10 | 1 | – | – | |
| 29 Selkirk | 144 | 67 | 13 | 35 | 6 | 4 | 19 | – | – | 127 | 3 | 12 | 2 | – | – | |
| 30 Roxburgh | 242 | 136 | 43 | 38 | 1 | 10 | 14 | – | – | 216 | 3 | 20 | 3 | – | 2 | |
| 31 Dumfries | 477 | 315 | 60 | 57 | 12 | 11 | 17 | – | 5 | 427 | 5 | 43 | 2 | – | 7 | |
| 32 Kirkcudbright | 195 | 135 | 31 | 19 | 5 | 1 | 4 | – | – | 175 | 4 | 14 | 2 | – | 3 | |
| 33 Wigtown | 206 | 147 | 31 | 12 | 2 | 3 | 10 | – | 1 | 177 | 5 | 21 | 3 | – | 6 | |

## CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1891.

| CONDITION. | TOTAL MARRIAGES. | AGES AT MARRIAGE. | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| BACHELORS with SPINSTERS. | 24183 | – | – | – | 14 | 150 | 528 | 1027 | 8715 | 8658 | 3256 | 1107 | 427 | 179 | 72 | 28 | 11 | 6 | 1 | 2 | 1 | – | 1 |
| | 24183 | – | 3 | 50 | 341 | 1001 | 1694 | 2249 | 9821 | 6513 | 1793 | 496 | 149 | 50 | 11 | 5 | 1 | 1 | 2 | – | – | – | 3 |
| BACHELORS with WIDOWS. | 740 | – | – | – | – | 1 | 4 | 8 | 71 | 187 | 163 | 142 | 92 | 80 | 22 | 9 | 8 | 1 | 2 | – | – | – | – |
| | 740 | – | – | – | 1 | – | 1 | 3 | 46 | 169 | 216 | 148 | 95 | 39 | 12 | 5 | 2 | 2 | 1 | – | – | – | – |
| WIDOWERS with SPINSTERS. | 2248 | – | – | – | – | – | – | 2 | 87 | 297 | 445 | 490 | 368 | 263 | 135 | 94 | 68 | 32 | 12 | 3 | 2 | – | – |
| | 2248 | – | 1 | 1 | 5 | 19 | 26 | 52 | 347 | 568 | 470 | 365 | 209 | 109 | 51 | 17 | 5 | 1 | 2 | – | – | – | – |
| WIDOWERS with WIDOWS. | 782 | – | – | – | – | – | – | – | 5 | 27 | 78 | 129 | 135 | 131 | 115 | 77 | 46 | 27 | 9 | 2 | – | 1 | – |
| | 782 | – | – | – | – | – | – | – | 17 | 63 | 110 | 166 | 177 | 113 | 74 | 36 | 23 | 2 | 1 | – | – | – | – |
| Condition not stated. MEN. | 16 | – | – | – | – | – | – | – | 3 | 3 | 1 | 3 | 3 | 1 | 2 | – | – | – | – | – | – | – | – |
| Condition not stated. WOMEN. | 16 | – | – | – | – | – | 2 | 1 | 2 | 6 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| TOTAL MEN..... | 27969 | – | – | – | 14 | 151 | 532 | 1037 | 8831 | 9172 | 3943 | 1871 | 1025 | 604 | 346 | 208 | 133 | 66 | 24 | 7 | 3 | 1 | 1 |
| TOTAL WOMEN... | 27969 | – | 4 | 51 | 347 | 1020 | 1723 | 2305 | 10233 | 7319 | 2590 | 1176 | 631 | 312 | 149 | 63 | 31 | 6 | 6 | – | – | – | 3 |

| | Total Males. | AGES OF MALES MARRIED IN SCOTLAND IN 1891. | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| **Scotland** | 27969 | – | – | | 14 | 151 | 532 | 1037 | 8831 | 9172 | 3943 | 1871 | 1025 | 604 | 346 | 208 | 133 | 66 | 24 | 7 | 3 | 1 | 1 |
| GROUPS OF DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | |
| Principal Town | 13365 | – | – | | 9 | 89 | 280 | 529 | 4156 | 4265 | 1870 | 925 | 511 | 310 | 183 | 116 | 72 | 38 | 10 | 1 | – | 1 | – |
| Large Town | 3470 | – | – | – | 3 | 14 | 70 | 154 | 1236 | 1131 | 402 | 193 | 114 | 63 | 32 | 26 | 20 | 9 | 2 | 1 | – | – | – |
| Small Town | 5411 | – | – | – | 2 | 28 | 104 | 196 | 1852 | 1789 | 724 | 345 | 163 | 91 | 58 | 23 | 19 | 6 | 7 | 3 | 1 | – | – |
| Mainland-Rural | 5272 | – | – | – | – | 18 | 76 | 152 | 1528 | 1841 | 834 | 353 | 205 | 122 | 66 | 37 | 17 | 13 | 5 | 2 | 2 | – | 1 |
| Insular-Rural | 451 | – | – | – | – | 2 | 2 | 6 | 59 | 146 | 113 | 55 | 32 | 18 | 7 | 6 | 5 | – | – | – | – | – | – |
| DIVISIONS. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Northern | 507 | – | – | – | – | 3 | 2 | 13 | 111 | 160 | 107 | 53 | 26 | 12 | 8 | 5 | 5 | 1 | 1 | – | – | – | – |
| 2. North-Western | 758 | – | – | – | – | 3 | 5 | 4 | 110 | 254 | 174 | 100 | 52 | 28 | 14 | 6 | 6 | 2 | – | – | – | – | – |
| 3. North-Eastern | 2745 | – | – | – | – | 13 | 35 | 92 | 820 | 935 | 415 | 179 | 91 | 66 | 50 | 22 | 15 | 6 | 4 | 2 | – | – | – |
| 4. East Midland | 4170 | – | – | – | 4 | 35 | 77 | 173 | 1417 | 1370 | 527 | 230 | 134 | 80 | 44 | 37 | 20 | 13 | 6 | 1 | 2 | – | – |
| 5. West Midland | 1865 | – | – | – | – | 4 | 35 | 54 | 550 | 685 | 255 | 132 | 77 | 33 | 15 | 9 | 10 | 4 | – | 1 | – | – | 1 |
| 6. South-Western | 12300 | – | – | – | 7 | 76 | 279 | 528 | 4119 | 3884 | 1609 | 785 | 432 | 263 | 144 | 83 | 56 | 24 | 7 | 3 | – | 1 | – |
| 7. South-Eastern | 4504 | – | – | – | 3 | 13 | 74 | 136 | 1368 | 1537 | 670 | 306 | 165 | 100 | 57 | 36 | 19 | 15 | 5 | – | – | – | – |
| 8. Southern | 1120 | – | – | – | – | 4 | 25 | 37 | 336 | 347 | 186 | 86 | 48 | 22 | 14 | 10 | 2 | 1 | 1 | – | 1 | – | – |
| COUNTIES. | | | | | | | | | | | | | | | | | | | | | | | |
| Shetland | 148 | – | – | – | – | – | 1 | 4 | 26 | 52 | 37 | 12 | 9 | 4 | – | 3 | – | – | – | – | – | – | – |
| Orkney | 139 | – | – | – | – | 2 | 1 | 7 | 26 | 41 | 28 | 15 | 4 | 5 | 4 | 2 | 3 | 1 | – | – | – | – | – |
| Caithness | 157 | – | – | – | – | 1 | – | 1 | 51 | 48 | 27 | 14 | 9 | 1 | 4 | – | 1 | – | – | – | – | – | – |
| Sutherland | 63 | – | – | – | – | – | – | 1 | 8 | 19 | 15 | 12 | 4 | 2 | – | – | 1 | – | 1 | – | – | – | – |
| Ross and Cromarty | 335 | – | – | – | – | 1 | 2 | 1 | 53 | 118 | 76 | 44 | 18 | 11 | 8 | 1 | 1 | 1 | – | – | – | – | – |
| Inverness | 423 | – | – | – | – | 2 | 3 | 3 | 57 | 136 | 98 | 56 | 34 | 17 | 6 | 5 | 5 | 1 | – | – | – | – | – |

AGES of MALES married in Scotland in 1891.

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nairn | 37 | – | – | – | – | – | – | – | 11 | 14 | 7 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Elgin | 233 | – | – | – | – | – | 1 | 6 | 56 | 83 | 48 | 17 | 9 | 6 | 2 | 2 | 1 | 1 | – | 1 | – | – | – | – |
| Banff | 340 | – | – | – | – | 2 | 3 | 7 | 97 | 124 | 50 | 29 | 10 | 9 | 6 | 2 | 1 | – | – | – | – | – | – | – |
| Aberdeen | 1938 | – | – | – | – | 11 | 28 | 73 | 612 | 634 | 274 | 121 | 68 | 40 | 37 | 18 | 13 | 4 | 4 | 1 | – | – | – | – |
| Kincardine | 197 | – | – | – | – | – | 3 | 6 | 44 | 80 | 36 | 9 | 3 | 10 | 5 | – | – | 1 | – | – | – | – | – | – |
| Forfar | 2066 | – | – | | 2 | 22 | 36 | 89 | 705 | 676 | 254 | 104 | 69 | 40 | 25 | 21 | 12 | 7 | 3 | – | 1 | – | – | – |
| Perth | 657 | – | – | - | – | 1 | 12 | 14 | 169 | 235 | 111 | 44 | 30 | 20 | 8 | 7 | 2 | 2 | 1 | 1 | – | – | – | – |
| Fife | 1255 | – | – | | 2 | 11 | 22 | 67 | 484 | 385 | 142 | 67 | 29 | 15 | 10 | 9 | 6 | 3 | 2 | – | 1 | – | – | – |
| Kinross | 38 | – | – | – | – | – | 3 | 2 | 10 | 11 | 5 | 4 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Clackmannan | 154 | – | – | – | – | 1 | 4 | 1 | 49 | 63 | 15 | 11 | 5 | 4 | 1 | – | – | – | – | – | – | – | – | – |
| Stirling | 874 | – | – | – | – | – | 18 | 33 | 295 | 313 | 107 | 46 | 30 | 14 | 9 | 2 | 2 | 4 | – | 1 | – | – | – | – |
| Dumbarton | 587 | – | – | – | – | 2 | 12 | 17 | 184 | 226 | 67 | 49 | 17 | 7 | – | 3 | 3 | – | – | – | – | – | – | – |
| Argyll | 307 | – | – | – | – | 2 | 3 | 3 | 52 | 112 | 65 | 30 | 21 | 9 | 4 | 2 | 3 | – | – | – | – | – | 1 | – |
| Bute | 97 | – | – | – | – | – | 2 | 1 | 19 | 34 | 16 | 7 | 9 | 3 | 2 | 2 | 2 | – | – | – | – | – | – | – |
| Renfrew | 1701 | – | – | – | – | 8 | 27 | 85 | 528 | 562 | 238 | 115 | 58 | 41 | 21 | 8 | 4 | 4 | 2 | – | – | – | – | – |
| Ayr | 1593 | – | – | – | – | 14 | 28 | 67 | 550 | 491 | 202 | 103 | 55 | 41 | 19 | 8 | 9 | 1 | 2 | 3 | – | – | – | – |
| Lanark | 9006 | – | – | – | 7 | 54 | 224 | 376 | 3041 | 2831 | 1169 | 567 | 319 | 181 | 104 | 67 | 43 | 19 | 3 | – | – | 1 | – | – |
| Linlithgow | 417 | – | – | – | – | – | 14 | 16 | 147 | 142 | 49 | 24 | 11 | 9 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Edinburgh | 3480 | – | – | – | 2 | 12 | 55 | 105 | 1026 | 1171 | 530 | 251 | 133 | 83 | 47 | 30 | 18 | 13 | 4 | – | – | – | – | – |
| Haddington | 205 | – | – | – | – | – | 2 | 6 | 72 | 74 | 29 | 8 | 9 | 2 | 2 | – | – | – | 1 | – | – | – | – | – |
| Berwick | 165 | – | – | – | – | – | 1 | 6 | 47 | 70 | 26 | 6 | 5 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Peebles | 93 | – | – | – | – | – | – | 2 | 30 | 28 | 13 | 10 | 2 | 2 | 3 | 2 | – | 1 | – | – | – | – | – | – |
| Selkirk | 144 | – | – | – | 1 | 1 | 2 | 1 | 46 | 52 | 23 | 7 | 5 | 2 | 2 | 1 | - | 1 | – | – | – | – | – | – |
| Roxburgh | 242 | – | – | – | – | 2 | 3 | 8 | 67 | 84 | 46 | 12 | 9 | 5 | 3 | 3 | – | – | – | – | – | – | – | – |
| Dumfries | 477 | – | – | – | – | 1 | 9 | 18 | 152 | 139 | 84 | 35 | 21 | 10 | 5 | 1 | 1 | 1 | – | – | – | – | – | – |
| Kirkcudbright | 195 | – | – | – | – | 1 | 2 | 6 | 63 | 60 | 30 | 17 | 11 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| Wigtown | 206 | – | – | | – | – | 11 | 5 | 54 | 64 | 26 | 22 | 7 | 5 | 5 | 4 | 1 | – | 1 | – | 1 | – | – | – |

AGES of FEMALES married in Scotland in 1891.

| | Total Females | AGES OF FEMALES MARRIED IN SCOTLAND IN 1891. | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| **Scotland** | 27969 | – | 4 | 51 | 347 | 1020 | 1723 | 2305 | 10233 | 7319 | 2590 | 1176 | 631 | 312 | 149 | 63 | 31 | 6 | 6 | – | – | – | 3 |
| GROUPS of DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | |
| Principal Town | 13365 | – | – | 29 | 167 | 471 | 867 | 1107 | 4751 | 3489 | 1241 | 609 | 333 | 158 | 84 | 32 | 22 | 3 | 1 | – | – | – | 1 |
| Large Town | 3470 | – | 1 | 6 | 58 | 143 | 235 | 312 | 1378 | 779 | 296 | 123 | 69 | 38 | 19 | 11 | 5 | 1 | 1 | – | – | – | – |
| Small Town | 5411 | – | 1 | 9 | 63 | 206 | 334 | 464 | 2072 | 1401 | 457 | 198 | 107 | 62 | 21 | 11 | 2 | 1 | 2 | – | – | – | – |
| Mainland-Rural | 5272 | – | 2 | 6 | 56 | 193 | 274 | 399 | 1908 | 1496 | 524 | 213 | 112 | 50 | 23 | 9 | 2 | 1 | 2 | – | – | – | 2 |
| Insular-Rural | 451 | – | – | 1 | 8 | 7 | 13 | 23 | 124 | 154 | 72 | 33 | 10 | 4 | 2 | – | – | – | – | – | – | – | – |
| DIVISIONS. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Northern | 507 | – | 1 | 1 | 10 | 11 | 29 | 30 | 142 | 157 | 65 | 30 | 17 | 8 | 3 | 2 | – | 1 | – | – | – | – | – |
| 2. North-Western | 758 | – | – | – | 6 | 12 | 24 | 36 | 197 | 275 | 133 | 53 | 12 | 8 | – | 1 | – | – | – | – | – | – | 1 |
| 3. North-Eastern | 2745 | – | – | 2 | 24 | 91 | 151 | 220 | 1037 | 725 | 264 | 107 | 67 | 32 | 15 | 5 | 3 | – | 2 | – | – | – | – |
| 4. East Midland | 4170 | – | 1 | 5 | 36 | 118 | 232 | 316 | 1590 | 1127 | 395 | 170 | 93 | 44 | 25 | 9 | 6 | 1 | 2 | – | – | – | – |
| 5. West Midland | 1865 | – | – | – | 27 | 58 | 99 | 165 | 704 | 496 | 168 | 78 | 38 | 22 | 4 | 3 | 1 | – | 1 | – | – | – | 1 |
| 6. South-Western | 12300 | – | 2 | 33 | 202 | 549 | 901 | 1137 | 4513 | 2946 | 980 | 500 | 275 | 136 | 72 | 30 | 18 | 4 | 1 | – | – | – | 1 |
| 7. South-Eastern | 4504 | – | – | 8 | 38 | 152 | 242 | 324 | 1607 | 1285 | 467 | 182 | 103 | 55 | 27 | 11 | 3 | – | – | – | – | – | – |
| 8. Southern | 1120 | – | – | 2 | 4 | 20 | 45 | 77 | 443 | 308 | 118 | 56 | 26 | 7 | 3 | 2 | – | – | – | – | – | – | – |
| COUNTIES. | | | | | | | | | | | | | | | | | | | | | | | |
| Shetland | 148 | – | – | – | 2 | 1 | 8 | 8 | 35 | 60 | 16 | 10 | 4 | 3 | – | 1 | – | – | – | – | – | – | – |
| Orkney | 139 | – | 1 | 1 | 5 | 4 | 12 | 9 | 42 | 28 | 15 | 9 | 8 | 2 | 2 | – | – | 1 | – | – | – | – | – |
| Caithness | 157 | – | – | – | 2 | 6 | 7 | 10 | 56 | 44 | 19 | 6 | 3 | 3 | 1 | – | – | – | – | – | – | – | – |
| Sutherland | 63 | – | – | – | 1 | – | 2 | 3 | 9 | 25 | 15 | 5 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Ross and Cromarty | 335 | – | – | – | 1 | 3 | 9 | 15 | 88 | 122 | 61 | 26 | 5 | 4 | – | – | – | – | – | – | – | – | 1 |
| Inverness | 423 | – | – | – | 5 | 9 | 15 | 21 | 109 | 153 | 72 | 27 | 7 | 4 | – | 1 | – | – | – | – | – | – | – |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nairn | 37 | – | – | – | – | 1 | 1 | 3 | 9 | 16 | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Elgin | 283 | – | – | – | 1 | 9 | 14 | 11 | 77 | 68 | 29 | 16 | 2 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Banff | 340 | – | – | – | 2 | 10 | 14 | 24 | 146 | 89 | 31 | 10 | 9 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Aberdeen | 1938 | – | – | 2 | 19 | 69 | 106 | 169 | 737 | 489 | 183 | 78 | 49 | 23 | 11 | 3 | 3 | – | 2 | – | – | – | – |
| Kincardine | 197 | – | – | – | 2 | 2 | 16 | 13 | 68 | 63 | 17 | 6 | 6 | 3 | 1 | – | – | – | – | – | – | – | – |
| Forfar | 2066 | – | – | 4 | 16 | 57 | 111 | 160 | 814 | 534 | 192 | 85 | 52 | 20 | 11 | 4 | 5 | – | 1 | – | – | – | – |
| Perth | 657 | – | – | 1 | 5 | 11 | 37 | 41 | 211 | 217 | 69 | 37 | 12 | 8 | 4 | 3 | – | – | 1 | – | – | – | – |
| Fife | 1255 | – | 1 | – | 11 | 43 | 64 | 104 | 487 | 337 | 115 | 40 | 26 | 14 | 9 | 2 | 1 | 1 | – | – | – | – | – |
| Kinross | 38 | – | – | – | – | 1 | 2 | 3 | 16 | 8 | 4 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Clackmannan | 154 | – | – | – | 4 | 6 | 18 | 8 | 62 | 31 | 15 | 6 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Stirling | 874 | – | – | – | 12 | 37 | 60 | 79 | 336 | 211 | 78 | 27 | 18 | 13 | 2 | – | – | – | 1 | – | – | – | – |
| Dumbarton | 587 | – | – | – | 11 | 19 | 30 | 63 | 221 | 163 | 39 | 25 | 8 | 3 | 2 | 3 | – | – | – | – | – | – | – |
| Argyll | 307 | – | – | – | 3 | 1 | 8 | 19 | 105 | 100 | 38 | 19 | 7 | 5 | – | – | 1 | – | – | – | – | – | 1 |
| Bute | 97 | – | – | – | 1 | 1 | 1 | 4 | 42 | 22 | 13 | 7 | 5 | 1 | – | – | – | – | – | – | – | – | – |
| Renfrew | 1701 | – | – | 4 | 16 | 57 | 107 | 139 | 655 | 442 | 139 | 77 | 33 | 15 | 11 | 6 | – | – | – | – | – | – | – |
| Ayr | 1593 | – | – | 3 | 20 | 53 | 88 | 163 | 610 | 394 | 119 | 67 | 36 | 22 | 12 | 4 | 1 | 1 | – | – | – | – | – |
| Lanark | 9006 | – | 2 | 26 | 166 | 439 | 706 | 835 | 3248 | 2110 | 722 | 356 | 206 | 99 | 49 | 20 | 17 | 3 | 1 | – | – | – | 1 |
| Linlithgow | 417 | – | – | – | 6 | 28 | 33 | 42 | 162 | 93 | 27 | 10 | 9 | 5 | 2 | – | – | – | – | – | – | – | – |
| Edinburgh | 3480 | – | – | 7 | 30 | 115 | 178 | 247 | 1196 | 1007 | 383 | 156 | 84 | 43 | 21 | 10 | 3 | – | – | – | – | – | – |
| Haddington | 205 | – | – | – | – | 3 | 16 | 17 | 73 | 67 | 18 | 6 | 2 | 3 | – | – | – | – | – | – | – | – | – |
| Berwick | 165 | – | – | 1 | 1 | 1 | 4 | 9 | 75 | 48 | 18 | 5 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Peebles | 93 | – | – | – | – | 2 | 3 | 2 | 39 | 31 | 8 | 1 | 2 | 2 | 3 | – | – | – | – | – | – | – | – |
| Selkirk | 144 | – | – | – | 1 | 3 | 8 | 7 | 62 | 39 | 13 | 4 | 5 | – | 1 | 1 | – | – | – | – | – | – | – |
| Roxburgh | 242 | – | – | 1 | 1 | 3 | 5 | 16 | 95 | 74 | 25 | 13 | 5 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Dumfries | 477 | – | – | – | 1 | 11 | 21 | 30 | 202 | 122 | 49 | 27 | 9 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Kirkcudbright | 195 | – | – | 1 | – | 7 | 10 | 17 | 76 | 56 | 18 | 6 | 4 | – | – | – | – | – | – | – | – | – | – |
| Wigtown | 206 | – | – | – | 2 | 8 | 9 | 14 | 70 | 56 | 26 | 10 | 8 | 2 | 1 | – | – | – | – | – | – | – | – |

DEATHS at Different Ages in SCOTLAND during the YEAR 1891.—BOTH SEXES.

| | POPULATION. | | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | AGE UNDER | | | | | | | | | | | |
| | | | ALL | MONTHS. | | | | | | | | | | | |
| | 1881. | 1891. | AGES. | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| SCOTLAND . | 3735573 | 4025647 | 83573 | 8211 | 2890 | 5009 | 5605 | 2292 | 1466 | 1046 | 2862 | 1794 | 2439 | 2722 | 2594 |
| Principal Towns | 1406838 | 1590310 | 36598 | 3782 | 1333 | 2598 | 3007 | 1207 | 765 | 538 | 1256 | 764 | 1047 | 1241 | 1157 |
| Large Towns . | 406724 | 467872 | 10215 | 1077 | 368 | 615 | 782 | 272 | 192 | 132 | 439 | 226 | 331 | 319 | 362 |
| Small Towns . | 784654 | 840339 | 17119 | 1700 | 672 | 1026 | 1092 | 468 | 283 | 198 | 605 | 385 | 537 | 511 | 547 |
| Mainland-Rural | 1006969 | 1001174 | 17390 | 1499 | 476 | 692 | 642 | 308 | 209 | 159 | 496 | 373 | 464 | 579 | 464 |
| Insular-Rural . | 130388 | 125952 | 2251 | 153 | 41 | 78 | 82 | 37 | 17 | 19 | 66 | 46 | 60 | 72 | 64 |
| Shetland . . | 29705 | 28711 | 518 | 20 | 7 | 9 | 20 | 4 | 5 | 1 | 16 | 8 | 23 | 21 | 21 |
| Orkney . . | 32044 | 30453 | 509 | 33 | 11 | 7 | 7 | 6 | 4 | 4 | 11 | 20 | 13 | 16 | 18 |
| Caithness . | 39859 | 38070 | 658 | 50 | 24 | 22 | 41 | 16 | 7 | 9 | 24 | 12 | 20 | 21 | 14 |
| Sutherland . | 22376 | 21003 | 345 | 22 | 4 | 4 | 9 | 6 | – | 1 | 5 | 8 | 6 | 19 | 12 |
| Ross & Cromarty | 79467 | 78640 | 1347 | 105 | 28 | 59 | 54 | 24 | 17 | 14 | 20 | 14 | 35 | 58 | 37 |
| Inverness . | 86389 | 85196 | 1599 | 133 | 42 | 60 | 57 | 25 | 16 | 16 | 48 | 26 | 29 | 45 | 41 |
| Nairn . . | 8847 | 8554 | 166 | 15 | 6 | 6 | 3 | 2 | 2 | – | 7 | 1 | 3 | 3 | 5 |
| Elgin . . | 45108 | 44829 | 791 | 71 | 22 | 32 | 23 | 9 | 14 | 7 | 26 | 19 | 19 | 17 | 28 |
| Banff . . | 59783 | 61209 | 944 | 74 | 44 | 48 | 31 | 25 | 6 | 6 | 28 | 27 | 37 | 42 | 36 |
| Aberdeen . | 269047 | 281964 | 4869 | 575 | 210 | 255 | 220 | 100 | 62 | 48 | 145 | 118 | 150 | 156 | 149 |
| Kincardine . | 35465 | 37024 | 563 | 57 | 15 | 21 | 20 | 9 | 5 | 5 | 21 | 9 | 19 | 13 | 17 |
| Forfar . . | 268653 | 280098 | 5911 | 729 | 242 | 337 | 339 | 105 | 93 | 50 | 155 | 137 | 169 | 157 | 177 |
| Perth . . | 130282 | 127895 | 2444 | 150 | 47 | 53 | 52 | 32 | 28 | 27 | 62 | 48 | 48 | 82 | 68 |
| Fife . . . | 172131 | 187601 | 3627 | 340 | 150 | 210 | 182 | 69 | 40 | 34 | 99 | 69 | 128 | 90 | 107 |
| Kinross . . | 7330 | 6725 | 135 | 6 | 1 | 6 | 3 | – | 1 | 1 | 3 | 1 | 5 | 3 | 2 |
| Clackmannan . | 24025 | 26716 | 465 | 52 | 24 | 23 | 25 | 10 | 5 | 4 | 12 | 14 | 18 | 15 | 18 |
| Stirling . . | 106883 | 119129 | 2545 | 262 | 93 | 169 | 195 | 76 | 59 | 37 | 105 | 71 | 78 | 96 | 82 |
| Dumbarton . | 78182 | 98014 | 2013 | 199 | 76 | 124 | 142 | 68 | 30 | 38 | 83 | 38 | 65 | 87 | 73 |
| Argyll . . | 80761 | 79310 | 1467 | 69 | 25 | 41 | 44 | 20 | 10 | 13 | 22 | 31 | 33 | 43 | 38 |
| Bute . . | 17634 | 18387 | 417 | 20 | 7 | 9 | 11 | 4 | 5 | 3 | 14 | 10 | 14 | 11 | 8 |
| Renfrew . . | 225611 | 245147 | 5633 | 533 | 185 | 391 | 497 | 248 | 148 | 92 | 241 | 127 | 159 | 202 | 157 |
| Ayr . . | 217630 | 226403 | 4614 | 495 | 163 | 265 | 295 | 118 | 95 | 53 | 177 | 97 | 146 | 145 | 147 |
| Lanark . . | 942206 | 1091703 | 25526 | 2623 | 937 | 1970 | 2413 | 966 | 581 | 417 | 1039 | 571 | 798 | 842 | 844 |
| Linlithgow . | 44005 | 53441 | 1040 | 125 | 65 | 92 | 85 | 24 | 15 | 9 | 43 | 27 | 24 | 32 | 29 |
| Edinburgh . | 388836 | 433646 | 9346 | 932 | 306 | 575 | 584 | 219 | 135 | 104 | 299 | 175 | 231 | 301 | 292 |
| Haddington . | 38510 | 37500 | 672 | 51 | 14 | 25 | 28 | 15 | 6 | 6 | 16 | 18 | 8 | 23 | 21 |
| Berwick . . | 35273 | 32311 | 617 | 60 | 15 | 24 | 21 | 17 | 6 | 4 | 14 | 9 | 18 | 19 | 19 |
| Peebles . . | 13688 | 14654 | 267 | 16 | 8 | 3 | 6 | 2 | 5 | 4 | 6 | 3 | 11 | 7 | 12 |
| Selkirk . . | 26346 | 28068 | 488 | 47 | 17 | 32 | 28 | 12 | 6 | 5 | 15 | 10 | 20 | 14 | 15 |
| Roxburgh . | 52592 | 52954 | 1012 | 94 | 26 | 44 | 43 | 19 | 17 | 10 | 31 | 17 | 27 | 34 | 29 |
| Dumfries . | 76167 | 74249 | 1593 | 128 | 43 | 46 | 66 | 15 | 23 | 12 | 36 | 37 | 54 | 59 | 38 |
| Kirkcudbright | 42290 | 40163 | 727 | 62 | 22 | 26 | 32 | 13 | 9 | 6 | 18 | 12 | 14 | 32 | 24 |
| Wigtown . | 38448 | 35880 | 705 | 63 | 11 | 21 | 29 | 14 | 11 | 6 | 21 | 10 | 17 | 17 | 16 |

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1891.—BOTH SEXES.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow (Burghal) . | 511415 | 565839 | 14324 | 1380 | 491 | 1075 | 1342 | 552 | 352 | 238 | 520 | 291 | 459 | 513 | 489 |
| Glasgow (Landward and Suburban). | 174573 | 227118 | 4841 | 484 | 185 | 400 | 446 | 191 | 105 | 96 | 174 | 106 | 128 | 156 | 157 |
| Edinburgh . | 234402 | 261225 | 5646 | 545 | 159 | 315 | 356 | 126 | 78 | 64 | 182 | 101 | 150 | 202 | 186 |
| Dundee . . | 142455 | 155675 | 3516 | 508 | 177 | 242 | 258 | 75 | 63 | 33 | 92 | 86 | 94 | 98 | 104 |
| Aberdeen . | 105076 | 121895 | 2422 | 293 | 113 | 146 | 130 | 55 | 30 | 28 | 70 | 57 | 77 | 81 | 73 |
| Leith . . | 60843 | 69885 | 1395 | 158 | 57 | 116 | 98 | 40 | 25 | 19 | 41 | 27 | 22 | 48 | 40 |
| Paisley . . | 55638 | 66425 | 1780 | 123 | 53 | 140 | 193 | 93 | 57 | 31 | 83 | 40 | 41 | 63 | 45 |
| Greenock . | 66816 | 63512 | 1430 | 175 | 52 | 109 | 122 | 53 | 31 | 16 | 56 | 33 | 41 | 47 | 28 |
| Perth . . | 29756 | 30768 | 625 | 57 | 20 | 19 | 19 | 9 | 15 | 6 | 16 | 8 | 11 | 13 | 16 |
| Kilmarnock . | 25864 | 27968 | 619 | 59 | 26 | 36 | 43 | 13 | 9 | 7 | 22 | 15 | 24 | 20 | 19 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1891.—BOTH SEXES.

| | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND | 2601 | 2686 | 2784 | 3121 | 3538 | 3963 | 4828 | 4870 | 5303 | 4602 | 3631 | 1884 | 503 | 139 | 26 | 4 |
| Principal Towns | 1284 | 1378 | 1447 | 1631 | 1765 | 1849 | 2111 | 1901 | 1808 | 1309 | 919 | 379 | 109 | 13 | – | – |
| Large Towns | 297 | 290 | 333 | 405 | 442 | 485 | 591 | 558 | 652 | 486 | 338 | 163 | 47 | 12 | – | 1 |
| Small Towns | 464 | 500 | 511 | 530 | 663 | 787 | 962 | 1019 | 1159 | 1094 | 821 | 407 | 149 | 23 | 5 | 1 |
| Mainland-Rural | 483 | 467 | 444 | 493 | 599 | 754 | 1050 | 1248 | 1509 | 1492 | 1333 | 777 | 293 | 72 | 14 | 1 |
| Insular-Rural | 73 | 51 | 49 | 62 | 69 | 83 | 114 | 144 | 175 | 221 | 220 | 158 | 65 | 19 | 7 | 1 |
| Shetland | 22 | 15 | 10 | 17 | 17 | 21 | 22 | 32 | 42 | 47 | 57 | 41 | 19 | 1 | – | – |
| Orkney | 5 | 17 | 10 | 8 | 14 | 28 | 25 | 35 | 45 | 73 | 49 | 33 | 8 | 8 | 1 | – |
| Caithness | 15 | 15 | 15 | 11 | 20 | 24 | 42 | 28 | 52 | 60 | 48 | 46 | 13 | 9 | – | – |
| Sutherland | 10 | 12 | 3 | 11 | 10 | 10 | 15 | 23 | 29 | 44 | 35 | 28 | 13 | 4 | 2 | – |
| Ross and Cromarty | 32 | 31 | 23 | 27 | 32 | 52 | 84 | 104 | 130 | 142 | 118 | 58 | 33 | 12 | 4 | – |
| Inverness | 55 | 38 | 42 | 46 | 61 | 77 | 97 | 122 | 124 | 138 | 126 | 78 | 38 | 14 | 5 | – |
| Nairn | 5 | 3 | 7 | 5 | 3 | 7 | 10 | 16 | 16 | 11 | 17 | 10 | 2 | 1 | – | – |
| Elgin | 22 | 27 | 17 | 20 | 27 | 34 | 47 | 63 | 63 | 76 | 58 | 35 | 13 | 2 | – | – |
| Banff | 17 | 27 | 28 | 20 | 29 | 32 | 60 | 51 | 77 | 74 | 73 | 34 | 13 | 3 | 2 | – |
| Aberdeen | 118 | 116 | 133 | 162 | 134 | 215 | 290 | 308 | 354 | 325 | 288 | 164 | 67 | 6 | 1 | – |
| Kincardine | 14 | 14 | 14 | 10 | 20 | 24 | 26 | 39 | 50 | 60 | 47 | 24 | 7 | 2 | – | 1 |
| Forfar | 176 | 176 | 219 | 238 | 253 | 292 | 365 | 386 | 363 | 321 | 259 | 133 | 34 | 5 | 1 | – |
| Perth | 92 | 71 | 75 | 92 | 113 | 107 | 160 | 181 | 269 | 221 | 193 | 113 | 46 | 12 | 2 | – |
| Fife | 95 | 95 | 105 | 108 | 122 | 144 | 208 | 243 | 285 | 313 | 220 | 123 | 42 | 5 | 1 | – |
| Kinross | 6 | 6 | 3 | 6 | 6 | 11 | 4 | 10 | 16 | 13 | 10 | 9 | 1 | 1 | – | 1 |
| Clackmannan | 21 | 11 | 12 | 12 | 21 | 23 | 26 | 18 | 33 | 32 | 18 | 14 | 3 | 1 | – | – |
| Stirling | 65 | 67 | 69 | 98 | 96 | 116 | 131 | 132 | 164 | 111 | 98 | 48 | 24 | 3 | – | – |
| Dumbarton | 75 | 68 | 63 | 83 | 106 | 103 | 98 | 97 | 106 | 83 | 60 | 30 | 16 | 2 | – | – |
| Argyll | 44 | 37 | 40 | 62 | 54 | 68 | 96 | 108 | 157 | 150 | 119 | 91 | 40 | 10 | 2 | – |
| Bute | 9 | 16 | 10 | 11 | 21 | 26 | 35 | 45 | 30 | 33 | 36 | 22 | 4 | 1 | 1 | 1 |
| Renfrew | 178 | 184 | 198 | 216 | 257 | 286 | 326 | 283 | 300 | 198 | 158 | 53 | 15 | – | – | 1 |
| Ayr | 135 | 129 | 142 | 137 | 199 | 198 | 251 | 262 | 319 | 268 | 218 | 123 | 29 | 7 | 1 | – |
| Lanark | 871 | 968 | 973 | 1127 | 1204 | 1265 | 1377 | 1179 | 1068 | 730 | 504 | 195 | 57 | 6 | 1 | – |
| Linlithgow | 32 | 33 | 29 | 34 | 29 | 38 | 50 | 52 | 64 | 54 | 32 | 19 | 4 | – | – | – |
| Edinburgh | 300 | 342 | 368 | 386 | 441 | 491 | 593 | 580 | 597 | 511 | 362 | 161 | 51 | 9 | 1 | – |
| Haddington | 23 | 14 | 21 | 15 | 34 | 38 | 48 | 55 | 69 | 62 | 45 | 12 | 4 | 1 | – | – |
| Berwick | 17 | 16 | 18 | 14 | 19 | 23 | 28 | 58 | 58 | 61 | 44 | 24 | 9 | 2 | – | – |
| Peebles | 9 | 3 | 3 | 12 | 17 | 18 | 24 | 18 | 23 | 26 | 23 | 6 | 2 | – | – | – |
| Selkirk | 16 | 12 | 12 | 17 | 19 | 22 | 25 | 35 | 51 | 30 | 15 | 9 | 4 | – | – | – |
| Roxburgh | 27 | 41 | 31 | 28 | 33 | 43 | 65 | 79 | 91 | 78 | 70 | 26 | 7 | 2 | – | – |
| Dumfries | 52 | 43 | 54 | 52 | 65 | 71 | 107 | 121 | 166 | 115 | 110 | 50 | 25 | 5 | – | – |
| Kirkcudbright | 24 | 20 | 17 | 20 | 27 | 30 | 53 | 56 | 47 | 56 | 64 | 35 | 7 | 1 | – | – |
| Wigtown | 19 | 19 | 20 | 16 | 35 | 26 | 40 | 51 | 45 | 86 | 57 | 37 | 13 | 4 | 1 | – |

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1891.—BOTH SEXES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow (Burghal) | 524 | 585 | 582 | 707 | 738 | 754 | 787 | 670 | 563 | 369 | 243 | 79 | 20 | 1 | – | – |
| Glasgow (Landward and Suburban) | 176 | 183 | 193 | 202 | 196 | 219 | 251 | 261 | 240 | 147 | 95 | 31 | 13 | 2 | – | – |
| Edinburgh | 212 | 235 | 237 | 258 | 271 | 300 | 354 | 316 | 339 | 296 | 228 | 97 | 33 | 6 | – | – |
| Dundee | 116 | 115 | 144 | 147 | 178 | 170 | 221 | 188 | 161 | 113 | 86 | 41 | 6 | – | – | – |
| Aberdeen | 59 | 63 | 82 | 91 | 86 | 122 | 141 | 148 | 168 | 137 | 96 | 54 | 20 | 2 | – | – |
| Leith | 39 | 50 | 53 | 61 | 78 | 66 | 85 | 80 | 66 | 58 | 43 | 18 | 7 | – | – | – |
| Paisley | 57 | 54 | 54 | 58 | 86 | 82 | 101 | 93 | 105 | 65 | 46 | 15 | 2 | – | – | – |
| Greenock | 45 | 50 | 53 | 52 | 67 | 86 | 90 | 61 | 72 | 36 | 36 | 16 | 3 | – | – | – |
| Perth | 30 | 19 | 25 | 31 | 34 | 23 | 45 | 50 | 63 | 55 | 26 | 11 | 3 | 1 | – | – |
| Kilmarnock | 26 | 24 | 24 | 24 | 31 | 27 | 36 | 34 | 31 | 33 | 20 | 13 | 2 | 1 | – | – |

DEATHS at Different Ages in SCOTLAND during the YEAR 1891.—MALES.

| | MALE POPULATION. | | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | 1881. | 1891. | | 3 | 6 | 12 | | | | | | | | | |
| SCOTLAND . | 1799475 | 1942717 | 41122 | 4746 | 1626 | 2737 | 2862 | 1131 | 727 | 496 | 1389 | 864 | 1217 | 1353 | 1166 |
| Principal Towns | 667902 | 756698 | 18018 | 2152 | 742 | 1415 | 1563 | 594 | 393 | 245 | 638 | 371 | 529 | 580 | 499 |
| Large Towns . | 197657 | 228678 | 5040 | 616 | 194 | 340 | 378 | 128 | 86 | 66 | 194 | 112 | 161 | 171 | 166 |
| Small Towns . | 377834 | 405239 | 8414 | 968 | 382 | 564 | 562 | 241 | 137 | 96 | 282 | 171 | 250 | 264 | 246 |
| Mainland-Rural | 494903 | 493346 | 8604 | 922 | 283 | 374 | 321 | 151 | 105 | 81 | 250 | 191 | 239 | 299 | 222 |
| Insular-Rural . | 61179 | 58756 | 1046 | 88 | 25 | 44 | 38 | 17 | 6 | 8 | 25 | 19 | 38 | 39 | 33 |
| Shetland . | 12656 | 12190 | 227 | 10 | 6 | 5 | 9 | 2 | 3 | – | 4 | 6 | 14 | 14 | 9 |
| Orkney . | 14982 | 14298 | 230 | 21 | 9 | 4 | 4 | 1 | – | 2 | 4 | 7 | 9 | 8 | 11 |
| Caithness . | 18861 | 17879 | 298 | 24 | 14 | 11 | 20 | 8 | 4 | 7 | 14 | 5 | 9 | 7 | 8 |
| Sutherland . | 10749 | 9988 | 154 | 12 | 3 | 1 | 3 | 2 | – | – | 4 | 5 | 3 | 7 | 6 |
| Ross & Cromarty | 37444 | 37248 | 651 | 62 | 17 | 25 | 27 | 10 | 8 | 6 | 8 | 10 | 20 | 38 | 17 |
| Inverness . | 41911 | 41129 | 732 | 76 | 21 | 30 | 29 | 13 | 5 | 7 | 19 | 9 | 23 | 18 | 21 |
| Nairn . . | 4201 | 3982 | 83 | 8 | 2 | 4 | 2 | 1 | 1 | – | 4 | – | 2 | 3 | 3 |
| Elgin . . | 21337 | 21024 | 392 | 44 | 13 | 18 | 14 | 6 | 6 | 7 | 13 | 13 | 9 | 9 | 13 |
| Banff . . | 28372 | 29304 | 432 | 39 | 27 | 25 | 14 | 11 | 5 | 1 | 4 | 12 | 18 | 22 | 19 |
| Aberdeen . | 128682 | 134290 | 2368 | 331 | 122 | 151 | 112 | 55 | 36 | 30 | 76 | 55 | 70 | 60 | 63 |
| Kincardine . | 17399 | 18166 | 302 | 31 | 12 | 12 | 9 | 8 | 2 | 3 | 6 | 4 | 11 | 7 | 6 |
| Forfar . . | 121127 | 126447 | 2713 | 412 | 127 | 183 | 162 | 58 | 46 | 17 | 74 | 69 | 76 | 73 | 68 |
| Perth . . | 61963 | 60253 | 1162 | 89 | 24 | 29 | 32 | 15 | 17 | 12 | 29 | 26 | 19 | 37 | 32 |
| Fife . . | 80968 | 89260 | 1730 | 200 | 89 | 108 | 85 | 40 | 20 | 8 | 52 | 31 | 52 | 48 | 44 |
| Kinross . . | 3449 | 3184 | 62 | 4 | – | 3 | 1 | – | – | – | 2 | – | 1 | 3 | 2 |
| Clackmannan . | 11397 | 12874 | 223 | 33 | 13 | 9 | 12 | 6 | 1 | 2 | 6 | 9 | 8 | 8 | 8 |
| Stirling . . | 53688 | 60247 | 1316 | 148 | 56 | 98 | 89 | 34 | 29 | 17 | 52 | 38 | 38 | 56 | 52 |
| Dumbarton . | 38751 | 48683 | 1056 | 118 | 43 | 72 | 79 | 36 | 17 | 20 | 44 | 18 | 25 | 50 | 33 |
| Argyll . . | 39974 | 38895 | 724 | 40 | 13 | 27 | 21 | 11 | 4 | 6 | 11 | 15 | 19 | 23 | 22 |
| Bute . . | 8090 | 8204 | 215 | 14 | 4 | 5 | 8 | 3 | 3 | 1 | 8 | 4 | 10 | 8 | 3 |
| Renfrew . . | 108763 | 116798 | 2815 | 310 | 108 | 195 | 244 | 128 | 71 | 54 | 123 | 52 | 88 | 99 | 72 |
| Ayr . . | 106868 | 111044 | 2321 | 281 | 93 | 149 | 150 | 51 | 50 | 26 | 90 | 45 | 64 | 67 | 57 |
| Lanark . . | 467293 | 544633 | 12859 | 1506 | 509 | 1088 | 1255 | 474 | 282 | 179 | 498 | 282 | 419 | 410 | 391 |
| Linlithgow . | 22979 | 28258 | 568 | 74 | 39 | 57 | 50 | 11 | 5 | 6 | 26 | 10 | 14 | 20 | 14 |
| Edinburgh . | 183769 | 205448 | 4610 | 543 | 168 | 319 | 315 | 103 | 75 | 57 | 152 | 82 | 116 | 148 | 126 |
| Haddington . | 18812 | 18235 | 322 | 34 | 6 | 13 | 14 | 5 | 4 | 2 | 5 | 7 | 5 | 14 | 9 |
| Berwick . . | 16880 | 15396 | 310 | 40 | 9 | 9 | 9 | 11 | 3 | 2 | 7 | 4 | 5 | 15 | 9 |
| Peebles . . | 6562 | 6867 | 132 | 9 | 5 | 2 | 3 | 1 | 1 | 2 | 3 | 1 | 6 | 2 | 5 |
| Selkirk . . | 12524 | 13101 | 238 | 31 | 12 | 17 | 11 | 4 | 3 | 4 | 6 | 3 | 11 | 7 | 6 |
| Roxburgh . | 25034 | 24616 | 462 | 55 | 17 | 20 | 21 | 6 | 8 | 8 | 14 | 11 | 7 | 16 | 7 |
| Dumfries . . | 36040 | 34900 | 766 | 71 | 25 | 25 | 25 | 6 | 10 | 4 | 12 | 21 | 28 | 28 | 19 |
| Kirkcudbright. | 19886 | 18993 | 341 | 34 | 16 | 8 | 16 | 6 | 4 | 3 | 9 | 6 | 8 | 17 | 8 |
| Wigtown . . | 18064 | 16883 | 308 | 42 | 4 | 15 | 17 | 5 | 4 | 3 | 10 | 4 | 10 | 11 | 3 |

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1891.—MALES.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow (Burghal) . | 248366 | 277798 | 7161 | 792 | 279 | 584 | 689 | 274 | 174 | 102 | 257 | 145 | 235 | 243 | 222 |
| Glasgow (Landward and Suburban) | 84994 | 109180 | 2413 | 268 | 95 | 210 | 245 | 86 | 54 | 39 | 94 | 43 | 72 | 73 | 71 |
| Edinburgh . | 107006 | 119255 | 2732 | 307 | 86 | 176 | 190 | 60 | 44 | 38 | 95 | 47 | 71 | 98 | 74 |
| Dundee . . | 62347 | 69042 | 1612 | 290 | 97 | 127 | 129 | 43 | 34 | 11 | 41 | 46 | 42 | 42 | 42 |
| Aberdeen . | 48231 | 56107 | 1162 | 165 | 63 | 92 | 67 | 32 | 20 | 17 | 42 | 31 | 38 | 29 | 29 |
| Leith . . | 30357 | 35039 | 702 | 96 | 33 | 70 | 53 | 21 | 12 | 7 | 16 | 11 | 17 | 22 | 19 |
| Paisley . . | 25838 | 30679 | 899 | 75 | 32 | 72 | 103 | 46 | 24 | 16 | 48 | 18 | 18 | 24 | 17 |
| Greenock . . | 34302 | 31805 | 733 | 95 | 33 | 59 | 57 | 27 | 18 | 11 | 24 | 14 | 23 | 30 | 14 |
| Perth . . | 13854 | 14122 | 318 | 33 | 9 | 9 | 12 | 2 | 7 | 3 | 9 | 6 | 3 | 10 | 7 |
| Kilmarnock . | 12607 | 13671 | 286 | 31 | 15 | 16 | 18 | 3 | 6 | 1 | 12 | 10 | 10 | 9 | 4 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1891.—MALES.

| | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND | 1189 | 1265 | 1394 | 1687 | 1860 | 2008 | 2316 | 2328 | 2334 | 1956 | 1484 | 675 | 246 | 49 | 14 | 3 |
| Principal Towns | 618 | 652 | 739 | 870 | 909 | 916 | 978 | 853 | 773 | 514 | 324 | 111 | 34 | 6 | – | – |
| Large Towns | 127 | 138 | 170 | 230 | 225 | 252 | 296 | 283 | 279 | 213 | 131 | 68 | 13 | 2 | – | 1 |
| Small Towns | 203 | 248 | 248 | 278 | 356 | 410 | 488 | 498 | 511 | 472 | 340 | 137 | 49 | 7 | 5 | 1 |
| Mainland-Rural | 209 | 201 | 218 | 276 | 328 | 398 | 507 | 639 | 691 | 658 | 594 | 302 | 114 | 27 | 3 | 1 |
| Insular-Rural | 32 | 26 | 19 | 33 | 42 | 32 | 47 | 55 | 80 | 99 | 95 | 57 | 36 | 7 | 6 | – |
| Shetland | 8 | 10 | 3 | 8 | 13 | 8 | 10 | 11 | 16 | 14 | 23 | 10 | 11 | – | – | – |
| Orkney | 1 | 7 | 3 | 7 | 6 | 11 | 8 | 14 | 22 | 29 | 23 | 12 | 4 | 2 | 1 | – |
| Caithness | 3 | 5 | 8 | 3 | 11 | 11 | 16 | 12 | 21 | 27 | 20 | 16 | 8 | 6 | – | – |
| Sutherland | 6 | 6 | 2 | 7 | 7 | 7 | 8 | 10 | 10 | 17 | 15 | 7 | 5 | – | 1 | – |
| Ross and Cromarty | 15 | 15 | 10 | 13 | 11 | 21 | 42 | 51 | 66 | 60 | 55 | 20 | 16 | 6 | 2 | – |
| Inverness | 20 | 19 | 15 | 21 | 38 | 36 | 40 | 51 | 51 | 63 | 47 | 36 | 15 | 5 | 4 | – |
| Nairn | 4 | 2 | 4 | 2 | 2 | 4 | 4 | 7 | 9 | 5 | 3 | 6 | 1 | – | – | – |
| Elgin | 12 | 13 | 5 | 10 | 14 | 18 | 20 | 27 | 33 | 33 | 22 | 11 | 8 | 1 | – | – |
| Banff | 5 | 15 | 9 | 13 | 8 | 16 | 33 | 27 | 32 | 28 | 26 | 15 | 6 | 1 | 1 | – |
| Aberdeen | 43 | 48 | 64 | 83 | 70 | 103 | 130 | 145 | 150 | 148 | 133 | 67 | 20 | 2 | 1 | – |
| Kincardine | 5 | 9 | 6 | 5 | 10 | 12 | 16 | 29 | 28 | 34 | 24 | 7 | 4 | 1 | – | 1 |
| Forfar | 76 | 76 | 77 | 108 | 116 | 139 | 167 | 158 | 147 | 132 | 94 | 44 | 12 | 2 | – | – |
| Perth | 41 | 33 | 43 | 47 | 60 | 60 | 68 | 97 | 115 | 100 | 75 | 41 | 15 | 5 | 1 | – |
| Fife | 44 | 40 | 51 | 56 | 58 | 76 | 99 | 110 | 136 | 126 | 87 | 54 | 14 | 1 | 1 | – |
| Kinross | 2 | 1 | 2 | 3 | 4 | 4 | 2 | 6 | 6 | 8 | 6 | 1 | – | – | – | 1 |
| Clackmannan | 6 | 6 | 5 | 10 | 9 | 10 | 10 | 11 | 17 | 13 | 5 | 6 | – | – | – | – |
| Stirling | 33 | 35 | 42 | 56 | 53 | 69 | 70 | 71 | 67 | 51 | 42 | 12 | 8 | – | – | – |
| Dumbarton | 31 | 36 | 37 | 46 | 59 | 55 | 60 | 48 | 50 | 34 | 32 | 7 | 5 | 1 | – | – |
| Argyll | 22 | 17 | 25 | 35 | 33 | 38 | 37 | 51 | 65 | 71 | 64 | 32 | 17 | 5 | – | – |
| Bute | 5 | 9 | 8 | 7 | 6 | 10 | 21 | 22 | 12 | 12 | 21 | 6 | 4 | – | 1 | – |
| Renfrew | 89 | 88 | 95 | 117 | 147 | 139 | 150 | 137 | 136 | 90 | 60 | 15 | 7 | – | – | 1 |
| Ayr | 56 | 61 | 82 | 76 | 108 | 112 | 135 | 138 | 147 | 118 | 108 | 42 | 11 | 3 | 1 | – |
| Lanark | 414 | 462 | 520 | 613 | 627 | 635 | 693 | 567 | 461 | 297 | 192 | 64 | 21 | – | – | – |
| Linlithgow | 15 | 17 | 12 | 22 | 17 | 23 | 22 | 35 | 34 | 25 | 11 | 7 | 2 | – | – | – |
| Edinburgh | 150 | 168 | 191 | 228 | 247 | 259 | 261 | 256 | 255 | 205 | 118 | 53 | 9 | 6 | – | – |
| Haddington | 12 | 9 | 6 | 7 | 17 | 15 | 27 | 27 | 31 | 28 | 18 | 4 | 3 | – | – | – |
| Berwick | 9 | 8 | 11 | 11 | 7 | 12 | 10 | 29 | 29 | 28 | 19 | 11 | 3 | – | – | – |
| Peebles | 5 | 2 | 1 | 5 | 8 | 9 | 16 | 8 | 14 | 8 | 14 | 1 | 1 | – | – | – |
| Selkirk | 8 | 4 | 6 | 8 | 9 | 13 | 10 | 20 | 24 | 11 | 5 | 4 | 1 | – | – | – |
| Roxburgh | 12 | 13 | 10 | 12 | 17 | 23 | 35 | 43 | 33 | 34 | 25 | 11 | 4 | – | – | – |
| Dumfries | 20 | 19 | 24 | 34 | 35 | 38 | 51 | 61 | 80 | 50 | 53 | 19 | 7 | 1 | – | – |
| Kirkcudbright | 9 | 3 | 10 | 11 | 16 | 9 | 29 | 27 | 19 | 26 | 27 | 18 | 2 | – | – | – |
| Wigtown | 8 | 9 | 7 | 3 | 17 | 13 | 16 | 22 | 18 | 31 | 17 | 16 | 2 | 1 | – | – |

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1891.—MALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow (Burghal) | 254 | 284 | 314 | 382 | 367 | 374 | 387 | 302 | 233 | 137 | 99 | 23 | 9 | – | – | – |
| Glasgow (Landward and Suburban) | 84 | 82 | 108 | 116 | 104 | 104 | 116 | 126 | 108 | 66 | 32 | 10 | 7 | – | – | – |
| Edinburgh | 113 | 112 | 125 | 144 | 147 | 152 | 164 | 127 | 145 | 106 | 72 | 28 | 6 | 5 | – | – |
| Dundee | 51 | 48 | 48 | 61 | 74 | 79 | 91 | 73 | 64 | 45 | 25 | 6 | 3 | – | – | – |
| Aberdeen | 21 | 24 | 37 | 43 | 44 | 57 | 61 | 70 | 64 | 55 | 37 | 19 | 5 | – | – | – |
| Leith | 18 | 28 | 25 | 38 | 45 | 38 | 36 | 34 | 26 | 22 | 10 | 5 | – | – | – | – |
| Paisley | 30 | 26 | 24 | 35 | 49 | 36 | 45 | 55 | 52 | 27 | 22 | 4 | 1 | – | – | – |
| Greenock | 22 | 29 | 26 | 24 | 44 | 49 | 37 | 23 | 39 | 17 | 9 | 8 | 1 | – | – | – |
| Perth | 17 | 10 | 17 | 14 | 19 | 13 | 24 | 26 | 28 | 26 | 10 | 3 | 1 | – | – | – |
| Kilmarnock | 8 | 9 | 15 | 13 | 16 | 14 | 17 | 17 | 14 | 13 | 8 | 5 | 1 | 1 | – | – |

DEATHS at Different Ages in SCOTLAND during the YEAR 1891.—FEMALES.

| | FEMALE POPULATION. | | FEMALES | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | AGE UNDER | | | | | | | | | | | |
| | | | ALL AGES. | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | 1881. | 1891. | | 3 | 6 | 12 | | | | | | | | | |
| SCOTLAND . | 1936098 | 2082930 | 42451 | 3465 | 1264 | 2272 | 2743 | 1161 | 739 | 550 | 1473 | 930 | 1222 | 1369 | 1428 |
| Principal Towns | 738936 | 833612 | 18580 | 1630 | 591 | 1183 | 1444 | 613 | 372 | 293 | 618 | 393 | 518 | 661 | 658 |
| Large Towns . | 209067 | 239194 | 5175 | 461 | 174 | 275 | 404 | 144 | 106 | 66 | 245 | 114 | 170 | 148 | 196 |
| Small Towns . | 406820 | 435100 | 8705 | 732 | 290 | 462 | 530 | 227 | 146 | 102 | 323 | 214 | 287 | 247 | 301 |
| Mainland-Rural | 512066 | 507828 | 8786 | 577 | 193 | 318 | 321 | 157 | 104 | 78 | 246 | 182 | 225 | 280 | 242 |
| Insular-Rural . | 69209 | 67196 | 1205 | 65 | 16 | 34 | 44 | 20 | 11 | 11 | 41 | 27 | 32 | 33 | 31 |
| Shetland . . | 17049 | 16521 | 291 | 10 | 1 | 4 | 11 | 2 | 2 | 1 | 12 | 2 | 9 | 7 | 12 |
| Orkney . . | 17062 | 16155 | 279 | 12 | 2 | 3 | 3 | 5 | 4 | 2 | 7 | 13 | 4 | 8 | 7 |
| Caithness . | 20598 | 20191 | 360 | 26 | 10 | 11 | 21 | 8 | 3 | 2 | 10 | 7 | 11 | 14 | 6 |
| Sutherland . | 11627 | 11015 | 191 | 10 | 1 | 3 | 6 | 4 | – | 1 | 1 | 3 | 3 | 12 | 6 |
| Ross & Cromarty | 42023 | 41392 | 696 | 43 | 11 | 34 | 27 | 14 | 9 | 8 | 12 | 4 | 15 | 20 | 20 |
| Inverness . | 44478 | 44067 | 867 | 57 | 21 | 30 | 28 | 12 | 11 | 9 | 29 | 17 | 6 | 27 | 20 |
| Nairn . . | 4646 | 4572 | 83 | 7 | 4 | 2 | 1 | 1 | 1 | – | 3 | 1 | 1 | – | 2 |
| Elgin . . | 23771 | 23805 | 399 | 27 | 9 | 14 | 9 | 3 | 8 | – | 13 | 6 | 10 | 8 | 15 |
| Banff . . | 31411 | 31905 | 512 | 35 | 17 | 23 | 17 | 14 | 1 | 5 | 24 | 15 | 19 | 20 | 17 |
| Aberdeen . | 140365 | 147674 | 2501 | 244 | 88 | 104 | 108 | 45 | 26 | 18 | 69 | 63 | 80 | 96 | 86 |
| Kincardine . | 18066 | 18858 | 261 | 26 | 3 | 9 | 11 | 1 | 3 | 2 | 15 | 5 | 8 | 6 | 11 |
| Forfar . . | 147526 | 153651 | 3198 | 317 | 115 | 154 | 177 | 47 | 47 | 33 | 81 | 68 | 93 | 84 | 109 |
| Perth . . | 68319 | 67642 | 1282 | 61 | 23 | 24 | 20 | 17 | 11 | 15 | 33 | 22 | 29 | 45 | 36 |
| Fife. . . | 91163 | 98341 | 1897 | 140 | 61 | 102 | 97 | 29 | 20 | 26 | 47 | 38 | 76 | 42 | 63 |
| Kinross . . | 3881 | 3541 | 73 | 2 | 1 | 3 | 2 | – | 1 | 1 | 1 | 1 | 4 | – | – |
| Clackmannan . | 12628 | 13842 | 242 | 19 | 11 | 14 | 13 | 4 | 4 | 2 | 6 | 5 | 10 | 7 | 10 |
| Stirling . . | 53195 | 58882 | 1229 | 114 | 37 | 71 | 103 | 42 | 30 | 20 | 53 | 33 | 40 | 40 | 30 |
| Dumbarton . | 39431 | 49331 | 957 | 81 | 33 | 52 | 63 | 32 | 13 | 18 | 39 | 20 | 40 | 37 | 40 |
| Argyll . . | 40787 | 40415 | 743 | 29 | 12 | 14 | 23 | 9 | 6 | 7 | 11 | 16 | 14 | 20 | 16 |
| Bute . . | 9544 | 10183 | 202 | 6 | 3 | 4 | 3 | 1 | 2 | 2 | 6 | 6 | 4 | 3 | 5 |
| Renfrew . . | 116848 | 128349 | 2818 | 223 | 77 | 196 | 253 | 120 | 77 | 38 | 118 | 75 | 71 | 103 | 85 |
| Ayr. . . | 110762 | 115359 | 2293 | 214 | 70 | 116 | 145 | 67 | 45 | 27 | 87 | 52 | 82 | 78 | 90 |
| Lanark . . | 474913 | 547070 | 12667 | 1117 | 428 | 882 | 1158 | 492 | 299 | 238 | 541 | 289 | 379 | 432 | 453 |
| Linlithgow . | 21026 | 25183 | 472 | 51 | 26 | 35 | 35 | 13 | 10 | 3 | 17 | 17 | 10 | 12 | 15 |
| Edinburgh . | 205067 | 228198 | 4736 | 389 | 138 | 256 | 269 | 116 | 60 | 47 | 147 | 93 | 115 | 153 | 166 |
| Haddington . | 19698 | 19265 | 350 | 17 | 8 | 12 | 14 | 10 | 2 | 4 | 11 | 11 | 3 | 9 | 12 |
| Berwick . . | 18393 | 16915 | 307 | 20 | 6 | 15 | 12 | 6 | 3 | 2 | 7 | 5 | 13 | 4 | 10 |
| Peebles . . | 7126 | 7787 | 135 | 7 | 3 | 1 | 3 | 1 | 4 | 2 | 3 | 2 | 5 | 5 | 7 |
| Selkirk . . | 13822 | 14967 | 250 | 16 | 5 | 15 | 17 | 8 | 3 | 1 | 9 | 7 | 9 | 7 | 9 |
| Roxburgh . | 27558 | 28338 | 550 | 39 | 9 | 24 | 22 | 13 | 9 | 2 | 17 | 6 | 20 | 18 | 22 |
| Dumfries. . | 40127 | 39349 | 827 | 57 | 18 | 21 | 41 | 9 | 13 | 8 | 24 | 16 | 26 | 31 | 19 |
| Kirkcudbright | 22404 | 21170 | 386 | 28 | 6 | 18 | 16 | 7 | 5 | 3 | 9 | 6 | 6 | 15 | 16 |
| Wigtown . | 20384 | 18997 | 397 | 21 | 7 | 6 | 12 | 9 | 7 | 3 | 11 | 6 | 7 | 6 | 13 |

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1891.—FEMALES.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow (Burghal). | 263049 | 288041 | 7163 | 588 | 212 | 491 | 653 | 278 | 178 | 136 | 263 | 146 | 224 | 270 | 267 |
| Glasgow (Landward and Suburban) | 89579 | 117938 | 2428 | 216 | 90 | 190 | 201 | 105 | 51 | 57 | 80 | 63 | 56 | 83 | 86 |
| Edinburgh . | 127396 | 141970 | 2914 | 238 | 73 | 139 | 166 | 66 | 34 | 26 | 87 | 54 | 79 | 104 | 112 |
| Dundee . . | 80108 | 86633 | 1904 | 218 | 80 | 115 | 129 | 32 | 29 | 22 | 51 | 40 | 52 | 56 | 62 |
| Aberdeen . | 56845 | 65788 | 1260 | 128 | 50 | 54 | 63 | 23 | 10 | 11 | 28 | 26 | 39 | 52 | 44 |
| Leith . . | 30486 | 34846 | 693 | 62 | 24 | 46 | 45 | 19 | 13 | 12 | 25 | 16 | 5 | 26 | 21 |
| Paisley . . | 29800 | 35746 | 881 | 48 | 21 | 68 | 90 | 47 | 33 | 15 | 35 | 22 | 23 | 39 | 28 |
| Greenock . | 32514 | 31707 | 697 | 80 | 19 | 50 | 65 | 26 | 13 | 5 | 32 | 19 | 18 | 17 | 14 |
| Perth . . | 15902 | 16646 | 307 | 24 | 11 | 10 | 7 | 7 | 8 | 3 | 7 | 2 | 8 | 3 | 9 |
| Kilmarnock . | 13257 | 14297 | 338 | 28 | 11 | 20 | 25 | 10 | 3 | 6 | 10 | 5 | 14 | 11 | 15 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1891.—FEMALES.

| | FEMALES. AGES UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND | 1412 | 1421 | 1390 | 1434 | 1678 | 1955 | 2512 | 2542 | 2969 | 2646 | 2147 | 1209 | 417 | 90 | 12 | 1 |
| Principal Towns | 666 | 726 | 708 | 761 | 856 | 933 | 1133 | 1048 | 1035 | 795 | 595 | 268 | 75 | 7 | – | – |
| Large Towns | 170 | 152 | 163 | 175 | 217 | 233 | 295 | 275 | 373 | 273 | 207 | 95 | 34 | 10 | – | – |
| Small Towns | 261 | 252 | 263 | 252 | 307 | 377 | 474 | 521 | 648 | 622 | 481 | 270 | 100 | 16 | – | – |
| Mainland-Rural | 274 | 266 | 226 | 217 | 271 | 356 | 543 | 609 | 818 | 834 | 739 | 475 | 179 | 45 | 11 | – |
| Insular-Rural | 41 | 25 | 30 | 29 | 27 | 56 | 67 | 89 | 95 | 122 | 125 | 101 | 29 | 12 | 1 | 1 |
| Shetland | 14 | 5 | 7 | 9 | 4 | 13 | 12 | 21 | 26 | 33 | 34 | 31 | 8 | 1 | – | – |
| Orkney | 4 | 10 | 7 | 1 | 8 | 17 | 17 | 21 | 23 | 44 | 26 | 21 | 4 | 6 | – | – |
| Caithness | 12 | 10 | 7 | 8 | 9 | 13 | 26 | 16 | 31 | 33 | 28 | 30 | 5 | 3 | – | – |
| Sutherland | 4 | 6 | 1 | 4 | 3 | 3 | 7 | 13 | 19 | 27 | 20 | 21 | 8 | 4 | 1 | – |
| Ross and Cromarty | 17 | 16 | 13 | 14 | 21 | 31 | 42 | 53 | 64 | 82 | 63 | 38 | 17 | 6 | 2 | – |
| Inverness | 35 | 19 | 27 | 25 | 23 | 41 | 57 | 71 | 73 | 75 | 79 | 42 | 23 | 9 | 1 | – |
| Nairn | 1 | 1 | 3 | 3 | 1 | 3 | 6 | 9 | 7 | 6 | 14 | 4 | 1 | 1 | – | – |
| Elgin | 10 | 14 | 12 | 10 | 13 | 16 | 27 | 36 | 30 | 43 | 36 | 24 | 5 | 1 | – | – |
| Banff | 12 | 12 | 19 | 7 | 21 | 16 | 27 | 24 | 45 | 46 | 47 | 19 | 7 | 2 | 1 | – |
| Aberdeen | 75 | 68 | 69 | 79 | 64 | 112 | 160 | 163 | 204 | 177 | 155 | 97 | 47 | 4 | – | – |
| Kincardine | 9 | 5 | 8 | 5 | 10 | 12 | 10 | 10 | 22 | 26 | 23 | 17 | 3 | 1 | – | – |
| Forfar | 100 | 100 | 142 | 130 | 137 | 153 | 198 | 228 | 216 | 189 | 165 | 89 | 22 | 3 | 1 | – |
| Perth | 51 | 38 | 32 | 45 | 53 | 47 | 92 | 84 | 154 | 121 | 118 | 72 | 31 | 7 | 1 | – |
| Fife | 51 | 55 | 54 | 52 | 64 | 68 | 109 | 133 | 149 | 187 | 133 | 69 | 28 | 4 | – | – |
| Kinross | 4 | 5 | 1 | 3 | 2 | 7 | 2 | 4 | 10 | 5 | 4 | 8 | 1 | 1 | – | – |
| Clackmannan | 15 | 5 | 7 | 2 | 12 | 13 | 16 | 7 | 16 | 19 | 13 | 8 | 3 | 1 | – | – |
| Stirling | 32 | 32 | 27 | 42 | 43 | 47 | 61 | 61 | 97 | 60 | 56 | 36 | 16 | 3 | – | – |
| Dumbarton | 44 | 32 | 26 | 37 | 47 | 48 | 38 | 49 | 56 | 49 | 28 | 23 | 11 | 1 | – | – |
| Argyll | 22 | 20 | 15 | 27 | 21 | 30 | 59 | 57 | 92 | 79 | 55 | 59 | 23 | 5 | 2 | – |
| Bute | 4 | 7 | 2 | 4 | 15 | 16 | 14 | 23 | 18 | 21 | 15 | 16 | – | 1 | – | 1 |
| Renfrew | 89 | 96 | 103 | 99 | 110 | 147 | 176 | 146 | 164 | 108 | 98 | 38 | 8 | – | – | – |
| Ayr | 79 | 68 | 60 | 61 | 91 | 86 | 116 | 124 | 172 | 150 | 110 | 81 | 18 | 4 | – | – |
| Lanark | 457 | 506 | 453 | 514 | 577 | 630 | 684 | 612 | 607 | 433 | 312 | 131 | 36 | 6 | 1 | – |
| Linlithgow | 17 | 16 | 17 | 12 | 12 | 15 | 28 | 17 | 30 | 29 | 21 | 12 | 2 | – | – | – |
| Edinburgh | 150 | 174 | 177 | 158 | 194 | 232 | 332 | 324 | 342 | 306 | 244 | 108 | 42 | 3 | 1 | – |
| Haddington | 11 | 5 | 15 | 8 | 17 | 23 | 21 | 28 | 38 | 34 | 27 | 8 | 1 | 1 | – | – |
| Berwick | 8 | 8 | 7 | 3 | 12 | 11 | 18 | 29 | 29 | 33 | 25 | 13 | 6 | 2 | – | – |
| Peebles | 4 | 1 | 2 | 7 | 9 | 9 | 8 | 10 | 9 | 18 | 9 | 5 | 1 | – | – | – |
| Selkirk | 8 | 8 | 6 | 9 | 10 | 9 | 15 | 15 | 27 | 19 | 10 | 5 | 3 | – | – | – |
| Roxburgh | 15 | 28 | 21 | 16 | 16 | 20 | 30 | 36 | 58 | 44 | 45 | 15 | 3 | 2 | – | – |
| Dumfries | 32 | 24 | 30 | 18 | 30 | 33 | 56 | 60 | 86 | 65 | 57 | 31 | 18 | 4 | – | – |
| Kirkcudbright | 15 | 17 | 7 | 9 | 11 | 21 | 24 | 29 | 28 | 30 | 37 | 17 | 5 | 1 | – | – |
| Wigtown | 11 | 10 | 13 | 13 | 18 | 13 | 24 | 29 | 27 | 55 | 40 | 21 | 11 | 3 | 1 | – |

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1891.—FEMALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow (Burghal) | 270 | 301 | 268 | 325 | 371 | 380 | 400 | [illegible] | 330 | 232 | 144 | 56 | 11 | 1 | – | – |
| Glasgow (Landward and Suburban) | 92 | 101 | 85 | 86 | 92 | 115 | 135 | 135 | 132 | 81 | 63 | 25 | 6 | 2 | – | – |
| Edinburgh | 99 | 123 | 112 | 114 | 124 | 148 | 190 | 189 | 194 | 190 | 156 | 69 | 27 | 1 | – | – |
| Dundee | 65 | 67 | 96 | 86 | 104 | 91 | 130 | 115 | 97 | 68 | 61 | 35 | 3 | – | – | – |
| Aberdeen | 38 | 39 | 45 | 48 | 42 | 65 | 80 | 78 | 104 | 82 | 59 | 35 | 15 | 2 | – | – |
| Leith | 21 | 22 | 28 | 23 | 33 | 28 | 49 | 46 | 40 | 36 | 33 | 13 | 7 | – | – | – |
| Paisley | 27 | 28 | 30 | 23 | 37 | 46 | 56 | 38 | 53 | 38 | 24 | 11 | 1 | – | – | – |
| Greenock | 23 | 21 | 27 | 27 | 23 | 37 | 53 | 38 | 33 | 19 | 27 | 8 | 2 | – | – | – |
| Perth | 13 | 9 | 8 | 17 | 15 | 10 | 21 | 24 | 35 | 29 | 16 | 8 | 2 | 1 | – | – |
| Kilmarnock | 18 | 15 | 9 | 11 | 15 | 13 | 19 | 17 | 17 | 20 | 12 | 8 | 1 | – | – | – |

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1891.—BOTH SEXES.

| | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Inverness | 546 | 43 | 15 | 20 | 21 | 5 | 9 | 8 | 15 | 7 | 7 | 16 | 18 |
| Peterhead | 284 | 42 | 21 | 19 | 22 | 6 | 4 | 3 | 13 | 7 | 10 | 8 | 11 |
| Arbroath | 439 | 49 | 13 | 16 | 13 | 6 | 7 | 3 | 10 | 4 | 20 | 14 | 19 |
| Forfar | 319 | 28 | 10 | 23 | 17 | 5 | 6 | 5 | 14 | 9 | 4 | 5 | 14 |
| Montrose | 371 | 30 | 5 | 9 | 2 | 2 | 1 | 1 | 8 | 7 | 13 | 10 | 10 |
| Dunfermline | 560 | 45 | 20 | 30 | 36 | 8 | 11 | 3 | 19 | 9 | 26 | 11 | 21 |
| Dysart | 280 | 36 | 11 | 19 | 15 | 10 | 5 | 4 | 3 | 2 | 10 | 10 | 11 |
| Kirkcaldy and Abbotshall | 366 | 31 | 21 | 20 | 18 | 7 | 3 | 4 | 12 | 6 | 13 | 8 | 16 |
| Alloa | 263 | 28 | 15 | 13 | 18 | 8 | 3 | 4 | 7 | 8 | 5 | 7 | 5 |
| Falkirk | 372 | 31 | 18 | 36 | 41 | 11 | 12 | 7 | 15 | 18 | 6 | 14 | 8 |
| Stirling | 358 | 24 | 9 | 18 | 27 | 14 | 2 | 4 | 13 | 6 | 14 | 12 | 11 |
| Dumbarton | 390 | 41 | 13 | 22 | 27 | 10 | 7 | 4 | 16 | 10 | 13 | 17 | 11 |
| Port-Glasgow | 312 | 55 | 6 | 20 | 28 | 13 | 9 | 6 | 16 | 8 | 5 | 11 | 16 |
| Ayr | 578 | 42 | 14 | 37 | 35 | 13 | 12 | 10 | 23 | 5 | 16 | 25 | 25 |
| Cambusnethan | 436 | 50 | 19 | 22 | 39 | 8 | 6 | 4 | 28 | 17 | 10 | 13 | 18 |
| Dalziel | 480 | 53 | 21 | 35 | 55 | 23 | 8 | 10 | 27 | 13 | 21 | 10 | 18 |
| Hamilton | 689 | 90 | 25 | 39 | 66 | 24 | 9 | 6 | 31 | 18 | 19 | 28 | 29 |
| Airdrie | 572 | 90 | 25 | 36 | 61 | 16 | 12 | 5 | 34 | 11 | 22 | 20 | 22 |
| Coatbridge | 936 | 91 | 31 | 85 | 132 | 55 | 33 | 20 | 74 | 22 | 26 | 21 | 21 |
| Rutherglen | 311 | 41 | 15 | 24 | 26 | 10 | 7 | 4 | 17 | 10 | 17 | 12 | 11 |
| Galashiels | 318 | 26 | 10 | 24 | 22 | 8 | 3 | 4 | 9 | 8 | 16 | 9 | 8 |
| Hawick | 434 | 49 | 16 | 25 | 30 | 6 | 12 | 5 | 21 | 9 | 16 | 16 | 18 |
| Dumfries | 601 | 62 | 15 | 23 | 51 | 4 | 11 | 8 | 14 | 12 | 22 | 22 | 21 |

DEATHS at Different Ages in the SMALL TOWN DISTRICTS o the COUNTIES of SCOTLAND, 1891.—BOTH SEXES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 82 | 2 | 3 | 2 | 3 | 2 | 2 | 1 | 5 | 1 | 3 | 5 | 2 |
| Orkney | 102 | 8 | 5 | 2 | 1 | 1 | 2 | – | 3 | 7 | 1 | 5 | 4 |
| Caithness | 355 | 34 | 17 | 14 | 35 | 13 | 3 | 7 | 17 | 5 | 10 | 10 | 7 |
| Ross and Cromarty | 213 | 18 | 3 | 14 | 13 | 7 | 6 | 4 | 5 | 3 | 7 | 13 | 7 |
| Nairn | 108 | 5 | 4 | 5 | 2 | 2 | 2 | – | 5 | 1 | 2 | 2 | 3 |
| Elgin | 386 | 36 | 12 | 16 | 15 | 4 | 9 | 5 | 17 | 5 | 10 | 5 | 17 |
| Banff | 492 | 37 | 24 | 30 | 20 | 13 | 2 | 2 | 13 | 14 | 24 | 20 | 21 |
| Aberdeen | 372 | 54 | 19 | 23 | 12 | 8 | 5 | 3 | 12 | 9 | 5 | 13 | 10 |
| Kincardine | 116 | 12 | 2 | 5 | 4 | 1 | 1 | 1 | 2 | – | 3 | – | 1 |
| Forfar | 622 | 56 | 17 | 21 | 30 | 8 | 6 | 1 | 15 | 13 | 17 | 20 | 18 |
| Perth | 568 | 30 | 13 | 11 | 12 | 8 | 3 | 11 | 15 | 15 | 17 | 17 | 20 |
| Fife | 1213 | 130 | 55 | 74 | 72 | 28 | 10 | 12 | 31 | 30 | 41 | 31 | 39 |
| Clackmannan | 127 | 11 | 5 | 8 | 3 | – | 1 | – | 4 | 4 | 8 | 5 | 9 |
| Stirling | 1022 | 122 | 39 | 68 | 81 | 30 | 29 | 16 | 46 | 27 | 31 | 29 | 35 |
| Dumbarton | 1101 | 106 | 40 | 68 | 75 | 37 | 16 | 18 | 42 | 22 | 36 | 47 | 45 |
| Argyll | 479 | 32 | 13 | 20 | 23 | 13 | 4 | 3 | 10 | 12 | 15 | 12 | 15 |
| Bute | 211 | 9 | 5 | 5 | 9 | 1 | 4 | 3 | 7 | 6 | 9 | 6 | 5 |
| Renfrew | 1141 | 94 | 45 | 69 | 91 | 41 | 31 | 14 | 54 | 23 | 42 | 36 | 32 |
| Ayr | 2270 | 255 | 84 | 130 | 154 | 62 | 50 | 28 | 89 | 50 | 67 | 65 | 70 |
| Lanark | 2374 | 281 | 97 | 212 | 191 | 90 | 42 | 40 | 101 | 60 | 93 | 76 | 76 |
| Linlithgow | 775 | 95 | 55 | 68 | 71 | 18 | 11 | 3 | 32 | 21 | 15 | 22 | 19 |
| Edinburgh | 1214 | 133 | 63 | 90 | 86 | 37 | 20 | 9 | 40 | 22 | 31 | 21 | 36 |
| Haddington | 382 | 29 | 9 | 19 | 23 | 10 | 5 | 5 | 7 | 12 | 6 | 15 | 15 |
| Berwick | 114 | 11 | 2 | 9 | 11 | 7 | 1 | – | 2 | 1 | 6 | 1 | 2 |
| Peebles | 176 | 10 | 7 | 2 | 6 | 1 | 4 | 3 | 5 | 2 | 9 | 5 | 10 |
| Selkirk | 131 | 18 | 5 | 7 | 6 | 4 | 3 | 1 | 6 | 2 | 4 | 3 | 6 |
| Roxburgh | 198 | 10 | 3 | 11 | 7 | 7 | 3 | 3 | 4 | 3 | 2 | 3 | 2 |
| Dumfries | 341 | 28 | 14 | 9 | 17 | 5 | 2 | – | 7 | 7 | 16 | 10 | 6 |
| Kirkcudbright | 198 | 14 | 6 | 8 | 8 | 2 | 1 | 2 | 4 | 5 | 3 | 8 | 9 |
| Wigtown | 236 | 20 | 6 | 6 | 11 | 8 | 5 | 3 | 5 | 3 | 4 | 6 | 6 |

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1891.—BOTH SEXES.

| | BOTH SEXES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Inverness | 23 | 18 | 18 | 24 | 29 | 35 | 44 | 45 | 55 | 30 | 22 | 13 | 4 | 2 | – | – |
| Peterhead | 7 | 8 | 6 | 8 | 3 | 9 | 16 | 20 | 13 | 8 | 10 | 6 | 4 | – | – | – |
| Arbroath | 5 | 7 | 9 | 22 | 12 | 28 | 35 | 40 | 37 | 32 | 24 | 11 | 1 | 2 | – | – |
| Forfar | 11 | 7 | 12 | 12 | 14 | 10 | 8 | 29 | 23 | 25 | 18 | 8 | 2 | – | – | – |
| Montrose | 8 | 9 | 14 | 15 | 16 | 19 | 34 | 33 | 44 | 38 | 26 | 13 | 4 | – | – | – |
| Dunfermline | 18 | 16 | 16 | 17 | 17 | 25 | 32 | 39 | 51 | 50 | 25 | 13 | 1 | 1 | – | – |
| Dysart | 5 | 8 | 6 | 7 | 5 | 10 | 15 | 20 | 23 | 20 | 15 | 8 | 2 | – | – | – |
| Kirkcaldy & Abbotshall | 7 | 12 | 14 | 17 | 21 | 13 | 21 | 16 | 25 | 24 | 23 | 10 | 4 | – | – | – |
| Alloa | 17 | 9 | 8 | 8 | 15 | 15 | 13 | 9 | 15 | 14 | 10 | 7 | 2 | – | – | – |
| Falkirk | 6 | 6 | 18 | 17 | 9 | 16 | 15 | 14 | 25 | 12 | 11 | 3 | 2 | 1 | – | – |
| Stirling | 11 | 11 | 12 | 22 | 21 | 19 | 24 | 20 | 27 | 9 | 14 | 8 | 4 | 2 | – | – |
| Dumbarton | 12 | 14 | 11 | 16 | 34 | 25 | 18 | 16 | 27 | 18 | 5 | 2 | 1 | – | – | – |
| Port-Glasgow | 11 | 12 | 10 | 16 | 13 | 11 | 15 | 10 | 6 | 6 | 7 | 1 | – | – | – | 1 |
| Ayr | 15 | 22 | 19 | 16 | 25 | 36 | 36 | 33 | 42 | 31 | 26 | 15 | 4 | 1 | – | – |
| Cambusnethan | 9 | 17 | 17 | 18 | 11 | 26 | 23 | 22 | 25 | 19 | 9 | 4 | 1 | 1 | – | – |
| Dalziel | 8 | 17 | 16 | 19 | 23 | 15 | 24 | 21 | 17 | 12 | 10 | 2 | 2 | – | – | – |
| Hamilton | 24 | 19 | 21 | 26 | 34 | 39 | 39 | 30 | 34 | 17 | 9 | 11 | 2 | – | – | – |
| Airdrie | 17 | 8 | 19 | 25 | 26 | 24 | 28 | 22 | 21 | 15 | 10 | 1 | 2 | – | – | – |
| Coatbridge | 25 | 25 | 28 | 37 | 48 | 35 | 42 | 20 | 25 | 21 | 14 | 4 | 1 | – | – | – |
| Rutherglen | 14 | 7 | 10 | 13 | 12 | 13 | 14 | 8 | 10 | 8 | 4 | 3 | 1 | – | – | – |
| Galashiels | 11 | 8 | 9 | 11 | 15 | 13 | 22 | 21 | 29 | 19 | 10 | 3 | – | – | – | – |
| Hawick | 12 | 14 | 7 | 12 | 14 | 15 | 25 | 32 | 29 | 28 | 15 | 7 | 1 | – | – | – |
| Dumfries | 21 | 16 | 33 | 27 | 25 | 34 | 48 | 38 | 49 | 30 | 21 | 10 | 2 | 2 | – | – |

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1891.—BOTH SEXES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 4 | 2 | 2 | 2 | 4 | 3 | 1 | 8 | 9 | 7 | 6 | 1 | 2 | – | – | – |
| Orkney | – | 6 | 2 | 1 | 4 | 6 | 8 | 5 | 7 | 11 | 8 | 4 | – | – | 1 | – |
| Caithness | 5 | 7 | 8 | 4 | 13 | 13 | 20 | 16 | 26 | 26 | 18 | 20 | 4 | 3 | – | – |
| Ross and Cromarty | 6 | 11 | 2 | 2 | 3 | 10 | 8 | 12 | 20 | 13 | 15 | | 4 | – | – | – |
| Nairn | 3 | 2 | 6 | 3 | 2 | 6 | 7 | 10 | 12 | 8 | 10 | 5 | 1 | – | – | – |
| Elgin | 8 | 14 | 10 | 15 | 13 | 19 | 29 | 36 | 23 | 32 | 22 | 12 | 1 | 1 | – | – |
| Banff | 11 | 14 | 21 | 10 | 18 | 16 | 25 | 24 | 33 | 36 | 35 | 17 | 8 | 3 | 1 | – |
| Aberdeen | 11 | 13 | 3 | 13 | 6 | 16 | 17 | 17 | 28 | 32 | 23 | 14 | 6 | – | – | – |
| Kincardine | 4 | 1 | 4 | 1 | 1 | 7 | 10 | 11 | 10 | 14 | 11 | 7 | 1 | 1 | – | 1 |
| Forfar | 17 | 13 | 21 | 22 | 16 | 30 | 29 | 48 | 50 | 69 | 49 | 28 | 9 | 1 | – | – |
| Perth | 12 | 27 | 15 | 21 | 25 | 29 | 27 | 41 | 66 | 51 | 51 | 25 | 4 | 1 | 1 | – |
| Fife | 37 | 30 | 36 | 33 | 41 | 47 | 72 | 74 | 87 | 97 | 62 | 27 | 15 | 1 | 1 | – |
| Clackmannan | 3 | – | 3 | 3 | 4 | 6 | 7 | 9 | 11 | 13 | 5 | 4 | 1 | – | – | – |
| Stirling | 33 | 32 | 21 | 32 | 40 | 47 | 53 | 49 | 63 | 40 | 36 | 15 | 8 | – | – | – |
| Dumbarton | 40 | 31 | 31 | 48 | 53 | 57 | 54 | 59 | 58 | 50 | 40 | 18 | 9 | 1 | – | – |
| Argyll | 8 | 11 | 13 | 23 | 14 | 28 | 31 | 31 | 37 | 53 | 29 | 17 | 10 | 2 | – | – |
| Bute | 4 | 9 | 5 | 1 | 12 | 12 | 20 | 33 | 17 | 14 | 10 | | – | 1 | – | – |
| Renfrew | 27 | 34 | 46 | 52 | 65 | 68 | 75 | 61 | 53 | 48 | 28 | 8 | 4 | – | – | – |
| Ayr | 62 | 58 | 68 | 62 | 95 | 97 | 126 | 118 | 153 | 138 | 113 | 53 | 19 | 3 | 1 | – |
| Lanark | 71 | 79 | 86 | 66 | 90 | 92 | 128 | 96 | 104 | 75 | 79 | 34 | 14 | 1 | – | – |
| Linlithgow | 21 | 23 | 21 | 25 | 18 | 32 | 36 | 41 | 52 | 41 | 20 | 11 | 4 | – | – | – |
| Edinburgh | 23 | 32 | 39 | 36 | 46 | 68 | 67 | 83 | 80 | 78 | 38 | 28 | 6 | 2 | – | – |
| Haddington | 13 | 7 | 12 | 10 | 21 | 22 | 23 | 31 | 38 | 27 | 13 | 7 | 3 | – | – | |
| Berwick | 4 | 2 | 1 | 1 | 3 | 7 | 2 | 10 | 6 | 10 | 10 | 3 | 2 | – | – | – |
| Peebles | 6 | 2 | 2 | 8 | 12 | 9 | 17 | 14 | 11 | 17 | 13 | 1 | – | – | – | – |
| Selkirk | 4 | 3 | 3 | 5 | 2 | 8 | 3 | 11 | 16 | 15 | 2 | 3 | 1 | – | – | – |
| Roxburgh | 5 | 9 | 8 | 5 | 3 | 8 | 14 | 13 | 24 | 14 | 21 | 12 | 3 | 1 | – | – |
| Dumfries | 9 | 10 | 9 | 11 | 13 | 10 | 21 | 30 | 41 | 29 | 26 | 6 | 5 | – | – | – |
| Kirkcudbright | 7 | 7 | 5 | 8 | 12 | 4 | 19 | 13 | 13 | 17 | 12 | 9 | 2 | – | – | – |
| Wigtown | 6 | 11 | 8 | 7 | 14 | 10 | 13 | 15 | 11 | 29 | 16 | 9 | 3 | 1 | – | – |

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1891.—MALES.

| | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Inverness | 257 | 27 | 7 | 8 | 15 | – | 4 | 5 | 4 | 3 | 5 | 8 | 11 |
| Peterhead | 120 | 27 | 10 | 6 | 8 | 1 | 3 | 3 | 4 | 2 | 5 | 3 | 1 |
| Arbroath | 189 | 26 | 4 | 8 | 6 | 3 | 1 | 1 | 7 | 1 | 8 | 7 | 7 |
| Forfar | 144 | 14 | 4 | 12 | 6 | 1 | 3 | 1 | 7 | 4 | 1 | 3 | 5 |
| Montrose | 165 | 13 | 3 | 7 | 1 | 2 | 1 | 1 | 5 | 2 | 6 | 3 | 4 |
| Dunfermline | 276 | 27 | 13 | 22 | 12 | 4 | 3 | – | 8 | 4 | 11 | 6 | 6 |
| Dysart | 137 | 18 | 8 | 8 | 7 | 6 | 3 | – | 1 | 1 | 2 | 5 | 6 |
| Kirkcaldy & Abbotshall | 157 | 15 | 10 | 8 | 7 | 3 | 3 | – | 6 | 3 | 8 | 6 | 7 |
| Alloa | 127 | 18 | 9 | 5 | 9 | 5 | 1 | 2 | 4 | 4 | 3 | 5 | 4 |
| Falkirk | 199 | 23 | 9 | 22 | 19 | 5 | 4 | 3 | 6 | 11 | 2 | 9 | 6 |
| Stirling | 189 | 10 | 7 | 13 | 14 | 7 | 1 | 3 | 7 | 3 | 7 | 7 | 7 |
| Dumbarton | 202 | 23 | 4 | 16 | 15 | 7 | 2 | 3 | 5 | 5 | 1 | 9 | 4 |
| Port-Glasgow | 141 | 20 | 3 | 9 | 13 | 8 | 3 | 5 | 5 | 4 | 2 | 6 | 6 |
| Ayr | 292 | 22 | 9 | 22 | 14 | 8 | 8 | 6 | 8 | 3 | 8 | 11 | 14 |
| Cambuslang | 244 | 36 | 10 | 14 | 22 | 4 | 1 | 1 | 14 | 12 | 6 | 8 | 10 |
| Dalziel | 253 | 31 | 12 | 17 | 28 | 10 | 3 | 2 | 11 | 8 | 15 | 5 | 11 |
| Hamilton | 380 | 54 | 18 | 21 | 37 | 7 | 4 | 4 | 14 | 13 | 14 | 19 | 16 |
| Airdrie | 280 | 46 | 8 | 25 | 30 | 9 | 5 | 2 | 18 | 3 | 10 | 12 | 12 |
| Coatbridge | 478 | 48 | 14 | 55 | 62 | 25 | 15 | 10 | 33 | 8 | 15 | 11 | 8 |
| Rutherglen | 147 | 27 | 5 | 8 | 14 | 5 | 6 | 3 | 9 | 3 | 8 | 3 | 5 |
| Galashiels | 155 | 20 | 6 | 13 | 8 | 3 | 1 | 3 | 3 | 2 | 8 | 5 | 4 |
| Hawick | 212 | 30 | 11 | 11 | 16 | 2 | 7 | 4 | 9 | 6 | 3 | 7 | 3 |
| Dumfries | 296 | 32 | 10 | 10 | 15 | 3 | 4 | 4 | 6 | 7 | 13 | 13 | 9 |

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1891.—MALES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 39 | 1 | 2 | 1 | 1 | 1 | 2 | – | 1 | 1 | 3 | 3 | 1 |
| Orkney | 46 | 3 | 4 | 1 | 1 | – | – | – | 2 | 2 | 1 | 2 | 2 |
| Caithness | 162 | 17 | 10 | 7 | 18 | 6 | – | 6 | 8 | 2 | 2 | 4 | 4 |
| Ross and Cromarty | 109 | 11 | – | 7 | 8 | 2 | 2 | 1 | 2 | 3 | 5 | 7 | 4 |
| Nairn | 50 | 2 | 1 | 4 | 2 | 1 | 1 | – | 3 | – | 1 | 2 | 1 |
| Elgin | 181 | 19 | 8 | 9 | 8 | 3 | 3 | 5 | 9 | 3 | 5 | 2 | 8 |
| Banff | 227 | 20 | 17 | 19 | 9 | 8 | 1 | 1 | – | 5 | 13 | 10 | 11 |
| Aberdeen | 191 | 31 | 13 | 18 | 8 | 5 | 3 | 2 | 4 | 3 | 2 | 7 | 4 |
| Kincardine | 59 | 5 | 2 | 3 | 2 | 1 | 1 | – | – | – | 1 | – | – |
| Forfar | 269 | 34 | 8 | 13 | 12 | 4 | 2 | – | 4 | 9 | 9 | 11 | 4 |
| Perth | 261 | 20 | 5 | 7 | 6 | 5 | 2 | 5 | 6 | 6 | 7 | 7 | 10 |
| Fife | 571 | 81 | 33 | 40 | 33 | 17 | 5 | 4 | 17 | 14 | 13 | 17 | 17 |
| Clackmannan | 62 | 5 | 3 | 2 | 1 | – | – | – | 2 | 3 | 3 | 2 | 3 |
| Stirling | 532 | 64 | 23 | 40 | 38 | 14 | 17 | 10 | 21 | 13 | 16 | 17 | 21 |
| Dumbarton | 560 | 60 | 26 | 33 | 46 | 21 | 10 | 6 | 23 | 9 | 14 | 27 | 19 |
| Argyll | 235 | 16 | 5 | 14 | 11 | 9 | – | 2 | 5 | 5 | 8 | 9 | 6 |
| Bute | 103 | 6 | 4 | 1 | 6 | 1 | 2 | 1 | 4 | 2 | 6 | 4 | 1 |
| Renfrew | 559 | 58 | 27 | 31 | 42 | 25 | 15 | 6 | 27 | 8 | 25 | 17 | 14 |
| Ayr | 1152 | 148 | 47 | 72 | 79 | 27 | 26 | 14 | 45 | 17 | 22 | 34 | 24 |
| Lanark | 1189 | 156 | 47 | 122 | 101 | 54 | 17 | 18 | 39 | 32 | 47 | 33 | 39 |
| Linlithgow | 419 | 55 | 31 | 39 | 41 | 7 | 4 | 3 | 21 | 7 | 10 | 13 | 8 |
| Edinburgh | 613 | 74 | 32 | 48 | 53 | 13 | 12 | 5 | 23 | 11 | 12 | 12 | 16 |
| Haddington | 135 | 19 | 6 | 8 | 11 | 3 | 4 | 1 | 2 | 4 | 4 | 10 | 6 |
| Berwick | 46 | 8 | 2 | 3 | 4 | 5 | – | – | – | 1 | 1 | – | 1 |
| Peebles | 89 | 6 | 4 | 1 | 3 | 1 | – | 1 | 3 | 1 | 5 | 1 | 5 |
| Selkirk | 64 | 9 | 4 | 4 | 3 | 1 | 2 | 1 | 3 | 1 | 3 | 1 | 2 |
| Roxburgh | 85 | 4 | 3 | 6 | 1 | 2 | 1 | 3 | 2 | 2 | 1 | 1 | – |
| Dumfries | 156 | 17 | 8 | 5 | 2 | 2 | 1 | – | 2 | 3 | 7 | 4 | 6 |
| Kirkcudbright | 98 | 8 | 5 | 3 | 3 | 2 | 1 | – | 1 | 2 | 2 | 4 | 4 |
| Wigtown | 102 | 11 | 2 | 3 | 9 | 1 | 3 | 1 | 3 | 2 | 2 | 3 | 2 |

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1891.—MALES.

| | MALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Inverness | 7 | 9 | 9 | 14 | 17 | 17 | 21 | 23 | 20 | 8 | 8 | 5 | 1 | 1 | – | – |
| Peterhead | 1 | 3 | 2 | 5 | 1 | 5 | 9 | 8 | 5 | 3 | 3 | 1 | 1 | – | – | – |
| Arbroath | 2 | 2 | 4 | 9 | 6 | 13 | 15 | 17 | 18 | 14 | 5 | 4 | – | 1 | – | – |
| Forfar | 8 | 2 | 3 | 7 | 6 | 5 | 7 | 16 | 5 | 11 | 9 | 3 | 1 | – | – | – |
| Montrose | 2 | 3 | 4 | 8 | 8 | 10 | 14 | 14 | 21 | 17 | 11 | 3 | 2 | – | – | – |
| Dunfermline | 10 | 8 | 10 | 6 | 12 | 15 | 15 | 16 | 29 | 20 | 11 | 7 | 1 | – | – | – |
| Dysart | 1 | 2 | 4 | 5 | 4 | 5 | 7 | 13 | 11 | 8 | 7 | 4 | 1 | – | – | – |
| Kirkcaldy & Abbotshall | 1 | 5 | 5 | 11 | 4 | 5 | 11 | 3 | 10 | 9 | 9 | 6 | 2 | – | – | – |
| Alloa | 4 | 5 | 4 | 6 | 6 | 7 | 4 | 6 | 6 | 5 | 3 | 2 | – | – | – | – |
| Falkirk | 2 | 4 | 12 | 10 | 7 | 8 | 8 | 7 | 8 | 8 | 4 | 2 | – | – | – | – |
| Stirling | 6 | 7 | 9 | 14 | 12 | 15 | 15 | 5 | 9 | 3 | 5 | 2 | 1 | – | – | – |
| Dumbarton | 5 | 12 | 6 | 9 | 18 | 10 | 11 | 11 | 13 | 10 | 3 | – | – | – | – | – |
| Port-Glasgow | 6 | 4 | 3 | 6 | 7 | 7 | 6 | 5 | – | 2 | 1 | – | – | – | – | 1 |
| Ayr | 9 | 14 | 14 | 11 | 11 | 15 | 17 | 21 | 14 | 14 | 13 | 5 | – | 1 | – | – |
| Cambusnethan | 3 | 8 | 11 | 10 | 9 | 20 | 10 | 12 | 11 | 8 | 2 | 2 | – | – | – | – |
| Dalziel | 4 | 6 | 8 | 8 | 14 | 10 | 17 | 14 | 9 | 4 | 5 | 1 | – | – | – | – |
| Hamilton | 12 | 14 | 13 | 16 | 19 | 19 | 21 | 17 | 14 | 9 | 1 | 4 | – | – | – | – |
| Airdrie | 5 | 6 | 9 | 12 | 11 | 14 | 12 | 9 | 9 | 7 | 5 | 1 | – | – | – | – |
| Coatbridge | 12 | 9 | 15 | 27 | 26 | 18 | 23 | 10 | 15 | 11 | 7 | 1 | – | – | – | – |
| Rutherglen | 6 | – | 5 | 8 | 4 | 5 | 7 | 4 | 3 | 5 | 1 | 2 | 1 | – | – | – |
| Galashiels | 5 | 3 | 4 | 5 | 6 | 7 | 9 | 13 | 13 | 8 | 3 | 3 | – | – | – | – |
| Hawick | 4 | 5 | 3 | 6 | 5 | 9 | 15 | 21 | 11 | 14 | 5 | 4 | 1 | – | – | – |
| Dumfries | 12 | 7 | 13 | 17 | 12 | 13 | 22 | 18 | 25 | 15 | 10 | 6 | – | – | – | – |

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1891.—MALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 3 | – | 1 | 1 | 3 | 1 | – | 3 | 5 | 1 | 4 | – | – | – | – | – |
| Orkney | – | 1 | 2 | 1 | 2 | 3 | 2 | 3 | 2 | 5 | 4 | 2 | – | – | 1 | – |
| Caithness | – | 3 | 5 | 1 | 8 | 7 | 10 | 7 | 9 | 11 | 6 | 7 | 3 | 1 | – | – |
| Ross and Cromarty | 1 | 6 | 1 | 1 | 3 | 4 | 6 | 5 | 14 | 6 | 7 | 1 | 2 | – | – | – |
| Nairn | 2 | 1 | 3 | 2 | 1 | 3 | 2 | 3 | 7 | 4 | 2 | 2 | – | – | – | – |
| Elgin | 5 | 5 | 4 | 6 | 6 | 12 | 12 | 14 | 11 | 13 | 7 | 3 | 1 | – | – | – |
| Banff | 4 | 9 | 6 | 5 | 5 | 8 | 14 | 12 | 11 | 14 | 12 | 7 | 4 | 1 | 1 | – |
| Aberdeen | 7 | 5 | – | 8 | 1 | 9 | 4 | 9 | 11 | 17 | 12 | 6 | 2 | – | – | – |
| Kincardine | 2 | 1 | 1 | – | – | 3 | 7 | 7 | 7 | 9 | 5 | 1 | – | – | – | 1 |
| Forfar | 4 | 7 | 8 | 12 | 12 | 11 | 17 | 15 | 13 | 23 | 10 | 13 | 2 | – | – | – |
| Perth | 4 | 10 | 7 | 9 | 9 | 18 | 8 | 24 | 30 | 23 | 19 | 10 | 3 | – | 1 | – |
| Fife | 15 | 12 | 20 | 19 | 19 | 20 | 34 | 34 | 38 | 38 | 18 | 9 | 2 | 1 | 1 | – |
| Clackmannan | 2 | – | 1 | 3 | 3 | 2 | 4 | 5 | 8 | 7 | 1 | 2 | – | – | – | – |
| Stirling | 18 | 20 | 10 | 17 | 21 | 27 | 26 | 28 | 29 | 16 | 17 | 5 | 4 | – | – | – |
| Dumbarton | 18 | 14 | 17 | 26 | 31 | 30 | 30 | 30 | 21 | 20 | 23 | 4 | 3 | – | – | – |
| Argyll | 3 | 7 | 8 | 12 | 7 | 16 | 10 | 15 | 13 | 23 | 18 | 7 | 3 | – | – | – |
| Bute | 2 | 6 | 5 | 1 | 3 | 5 | 11 | 15 | 5 | 5 | 6 | 1 | – | – | – | – |
| Renfrew | 13 | 19 | 21 | 23 | 35 | 28 | 40 | 30 | 20 | 23 | 9 | 2 | 2 | – | – | – |
| Ayr | 23 | 26 | 37 | 33 | 57 | 58 | 74 | 65 | 77 | 61 | 61 | 15 | 7 | 2 | 1 | – |
| Lanark | 31 | 42 | 40 | 34 | 54 | 50 | 71 | 49 | 41 | 33 | 28 | 9 | 2 | – | – | – |
| Linlithgow | 9 | 13 | 7 | 15 | 12 | 20 | 17 | 28 | 28 | 22 | 8 | 1 | 2 | – | – | – |
| Edinburgh | 9 | 17 | 21 | 23 | 26 | 38 | 26 | 39 | 31 | 40 | 15 | 10 | 3 | 1 | – | – |
| Haddington | 8 | 6 | 5 | 5 | 8 | 9 | 14 | 16 | 15 | 12 | 3 | 4 | 2 | – | – | – |
| Berwick | 2 | – | 1 | – | 1 | 3 | – | 4 | 2 | 3 | 4 | 1 | – | – | – | – |
| Peebles | 5 | 2 | 1 | 3 | 7 | 5 | 12 | 5 | 6 | 4 | 8 | – | – | – | – | – |
| Selkirk | 2 | 1 | 2 | 3 | 2 | 5 | 1 | 4 | 10 | – | – | – | – | – | – | – |
| Roxburgh | 4 | 5 | 2 | 2 | 3 | 4 | 8 | 6 | 7 | 5 | 9 | 4 | – | – | – | – |
| Dumfries | 2 | 4 | 4 | 8 | 4 | 6 | 11 | 15 | 17 | 14 | 11 | 3 | – | – | – | – |
| Kirkcudbright | 3 | 1 | 5 | 4 | 7 | – | 11 | 7 | 8 | 9 | 3 | 4 | 1 | – | – | – |
| Wigtown | 2 | 6 | 3 | 1 | 6 | 5 | 6 | 4 | 4 | 11 | 6 | 4 | 1 | 1 | – | – |

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1891.—FEMALES.

| | FEMALES. | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Inverness | 289 | 16 | 8 | 12 | 6 | 5 | 5 | 3 | 11 | 4 | 2 | 8 | 7 |
| Peterhead | 164 | 15 | 11 | 13 | 14 | 5 | 1 | – | 9 | 5 | 5 | 5 | 10 |
| Arbroath | 250 | 23 | 9 | 8 | 7 | 3 | 6 | 2 | 3 | 3 | 12 | 7 | 12 |
| Forfar | 175 | 14 | 6 | 11 | 11 | 4 | 3 | 4 | 7 | 5 | 3 | 2 | 9 |
| Montrose | 206 | 17 | 2 | 2 | 1 | – | – | – | 3 | 5 | 7 | 7 | 6 |
| Dunfermline | 284 | 18 | 7 | 8 | 24 | 4 | 8 | 3 | 11 | 5 | 15 | 5 | 15 |
| Dysart | 143 | 18 | 3 | 11 | 8 | 4 | 2 | 4 | 2 | 1 | 8 | 5 | 5 |
| Kirkcaldy and Abbotshall | 209 | 16 | 11 | 12 | 11 | 4 | – | 4 | 6 | 3 | 5 | 2 | 9 |
| Alloa | 136 | 10 | 6 | 8 | 9 | 3 | 2 | 2 | 3 | 4 | 2 | 2 | 1 |
| Falkirk | 173 | 8 | 9 | 14 | 22 | 6 | 8 | 4 | 9 | 7 | 4 | 5 | 2 |
| Stirling | 169 | 14 | 2 | 5 | 13 | 7 | 1 | 1 | 6 | 3 | 7 | 5 | 4 |
| Dumbarton | 188 | 18 | 9 | 6 | 12 | 3 | 5 | 1 | 11 | 5 | 12 | 8 | 7 |
| Port-Glasgow | 171 | 26 | 3 | 11 | 15 | 5 | 6 | 1 | 11 | 4 | 3 | 5 | 10 |
| Ayr | 286 | 20 | 5 | 15 | 21 | 5 | 4 | 4 | 15 | 2 | 8 | 14 | 11 |
| Cambusnethan | 192 | 14 | 9 | 8 | 17 | 4 | 5 | 3 | 14 | 5 | 4 | 5 | 8 |
| Dalziel | 227 | 22 | 9 | 18 | 27 | 13 | 5 | 8 | 16 | 5 | 6 | 5 | 7 |
| Hamilton | 309 | 36 | 7 | 18 | 29 | 17 | 5 | 2 | 17 | 5 | 5 | 9 | 13 |
| Airdrie | 292 | 44 | 17 | 11 | 31 | 7 | 7 | 3 | 16 | 8 | 12 | 8 | 10 |
| Coatbridge | 458 | 43 | 17 | 30 | 70 | 30 | 18 | 10 | 41 | 14 | 11 | 10 | 13 |
| Rutherglen | 164 | 14 | 10 | 16 | 12 | 5 | 1 | 1 | 8 | 7 | 9 | 9 | 6 |
| Galashiels | 163 | 6 | 4 | 11 | 14 | 5 | 2 | 1 | 6 | 6 | 8 | 4 | 4 |
| Hawick | 222 | 19 | 5 | 14 | 14 | 4 | 5 | 1 | 12 | 3 | 13 | 9 | 15 |
| Dumfries | 305 | 30 | 5 | 13 | 16 | 1 | 7 | 4 | 8 | 5 | 9 | 9 | 12 |

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1891.—FEMALES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 43 | 1 | 1 | 1 | 2 | 1 | – | 1 | 4 | – | – | 2 | 1 |
| Orkney | 50 | 5 | 1 | 1 | – | 1 | 2 | – | 1 | 5 | – | 3 | 2 |
| Caithness | 193 | 17 | 7 | 7 | 17 | 7 | 3 | 1 | 9 | 3 | 8 | 6 | 3 |
| Ross and Cromarty | 104 | 7 | 3 | 7 | 5 | 5 | 4 | 3 | 3 | – | 2 | 6 | 3 |
| Nairn | 58 | 3 | 3 | 1 | - | 1 | 1 | – | 2 | 1 | 1 | – | 2 |
| Elgin | 205 | 17 | 4 | 7 | 7 | 1 | 6 | - | 8 | 2 | 5 | 3 | 9 |
| Banff | 265 | 17 | 7 | 11 | 11 | 5 | 1 | 1 | 13 | 9 | 11 | 10 | 10 |
| Aberdeen | 181 | 23 | 6 | 5 | 4 | 3 | 2 | 1 | 8 | 6 | 3 | 6 | 6 |
| Kincardine | 57 | 7 | – | 2 | 2 | – | – | 1 | 2 | – | 2 | – | 1 |
| Forfar | 353 | 22 | 9 | 8 | 18 | 4 | 4 | 1 | 11 | 4 | 8 | 9 | 14 |
| Perth | 307 | 10 | 8 | 4 | 6 | 3 | 1 | 6 | 9 | 9 | 10 | 10 | 10 |
| Fife | 642 | 49 | 22 | 34 | 39 | 11 | 5 | 8 | 14 | 16 | 28 | 14 | 22 |
| Clackmannan | 65 | 6 | 2 | 6 | 2 | – | 1 | – | 2 | 1 | 5 | 3 | 6 |
| Stirling | 490 | 58 | 16 | 28 | 43 | 16 | 12 | 6 | 25 | 14 | 15 | 12 | 14 |
| Dumbarton | 541 | 46 | 14 | 35 | 29 | 16 | 6 | 12 | 19 | 13 | 22 | 20 | 26 |
| Argyll | 244 | 16 | 8 | 6 | 12 | 4 | 4 | 1 | 5 | 7 | 7 | 3 | 6 |
| Bute | 108 | 3 | 1 | 4 | 3 | – | 2 | 2 | 3 | 4 | 3 | 2 | 4 |
| Renfrew | 582 | 36 | 18 | 38 | 49 | 16 | 16 | 8 | 27 | 15 | 17 | 19 | 18 |
| Ayr | 1118 | 107 | 37 | 58 | 75 | 35 | 24 | 14 | 44 | 33 | 45 | 31 | 46 |
| Lanark | 1185 | 125 | 50 | 90 | 90 | 36 | 25 | 22 | 62 | 28 | 46 | 43 | 37 |
| Linlithgow | 356 | 40 | 24 | 29 | 30 | 11 | 7 | – | 11 | 14 | 5 | 9 | 11 |
| Edinburgh | 601 | 59 | 31 | 42 | 33 | 24 | 8 | 4 | 17 | 11 | 19 | 9 | 20 |
| Haddington | 197 | 10 | 3 | 11 | 12 | 7 | 1 | 4 | 5 | 8 | 2 | 5 | 9 |
| Berwick | 68 | 3 | – | 6 | 7 | 2 | 1 | – | 2 | – | 5 | 1 | 1 |
| Peebles | 87 | 4 | 3 | 1 | 3 | – | 4 | 2 | 2 | 1 | 4 | 4 | 5 |
| Selkirk | 67 | 9 | 1 | 3 | 3 | 3 | 1 | – | 3 | 1 | 1 | 2 | 4 |
| Roxburgh | 113 | 6 | – | 5 | 6 | 5 | 2 | – | 2 | 1 | 1 | 2 | 2 |
| Dumfries | 185 | 11 | 6 | 4 | 15 | 3 | 1 | – | 5 | 4 | 9 | 6 | - |
| Kirkcudbright | 100 | 6 | 1 | 5 | 5 | – | – | 2 | 3 | 3 | 1 | 4 | 5 |
| Wigtown | 134 | 9 | 4 | 3 | 2 | 7 | 2 | 2 | 2 | 1 | 2 | 3 | 4 |

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1891.—FEMALES.

| | FEMALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Inverness | 16 | 9 | 9 | 10 | 12 | 18 | 23 | 22 | 35 | 22 | 14 | 8 | 3 | 1 | – | – |
| Peterhead | 6 | 5 | 4 | 3 | 2 | 4 | 7 | 12 | 8 | 5 | 7 | 5 | 3 | – | – | – |
| Arbroath | 3 | 5 | 5 | 13 | 6 | 15 | 20 | 23 | 19 | 18 | 19 | 7 | 1 | 1 | – | – |
| Forfar | 3 | 5 | 9 | 5 | 8 | 5 | 1 | 13 | 18 | 14 | 9 | 5 | 1 | – | – | – |
| Montrose | 6 | 6 | 10 | 7 | 8 | 9 | 20 | 19 | 23 | 21 | 15 | 10 | 2 | – | – | – |
| Dunfermline | 8 | 8 | 6 | 11 | 5 | 10 | 17 | 23 | 22 | 30 | 14 | 6 | – | 1 | – | – |
| Dysart | 4 | 6 | 2 | 2 | 1 | 5 | 8 | 7 | 12 | 12 | 8 | 4 | 1 | – | – | – |
| Kirkcaldy & Abbotshall | 6 | 7 | 9 | 6 | 17 | 8 | 10 | 13 | 15 | 15 | 14 | 4 | 2 | – | – | – |
| Alloa | 13 | 4 | 4 | 2 | 9 | 8 | 9 | 3 | 9 | 9 | 7 | 5 | 2 | – | – | – |
| Falkirk | 4 | 2 | 6 | 7 | 2 | 8 | 7 | 7 | 17 | 4 | 7 | 1 | 2 | 1 | – | – |
| Stirling | 5 | 4 | 3 | 8 | 9 | 4 | 9 | 15 | 18 | 6 | 9 | 6 | 3 | 2 | – | – |
| Dumbarton | 7 | 2 | 5 | 7 | 16 | 15 | 7 | 5 | 14 | 8 | 2 | 2 | 1 | – | – | – |
| Port-Glasgow | 5 | 8 | 7 | 10 | 6 | 4 | 9 | 5 | 6 | 4 | 6 | 1 | – | – | – | – |
| Ayr | 6 | 8 | 5 | 5 | 14 | 21 | 19 | 12 | 28 | 17 | 13 | 10 | 3 | 1 | – | – |
| Cambusnethan | 6 | 9 | 6 | 8 | 2 | 6 | 13 | 10 | 14 | 11 | 7 | 2 | 1 | 1 | – | – |
| Dalziel | 4 | 11 | 8 | 11 | 9 | 5 | 7 | 7 | 8 | 8 | 5 | 1 | 2 | – | – | – |
| Hamilton | 12 | 5 | 8 | 10 | 15 | 20 | 18 | 13 | 20 | 8 | 8 | 7 | 2 | – | – | – |
| Airdrie | 12 | 2 | 10 | 13 | 15 | 10 | 16 | 13 | 12 | 8 | 5 | – | 2 | – | – | – |
| Coatbridge | 13 | 16 | 13 | 10 | 22 | 17 | 19 | 10 | 10 | 10 | 7 | 3 | 1 | – | – | – |
| Rutherglen | 8 | 7 | 5 | 5 | 8 | 8 | 7 | 4 | 7 | 3 | 3 | 1 | – | – | – | – |
| Galashiels | 6 | 5 | 5 | 6 | 9 | 6 | 13 | 8 | 16 | 11 | 7 | – | – | – | – | – |
| Hawick | 8 | 9 | 4 | 6 | 9 | 6 | 10 | 11 | 18 | 14 | 10 | 3 | – | – | – | – |
| Dumfries | 9 | 9 | 20 | 10 | 13 | 21 | 26 | 20 | 24 | 15 | 11 | 4 | 2 | 2 | – | – |

DEATH at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1891.—FEMALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 5 | 4 | 6 | 2 | 1 | 2 | – | – | – |
| Orkney | – | 5 | – | – | 2 | 3 | 6 | 2 | 5 | 6 | 4 | 2 | – | – | – | – |
| Caithness | 5 | 4 | 3 | 3 | 5 | 6 | 10 | 9 | 17 | 15 | 12 | 13 | 1 | 2 | – | – |
| Ross and Cromarty | 5 | 5 | 1 | 1 | – | 6 | 2 | 7 | 6 | 7 | 8 | 6 | 2 | – | – | – |
| Nairn | 1 | 1 | 3 | 1 | 1 | 3 | 5 | 7 | 5 | 4 | 8 | 3 | 1 | – | – | – |
| Elgin | 3 | 9 | 6 | 9 | 7 | 7 | 17 | 22 | 12 | 19 | 15 | 9 | – | 1 | – | – |
| Banff | 7 | 5 | 15 | 5 | 13 | 8 | 11 | 12 | 22 | 22 | 23 | 10 | 4 | 2 | – | – |
| Aberdeen | 4 | 8 | 3 | 5 | 5 | 7 | 13 | 8 | 17 | 15 | 11 | 8 | 4 | – | – | – |
| Kincardine | 2 | – | 3 | 1 | 1 | 4 | 3 | 4 | 3 | 5 | 6 | 6 | 1 | 1 | – | – |
| Forfar | 13 | 6 | 13 | 10 | 4 | 19 | 12 | 32 | 32 | 46 | 33 | 13 | 7 | 1 | – | – |
| Perth | 8 | 17 | 8 | 12 | 16 | 11 | 19 | 17 | 36 | 28 | 32 | 15 | 1 | 1 | – | – |
| Fife | 22 | 18 | 16 | 14 | 22 | 27 | 38 | 40 | 49 | 59 | 44 | 18 | 13 | – | – | – |
| Clackmannan | 1 | – | 2 | – | 1 | 4 | 3 | 4 | 3 | 6 | 4 | 2 | 1 | – | – | – |
| Stirling | 15 | 12 | 11 | 15 | 19 | 20 | 27 | 21 | 34 | 24 | 19 | 10 | 4 | – | – | – |
| Dumbarton | 22 | 17 | 14 | 22 | 22 | 27 | 24 | 33 | 34 | 30 | 17 | 14 | 6 | 1 | – | – |
| Argyll | 5 | 4 | 5 | 11 | 7 | 12 | 21 | 16 | 24 | 30 | 11 | 10 | 7 | 2 | – | – |
| Bute | 2 | 3 | – | – | 9 | 7 | 9 | 18 | 12 | 9 | 4 | 3 | – | 1 | – | – |
| Renfrew | 14 | 16 | 25 | 29 | 30 | 40 | 35 | 31 | 33 | 25 | 19 | 6 | 2 | – | – | – |
| Ayr | 39 | 32 | 31 | 29 | 38 | 39 | 52 | 53 | 76 | 77 | 52 | 38 | 12 | 1 | – | – |
| Lanark | 40 | 37 | 46 | 32 | 36 | 42 | 57 | 47 | 63 | 42 | 51 | 25 | 12 | 1 | – | – |
| Linlithgow | 12 | 10 | 14 | 10 | 6 | 12 | 19 | 13 | 24 | 19 | 14 | 10 | 2 | – | – | – |
| Edinburgh | 14 | 15 | 18 | 13 | 20 | 30 | 41 | 44 | 46 | 38 | 23 | 18 | 3 | 1 | – | – |
| Haddington | 5 | 1 | 7 | 5 | 13 | 13 | 9 | 15 | 23 | 15 | 10 | 3 | 1 | – | – | – |
| Berwick | 2 | 2 | – | 1 | 2 | 4 | 2 | 6 | 4 | 7 | 6 | 2 | 2 | – | – | – |
| Peebles | 1 | – | 1 | 5 | 5 | 4 | 5 | 9 | 5 | 13 | 5 | 1 | – | – | – | – |
| Selkirk | 2 | 2 | 1 | 2 | – | 3 | 2 | 7 | 6 | 5 | 2 | 3 | 1 | – | – | – |
| Roxburgh | 1 | 4 | 6 | 3 | – | 4 | 6 | 7 | 17 | 9 | 12 | 8 | 3 | 1 | – | – |
| Dumfries | 7 | 6 | 5 | 3 | 9 | 4 | 10 | 15 | 24 | 15 | 15 | 3 | 5 | – | – | – |
| Kirkcudbright | 4 | 6 | – | 4 | 5 | 4 | 8 | 6 | 5 | 8 | 9 | 5 | 1 | – | – | – |
| Wigtown | 4 | 5 | 5 | 6 | 8 | 5 | 7 | 11 | 7 | 18 | 10 | 5 | 2 | – | – | – |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1891.—BOTH SEXES.

| | BOTH SEXES | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Caithness | 303 | 16 | 7 | 8 | 6 | 3 | 4 | 2 | 7 | 7 | 10 | 11 | 7 |
| Sutherland | 345 | 22 | 4 | 4 | 9 | 6 | – | 1 | 5 | 8 | 6 | 19 | 12 |
| Ross and Cromarty | 872 | 61 | 18 | 19 | 22 | 6 | 6 | 3 | 5 | 7 | 23 | 32 | 22 |
| Inverness | 415 | 33 | 10 | 12 | 6 | 5 | 3 | 1 | 6 | 6 | 7 | 10 | 7 |
| Nairn | 58 | 10 | 2 | 1 | 1 | – | – | – | 2 | – | 1 | 1 | 2 |
| Elgin | 405 | 35 | 10 | 16 | 8 | 5 | 5 | 2 | 9 | 14 | 9 | 12 | 11 |
| Banff | 452 | 37 | 20 | 18 | 11 | 12 | 4 | 4 | 15 | 13 | 13 | 22 | 15 |
| Aberdeen | 1791 | 186 | 57 | 67 | 56 | 31 | 23 | 14 | 50 | 45 | 58 | 54 | 55 |
| Kincardine | 447 | 45 | 13 | 16 | 16 | 8 | 4 | 4 | 19 | 9 | 16 | 13 | 16 |
| Forfar | 644 | 58 | 20 | 26 | 19 | 9 | 10 | 7 | 16 | 18 | 21 | 10 | 12 |
| Perth | 1251 | 63 | 14 | 23 | 21 | 15 | 10 | 10 | 31 | 25 | 20 | 52 | 32 |
| Fife | 1208 | 98 | 43 | 67 | 41 | 16 | 11 | 11 | 34 | 22 | 38 | 30 | 20 |
| Kinross | 135 | 6 | 1 | 6 | 3 | – | 1 | 1 | 3 | 1 | 5 | 3 | 2 |
| Clackmannan | 75 | 13 | 4 | 2 | 4 | 2 | 1 | – | 1 | 2 | 5 | 3 | 4 |
| Stirling | 793 | 85 | 27 | 47 | 46 | 21 | 16 | 10 | 31 | 20 | 27 | 41 | 28 |
| Dumbarton | 522 | 52 | 23 | 34 | 40 | 21 | 7 | 16 | 25 | 6 | 16 | 23 | 17 |
| Argyll | 686 | 21 | 7 | 13 | 13 | 6 | 4 | 9 | 9 | 14 | 15 | 23 | 19 |
| Renfrew | 342 | 26 | 4 | 13 | 21 | 12 | 9 | 8 | 14 | 12 | 8 | 12 | 9 |
| Ayr | 1147 | 139 | 39 | 62 | 63 | 30 | 24 | 8 | 43 | 27 | 39 | 35 | 33 |
| Lanark | 1191 | 123 | 53 | 82 | 97 | 33 | 18 | 11 | 51 | 34 | 25 | 26 | 30 |
| Linlithgow | 265 | 30 | 10 | 24 | 14 | 6 | 4 | 6 | 11 | 6 | 9 | 10 | 10 |
| Edinburgh | 1091 | 96 | 27 | 54 | 44 | 16 | 12 | 12 | 36 | 25 | 28 | 30 | 30 |
| Haddington | 290 | 22 | 5 | 6 | 5 | 5 | 1 | 1 | 9 | 6 | 2 | 8 | 6 |
| Berwick | 503 | 49 | 13 | 15 | 10 | 10 | 5 | 4 | 12 | 8 | 12 | 18 | 17 |
| Peebles | 91 | 6 | 1 | 1 | – | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 |
| Selkirk | 39 | 3 | 2 | 1 | – | – | – | – | – | – | – | 2 | 1 |
| Roxburgh | 380 | 35 | 7 | 8 | 6 | 6 | 2 | 2 | 6 | 5 | 9 | 15 | 9 |
| Dumfries | 763 | 53 | 19 | 19 | 27 | 8 | 13 | 5 | 20 | 22 | 22 | 29 | 15 |
| Kirkcudbright | 412 | 33 | 11 | 13 | 15 | 9 | 5 | 3 | 9 | 3 | 5 | 22 | 11 |
| Wigtown | 409 | 43 | 5 | 15 | 18 | 6 | 6 | 3 | 16 | 7 | 13 | 11 | 10 |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1891.—BOTH SEXES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 436 | 18 | 4 | 7 | 17 | 2 | 3 | – | 11 | 7 | 20 | 16 | 19 |
| Orkney | 407 | 25 | 6 | 5 | 6 | 5 | 2 | 4 | 8 | 13 | 12 | 11 | 14 |
| Ross and Cromarty | 262 | 26 | 7 | 26 | 19 | 11 | 5 | 7 | 10 | 4 | 5 | 13 | 8 |
| Inverness | 638 | 57 | 17 | 28 | 30 | 15 | 4 | 7 | 27 | 13 | 15 | 19 | 16 |
| Argyll | 302 | 16 | 5 | 8 | 8 | 1 | 2 | 1 | 3 | 5 | 3 | 8 | 4 |
| Bute | 206 | 11 | 2 | 4 | 2 | 3 | 1 | – | 7 | 4 | 5 | 5 | 3 |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1891.—BOTH SEXES.

| | BOTH SEXES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Caithness | 10 | 8 | 7 | 7 | 7 | 11 | 22 | 12 | 26 | 34 | 30 | 26 | 9 | 6 | – | – |
| Sutherland | 10 | 12 | 3 | 11 | 10 | 10 | 15 | 23 | 29 | 44 | 35 | 28 | 13 | 4 | 2 | – |
| Ross and Cromarty | 18 | 13 | 17 | 18 | 25 | 37 | 68 | 79 | 95 | 113 | 87 | 45 | 20 | 10 | 3 | – |
| Inverness | 6 | 15 | 10 | 10 | 11 | 24 | 18 | 33 | 30 | 55 | 46 | 29 | 16 | 6 | – | – |
| Nairn | 2 | 1 | 1 | 2 | 1 | 1 | 3 | 6 | 4 | 3 | 7 | 5 | 1 | 1 | – | – |
| Elgin | 14 | 13 | 7 | 5 | 14 | 15 | 18 | 27 | 40 | 44 | 36 | 23 | 12 | 1 | – | – |
| Banff | 6 | 13 | 7 | 10 | 11 | 16 | 35 | 27 | 44 | 38 | 38 | 17 | 5 | – | 1 | – |
| Aberdeen | 41 | 32 | 42 | 50 | 39 | 68 | 116 | 123 | 145 | 148 | 159 | 90 | 37 | 4 | 1 | – |
| Kincardine | 10 | 13 | 10 | 9 | 19 | 17 | 16 | 28 | 40 | 46 | 36 | 17 | 6 | 1 | – | – |
| Forfar | 19 | 25 | 19 | 20 | 17 | 35 | 38 | 48 | 48 | 44 | 56 | 34 | 12 | 2 | 1 | – |
| Perth | 50 | 25 | 35 | 40 | 54 | 55 | 88 | 90 | 140 | 115 | 116 | 77 | 39 | 10 | 1 | – |
| Fife | 28 | 29 | 33 | 34 | 38 | 49 | 68 | 94 | 99 | 122 | 95 | 65 | 20 | 3 | – | – |
| Kinross | 6 | 6 | 3 | 6 | 6 | 11 | 4 | 10 | 16 | 13 | 10 | 9 | 1 | 1 | – | 1 |
| Clackmannan | 1 | 2 | 1 | 1 | 2 | 2 | 6 | – | 7 | 5 | 3 | 3 | – | 1 | – | – |
| Stirling | 15 | 18 | 18 | 27 | 26 | 34 | 39 | 49 | 49 | 50 | 37 | 22 | 10 | – | – | – |
| Dumbarton | 23 | 23 | 21 | 19 | 19 | 21 | 26 | 22 | 21 | 15 | 15 | 10 | 6 | 1 | – | – |
| Argyll | 25 | 18 | 17 | 28 | 28 | 29 | 47 | 56 | 83 | 66 | 62 | 45 | 21 | 6 | 2 | – |
| Renfrew | 14 | 11 | 11 | 8 | 11 | 18 | 21 | 17 | 28 | 22 | 25 | 8 | – | – | – | – |
| Ayr | 32 | 25 | 31 | 35 | 48 | 38 | 53 | 77 | 93 | 66 | 59 | 42 | 4 | 2 | – | – |
| Lanark | 27 | 51 | 25 | 44 | 41 | 69 | 65 | 70 | 65 | 68 | 47 | 27 | 7 | 1 | 1 | – |
| Linlithgow | 11 | 10 | 8 | 9 | 11 | 6 | 14 | 11 | 12 | 13 | 12 | 8 | – | – | – | – |
| Edinburgh | 26 | 25 | 39 | 31 | 46 | 57 | 87 | 101 | 112 | 79 | 53 | 18 | 5 | 1 | 1 | – |
| Haddington | 10 | 7 | 9 | 5 | 13 | 16 | 25 | 24 | 31 | 35 | 32 | 5 | 1 | 1 | – | – |
| Berwick | 13 | 14 | 17 | 13 | 16 | 16 | 26 | 48 | 52 | 51 | 34 | 21 | 7 | 2 | – | – |
| Peebles | 3 | 1 | 1 | 4 | 5 | 9 | 7 | 4 | 12 | 9 | 10 | 5 | 2 | – | – | – |
| Selkirk | 1 | 1 | – | 1 | 2 | 1 | – | 3 | 6 | 6 | 3 | 3 | 3 | – | – | – |
| Roxburgh | 10 | 18 | 16 | 11 | 16 | 20 | 26 | 34 | 38 | 36 | 34 | 7 | 3 | 1 | – | – |
| Dumfries | 26 | 20 | 16 | 17 | 29 | 36 | 46 | 61 | 50 | 61 | 67 | 36 | 18 | 3 | – | – |
| Kirkcudbright | 13 | 10 | 8 | 9 | 13 | 17 | 26 | 35 | 30 | 34 | 48 | 24 | 5 | 1 | – | – |
| Wigtown | 13 | 8 | 12 | 9 | 21 | 16 | 27 | 36 | 34 | 57 | 41 | 28 | 10 | 3 | 1 | – |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1891.—BOTH SEXES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 18 | 13 | 8 | 15 | 13 | 18 | 21 | 24 | 33 | 40 | 51 | 40 | 17 | 1 | – | – |
| Orkney | 5 | 11 | 8 | 7 | 10 | 22 | 17 | 30 | 38 | 62 | 41 | 29 | 8 | 8 | – | – |
| Ross and Cromarty | 8 | 7 | 4 | 7 | 4 | 5 | 8 | 13 | 15 | 16 | 16 | 6 | 9 | 2 | 1 | – |
| Inverness | 26 | 5 | 14 | 12 | 21 | 18 | 35 | 44 | 39 | 53 | 58 | 36 | 18 | 6 | 5 | – |
| Argyll | 11 | 8 | 10 | 11 | 12 | 11 | 18 | 21 | 37 | 31 | 28 | 29 | 9 | 2 | – | – |
| Bute | 5 | 7 | 5 | 10 | 9 | 14 | 15 | 12 | 13 | 19 | 26 | 18 | 4 | – | 1 | 1 |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1891.—MALES.

| | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Caithness | 136 | 7 | 4 | 4 | 2 | 2 | 4 | 1 | 6 | 3 | 7 | 3 | 4 |
| Sutherland | 154 | 12 | 3 | 1 | 3 | 2 | – | – | 4 | 5 | 3 | 7 | 6 |
| Ross and Cromarty | 405 | 35 | 12 | 6 | 10 | 4 | 4 | 2 | 2 | 4 | 12 | 24 | 8 |
| Inverness | 197 | 21 | 6 | 6 | 1 | 4 | 1 | – | 4 | 3 | 7 | 2 | 4 |
| Nairn | 33 | 6 | 1 | – | – | – | – | – | 1 | – | 1 | 1 | 2 |
| Elgin | 211 | 25 | 5 | 9 | 6 | 3 | 3 | 2 | 4 | 10 | 4 | 7 | 5 |
| Banff | 205 | 19 | 10 | 6 | 5 | 3 | 4 | – | 4 | 7 | 5 | 12 | 8 |
| Aberdeen | 895 | 108 | 36 | 35 | 29 | 17 | 10 | 8 | 26 | 19 | 25 | 21 | 29 |
| Kincardine | 213 | 26 | 10 | 9 | 7 | 7 | 1 | 3 | 6 | 4 | 10 | 7 | 6 |
| Forfar | 334 | 35 | 11 | 16 | 8 | 5 | 5 | 3 | 10 | 7 | 10 | 7 | 6 |
| Perth | 583 | 36 | 10 | 13 | 14 | 8 | 8 | 4 | 14 | 14 | 9 | 20 | 15 |
| Fife | 589 | 59 | 25 | 30 | 26 | 10 | 6 | 4 | 20 | 9 | 18 | 14 | 8 |
| Kinross | 62 | 4 | – | 3 | 1 | – | – | – | 2 | – | 1 | 3 | 2 |
| Clackmannan | 34 | 10 | 1 | 2 | 2 | 1 | – | – | – | 2 | 2 | 1 | 1 |
| Stirling | 396 | 51 | 17 | 23 | 18 | 8 | 7 | 1 | 18 | 11 | 13 | 23 | 18 |
| Dumbarton | 294 | 35 | 13 | 23 | 18 | 8 | 5 | 11 | 16 | 4 | 10 | 14 | 10 |
| Argyll | 342 | 15 | 5 | 8 | 7 | 2 | 2 | 3 | 5 | 9 | 10 | 11 | 10 |
| Renfrew | 176 | 22 | 2 | 6 | 11 | 5 | 4 | 6 | 8 | 3 | 4 | 9 | 6 |
| Ayr | 591 | 80 | 22 | 39 | 39 | 13 | 10 | 5 | 25 | 15 | 24 | 13 | 15 |
| Lanark | 621 | 79 | 32 | 50 | 45 | 17 | 10 | 8 | 20 | 20 | 13 | 16 | 12 |
| Linlithgow | 149 | 19 | 8 | 18 | 9 | 4 | 1 | 3 | 5 | 3 | 4 | 7 | 6 |
| Edinburgh | 563 | 66 | 17 | 25 | 19 | 9 | 7 | 7 | 18 | 13 | 16 | 16 | 17 |
| Haddington | 137 | 15 | – | 5 | 3 | 2 | – | 1 | 3 | 3 | 1 | 4 | 3 |
| Berwick | 264 | 32 | 7 | 6 | 5 | 6 | 3 | 2 | 7 | 3 | 4 | 15 | 8 |
| Peebles | 43 | 3 | 1 | 1 | – | – | 1 | 1 | – | – | 1 | 1 | – |
| Selkirk | 19 | 2 | 2 | – | – | – | – | – | – | – | – | 1 | – |
| Roxburgh | 165 | 21 | 3 | 3 | 4 | 2 | – | 1 | 3 | 3 | 3 | 8 | 4 |
| Dumfries | 363 | 30 | 11 | 11 | 13 | 2 | 6 | 1 | 6 | 13 | 12 | 12 | 5 |
| Kirkcudbright | 194 | 18 | 7 | 4 | 8 | 3 | 2 | 2 | 6 | 2 | 2 | 12 | 3 |
| Wigtown | 206 | 31 | 2 | 12 | 8 | 4 | 1 | 2 | 7 | 2 | 8 | 8 | 1 |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1891.—MALES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 188 | 9 | 4 | 4 | 8 | 1 | 1 | – | 3 | 5 | 11 | 11 | 8 |
| Orkney | 184 | 18 | 5 | 3 | 3 | 1 | – | 2 | 2 | 5 | 8 | 6 | 9 |
| Ross and Cromarty | 137 | 16 | 5 | 12 | 9 | 4 | 2 | 3 | 4 | 3 | 3 | 7 | 5 |
| Inverness | 278 | 28 | 8 | 16 | 13 | 9 | – | 2 | 11 | 3 | 11 | 8 | 6 |
| Argyll | 147 | 9 | 3 | 5 | 3 | – | 2 | 1 | 1 | 1 | 1 | 3 | 3 |
| Bute | 112 | 8 | – | 4 | 2 | 2 | 1 | – | 4 | 2 | 4 | 4 | 2 |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1891.—MALES.

| | MALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Caithness | 3 | 2 | 3 | 2 | 3 | 4 | 6 | 5 | 12 | 16 | 14 | 9 | 5 | 5 | – | – |
| Sutherland | 6 | 6 | 2 | 7 | 7 | 7 | 8 | 10 | 10 | 17 | 15 | 7 | 5 | – | 1 | – |
| Ross and Cromarty | 8 | 6 | 7 | 8 | 6 | 15 | 35 | 39 | 46 | 44 | 40 | 15 | 8 | 4 | 1 | – |
| Inverness | 3 | 7 | 2 | 1 | 6 | 14 | 8 | 15 | 13 | 28 | 18 | 13 | 8 | 2 | – | – |
| Nairn | 2 | 1 | 1 | – | 1 | 1 | 2 | 4 | 2 | 1 | 1 | 4 | 1 | – | – | – |
| Elgin | 7 | 8 | 1 | 4 | 8 | 6 | 8 | 13 | 22 | 20 | 15 | 8 | 7 | 1 | – | – |
| Banff | 1 | 6 | 3 | 8 | 3 | 8 | 19 | 15 | 21 | 14 | 14 | 8 | 2 | – | – | – |
| Aberdeen | 14 | 16 | 25 | 27 | 24 | 32 | 56 | 58 | 70 | 73 | 81 | 41 | 12 | 2 | 1 | – |
| Kincardine | 3 | 8 | 5 | 5 | 10 | 9 | 9 | 22 | 21 | 25 | 19 | 6 | 4 | 1 | – | – |
| Forfar | 9 | 14 | 10 | 11 | 10 | 21 | 23 | 22 | 21 | 22 | 28 | 15 | 4 | 1 | – | – |
| Perth | 20 | 13 | 19 | 24 | 32 | 29 | 36 | 47 | 57 | 51 | 46 | 28 | 11 | 5 | – | – |
| Fife | 17 | 13 | 12 | 15 | 19 | 31 | 32 | 44 | 48 | 51 | 42 | 28 | 8 | – | – | – |
| Kinross | 2 | 1 | 2 | 3 | 4 | 4 | 2 | 6 | 6 | 8 | 6 | 1 | – | – | – | 1 |
| Clackmannan | – | 1 | – | 1 | – | 1 | 2 | – | 3 | 1 | 1 | 2 | – | – | – | – |
| Stirling | 7 | 4 | 11 | 15 | 13 | 19 | 21 | 31 | 21 | 24 | 16 | 3 | 3 | – | – | – |
| Dumbarton | 8 | 10 | 14 | 11 | 10 | 15 | 19 | 11 | 13 | 4 | 6 | 3 | 2 | 1 | – | – |
| Argyll | 12 | 9 | 10 | 19 | 18 | 17 | 18 | 27 | 34 | 30 | 33 | 15 | 9 | 4 | – | – |
| Renfrew | 9 | 2 | 8 | 5 | 6 | 8 | 10 | 7 | 12 | 9 | 13 | 1 | – | – | – | – |
| Ayr | 16 | 12 | 16 | 19 | 24 | 25 | 27 | 35 | 42 | 30 | 26 | 17 | 2 | – | – | – |
| Lanark | 12 | 20 | 10 | 24 | 25 | 32 | 41 | 41 | 31 | 29 | 18 | 11 | 5 | – | – | – |
| Linlithgow | 6 | 4 | 5 | 7 | 5 | 3 | 5 | 7 | 6 | 3 | 5 | 6 | – | – | – | – |
| Edinburgh | 10 | 11 | 20 | 23 | 29 | 31 | 35 | 56 | 50 | 37 | 21 | 10 | – | – | – | – |
| Haddington | 4 | 3 | 1 | 2 | 9 | 6 | 13 | 11 | 16 | 16 | 15 | – | 1 | – | – | – |
| Berwick | 7 | 8 | 10 | 11 | 6 | 9 | 10 | 25 | 27 | 25 | 15 | 10 | 3 | – | . | – |
| Peebles | – | – | – | 2 | 1 | 4 | 4 | 3 | 8 | 4 | 6 | 1 | 1 | – | – | – |
| Selkirk | 1 | – | – | – | 1 | 1 | – | 3 | 1 | 3 | 2 | 1 | 1 | – | – | – |
| Roxburgh | 4 | 3 | 5 | 4 | 9 | 10 | 12 | 16 | 15 | 15 | 11 | 3 | 3 | – | – | – |
| Dumfries | 7 | 8 | 7 | 11 | 20 | 21 | 22 | 30 | 39 | 23 | 33 | 12 | 7 | 1 | – | – |
| Kirkcudbright | 5 | 2 | 5 | 5 | 8 | 7 | 14 | 18 | 40 | 15 | 23 | 12 | 1 | . | . | |
| Wigtown | 6 | 3 | 4 | 2 | 11 | 8 | 10 | 18 | 14 | 20 | 11 | 12 | 1 | – | | |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1891.—MALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 5 | 10 | 2 | 7 | 10 | 7 | 10 | 8 | 11 | 13 | 19 | 10 | 11 | – | – | – |
| Orkney | 1 | 6 | 1 | 6 | 4 | 8 | 6 | 11 | 20 | 24 | 19 | 10 | 4 | 2 | – | – |
| Ross and Cromarty | 6 | 3 | 2 | 4 | 2 | 2 | 1 | 7 | 6 | 10 | 8 | 4 | 6 | 2 | 1 | – |
| Inverness | 10 | 3 | 4 | 6 | 15 | 5 | 11 | 13 | 18 | 27 | 21 | 18 | 6 | 2 | 4 | – |
| Argyll | 7 | 1 | 7 | 4 | 8 | 5 | 9 | 9 | 18 | 18 | 13 | 10 | 5 | 1 | – | – |
| Bute | 3 | 3 | 3 | 6 | 3 | 5 | 10 | 7 | 7 | 7 | 15 | 5 | 4 | – | 1 | – |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1891.—FEMALES.

| | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Caithness | 167 | 9 | 3 | 4 | 4 | 1 | – | 1 | 1 | 4 | 3 | 8 | 3 |
| Sutherland | 191 | 10 | 1 | 3 | 6 | 4 | – | 1 | 1 | 3 | 3 | 12 | 6 |
| Ross and Cromarty | 467 | 26 | 6 | 13 | 12 | 2 | 2 | 1 | 3 | 3 | 11 | 8 | 14 |
| Inverness | 218 | 12 | 4 | 6 | 5 | 1 | 2 | 1 | 2 | 3 | – | 8 | 3 |
| Nairn | 25 | 4 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – |
| Elgin | 194 | 10 | 5 | 7 | 2 | 2 | 2 | – | 5 | 4 | 5 | 5 | 6 |
| Banff | 247 | 18 | 10 | 12 | 6 | 9 | – | 4 | 11 | 6 | 8 | 10 | 7 |
| Aberdeen | 396 | 78 | 21 | 32 | 27 | 14 | 13 | 6 | 24 | 26 | 33 | 33 | 26 |
| Kincardine | 204 | 19 | 3 | 7 | 9 | 1 | 3 | 1 | 13 | 5 | 6 | 6 | 10 |
| Forfar | 310 | 23 | 9 | 10 | 11 | 4 | 5 | 4 | 6 | 11 | 11 | 3 | 6 |
| Perth | 668 | 27 | 4 | 10 | 7 | 7 | 2 | 6 | 17 | 11 | 11 | 32 | 17 |
| Fife | 619 | 39 | 18 | 37 | 15 | 6 | 5 | 7 | 14 | 13 | 20 | 16 | 12 |
| Kinross | 73 | 2 | 1 | 3 | 2 | – | 1 | 1 | 1 | 1 | 4 | – | – |
| Clackmannan | 41 | 3 | 3 | – | 2 | 1 | 1 | – | 1 | – | 3 | 2 | 3 |
| Stirling | 397 | 34 | 10 | 24 | 28 | 13 | 9 | 9 | 13 | 9 | 14 | 18 | 10 |
| Dumbarton | 228 | 17 | 10 | 11 | 22 | 13 | 2 | 5 | 9 | 2 | 6 | 9 | 7 |
| Argyll | 344 | 6 | 2 | 5 | 6 | 4 | 2 | 6 | 4 | 5 | 5 | 12 | 9 |
| Renfrew | 166 | 4 | 2 | 7 | 10 | 7 | 5 | 2 | 6 | 9 | 4 | 3 | 3 |
| Ayr | 556 | 59 | 17 | 23 | 24 | 17 | 14 | 3 | 18 | 12 | 15 | 22 | 18 |
| Lanark | 570 | 44 | 21 | 32 | 52 | 16 | 8 | 3 | 31 | 14 | 12 | 10 | 18 |
| Linlithgow | 116 | 11 | 2 | 6 | 5 | 2 | 3 | 3 | 6 | 3 | 5 | 3 | 4 |
| Edinburgh | 528 | 30 | 10 | 29 | 25 | 7 | 5 | 5 | 18 | 12 | 12 | 14 | 13 |
| Haddington | 153 | 7 | 5 | 1 | 2 | 3 | 1 | – | 6 | 3 | 1 | 4 | 3 |
| Berwick | 239 | 17 | 6 | 9 | 5 | 4 | 2 | 2 | 5 | 5 | 8 | 3 | 9 |
| Peebles | 48 | 3 | – | – | – | 1 | – | – | 1 | 1 | 1 | 1 | 2 |
| Selkirk | 20 | 1 | – | 1 | – | – | – | – | – | – | – | 1 | 1 |
| Roxburgh | 215 | 14 | 4 | 5 | 2 | 4 | 2 | 1 | 3 | 2 | 6 | 7 | 5 |
| Dumfries | 405 | 23 | 8 | 8 | 14 | 6 | 7 | 4 | 14 | 9 | 10 | 17 | 10 |
| Kirkcudbright | 218 | 15 | 4 | 9 | 7 | 6 | 3 | 1 | 3 | 1 | 3 | 10 | 8 |
| Wigtown | 263 | 12 | 3 | 3 | 10 | 2 | 5 | 1 | 9 | 5 | 5 | 3 | 9 |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1891.—FEMALES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 248 | 9 | – | 3 | 9 | 1 | 2 | – | 8 | 2 | 9 | 5 | 11 |
| Orkney | 223 | 7 | 1 | 2 | 3 | 4 | 2 | 2 | 6 | 8 | 4 | 5 | 5 |
| Ross and Cromarty | 125 | 10 | 2 | 14 | 10 | 7 | 3 | 4 | 6 | 1 | 2 | 6 | 3 |
| Inverness | 360 | 29 | 9 | 12 | 17 | 6 | 4 | 5 | 16 | 10 | 4 | 11 | 10 |
| Argyll | 155 | 7 | 2 | 3 | 5 | 1 | – | – | 2 | 4 | 2 | 5 | 1 |
| Bute | 94 | 3 | 2 | – | – | 1 | – | – | 3 | 2 | | 1 | 1 |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1891.—FEMALES.

| | FEMALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Caithness | 7 | 6 | 4 | 5 | 4 | 7 | 16 | 7 | 14 | 18 | 16 | 17 | 4 | 1 | – | – |
| Sutherland | 4 | 6 | 1 | 4 | 3 | 3 | 7 | 13 | 19 | 27 | 20 | 21 | 8 | 4 | 1 | – |
| Ross and Cromarty | 10 | 7 | 10 | 10 | 19 | 22 | 33 | 40 | 49 | 69 | 47 | 30 | 12 | 6 | 2 | – |
| Inverness | 3 | 8 | 8 | 9 | 5 | 10 | 10 | 18 | 17 | 27 | 28 | 16 | 8 | 4 | – | – |
| Nairn | – | – | – | 2 | – | – | 1 | 2 | 2 | 2 | 6 | 1 | – | 1 | – | – |
| Elgin | 7 | 5 | 6 | 1 | 6 | 9 | 10 | 14 | 18 | 24 | 21 | 15 | 5 | – | – | – |
| Banff | 5 | 7 | 4 | 2 | 8 | 8 | 16 | 12 | 23 | 24 | 24 | 9 | 3 | – | 1 | – |
| Aberdeen | 27 | 16 | 17 | 23 | 15 | 36 | 60 | 65 | 75 | 75 | 78 | 49 | 25 | 2 | – | – |
| Kincardine | 7 | 5 | 5 | 4 | 9 | 8 | 7 | 6 | 19 | 21 | 17 | 11 | 2 | – | – | – |
| Forfar | 10 | 11 | 9 | 9 | 7 | 14 | 15 | 26 | 27 | 22 | 28 | 19 | 8 | 1 | 1 | – |
| Perth | 30 | 12 | 16 | 16 | 22 | 26 | 52 | 43 | 83 | 64 | 70 | 49 | 28 | 5 | 1 | – |
| Fife | 11 | 16 | 21 | 19 | 19 | 13 | 36 | 50 | 51 | 71 | 53 | 37 | 12 | 3 | – | – |
| Kinross | 4 | 5 | 1 | 3 | 2 | 7 | 2 | 4 | 10 | 5 | 4 | 8 | 1 | 1 | – | – |
| Clackmannan | 1 | 1 | 1 | – | 2 | 1 | 4 | – | 4 | 4 | 2 | 1 | – | 1 | – | – |
| Stirling | 8 | 14 | 7 | 12 | 13 | 15 | 18 | 18 | 28 | 26 | 21 | 19 | 7 | – | – | – |
| Dumbarton | 15 | 13 | 7 | 8 | 9 | 6 | 7 | 11 | 8 | 11 | 9 | 7 | 4 | – | – | – |
| Argyll | 13 | 9 | 7 | 9 | 10 | 12 | 29 | 29 | 49 | 36 | 29 | 30 | 12 | 2 | 2 | – |
| Renfrew | 5 | 9 | 3 | 3 | 5 | 10 | 11 | 10 | 16 | 13 | 12 | 7 | – | – | – | – |
| Ayr | 16 | 13 | 15 | 16 | 24 | 13 | 26 | 42 | 51 | 36 | 33 | 25 | 2 | 2 | – | – |
| Lanark | 15 | 31 | 15 | 20 | 16 | 37 | 24 | 29 | 34 | 39 | 29 | 16 | 2 | 1 | 1 | – |
| Linlithgow | 5 | 6 | 3 | 2 | 6 | 3 | 9 | 4 | 6 | 10 | 7 | 2 | – | – | – | – |
| Edinburgh | 16 | 14 | 19 | 8 | 17 | 26 | 52 | 45 | 62 | 42 | 32 | 8 | 5 | 1 | 1 | – |
| Haddington | 6 | 4 | 8 | 3 | 4 | 10 | 12 | 13 | 15 | 19 | 17 | 5 | – | 1 | – | – |
| Berwick | 6 | 6 | 7 | 2 | 10 | 7 | 16 | 23 | 25 | 26 | 19 | 11 | 4 | 2 | – | – |
| Peebles | 3 | 1 | 1 | 2 | 4 | 5 | 8 | 1 | 4 | 5 | 4 | 4 | 1 | – | – | – |
| Selkirk | – | 1 | – | 1 | 1 | – | – | – | 5 | 3 | 1 | 2 | 2 | – | – | – |
| Roxburgh | 6 | 15 | 11 | 7 | 7 | 10 | 14 | 18 | 23 | 21 | 23 | 4 | – | 1 | – | – |
| Dumfries | 19 | 12 | 9 | 6 | 9 | 15 | 24 | 31 | 41 | 38 | 34 | 24 | 11 | 2 | – | – |
| Kirkcudbright | 8 | 8 | 3 | 4 | 5 | 10 | 12 | 17 | 20 | 19 | 25 | 12 | 4 | 1 | – | – |
| Wigtown | 7 | 5 | 8 | 7 | 10 | 8 | 17 | 18 | 20 | 37 | 30 | 16 | 9 | 3 | 1 | – |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1891.—FEMALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 13 | 3 | 6 | 8 | 8 | 11 | 11 | 16 | 22 | 27 | 32 | 30 | 6 | 1 | – | – |
| Orkney | 4 | 5 | 7 | 1 | 6 | 14 | 11 | 19 | 18 | 38 | 22 | 19 | 4 | 6 | – | – |
| Ross and Cromarty | 2 | 4 | 2 | 3 | 2 | 3 | 7 | 6 | 9 | 6 | 8 | 2 | 3 | – | – | – |
| Inverness | 16 | 2 | 10 | 6 | 6 | 13 | 24 | 31 | 21 | 26 | 37 | 18 | 12 | 4 | 1 | – |
| Argyll | 4 | 7 | 3 | 7 | 4 | 6 | 9 | 12 | 19 | 13 | 15 | 19 | 4 | 1 | – | – |
| Bute | 2 | 4 | 2 | 4 | 6 | 9 | 5 | 5 | 6 | 12 | 11 | 13 | – | – | – | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—MALES.

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 41122 | 227 | 230 | 298 | 154 | 651 | 732 | 83 | 392 | 432 | 2368 | 302 | 2713 | 1162 | 1730 | 62 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 5600 | 32 | 19 | 43 | 8 | 68 | 94 | 8 | 42 | 46 | 291 | 48 | 333 | 130 | 211 | 7 |
| II. PARASITIC DISEASES | 15 | – | – | – | 1 | – | – | – | – | – | 5 | – | 2 | – | 1 | – |
| III. DIETETIC ,, | 217 | 1 | – | – | 2 | – | – | – | 2 | 1 | 7 | – | 8 | 11 | 8 | 1 |
| IV. CONSTITUTIONAL ,, | 6402 | 45 | 42 | 36 | 34 | 115 | 98 | 11 | 61 | 78 | 337 | 34 | 451 | 148 | 276 | 6 |
| V. DEVELOPMENTAL ,, | 3277 | 46 | 53 | 27 | 23 | 94 | 115 | 10 | 39 | 41 | 191 | 25 | 221 | 118 | 180 | 12 |
| VI. LOCAL ,, | 21559 | 61 | 93 | 161 | 65 | 286 | 313 | 44 | 202 | 218 | 1335 | 168 | 1451 | 630 | 904 | 31 |
| VII. VIOLENCE | 2150 | 24 | 8 | 17 | 10 | 36 | 32 | 4 | 22 | 28 | 102 | 15 | 126 | 87 | 88 | 5 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1902 | 18 | 15 | 14 | 11 | 52 | 80 | 6 | 24 | 20 | 100 | 12 | 121 | 38 | 62 | – |
| I. | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 4356 | 28 | 13 | 38 | 5 | 52 | 85 | 4 | 32 | 33 | 219 | 34 | 227 | 94 | 169 | 6 |
| 2. DIARRHŒAL ,, | 839 | – | 3 | 4 | 2 | 9 | 6 | 3 | 5 | 11 | 40 | 10 | 68 | 28 | 33 | – |
| 3. MALARIAL ,, | 7 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – |
| 4. ZOOGENOUS ,, | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 152 | 1 | – | – | – | 4 | – | – | – | – | 13 | 2 | 14 | 6 | 3 | 1 |
| 6. SEPTIC ,, | 243 | 3 | 3 | 1 | 1 | 3 | 3 | 1 | 5 | 2 | 18 | 2 | 23 | 2 | 5 | – |
| II. | | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 15 | – | – | – | 1 | – | – | – | – | – | 5 | – | 2 | – | 1 | – |
| III. | | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 217 | 1 | – | – | 2 | – | – | – | 2 | 1 | 7 | – | 8 | 11 | 8 | 1 |
| IV. | | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 6402 | 45 | 42 | 36 | 34 | 115 | 98 | 11 | 61 | 78 | 337 | 34 | 451 | 148 | 276 | 6 |
| V. | | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 3277 | 46 | 53 | 27 | 23 | 94 | 115 | 10 | 39 | 41 | 191 | 25 | 221 | 118 | 180 | 12 |
| VI. | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 4754 | 15 | 16 | 38 | 13 | 56 | 71 | 11 | 51 | 53 | 287 | 37 | 324 | 148 | 207 | 12 |
| 2. ,, ORGANS OF SPECIAL SENSE | 65 | – | – | – | – | 3 | 1 | – | – | 1 | 5 | 1 | 3 | 1 | 2 | – |
| 3. ,, CIRCULATORY SYSTEM | 3279 | 11 | 17 | 28 | 22 | 51 | 46 | 8 | 27 | 43 | 205 | 37 | 246 | 133 | 169 | 5 |
| 4. ,, RESPIRATORY SYSTEM | 9209 | 18 | 30 | 52 | 18 | 110 | 125 | 13 | 70 | 72 | 498 | 62 | 617 | 222 | 350 | 8 |
| 5. ,, DIGESTIVE SYSTEM | 2684 | 11 | 14 | 25 | 9 | 36 | 41 | 11 | 28 | 30 | 224 | 18 | 168 | 74 | 118 | 4 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 29 | – | – | – | – | 1 | – | – | – | 1 | 2 | – | 2 | 1 | – | – |
| 7. ,, URINARY SYSTEM | 1161 | 5 | 13 | 14 | 3 | 24 | 26 | 1 | 26 | 12 | 86 | 10 | 62 | 40 | 48 | 2 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 18 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 | 1 | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 258 | 1 | 2 | 3 | – | 3 | 2 | – | – | 6 | 13 | 1 | 20 | 7 | 7 | – |
| 10. ,, INTEGUMENTARY SYSTEM | 102 | – | 1 | 1 | – | 2 | 1 | – | – | – | 14 | 2 | 7 | 3 | 2 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES.

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES - - - - | 42451 | 291 | 279 | 360 | 191 | 696 | 867 | 83 | 399 | 512 | 2501 | 261 | 3198 | 1282 | 1897 | 73 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 6429 | 52 | 22 | 57 | 20 | 89 | 116 | 7 | 42 | 74 | 314 | 43 | 368 | 154 | 239 | 7 |
| II. PARASITIC DISEASES - | 12 | - | - | - | - | - | - | - | - | 1 | - | - | 3 | - | - | - |
| III. DIETETIC ,, - | 107 | - | - | - | 1 | - | 1 | 1 | 2 | - | 5 | - | 6 | 4 | 3 | - |
| IV. CONSTITUTIONAL ,, - | 7399 | 42 | 57 | 65 | 34 | 111 | 118 | 8 | 67 | 102 | 445 | 54 | 607 | 203 | 335 | 9 |
| V. DEVELOPMENTAL ,, - | 4179 | 79 | 69 | 39 | 52 | 142 | 157 | 12 | 41 | 49 | 275 | 23 | 284 | 173 | 241 | 12 |
| VI. LOCAL ,, - | 21771 | 100 | 112 | 172 | 65 | 291 | 366 | 47 | 220 | 255 | 1314 | 129 | 1742 | 673 | 987 | 41 |
| VII. VIOLENCE - - - - | 790 | 1 | 4 | 9 | 3 | 8 | 10 | 4 | 12 | 10 | 43 | 4 | 72 | 27 | 31 | - |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 1764 | 17 | 15 | 18 | 16 | 55 | 99 | 4 | 15 | 21 | 105 | 8 | 116 | 48 | 61 | 4 |
| I. | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - - | 4784 | 48 | 18 | 44 | 16 | 75 | 93 | 7 | 28 | 47 | 214 | 34 | 273 | 93 | 181 | 6 |
| 2. DIARRHŒAL ,, - - - | 931 | - | 2 | 8 | 2 | 8 | 4 | - | 2 | 17 | 43 | 4 | 61 | 30 | 34 | 1 |
| 3. MALARIAL ,, - - - | 7 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 4. ZOOGENOUS ,, - - - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL ,, - - - | 83 | - | 1 | - | - | 1 | - | - | - | 1 | 13 | 1 | 6 | 5 | 3 | - |
| 6. SEPTIC ,, - - - | 622 | 4 | 1 | 5 | 2 | 5 | 19 | - | 12 | 9 | 43 | 4 | 28 | 26 | 21 | - |
| II. PARASITIC DISEASES - - | 12 | - | - | - | - | - | - | - | - | 1 | - | - | 3 | - | - | - |
| III. DIETETIC DISEASES - - - | 107 | - | - | - | 1 | - | 1 | 1 | 2 | - | 5 | - | 6 | 4 | 3 | - |
| IV. CONSTITUTIONAL DISEASES - - | 7399 | 42 | 57 | 65 | 34 | 111 | 118 | 8 | 67 | 102 | 445 | 54 | 607 | 203 | 335 | 9 |
| V. DEVELOPMENTAL DISEASES - - | 4179 | 79 | 69 | 39 | 52 | 142 | 157 | 12 | 41 | 49 | 275 | 23 | 284 | 173 | 241 | 12 |
| VI. | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 4728 | 22 | 24 | 37 | 15 | 60 | 97 | 6 | 46 | 70 | 283 | 27 | 410 | 151 | 220 | 6 |
| 2. ,, ORGANS OF SPECIAL SENSE - - - | 46 | - | - | - | - | - | 1 | - | - | - | 4 | - | 4 | 2 | 1 | - |
| 3. ,, CIRCULATORY SYSTEM - | 3685 | 15 | 26 | 44 | 13 | 58 | 61 | 8 | 40 | 33 | 216 | 27 | 319 | 168 | 202 | 8 |
| 4. ,, RESPIRATORY SYSTEM - | 8695 | 31 | 34 | 54 | 23 | 105 | 137 | 25 | 86 | 89 | 490 | 48 | 688 | 222 | 345 | 14 |
| 5. ,, DIGESTIVE SYSTEM - | 2886 | 19 | 17 | 23 | 10 | 43 | 37 | 6 | 32 | 41 | 199 | 21 | 189 | 83 | 144 | 10 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - - | 54 | - | - | - | - | - | - | - | 1 | 1 | 5 | - | 3 | 1 | 4 | - |
| 7. ,, URINARY SYSTEM - - | 784 | 9 | 9 | 3 | 2 | 8 | 12 | 1 | 5 | 10 | 60 | 3 | 64 | 22 | 43 | 1 |
| 8. REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION - | 212 | 1 | 1 | 2 | 1 | 5 | 4 | - | 3 | 2 | 16 | - | 12 | 10 | 6 | 1 |
| (*b*) DISEASES OF PARTURITION - - - | 340 | 2 | - | 5 | 1 | 5 | 7 | - | 3 | 5 | 19 | - | 27 | 7 | 11 | 1 |
| 9. ,, ORGANS OF LOCOMOTION - - - | 205 | 1 | - | 1 | - | 3 | 3 | - | 1 | 3 | 12 | 2 | 23 | 4 | 8 | - |
| 10. ,, INTEGUMENTARY SYSTEM - - - | 136 | - | 1 | 3 | - | 4 | 7 | 1 | 3 | 1 | 10 | 1 | 3 | 3 | 3 | |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 223 | 1316 | 1 | 724 | 215 | 2815 | 2321 | 12859 | 568 | 4610 | 322 | 310 | 132 | 238 | 462 | 766 | 3411 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 21 | 174 | 162 | 76 | 21 | 510 | 332 | 1851 | 91 | 600 | 34 | 50 | 12 | 31 | 68 | 92 | 499 |
| II. PARASITIC DISEASES | – | – | – | – | – | 1 | – | 3 | 1 | 1 | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | 7 | 9 | 4 | 1 | 21 | 14 | 70 | 3 | 27 | 3 | 2 | 1 | – | 2 | 9 | – |
| IV. CONSTITUTIONAL ,, | 34 | 182 | 150 | 118 | 35 | 436 | 360 | 1945 | 77 | 838 | 46 | 41 | 23 | 46 | 65 | 125 | 62 |
| V. DEVELOPMENTAL ,, | 15 | 90 | 71 | 110 | 22 | 195 | 187 | 779 | 51 | 312 | 21 | 31 | 8 | 20 | 38 | 67 | 28 |
| VI. LOCAL ,, | 123 | 705 | 531 | 323 | 121 | 1428 | 1199 | 6920 | 275 | 2452 | 184 | 153 | 78 | 119 | 254 | 404 | 1731 |
| VII. VIOLENCE | 11 | 77 | 86 | 57 | 12 | 123 | 114 | 652 | 36 | 245 | 16 | 22 | 9 | 11 | 19 | 34 | 151 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 19 | 81 | 47 | 36 | 3 | 101 | 115 | 639 | 34 | 135 | 18 | 11 | 1 | 11 | 16 | 35 | 141 |
| I. | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 14 | 140 | 129 | 63 | 17 | 415 | 287 | 1463 | 70 | 474 | 22 | 36 | 12 | 27 | 53 | 72 | 361 |
| 2. DIARRHŒAL ,, | 6 | 22 | 24 | 10 | 4 | 65 | 80 | 263 | 16 | 70 | 8 | 12 | – | 3 | 7 | 11 | 91 |
| 3. MALARIAL ,, | – | 2 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 1 | 2 | 2 | – | – | 14 | 4 | 40 | 3 | 31 | – | 1 | – | – | 3 | 2 | 4 |
| 6. SEPTIC ,, | – | 8 | 7 | 2 | – | 16 | 11 | 83 | 1 | 24 | 4 | 1 | – | 1 | 5 | 7 | 2 |
| II. PARASITIC DISEASES | – | – | – | – | – | 1 | – | 3 | 1 | 1 | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | 7 | 9 | 4 | 1 | 21 | 14 | 70 | 3 | 27 | 3 | 2 | 1 | – | 2 | 9 | – |
| IV. CONSTITUTIONAL DISEASES | 34 | 182 | 150 | 118 | 35 | 436 | 360 | 1945 | 77 | 838 | 46 | 41 | 23 | 46 | 65 | 125 | 62 |
| V. DEVELOPMENTAL DISEASES | 15 | 90 | 71 | 110 | 22 | 195 | 187 | 779 | 51 | 312 | 21 | 31 | 8 | 20 | 38 | 67 | 28 |
| VI. | | | | | | | | | | | | | | | | | |
| 1. DISEASES of NERVOUS SYSTEM | 37 | 162 | 135 | 71 | 22 | 360 | 252 | 1436 | 48 | 588 | 39 | 31 | 24 | 27 | 60 | 103 | 36 |
| 2. ,, ORGANS of SPECIAL SENSE | – | 5 | – | 1 | 1 | 2 | 3 | 20 | 2 | 13 | – | – | 1 | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 18 | 96 | 65 | 66 | 25 | 182 | 192 | 814 | 31 | 406 | 41 | 46 | 14 | 25 | 59 | 82 | 44 |
| 4. ,, RESPIRATORY SYSTEM | 45 | 294 | 225 | 112 | 54 | 610 | 490 | 3423 | 128 | 1080 | 75 | 45 | 23 | 41 | 97 | 138 | 61 |
| 5. ,, DIGESTIVE SYSTEM | 15 | 110 | 75 | 47 | 9 | 177 | 160 | 808 | 46 | 262 | 16 | 17 | 12 | 10 | 23 | 47 | 16 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | 1 | – | – | 5 | 1 | 8 | 1 | 4 | 1 | – | – | – | – | 1 | – |
| 7 ,, URINARY SYSTEM | 4 | 29 | 19 | 21 | 7 | 70 | 82 | 301 | 12 | 145 | 10 | 11 | 2 | 14 | 10 | 23 | 13 |
| 8 ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | |
| (*a*) DISEASES of ORGANS of GENERATION | 1 | – | 1 | – | – | 2 | 1 | 4 | – | 3 | – | – | – | – | – | 1 | – |
| (*b*) DISEASES of PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS of LOCOMOTION | 2 | 8 | 8 | 2 | 2 | 17 | 13 | 81 | 4 | 38 | 1 | 1 | 2 | 1 | 3 | 6 | 1 |
| 10. ,, INTEGUMENTARY SYSTEM | 1 | 1 | 2 | 3 | 1 | 3 | 5 | 25 | 3 | 13 | 1 | 2 | – | 1 | 2 | 3 | 2 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 242 | 1229 | 957 | 743 | 202 | 2818 | 2293 | 12667 | 472 | 4736 | 350 | 307 | 135 | 250 | 550 | 827 | 386 | 397 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 33 | 180 | 163 | 103 | 25 | 532 | 392 | 2171 | 83 | 682 | 49 | 58 | 23 | 50 | 79 | 94 | 58 | 55 |
| II. PARASITIC DISEASES | – | 1 | – | – | – | 1 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | 4 | 4 | 4 | – | 8 | 4 | 31 | 1 | 16 | 1 | 2 | – | – | 2 | 3 | 1 | 3 |
| IV. CONSTITUTIONAL ,, | 50 | 194 | 180 | 122 | 37 | 504 | 396 | 2163 | 73 | 845 | 56 | 42 | 27 | 46 | 88 | 161 | 80 | 78 |
| V. DEVELOPMENTAL ,, | 18 | 142 | 84 | 133 | 20 | 239 | 215 | 913 | 46 | 420 | 30 | 34 | 17 | 22 | 36 | 75 | 31 | 56 |
| VI. LOCAL ,, | 126 | 620 | 463 | 326 | 107 | 1372 | 1148 | 6[illegible] | 227 | 2578 | 199 | 157 | 65 | 124 | 322 | 449 | 202 | 190 |
| VII. VIOLENCE | 5 | 22 | 19 | 12 | 8 | 54 | 44 | 240 | 13 | 93 | 5 | 4 | – | 3 | 5 | 18 | 4 | 3 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 10 | 66 | 44 | 43 | 5 | 108 | 93 | 565 | 28 | 100 | 10 | 10 | 3 | 5 | 18 | 27 | 15 | 12 |
| I. | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 19 | 145 | 109 | 78 | 20 | 415 | 269 | 1637 | 54 | 519 | 33 | 50 | 16 | 39 | 51 | 78 | 37 | 43 |
| 2. DIARRHŒAL ,, | 12 | 22 | 34 | 16 | 2 | 76 | 75 | 299 | 15 | 103 | 7 | 6 | 3 | 5 | 15 | 11 | 7 | 7 |
| 3. MALARIAL ,, | – | 1 | – | – | – | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | 1 | 6 | 2 | 24 | 1 | 12 | 1 | – | 1 | – | 1 | 1 | 1 | 1 |
| 6. SEPTIC ,, | 2 | 12 | 20 | 9 | 2 | 34 | 45 | 206 | 13 | 48 | 8 | 2 | 3 | 6 | 12 | 9 | 8 | 4 |
| II. PARASITIC DISEASES | – | 1 | – | – | – | 1 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | 4 | 4 | 4 | – | 8 | 4 | 31 | 1 | 16 | 1 | 2 | – | – | 2 | 3 | 1 | 3 |
| IV. CONSTITUTIONAL DISEASES | 50 | 194 | 180 | 122 | 37 | 504 | 396 | 2163 | 73 | 845 | 56 | 42 | 27 | 46 | 88 | 161 | 80 | 78 |
| V. DEVELOPMENTAL DISEASES | 18 | 142 | 84 | 133 | 20 | 239 | 215 | 913 | 46 | 420 | 30 | 34 | 17 | 22 | 36 | 75 | 31 | 56 |
| VI. | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 27 | 138 | 92 | 82 | 23 | 828 | 237 | 1351 | 47 | 540 | 37 | 33 | 19 | 33 | 84 | 91 | 46 | 46 |
| 2. ,, ORGANS OF SPECIAL SENSE | 1 | – | 3 | 1 | 1 | 3 | 2 | 13 | 1 | 8 | – | 1 | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 23 | 109 | 65 | 70 | 22 | 197 | 223 | 862 | 39 | 467 | 46 | 42 | 13 | 16 | 62 | 95 | 49 | 47 |
| 4. ,, RESPIRATORY SYSTEM | 51 | 235 | 201 | 113 | 32 | 543 | 428 | 3001 | 87 | 1012 | 74 | 54 | 25 | 48 | 102 | 167 | 68 | 63 |
| 5. ,, DIGESTIVE SYSTEM | 16 | 103 | 68 | 39 | 19 | 205 | 151 | 847 | 35 | 332 | 32 | 11 | 6 | 12 | 46 | 54 | 20 | 16 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | 3 | 2 | 1 | 1 | 4 | 14 | 1 | 9 | – | 1 | 1 | – | – | 1 | 1 | – |
| 7. ,, URINARY SYSTEM | 4 | 16 | 9 | 12 | 4 | 42 | 54 | 220 | 7 | 92 | 4 | 7 | 1 | 8 | 10 | 20 | 12 | 10 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 2 | 5 | 1 | 2 | – | 8 | 10 | 65 | 2 | 34 | – | 2 | – | 1 | 6 | 5 | 2 | 3 |
| (*b*) DISEASES OF PARTURITION | 2 | 5 | 9 | 1 | 2 | 20 | 18 | 130 | 2 | 31 | 1 | 3 | – | 2 | 8 | 7 | 2 | 4 |
| 9. ,, ORGANS OF LOCOMOTION | – | 5 | 6 | – | 1 | 15 | 11 | 53 | 2 | 32 | 3 | 3 | – | 2 | 3 | 5 | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | 4 | 6 | 4 | 2 | 10 | 7 | 26 | 4 | 21 | 2 | – | – | 2 | 1 | 4 | 2 | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 1973 | 24 | 6 | 16 | 9 | 35 | 28 | 4 | 21 | 25 | 96 | 13 | 114 | 80 | 78 | 5 |
| 2. HOMICIDE | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 168 | – | 2 | 1 | 1 | 1 | 4 | – | 1 | 3 | 6 | 2 | 12 | 7 | 10 | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1902 | 18 | 15 | 14 | 11 | 52 | 80 | 6 | 24 | 20 | 100 | 12 | 121 | 38 | 62 | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 4 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Measles | 904 | – | 4 | 2 | – | 6 | 21 | 2 | 2 | 4 | 3 | – | 2 | 10 | 9 | – |
| Epidemic Rose Rash | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Scarlet Fever | 358 | – | – | 4 | – | 3 | 2 | – | 3 | 1 | 27 | 3 | 7 | 6 | 9 | – |
| Typhus | 54 | – | – | – | – | 1 | 1 | – | – | – | – | – | 5 | 2 | – | – |
| Relapsing Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1118 | 8 | 9 | 4 | 5 | 12 | 32 | 1 | 12 | 15 | 90 | 20 | 79 | 43 | 68 | 5 |
| Hooping-cough | 1094 | 18 | – | 25 | – | 30 | 14 | – | 3 | 2 | 47 | 9 | 93 | 10 | 53 | 1 |
| Mumps | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 364 | – | – | – | – | – | 9 | – | 6 | 3 | 24 | 2 | 20 | 14 | 8 | – |
| Cerebro-spinal Fever | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 430 | 2 | – | 3 | – | – | 6 | 1 | 5 | 8 | 26 | – | 21 | 9 | 20 | – |
| Other Miasmatic Diseases | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | |
| Simple Cholera | 36 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diarrhœa, Dysentery | 805 | – | 3 | 4 | 2 | 9 | 6 | 3 | 5 | 11 | 39 | 10 | 68 | 28 | 33 | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | |
| Remittent Fever | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ague | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | |
| Syphilis | 131 | – | – | – | – | 4 | – | – | – | – | 9 | 2 | 14 | 6 | 3 | 1 |
| Gonorrhœa, Stricture of Urethra | 21 | 1 | – | – | – | – | – | – | – | – | 4 | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 179 | 2 | 2 | – | 1 | 1 | 2 | 1 | 3 | 2 | 16 | 2 | 15 | 2 | 4 | – |
| Pyæmia, Septicæmia | 64 | 1 | 1 | 1 | – | 2 | 1 | – | 2 | – | 2 | – | 8 | – | 1 | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincar | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 697 | – | 2 | 9 | 3 | 6 | 9 | 4 | 10 | 9 | 38 | 2 | 64 | 25 | 25 | – |
| 2. Homicide | 18 | – | – | – | – | – | – | – | 1 | – | – | 1 | 2 | – | – | – |
| 3. Suicide | 75 | 1 | 2 | – | – | 2 | 1 | – | 1 | 1 | 5 | 1 | 6 | 2 | 6 | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 1764 | 17 | 15 | 18 | 16 | 55 | 99 | 4 | 15 | 21 | 105 | 8 | 116 | 48 | 61 | 4 |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 4 | – | – | – | – | – | – | – | – | – | 4 | – | 1 | – | – | – |
| Measles | 571 | – | 10 | 4 | 7 | 5 | 17 | 2 | – | 8 | 4 | – | 3 | 5 | 10 | – |
| Epidemic Rose Rash | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 378 | – | 3 | 1 | – | 3 | 3 | – | 4 | – | 22 | 2 | 8 | 5 | 10 | – |
| Typhus | 53 | – | – | – | – | 1 | 5 | – | – | – | – | – | 4 | – | – | – |
| Relapsing Fever | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1269 | 21 | 5 | 5 | 7 | 12 | 16 | 1 | 15 | 18 | 94 | 14 | 103 | 13 | 66 | 5 |
| Hooping-cough | 1343 | 21 | – | 28 | 1 | 44 | 11 | 4 | 4 | 2 | 40 | 8 | 111 | 8 | 58 | – |
| Mumps | 9 | – | – | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – |
| Diphtheria | 466 | 3 | – | 1 | – | 1 | 9 | – | 2 | 2 | 32 | 6 | 21 | 15 | 22 | 1 |
| Cerebro-spinal Fever | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Simple and Ill-defined Fever | 12 | – | – | – | – | 2 | – | – | – | – | – | – | 1 | 1 | – | – |
| Enteric Fever | 369 | 3 | – | 2 | 1 | 7 | 2 | – | 2 | 7 | 19 | 4 | 21 | 6 | 15 | – |
| Other Miasmatic Diseases | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | | |
| Simple Cholera | 24 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – |
| Diarrhœa, Dysentery | 907 | – | 2 | 8 | 2 | 8 | 4 | – | 2 | 17 | 41 | 4 | 60 | 30 | 34 | 1 |
| **Malarial Diseases.** | | | | | | | | | | | | | | | | |
| Remittent Fever | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ague | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | | |
| Syphilis | 83 | – | 1 | – | – | 1 | – | – | – | 1 | 13 | 1 | 6 | 5 | 3 | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | | |
| Phagedæna | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Erysipelas | 147 | – | 1 | – | 1 | 2 | 8 | – | 2 | 2 | 7 | – | 9 | 10 | 3 | – |
| Pyæmia, Septicæmia | 95 | 1 | – | – | – | – | 1 | – | 3 | 3 | 5 | 1 | 3 | 6 | 3 | – |
| Puerperal Fever | 378 | 3 | – | 5 | 1 | 3 | 10 | – | 7 | 4 | 31 | 3 | 16 | 10 | 14 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 11 | 75 | 81 | 55 | 12 | 118 | 104 | 600 | 36 | 212 | 12 | 21 | 9 | 9 | 17 | 30 | 11 | 6 |
| 2. HOMICIDE | – | – | – | – | – | 1 | – | 5 | – | 2 | – | – | – | – | – | – | 1 | – |
| 3. SUICIDE | – | 2 | 5 | 2 | – | 4 | 10 | 47 | – | 31 | 4 | 1 | – | 2 | 2 | 4 | 3 | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 19 | 81 | 47 | 36 | 3 | 101 | 115 | 639 | 34 | 135 | 18 | 11 | 1 | 11 | 16 | 35 | 14 | 13 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 29 | 37 | 11 | 2 | 187 | 45 | 416 | 13 | 66 | 1 | 10 | 1 | 2 | 2 | 9 | 3 | 5 |
| Epidemic Rose Rash | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 3 | 6 | 10 | – | 1 | 32 | 16 | 162 | 2 | 45 | – | 3 | – | 1 | – | 9 | 3 | – |
| Typhus | – | 1 | 3 | 4 | – | 11 | 6 | 11 | – | 5 | – | – | – | – | – | 1 | – | 3 |
| Relapsing Fever | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Influenza | 8 | 40 | 26 | 32 | 7 | 47 | 60 | 185 | 24 | 149 | 14 | 13 | 10 | 11 | 29 | 31 | 17 | 12 |
| Hooping-cough | 2 | 30 | 28 | 12 | 1 | 74 | 51 | 389 | 13 | 130 | 3 | 7 | 1 | 7 | 11 | 13 | 7 | 10 |
| Mumps | – | – | – | – | – | 2 | – | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Diphtheria | – | 12 | 12 | 2 | 3 | 31 | 31 | 125 | 6 | 35 | – | 1 | – | 3 | 4 | 3 | 3 | 7 |
| Cerebro-spinal Fever | – | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | 1 | 1 | – | – | – | 1 | 4 | – | 1 | – | – | – | – | – | 2 | – | – |
| Enteric Fever | 1 | 21 | 12 | 2 | 2 | 29 | 24 | 162 | 12 | 41 | 4 | 2 | – | 3 | 7 | 4 | 3 | – |
| Other Miasmatic Diseases | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Simple Cholera | – | 1 | 3 | – | 2 | 1 | 4 | 15 | 1 | 5 | 2 | – | – | – | – | 1 | – | – |
| Diarrhœa, Dysentery | 6 | 21 | 21 | 10 | 2 | 64 | 76 | 248 | 15 | 65 | 6 | 12 | – | 3 | 7 | 10 | 9 | 7 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Syphilis | 1 | 2 | 1 | – | – | 11 | 4 | 38 | 3 | 22 | – | 1 | – | – | 3 | 1 | 4 | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | 1 | – | – | 3 | – | 2 | – | 9 | – | – | – | – | – | 1 | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 4 | 6 | 2 | – | 13 | 6 | 67 | – | 15 | 2 | 1 | – | 1 | 4 | 4 | – | 1 |
| Pyæmia, Septicæmia | – | 4 | 1 | – | – | 3 | 5 | 16 | 1 | 9 | 2 | – | – | – | 1 | 3 | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcud-bright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 5 | 20 | 18 | 12 | 8 | 47 | 40 | 215 | 9 | 82 | 4 | 4 | – | 2 | 5 | 14 | 4 | 2 |
| 2. HOMICIDE | – | – | – | – | – | 1 | – | 8 | 1 | 4 | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | 2 | 1 | – | – | 6 | 4 | 17 | 3 | 7 | 1 | – | – | 1 | – | 4 | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 10 | 66 | 44 | 43 | 5 | 108 | 93 | 565 | 28 | 100 | 10 | 10 | 3 | 5 | 18 | 27 | 15 | 12 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Measles | – | 40 | 20 | 10 | 6 | 167 | 47 | 417 | 5 | 49 | 1 | 13 | – | 2 | 1 | 10 | 2 | 6 |
| Epidemic Rose Rash | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Scarlet Fever | 4 | 8 | 8 | 2 | 1 | 36 | 10 | 200 | 1 | 29 | 3 | 3 | 1 | 4 | 1 | 5 | – | 1 |
| Typhus | – | – | 1 | – | – | 7 | 4 | 25 | – | 3 | – | – | – | – | – | – | – | 3 |
| Relapsing Fever | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Influenza | 4 | 31 | 25 | 43 | 9 | 48 | 71 | 203 | 24 | 206 | 16 | 19 | 9 | 13 | 30 | 32 | 11 | 20 |
| Hooping-cough | 5 | 38 | 30 | 13 | 2 | 110 | 63 | 484 | 10 | 136 | 10 | 9 | 4 | 16 | 11 | 16 | 17 | 9 |
| Mumps | – | – | – | – | – | 2 | – | 2 | – | 1 | – | – | – | – | 1 | – | – | – |
| Diphtheria | 2 | 18 | 17 | 5 | 1 | 26 | 39 | 164 | 7 | 55 | 1 | 1 | 1 | 1 | 1 | 5 | 4 | 3 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | 1 | – | – | – | – | 3 | 2 | – | – | – | – | – | – | – | – | 2 | – |
| Enteric Fever | 3 | 9 | 8 | 5 | 1 | 19 | 32 | 135 | 7 | 39 | 2 | 5 | 1 | 3 | 6 | 4 | 1 | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Simple Cholera | – | 1 | – | – | – | – | 1 | 15 | – | 3 | 1 | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 12 | 21 | 34 | 16 | 2 | 76 | 74 | 284 | 15 | 100 | 6 | 6 | 3 | 5 | 15 | 11 | 7 | 7 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Ague | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | 1 | 6 | 2 | 24 | 1 | 12 | 1 | – | 1 | – | 1 | 1 | 1 | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | 5 | 3 | 1 | 9 | 15 | 43 | 1 | 11 | 2 | – | 1 | 3 | 4 | – | – | 2 |
| Pyæmia, Septicæmia | – | 2 | 4 | 2 | 1 | 4 | 6 | 29 | 1 | 9 | 2 | 1 | 1 | – | 4 | 2 | – | 1 |
| Puerperal Fever | 1 | 9 | 11 | 4 | – | 21 | 23 | 134 | 11 | 28 | 4 | 1 | 1 | 3 | 4 | 7 | 8 | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | |
| Thrush | 13 | – | – | – | – | – | – | – | – | – | 5 | – | 2 | – | 1 | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 45 | – | – | – | 1 | – | – | – | 2 | – | 3 | – | 2 | – | 1 | – |
| Scurvy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 131 | 1 | – | – | 1 | – | – | – | – | 1 | 4 | – | 4 | 7 | 7 | 1 |
| Intemp. Delirium Tremens | 39 | – | – | – | – | – | – | – | – | – | – | – | 2 | 4 | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 101 | – | 2 | 2 | 2 | 1 | 2 | – | 2 | 2 | 4 | 1 | 4 | 3 | 7 | – |
| Rheumatism | 91 | – | 2 | 2 | 1 | 6 | 3 | – | – | 1 | 4 | – | 5 | 3 | 5 | – |
| Gout | 16 | – | – | 1 | – | – | – | – | – | 1 | 1 | – | 1 | – | 1 | – |
| Rickets | 25 | – | – | – | – | 1 | – | – | – | – | – | – | 2 | – | 3 | – |
| Cancer | 1010 | 5 | 6 | 6 | 6 | 25 | 29 | 2 | 11 | 16 | 64 | 10 | 78 | 37 | 53 | 3 |
| Tabes Mesenterica | 447 | 3 | 2 | – | 1 | 3 | 3 | – | 2 | 1 | 23 | 1 | 34 | 8 | 17 | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 679 | 3 | 2 | 3 | – | 6 | 5 | – | 7 | 5 | 35 | 3 | 42 | 8 | 28 | – |
| Phthisis | 3501 | 31 | 24 | 20 | 21 | 69 | 52 | 9 | 34 | 43 | 172 | 16 | 246 | 77 | 140 | 3 |
| Other forms of Tuberculosis, Scrofula | 371 | 2 | 2 | 1 | 3 | 3 | 3 | – | 4 | 8 | 24 | 2 | 20 | 8 | 13 | – |
| Purpura, Hæmorrhagic Diathesis | 23 | – | 1 | – | – | – | – | – | 1 | – | 4 | – | 3 | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 89 | 1 | – | 1 | – | – | – | – | – | 1 | 4 | 1 | 11 | 2 | 8 | – |
| Diabetes Mellitus | 45 | – | 1 | – | – | 1 | 1 | – | – | – | 2 | – | 5 | 2 | 1 | – |
| Other Constitutional Diseases | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | |
| Premature Birth | 127 | – | 8 | 4 | – | 5 | 13 | 3 | 10 | 12 | 62 | 5 | 93 | 22 | 56 | 1 |
| Atelectasis | 79 | – | – | – | – | – | 1 | – | – | – | 6 | – | 12 | 3 | 6 | – |
| Cyanosis | 40 | – | – | – | – | 1 | – | – | – | – | 3 | – | 2 | – | 4 | – |
| Spina Bifida | 53 | – | – | – | 1 | – | – | – | 1 | – | 2 | – | 2 | 1 | 7 | 1 |
| Imperforate Anus | 8 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – | – | – |
| Cleft Palate, Harelip | 10 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Other Congenital Defects | 82 | 1 | – | – | – | – | – | – | – | – | 7 | 1 | 6 | 2 | 3 | – |
| Old Age | 1878 | 45 | 45 | 23 | 22 | 88 | 101 | 7 | 28 | 29 | 110 | 19 | 104 | 89 | 103 | 10 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 864 | 1 | 3 | 3 | 1 | 3 | 10 | 2 | 8 | 5 | 48 | 3 | 58 | 11 | 40 | 2 |
| Apoplexy | 1309 | 4 | 4 | 11 | 5 | 16 | 13 | 2 | 20 | 13 | 80 | 11 | 92 | 53 | 65 | 6 |
| Softening of the Brain | 165 | – | – | 3 | – | 1 | 2 | – | – | 3 | 6 | 4 | 22 | 8 | 9 | – |
| Hemiplegia, Brain Paralysis | 751 | 5 | 6 | 9 | 3 | 11 | 12 | 4 | 11 | 10 | 43 | 3 | 44 | 22 | 29 | – |
| Paralysis Agitans | 24 | – | – | – | – | – | 3 | – | – | – | – | – | 2 | 1 | 1 | – |
| Insanity, General Paralysis of Insane | 131 | – | – | – | – | – | 9 | – | 1 | 1 | 3 | 1 | 14 | 4 | 7 | – |
| Chorea | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Epilepsy | 171 | 1 | 1 | 1 | 1 | 2 | 2 | – | 1 | 3 | 9 | 1 | 12 | 12 | 5 | 1 |
| Convulsions | 593 | – | – | 3 | 1 | 13 | 8 | – | 4 | 12 | 55 | 7 | 41 | 11 | 21 | – |
| Laryngismus Stridulus | 31 | – | – | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – |
| Idiopathic Tetanus | 20 | – | – | – | – | 3 | 1 | – | – | – | 2 | – | 1 | – | 1 | – |
| Paraplegia, Diseases of Spinal Cord | 192 | 2 | 1 | 3 | 1 | 5 | 4 | – | 1 | 2 | 14 | 2 | 10 | 9 | 13 | 1 |
| Other Diseases of Nervous System | 490 | 2 | 1 | 5 | 1 | 2 | 7 | 3 | 5 | 4 | 25 | 5 | 25 | 17 | 16 | 2 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 54 | – | – | – | – | 3 | 1 | – | – | 1 | 4 | 1 | 3 | 1 | 2 | – |
| Epistaxis and Disease of Nose | 9 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | |
| Thrush | 11 | – | – | – | – | – | – | – | – | 1 | – | – | 3 | – | – | – |
| Other Dis. from Vegetable Parasites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 32 | – | – | – | 1 | – | 1 | – | 2 | – | 5 | – | 2 | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 62 | – | – | – | – | – | – | – | – | – | – | – | 3 | 4 | 2 | – |
| Intemp. { Delirium Tremens | 13 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 125 | 1 | 1 | 5 | – | – | – | – | – | 1 | 8 | – | 6 | 1 | 1 | – |
| Rheumatism | 141 | 2 | 1 | 5 | 2 | 16 | 10 | – | 1 | 2 | 4 | – | 7 | 8 | 9 | – |
| Gout | 12 | – | 1 | – | 1 | – | – | – | 1 | 1 | 1 | – | – | 1 | 1 | – |
| Rickets | 24 | – | – | – | – | – | – | – | – | – | 5 | – | 2 | – | – | – |
| Cancer | 1693 | 4 | 17 | 17 | 13 | 33 | 41 | 5 | 23 | 33 | 116 | 21 | 155 | 55 | 81 | 3 |
| Tabes Mesenterica | 411 | – | 3 | 2 | – | 4 | 2 | – | 1 | 2 | 22 | 1 | 38 | 13 | 14 | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 563 | 2 | 3 | 1 | 1 | 4 | 7 | – | 1 | 10 | 31 | 2 | 43 | 10 | 27 | – |
| Phthisis | 3860 | 33 | 27 | 33 | 16 | 45 | 55 | 3 | 33 | 42 | 216 | 22 | 320 | 92 | 168 | 6 |
| Other forms of Tuberculosis, Scrofula | 309 | – | 2 | 2 | 1 | 2 | – | – | 3 | 9 | 23 | 4 | 18 | 8 | 14 | – |
| Purpura, Hæmorrhagic Diathesis | 22 | – | – | – | – | 2 | – | – | – | – | – | – | 2 | – | 1 | – |
| Anæmia, Chlorosis, Leucocythæmia | 184 | – | 1 | – | – | 4 | 3 | – | 2 | – | 15 | 4 | 13 | 11 | 17 | – |
| Diabetes Mellitus | 51 | – | 1 | – | – | 1 | – | – | 2 | 2 | 3 | – | 3 | 4 | 2 | – |
| Other Constitutional Diseases | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | |
| Premature Birth | 848 | – | 2 | 1 | 1 | 3 | 3 | 1 | 6 | 8 | 57 | 7 | 101 | 15 | 44 | – |
| Atelectasis | 60 | – | 1 | – | – | 2 | 1 | – | – | – | 8 | – | 3 | 1 | 5 | – |
| Cyanosis | 20 | – | – | – | – | – | – | – | – | – | 3 | – | 2 | – | 2 | – |
| Spina Bifida | 65 | – | – | – | – | 1 | – | – | – | 1 | 2 | – | 7 | 2 | 2 | – |
| Imperforate Anus | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Hare-lip | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 49 | – | 1 | 1 | 1 | – | – | – | – | 1 | 2 | – | 6 | – | 1 | – |
| Old Age | 3128 | 79 | 65 | 37 | 50 | 136 | 153 | 11 | 35 | 39 | 203 | 16 | 165 | 155 | 187 | 12 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 820 | 2 | 2 | 1 | 1 | 3 | 14 | – | 11 | 13 | 30 | 2 | 57 | 15 | 40 | 1 |
| Apoplexy | 1473 | 6 | 7 | 18 | 5 | 17 | 25 | 5 | 13 | 13 | 78 | 10 | 149 | 56 | 77 | 2 |
| Softening of the Brain | 158 | 1 | – | 2 | – | 3 | 2 | – | 1 | 2 | 9 | – | 20 | 4 | 9 | – |
| Hemiplegia, Brain Paralysis | 943 | 8 | 10 | 8 | 5 | 21 | 18 | 1 | 11 | 22 | 76 | 3 | 73 | 36 | 42 | 1 |
| Paralysis Agitans | 27 | 1 | – | – | 1 | 3 | 2 | – | – | 1 | 2 | – | – | – | 1 | – |
| Insanity, General Paralysis of Insane | 111 | – | 1 | 1 | – | 2 | 15 | – | 1 | 3 | 6 | 1 | 6 | 3 | 1 | – |
| Chorea | 8 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – |
| Epilepsy | 139 | 1 | – | 1 | – | 1 | 2 | – | 2 | 2 | 8 | – | 14 | 5 | 8 | 2 |
| Convulsions | 479 | 1 | 1 | 3 | – | 6 | 13 | – | 4 | 3 | 47 | 5 | 42 | 5 | 16 | – |
| Laryngismus Stridulus | 27 | – | – | 1 | – | – | 1 | – | – | – | 1 | – | 2 | – | – | – |
| Idiopathic Tetanus | 15 | – | – | – | – | – | 2 | – | – | 1 | – | – | 1 | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 130 | – | 1 | 2 | 3 | – | 1 | – | – | 4 | 4 | 1 | 12 | 4 | 8 | – |
| Other Diseases of Nervous System | 398 | 2 | 2 | – | – | 4 | 2 | – | 3 | 6 | 20 | 5 | 33 | 23 | 18 | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 35 | – | – | – | – | – | – | – | – | – | 3 | – | 4 | 1 | 1 | – |
| Epistaxis and Disease of Nose | 6 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 | – | – |
| Ophthalmia and Disease of Eye | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | 1 | 6 | – | – | 4 | 3 | 13 | 1 | 5 | – | – | 1 | – | – | 1 | – | 1 |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Intemp. Chronic Alcoholism | – | 4 | 3 | 4 | 1 | 12 | 7 | 47 | 2 | 16 | 2 | 1 | – | – | 1 | 5 | – | – |
| Intemp. Delirium Tremens | – | 2 | – | – | – | 5 | 4 | 10 | – | 6 | 1 | 1 | – | – | – | 2 | – | 2 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | 4 | 1 | 2 | 1 | 5 | 9 | 27 | 2 | 10 | 3 | 1 | 1 | 1 | – | – | 2 | – |
| Rheumatism | – | 4 | 3 | 6 | – | 12 | 1 | 19 | 1 | 5 | 1 | – | – | – | 2 | 4 | 1 | – |
| Gout | – | 1 | – | 1 | – | – | – | 1 | – | 7 | – | – | – | – | – | 1 | – | – |
| Rickets | – | – | – | – | – | 1 | 1 | 5 | – | 9 | – | – | – | 1 | – | 1 | – | 1 |
| Cancer | 5 | 24 | 21 | 26 | 5 | 72 | 54 | 206 | 17 | 143 | 9 | 6 | 5 | 9 | 15 | 26 | 11 | 5 |
| Tabes Mesenterica | 4 | 24 | 13 | – | 2 | 32 | 22 | 168 | 8 | 52 | 4 | 2 | 1 | 3 | 5 | 5 | 2 | 2 |
| Tubercular Meningitis (Acute Hydrocephalus) | 3 | 16 | 17 | 9 | 2 | 40 | 44 | 237 | 0 | 106 | 3 | 6 | – | 10 | 9 | 12 | 6 | 3 |
| Phthisis | 20 | 95 | 85 | 69 | 19 | 239 | 197 | 1132 | 25 | 429 | 22 | 24 | 12 | 21 | 30 | 60 | 38 | 30 |
| Other forms of Tuberculosis, Scrofula | 1 | 12 | 4 | 1 | 4 | 28 | 20 | 112 | 10 | 53 | 3 | 3 | 1 | 1 | 3 | 10 | 6 | 6 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | 2 | 1 | 6 | 1 | 4 | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | 1 | 5 | 2 | 2 | 1 | 6 | 20 | – | 14 | 1 | – | 1 | – | 1 | 4 | 1 | – |
| Diabetes Mellitus | – | 1 | 1 | 2 | – | 3 | 5 | 11 | 1 | 4 | – | – | 2 | – | – | 2 | – | – |
| Other Constitutional Diseases | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Premature Birth | 3 | 27 | 25 | 10 | 2 | 80 | 82 | 367 | 14 | 136 | 11 | 15 | 2 | 12 | 11 | 15 | 9 | 12 |
| Atelectasis | – | 3 | 2 | – | 1 | 9 | 3 | 17 | 1 | 14 | – | 1 | – | – | – | – | – | – |
| Cyanosis | – | 2 | 2 | – | – | 5 | 5 | 10 | – | 5 | – | – | – | – | – | 1 | – | – |
| Spina Bifida | – | – | – | – | – | 5 | 4 | 15 | 2 | 7 | – | 2 | 1 | – | 2 | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | 5 | – | 3 | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | 1 | 3 | – | 1 | 6 | 6 | 24 | 1 | 13 | – | – | 1 | – | 1 | 1 | 2 | – |
| Old Age | 12 | 57 | 39 | 100 | 18 | 90 | 85 | 339 | 31 | 133 | 10 | 13 | 4 | 8 | 14 | 50 | 17 | 25 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 7 | 33 | 26 | 10 | 3 | 88 | 42 | 342 | 10 | 70 | 2 | 1 | 7 | 7 | 7 | 7 | 2 | 2 |
| Apoplexy | 10 | 39 | 37 | 17 | 9 | 73 | 77 | 368 | 8 | 157 | 11 | 8 | 9 | 3 | 9 | 30 | 15 | 14 |
| Softening of the Brain | – | 8 | 5 | 2 | 1 | 11 | 9 | 36 | – | 21 | 7 | 1 | 1 | – | – | 3 | 2 | – |
| Hemiplegia, Brain Paralysis | 5 | 16 | 25 | 19 | 6 | 56 | 46 | 193 | 9 | 90 | 9 | 11 | 1 | 7 | 6 | 27 | 4 | 9 |
| Paralysis Agitans | – | – | 1 | 2 | – | 2 | 2 | 3 | 1 | 1 | – | – | – | 2 | 1 | 2 | – | – |
| Insanity, General Paralysis of Insane | – | 6 | 12 | 4 | – | 16 | 3 | 20 | – | 21 | 1 | – | – | 1 | 1 | 7 | – | – |
| Chorea | – | – | – | – | – | 1 | – | 4 | 1 | – | – | – | – | – | – | 1 | – | – |
| Epilepsy | 1 | 12 | 4 | 3 | – | 14 | 7 | 38 | 3 | 23 | 1 | 2 | 3 | 1 | 3 | 3 | – | 1 |
| Convulsions | 9 | 18 | 11 | 2 | 1 | 41 | 16 | 212 | 7 | 76 | 4 | 3 | – | 2 | 6 | 6 | 5 | 3 |
| Laryngismus Stridulus | – | – | – | – | – | 6 | 2 | 14 | – | 4 | – | – | 1 | – | – | – | – | – |
| Idiopathic Tetanus | – | – | 1 | – | – | 1 | – | 4 | – | 3 | – | 1 | – | – | – | 1 | – | 1 |
| Paraplegia, Diseases of Spinal Cord | 3 | 8 | 3 | 3 | 1 | 10 | 10 | 39 | 3 | 27 | – | – | 1 | 2 | 3 | 8 | 2 | 1 |
| Other Diseases of Nervous System | 2 | 22 | 10 | 9 | 1 | 41 | 38 | 163 | 6 | 45 | 4 | 4 | 1 | 3 | 4 | 8 | 2 | 3 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | 5 | – | – | 1 | 1 | 3 | 14 | 2 | 12 | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | 1 | – | 1 | – | 4 | – | 1 | – | – | 1 | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | |
| Thrush | – | 1 | – | – | – | – | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – | |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | 1 | 2 | 2 | – | 4 | 3 | 2 | 1 | 3 | 1 | 1 | – | – | – | 1 | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | 2 | 2 | 2 | – | 3 | 1 | 28 | – | 10 | – | – | – | – | 2 | 1 | 1 | 1 |
| Intemp. Delirium Tremens | – | 1 | – | – | – | 1 | – | 1 | – | 3 | – | 1 | – | – | – | 1 | – | 2 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | 1 | 2 | 2 | – | 15 | 10 | 40 | 2 | 27 | – | – | – | – | – | – | – | 2 |
| Rheumatism | 2 | 6 | 4 | 1 | – | 8 | 1 | 25 | 2 | 13 | 2 | 1 | 1 | – | – | 4 | 1 | 3 |
| Gout | – | – | – | – | – | – | – | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | 2 | – | 12 | – | 2 | – | – | – | – | – | 1 | – | – |
| Cancer | 10 | 42 | 30 | 38 | 17 | 90 | 62 | 379 | 10 | 235 | 18 | 14 | 8 | 11 | 21 | 48 | 22 | 21 |
| Tabes Mesenterica | 4 | 21 | 9 | 4 | 1 | 40 | 21 | 139 | 7 | 41 | 6 | – | 1 | 4 | 6 | 3 | 1 | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 6 | 12 | 15 | 4 | 2 | 27 | 37 | 196 | 2 | 84 | 5 | 6 | 2 | 6 | 4 | 5 | 6 | 2 |
| Phthisis | 23 | 99 | 108 | 64 | 16 | 280 | 221 | 1223 | 43 | 389 | 19 | 17 | 13 | 22 | 51 | 80 | 41 | 40 |
| Other forms of Tuberculosis, Scrofula | 2 | 5 | 6 | 6 | – | 27 | 31 | 87 | 1 | 25 | 3 | 2 | – | 2 | 3 | 11 | 6 | 6 |
| Purpura, Hæmorrhagic Diathesis | 1 | 1 | 1 | – | – | 2 | 3 | 4 | 1 | 1 | – | – | 1 | – | 1 | 1 | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | 6 | 5 | 3 | – | 13 | 7 | 42 | 3 | 17 | 2 | 1 | 1 | 1 | 2 | 6 | 3 | 1 |
| Diabetes Mellitus | 1 | 1 | – | – | 1 | – | 2 | 14 | 2 | 8 | – | – | – | – | – | 2 | – | 2 |
| Other Constitutional Diseases | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| Premature Birth | 4 | 15 | 20 | 3 | 1 | 46 | 55 | 282 | 12 | 111 | 7 | 4 | 3 | 5 | 10 | 12 | 4 | 5 |
| Atelectasis | – | – | – | 1 | 1 | 8 | 1 | 10 | – | 17 | – | – | – | – | 1 | – | – | – |
| Cyanosis | – | – | – | – | – | 3 | 2 | 8 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | 3 | 3 | – | – | 8 | 5 | 20 | – | 6 | – | 1 | – | 1 | 1 | 1 | 1 | – |
| Imperforate Anus | – | 1 | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | 1 | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | 1 | – | – |
| Other Congenital Defects | 2 | 2 | 2 | – | – | 1 | 4 | 19 | – | 5 | – | – | – | – | 1 | – | – | – |
| Old Age | 12 | 120 | 59 | 129 | 18 | 173 | 148 | 569 | 34 | 280 | 23 | 29 | 14 | 16 | 23 | 61 | 26 | 51 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | 28 | 18 | 8 | 7 | 80 | 31 | 317 | 15 | 84 | 2 | 5 | 1 | 7 | 10 | 6 | 2 | 6 |
| Apoplexy | 15 | 43 | 26 | 23 | 7 | 82 | 89 | 376 | 15 | 174 | 7 | 13 | 10 | 7 | 34 | 33 | 19 | 19 |
| Softening of the Brain | – | 4 | 2 | 1 | 1 | 10 | 12 | 34 | 2 | 14 | 4 | – | 2 | 2 | 6 | 6 | 3 | 2 |
| Hemiplegia, Brain Paralysis | 5 | 14 | 11 | 24 | 6 | 72 | 32 | 258 | 5 | 99 | 13 | 7 | 1 | 9 | 15 | 15 | 10 | 12 |
| Paralysis Agitans | – | – | – | 1 | – | 3 | 2 | 3 | – | 1 | – | – | – | 1 | 4 | – | 1 | – |
| Insanity, General Paralysis of Insane | 1 | 2 | 8 | 1 | 1 | 5 | 4 | 22 | 1 | 20 | 1 | – | – | – | 1 | 4 | – | – |
| Chorea | – | – | – | 1 | – | – | – | 1 | – | 2 | – | – | – | – | 1 | – | – | – |
| Epilepsy | – | 4 | 6 | 2 | – | 6 | 7 | 28 | 1 | 11 | 2 | 3 | 1 | 1 | 1 | 7 | – | 3 |
| Convulsions | 3 | 19 | 6 | 6 | – | 25 | 14 | 161 | 7 | 67 | 3 | 3 | 1 | 3 | 4 | 6 | 4 | 1 |
| Laryngismus Stridulus | 1 | 1 | – | – | – | 2 | 2 | 13 | – | 3 | – | – | – | – | – | – | – | – |
| Idiopatnic Tetanus | 1 | – | 1 | 1 | – | 1 | 2 | 3 | – | 1 | – | – | – | – | – | 1 | – | – |
| Paraplegia, Diseases of Spinal Cord | – | 5 | – | 3 | – | 9 | 7 | 32 | – | 19 | 3 | – | 2 | 1 | 2 | 4 | 1 | 2 |
| Other Diseases of Nervous System | – | 18 | 14 | 11 | 1 | 33 | 35 | 103 | 1 | 35 | 2 | 2 | 1 | 2 | 6 | 9 | 6 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | 1 | 1 | 1 | 3 | 2 | 9 | 1 | 7 | – | 1 | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | 1 | – | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2707 | 9 | 13 | 16 | 17 | 45 | 41 | 8 | 24 | 37 | 173 | 32 | 203 | 109 | 147 | 3 |
| Pericarditis | 31 | – | 1 | 1 | – | – | – | – | – | – | 2 | – | 1 | 2 | – | – |
| Hypertrophy of Heart | 108 | 2 | – | 1 | 1 | 2 | – | – | 1 | 2 | 8 | 1 | 12 | 6 | 3 | – |
| Angina Pectoris | 55 | – | – | 4 | – | – | – | – | – | 1 | 2 | – | 4 | 1 | 3 | – |
| Syncope | 132 | – | – | 4 | 1 | – | 2 | – | 2 | 2 | 8 | 1 | 9 | 8 | – | 1 |
| Aneurism | 84 | – | – | 2 | – | – | – | – | – | – | 3 | – | 4 | 1 | 5 | 1 |
| Senile Gangrene | 65 | – | – | – | 3 | 3 | 2 | – | – | – | 5 | 1 | 2 | 1 | 5 | – |
| Embolism, Thrombosis | 24 | – | – | – | – | 1 | – | – | – | – | – | – | 2 | – | 1 | – |
| Phlebitis | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Varicose Veins | 8 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Other Diseases of Circulatory System | 58 | – | 3 | – | – | – | 1 | – | – | 1 | 4 | 1 | 7 | 5 | 4 | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Laryngitis | 112 | – | – | – | – | 4 | 1 | – | – | 1 | 17 | 1 | 7 | 2 | 6 | – |
| Croup | 328 | – | 2 | 5 | 1 | 15 | 6 | 1 | 5 | 2 | 27 | 2 | 19 | 8 | 18 | – |
| Other Diseases of Larynx and Trachea | 18 | – | – | 2 | – | – | – | – | – | – | 1 | – | 2 | – | 2 | – |
| Emphysema, Asthma | 126 | 1 | – | – | – | 5 | 4 | – | 1 | – | 6 | – | 9 | 10 | 5 | – |
| Bronchitis | 4398 | 15 | 16 | 31 | 12 | 49 | 53 | 4 | 33 | 38 | 252 | 31 | 348 | 97 | 168 | 4 |
| Pneumonia | 3243 | 1 | 8 | 12 | 3 | 28 | 47 | 8 | 24 | 21 | 141 | 21 | 192 | 73 | 126 | 2 |
| Pleurisy | 264 | 1 | 1 | 1 | 1 | 5 | 10 | – | – | 4 | 17 | 2 | 12 | 11 | 10 | – |
| Other Diseases of Respiratory System | 720 | – | 3 | 1 | 1 | 4 | 4 | – | 7 | 6 | 37 | 5 | 28 | 21 | 15 | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | |
| Stomatitis | 22 | – | – | – | – | – | – | – | 1 | – | – | – | 2 | – | – | – |
| Dentition | 250 | – | – | 1 | 1 | – | – | 1 | 4 | 1 | 17 | 2 | 17 | 4 | 6 | – |
| Sore-throat, Quinsy | 42 | – | – | – | – | – | 2 | – | 1 | – | 4 | – | 1 | 2 | 1 | – |
| Dyspepsia | 63 | – | 1 | 4 | – | 2 | 1 | – | – | – | 4 | – | 2 | 2 | 1 | – |
| Hæmatemesis | 24 | – | – | – | – | – | – | – | 1 | – | 3 | – | 3 | 1 | – | – |
| Melæna | 6 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – |
| Diseases of Stomach | 433 | 3 | 4 | 9 | 1 | 7 | 10 | – | 5 | 4 | 34 | 2 | 21 | 18 | 27 | – |
| Enteritis | 645 | 2 | 2 | 2 | 3 | 4 | 2 | – | 2 | 7 | 49 | 5 | 45 | 11 | 37 | 1 |
| Ulceration of Intestine | 32 | – | 1 | – | – | – | 1 | – | – | 1 | 1 | – | 4 | – | 3 | – |
| Ileus, Obstruction of Intestine | 166 | 3 | 2 | 2 | – | 5 | 3 | 1 | 1 | 1 | 13 | 2 | 17 | 9 | 5 | – |
| Stricture or Strangulation of Intestine | 10 | – | – | – | – | – | – | – | – | – | 4 | 1 | 1 | – | – | – |
| Intussusception of Intestine | 32 | – | – | – | – | 1 | 2 | – | – | – | 4 | – | 2 | – | – | – |
| Hernia | 59 | – | – | – | – | 2 | 4 | – | 1 | 2 | 2 | – | 2 | 3 | 2 | 1 |
| Fistula | 11 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Peritonitis | 318 | 1 | 1 | 1 | 1 | 5 | 5 | 2 | 4 | 7 | 44 | 2 | 12 | 8 | 14 | 1 |
| Ascites | 16 | – | – | – | – | – | – | – | – | – | 2 | – | 2 | – | 1 | – |
| Gallstones | 10 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | 1 | – |
| Cirrhosis of Liver | 112 | – | 2 | 3 | 1 | – | 4 | 1 | 2 | – | 3 | 1 | 10 | 5 | 3 | – |
| Other Diseases of Liver | 331 | 2 | 1 | 2 | 1 | 8 | 5 | 6 | 5 | 7 | 22 | 1 | 10 | 7 | 15 | – |
| Other Diseases of Digestive System | 102 | – | – | 1 | 1 | 2 | 1 | – | 1 | – | 14 | 1 | 16 | 3 | 2 | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Lymphatics | 17 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 9 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Acute Nephritis | 203 | – | 2 | 1 | – | 4 | 5 | – | 3 | 2 | 11 | 1 | 9 | 2 | 5 | – |
| Bright's Disease | 386 | 2 | 5 | 6 | 2 | 4 | 7 | – | 12 | 6 | 28 | 1 | 24 | 9 | 14 | – |
| Uræmia | 68 | – | – | – | – | 1 | 1 | – | 3 | 2 | 5 | – | 5 | 2 | – | – |
| Suppression of Urine | 39 | – | – | – | – | 5 | 2 | – | 1 | – | 3 | 1 | 2 | 1 | 2 | – |
| Calculus | 24 | 1 | – | 2 | – | – | 4 | – | 1 | – | 2 | – | 1 | – | – | – |
| Hæmaturia | 20 | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | 1 | 2 | – |
| Diseases of Bladder and of Prostate | 281 | – | 6 | 3 | 1 | 7 | 4 | 1 | 3 | 2 | 24 | 5 | 17 | 20 | 17 | 1 |
| Other Diseases of Urinary System | 140 | 2 | – | 1 | – | 2 | 2 | – | 3 | – | 13 | 2 | 4 | 5 | 8 | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 3128 | 14 | 19 | 30 | 10 | 53 | 56 | 6 | 35 | 30 | 192 | 22 | 272 | 148 | 184 | 8 |
| Pericarditis | 28 | – | – | – | – | – | – | – | – | – | 1 | – | 3 | 1 | 1 | – |
| Hypertrophy of Heart | 87 | – | – | 2 | 2 | – | 1 | – | 1 | – | 3 | 1 | 12 | 1 | 4 | – |
| Angina Pectoris | 53 | 1 | – | 3 | – | 2 | – | – | – | – | 1 | 1 | 4 | 3 | 1 | – |
| Syncope | 141 | – | – | 2 | – | 2 | 2 | 1 | 1 | 1 | 7 | – | 5 | 8 | 2 | – |
| Aneurism | 31 | – | 4 | – | – | – | 1 | – | – | – | 3 | – | 1 | 1 | 2 | – |
| Senile Gangrene | 98 | – | 1 | 2 | 1 | – | – | 1 | 2 | 2 | 3 | 1 | 11 | 1 | 3 | – |
| Embolism, Thrombosis | 34 | – | – | 1 | – | 1 | – | – | – | – | 2 | – | 3 | – | 3 | – |
| Phlebitis | 12 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Varicose Veins | 8 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Circulatory System | 65 | – | 2 | 3 | – | – | 1 | – | 1 | – | 4 | 2 | 6 | 4 | 1 | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Laryngitis | 103 | – | – | 1 | – | – | 2 | – | 1 | 3 | 11 | 1 | 8 | 3 | 5 | – |
| Croup | 292 | 1 | 2 | 2 | – | 13 | 7 | – | 2 | 1 | 23 | 1 | 8 | 8 | 13 | – |
| Other Diseases of Larynx and Trachea | 8 | – | 1 | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – |
| Emphysema, Asthma | 99 | 2 | 1 | 1 | 2 | 7 | 8 | – | 1 | 2 | 4 | – | 4 | 3 | 6 | – |
| Bronchitis | 4911 | 20 | 20 | 41 | 16 | 56 | 68 | 12 | 46 | 53 | 291 | 27 | 447 | 137 | 195 | 5 |
| Pneumonia | 2399 | 6 | 4 | 8 | 4 | 18 | 34 | 11 | 22 | 24 | 113 | 13 | 170 | 42 | 112 | 6 |
| Pleurisy | 199 | 1 | 1 | – | – | 7 | 9 | – | 4 | 3 | 11 | 1 | 14 | 7 | 5 | 1 |
| Other Diseases of Respiratory System | 684 | 1 | 5 | 1 | 1 | 4 | 9 | 2 | 10 | 3 | 35 | 5 | 36 | 22 | 9 | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | |
| Stomatitis | 26 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | 5 | – | – | – |
| Dentition | 217 | – | – | 3 | 3 | 1 | 1 | 1 | 2 | 1 | 12 | 3 | 10 | 1 | 14 | 1 |
| Sore-throat, Quinsy | 33 | – | 1 | – | – | 2 | 1 | – | – | – | 4 | – | 1 | 3 | – | – |
| Dyspepsia | 82 | 1 | 1 | 3 | – | 5 | 4 | – | – | – | 4 | – | 5 | 1 | 4 | 1 |
| Hæmatemesis | 36 | 1 | – | – | – | – | – | 1 | – | – | 5 | – | 1 | – | – | – |
| Melæna | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Stomach | 504 | 6 | 1 | 5 | 3 | 9 | 6 | 1 | 8 | 7 | 37 | 5 | 24 | 23 | 25 | 2 |
| Enteritis | 574 | 1 | 4 | 2 | 2 | 4 | 5 | – | 5 | 13 | 31 | 5 | 47 | 6 | 30 | 2 |
| Ulceration of Intestine | 27 | – | – | – | – | – | 1 | – | 1 | 1 | 2 | – | 3 | 2 | – | – |
| Ileus, Obstruction of Intestines | 171 | 1 | 3 | 1 | – | 3 | 2 | 1 | 3 | 6 | 18 | 1 | 14 | 6 | 10 | – |
| Stricture or Strangulation of Intestines | 11 | 1 | – | – | – | – | – | – | 1 | – | 1 | – | 2 | – | 1 | – |
| Intussusception of Intestines | 20 | – | 1 | – | – | 1 | – | – | – | – | – | – | 2 | 2 | 2 | – |
| Hernia | 93 | 1 | 2 | 1 | – | 2 | – | – | 4 | 1 | 10 | – | 5 | 2 | 10 | – |
| Fistula | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Peritonitis | 412 | 2 | 2 | 2 | 1 | 5 | 8 | 2 | 1 | 5 | 33 | 5 | 31 | 15 | 16 | 1 |
| Ascites | 26 | – | – | – | – | – | 1 | – | – | 1 | 2 | – | 2 | – | 1 | – |
| Gallstones | 29 | 1 | – | – | – | – | – | – | 1 | – | 1 | – | 1 | 2 | 2 | – |
| Cirrhosis of Liver | 89 | – | 1 | 2 | – | 1 | 5 | – | 2 | – | 7 | 1 | 3 | 3 | 6 | – |
| Other Diseases of Liver | 385 | 3 | 1 | 3 | – | 8 | 2 | – | 2 | 5 | 22 | 1 | 21 | 12 | 20 | 3 |
| Other Diseases of Digestive System | 139 | 1 | – | – | – | 2 | 1 | – | 1 | 1 | 9 | – | 12 | 4 | 3 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 14 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | 2 | – |
| Diseases of Lymphatics | 12 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Thyroid Body | 16 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | 1 | 1 | – |
| Diseases of Suprarenal Capsules | 12 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – | 1 | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Acute Nephritis | 178 | – | 1 | 1 | – | 2 | 3 | – | 3 | 1 | 9 | – | 10 | 9 | 11 | – |
| Bright's Disease | 362 | 7 | 5 | – | 2 | 2 | 5 | 1 | – | 7 | 27 | 2 | 33 | 8 | 23 | 1 |
| Uræmia | 47 | – | – | – | – | – | 1 | – | – | 2 | 2 | – | 5 | 1 | – | – |
| Suppression of Urine | 8 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 2 | – |
| Calculus | 10 | 1 | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – |
| Hæmaturia | 6 | – | – | – | – | 2 | – | – | – | – | 2 | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 49 | 1 | 1 | – | – | – | 1 | – | 1 | – | 3 | – | 4 | 2 | 3 | – |
| Other Diseases of Urinary System | 124 | – | 2 | 2 | – | 2 | 2 | – | 1 | – | 14 | 1 | 11 | 2 | 4 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | Clackmannan | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 14 | 77 | 56 | 59 | 18 | 163 | 160 | 659 | 27 | 312 | 35 | 38 | 9 | 24 | 50 | 69 | 41 | 19 |
| Pericarditis | – | 1 | – | – | – | 1 | – | 15 | – | 5 | 1 | – | – | – | – | 1 | – | – |
| Hypertrophy of Heart | 2 | 4 | 1 | – | 1 | 3 | 9 | 19 | – | 21 | 1 | 2 | 1 | – | 2 | 2 | – | 1 |
| Angina Pectoris | – | 4 | 2 | 1 | 1 | 4 | 3 | 9 | 2 | 9 | – | 1 | 1 | – | – | 2 | – | 1 |
| Syncope | 2 | 4 | 5 | 1 | 1 | 2 | 5 | 46 | 2 | 19 | 1 | 2 | 2 | – | 1 | – | – | 1 |
| Aneurism | 1 | – | 1 | 3 | 1 | 4 | 2 | 30 | – | 19 | – | 1 | 1 | – | 1 | 8 | 2 | 1 |
| Senile Gangrene | – | 2 | 1 | 1 | 1 | 2 | 7 | 11 | – | 6 | 2 | 2 | – | – | 2 | 5 | 1 | – |
| Embolism, Thrombosis | – | – | – | – | 2 | – | 2 | 7 | – | 5 | – | – | – | 1 | 1 | – | – | 2 |
| Phlebitis | – | – | – | – | – | – | – | 3 | – | 2 | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 8 | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | 3 | – | 1 | – | 2 | 4 | 12 | – | 7 | 1 | – | – | – | 2 | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Laryngitis | 1 | 3 | 3 | 4 | – | 7 | 2 | 32 | 3 | 12 | 1 | 3 | 1 | – | – | – | 1 | – |
| Croup | 5 | 12 | 5 | 9 | 1 | 17 | 25 | 94 | 3 | 30 | 1 | 1 | 1 | 2 | 7 | 3 | – | 1 |
| Other Diseases of Larynx and Trachea | – | – | – | 1 | – | – | – | 6 | – | 3 | – | – | – | – | 1 | – | – | – |
| Emphysema, Asthma | – | 8 | 2 | – | 1 | 11 | 18 | 30 | – | 6 | 1 | 1 | 1 | 1 | 1 | 3 | – | 1 |
| Bronchitis | 28 | 150 | 102 | 56 | 23 | 305 | 226 | 1531 | 76 | 511 | 42 | 16 | 8 | 18 | 56 | 51 | 84 | 32 |
| Pneumonia | 10 | 96 | 74 | 29 | 18 | 224 | 179 | 1316 | 29 | 366 | 26 | 20 | 10 | 15 | 26 | 67 | 18 | 18 |
| Pleurisy | 1 | 4 | 8 | 4 | 1 | 13 | 4 | 94 | 2 | 45 | 2 | 1 | – | 4 | – | 5 | 2 | – |
| Other Diseases of Respiratory System | 1 | 21 | 31 | 9 | 10 | 33 | 36 | 338 | 15 | 57 | 2 | 3 | 2 | 1 | 6 | 9 | 6 | 6 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Stomatitis | 1 | 2 | 1 | 1 | 1 | 2 | 3 | 9 | – | 2 | 1 | – | – | – | 1 | 2 | 1 | 1 |
| Dentition | 1 | 8 | 8 | 3 | – | 25 | 11 | 112 | 7 | 17 | 1 | – | – | – | 1 | 2 | – | 1 |
| Sore-throat, Quinsy | 2 | 1 | 1 | – | – | 3 | 2 | 18 | – | 2 | 2 | – | – | – | – | – | – | – |
| Dyspepsia | 1 | 1 | 1 | 2 | 1 | 6 | 4 | 28 | – | 2 | – | – | – | – | – | 1 | – | 1 |
| Hæmatemesis | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 5 | – | 6 | – | 1 | – | – | – | 1 | – | – |
| Melæna | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 5 | 18 | 14 | 7 | 2 | 17 | 28 | 118 | 6 | 40 | 1 | 8 | 3 | 2 | 4 | 8 | 3 | 4 |
| Enteritis | 1 | 34 | 19 | 8 | – | 49 | 31 | 201 | 21 | 73 | 3 | 1 | 1 | 2 | 9 | 13 | 1 | 6 |
| Ulceration of Intestine | – | – | – | – | – | 4 | 5 | 10 | – | 2 | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | 4 | 3 | 7 | 1 | 13 | 9 | 38 | 1 | 20 | 1 | – | 1 | – | 1 | 1 | 1 | 1 |
| Stricture or Strangulation of Intestine | – | 1 | – | – | – | – | – | 1 | – | 2 | – | – | – | 1 | – | – | – | – |
| Intussusception of Intestine | – | 1 | 1 | 2 | – | – | 4 | 5 | 1 | 7 | – | – | – | 1 | – | – | 1 | – |
| Hernia | 1 | 2 | 1 | 1 | – | 3 | 2 | 19 | – | 8 | 1 | – | 1 | – | 1 | – | 1 | 1 |
| Fistula | – | 1 | 2 | – | – | – | – | 4 | – | 1 | – | – | – | – | – | 1 | – | – |
| Peritonitis | 1 | 12 | 4 | 13 | 1 | 20 | 22 | 78 | 3 | 32 | 1 | 3 | 1 | 3 | 2 | 8 | 4 | 2 |
| Ascites | – | 1 | 1 | 1 | 1 | 2 | 1 | 5 | – | 1 | 1 | 1 | – | – | – | 2 | 2 | – |
| Gallstones | – | 1 | 1 | – | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | 5 | 2 | 1 | 2 | 5 | 9 | 28 | 3 | 16 | – | 1 | 2 | – | 1 | 2 | 2 | 2 |
| Other Diseases of Liver | 4 | 13 | 17 | 4 | 2 | 23 | 21 | 93 | 4 | 23 | 6 | 1 | 3 | 1 | 5 | 10 | 4 | 5 |
| Other Diseases of Digestive System | – | 3 | – | – | 1 | 3 | 8 | 36 | – | 7 | – | – | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | 4 | 1 | 4 | 1 | 2 | 1 | – | – | – | – | 1 | – | – |
| Diseases of Thyroid Body | 1 | – | 1 | 1 | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | 1 | – | – | 1 | – | 3 | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | 8 | 4 | 2 | 1 | 14 | 13 | 84 | 4 | 18 | – | 1 | – | – | 3 | – | 1 | 3 |
| Bright's Disease | – | 8 | 3 | 10 | 2 | 25 | 17 | 101 | 4 | 58 | 6 | 4 | 1 | 5 | 4 | 9 | 6 | 3 |
| Uræmia | – | 2 | 1 | 1 | 1 | 3 | 1 | 15 | – | 16 | 1 | – | 1 | 1 | 1 | 1 | 1 | 5 |
| Suppression of Urine | 1 | – | – | – | 1 | 3 | 3 | 7 | 1 | 6 | – | – | – | – | 1 | 1 | – | 1 |
| Calculus | – | – | – | – | 1 | 2 | 2 | 4 | – | 3 | – | – | – | – | – | – | – | 1 |
| Hæmaturia | – | – | – | 1 | – | 2 | 1 | 6 | – | 2 | – | – | – | 1 | – | 1 | – | – |
| Diseases of Bladder and of Prostate | 1 | 7 | 5 | 5 | 1 | 13 | 28 | 52 | 2 | 29 | 2 | 4 | – | 5 | 1 | 6 | 5 | 4 |
| Other Diseases of Urinary System | 1 | 4 | 6 | 3 | 2 | 8 | 17 | 32 | 1 | 13 | 1 | 2 | – | 2 | – | 5 | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 19 | 90 | 53 | 60 | 14 | 171 | 193 | 721 | 27 | 376 | 42 | 35 | 12 | 14 | 55 | 82 | 44 | 41 |
| Pericarditis | – | 1 | 1 | 1 | – | 1 | 1 | 11 | 2 | 2 | – | – | – | – | – | 2 | – | – |
| Hypertrophy of Heart | 2 | 4 | – | – | – | 1 | 10 | 16 | 1 | 20 | – | 1 | 1 | 2 | 1 | 2 | – | – |
| Angina Pectoris | – | 3 | 2 | 2 | 1 | – | 2 | 13 | 2 | 7 | – | 1 | – | – | 1 | 2 | 1 | – |
| Syncope | 2 | 8 | 3 | 2 | 7 | 7 | 4 | 46 | 1 | 25 | 1 | – | – | – | – | 2 | – | 2 |
| Aneurism | – | – | 1 | 1 | – | 1 | – | 5 | 1 | 7 | 1 | 1 | – | – | – | 1 | – | – |
| Senile Gangrene | – | – | 3 | 2 | – | 9 | 4 | 23 | 2 | 10 | 2 | 2 | – | – | 5 | 2 | 2 | 4 |
| Embolism, Thrombosis | – | 1 | – | – | – | 1 | 1 | 11 | 1 | 6 | – | 2 | – | – | – | – | 1 | – |
| Phlebitis | – | – | 2 | – | – | – | – | 6 | – | 1 | – | – | – | – | – | 1 | – | – |
| Varicose Veins | – | – | – | – | – | – | – | 2 | – | 4 | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | 2 | – | 2 | – | 6 | 8 | 9 | 2 | 9 | – | – | – | – | – | 2 | 1 | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Laryngitis | 2 | 3 | 1 | 2 | – | 8 | 4 | 30 | 3 | 7 | – | 1 | – | – | 3 | 1 | 2 | 2 |
| Croup | 2 | 22 | 8 | 9 | – | 7 | 18 | 83 | 10 | 31 | – | 4 | 2 | 2 | 9 | 3 | – | 1 |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Emphysema, Asthma | – | 4 | 1 | 6 | 1 | 4 | 3 | 23 | 2 | 6 | 1 | 2 | – | 1 | 1 | 1 | 1 | 1 |
| Bronchitis | 32 | 127 | 119 | 65 | 15 | 312 | 213 | 1588 | 43 | 599 | 50 | 22 | 17 | 28 | 59 | 106 | 46 | 36 |
| Pneumonia | 7 | 62 | 50 | 20 | 9 | 179 | 135 | 900 | 20 | 269 | 20 | 21 | 5 | 15 | 26 | 46 | 15 | 13 |
| Pleurisy | 2 | 5 | 5 | 1 | 2 | 5 | 7 | 58 | 2 | 36 | – | 1 | – | 2 | 2 | 7 | – | – |
| Other Diseases of Respiratory System | 6 | 12 | 17 | 10 | 5 | 27 | 48 | 318 | 7 | 63 | 3 | 3 | 1 | – | 2 | 3 | 4 | 10 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Stomatitis | – | 2 | – | – | – | 3 | – | 9 | – | 3 | – | – | – | – | – | – | 1 | – |
| Dentition | 1 | 3 | 2 | 5 | – | 22 | 4 | 91 | 2 | 24 | 2 | – | – | 1 | 2 | 3 | 2 | – |
| Sore-throat, Quinsy | – | 2 | 3 | – | – | 1 | 2 | 9 | – | 1 | 1 | – | – | – | 1 | – | 1 | – |
| Dyspepsia | – | 4 | 1 | – | – | 4 | 6 | 28 | – | 9 | – | – | – | – | 1 | – | 1 | – |
| Hæmatemesis | 1 | – | 1 | 2 | – | 5 | 2 | 5 | 1 | 7 | 1 | 1 | – | – | – | 2 | – | – |
| Melæna | – | – | – | – | – | – | – | 4 | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 3 | 18 | 6 | 12 | – | 27 | 22 | 146 | 7 | 56 | 5 | 1 | 2 | 6 | 11 | 12 | 4 | 4 |
| Enteritis | 1 | 23 | 21 | 3 | 3 | 47 | 29 | 177 | 13 | 65 | 1 | 3 | 2 | – | 14 | 14 | 1 | – |
| Ulceration of Intestine | – | – | 1 | – | – | 3 | 3 | 6 | 1 | 1 | – | – | – | – | – | 2 | – | – |
| Ileus, Obstruction of Intestines | – | 5 | – | 2 | 1 | 7 | 16 | 51 | 1 | 15 | – | – | – | – | 1 | 1 | – | 2 |
| Stricture or Strangulation of Intestines | – | – | 1 | – | – | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | – | – | – | 1 | 2 | 3 | 2 | 1 | – | – | – | – | – | 1 | – | 1 |
| Hernia | 1 | 3 | 1 | 1 | 1 | 5 | 4 | 24 | – | 11 | 1 | – | – | – | – | 1 | 2 | – |
| Fistula | – | 1 | – | 1 | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Peritonitis | 2 | 10 | 13 | 2 | 4 | 41 | 23 | 84 | 5 | 62 | 8 | 2 | 1 | 2 | 5 | 8 | 7 | 4 |
| Ascites | – | – | – | 2 | 1 | 2 | 3 | 7 | – | 3 | – | – | – | – | – | – | – | 1 |
| Gallstones | – | 2 | 1 | – | – | 8 | – | 10 | – | 3 | – | – | – | – | 1 | – | – | – |
| Cirrhosis of Liver | 1 | 4 | – | 3 | 2 | 4 | 3 | 18 | 1 | 12 | 5 | – | – | – | 3 | 1 | 1 | – |
| Other Diseases of Liver | 5 | 21 | 12 | 5 | 7 | 21 | 28 | 117 | 2 | 34 | 7 | 3 | 1 | 2 | 6 | 7 | 1 | 3 |
| Other Diseases of Digestive System | – | 4 | 5 | 1 | – | 7 | 4 | 56 | – | 22 | – | 1 | – | 1 | 1 | 2 | – | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | 2 | – | – | – | – | 5 | – | 1 | – | – | 1 | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | 1 | 1 | 1 | 2 | 2 | – | 3 | – | – | – | – | – | – | 1 | – |
| Diseases of Thyroid Body | – | – | 1 | 1 | – | – | 2 | 8 | – | 3 | – | 1 | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | 4 | 1 | 2 | – | – | – | – | – | 1 | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | 5 | 2 | 2 | – | 8 | 11 | 69 | 1 | 13 | – | – | 1 | 2 | 2 | 4 | 2 | 4 |
| Bright's Disease | 2 | 8 | 4 | 9 | 2 | 22 | 26 | 88 | 3 | 45 | 4 | 3 | – | 5 | 6 | 5 | 5 | 2 |
| Uræmia | – | – | 1 | 1 | 1 | 2 | 6 | 10 | – | 10 | – | – | – | – | 1 | – | 1 | 3 |
| Suppression of Urine | – | – | – | – | – | 1 | – | 2 | – | 1 | – | – | – | – | – | 1 | – | – |
| Calculus | – | – | – | – | – | – | 1 | 3 | – | 2 | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 1 | – | – | – | 2 | 3 | 10 | – | 8 | – | 3 | – | 1 | 1 | 3 | 1 | – |
| Other Diseases of Urinary System | – | 2 | 2 | – | 1 | 6 | 6 | 38 | 3 | 13 | – | 1 | – | – | – | 7 | 3 | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 11 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 124 | – | 2 | 1 | – | – | 1 | – | – | 2 | 8 | – | 6 | 3 | 4 | – |
| Arthritis, Ostitis, Periostitis | 31 | – | – | – | – | 1 | – | – | – | 3 | 1 | – | 4 | 1 | – | – |
| Other Diseases of Organs of Locomotion | 103 | 1 | – | 2 | – | 2 | 1 | – | – | 1 | 4 | 1 | 10 | 4 | 3 | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Carbuncle | 11 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Phlegmon, Cellulitis | 28 | – | – | 1 | – | 1 | – | – | – | – | 4 | 1 | 1 | 1 | – | – |
| Lupus | 5 | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 | 1 | – |
| Ulcer, Bedsore | 21 | – | 1 | – | – | 1 | – | – | – | – | 3 | 1 | 4 | 1 | – | – |
| Eczema | 23 | – | – | – | – | – | 1 | – | – | – | 4 | – | 1 | – | 1 | – |
| Pemphigus | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Dis. of Integumentary System | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | |
| Mines and Quarries — Coal Mines | 109 | – | – | – | – | – | – | – | – | – | – | – | – | – | 13 | – |
| Mines and Quarries — Other Mines | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries — Quarries | 11 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – | 1 | – |
| Vehicles and Horses — Railways | 213 | – | – | – | 1 | – | 4 | – | 3 | 1 | 10 | 2 | 9 | 6 | 10 | 1 |
| Vehicles and Horses — Vehicles other than R'wys. | 74 | – | – | – | 2 | 1 | 1 | 1 | – | 3 | 7 | 1 | 4 | 1 | – | 1 |
| Vehicles and Horses — Horses | 20 | – | – | – | – | 1 | 1 | – | 2 | – | 4 | – | 1 | 3 | – | – |
| Ships, Boats, Docks (ex. Drowning) | 40 | – | – | – | – | – | 1 | – | 1 | – | 2 | – | 3 | 1 | – | – |
| Building Operations | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Machinery | 40 | – | – | – | – | – | – | 1 | 1 | – | 1 | – | 2 | – | 1 | – |
| Weapons and Implements | 18 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 3 | 1 | – |
| Burns and Scalds — Conflagrations | 2 | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Burns and Scalds — Other Burns & Scalds | 121 | 1 | – | 1 | 1 | – | 1 | – | 3 | 1 | 8 | – | 15 | 5 | 2 | – |
| Burns and Scalds — Explosions | 18 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – |
| Poisons, Poisonous Vapours | 53 | – | – | – | – | 1 | – | – | 1 | – | 5 | – | 5 | 2 | 2 | – |
| Drowning | 477 | 22 | 3 | 10 | 3 | 16 | 10 | 1 | 3 | 12 | 22 | 8 | 12 | 18 | 17 | – |
| Suffocation — In Bed | 117 | – | – | 1 | 1 | 1 | – | – | 2 | 2 | 5 | 1 | 26 | 1 | 5 | – |
| Suffocation — Otherwise | 58 | – | – | – | – | – | 3 | – | – | 1 | 3 | – | 1 | 4 | 1 | 1 |
| Falls | 195 | – | 1 | 2 | – | 6 | 1 | 1 | – | 3 | 5 | – | 9 | 10 | 9 | – |
| Weather Agencies | 58 | – | – | – | – | 1 | 4 | – | – | 1 | 2 | – | – | 6 | 3 | – |
| Otherwise, or Not Stated | 337 | 1 | 2 | 2 | 1 | 7 | 2 | – | 4 | – | 19 | 1 | 23 | 19 | 12 | 2 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | |
| Homicide | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 168 | – | 2 | 1 | 1 | 1 | 4 | – | 1 | 3 | 6 | 2 | 12 | 7 | 10 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | |
| Dropsy | 53 | 2 | 1 | – | – | 2 | 7 | – | – | – | 2 | 1 | 2 | 1 | 2 | – |
| Debility, Atrophy, Inanition | 1385 | 5 | 7 | 6 | 1 | 14 | 19 | 3 | 12 | 14 | 75 | 7 | 112 | 17 | 55 | – |
| Mortification | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 7 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Abscess | 35 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 | 2 | – |
| Hæmorrhage | 15 | – | 1 | – | – | – | 1 | – | – | 1 | 1 | 2 | – | 1 | – | – |
| Sudden (Cause unascertained) | 24 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other ill-defined and not specified Causes | 379 | 11 | 6 | 7 | 10 | 36 | 52 | 3 | 12 | 5 | 20 | 2 | 6 | 18 | 3 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | |
| Ovarian Disease | 67 | 1 | – | 2 | – | 2 | 1 | – | – | – | 6 | – | 4 | 1 | 1 | – |
| Diseases of Uterus and Vagina | 105 | – | 1 | – | – | 3 | 2 | – | 1 | 2 | 8 | – | 5 | 6 | 2 | – |
| Disorders of Menstruation | 7 | – | – | – | | – | 1 | – | – | – | – | – | 1 | 1 | – | 1 |
| Pelvic Abscess | 33 | – | – | – | 1 | – | – | – | 2 | – | 2 | – | 2 | 2 | 3 | – |
| Perineal Abscess | – | – | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 36 | – | – | 1 | – | 1 | 3 | – | – | – | – | – | 3 | 1 | – | – |
| Puerperal Mania | 14 | – | – | 1 | – | – | – | – | – | 2 | 1 | – | – | – | – | – |
| Puerperal Convulsions | 59 | – | – | 2 | – | – | 1 | – | 1 | – | 2 | – | 5 | 2 | – | – |
| Placenta Prævia, Flooding | 80 | 1 | – | 1 | – | – | – | – | 1 | 2 | 6 | – | 7 | 4 | 2 | – |
| Phlegmasia Dolens | 12 | – | – | – | – | – | 1 | – | 1 | – | – | – | 2 | – | 1 | – |
| Other Accidents of Childbirth | 139 | 1 | – | – | 1 | 4 | 2 | – | – | 1 | 10 | – | 10 | – | 8 | 1 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 107 | – | – | – | – | – | 1 | – | 1 | 2 | 7 | 1 | 17 | – | 4 | – |
| Arthritis, Ostitis, Periostitis | 38 | 1 | – | 1 | – | 1 | 2 | – | – | 1 | 1 | – | 2 | 2 | – | – |
| Other Diseases of Organs of Locomotion | 60 | – | – | – | – | 2 | – | – | – | – | 4 | 1 | 4 | 2 | 4 | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Carbuncle | 7 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | |
| Phlegmon, Cellulitis | 24 | – | – | – | – | 2 | 2 | – | 1 | – | 3 | – | – | 1 | 1 | – |
| Lupus | 10 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – |
| Ulcer, Bedsore | 37 | – | 1 | 1 | – | – | 2 | 1 | 2 | 1 | 2 | – | – | 1 | 2 | – |
| Eczema | 18 | – | – | 1 | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – |
| Pemphigus | 9 | – | – | – | – | 1 | 2 | – | – | – | 1 | – | 1 | – | – | – |
| Other Dis. of Integumentary System | 21 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 13 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Vehicles and Horses: Vehicles other than R'wys. | 21 | – | – | 1 | – | – | – | 1 | – | – | 1 | – | 4 | 1 | – | – |
| Vehicles and Horses: Horses | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Burns and Scalds: Conflagrations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 130 | – | – | – | 1 | 1 | 1 | – | 2 | 2 | 10 | – | 8 | 4 | 5 | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 23 | – | – | – | – | – | – | – | – | – | – | – | 4 | 1 | 3 | – |
| Drowning | 60 | – | 1 | – | 1 | 1 | 2 | – | 1 | 1 | 2 | – | 3 | 2 | 1 | – |
| Suffocation: In Bed | 96 | – | – | 1 | – | – | 1 | – | – | – | 6 | – | 19 | – | 2 | – |
| Suffocation: Otherwise | 30 | – | 1 | – | – | – | – | – | 1 | 1 | – | – | 2 | – | 1 | – |
| Falls | 89 | – | – | 2 | – | 1 | – | 1 | – | 1 | 9 | – | 7 | 2 | 2 | – |
| Weather Agencies | 12 | – | – | 1 | – | 1 | – | – | – | – | – | – | 2 | – | 1 | – |
| Otherwise, or Not Stated | 212 | – | – | 4 | 1 | 2 | 5 | 2 | 6 | 4 | 10 | 2 | 14 | 14 | 7 | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | |
| Homicide | 18 | – | – | – | – | – | – | – | 1 | – | – | 1 | 2 | – | – | – |
| Suicide | 75 | 1 | 2 | – | – | 2 | 1 | – | 1 | 1 | 5 | 1 | 6 | 2 | 6 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | |
| Dropsy | 75 | 1 | 1 | – | 2 | 4 | 5 | – | – | – | 4 | – | – | 1 | 5 | – |
| Debility, Atrophy, Inanition | 1216 | 1 | 4 | 15 | 3 | 11 | 21 | 3 | 7 | 11 | 72 | 7 | 110 | 23 | 41 | 3 |
| Mortification | 11 | – | 1 | – | – | 1 | – | – | – | – | 1 | – | 1 | 1 | – | – |
| Tumour | 9 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Abscess | 22 | – | – | – | – | – | 1 | – | – | – | 2 | – | 3 | – | 2 | – |
| Hæmorrhage | 14 | – | – | – | – | – | – | – | – | – | 3 | – | – | 1 | – | – |
| Sudden (Cause unascertained) | 15 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other ill-defined and not specified Causes | 402 | 15 | 9 | 3 | 11 | 39 | 72 | 1 | 8 | 10 | 23 | 1 | 2 | 20 | 12 | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Cluckmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | 1 | – | 3 | – | – | – | – | – | – | – | 1 | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 1 | – | 1 | – | – | 1 | 1 | 1 | – | 3 | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Previa, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | 5 | 3 | – | 2 | 10 | 7 | 38 | 2 | 23 | 1 | – | 1 | 1 | 2 | 1 | – | 1 |
| Arthritis, Ostitis, Periostitis | 1 | 1 | – | – | – | 1 | 1 | 12 | – | 5 | – | – | – | – | – | 1 | – | – |
| Other Diseases of Organs of Locomotion | 1 | 2 | 5 | 2 | – | 6 | 5 | 31 | 2 | 10 | – | 1 | 1 | – | 1 | 4 | 1 | 2 |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | 1 | – | – | 1 | 2 | – | 2 | – | – | – | – | 2 | – | 2 | – |
| Phlegmon, Cellulitis | – | – | 1 | – | 1 | – | 2 | 8 | – | 5 | – | 1 | – | – | – | 2 | – | – |
| Lupus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | 1 | 1 | – | 1 | 2 | – | 3 | – | – | – | – | – | 1 | – | 1 |
| Eczema | 1 | 1 | – | – | – | 1 | – | 7 | 2 | 2 | – | 1 | – | 1 | – | – | – | – |
| Pemphigus | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | 1 | – | – | 1 | 1 | 5 | – | 1 | 1 | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | 6 | 1 | – | – | – | 10 | 63 | 3 | 10 | 1 | – | – | – | – | 1 | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | 3 | – | 3 | – | – | – | – | – | 1 | – | – |
| Mines and Quarries: Quarries | – | – | 1 | – | – | – | – | 4 | – | – | – | – | – | – | – | 1 | 1 | – |
| Vehicles and Horses: Railways | 1 | 17 | 8 | 1 | – | 12 | 11 | 76 | 3 | 28 | 1 | 1 | 1 | 1 | 1 | 4 | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | 3 | 3 | – | – | 8 | 5 | 20 | 1 | 7 | – | 1 | – | – | 2 | 1 | – | – |
| Vehicles and Horses: Horses | – | – | – | 2 | – | – | 1 | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 2 | – | 2 | – | – | 4 | 1 | 12 | 2 | 9 | – | – | – | – | – | – | – | – |
| Building Operations | – | 1 | – | – | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | 2 | – | – | 4 | 2 | 24 | – | 2 | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | 1 | – | – | – | 1 | 4 | – | 3 | – | – | – | – | – | 2 | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | 7 | 2 | 1 | – | 4 | 7 | 46 | 3 | 9 | – | 1 | – | – | 1 | 2 | – | – |
| Burns and Scalds: Explosions | – | – | – | 2 | 1 | – | 2 | 10 | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | 1 | 1 | 3 | – | 1 | 3 | 20 | – | 7 | – | – | – | – | – | – | – | 1 |
| Drowning | 2 | 21 | 33 | 29 | 5 | 43 | 22 | 102 | 6 | 18 | 5 | 15 | 1 | 3 | 2 | 5 | 6 | 2 |
| Suffocation: In Bed | – | 1 | 4 | 1 | 1 | 6 | 7 | 23 | – | 23 | – | – | – | – | 3 | 3 | – | – |
| Suffocation: Otherwise | 3 | – | – | 2 | 1 | 2 | 1 | 27 | 1 | 6 | 1 | – | – | – | – | – | – | – |
| Falls | 1 | 4 | 7 | 2 | 3 | 16 | 9 | 59 | 4 | 34 | – | – | 2 | – | 2 | 3 | 1 | 1 |
| Weather Agencies | – | 2 | 4 | 5 | – | 1 | 6 | 7 | 2 | 8 | 3 | – | – | – | – | 1 | 1 | 1 |
| Otherwise, or Not Stated | 1 | 12 | 12 | 7 | 1 | 17 | 15 | 96 | 11 | 43 | – | 2 | 5 | 5 | 6 | 6 | 2 | 1 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | 1 | – | 5 | – | 2 | – | – | – | – | – | – | 1 | – |
| Suicide | – | 2 | 5 | 2 | – | 4 | 10 | 47 | – | 31 | 4 | 1 | – | 2 | 2 | 4 | 3 | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | |
| Dropsy | 2 | 3 | 2 | – | – | 2 | 3 | 16 | – | 3 | – | – | – | – | – | 1 | – | 1 |
| Debility, Atrophy, Inanition | 14 | 60 | 36 | 13 | 1 | 98 | 87 | 501 | 21 | 121 | 13 | 9 | 1 | 10 | 14 | 29 | 9 | 9 |
| Mortification | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Tumour | – | – | – | – | 1 | – | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Abscess | – | 1 | 1 | – | – | 3 | 2 | 18 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | 4 | 4 | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | 1 | 1 | – | – | – | – | 18 | – | 3 | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 3 | 16 | 7 | 23 | – | 6 | 16 | 79 | 12 | 6 | 3 | 2 | – | 1 | 2 | 5 | 4 | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 1 | 1 | 1 | 1 | – | 1 | 1 | 20 | – | 18 | – | 1 | – | – | – | 2 | – | 2 |
| Diseases of Uterus and Vagina | 1 | 3 | – | 1 | – | 2 | 9 | 36 | 2 | 12 | – | – | – | 1 | 5 | 1 | 1 | 1 |
| Disorders of Menstruation | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Pelvic Abscess | – | 1 | – | – | – | 4 | – | 8 | – | 4 | – | 1 | – | – | – | 2 | 1 | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | 1 | 1 | 1 | 3 | 18 | – | 2 | 1 | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | 1 | 6 | – | 2 | – | – | – | – | – | – | – | 1 |
| Puerperal Convulsions | – | 3 | 2 | – | – | 5 | 5 | 16 | 1 | 7 | – | 2 | – | 1 | 3 | – | 1 | – |
| Placenta Prævia, Flooding | – | 1 | 3 | – | – | 3 | 3 | 35 | – | 2 | – | – | – | – | 3 | 4 | 1 | 1 |
| Phlegmasia Dolens | – | – | 1 | – | – | 1 | – | 3 | – | 1 | – | – | – | – | – | 1 | – | – |
| Other Accidents of Childbirth | 2 | 1 | 3 | – | 1 | 10 | 6 | 52 | 1 | 17 | – | 1 | – | 1 | 2 | 2 | – | 2 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | 2 | 1 | – | 1 | 12 | 7 | 27 | 1 | 17 | – | 1 | – | – | 2 | 3 | – | – |
| Arthritis, Ostitis, Periostitis | – | 1 | – | – | – | 1 | 2 | 6 | 1 | 8 | 3 | 1 | – | 2 | 1 | 1 | – | – |
| Other Diseases of Organs of Locomotion | – | 2 | 5 | – | – | 2 | 5 | 20 | – | 7 | – | 1 | – | – | – | 1 | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | 2 | – | – | – | – | – | 2 | – | 3 | – | – | – | – | 1 | – | – | – |
| Phlegmon, Cellulitis | – | 2 | 1 | 1 | – | 1 | 3 | 9 | 1 | 4 | – | – | – | – | – | – | 1 | 1 |
| Lupus | – | – | 1 | – | – | 1 | – | 1 | – | 2 | – | – | – | 1 | – | – | – | – |
| Ulcer, Bedsore | – | 1 | 3 | 2 | 1 | 3 | 2 | 6 | 1 | 3 | 1 | – | – | – | – | 1 | – | – |
| Eczema | – | 1 | – | – | – | 3 | 1 | 2 | 2 | 3 | – | – | – | – | – | 1 | 1 | – |
| Pemphigus | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – | – |
| Other Dis. of Integumentary System | – | – | 1 | – | 1 | 2 | 1 | 5 | – | 5 | 1 | – | – | 1 | – | 1 | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | 1 | – | 7 | – | 2 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | 1 | 6 | – | 3 | 1 | – | – | – | – | 2 | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | 3 | 4 | 3 | – | 8 | 8 | 43 | – | 15 | 2 | 1 | – | – | 3 | 1 | 3 | 1 |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | 1 | – | – | – | – | – | 7 | – | 5 | – | – | – | – | 1 | 1 | – | – |
| Drowning | – | 6 | 4 | 3 | 2 | 9 | 5 | 14 | – | – | – | – | – | – | – | 1 | 1 | – |
| Suffocation: In Bed | 1 | 4 | 4 | 1 | – | 7 | 6 | 26 | – | 14 | – | 1 | – | – | – | 3 | – | – |
| Suffocation: Otherwise | – | – | – | – | 1 | 3 | 1 | 14 | 1 | 3 | – | – | – | – | – | 1 | – | – |
| Falls | 1 | 2 | 1 | 2 | 1 | 8 | 4 | 28 | 1 | 15 | – | – | – | – | – | – | – | 1 |
| Weather Agencies | – | 1 | – | – | – | – | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 2 | 3 | 5 | 3 | 4 | 9 | 11 | 64 | 6 | 24 | 1 | 2 | – | 2 | 1 | 4 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | 1 | – | 8 | 1 | 4 | – | – | – | – | – | – | – | – |
| Suicide | – | 2 | 1 | – | – | 6 | 4 | 17 | 3 | 7 | 1 | – | – | 1 | – | 4 | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | | | |
| Dropsy | 2 | 2 | 3 | 3 | 3 | 4 | 2 | 25 | – | 3 | – | – | 1 | – | – | 1 | 2 | 1 |
| Debility, Atrophy, Inanition | 6 | 46 | 33 | 11 | – | 95 | 70 | 441 | 23 | 86 | 4 | 8 | 2 | 4 | 14 | 19 | 11 | 11 |
| Mortification | – | 1 | – | – | – | – | 3 | 2 | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | 1 | – | 1 | 2 | – | 2 | – | – | – | – | 1 | – | – | – |
| Abscess | – | – | – | – | – | 1 | 1 | 8 | – | 2 | – | – | – | – | 1 | 1 | – | – |
| Hæmorrhage | – | – | – | – | 1 | – | 2 | 2 | – | 2 | 1 | 1 | – | – | 1 | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | 14 | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 2 | 17 | 8 | 29 | – | 8 | 14 | 71 | 5 | 5 | 5 | 1 | – | 1 | 1 | 6 | 2 | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—MALES.

| CAUSES OF DEATH. | Total Principal Town Dist. | Glasgow (Burghal). | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Paisley. | Greenock. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 18018 | 7161 | 2413 | 2732 | 1612 | 1162 | 702 | 899 | 733 | 318 | 286 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 2462 | 946 | 358 | 361 | 201 | 129 | 73 | 206 | 93 | 44 | 51 |
| II. PARASITIC DISEASES | 7 | 3 | – | 1 | 1 | 2 | – | – | – | – | – |
| III. DIETETIC „ | 104 | 47 | 10 | 15 | 6 | 1 | 3 | 5 | 10 | 5 | 2 |
| IV. CONSTITUTIONAL „ | 2951 | 1124 | 399 | 515 | 276 | 174 | 154 | 126 | 96 | 43 | 44 |
| V. DEVELOPMENTAL „ | 1111 | 426 | 129 | 170 | 100 | 88 | 35 | 69 | 53 | 25 | 16 |
| VI. LOCAL „ | 9809 | 3931 | 1318 | 1483 | 854 | 689 | 351 | 448 | 405 | 174 | 156 |
| VII. VIOLENCE | 850 | 378 | 66 | 132 | 83 | 45 | 53 | 21 | 49 | 14 | 11 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 724 | 306 | 133 | 55 | 91 | 36 | 33 | 24 | 27 | 13 | 6 |
| I. | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 1912 | 748 | 292 | 294 | 127 | 93 | 58 | 171 | 71 | 24 | 34 |
| 2. DIARRHŒAL „ | 342 | 129 | 44 | 29 | 48 | 15 | 9 | 23 | 16 | 13 | 16 |
| 3. MALARIAL „ | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| 4. ZOOGENOUS „ | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 102 | 27 | 8 | 24 | 11 | 12 | 4 | 5 | 5 | 6 | – |
| 6. SEPTIC „ | 102 | 40 | 14 | 13 | 15 | 8 | 2 | 7 | 1 | 1 | 1 |
| II. | | | | | | | | | | | |
| PARASITIC DISEASES | 7 | 3 | – | 1 | 1 | 2 | – | – | – | – | – |
| III. | | | | | | | | | | | |
| DIETETIC DISEASES | 104 | 47 | 10 | 15 | 6 | 1 | 3 | 5 | 10 | 5 | 2 |
| IV. | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 2951 | 1124 | 399 | 515 | 276 | 174 | 154 | 126 | 96 | 43 | 44 |
| V. | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 1111 | 426 | 129 | 170 | 100 | 88 | 35 | 69 | 53 | 25 | 16 |
| VI. | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 2080 | 774 | 315 | 306 | 177 | 147 | 77 | 109 | 99 | 45 | 31 |
| 2. „ ORGANS OF SPECIAL SENSE | 36 | 14 | 5 | 9 | 2 | 4 | – | – | 1 | – | 1 |
| 3. „ CIRCULATORY SYSTEM | 1260 | 413 | 182 | 247 | 119 | 97 | 48 | 66 | 38 | 27 | 23 |
| 4. „ RESPIRATORY SYSTEM | 4635 | 2040 | 619 | 619 | 395 | 273 | 166 | 204 | 181 | 71 | 67 |
| 5. „ DIGESTIVE SYSTEM | 1117 | 448 | 116 | 155 | 110 | 119 | 33 | 42 | 61 | 16 | 17 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 13 | 5 | 1 | 3 | 1 | – | – | 1 | 1 | 1 | – |
| 7. „ URINARY SYSTEM | 478 | 170 | 59 | 105 | 27 | 39 | 18 | 20 | 17 | 11 | 12 |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 9 | 3 | – | 3 | 1 | 1 | – | – | 1 | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 136 | 51 | 14 | 27 | 17 | 4 | 6 | 5 | 5 | 2 | 5 |
| 10. „ INTEGUMENTARY SYSTEM | 45 | 13 | 7 | 9 | 5 | 5 | 3 | 1 | 1 | 1 | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES.

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban) | Edinburgh. | Dundee. | Aberdeen. | Leith. | Paisley. | Greenock. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES - - - - | 18580 | 7163 | 2428 | 2914 | 1904 | 1260 | 693 | 881 | 697 | 307 | 323 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 2783 | 1115 | 394 | 402 | 209 | 155 | 87 | 190 | 106 | 52 | 73 |
| II. PARASITIC DISEASES - | 5 | 1 | - | 1 | 2 | - | 1 | - | - | - | - |
| III. DIETETIC „ - | 47 | 18 | 6 | 9 | 1 | 3 | 1 | 1 | 5 | 3 | - |
| IV. CONSTITUTIONAL „ - | 3317 | 1227 | 463 | 521 | 372 | 217 | 137 | 156 | 119 | 50 | 55 |
| V. DEVELOPMENTAL „ - | 1398 | 461 | 191 | 247 | 127 | 131 | 60 | 75 | 62 | 28 | 16 |
| VI. LOCAL „ - | 9960 | 3895 | 1232 | 1633 | 1046 | 676 | 367 | 419 | 362 | 155 | 175 |
| VII. VIOLENCE - - - - | 368 | 156 | 22 | 55 | 56 | 22 | 16 | 13 | 20 | 5 | 3 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 702 | 290 | 120 | 46 | 91 | 56 | 24 | 27 | 23 | 14 | 11 |
| I. | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - - | 2131 | 865 | 305 | 323 | 152 | 108 | 65 | 161 | 70 | 30 | 52 |
| 2. DIARRHŒAL „ - - - | 356 | 126 | 50 | 40 | 39 | 17 | 15 | 15 | 26 | 12 | 16 |
| 3. MALARIAL „ - - - | 3 | 2 | - | - | - | - | - | 1 | - | - | - |
| 4. ZOOGENOUS „ - - - | 2 | 2 | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL „ - - - | 54 | 17 | 6 | 7 | 3 | 10 | 4 | 3 | 1 | 3 | - |
| 6. SEPTIC „ - - - | 237 | 103 | 33 | 32 | 15 | 20 | 3 | 10 | 9 | 7 | 5 |
| II. | | | | | | | | | | | |
| PARASITIC DISEASES - - - | 5 | 1 | - | 1 | 2 | - | 1 | - | - | - | - |
| III. | | | | | | | | | | | |
| DIETETIC DISEASES - - - | 47 | 18 | 6 | 9 | 1 | 3 | 1 | 1 | 5 | 3 | - |
| IV. | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES - - | 3317 | 1227 | 463 | 521 | 372 | 217 | 137 | 156 | 119 | 50 | 55 |
| V. | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES - - | 1398 | 461 | 191 | 247 | 127 | 131 | 60 | 75 | 62 | 28 | 16 |
| VI. | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 2087 | 733 | 321 | 319 | 242 | 140 | 74 | 101 | 84 | 36 | 37 |
| 2. „ ORGANS OF SPECIAL SENSE - - - | 28 | 10 | 1 | 6 | 3 | 2 | 2 | 2 | 1 | 1 | - |
| 3. „ CIRCULATORY SYSTEM - | 1442 | 474 | 177 | 296 | 145 | 106 | 77 | 52 | 45 | 37 | 33 |
| 4. „ RESPIRATORY SYSTEM - | 4374 | 1885 | 513 | 659 | 462 | 272 | 129 | 174 | 156 | 55 | 69 |
| 5. „ DIGESTIVE SYSTEM - | 1222 | 478 | 129 | 196 | 120 | 89 | 54 | 55 | 60 | 20 | 21 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - - | 22 | 10 | 1 | 5 | 1 | 2 | 1 | 1 | - | - | 1 |
| 7. „ URINARY SYSTEM - - | 358 | 140 | 33 | 67 | 34 | 35 | 15 | 14 | 8 | 4 | 8 |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION - - | 107 | 43 | 13 | 29 | 7 | 9 | 3 | 2 | - | 1 | - |
| (*b*) DISEASES OF PARTURITION - - - - | 158 | 72 | 52 | 20 | 15 | 11 | 4 | 9 | 1 | - | 1 |
| 9. „ ORGANS OF LOCOMOTION - - - | 109 | 35 | 12 | 23 | 16 | 7 | 4 | 3 | 5 | - | 4 |
| 10. „ INTEGUMENTARY SYSTEM - - - | 53 | 15 | 7 | 13 | 1 | 3 | 4 | 6 | 2 | 1 | 1 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Paisley. | Greenock. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 774 | 347 | 60 | 113 | 78 | 41 | 46 | 20 | 48 | 12 | 9 |
| 2. HOMICIDE | 7 | 3 | 1 | 2 | – | – | – | – | 1 | – | – |
| 3. SUICIDE | 69 | 28 | 5 | 17 | 5 | 2 | 7 | 1 | – | 2 | 2 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 724 | 306 | 133 | 55 | 91 | 36 | 33 | 24 | 27 | 13 | 6 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Measles | 458 | 220 | 61 | 36 | – | 2 | 2 | 124 | 12 | – | 1 |
| Epidemic Rose Rash | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 186 | 90 | 26 | 31 | 2 | 20 | 1 | 4 | 9 | 2 | 1 |
| Typhus | 24 | 6 | 3 | – | 4 | – | 1 | 1 | 7 | 1 | 1 |
| Relapsing Fever | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Influenza | 341 | 82 | 35 | 96 | 37 | 37 | 8 | 4 | 14 | 11 | 17 |
| Hooping-cough | 567 | 215 | 115 | 80 | 58 | 20 | 3 | 2 | 18 | 3 | 3 |
| Mumps | 4 | 1 | – | 1 | – | – | – | – | 2 | – | – |
| Diphtheria | 157 | 58 | 28 | 25 | 14 | 5 | 5 | 8 | 6 | 5 | 3 |
| Cerebro-spinal Fever | 2 | 1 | – | – | – | – | – | 1 | – | – | – |
| Simple and Ill-defined Fever | 3 | 2 | – | – | – | – | 1 | – | – | – | – |
| Enteric Fever | 165 | 69 | 24 | 25 | 12 | 9 | 6 | 7 | 3 | 2 | 8 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | |
| Simple Cholera | 14 | 4 | 4 | 3 | – | – | 2 | – | 1 | – | – |
| Diarrhœa, Dysentery | 328 | 125 | 40 | 26 | 48 | 15 | 7 | 23 | 15 | 13 | 16 |
| **MALARIAL DISEASES.** | | | | | | | | | | | |
| Remittent Fever | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Ague | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | |
| Syphilis | 85 | 25 | 7 | 15 | 11 | 8 | 4 | 4 | 5 | 6 | – |
| Gonorrhœa, Stricture of Urethra | 17 | 2 | 1 | 9 | – | 4 | – | 1 | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 80 | 36 | 11 | 7 | 10 | 7 | 2 | 4 | 1 | 1 | 1 |
| Pyæmia, Septicæmia | 22 | 4 | 3 | 6 | 5 | 1 | – | 3 | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Paisley. | Greenock. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 332 | 140 | 21 | 50 | 51 | 20 | 15 | 9 | 19 | 5 | 2 |
| 2. HOMICIDE | 10 | 5 | – | 2 | 2 | – | – | – | 1 | – | – |
| 3. SUICIDE | 26 | 11 | 1 | 3 | 3 | 2 | 1 | 4 | – | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 702 | 290 | 120 | 46 | 91 | 56 | 24 | 27 | 23 | 14 | 11 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Measles | 443 | 219 | 70 | 33 | 1 | – | 1 | 106 | 6 | 3 | 4 |
| Epidemic Rose Rash | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 208 | 120 | 23 | 17 | 6 | 19 | 4 | 5 | 12 | 2 | – |
| Typhus | 33 | 19 | 5 | – | 4 | – | 1 | – | 4 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 425 | 90 | 30 | 142 | 42 | 53 | 9 | 11 | 15 | 13 | 20 |
| Hooping-cough | 651 | 269 | 123 | 80 | 71 | 19 | 30 | 28 | 22 | 2 | 7 |
| Mumps | 4 | – | – | 1 | – | 1 | – | 1 | 1 | – | – |
| Diphtheria | 202 | 72 | 37 | 28 | 16 | 11 | 11 | 2 | 8 | 8 | 9 |
| Cerebro-spinal Fever | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Enteric Fever | 158 | 74 | 15 | 21 | 12 | 4 | 9 | 8 | 2 | 2 | 11 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | |
| Simple Cholera | 11 | 5 | 1 | – | 1 | 2 | 2 | – | – | – | – |
| Diarrhœa, Dysentery | 345 | 121 | 49 | 40 | 38 | 15 | 13 | 15 | 26 | 12 | 16 |
| **MALARIAL DISEASES.** | | | | | | | | | | | |
| Remittent Fever | 3 | 2 | – | – | – | – | – | 1 | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 2 | 2 | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | |
| Syphilis | 54 | 17 | 6 | 7 | 3 | 10 | 4 | 3 | 1 | 3 | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 56 | 29 | 3 | 6 | 4 | 5 | – | 2 | 2 | 3 | 2 |
| Pyæmia, Septicæmia | 36 | 14 | 5 | 9 | 1 | 2 | – | 2 | 1 | 1 | 1 |
| Puerperal Fever | 145 | 60 | 25 | 17 | 10 | 13 | 3 | 6 | 6 | 3 | 2 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Paisley. | Greenock. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | |
| Thrush | 6 | 2 | – | 1 | 1 | 2 | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 21 | 8 | 4 | 2 | 2 | 1 | – | – | 4 | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 65 | 32 | 5 | 10 | 3 | – | 2 | 3 | 5 | 4 | 1 |
| Intemp. Delirium Tremens | 18 | 7 | 1 | 3 | 1 | – | 1 | 2 | 1 | 1 | 1 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 39 | 16 | 6 | 7 | 2 | 3 | 1 | 2 | – | 1 | 1 |
| Rheumatism | 24 | 10 | 4 | 3 | 1 | – | – | 2 | 3 | 1 | – |
| Gout | 7 | 1 | – | 6 | – | – | – | – | – | – | – |
| Rickets | 16 | 4 | 1 | 6 | 2 | – | 3 | – | – | – | – |
| Cancer | 423 | 123 | 45 | 102 | 44 | 34 | 20 | 17 | 19 | 9 | 10 |
| Tabes Mesenterica | 232 | 86 | 40 | 24 | 30 | 14 | 13 | 11 | 7 | 4 | 3 |
| Tubercular Meningitis (Acute Hydrocephalus) | 348 | 142 | 41 | 65 | 29 | 20 | 28 | 10 | 6 | 4 | 3 |
| Phthisis | 1649 | 669 | 239 | 254 | 151 | 92 | 75 | 72 | 53 | 19 | 25 |
| Other forms of Tuberculosis, Scrofula | 162 | 60 | 17 | 31 | 11 | 10 | 11 | 11 | 6 | 4 | 1 |
| Purpura, Hæmorrhagic Diathesis | 7 | 3 | – | 3 | – | – | – | – | 1 | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 27 | 5 | 5 | 8 | 4 | 1 | 3 | – | – | – | 1 |
| Diabetes Mellitus | 15 | 5 | 1 | 4 | 2 | – | – | 1 | 1 | 1 | – |
| Other Constitutional Diseases | 2 | – | – | 2 | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | |
| Premature Birth | 527 | 214 | 54 | 82 | 56 | 27 | 20 | 22 | 25 | 10 | 13 |
| Atelectasis | 41 | 8 | 3 | 10 | 7 | 4 | 3 | – | 6 | – | – |
| Cyanosis | 14 | 4 | 3 | 2 | 1 | 1 | 1 | 2 | – | – | – |
| Spina Bifida | 24 | 10 | 2 | 3 | 2 | 1 | 1 | 2 | 2 | 1 | – |
| Imperforate Anus | 5 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Cleft Palate, Harelip | 7 | 4 | 1 | 2 | – | – | – | – | – | – | – |
| Other Congenital Defects | 24 | 1 | 4 | 8 | 3 | 4 | 2 | 1 | – | 1 | – |
| Old Age | 473 | 184 | 61 | 62 | 30 | 50 | 8 | 42 | 20 | 13 | 3 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 432 | 180 | 77 | 38 | 35 | 30 | 6 | 23 | 36 | 2 | 5 |
| Apoplexy | 546 | 200 | 81 | 93 | 53 | 39 | 18 | 27 | 15 | 13 | 7 |
| Softening of the Brain | 62 | 19 | 11 | 12 | 9 | 1 | 2 | – | 2 | 4 | 2 |
| Hemiplegia, Brain Paralysis | 295 | 107 | 41 | 42 | 19 | 15 | 20 | 24 | 16 | 6 | 5 |
| Paralysis Agitans | 6 | 1 | – | 1 | 1 | – | – | 2 | – | – | 1 |
| Insanity, General Paralysis of Insane | 46 | 4 | 16 | 16 | – | 2 | – | 5 | – | 2 | 1 |
| Chorea | 5 | 3 | – | – | 1 | – | – | 1 | – | – | – |
| Epilepsy | 64 | 15 | 13 | 17 | 5 | 3 | 4 | 2 | – | 3 | 2 |
| Convulsions | 321 | 117 | 40 | 42 | 34 | 42 | 17 | 11 | 12 | 3 | 3 |
| Laryngismus Stridulus | 23 | 9 | 2 | 3 | 2 | – | 1 | 3 | 3 | – | – |
| Idiopathic Tetanus | 7 | 3 | 1 | 1 | 1 | – | 1 | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 73 | 23 | 10 | 17 | 7 | 6 | 2 | 1 | 2 | 4 | 1 |
| Other Diseases of Nervous System | 200 | 93 | 23 | 24 | 10 | 9 | 6 | 10 | 13 | 8 | 4 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | |
| Otitis, Otorrhœa | 27 | 10 | 3 | 8 | 2 | 3 | – | – | – | – | 1 |
| Epistaxis and Disease of Nose | 7 | 3 | 1 | 1 | – | 1 | – | – | 1 | – | – |
| Ophthalmia and Disease of Eye | 2 | 1 | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Paisley. | Greenock. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | |
| Thrush | 5 | 1 | – | 1 | 2 | – | 1 | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 10 | 2 | 1 | – | 1 | 3 | – | 1 | 2 | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 34 | 15 | 5 | 8 | – | – | – | – | 3 | 3 | – |
| Intemp. Delirium Tremens | 3 | 1 | – | 1 | – | – | 1 | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 73 | 23 | 8 | 17 | 4 | 5 | 5 | 3 | 6 | – | 2 |
| Rheumatism | 40 | 16 | 6 | 3 | – | 1 | 4 | 4 | 3 | 3 | – |
| Gout | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Rickets | 16 | 8 | 2 | 1 | 2 | 2 | 1 | – | – | – | – |
| Cancer | 693 | 216 | 79 | 153 | 84 | 58 | 34 | 23 | 29 | 11 | 6 |
| Tabes Mesenterica | 182 | 58 | 35 | 17 | 28 | 11 | 11 | 10 | 7 | 3 | 2 |
| Tubercular Meningitis (Acute Hydrocephalus) | 286 | 116 | 43 | 58 | 29 | 9 | 11 | 8 | 6 | 1 | 5 |
| Phthisis | 1809 | 702 | 263 | 243 | 205 | 116 | 61 | 97 | 63 | 24 | 35 |
| Other forms of Tuberculosis, Scrofula | 119 | 50 | 11 | 17 | 10 | 8 | 4 | 8 | 4 | 3 | 4 |
| Purpura, Hæmorrhagic Diathesis | 9 | 2 | 3 | – | 2 | – | 1 | 1 | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 62 | 26 | 9 | 6 | 6 | 5 | 4 | 2 | 1 | 3 | – |
| Diabetes Mellitus | 24 | 9 | 3 | 5 | 2 | 1 | 1 | – | – | 2 | 1 |
| Other Constitutional Diseases | 3 | – | 1 | 1 | – | 1 | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | |
| Premature Birth | 442 | 174 | 44 | 73 | 57 | 32 | 15 | 9 | 21 | 9 | 8 |
| Atelectasis | 29 | 2 | 3 | 8 | 1 | 6 | 3 | – | 6 | – | – |
| Cyanosis | 12 | 5 | 3 | – | 1 | 2 | – | – | 1 | – | – |
| Spina Bifida | 24 | 5 | 5 | 5 | 4 | – | – | 1 | 4 | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Other Congenital Defects | 13 | 4 | 2 | 4 | 2 | 1 | – | – | – | – | – |
| Old Age | 874 | 269 | 133 | 156 | 62 | 98 | 42 | 65 | 30 | 19 | 8 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 393 | 155 | 75 | 45 | 32 | 16 | 10 | 22 | 34 | 3 | 1 |
| Apoplexy | 612 | 220 | 79 | 100 | 84 | 37 | 25 | 18 | 19 | 11 | 19 |
| Softening of the Brain | 64 | 18 | 13 | 8 | 14 | 5 | 1 | – | 2 | 3 | – |
| Hemiplegia, Brain Paralysis | 421 | 142 | 69 | 48 | 48 | 37 | 17 | 35 | 18 | 6 | 1 |
| Paralysis Agitans | 6 | 2 | 1 | 1 | – | 2 | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 43 | 6 | 10 | 16 | 4 | 4 | – | 2 | – | – | 1 |
| Chorea | 5 | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – |
| Epilepsy | 53 | 16 | 6 | 15 | 7 | 4 | 3 | 1 | – | 1 | – |
| Convulsions | 247 | 86 | 36 | 39 | 26 | 27 | 14 | 9 | 3 | 4 | 3 |
| Laryngismus Stridulus | 15 | 9 | 1 | 3 | 1 | – | – | – | – | – | 1 |
| Idiopathic Tetanus | 4 | 1 | 1 | 1 | – | – | – | – | – | – | 1 |
| Paraplegia, Diseases of Spinal Cord | 61 | 19 | 10 | 15 | 10 | 2 | – | 1 | 2 | 1 | 1 |
| Other Diseases of Nervous System | 163 | 58 | 20 | 27 | 15 | 5 | 3 | 13 | 6 | 7 | 9 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | |
| Otitis, Otorrhœa | 22 | 7 | – | 5 | 3 | 2 | 2 | 2 | 1 | – | – |
| Epistaxis and Disease of Nose | 2 | 1 | – | – | – | – | – | – | – | 1 | – |
| Ophthalmia and Disease of Eye | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Paisley. | Greenock. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1011 | 331 | 146 | 185 | 96 | 55 | 34 | 59 | 35 | 19 | 21 |
| Pericarditis | 18 | 9 | 2 | 4 | – | 1 | – | 1 | – | 1 | – |
| Hypertrophy of Heart | 39 | 7 | 6 | 14 | 6 | 2 | – | 1 | – | 3 | – |
| Angina Pectoris | 21 | 3 | 3 | 4 | 2 | 1 | 5 | 2 | 1 | – | – |
| Syncope | 67 | 22 | 14 | 15 | 6 | 4 | 3 | – | 1 | 2 | – |
| Aneurism | 54 | 21 | 5 | 17 | 3 | 3 | – | 2 | 1 | 1 | 1 |
| Senile Gangrene | 14 | 7 | 1 | 2 | 1 | – | 3 | – | – | – | – |
| Embolism, Thrombosis | 13 | 6 | 1 | 2 | 1 | – | 3 | – | – | – | – |
| Phlebitis | 3 | 2 | – | 1 | – | – | – | – | – | – | – |
| Varicose Veins | 6 | 3 | – | 1 | 1 | – | – | 1 | – | – | – |
| Other Diseases of Circulatory System | 14 | 2 | 4 | 2 | 3 | 1 | – | – | – | 1 | 1 |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | |
| Laryngitis | 55 | 18 | 8 | 8 | 4 | 10 | 1 | 2 | 1 | 2 | 1 |
| Croup | 117 | 34 | 25 | 12 | 14 | 10 | 5 | 7 | 3 | 3 | 4 |
| Other Diseases of Larynx and Trachea | 7 | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| Emphysema, Asthma | 42 | 7 | 7 | 4 | 6 | 2 | 1 | 9 | – | 6 | – |
| Bronchitis | 2164 | 928 | 239 | 315 | 208 | 155 | 82 | 98 | 84 | 28 | 27 |
| Pneumonia | 1769 | 793 | 269 | 223 | 143 | 69 | 66 | 76 | 80 | 24 | 26 |
| Pleurisy | 130 | 56 | 15 | 27 | 7 | 6 | 5 | 4 | 5 | 3 | 2 |
| Other Diseases of Respiratory System | 351 | 203 | 54 | 28 | 12 | 20 | 6 | 8 | 8 | 5 | 7 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | |
| Stomatitis | 9 | 4 | 1 | 1 | 2 | – | – | – | 1 | – | – |
| Dentition | 146 | 76 | 12 | 11 | 12 | 11 | 3 | 15 | 5 | – | 1 |
| Sore-throat, Quinsy | 15 | 9 | 1 | – | 1 | 1 | 1 | – | 2 | – | – |
| Dyspepsia | 35 | 10 | 16 | 2 | 2 | 2 | – | 1 | – | 2 | – |
| Hæmatemesis | 14 | 5 | – | 3 | 1 | 2 | 1 | – | 1 | 1 | – |
| Melæna | 3 | 2 | – | 1 | – | – | – | – | – | – | – |
| Diseases of Stomach | 145 | 59 | 19 | 21 | 14 | 15 | 1 | 2 | 9 | 4 | 1 |
| Enteritis | 266 | 93 | 24 | 31 | 36 | 28 | 17 | 10 | 22 | 1 | 4 |
| Ulceration of Intestine | 12 | 5 | 1 | 2 | 1 | 1 | – | 2 | – | – | – |
| Ileus, Obstruction of Intestine | 66 | 26 | 4 | 13 | 9 | 7 | 2 | 2 | 2 | 1 | – |
| Stricture or Strangulation of Intestine | 3 | – | – | 2 | – | 1 | – | – | – | – | – |
| Intussusception of Intestine | 11 | 1 | – | 5 | – | 2 | 1 | – | – | – | 2 |
| Hernia | 24 | 14 | 1 | 7 | – | – | – | 1 | – | 1 | – |
| Fistula | 4 | 3 | – | – | – | 1 | – | – | – | – | – |
| Peritonitis | 133 | 47 | 11 | 21 | 8 | 23 | 1 | 5 | 8 | 4 | 5 |
| Ascites | 8 | 4 | 1 | 1 | – | 1 | – | – | 1 | – | – |
| Gallstones | 2 | 1 | – | – | – | – | – | – | – | – | 1 |
| Cirrhosis of Liver | 43 | 15 | 3 | 14 | 5 | 1 | 2 | – | 2 | – | 1 |
| Other Diseases of Liver | 114 | 54 | 13 | 16 | 5 | 11 | 2 | 3 | 7 | 1 | 2 |
| Other Diseases of Digestive System | 64 | 20 | 9 | 4 | 14 | 12 | 2 | 1 | 1 | 1 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 7 | 3 | – | 2 | – | – | – | 1 | 1 | – | – |
| Diseases of Thyroid Body | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 5 | 2 | 1 | – | 1 | – | – | – | – | 1 | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | |
| Acute Nephritis | 100 | 44 | 21 | 9 | 7 | 8 | 4 | 3 | 1 | – | 3 |
| Bright's Disease | 170 | 63 | 12 | 39 | 9 | 13 | 12 | 11 | 8 | 1 | 2 |
| Uræmia | 31 | 10 | – | 15 | 3 | 1 | 1 | – | 1 | – | – |
| Suppression of Urine | 15 | 3 | 2 | 4 | 2 | 1 | – | – | 2 | 1 | – |
| Calculus | 9 | 2 | 2 | 3 | 1 | – | – | 1 | – | – | – |
| Hæmaturia | 8 | 3 | 2 | 2 | – | – | – | 1 | – | – | – |
| Diseases of Bladder and of Prostate | 86 | 23 | 14 | 22 | 3 | 7 | 1 | 3 | 3 | 6 | 4 |
| Other Diseases of Urinary System | 59 | 22 | 6 | 11 | 2 | 9 | – | 1 | 2 | 3 | 3 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal.) | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Paisley. | Greenock. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1224 | 406 | 145 | 237 | 125 | 98 | 65 | 48 | 37 | 31 | 32 |
| Pericarditis | 12 | 6 | 2 | 1 | 1 | 1 | – | – | – | 1 | – |
| Hypertrophy of Heart | 36 | 4 | 5 | 16 | 9 | 1 | 1 | – | – | – | – |
| Angina Pectoris | 18 | 9 | 1 | 5 | 2 | – | – | – | – | 1 | – |
| Syncope | 76 | 29 | 11 | 16 | 3 | 3 | 6 | – | 4 | 3 | 1 |
| Aneurism | 13 | 3 | 1 | 5 | – | 2 | 1 | – | – | 1 | – |
| Senile Gangrene | 29 | 7 | 7 | 5 | 2 | – | 3 | 1 | 4 | – | – |
| Embolism, Thrombosis | 15 | 5 | 4 | 4 | 1 | 1 | – | – | – | – | – |
| Phlebitis | 5 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Varicose Veins | 5 | 1 | – | 2 | 1 | – | 1 | – | – | – | – |
| Other Diseases of Circulatory System | 9 | 1 | – | 4 | 1 | – | – | 3 | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | |
| Laryngitis | 41 | 16 | 3 | 3 | 6 | 7 | 1 | 1 | 3 | 1 | – |
| Croup | 87 | 31 | 18 | 15 | 2 | 9 | 2 | 1 | 4 | 1 | 4 |
| Other Diseases of Larynx and Trachea | 3 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Emphysema, Asthma | 25 | 12 | 1 | 4 | 2 | 1 | 1 | 2 | 2 | – | – |
| Bronchitis | 2498 | 1043 | 251 | 397 | 293 | 176 | 81 | 109 | 74 | 36 | 38 |
| Pneumonia | 1261 | 540 | 176 | 173 | 129 | 53 | 37 | 56 | 68 | 9 | 20 |
| Pleurisy | 90 | 41 | 7 | 26 | 7 | 3 | 3 | 1 | – | 1 | 1 |
| Other Diseases of Respiratory System | 369 | 201 | 57 | 40 | 23 | 22 | 4 | 4 | 5 | 7 | 6 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | |
| Stomatitis | 12 | 7 | 1 | – | 3 | – | – | – | 1 | – | – |
| Dentition | 114 | 58 | 7 | 14 | 6 | 4 | 5 | 13 | 4 | 1 | 2 |
| Sore-throat, Quinsy | 6 | 3 | 1 | 1 | – | – | – | – | 1 | – | – |
| Dyspepsia | 40 | 16 | 2 | 7 | 4 | 2 | 1 | 1 | – | – | – |
| Hæmatemesis | 18 | 4 | 1 | 3 | 1 | 4 | 2 | 2 | 1 | – | – |
| Melæna | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 179 | 71 | 20 | 32 | 12 | 15 | 6 | 10 | 5 | 7 | 1 |
| Enteritis | 249 | 97 | 25 | 31 | 34 | 15 | 15 | 9 | 17 | 2 | 4 |
| Ulceration of Intestine | 12 | 5 | 2 | – | 3 | 2 | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 73 | 32 | 6 | 12 | 9 | 7 | 2 | 3 | – | – | 2 |
| Stricture or Strangulation of Intestines | 3 | 1 | – | – | – | 1 | – | – | 1 | – | – |
| Intussusception of Intestines | 6 | 3 | – | 1 | – | – | – | 1 | – | – | 1 |
| Hernia | 41 | 17 | 2 | 6 | 3 | 4 | 3 | 1 | 3 | 1 | 1 |
| Fistula | 4 | – | 1 | 2 | – | 1 | – | – | – | – | – |
| Peritonitis | 179 | 50 | 14 | 36 | 19 | 15 | 13 | 7 | 19 | 1 | 5 |
| Ascites | 10 | 3 | 5 | 2 | – | – | – | – | – | – | – |
| Gallstones | 15 | 5 | 3 | 3 | 1 | 1 | – | – | – | 2 | – |
| Cirrhosis of Liver | 25 | 9 | 3 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Other Diseases of Liver | 144 | 60 | 16 | 22 | 14 | 8 | 4 | 6 | 6 | 4 | 4 |
| Other Diseases of Digestive System | 90 | 36 | 12 | 18 | 10 | 9 | 2 | 1 | 1 | 1 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | |
| Diseases of Spleen | 6 | 3 | 1 | 1 | – | 1 | – | – | – | – | – |
| Diseases of Lymphatics | 4 | 1 | – | – | – | – | 1 | 1 | – | – | 1 |
| Diseases of Thyroid Body | 6 | 3 | – | 2 | – | 1 | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 6 | 3 | – | 2 | 1 | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | |
| | 82 | 40 | 12 | 8 | 8 | 6 | 2 | 4 | 1 | 1 | – |
| Acute Nephritis | 157 | 55 | 14 | 32 | 17 | 15 | 9 | 6 | 4 | – | 5 |
| Bright's Disease | 19 | 6 | – | 10 | 1 | – | – | – | 1 | – | 1 |
| Uræmia | 3 | 2 | – | 1 | – | – | – | – | – | – | – |
| Suppression of Urine | 7 | 2 | – | 2 | 1 | 1 | – | – | – | – | 1 |
| Calculus | 3 | – | – | – | – | 2 | – | 1 | – | – | – |
| Hæmaturia | 18 | 8 | 1 | 5 | 1 | – | 1 | 1 | – | 1 | – |
| Diseases of Bladder and of Prostate | 69 | 27 | 6 | 9 | 6 | 11 | 3 | 2 | 2 | 2 | 1 |
| Other Diseases of Urinary System | | | | | | | | | | | |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban. | Edinburgh. | Dundee. | Aberdeen. | Leith. | Paisley. | Greenock. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 4 | 2 | – | – | 1 | – | – | – | 1 | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 5 | 1 | – | 3 | – | 1 | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | |
| Caries, Necrosis | 69 | 23 | 6 | 19 | 5 | 4 | 1 | 4 | 3 | 1 | 3 |
| Arthritis, Ostitis, Periostitis | 17 | 7 | 1 | 4 | 4 | – | 1 | – | – | – | – |
| Other Diseases of Organs of Locomotion | 50 | 21 | 7 | 4 | 8 | – | 4 | 1 | 2 | 1 | 2 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | |
| Carbuncle | 5 | 2 | – | 2 | 1 | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 10 | 4 | – | 2 | 1 | 1 | 2 | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 9 | 1 | 1 | 2 | 2 | 1 | 1 | – | – | 1 | – |
| Eczema | 12 | 2 | 4 | 2 | 1 | 3 | – | – | – | – | – |
| Pemphigus | 2 | 1 | – | – | – | – | – | – | 1 | – | – |
| Other Dis. of Integumentary System | 7 | 3 | 2 | 1 | – | – | – | 1 | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 17 | 13 | – | 4 | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | 3 | 1 | – | 2 | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | 4 | 3 | – | – | – | 1 | – | – | – | – | – |
| Vehicles and Horses: Railways | 83 | 34 | 7 | 20 | 3 | 4 | 4 | 3 | 3 | 3 | 2 |
| Vehicles and Horses: Vehicles other than R'wys. | 32 | 13 | 6 | 4 | 3 | 2 | 1 | 1 | 1 | – | 1 |
| Vehicles and Horses: Horses | 4 | 1 | – | 1 | – | 2 | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 27 | 11 | 1 | – | 3 | 1 | 8 | – | 2 | 1 | – |
| Building Operations | 3 | 2 | – | – | 1 | – | – | – | – | – | – |
| Machinery | 30 | 19 | 3 | 2 | 2 | 1 | – | 1 | 2 | – | – |
| Weapons and Implements | 7 | 4 | – | 2 | 1 | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 62 | 31 | 3 | 5 | 13 | 5 | 1 | 2 | 1 | – | 1 |
| Burns and Scalds: Explosions | 4 | 3 | – | – | – | – | – | – | – | 1 | – |
| Poisons, Poisonous Vapours | 27 | 11 | 3 | 4 | 3 | 2 | 3 | – | 1 | – | – |
| Drowning | 119 | 56 | 14 | – | 7 | 9 | 8 | 2 | 21 | 1 | 1 |
| Suffocation: In Bed | 70 | 17 | 1 | 15 | 22 | 5 | 4 | – | 4 | – | 2 |
| Suffocation: Otherwise | 28 | 19 | 3 | 3 | – | – | 1 | 1 | – | 1 | – |
| Falls | 100 | 45 | 6 | 19 | 6 | 2 | 8 | 5 | 7 | 1 | 1 |
| Weather Agencies | 4 | – | 2 | 2 | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 150 | 64 | 11 | 30 | 14 | 7 | 8 | 5 | 6 | 4 | 1 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | |
| Homicide | 7 | 3 | 1 | 2 | – | – | – | – | 1 | – | – |
| Suicide | 69 | 28 | 5 | 17 | 5 | 2 | 7 | 1 | – | 2 | 2 |
| Execution | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | |
| Dropsy | 17 | 8 | 1 | 2 | 2 | 1 | 1 | 2 | – | – | – |
| Debility, Atrophy, Inanition | 599 | 241 | 104 | 52 | 86 | 28 | 29 | 20 | 25 | 11 | 3 |
| Mortification | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Abscess | 16 | 6 | 6 | – | – | 1 | – | 2 | 1 | – | – |
| Hæmorrhage | 3 | 1 | 1 | – | – | – | – | – | – | 1 | – |
| Sudden (Cause unascertained) | 19 | 14 | 1 | – | – | 1 | 3 | – | – | – | – |
| Other ill-defined and not specified Causes | 68 | 36 | 18 | 1 | 3 | 5 | – | – | 1 | 1 | 3 |

CAUSES OF DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Town Dists. | Glasgow (Burghal). | Glasgow (Landward & Suburban). | Edinburgh. | Dundee. | Aberdeen. | Leith. | Paisley. | Greenock. | Perth. | Kilmarnock. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | |
| Ovarian Disease | 40 | 16 | 3 | 16 | – | 4 | 1 | – | – | – | – |
| Diseases of Uterus and Vagina | 52 | 25 | 5 | 11 | 4 | 5 | – | 1 | – | 1 | – |
| Disorders of Menstruation | 3 | – | 1 | – | 1 | – | – | 1 | – | – | – |
| Pelvic Abscess | 12 | 2 | 4 | 2 | 2 | – | 2 | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | |
| Abortion, Miscarriage | 18 | 10 | 4 | 2 | 1 | – | – | – | – | – | 1 |
| Puerperal Mania | 9 | 4 | 2 | 2 | – | 1 | – | – | – | – | – |
| Puerperal Convulsions | 21 | 6 | 4 | 5 | 2 | – | 1 | 3 | – | – | – |
| Placenta Prævia, Flooding | 37 | 21 | 5 | 2 | 4 | 3 | – | 2 | – | – | – |
| Phlegmasia Dolens | 3 | 2 | – | 1 | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 70 | 29 | 10 | 8 | 8 | 7 | 3 | 4 | 1 | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | |
| Caries, Necrosis | 66 | 17 | 10 | 12 | 11 | 5 | 2 | 2 | 5 | – | 2 |
| Arthritis, Ostitis, Periostitis | 14 | 4 | – | 7 | 1 | – | 1 | – | – | – | 1 |
| Other Diseases of Organs of Locomotion | 29 | 14 | 2 | 4 | 4 | 2 | 1 | 1 | – | – | 1 |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | |
| Carbuncle | 5 | 2 | – | 3 | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 15 | 6 | 3 | 2 | – | – | 1 | 1 | – | 1 | 1 |
| Lupus | 4 | 1 | – | – | – | 1 | 1 | 1 | – | – | – |
| Ulcer, Bedsore | 8 | 1 | 2 | 1 | – | – | 1 | 2 | 1 | – | – |
| Eczema | 7 | 2 | – | 2 | – | – | 1 | 2 | – | – | – |
| Pemphigus | 3 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 11 | 2 | 2 | 4 | – | 2 | – | – | 1 | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 4 | 1 | – | 1 | 1 | – | – | – | 1 | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 10 | 4 | – | 1 | 4 | 1 | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 2 | – | – | – | – | – | – | 2 | – | – | – |
| Weapons and Implements | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 63 | 30 | 6 | 7 | 5 | 7 | 4 | 1 | 2 | 1 | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 10 | 4 | – | 3 | 3 | – | – | – | – | – | – |
| Drowning | 19 | 8 | 1 | – | 3 | – | – | 1 | 6 | – | – |
| Suffocation: In Bed | 59 | 14 | 5 | 11 | 18 | 3 | 2 | 1 | 4 | – | 1 |
| Suffocation: Otherwise | 14 | 7 | 1 | 2 | 2 | – | – | 1 | 1 | – | – |
| Falls | 55 | 24 | 3 | 10 | 6 | 4 | 3 | 1 | 3 | 1 | – |
| Weather Agencies | 3 | 2 | – | – | – | – | 1 | – | – | – | – |
| Otherwise, or Not Stated | 90 | 43 | 5 | 15 | 9 | 5 | 5 | 2 | 2 | 3 | 1 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | |
| Homicide | 10 | 5 | – | 2 | 2 | – | – | – | 1 | – | – |
| Suicide | 26 | 11 | 1 | 3 | 3 | 2 | 1 | 4 | – | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | |
| | 25 | 16 | 4 | 1 | – | 2 | – | 1 | 1 | – | – |
| Dropsy | 581 | 225 | 101 | 40 | 87 | 42 | 23 | 26 | 19 | 10 | 8 |
| Debility, Atrophy, Inanition | 3 | – | 1 | – | – | 1 | – | – | – | 1 | – |
| Mortification | 4 | 1 | 1 | 1 | – | – | 1 | – | – | – | – |
| Tumour | 9 | 2 | 1 | 1 | 2 | 2 | – | – | 1 | – | – |
| Abscess | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| Hæmorrhage | 12 | 10 | 1 | – | – | – | – | – | – | 1 | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 66 | 36 | 11 | 2 | 2 | 8 | – | – | 2 | 2 | 3 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—MALES.

| CAUSES OF DEATH. | Total Large Town Dists. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES - - | 5040 | 257 | 120 | 189 | 144 | 165 | 276 | 137 | 157 | 127 | 199 | 189 | 202 | 141 | 292 | 244 | 253 | 380 | 280 | 478 | 147 | 155 | 212 |
| I. SPEC. FEBRILE OR ZYMOTIC DIS. | 704 | 23 | 12 | 14 | 20 | 12 | 35 | 12 | 24 | 5 | 24 | 29 | 27 | 19 | 48 | 34 | 40 | 47 | 48 | 132 | 20 | 18 | 28 |
| II. PARASITIC DIS. | 4 | – | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 32 | – | – | – | – | – | 3 | – | 1 | – | 1 | 3 | 8 | 1 | 2 | 2 | 2 | 1 | 1 | – | – | – | 1 |
| IV. CONSTIT. ,, | 809 | 56 | 21 | 36 | 27 | 18 | 49 | 25 | 28 | 19 | 22 | 28 | 35 | 28 | 55 | 26 | 33 | 69 | 38 | 56 | 22 | 34 | 26 |
| V. DEVELOP. ,, | 351 | 20 | 8 | 17 | 14 | 23 | 29 | 15 | 15 | 6 | 9 | 11 | 16 | 13 | 13 | 11 | 17 | 24 | 16 | 25 | 10 | 10 | 16 |
| VI. LOCAL ,, | 2583 | 135 | 61 | 107 | 75 | 106 | 137 | 69 | 84 | 74 | 128 | 93 | 97 | 57 | 145 | 134 | 128 | 180 | 142 | 193 | 77 | 80 | 123 |
| VII. VIOLENCE | 251 | 8 | 6 | 9 | 5 | 3 | 13 | 6 | 1 | 9 | 5 | 13 | 9 | 15 | 15 | 18 | 18 | 35 | 7 | 22 | 8 | 6 | 7 |
| VIII. ILL-DEF. AND NOT SPEC. CAUSES | 306 | 15 | 9 | 6 | 3 | 3 | 10 | 10 | 4 | 14 | 9 | 12 | 10 | 7 | 14 | 19 | 15 | 24 | 28 | 50 | 10 | 7 | 11 |
| I. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 544 | 19 | 9 | 8 | 18 | 4 | 27 | 9 | 16 | 3 | 19 | 21 | 18 | 13 | 36 | 26 | 31 | 35 | 37 | 118 | 15 | 17 | 20 |
| 2. DIARRHŒAL ,, | 106 | 2 | 3 | 4 | 1 | 5 | 7 | 2 | 6 | 1 | 1 | 5 | 7 | 4 | 11 | 8 | 8 | 8 | 8 | 11 | – | – | 1 |
| 3. MALARIAL ,, | 3 | – | – | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 19 | – | – | 1 | 1 | – | – | 1 | 2 | 1 | – | 2 | 1 | – | – | – | – | 1 | 1 | – | 2 | – | 3 |
| 6. SEPTIC ,, | 32 | 2 | – | – | – | 3 | 1 | – | – | – | 2 | 1 | 1 | 2 | 1 | – | 1 | 3 | 2 | 3 | 3 | 1 | 4 |
| II. PARASITIC DISEASES | 4 | – | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 32 | – | – | – | – | – | 3 | – | 1 | – | 1 | 3 | 8 | 1 | 2 | 2 | 2 | 1 | 1 | – | – | – | 1 |
| IV. CONSTITUTIONAL DIS. | 809 | 56 | 21 | 36 | 27 | 18 | 49 | 25 | 28 | 19 | 23 | 28 | 35 | 28 | 55 | 26 | 33 | 69 | 38 | 56 | 22 | 34 | 26 |
| V. DEVELOPMENTAL DIS. | 351 | 20 | 8 | 17 | 14 | 23 | 29 | 15 | 15 | 6 | 9 | 11 | 16 | 13 | 13 | 11 | 17 | 24 | 16 | 25 | 10 | 10 | 16 |
| VI. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - - | 639 | 41 | 12 | 28 | 24 | 27 | 26 | 23 | 26 | 18 | 28 | 30 | 20 | 14 | 35 | 21 | 26 | 42 | 33 | 45 | 19 | 20 | 29 |
| 2. ,, ORGANS OF SPECIAL SENSE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 3. ,, CIRCUL. SYSTEM | 365 | 19 | 9 | 16 | 15 | 23 | 16 | 19 | 14 | 11 | 16 | 14 | 9 | 2 | 23 | 19 | 18 | 22 | 14 | 21 | 10 | 17 | 20 |
| 4. ,, RESPIR. SYSTEM | 1102 | 49 | 25 | 47 | 28 | 37 | 70 | 16 | 28 | 29 | 58 | 33 | 49 | 26 | 58 | 70 | 52 | 90 | 69 | 92 | 34 | 27 | 55 |
| 5. ,, DIGESTIVE SYS. | 311 | 14 | 12 | 10 | 5 | 9 | 16 | 8 | 11 | 10 | 22 | 11 | 15 | 15 | 14 | 18 | 23 | 15 | 20 | 24 | 6 | 7 | 12 |
| 6. ,, LYMPHATIC SYS. AND DUCTLESS GLANDS - - | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 7. ,, URINARY SYSTEM | 122 | 12 | 3 | 4 | 3 | 8 | 7 | 2 | 4 | 3 | 4 | 2 | 3 | – | 11 | 4 | 5 | 7 | 4 | 10 | 6 | 7 | 4 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | | | | |
| (*a*) DIS. OF ORGANS OF GENERATION | 6 | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION - | 20 | – | – | 1 | – | 1 | – | 1 | 1 | 1 | – | 2 | – | – | – | 1 | 4 | 1 | 1 | – | 1 | 1 | 2 |
| 10. ,, INTEGUMENTARY SYSTEM - - | 14 | – | – | – | – | – | 1 | – | – | 1 | – | 1 | 1 | – | 2 | 1 | – | 2 | – | 1 | 1 | 1 | 1 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES.

| CAUSES OF DEATH. | Total Large Town Distts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton. | P.-Glasgow. | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES - | 5175 | 289 | 164 | 250 | 175 | 206 | 284 | 143 | 209 | 136 | 173 | 169 | 188 | 171 | 286 | 192 | 227 | 309 | 292 | 458 | 164 | 163 | 222 | 305 |
| I. SPEC. FEBRILE OR ZYMOTIC DIS. | 838 | 33 | 33 | 36 | 22 | 14 | 40 | 12 | 17 | 18 | 21 | 27 | 31 | 19 | 41 | 32 | 53 | 58 | 34 | 167 | 31 | 35 | 22 | 42 |
| II. PARASITIC DIS. | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 15 | 1 | – | 1 | – | – | – | 1 | – | – | – | 2 | 2 | – | – | – | 1 | 3 | – | – | – | – | 1 | 3 |
| IV. CONSTIT. ,, | 921 | 52 | 33 | 44 | 21 | 50 | 59 | 20 | 44 | 27 | 32 | 26 | 41 | 30 | 47 | 32 | 37 | 37 | 56 | 58 | 29 | 37 | 48 | 61 |
| V. DEVELOP. ,, | 484 | 31 | 18 | 25 | 18 | 33 | 37 | 25 | 18 | 10 | 15 | 34 | 20 | 15 | 33 | 15 | 19 | 33 | 24 | 15 | 5 | 7 | 17 | 17 |
| VI. LOCAL ,, | 2593 | 164 | 72 | 136 | 109 | 100 | 131 | 76 | 115 | 72 | 95 | 68 | 80 | 95 | 149 | 99 | 103 | 146 | 148 | 177 | 91 | 80 | 125 | 162 |
| VII. VIOLENCE | 93 | 2 | 2 | 5 | 2 | 3 | 7 | 4 | 3 | 3 | 3 | 5 | 5 | 2 | 10 | 5 | 1 | 6 | 5 | 5 | 1 | 3 | 3 | 8 |
| VIII. ILL-DEF. AND NOT SPEC. CAUSES | 230 | 6 | 6 | 3 | 2 | 6 | 10 | 5 | 12 | 6 | 7 | 7 | 9 | 10 | 6 | 9 | 13 | 26 | 25 | 36 | 7 | 1 | 6 | 12 |
| I. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 612 | 21 | 15 | 30 | 19 | 7 | 29 | 7 | 13 | 12 | 17 | 25 | 19 | 13 | 35 | 21 | 39 | 35 | 22 | 135 | 24 | 28 | 15 | 31 |
| 2. DIARRHŒAL ,, | 130 | 3 | 7 | 1 | – | 6 | 5 | 5 | 1 | 6 | 4 | 1 | 7 | 5 | 4 | 8 | 11 | 13 | 9 | 19 | 4 | 4 | 2 | 5 |
| 3. MALARIAL ,, | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 6 | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 6 SEPTIC ,, | 89 | 9 | 8 | 4 | 2 | 1 | 5 | – | 3 | – | – | 1 | 5 | 1 | 2 | 3 | 3 | 9 | 3 | 13 | 3 | 3 | 5 | 6 |
| II. PARASITIC DISEASES | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES - | 15 | 1 | – | 1 | – | – | – | 1 | – | – | – | 2 | 2 | – | – | – | 1 | 3 | – | – | – | – | 1 | 3 |
| IV. CONSTITUTIONAL DIS. | 921 | 52 | 33 | 44 | 21 | 50 | 59 | 20 | 44 | 27 | 32 | 26 | 41 | 30 | 47 | 32 | 37 | 37 | 56 | 58 | 29 | 37 | 48 | 61 |
| V. DEVELOPMENTAL DIS. | 484 | 31 | 18 | 25 | 18 | 33 | 37 | 25 | 18 | 10 | 15 | 34 | 20 | 15 | 33 | 15 | 19 | 33 | 24 | 15 | 5 | 7 | 17 | 17 |
| VI. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - - | 639 | 60 | 20 | 36 | 28 | 23 | 29 | 16 | 36 | 16 | 26 | 15 | 11 | 20 | 43 | 17 | 19 | 34 | 28 | 49 | 21 | 20 | 30 | 42 |
| 2. ,, ORGANS OF SPECIAL SENSE | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – |
| 3. ,, CIRCUL. SYSTEM | 421 | 28 | 11 | 32 | 26 | 31 | 17 | 22 | 14 | 16 | 13 | 18 | 9 | 13 | 20 | 20 | 6 | 21 | 15 | 23 | 15 | 11 | 19 | 21 |
| 4. ,, RESPIR. SYSTEM | 994 | 45 | 23 | 43 | 40 | 31 | 62 | 25 | 31 | 25 | 36 | 23 | 43 | 36 | 57 | 45 | 49 | 65 | 65 | 74 | 38 | 27 | 48 | 63 |
| 5. ,, DIGESTIVE SYS. | 333 | 16 | 13 | 19 | 6 | 6 | 15 | 9 | 18 | 10 | 16 | 8 | 15 | 19 | 15 | 12 | 21 | 14 | 30 | 16 | 11 | 10 | 16 | 18 |
| 6. ,, LYMPHATIC SYS. AND DUCTLESS GLANDS - - | 6 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | 1 |
| 7. ,, URINARY SYSTEM | 100 | 7 | 3 | – | 6 | 5 | 2 | 3 | 14 | 1 | 2 | 1 | 1 | 2 | 7 | 2 | 5 | 6 | 4 | 7 | – | 7 | 5 | 10 |
| 8. ,, REPRODUCTIVE SYSTEM ;— | | | | | | | | | | | | | | | | | | | | | | | | |
| (*a*) DIS. OF ORGANS OF GENERATION | 20 | 1 | 1 | – | 1 | – | 2 | 1 | – | 2 | – | 1 | – | 1 | 3 | 1 | – | – | 1 | 1 | 1 | – | 2 | 1 |
| (*b*) DISEASES OF PARTURITION - | 43 | 1 | 1 | 2 | 1 | 3 | 2 | – | 1 | 2 | 1 | – | 1 | 3 | 1 | 2 | 2 | 3 | 3 | 6 | 2 | 1 | 3 | 2 |
| 9. ,, ORGANS OF LOCOMOTION - | 19 | 1 | – | 3 | 1 | – | – | – | – | – | – | 2 | – | 1 | 2 | – | – | – | – | 1 | 2 | 2 | 2 | 2 |
| 10. ,, INTEGUMENTARY SYSTEM - - | 14 | 5 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 | 2 | – | 2 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued*

| CAUSES OF DEATH. | Total Large Town Dists. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VII. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 230 | 5 | 6 | 8 | 3 | [illegible] | 12 | 4 | 1 | 9 | 5 | 13 | 9 | 13 | 12 | 18 | 17 | 32 | 7 | 20 | 8 | 6 | 6 |
| 2. HOMICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 3. SUICIDE | 20 | 3 | – | 1 | 2 | – | 1 | 2 | – | – | – | – | – | 2 | 3 | – | 1 | 2 | – | 2 | – | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 306 | 15 | 9 | 6 | 3 | 3 | 10 | 10 | 4 | 14 | 9 | 12 | 10 | 7 | 14 | 19 | 15 | 24 | 28 | 50 | 10 | 7 | 11 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 114 | – | – | – | 2 | – | 2 | – | – | – | – | 8 | – | 3 | 8 | 5 | – | 2 | 5 | 68 | 2 | 2 | – |
| Epidemic Rose Rash | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlet Fever | 41 | 2 | – | – | 2 | – | 1 | – | 1 | 2 | – | – | – | 1 | 2 | 3 | 4 | 5 | 7 | 8 | 1 | 1 | – |
| Typhus | 9 | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 4 | 1 | – | – | – | 1 | – | – | – |
| Relapsing Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Influenza | 126 | 5 | 1 | 7 | 7 | 4 | 11 | 1 | 6 | 1 | 8 | 5 | 4 | 5 | 10 | 4 | 5 | 4 | 5 | 6 | 3 | 8 | 10 |
| Hooping-cough | 114 | 1 | 3 | 1 | 6 | – | 3 | 8 | 2 | – | 4 | 3 | 8 | 2 | 7 | 6 | 10 | 13 | 6 | 10 | 2 | 2 | 4 |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 38 | 7 | 2 | – | 1 | – | – | – | 2 | – | 3 | 2 | – | – | 4 | – | 8 | 4 | 4 | 10 | 5 | 1 | 3 |
| Cerebro-Spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple & Ill-Defined Fev. | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Enteric Fever | 78 | 3 | 3 | – | – | – | 5 | – | 5 | – | 3 | 2 | 5 | 2 | – | 7 | 4 | 6 | 10 | 15 | 1 | 3 | 3 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| Diarrhœa, Dysentery | 104 | 2 | 3 | 4 | 1 | 5 | 7 | 2 | 6 | 1 | 1 | 5 | 7 | 4 | 11 | 8 | 8 | 8 | 6 | 11 | – | – | 1 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | 2 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox and other effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Syphilis | 19 | – | – | 1 | 1 | – | – | 1 | 2 | 1 | – | 2 | 1 | – | – | – | – | 1 | 1 | – | 2 | – | 3 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 27 | 2 | – | – | – | 3 | 1 | – | – | – | – | 1 | 1 | 2 | 1 | – | 1 | 3 | – | 2 | 2 | 1 | 3 |
| Pyæmia Sectpiæmia | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 1 | – | 1 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*

| CAUSES OF DEATH. | Total Large Town Dists. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 79 | 2 | 2 | 4 | 2 | 2 | 6 | 3 | 2 | 3 | 3 | 3 | 5 | 2 | 9 | 4 | 1 | 6 | 4 | 4 | 1 | 2 | 3 | 6 |
| 2. HOMICIDE | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| 3. SUICIDE | 12 | – | – | 1 | – | 1 | 1 | 1 | 1 | – | – | 2 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | 2 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 230 | 6 | 6 | 3 | 2 | 6 | 10 | 5 | 12 | 6 | 7 | 7 | 9 | 10 | 6 | 9 | 13 | 26 | 25 | 36 | 7 | 1 | 6 | 12 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox No statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 129 | – | 1 | – | 1 | – | 2 | – | – | – | – | 10 | – | 2 | 10 | 3 | – | 3 | 7 | 76 | 5 | 1 | – | 8 |
| Epidemic Rose Rash | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 58 | 1 | – | – | – | – | 1 | – | 1 | 3 | – | 4 | 1 | 4 | 2 | 3 | 5 | 9 | 5 | 12 | 2 | 4 | 1 | – |
| Typhus | 7 | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 150 | 4 | 4 | 16 | 6 | 7 | 15 | – | 6 | 2 | 3 | 5 | 6 | 2 | 8 | 3 | 7 | 2 | 4 | 11 | 7 | 11 | 10 | 11 |
| Hooping-cough | 151 | 3 | 5 | 11 | 10 | – | 9 | 7 | 3 | 3 | 6 | 3 | 6 | 2 | 6 | 5 | 18 | 13 | 3 | 15 | 5 | 9 | – | 9 |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diphtheria | 68 | 8 | 2 | – | – | – | 1 | – | 2 | – | 6 | 2 | 5 | 1 | 3 | 1 | 6 | 5 | – | 17 | 5 | 1 | 1 | 2 |
| Cerebro-Spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple & Ill-defined Fev. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 46 | 2 | 3 | 2 | 2 | – | 1 | – | 1 | 3 | 2 | 1 | 1 | 1 | 4 | 5 | 3 | 3 | 3 | 4 | – | 2 | 2 | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Diarrhœa, Dysentery | 128 | 3 | 7 | 1 | – | 6 | 5 | 5 | 1 | 6 | 4 | 1 | 7 | 5 | 4 | 8 | 11 | 13 | 7 | 19 | 4 | 4 | 2 | 5 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox and other effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | | | | |
| Syphilis | 6 | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 26 | 7 | – | 1 | 1 | 1 | – | – | 1 | – | – | 1 | 3 | – | 2 | – | – | 2 | – | 3 | – | 1 | 3 | – |
| Pyæmia, Septicæmia | 11 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – | 3 | – | – | 1 | 1 |
| Puerperal Fever | 51 | 2 | 8 | 2 | 1 | – | 4 | – | 1 | – | – | – | 2 | 1 | – | 2 | 2 | 5 | 3 | 7 | 3 | 2 | 1 | 5 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continu*

| CAUSES OF DEATH. | Total Large Town Distts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Thrush | 4 | – | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. from Veg. Pars. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIETETIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 6 | – | – | – | – | – | – | – | – | – | – | – | 6 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chr. Alcoholism | 20 | – | – | – | – | – | 3 | – | 1 | – | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 1 | – | – | – | – | 1 |
| Intemp. { Del. Tremens | 5 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – |
| CONSTIT. DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
| Rheu. Fever, Rheu. of Heart | 7 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 | 1 | 1 | 1 | – | – | – | 1 | – |
| Rheumatism | 14 | – | – | 2 | – | 1 | 1 | 1 | – | – | – | – | – | 3 | – | – | – | 1 | 1 | 2 | 1 | – | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 4 | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Cancer | 112 | 18 | 1 | 6 | 8 | 3 | 9 | 5 | 5 | 1 | 4 | 3 | 6 | 2 | 8 | 2 | 4 | 5 | 1 | 3 | 2 | 5 | 5 |
| Tabes Mesenterica | 57 | 2 | 3 | 1 | – | 1 | 4 | – | – | 3 | 6 | 1 | 3 | 2 | 2 | 4 | 4 | 3 | 2 | 4 | – | 3 | 5 |
| Tubercular Meningitis (Acute Hydroceph.) | 90 | 4 | 2 | 5 | 2 | – | 6 | 3 | 1 | 2 | 1 | 1 | 6 | 3 | 4 | 3 | 1 | 12 | 6 | 6 | 3 | 8 | 3 |
| Phthisis | 447 | 29 | 8 | 19 | 13 | 10 | 23 | 13 | 18 | 13 | 8 | 22 | 18 | 13 | 35 | 14 | 22 | 42 | 20 | 35 | 15 | 16 | 10 |
| Other forms of Tuberculosis, Scrofula | 52 | 2 | 5 | 1 | 2 | 2 | 3 | – | 2 | – | 2 | 1 | 2 | 4 | 3 | – | 1 | 3 | 8 | 3 | 1 | – | – |
| Purpura, Hæmor. Diath. | 4 | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, &c. | 12 | – | – | – | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | 1 | 1 | – | 1 | – | 2 | – | – | 1 |
| Diabetes Mellitus | 9 | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – | 1 | 1 | 1 | – | 1 | – | 1 | – | – | – |
| Other Constit. Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DEVELOPMENTAL DIS. | | | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 139 | 4 | 6 | 7 | 5 | 5 | 7 | 4 | 5 | – | 3 | 2 | 6 | 8 | 5 | 10 | 7 | 15 | 13 | 6 | 5 | 7 | 7 |
| Atelectasis | 12 | 1 | – | 4 | – | – | – | 2 | 1 | – | – | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – |
| Cyanosis | 3 | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 5 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Old Age | 190 | 15 | 1 | 5 | 8 | 18 | 21 | 9 | 9 | 6 | 6 | 8 | 8 | 1 | 8 | 1 | 9 | 9 | 3 | 19 | 4 | 3 | 8 |
| DIS. OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | |
| Inflam. of Brain, &c. | 134 | 6 | 1 | – | 8 | 6 | 5 | 4 | 8 | 5 | 5 | 8 | 4 | 3 | 8 | 7 | 5 | 5 | 14 | 13 | 4 | 6 | 6 |
| Apoplexy | 156 | 5 | 3 | 7 | 4 | 7 | 7 | 8 | 8 | 1 | 2 | 11 | 6 | 4 | 8 | 9 | 9 | 7 | 4 | 8 | 6 | 1 | 14 |
| Softening of Brain | 20 | – | 1 | 5 | 2 | 2 | – | 1 | 1 | – | 1 | 1 | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – |
| Hemiplegia, Brain Paral. | 90 | 6 | 2 | 8 | 5 | 2 | 7 | 1 | 1 | 3 | 2 | 5 | 6 | 1 | 6 | 1 | 3 | 8 | 3 | 5 | – | 5 | – |
| Paralysis Agitans | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Insanity, General Paralysis of Insane | 22 | 9 | – | – | – | 4 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 18 | 1 | – | – | 2 | 1 | 2 | – | 2 | – | 3 | – | – | – | 1 | – | 1 | 1 | 1 | 1 | – | 1 | – |
| Convulsions | 89 | 7 | 1 | 4 | – | 1 | 3 | 7 | 2 | 8 | 5 | 1 | 1 | 2 | 2 | 2 | 3 | 14 | 7 | 7 | 1 | 2 | – |
| Laryngismus Stridulus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Idiopathic Tetanus | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 22 | 1 | 1 | 1 | 2 | – | 2 | – | 1 | 1 | 2 | 1 | – | – | 3 | – | 1 | 1 | 1 | – | 1 | 2 | – |
| Other Dis. of Nerv. Syst. | 81 | 6 | 2 | 3 | 1 | 4 | – | 2 | 3 | – | 7 | 3 | 2 | 4 | 5 | 1 | 3 | 6 | 1 | 10 | 7 | 2 | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Epistaxis & Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia & Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Large Town Dists. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Thrush | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Veg. Pars. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIETETIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 3 | 1 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chr. Alcoholism | 8 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | 3 | – | – | – | – | 1 | 2 |
| Intemp. Del. Tremens | 4 | – | – | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| CONSTIT. DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Rheu. Fever, Rheu. of Heart | 9 | – | – | 2 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 | – | 2 | 1 | – | 1 | – | – | – |
| Rheumatism | 10 | 1 | 1 | 1 | 1 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cancer | 201 | 25 | 4 | 14 | 7 | 18 | 13 | 5 | 17 | 6 | 6 | 7 | 9 | 2 | 11 | 5 | 3 | 5 | 9 | 5 | 2 | 9 | 5 | 14 |
| Tabes Mesenterica | 72 | – | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 3 | 10 | 1 | 4 | 7 | 2 | 3 | 4 | 4 | 3 | 7 | 3 | 3 | 6 | 1 |
| Tubercular Meningitis (Acute Hydroceph.) | 68 | 2 | 7 | 3 | 3 | 1 | 4 | – | 6 | 5 | 3 | 2 | 3 | 2 | – | 1 | 7 | 2 | 3 | 3 | 1 | 5 | 2 | 3 |
| Phthisis | 490 | 24 | 13 | 18 | 9 | 24 | 32 | 9 | 17 | 10 | 13 | 15 | 24 | 13 | 30 | 19 | 20 | 21 | 32 | 41 | 21 | 18 | 33 | 34 |
| Other forms of Tuberculosis, Scrofula | 47 | – | 5 | 1 | – | 3 | 4 | 2 | 1 | – | – | 1 | 1 | 5 | 4 | 3 | 1 | 1 | 7 | – | 1 | 1 | – | 6 |
| Purpura, Hæmor. Diath. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, &c. | 22 | – | 1 | 3 | – | 2 | 4 | 1 | 1 | – | – | – | – | – | – | – | 2 | 2 | – | 1 | – | 1 | 2 | 2 |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constit. Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DEVELOPMENTAL DIS. | | | | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 117 | 3 | 6 | 9 | 6 | 11 | 6 | 8 | 4 | 3 | 1 | 3 | 6 | 4 | 6 | 2 | 7 | 5 | 12 | 1 | 1 | 2 | 8 | 3 |
| Atelectasis | 11 | 1 | – | 2 | – | – | 1 | 3 | 1 | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Cyanosis | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 10 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – | 1 | 2 | 1 | – | – | 1 | – | 1 |
| Imperforate Anus | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cleft Palate, Harelip | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 9 | – | – | 1 | 1 | – | – | 1 | – | – | – | 1 | 1 | – | 2 | 1 | – | – | – | – | – | – | 1 | – |
| Old Age | 332 | 27 | 12 | 13 | 11 | 22 | 29 | 13 | 13 | 7 | 13 | 28 | 13 | 8 | 23 | 12 | 10 | 25 | 11 | 14 | 3 | 4 | 8 | 13 |
| DIS. OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflam. of Brain, &c. | 127 | 11 | 2 | 1 | 10 | 1 | 7 | 5 | 6 | 1 | 7 | – | 3 | 2 | 8 | 7 | 7 | 6 | 9 | 13 | 8 | 4 | 5 | 4 |
| Apoplexy | 202 | 14 | 5 | 11 | 10 | 11 | 10 | 7 | 16 | 8 | 5 | 6 | 3 | 5 | 12 | 3 | 7 | 6 | 9 | 12 | 8 | 4 | 14 | 16 |
| Softening of Brain | 23 | 2 | 1 | 5 | – | 1 | – | – | 1 | – | 1 | 1 | – | 1 | 3 | 1 | – | – | – | – | – | 1 | 2 | 3 |
| Hemiplegia, Brain Paral. | 88 | 7 | 4 | 4 | 1 | 4 | 6 | 1 | 4 | 3 | 2 | 3 | 1 | – | 12 | 3 | 3 | 9 | – | 9 | 1 | 6 | 1 | 4 |
| Paralysis Agitans | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | 2 | 1 |
| Insanity, General Paralysis of Insane | 19 | 13 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | 3 |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Epilepsy | 23 | 1 | 1 | 2 | – | – | 1 | 1 | 4 | – | 1 | – | 2 | 2 | – | 1 | – | – | 1 | 1 | – | – | – | 5 |
| Convulsions | 71 | 7 | 3 | 7 | 2 | 1 | 2 | 2 | 4 | 3 | 4 | 3 | – | 2 | 1 | 1 | 1 | 9 | 5 | 8 | 1 | 1 | 2 | 2 |
| Laryngismus Stridulus | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 5 | 1 | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 14 | 1 | – | – | 2 | – | 1 | – | – | – | – | 1 | – | 2 | 2 | – | 1 | 1 | – | 1 | – | 1 | 1 | – |
| Other Dis. of Nerv. Syst. | 58 | 2 | 3 | 4 | 3 | 5 | 2 | – | 1 | – | 5 | 1 | 2 | 4 | 4 | 1 | – | 3 | 3 | 5 | 2 | 2 | 2 | 4 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – |
| Epistaxis & Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia & Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

AUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. *(Continued*

| CAUSES OF DEATH. | Total Large Town Distts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DISEASES OF CIRCULATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valv. Dis. | 314 | 16 | 7 | 16 | 14 | 20 | 15 | 17 | 11 | 9 | 13 | 11 | 8 | 2 | 10 | 11 | 17 | 18 | 11 | 19 | 8 | 16 | 17 | 11 |
| Pericarditis – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Hypertrophy of Heart – | 5 | – | – | – | – | – | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | |
| Angina Pectoris – – | 5 | – | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | |
| Syncope – – – | 13 | 1 | – | – | – | 1 | – | – | – | 1 | 1 | 1 | 1 | – | – | 1 | 1 | – | 2 | 1 | 1 | – | 1 | |
| Aneurism – – – | 7 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | |
| Senile Gangrene – – | 9 | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | 2 | – | – | 2 | – | – | – | – | – | |
| Embolism, Thrombosis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | |
| Phlebitis – – – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | |
| Varicose Veins – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Circulatory System – – | 9 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | 1 | – | – | 1 | |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis – – – | 9 | – | – | – | 2 | – | – | – | – | – | 2 | – | – | – | – | – | – | 2 | – | 2 | 1 | – | – | |
| Croup – – – | 41 | 1 | 3 | – | – | 1 | 4 | 3 | – | – | 1 | – | – | – | – | 2 | 3 | 3 | 1 | 8 | – | – | 6 | |
| Other Diseases of Larynx and Trachea – – | 3 | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Emphysema, Asthma – | 15 | – | – | – | – | 1 | 1 | – | – | – | 2 | – | 1 | – | – | 3 | 1 | – | 4 | – | – | 1 | 1 | |
| Bronchitis – – – | 550 | 20 | 8 | 36 | 13 | 27 | 27 | 8 | 17 | 19 | 28 | 20 | 23 | 21 | 28 | 36 | 24 | 44 | 44 | 26 | 6 | 15 | 34 | 2 |
| Pneumonia – – – | 378 | 26 | 6 | 7 | 9 | 5 | 30 | 4 | 9 | 6 | 16 | 9 | 16 | 5 | 27 | 25 | 17 | 27 | 15 | 44 | 25 | 8 | 11 | 2 |
| Pleurisy – – – | 32 | 2 | 3 | 2 | 1 | – | 1 | – | 1 | – | 1 | 1 | 3 | – | – | 1 | 3 | 3 | – | 3 | 1 | 3 | – | |
| Other Dis. of Resp. Sys. | 74 | – | 5 | 1 | 3 | 3 | 1 | – | – | 1 | 8 | 3 | 6 | – | 3 | 3 | 4 | 11 | 4 | 9 | 1 | – | 3 | |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis – – – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 3 | – | – | – | – | – | |
| Dentition – – – | 30 | – | 5 | 1 | 2 | – | – | 1 | 1 | – | 2 | – | 3 | 4 | 1 | 1 | 1 | – | 2 | 3 | – | – | 1 | |
| Sore-throat, Quinsy – | 8 | – | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – | – | 1 | 2 | 1 | 1 | – | – | – | |
| Dyspepsia – – – | 7 | – | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | |
| Hæmatemesis – – | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Melæna – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Stomach – | 50 | 3 | 1 | 1 | 1 | 1 | 5 | 2 | 3 | 2 | 4 | 1 | 2 | 3 | 1 | 3 | 3 | 1 | 7 | 2 | 1 | 2 | – | |
| Enteritis – – – | 78 | – | – | 2 | – | 1 | 5 | – | 1 | 1 | 11 | 1 | 3 | 4 | 1 | 8 | 15 | 2 | 3 | 5 | 3 | 1 | 8 | |
| Ulceration of Intestine – | 5 | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | |
| Ileus, Obstruc. of Intest. | 14 | – | 1 | – | 1 | 2 | – | 1 | – | – | – | – | – | 1 | 3 | – | 1 | 2 | 1 | – | – | – | – | |
| Stricture or Strangulation of Intestine – – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | |
| Intussusception of Intest. | 4 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | |
| Hernia – – – | 6 | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | – | |
| Fistula – – – | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | |
| Peritonitis – – – | 30 | 4 | – | 1 | – | 1 | 2 | 2 | 2 | 1 | – | 2 | 2 | – | 1 | – | – | – | 2 | 2 | 1 | 3 | 1 | |
| Ascites – – – | 4 | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Gallstones – – – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | |
| Cirrhosis of Liver – | 15 | 2 | 1 | 1 | – | – | – | 1 | – | 1 | 1 | 3 | – | – | 1 | – | – | 2 | – | 1 | – | – | 1 | |
| Other Diseases of Liver | 41 | 3 | – | – | – | 1 | 2 | – | 3 | 2 | 2 | 2 | 3 | 3 | 2 | 1 | 1 | 1 | – | 9 | 1 | – | 1 | |
| Other Dis. of Digest. Sys. | 10 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 3 | 1 | – | – | 3 | – | – | – | – | |
| DISEASES OF LYMPHATIC SYS. & DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | |
| Diseases of Lymphatics | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Dis. of Sup'renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| DIS. OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis – – | 24 | 4 | 1 | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – | 2 | 1 | 4 | 1 | – | 2 | 3 | – | 1 | |
| Bright's Disease – – | 37 | 3 | 1 | 2 | 2 | 6 | – | 1 | 1 | – | 1 | – | – | – | 2 | 1 | 1 | 3 | 2 | 3 | 1 | 3 | 2 | |
| Uræmia – – – | 6 | 1 | 1 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | |
| Suppression of Urine – | 4 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – | |
| Calculus – – – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | |
| Hæmaturia – – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Dis. of Blad. & of Prostate | 31 | 2 | – | 2 | 1 | 2 | 5 | – | – | 1 | – | 1 | 1 | – | 3 | 2 | – | 1 | 1 | 2 | – | 3 | 1 | |
| Other Dis. of Urin. Sys. | 17 | 1 | – | – | – | – | 1 | 1 | 2 | 1 | – | – | 2 | – | 2 | – | – | – | 1 | 3 | – | 1 | – | |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the Year 1891.—FEMALES. (*Continued*)

| CAUSES OF DEATH. | Total Large Town Distts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DISEASES OF CIRCULATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valv. Dis. | 358 | 26 | 10 | 29 | 19 | 27 | 16 | 20 | 14 | 12 | 11 | 14 | 7 | 12 | 16 | 17 | 5 | 15 | 13 | 15 | 13 | 9 | 17 | 21 |
| Pericarditis | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Hypertrophy of Heart | 12 | – | 1 | – | 1 | – | 1 | – | – | 2 | – | – | – | – | 1 | 1 | 1 | 1 | – | 1 | – | 2 | – | – |
| Angina Pectoris | 4 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Syncope | 12 | – | – | – | 1 | – | – | – | – | 2 | 1 | 3 | – | – | – | 1 | – | 1 | 1 | 1 | 1 | – | – | – |
| Aneurism | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 12 | – | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – | 2 | – | – | 2 | – |
| Embolism, Thrombosis | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Phlebitis | 3 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 18 | 1 | – | 1 | 1 | 2 | – | – | – | – | – | 1 | – | 1 | 3 | – | – | 1 | – | 2 | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 14 | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – | 1 | 2 | – | 4 | – | – | – | 3 | – |
| Croup | 58 | 2 | 5 | – | 2 | 1 | 4 | – | 2 | 1 | 5 | 2 | 2 | 1 | – | 2 | 3 | 6 | 2 | 4 | 2 | 1 | 9 | 2 |
| Other Diseases of Larynx and Trachea | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 10 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | 3 | 1 | – | – | 1 | – |
| Bronchitis | 551 | 18 | 10 | 35 | 20 | 29 | 32 | 13 | 24 | 16 | 20 | 11 | 23 | 28 | 23 | 26 | 13 | 39 | 35 | 33 | 15 | 16 | 28 | 44 |
| Pneumonia | 282 | 19 | 6 | 6 | 10 | – | 25 | 10 | 4 | 5 | 7 | 8 | 11 | 4 | 25 | 9 | 28 | 13 | 17 | 27 | 20 | 9 | 5 | 14 |
| Pleurisy | 16 | – | – | 1 | 1 | – | – | – | – | – | 3 | – | – | – | 1 | 3 | 1 | 1 | 1 | – | – | 1 | 1 | 2 |
| Other Dis. of Resp. Sys. | 62 | 3 | 2 | 1 | 5 | 1 | 1 | 1 | 1 | 3 | – | 2 | 7 | 2 | 8 | 2 | 2 | 6 | 3 | 9 | 1 | – | 1 | 1 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | 3 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Dentition | 33 | 1 | 4 | – | 2 | – | 3 | 1 | 6 | 1 | 1 | – | 1 | 4 | 2 | 1 | 2 | – | 1 | 2 | – | 1 | – | – |
| Sore-throat, Quinsy | 5 | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Dyspepsia | 5 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | 1 | – | – | 1 | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Stomach | 55 | 3 | 2 | – | – | 1 | 4 | – | 3 | 1 | – | – | 1 | 2 | – | 3 | 2 | 2 | 12 | 1 | 5 | 5 | 3 | 5 |
| Enteritis | 83 | 3 | 2 | 5 | 1 | 1 | 3 | 2 | – | – | 7 | – | 6 | 7 | 6 | 3 | 11 | 3 | 4 | 4 | 2 | – | 8 | 6 |
| Ulceration of Intestine | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Ileus, Obstruc. of Intest. | 13 | 1 | – | 2 | – | – | 1 | 1 | – | – | – | – | – | 1 | 2 | 1 | 1 | 1 | 1 | – | 1 | – | – | – |
| Stricture or Strangulation of Intestines | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intest. | 3 | – | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 9 | – | 1 | 1 | – | – | – | – | 2 | 1 | – | 2 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 37 | 1 | 3 | 2 | 1 | 2 | 1 | 3 | 2 | 1 | 1 | – | 2 | 3 | – | – | 1 | 3 | 1 | 3 | – | 2 | 2 | 3 |
| Ascites | 3 | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 4 | – | – | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 11 | 4 | 1 | – | – | – | – | – | – | 1 | – | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | 1 |
| Other Diseases of Liver | 50 | 2 | – | 2 | – | 1 | 3 | 1 | 3 | 4 | 2 | 2 | 4 | 1 | 2 | 3 | 3 | 2 | 4 | 4 | 1 | 2 | 2 | 2 |
| Other Dis. of Digest. Sys. | 12 | 1 | – | – | – | 1 | – | – | – | – | 2 | – | – | – | – | – | 1 | 1 | 4 | – | 1 | – | – | 1 |
| DISEASES OF LYMPHATIC SYS. & DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Lymphatics | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Sup'renal Capsules | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| DIS. OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 26 | 1 | 2 | – | – | – | 1 | 3 | 2 | – | – | – | 1 | 1 | 1 | – | 1 | – | 1 | 5 | – | 2 | – | 2 |
| Bright's Disease | 51 | 3 | – | – | 4 | 4 | – | – | 10 | 1 | 1 | – | – | 1 | 4 | 2 | 1 | 3 | 3 | 2 | – | 5 | 5 | 2 |
| Uræmia | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Suppression of Urine | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Blad. & of Prostate | 7 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 3 |
| Other Dis. of Urin. Sys. | 11 | 2 | – | – | 2 | – | – | – | 1 | – | 1 | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | 2 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Large Town Dists. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Pt.-Glasgow | Ayr. | Cambusnethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. | Dumfries |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DIS. OF ORGANS OF GEN. | | | | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Uterus & Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 4 | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Oth. Accids. of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIS. OF ORGANS OF LOCO. | | | | | | | | | | | | | | | | | | | | | | | | |
| Caries Necrosis | 8 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | 2 | 1 | – | – | 1 | 1 | 1 | – | |
| Arthritis, Ostitis, Periost. | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | |
| Other Dis. of Orgs. of Loco. | 10 | – | – | 1 | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | 1 | 1 | – | 1 | – | – | 1 | – | |
| DIS. OF INTEG. SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | |
| Phlegmon, Cellulitis | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | 1 | – | – | 1 | – | – | |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | |
| Eczema | 6 | – | – | + | – | + | 1 | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – | 1 | – | 1 | – | |
| Pemphigus | – | – | – | – | + | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Dis. of Integ. Sys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries — Coal Mines | 30 | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | 6 | 7 | 9 | 3 | 2 | – | – | – | |
| Mines and Quarries — Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Mines and Quarries — Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Vehicles and Horses — Railways | 36 | 1 | – | 3 | 2 | 1 | – | – | – | 1 | 1 | 4 | – | 1 | 2 | – | 5 | 5 | 1 | 2 | 4 | – | – | |
| Vehicles and Horses — Other than Rl's | 8 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – | |
| Vehicles and Horses — Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Ships, Docks (ex. Drowning) | 6 | 1 | – | – | – | – | – | – | – | 2 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | |
| Building Operations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | |
| Weapons & Implements | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | |
| Burns and Scalds — Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Burns and Scalds — Oth. Burns Scalds | 18 | – | 1 | 1 | – | – | – | – | – | – | 2 | 2 | – | – | 1 | 1 | 3 | 3 | 1 | 1 | – | – | 1 | |
| Burns and Scalds — Explosions | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 4 | – | – | – | |
| Poisons, Pois'ous Vapours | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | |
| Drowning | 44 | 1 | 1 | – | 1 | – | 3 | 1 | – | 2 | – | 2 | 3 | 8 | 1 | 4 | – | 3 | – | 6 | 2 | 2 | 1 | |
| Suffocation — In Bed | 8 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 3 | – | – | – | – | 1 | |
| Suffocation — Otherwise | 4 | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | |
| Falls | 22 | – | 1 | – | – | – | 4 | – | – | 1 | – | 4 | 2 | 1 | – | 1 | – | 2 | – | 2 | 1 | – | 1 | |
| Weather Agencies | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | |
| Otherwise, or Not Stated | 41 | 2 | 3 | 2 | – | 2 | 3 | 1 | 1 | – | 1 | 1 | 1 | – | 5 | 2 | 1 | 3 | – | 3 | 1 | 3 | 2 | |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | |
| Suicide | 20 | 3 | – | 1 | 2 | – | 1 | 2 | – | – | – | – | – | 2 | 3 | – | 1 | 2 | – | 2 | – | – | 1 | |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 14 | 2 | – | – | – | – | – | 1 | 1 | 1 | 1 | 1 | 2 | – | – | 1 | – | 1 | – | 3 | – | – | – | |
| Debility, Atrophy, Inanit. | 245 | 9 | 8 | 6 | 3 | 2 | 8 | 9 | 3 | 12 | 7 | 11 | 4 | 7 | 11 | 13 | 13 | 22 | 19 | 38 | 9 | 6 | 10 | 1 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Tumour | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Abscess | 8 | – | – | – | – | – | 2 | – | – | – | 1 | – | – | – | 1 | 1 | – | 1 | 1 | – | 1 | – | – | |
| Hæmorrhage | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | |
| Sudden (Cause unascer.) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other ill-defined and not specified Causes | 33 | 2 | 1 | – | – | 1 | – | – | – | 1 | – | – | 4 | – | 1 | 4 | 2 | – | 8 | 6 | – | 1 | 1 | |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the Year 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Large Town Dists | Inverness. | Peterhead. | Arbroath. | Forfar. | Montrose. | Dunferm-line. | Dysart. | Kirkcaldy & Abbotshall. | Alloa. | Falkirk. | Stirling | Dumbarton. | Pt.-Glasgow | Ayr. | Cambus-nethan. | Dalziel. | Hamilton. | Airdrie. | Coatbridge. | Rutherglen. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DIS. OF ORGANS OF GEN. | | | | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 3 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Dis. of Uterus and Vagina | 10 | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | 3 | 1 | – | – | 1 | – | – | – | 2 | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 7 | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 11 | – | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | 2 | 1 | 3 | 1 | |
| Placenta Prævia, Flooding | 11 | – | – | 1 | – | 1 | 1 | – | – | – | – | – | 1 | – | 1 | 1 | – | 1 | 3 | – | – | – | 1 | |
| Phlegmasia Dolens | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | |
| Oth. Accids. of Childbirth | 14 | – | 1 | – | – | – | 1 | – | 1 | 2 | – | – | – | 2 | – | 1 | 2 | 2 | – | 2 | – | – | – | – |
| DIS. OF ORGANS OF LOCO. | | | | | | | | | | | | | | | | | | | | | | | | |
| Caries Necrosis | 11 | 1 | – | 3 | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | 2 | 1 | |
| Arthritis, Ostitis, Periost. | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 2 | 2 | – | – | |
| Other Dis. of Orgs. of Loco. | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 | |
| DIS. OF INTEG. SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ulcer, Bedsore | 4 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Eczema | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Dis. of Integ. Sys. | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Other than R'ys. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons & Implements | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns Scalds: Oth. Burns Scalds | 15 | – | 1 | 1 | – | 1 | 2 | 1 | – | – | 1 | – | 1 | – | 1 | 2 | 1 | – | – | 1 | – | – | 2 | – |
| Burns Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Pois'ous Vapours | 5 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – |
| Drowning | 8 | 1 | – | – | – | – | 1 | – | – | – | 2 | – | – | 1 | 2 | – | – | – | – | 1 | – | – | – | – |
| Suffocation: In Bed | 10 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – | 1 | – | – | 1 | 1 | 1 | 1 | – | – | 2 |
| Suffocation: Otherwise | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 2 | – | – | – | – | 1 |
| Falls | 7 | – | – | 1 | – | – | – | – | – | 1 | – | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Weather Agencies | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 24 | 1 | 1 | 2 | 2 | – | 2 | 1 | – | 2 | – | 1 | 2 | – | 1 | 1 | – | 3 | 1 | – | – | 2 | – | 2 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | | | | |
| Homicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Suicide | 12 | – | – | 1 | – | 1 | 1 | 1 | 1 | – | – | 2 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | 2 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 17 | 3 | – | – | – | – | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | – | – | 1 | 3 | – | – | – | – | – | – |
| Debility, Atrophy, Inanit. | 169 | 3 | 5 | 3 | 2 | 4 | 7 | 3 | 9 | 5 | 6 | 6 | 4 | 7 | 3 | 8 | 9 | 18 | 16 | 29 | 7 | – | 5 | 10 |
| Mortification | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 7 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | 1 | – | 1 | – | 2 | 1 | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Sudden (Cause unascer.) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 3 | – | – | – | – |
| Other ill-defined and not specified Causes | 31 | – | 1 | – | – | – | – | 1 | 1 | – | – | – | 4 | 2 | 1 | 1 | 1 | 5 | 7 | 3 | – | 1 | 1 | 2 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—MALES.

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 8414 | 39 | 46 | 162 | 109 | 50 | 181 | 227 | 191 | 59 | 269 | 261 | 571 | 62 | 532 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1259 | 6 | 8 | 34 | 13 | 8 | 20 | 31 | 28 | 3 | 38 | 36 | 74 | 9 | 81 |
| II. PARASITIC DISEASES | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| III. DIETETIC ,, | 37 | – | – | – | – | – | – | – | 1 | – | 2 | – | 2 | – | 1 |
| IV. CONSTITUTIONAL ,, | 1285 | 11 | 7 | 23 | 19 | 5 | 32 | 39 | 29 | 7 | 49 | 38 | 94 | 12 | 74 |
| V. DEVELOPMENTAL ,, | 665 | 5 | 7 | 13 | 7 | 7 | 13 | 18 | 19 | 4 | 33 | 21 | 51 | 4 | 35 |
| VI. LOCAL ,, | 4371 | 14 | 22 | 78 | 57 | 27 | 100 | 112 | 96 | 43 | 126 | 141 | 297 | 34 | 273 |
| VII. VIOLENCE | 433 | 1 | 2 | 7 | 12 | 1 | 5 | 18 | 8 | 1 | 11 | 20 | 30 | 1 | 32 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 362 | 2 | – | 7 | 1 | 2 | 11 | 9 | 10 | 1 | 10 | 5 | 22 | 2 | 36 |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 962 | 4 | 6 | 29 | 11 | 4 | 16 | 22 | 19 | 2 | 29 | 28 | 62 | 7 | 69 |
| 2. DIARRHŒAL ,, | 227 | – | 1 | 4 | 1 | 3 | 1 | 8 | 7 | – | 6 | 8 | 9 | 2 | 11 |
| 3. MALARIAL ,, | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 15 | 1 | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – |
| 6. SEPTIC ,, | 53 | 1 | 1 | 1 | – | 1 | 3 | 1 | 2 | – | 2 | – | 2 | – | 1 |
| **II.** | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| **III.** | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 37 | – | – | – | – | – | – | – | 1 | – | 2 | – | 2 | – | 1 |
| **IV.** | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 1285 | 11 | 7 | 23 | 19 | 5 | 32 | 39 | 29 | 7 | 49 | 38 | 94 | 12 | 74 |
| **V.** | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 665 | 5 | 7 | 13 | 7 | 7 | 13 | 18 | 19 | 4 | 33 | 21 | 51 | 4 | 35 |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 1026 | 5 | 3 | 22 | 15 | 5 | 26 | 25 | 21 | 10 | 27 | 36 | 67 | 12 | 60 |
| 2. ,, ORGANS OF SPECIAL SENSE | 12 | – | – | – | 1 | – | – | 1 | – | 1 | 1 | – | – | – | 3 |
| 3. ,, CIRCULATORY SYSTEM | 708 | 4 | 3 | 6 | 7 | 4 | 11 | 15 | 13 | 11 | 33 | 34 | 49 | 6 | 36 |
| 4. ,, RESPIRATORY SYSTEM | 1705 | 5 | 8 | 22 | 26 | 10 | 39 | 44 | 29 | 17 | 41 | 44 | 114 | 10 | 116 |
| 5. ,, DIGESTIVE SYSTEM | 604 | – | 5 | 17 | 3 | 8 | 16 | 18 | 19 | 2 | 15 | 14 | 44 | 4 | 43 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 6 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 247 | – | 3 | 8 | 5 | – | 8 | 6 | 6 | 2 | 9 | 11 | 19 | 1 | 13 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 43 | – | – | 2 | – | – | – | 3 | 2 | – | – | 2 | 3 | 1 | 2 |
| 10. ,, INTEGUMENTARY SYSTEM | 18 | – | – | 1 | – | – | – | – | 5 | – | – | – | 1 | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES.

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 8705 | 43 | 56 | 193 | 104 | 58 | 205 | 265 | 181 | 57 | 353 | 307 | 642 | 65 | 490 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1455 | 9 | 2 | 43 | 21 | 5 | 21 | 37 | 21 | 6 | 43 | 35 | 81 | 11 | 80 |
| II. PARASITIC DISEASES | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| III. DIETETIC ,, | 24 | – | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – | 2 |
| IV. CONSTITUTIONAL ,, | 1498 | 6 | 17 | 24 | 13 | 6 | 35 | 57 | 26 | 12 | 65 | 53 | 112 | 16 | 70 |
| V. DEVELOPMENTAL ,, | 808 | 4 | 11 | 12 | 12 | 7 | 14 | 20 | 25 | 6 | 32 | 30 | 69 | 5 | 46 |
| VI. LOCAL ,, | 4431 | 23 | 23 | 99 | 55 | 33 | 121 | 135 | 99 | 30 | 203 | 174 | 354 | 31 | 254 |
| VII. VIOLENCE | 168 | – | 1 | 5 | 2 | 4 | 6 | 5 | 3 | 1 | 3 | 7 | 10 | – | 8 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 318 | 1 | 2 | 10 | 1 | 2 | 8 | 11 | 7 | 2 | 6 | 8 | 15 | 2 | 29 |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 1019 | 9 | 1 | 35 | 18 | 5 | 15 | 26 | 11 | 4 | 32 | 22 | 61 | 6 | 62 |
| 2. DIARRHŒAL ,, | 263 | – | – | 7 | 2 | – | 1 | 7 | 4 | 1 | 8 | 6 | 10 | 3 | 13 |
| 3. MALARIAL ,, | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 16 | – | 1 | – | – | – | – | 1 | – | – | – | 2 | 1 | – | – |
| 6. SEPTIC ,, | 156 | – | – | 1 | 1 | – | 5 | 3 | 6 | 1 | 3 | 5 | 9 | 2 | 5 |
| **II.** | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **III.** | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 24 | – | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – | 2 |
| **IV.** | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 1498 | 6 | 17 | 24 | 13 | 6 | 35 | 57 | 26 | 12 | 65 | 53 | 112 | 16 | 70 |
| **V.** | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 808 | 4 | 11 | 12 | 12 | 7 | 14 | 20 | 25 | 6 | 32 | 30 | 69 | 5 | 46 |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 940 | 7 | 8 | 24 | 16 | 4 | 23 | 31 | 18 | 2 | 53 | 44 | 71 | 7 | 47 |
| 2. ,, ORGANS OF SPECIAL SENSE | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| 3. ,, CIRCULATORY SYSTEM | 841 | 5 | 4 | 20 | 5 | 6 | 19 | 19 | 16 | 10 | 50 | 47 | 76 | 3 | 40 |
| 4. ,, RESPIRATORY SYSTEM | 1640 | 9 | 5 | 34 | 18 | 17 | 55 | 48 | 30 | 12 | 58 | 51 | 119 | 12 | 106 |
| 5. ,, DIGESTIVE SYSTEM | 669 | 1 | 4 | 14 | 8 | 4 | 17 | 28 | 24 | 5 | 17 | 18 | 57 | 5 | 49 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 16 | – | – | – | – | – | – | 1 | – | – | 1 | – | 2 | – | – |
| 7. ,, URINARY SYSTEM | 152 | 1 | 2 | 1 | 2 | 1 | 4 | 3 | 2 | 1 | 15 | 5 | 18 | 3 | 7 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 35 | – | – | 1 | 2 | – | 2 | 1 | 3 | – | 3 | 2 | 1 | – | 1 |
| (*b*) DISEASES OF PARTURITION | 65 | – | – | 2 | 2 | – | – | 2 | 3 | – | 4 | 2 | 5 | – | 2 |
| 9. ,, ORGANS OF LOCOMOTION | 33 | – | – | – | 1 | – | – | 2 | 2 | – | 1 | 3 | 4 | – | 1 |
| 10. ,, INTEGUMENTARY SYSTEM | 33 | – | – | 3 | 1 | 1 | 1 | – | 1 | – | 1 | 1 | 1 | – | 1 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 560 | 235 | 103 | 559 | 1152 | 1189 | 419 | 613 | 185 | 46 | 89 | 64 | 85 | 156 | 98 | 102 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 86 | 36 | 11 | 108 | 160 | 193 | 70 | 101 | 22 | 11 | 5 | 11 | 13 | 18 | 8 | 17 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | 3 | 1 | 2 | 7 | 6 | 3 | 3 | 2 | – | 1 | – | – | 1 | – | 1 |
| IV. CONSTITUTIONAL ,, | 90 | 46 | 15 | 90 | 175 | 174 | 56 | 73 | 29 | 6 | 17 | 10 | 9 | 22 | 23 | 11 |
| V. DEVELOPMENTAL ,, | 38 | 19 | 4 | 33 | 103 | 88 | 35 | 42 | 10 | 4 | 5 | 5 | 9 | 15 | 7 | 11 |
| VI. LOCAL ,, | 281 | 109 | 69 | 289 | 595 | 609 | 203 | 342 | 107 | 24 | 55 | 31 | 46 | 78 | 55 | 58 |
| VII. VIOLENCE | 41 | 16 | 3 | 17 | 45 | 73 | 23 | 28 | 10 | – | 6 | 4 | 5 | 8 | 3 | 2 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 23 | 6 | – | 20 | 67 | 46 | 28 | 24 | 5 | 1 | – | 3 | 3 | 14 | 2 | 2 |
| **I.** | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 69 | 29 | 9 | 89 | 114 | 143 | 53 | 70 | 12 | 8 | 5 | 3 | 12 | 15 | 4 | 14 |
| 2. DIARRHŒAL ,, | 13 | 7 | 2 | 14 | 38 | 36 | 13 | 21 | 7 | 2 | – | 3 | 1 | 2 | 4 | 3 |
| 3. MALARIAL ,, | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 1 | – | – | 2 | 1 | 2 | 3 | 1 | – | 1 | – | – | – | – | – | – |
| 6. SEPTIC ,, | 3 | – | – | 3 | 7 | 12 | – | 9 | 3 | – | – | – | – | 1 | – | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 1 | 3 | 1 | 2 | 7 | 6 | 3 | 3 | 2 | – | 1 | – | – | 1 | – | 1 |
| **IV.** CONSTITUTIONAL DISEASES | 90 | 46 | 15 | 90 | 175 | 174 | 56 | 73 | 29 | 6 | 17 | 10 | 9 | 22 | 23 | 11 |
| **V.** DEVELOPMENTAL DISEASES | 38 | 19 | 4 | 33 | 103 | 88 | 35 | 42 | 10 | 4 | 5 | 5 | 9 | 15 | 7 | 11 |
| **VI.** | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 82 | 24 | 13 | 85 | 130 | 133 | 35 | 88 | 24 | 6 | 17 | 6 | 9 | 15 | 12 | 13 |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | 2 | 2 | – | – | 1 | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 41 | 17 | 15 | 41 | 98 | 85 | 20 | 57 | 17 | 4 | 11 | 8 | 16 | 20 | 15 | 11 |
| 4. ,, RESPIRATORY SYSTEM | 119 | 45 | 31 | 108 | 233 | 259 | 96 | 141 | 47 | 8 | 15 | 11 | 15 | 25 | 18 | 18 |
| 5. ,, DIGESTIVE SYSTEM | 32 | 11 | 6 | 36 | 84 | 98 | 35 | 40 | 12 | 5 | 8 | 3 | 3 | 8 | 6 | 9 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | 1 |
| 7. ,, URINARY SYSTEM | 8 | 10 | 4 | 14 | 42 | 26 | 9 | 13 | 6 | 1 | 1 | 3 | 3 | 7 | 4 | 5 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 5 | 1 | – | 3 | 5 | 6 | 2 | – | – | – | 2 | – | – | 2 | – | 2 |
| 10. ,, INTEGUMENTARY SYSTEM | 1 | 1 | – | – | 2 | 1 | 3 | 1 | 1 | – | – | – | – | 1 | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 541 | 244 | 108 | 582 | 1118 | 1185 | 356 | 601 | 197 | 68 | 87 | 67 | 113 | 185 | 100 | 134 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 95 | 45 | 15 | 143 | 191 | 235 | 61 | 111 | 28 | 14 | 16 | 13 | 20 | 17 | 8 | 28 |
| II. PARASITIC DISEASES | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 2 | 2 | – | – | 4 | 2 | 1 | 3 | – | 1 | – | – | – | 1 | – | 3 |
| IV. CONSTITUTIONAL ,, | 99 | 42 | 22 | 100 | 195 | 223 | 48 | 89 | 34 | 7 | 18 | 6 | 14 | 43 | 26 | 20 |
| V. DEVELOPMENTAL ,, | 44 | 25 | 7 | 41 | 106 | 126 | 28 | 49 | 16 | 6 | 8 | 9 | 13 | 16 | 6 | 15 |
| VI. LOCAL ,, | 268 | 118 | 61 | 261 | 550 | 539 | 181 | 317 | 110 | 34 | 44 | 35 | 62 | 100 | 57 | 60 |
| VII. VIOLENCE | 9 | 3 | 2 | 12 | 21 | 28 | 13 | 12 | 3 | 3 | – | – | 1 | 4 | 1 | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 24 | 9 | 1 | 24 | 51 | 31 | 24 | 20 | 6 | 3 | 1 | 4 | 3 | 4 | 2 | 7 |
| **I.** | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 56 | 30 | 12 | 108 | 127 | 165 | 37 | 77 | 15 | 14 | 11 | 9 | 13 | 11 | 6 | 21 |
| 2. DIARRHŒAL ,, | 26 | 10 | 1 | 23 | 41 | 41 | 12 | 25 | 6 | – | 2 | 1 | 5 | 5 | – | 3 |
| 3. MALARIAL ,, | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | 1 | 2 | 2 | – | – | 1 | 1 | – | 1 | – | 1 | – | 1 | 1 |
| 6. SEPTIC ,, | 13 | 5 | 1 | 10 | 21 | 28 | 12 | 8 | 6 | – | 2 | 3 | 1 | 1 | 1 | 3 |
| **II.** | | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **III.** | | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 2 | 2 | – | – | 4 | 2 | 1 | 3 | – | 1 | – | – | – | 1 | – | 3 |
| **IV.** | | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 99 | 42 | 22 | 100 | 195 | 223 | 48 | 89 | 34 | 7 | 18 | 6 | 14 | 43 | 26 | 20 |
| **V.** | | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 44 | 25 | 7 | 41 | 106 | 126 | 28 | 49 | 16 | 6 | 8 | 9 | 13 | 16 | 6 | 15 |
| **VI.** | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 55 | 34 | 12 | 66 | 99 | 101 | 33 | 76 | 19 | 10 | 11 | 12 | 18 | 16 | 8 | 15 |
| 2. ,, ORGANS OF SPECIAL SENSE | 2 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 44 | 24 | 11 | 51 | 114 | 78 | 32 | 50 | 22 | 11 | 8 | 4 | 12 | 28 | 15 | 17 |
| 4. ,, RESPIRATORY SYSTEM | 111 | 39 | 20 | 92 | 201 | 221 | 73 | 129 | 45 | 6 | 18 | 15 | 18 | 37 | 22 | 19 |
| 5. ,, DIGESTIVE SYSTEM | 38 | 15 | 11 | 35 | 81 | 104 | 30 | 48 | 17 | 3 | 6 | 1 | 10 | 11 | 4 | 4 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 2 | 1 | 1 | – | 3 | – | 1 | 2 | – | 1 | 1 | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 4 | 4 | 4 | 10 | 28 | 13 | 4 | 5 | 2 | 2 | – | 1 | – | 1 | 6 | 3 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | 6 | 5 | 1 | 1 | – | – | – | 1 | 2 | 2 | – | 1 |
| (*b*) DISEASES OF PARTURITION | 3 | – | 1 | 4 | 10 | 13 | 2 | 2 | 1 | 1 | – | 1 | 1 | 2 | 1 | 1 |
| 9. ,, ORGANS OF LOCOMOTION | 3 | – | – | 3 | 3 | 2 | 1 | 2 | 3 | – | – | – | – | 2 | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 6 | 1 | – | – | 4 | 2 | 3 | 2 | 1 | – | – | – | 1 | 1 | 1 | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 395 | 1 | 2 | 6 | 11 | 1 | 5 | 17 | 8 | 1 | 8 | 16 | 28 | 1 | 32 |
| 2. HOMICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 37 | – | – | 1 | 1 | – | – | 1 | – | – | 3 | 4 | 2 | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 362 | 2 | – | 7 | 1 | 2 | 11 | 9 | 10 | 1 | 10 | 5 | 22 | 2 | 36 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 222 | – | 2 | 1 | – | 2 | 1 | 4 | – | – | – | 9 | 4 | – | 19 |
| Epidemic Rose Rash | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlet Fever | 68 | – | – | 2 | – | – | 3 | 1 | – | – | 1 | – | 5 | – | 5 |
| Typhus | 15 | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 241 | 1 | 4 | 1 | – | 1 | 8 | 9 | 10 | 1 | 10 | 10 | 22 | 6 | 14 |
| Hooping-cough | 225 | 3 | – | 24 | 10 | – | – | 1 | 3 | 1 | 13 | 3 | 21 | – | 16 |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 73 | – | – | – | – | – | 2 | 1 | 3 | – | 1 | 1 | 3 | – | 5 |
| Cerebro-spinal Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 10 | – | – | 1 | – | 1 | 1 | 6 | 3 | – | 3 | 4 | 7 | 1 | 10 |
| Other Miasmatic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 17 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Diarrhœa, Dysentery | 210 | – | 1 | 4 | 1 | 3 | 1 | 8 | 6 | – | 6 | 8 | 9 | 2 | 10 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 12 | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 34 | – | 1 | – | – | 1 | 1 | 1 | 2 | – | – | – | 2 | – | – |
| Pyæmia, Septicæmia | 19 | 1 | – | 1 | – | – | 2 | – | – | – | 2 | – | – | – | 1 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 148 | – | 1 | 5 | 1 | 4 | 5 | 4 | 3 | 1 | 3 | 6 | 9 | – | 8 |
| 2. HOMICIDE | 4 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 16 | – | – | – | 1 | – | – | 1 | – | – | – | 1 | 1 | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 318 | 1 | 2 | 10 | 1 | 2 | 8 | 11 | 7 | 2 | 6 | 8 | 15 | 2 | 29 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 176 | – | – | 4 | – | 2 | – | 6 | – | – | – | 2 | 2 | – | 1 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 66 | – | – | 1 | – | – | 2 | – | – | – | 2 | – | 7 | – | 2 |
| Typhus | 10 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 272 | 3 | 1 | 4 | – | 1 | 9 | 15 | 4 | 2 | 19 | 14 | 16 | 2 | 12 |
| Hooping-cough | 300 | 6 | – | 23 | 15 | 2 | 1 | – | 1 | 1 | 6 | 3 | 22 | 3 | 17 |
| Mumps | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diphtheria | 97 | – | – | 1 | 1 | – | 2 | – | 3 | 1 | 2 | 1 | 7 | 2 | 8 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Enteric Fever | 91 | – | – | 1 | 1 | – | – | 5 | 3 | – | 3 | 1 | 7 | – | 2 |
| Other Miasmatic Diseases | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diarrhœa, Dysentery | 255 | – | – | 7 | 2 | – | 1 | 7 | 4 | 1 | 8 | 6 | 10 | 3 | 12 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 16 | – | 1 | – | – | – | – | 1 | – | – | – | 2 | 1 | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 34 | – | – | – | 1 | – | – | 3 | 1 | – | 1 | 1 | 1 | 1 | – |
| Pyæmia, Septicæmia | 30 | – | – | – | – | – | 2 | – | 4 | 1 | 2 | 3 | 6 | 1 | 3 |
| Puerperal Fever | 91 | – | – | 1 | – | – | 2 | – | 4 | 1 | 2 | 3 | 6 | 1 | 3 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 37 | 15 | 3 | 16 | 44 | 67 | 23 | 23 | 8 | – | 6 | 3 | 5 | 6 | – | 2 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 3. SUICIDE | 4 | 1 | – | 1 | 1 | 6 | – | 5 | 2 | – | – | 1 | – | 2 | 2 | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 23 | 6 | – | 20 | 67 | 46 | 28 | 24 | 5 | 1 | – | 3 | 3 | 14 | 2 | 2 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 26 | 11 | 2 | 28 | 25 | 46 | 12 | 21 | – | 5 | 1 | – | 2 | 1 | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 5 | – | – | 13 | 6 | 17 | 2 | 7 | – | – | – | – | – | – | 1 | – |
| Typhus | 2 | – | – | 3 | – | – | – | 4 | – | – | – | – | – | – | – | 3 |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 11 | 9 | 3 | 14 | 24 | 24 | 15 | 18 | 7 | 1 | 3 | 1 | 3 | 6 | 1 | 4 |
| Hooping-cough | 17 | 7 | 1 | 13 | 30 | 18 | 12 | 11 | 2 | 1 | 1 | 5 | 3 | 4 | – | 5 |
| Mumps | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 5 | 1 | 1 | 9 | 15 | 11 | 4 | 3 | – | 1 | – | 2 | – | 2 | 1 | 2 |
| Cerebro-spinal Fever | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 2 | – | – |
| Enteric Fever | 2 | 1 | 1 | 9 | 11 | 25 | 8 | 6 | 3 | – | – | – | 4 | – | 1 | – |
| Other Miasmatic Diseases | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | |
| Simple Cholera | 3 | – | 2 | – | 4 | 3 | 1 | – | 2 | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 10 | 7 | – | 14 | 34 | 33 | 12 | 21 | 5 | 2 | – | 3 | 1 | 2 | 4 | 3 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | 1 | 1 | 2 | 3 | 1 | – | 1 | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 3 | – | – | 3 | 3 | 8 | – | 6 | 2 | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | 4 | 4 | – | 3 | 1 | – | – | – | – | 1 | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 8 | 3 | 2 | 11 | 19 | 25 | 9 | 9 | 3 | 3 | – | – | 1 | 3 | 1 | 1 |
| 2. HOMICIDE | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | – | 1 | 2 | 3 | 3 | 1 | – | – | – | – | – | 1 | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 24 | 9 | 1 | 24 | 51 | 31 | 24 | 20 | 6 | 3 | 1 | 4 | 3 | 4 | 2 | 7 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 10 | 9 | 6 | 30 | 21 | 36 | 3 | 12 | – | 9 | – | – | 1 | 2 | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 4 | – | – | 9 | 7 | 23 | 1 | 3 | 1 | 2 | 1 | – | – | – | – | 1 |
| Typhus | 1 | – | – | 2 | 2 | – | – | 2 | – | – | – | – | – | – | – | 2 |
| Relapsing Fever | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Influenza | 12 | 11 | 5 | 13 | 26 | 33 | 14 | 23 | 5 | – | 6 | 1 | 4 | 4 | 3 | 10 |
| Hooping-cough | 16 | 9 | – | 40 | 40 | 31 | 10 | 20 | 8 | 3 | 3 | 7 | 5 | 2 | – | 7 |
| Mumps | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 7 | 1 | 1 | 7 | 16 | 17 | 3 | 12 | – | – | – | – | – | 1 | 3 | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 6 | – | – | 7 | 15 | 21 | 6 | 5 | 1 | – | 1 | 1 | 3 | 2 | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | 1 | 4 | – | 1 | 1 | – | – | – | – | – | – | 1 |
| Diarrhœa, Dysentery | 26 | 10 | 1 | 23 | 40 | 37 | 12 | 24 | 5 | – | 2 | 1 | 5 | 5 | – | 3 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | |
| Syphilis | – | – | 1 | 2 | 2 | – | – | 1 | 1 | – | 1 | – | 1 | – | 1 | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 2 | – | 4 | 6 | 6 | 1 | 3 | – | – | 1 | 2 | – | – | – | 2 |
| Pyæmia, Septicæmia | 4 | 2 | 1 | – | 2 | 3 | 1 | – | 2 | – | 1 | – | 1 | – | – | 1 |
| Puerperal Fever | 8 | 1 | – | 6 | 12 | 19 | 10 | 5 | 4 | – | – | 1 | – | 1 | 1 | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 7 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 23 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Intemp. Delirium Tremens | 7 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 25 | – | 1 | – | – | – | 1 | – | 1 | – | 1 | 1 | 5 | – | 1 |
| Rheumatism | 16 | – | – | 2 | 1 | – | – | – | 2 | – | – | – | 1 | – | 2 |
| Gout | 5 | – | – | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Rickets | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cancer | 198 | 1 | 1 | 3 | 3 | 1 | 4 | 6 | 5 | 2 | 8 | 8 | 14 | 4 | 10 |
| Tabes Mesenterica | 98 | 1 | – | – | – | – | 2 | 1 | 1 | – | 2 | 1 | 8 | 1 | 10 |
| Tubercular Meningitis (Acute Hydrocephalus) | 137 | – | 1 | 3 | 1 | – | 4 | 3 | 4 | 2 | 3 | 1 | 14 | 1 | 7 |
| Phthisis | 682 | 7 | 4 | 13 | 12 | 4 | 18 | 24 | 13 | 3 | 32 | 25 | 44 | 4 | 37 |
| Other forms of Tuberculosis, Scrofula | 82 | 2 | – | – | 1 | – | 2 | 3 | 3 | – | 2 | 1 | 6 | 1 | 7 |
| Purpura, Hæmorrhagic Diathesis | 7 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 25 | – | – | 1 | – | – | – | 1 | – | – | 1 | – | 1 | 1 | – |
| Diabetes Mellitus | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Constitutional Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | 250 | – | 2 | 3 | – | 2 | 6 | 6 | 12 | – | 11 | 4 | 22 | 1 | 12 |
| Atelectasis | 14 | – | – | – | – | – | – | – | – | – | – | 3 | 1 | – | 2 |
| Cyanosis | 12 | – | – | – | – | – | – | – | – | – | – | – | 3 | – | 1 |
| Spina Bifida | 12 | – | – | – | – | – | – | – | – | – | – | – | 4 | – | – |
| Imperforate Anus | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Cleft Palate, Harelip | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Congenital Defects | 27 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Old Age | 347 | 5 | 5 | 10 | 7 | 5 | 7 | 12 | 7 | 4 | 21 | 14 | 19 | 3 | 19 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 157 | 1 | – | 1 | 1 | – | 5 | 3 | 3 | – | 2 | 3 | 13 | 2 | 10 |
| Apoplexy | 285 | 2 | – | 7 | 2 | 1 | 11 | 5 | 5 | 4 | 7 | 14 | 17 | 6 | 15 |
| Softening of the Brain | 52 | – | – | 2 | – | – | – | 2 | 1 | 3 | 3 | 4 | 3 | – | 5 |
| Hemiplegia, Brain Paralysis | 163 | 1 | 2 | 2 | 3 | 1 | 4 | 4 | 5 | 1 | 6 | 5 | 7 | 1 | 3 |
| Paralysis Agitans | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Insanity, General Paralysis of Insane | 43 | – | – | – | – | – | 1 | – | – | – | 1 | – | 7 | – | 5 |
| Chorea | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 42 | – | 1 | – | – | – | 1 | 1 | 1 | – | 3 | 3 | – | – | 6 |
| Convulsions | 104 | – | – | 2 | 6 | – | 2 | 8 | 3 | – | 1 | 3 | 5 | – | 7 |
| Laryngismus Stridulus | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Idiopathic Tetanus | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Paraplegia, Diseases of Spinal Cord | 42 | – | – | 3 | 1 | – | – | – | – | – | – | 2 | 8 | 2 | 2 |
| Other Diseases of Nervous System | 124 | 1 | – | 5 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 1 | 6 | 1 | 7 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 11 | – | – | – | 1 | – | – | 1 | – | 1 | 1 | – | – | – | 3 |
| Epistaxis and Disease of Nose | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Dis. from Vegetable Parasites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 12 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Intemp. { Delirium Tremens | 5 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 24 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Rheumatism | 28 | – | 1 | 1 | 1 | – | – | 1 | – | – | 3 | – | 4 | – | 4 |
| Gout | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Rickets | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 316 | – | 4 | 5 | – | 3 | 9 | 17 | 8 | 3 | 17 | 14 | 21 | 2 | 17 |
| Tabes Mesenterica | 96 | – | 1 | 1 | 1 | – | 1 | 1 | 2 | – | 3 | 2 | 7 | – | 4 |
| Tubercular Meningitis (Acute Hydrocephalus) | 113 | – | 2 | 1 | 1 | – | 1 | 4 | 3 | 1 | 2 | 3 | 6 | 1 | 4 |
| Phthisis | 773 | 6 | 7 | 15 | 8 | 3 | 20 | 27 | 11 | 7 | 36 | 27 | 63 | 9 | 33 |
| Other forms of Tuberculosis, Scrofula | 75 | – | 2 | – | 1 | – | 2 | 5 | 2 | 1 | 2 | 3 | 4 | 2 | 3 |
| Purpura, Hæmorrhagic Diathesis | 6 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Anæmia, Chlorosis, Leucocythæmia | 47 | – | – | – | – | – | 1 | – | – | – | 2 | 2 | 4 | 1 | 2 |
| Diabetes Mellitus | 12 | – | – | – | – | – | 1 | 1 | – | – | – | 1 | 2 | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | 172 | – | – | – | – | 1 | 3 | 2 | 8 | 2 | 10 | – | 17 | – | 8 |
| Atelectasis | 13 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Spina Bifida | 22 | – | – | – | – | – | – | – | – | – | 2 | 1 | 2 | – | 2 |
| Imperforate Anus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 17 | – | 1 | – | – | – | – | – | – | – | 1 | – | – | 2 | – |
| Old Age | 579 | 4 | 9 | 12 | 10 | 6 | 11 | 18 | 17 | 4 | 18 | 29 | 50 | 3 | 36 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 161 | – | – | 1 | – | – | 7 | 3 | – | – | 9 | 6 | 15 | – | 12 |
| Apoplexy | 297 | 5 | 1 | 13 | 4 | 4 | 4 | 4 | 8 | 1 | 20 | 16 | 25 | 5 | 14 |
| Softening of the Brain | 40 | – | – | 2 | 2 | – | 1 | 1 | 1 | – | – | – | 5 | – | 1 |
| Hemiplegia, Brain Paralysis | 173 | 1 | 6 | 1 | 5 | – | 5 | 10 | 4 | – | 13 | 12 | 10 | – | 6 |
| Paralysis Agitans | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 24 | – | – | – | – | – | – | 2 | – | – | 1 | – | 1 | 1 | 1 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 37 | – | – | 1 | – | – | 1 | 1 | – | – | 4 | 2 | – | – | 3 |
| Convulsions | 84 | – | 1 | 3 | 3 | – | 2 | 2 | 4 | – | 4 | 1 | 5 | – | 6 |
| Laryngismus Stridulus | 9 | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Idiopathic Tetanus | 4 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 20 | – | – | 2 | – | – | – | 4 | – | – | – | – | 1 | – | – |
| Other Diseases of Nervous System | 87 | – | – | – | 2 | – | 3 | 3 | 1 | 1 | 2 | 7 | 9 | – | 3 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Epistaxis and Disease of Nose | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ophthalmia and Disease of Eye | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | 1 | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 1 | 3 | 1 | 1 | 4 | 5 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | 1 | 2 | – | – | – | 1 | – | – | – | – | 1 | – | 1 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | 1 | – | 2 | 2 | – | 2 | 1 | 2 | – | 1 | – | – | – | 2 | – |
| Rheumatism | 2 | 2 | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Gout | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 12 | 12 | 1 | 14 | 24 | 28 | 12 | 6 | 4 | – | 2 | 3 | 2 | 4 | 3 | 1 |
| Tabes Mesenterica | 9 | – | 2 | 7 | 14 | 21 | 5 | 8 | 3 | 1 | 1 | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 9 | 3 | 1 | 8 | 24 | 26 | 7 | 7 | 2 | 1 | – | 2 | 2 | 1 | – | – |
| Phthisis | 49 | 27 | 10 | 50 | 93 | 76 | 22 | 43 | 15 | 3 | 11 | 4 | 4 | 13 | 14 | 8 |
| Other forms of Tuberculosis, Scrofula | 2 | – | 1 | 5 | 11 | 14 | 6 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 3 | 2 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 5 | – | – | – | 2 | 6 | – | 2 | – | – | 1 | – | – | 3 | 1 | – |
| Diabetes Mellitus | 1 | – | – | – | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | |
| Premature Birth | 15 | 4 | 1 | 15 | 48 | 34 | 8 | 18 | 8 | 3 | 2 | 3 | – | 4 | 3 | 3 |
| Atelectasis | – | – | – | 1 | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| Cyanosis | 1 | – | – | 1 | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | 1 | 4 | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 2 | – | 1 | – | 1 | 15 | 2 | 1 | – | – | 1 | – | 1 | – | 1 | – |
| Old Age | 20 | 15 | 2 | 15 | 44 | 32 | 24 | 21 | 2 | 1 | 1 | 2 | 8 | 11 | 3 | 8 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 9 | 6 | 1 | 15 | 17 | 31 | 5 | 17 | 1 | – | 6 | 1 | 1 | 1 | – | 2 |
| Apoplexy | 20 | 4 | 6 | 10 | 46 | 38 | 8 | 23 | 8 | 2 | 5 | 1 | 5 | 4 | 6 | 3 |
| Softening of the Brain | 4 | 2 | – | 7 | 5 | 6 | – | 1 | 3 | – | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 16 | 4 | 4 | 10 | 21 | 15 | 7 | 15 | 6 | 2 | 1 | 2 | 1 | 7 | 1 | 6 |
| Paralysis Agitans | – | – | – | – | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Insanity, General Paralysis of Insane | 12 | – | – | 9 | 1 | 1 | – | 5 | 1 | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | 1 | – | 9 | 1 | 6 | 2 | 1 | 1 | – | 2 | – | – | – | – | – |
| Convulsions | 9 | – | 1 | 10 | 8 | 18 | 7 | 10 | – | 1 | – | – | – | – | 3 | – |
| Laryngismus Stridulus | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | 1 | 1 | 5 | 4 | 2 | 1 | 4 | – | – | 1 | – | 1 | 2 | – | – |
| Other Diseases of Nervous System | 6 | 6 | – | 10 | 24 | 13 | 4 | 11 | 4 | 1 | 1 | 1 | 1 | 1 | 2 | 2 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | 3 | – | 1 | 1 | – | – | – | – | – | 1 | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 2 | 2 | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | 1 |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | 2 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 3 | – | – | 2 | 7 | 4 | 2 | 3 | – | – | – | – | – | – | – | 1 |
| Rheumatism | 3 | – | – | 1 | – | 1 | 1 | 2 | 2 | – | 1 | – | – | – | – | 2 |
| Gout | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Cancer | 10 | 13 | 9 | 22 | 22 | 44 | 7 | 17 | 10 | 2 | 3 | 1 | 7 | 16 | 8 | 5 |
| Tabes Mesenterica | 4 | 1 | 1 | 7 | 12 | 23 | 5 | 9 | 6 | – | 1 | 1 | – | 1 | 1 | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 10 | 2 | – | 6 | 26 | 20 | 1 | 8 | 3 | – | 2 | 1 | 1 | 1 | 2 | 1 |
| Phthisis | 60 | 21 | 12 | 51 | 106 | 110 | 26 | 44 | 10 | 4 | 9 | 2 | 3 | 22 | 12 | 9 |
| Other forms of Tuberculosis, Scrofula | 5 | 4 | – | 4 | 13 | 13 | 1 | – | 2 | 1 | – | 1 | 3 | – | 1 | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 5 | 1 | – | 5 | 6 | 6 | 3 | 3 | 1 | – | 1 | – | – | 1 | 2 | 1 |
| Diabetes Mellitus | – | – | – | – | 1 | 1 | 2 | 1 | – | – | – | – | – | 1 | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | |
| Premature Birth | 12 | 2 | 1 | 4 | 33 | 35 | 6 | 13 | 5 | – | 2 | 2 | – | 3 | 2 | 1 |
| Atelectasis | – | 1 | 1 | 1 | – | 2 | – | 4 | – | – | – | – | 1 | – | – | – |
| Cyanosis | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 3 | – | – | 2 | 3 | 5 | – | 1 | – | – | – | – | – | – | 1 | – |
| Imperforate Anus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Congenital Defects | – | – | – | 1 | 1 | 11 | – | – | – | – | – | – | – | – | – | – |
| Old Age | 29 | 22 | 5 | 33 | 68 | 71 | 22 | 31 | 11 | 6 | 6 | 7 | 12 | 12 | 3 | 14 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 4 | 1 | 4 | 12 | 18 | 27 | 12 | 18 | 2 | 1 | – | 3 | 2 | 2 | – | 2 |
| Apoplexy | 15 | 10 | 6 | 14 | 36 | 21 | 10 | 25 | 3 | 5 | 5 | 3 | 7 | 5 | 4 | 4 |
| Softening of the Brain | 2 | – | – | 5 | 7 | 2 | 2 | 5 | – | – | 1 | 1 | – | 2 | – | – |
| Hemiplegia, Brain Paralysis | 9 | 7 | 2 | 10 | 9 | 15 | 2 | 12 | 8 | 2 | 1 | 2 | 4 | 2 | 2 | 7 |
| Paralysis Agitans | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 7 | 1 | – | 3 | – | 4 | – | 3 | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | 2 | – | 3 | 4 | 3 | 1 | 2 | 2 | – | – | 1 | 1 | – | – | 2 |
| Convulsions | 6 | 2 | – | 3 | 6 | 12 | 6 | 9 | 2 | – | 1 | 2 | 2 | 1 | 1 | – |
| Laryngismus Stridulus | – | – | – | 2 | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Paraplegia, Diseases of Spinal Cord | – | 2 | – | 1 | – | 2 | – | 1 | 2 | – | 2 | – | 1 | 1 | 1 | – |
| Other Diseases of Nervous System | 8 | 8 | – | 6 | 15 | 12 | – | 1 | – | 2 | 1 | – | 1 | 2 | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 597 | 4 | 1 | 4 | 6 | 4 | 9 | 13 | 12 | 10 | 27 | 28 | 46 | 5 | 31 |
| Pericarditis | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 22 | – | – | – | – | – | – | – | – | – | 3 | 1 | – | 1 | 2 |
| Angina Pectoris | 12 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Syncope | 25 | – | – | – | – | – | 2 | 2 | 1 | – | 1 | 1 | – | – | 1 |
| Aneurism | 11 | – | – | 1 | – | – | – | – | – | – | – | – | 2 | – | – |
| Senile Gangrene | 11 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Embolism, Thrombosis | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 18 | – | 2 | – | – | – | – | – | – | – | 1 | 4 | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 26 | – | – | – | 1 | – | – | – | 4 | – | – | – | 3 | 1 | 1 |
| Croup | 78 | – | 1 | 1 | 4 | 1 | 4 | 2 | 3 | – | – | 3 | 6 | 1 | 4 |
| Other Diseases of Larynx and Trachea | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 32 | – | – | – | 2 | – | 1 | – | – | – | 1 | 1 | 2 | – | 4 |
| Bronchitis | 800 | 5 | 4 | 15 | 9 | 3 | 14 | 27 | 12 | 8 | 25 | 21 | 48 | 5 | 55 |
| Pneumonia | 570 | – | 2 | 6 | 8 | 6 | 16 | 10 | 10 | 8 | 12 | 8 | 44 | 3 | 48 |
| Pleurisy | 54 | – | 1 | – | 2 | – | – | 2 | – | 1 | – | 6 | 6 | – | 1 |
| Other Diseases of Respiratory System | 141 | – | – | – | – | – | 4 | 3 | – | – | 3 | 5 | 5 | – | 3 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | 9 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 2 |
| Dentition | 49 | – | – | 1 | – | 1 | 4 | 1 | – | – | 1 | – | 3 | – | 5 |
| Sore-throat, Quinsy | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Dyspepsia | 10 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 6 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 109 | – | 2 | 7 | – | – | 3 | 2 | – | – | 3 | 5 | 5 | 3 | 6 |
| Enteritis | 151 | – | 2 | 1 | – | – | 1 | 5 | 6 | – | 1 | 2 | 21 | – | 13 |
| Ulceration of Intestine | 7 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 35 | – | – | 2 | 1 | 1 | – | – | – | – | 2 | 1 | 3 | – | 1 |
| Stricture or Strangulation of Intestines | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Intussusception of Intestines | 10 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Hernia | 9 | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | 1 |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 70 | – | – | 1 | 1 | 1 | 2 | 5 | 6 | – | – | – | 6 | – | 7 |
| Ascites | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gallstones | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cirrhosis of Liver | 28 | – | 1 | 2 | – | 1 | 1 | – | – | – | 2 | 1 | 1 | – | – |
| Other Diseases of Liver | 87 | – | – | 1 | – | 4 | 3 | 3 | 4 | – | 3 | 4 | 4 | 1 | 4 |
| Other Diseases of Digestive System | 8 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 43 | – | 1 | – | 1 | – | 2 | 1 | – | – | 1 | 1 | 2 | 1 | 4 |
| Bright's Disease | 80 | – | 1 | 5 | – | – | 5 | 3 | 2 | – | 3 | 4 | 8 | – | 3 |
| Uræmia | 15 | – | – | – | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – |
| Suppression of Urine | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Calculus | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 71 | – | 1 | 1 | 2 | – | 1 | 1 | 3 | 2 | 4 | 5 | 7 | – | 4 |
| Other Diseases of Urinary System | 28 | – | – | – | 1 | – | – | – | – | – | – | – | 2 | – | 2 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town District | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 702 | 5 | 2 | 13 | 4 | 4 | 18 | 18 | 15 | 9 | 43 | 37 | 69 | 3 | 33 |
| Pericarditis | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hypertrophy of Heart | 22 | – | – | 1 | – | – | – | – | – | – | 2 | 1 | 2 | – | 2 |
| Angina Pectoris | 18 | – | – | 1 | 1 | – | – | – | 1 | 1 | – | 2 | 1 | – | 1 |
| Syncope | 22 | – | – | – | – | 1 | – | 1 | – | – | – | 2 | 1 | – | 3 |
| Aneurism | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Senile Gangrene | 29 | – | – | 2 | – | 1 | 1 | – | – | – | 2 | 1 | 1 | – | – |
| Embolism, Thrombosis | 8 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 25 | – | 2 | 3 | – | – | – | – | – | – | – | 4 | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 18 | – | – | – | – | – | – | 1 | – | – | 2 | – | 1 | 2 | 2 |
| Croup | 80 | 1 | – | 2 | 3 | – | 2 | – | 2 | – | 1 | 2 | 5 | – | 11 |
| Other Diseases of Larynx and Trachea | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Emphysema, Asthma | 18 | 1 | – | – | 1 | – | 1 | – | – | – | – | 2 | 3 | – | 2 |
| Bronchitis | 927 | 6 | 4 | 30 | 9 | 7 | 26 | 34 | 13 | 5 | 40 | 34 | 63 | 4 | 51 |
| Pneumonia | 440 | 1 | – | 2 | 3 | 9 | 15 | 10 | 12 | 5 | 11 | 8 | 11 | 1 | 35 |
| Pleurisy | 30 | – | – | – | 1 | – | 3 | 2 | 1 | – | 1 | 1 | 2 | 2 | 2 |
| Other Diseases of Respiratory System | 124 | – | 1 | – | 1 | 1 | 8 | 1 | 1 | 2 | 3 | 4 | 4 | 3 | 3 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | 6 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 37 | – | – | 3 | – | – | 2 | 1 | 1 | – | 2 | – | 3 | – | 1 |
| Sore-throat, Quinsy | 13 | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – |
| Dyspepsia | 16 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – | 1 |
| Hæmatemesis | 11 | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Melæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 136 | – | – | 3 | 2 | 1 | 3 | 7 | 6 | 2 | 5 | 4 | 11 | 2 | 13 |
| Enteritis | 133 | – | 1 | 2 | – | – | 3 | 10 | 3 | – | 1 | – | 13 | 1 | 10 |
| Ulceration of Intestine | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ileus, Obstruction of Intestine | 42 | – | 1 | – | 1 | 1 | 1 | 3 | 2 | – | 3 | 2 | 4 | – | 2 |
| Stricture or Strangulation of Intestine | 3 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Intussusception of Intestine | 7 | – | – | – | 1 | – | – | – | – | – | – | 1 | 2 | – | – |
| Hernia | 14 | – | 1 | – | – | – | 3 | – | – | – | 1 | – | 3 | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Peritonitis | 91 | – | – | 1 | 1 | 1 | 1 | 3 | 4 | 2 | 1 | 6 | 7 | – | 3 |
| Ascites | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Gallstones | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Cirrhosis of Liver | 23 | – | 1 | 2 | – | – | 1 | – | 2 | – | – | – | 4 | – | 2 |
| Other Diseases of Liver | 97 | – | – | 2 | 3 | – | 1 | 3 | 3 | 1 | 2 | 2 | 6 | 1 | 13 |
| Other Diseases of Digestive System | 22 | 1 | – | – | – | – | 1 | 1 | – | – | 1 | 1 | 1 | – | 2 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | 4 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Diseases of Lymphatics | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 30 | – | – | – | – | – | 2 | – | – | – | 1 | 2 | 4 | 2 | 3 |
| Bright's Disease | 75 | 1 | 2 | – | 1 | 1 | – | 2 | 2 | – | 7 | 3 | 10 | 1 | 4 |
| Uræmia | 13 | – | – | – | – | – | – | 1 | – | – | 3 | – | – | – | – |
| Suppression of Urine | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 8 | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – |
| Other Diseases of Urinary System | 23 | – | – | 1 | 1 | – | 1 | – | – | 1 | 3 | – | 2 | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 35 | 16 | 10 | 35 | 79 | 72 | 10 | 45 | 15 | 3 | 7 | 8 | 13 | 20 | 15 | 8 |
| Pericarditis | – | – | – | – | – | 3 | – | 1 | 1 | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | 1 | 6 | 2 | – | 3 | – | – | – | – | 2 | – | – | – |
| Angina Pectoris | 2 | – | 1 | – | 2 | 1 | 2 | – | – | – | 1 | – | – | – | – | – |
| Syncope | 3 | – | 1 | – | 5 | 2 | 2 | 1 | – | – | 2 | – | – | – | – | 1 |
| Aneurism | – | 1 | – | 1 | 1 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | 1 |
| Senile Gangrene | – | – | 1 | 2 | 3 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | 2 | – | 1 | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Phlebitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | 2 | 1 | 4 | – | 4 | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | – | 1 | 1 | 4 | 2 | 3 | 1 | 1 | – | – | – | – | 1 | – |
| Croup | 1 | 5 | 1 | 3 | 12 | 12 | 2 | 9 | 1 | – | – | 2 | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | 2 | 11 | 5 | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Bronchitis | 52 | 27 | 9 | 61 | 100 | 120 | 55 | 62 | 23 | 1 | 6 | 1 | 8 | 8 | 6 | 10 |
| Pneumonia | 35 | 8 | 14 | 29 | 89 | 80 | 24 | 40 | 18 | 4 | 7 | 6 | 6 | 14 | 9 | 6 |
| Pleurisy | 4 | 3 | 1 | 2 | 1 | 9 | 2 | 9 | 2 | – | – | 1 | – | 1 | – | – |
| Other Diseases of Respiratory System | 16 | 2 | 6 | 10 | 15 | 26 | 11 | 16 | 1 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | – | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Dentition | 4 | 1 | – | 1 | 9 | 9 | 5 | 2 | 1 | – | – | – | – | – | – | 1 |
| Sore-throat, Quinsy | – | – | – | – | 2 | 1 | – | 1 | 2 | – | – | – | – | – | – | – |
| Dyspepsia | – | 1 | – | 1 | 1 | 4 | – | – | – | – | – | – | – | – | – | 1 |
| Hæmatemesis | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 5 | 1 | 2 | 3 | 18 | 16 | 6 | 9 | 1 | 3 | 3 | – | 1 | 2 | 1 | 2 |
| Enteritis | 6 | 3 | – | 6 | 15 | 31 | 15 | 14 | 2 | 1 | 1 | 1 | 1 | 1 | – | 2 |
| Ulceration of Intestine | – | – | – | 2 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 1 | 2 | – | 5 | 4 | 5 | 1 | 4 | 1 | – | – | – | 1 | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | 2 | 2 | 1 | 1 | – | – | – | 1 | – | – | 1 | – |
| Hernia | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | 1 | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | 3 | 1 | 6 | 10 | 10 | 2 | 4 | – | – | 1 | – | – | 2 | 1 | – |
| Ascites | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 2 | – | 1 | 3 | 4 | 1 | 3 | – | – | – | 1 | – | – | 1 | 2 | 1 |
| Other Diseases of Liver | 11 | – | 1 | 5 | 13 | 12 | 2 | 2 | 4 | – | 1 | 1 | – | 1 | 1 | 2 |
| Other Diseases of Digestive System | – | – | 1 | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | 2 | 1 | 3 | 7 | 7 | 3 | 5 | – | – | – | – | – | – | – | – |
| Bright's Disease | 2 | 2 | 1 | 4 | 7 | 9 | 3 | 1 | 5 | – | 1 | 2 | 2 | 4 | 2 | 1 |
| Uræmia | 1 | – | – | 1 | 1 | 2 | – | – | – | – | – | 1 | 1 | 1 | – | 3 |
| Suppression of Urine | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Calculus | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | 3 | – | 2 | 15 | 8 | 2 | 4 | – | – | – | – | – | 1 | 2 | 1 |
| Other Diseases of Urinary System | 2 | 2 | 1 | 3 | 10 | – | – | 2 | 1 | 1 | – | – | – | 1 | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 34 | 20 | 7 | 43 | 93 | 67 | 22 | 36 | 22 | 10 | 8 | 4 | 10 | 22 | 15 | 16 |
| Pericarditis | 1 | 1 | – | – | 1 | 2 | 1 | – | – | – | – | – | – | 1 | – | – |
| Hypertrophy of Heart | – | – | – | 1 | 7 | 1 | 1 | 2 | – | – | – | – | – | 2 | – | – |
| Angina Pectoris | 1 | – | 1 | – | 1 | 1 | 2 | 2 | – | – | – | – | 1 | 1 | – | – |
| Syncope | 3 | 1 | 3 | 1 | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 3 | 2 | – | 4 | 3 | 3 | 1 | 2 | – | – | – | – | 1 | 1 | – | 1 |
| Embolism, Thrombosis | – | – | – | – | 1 | – | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | 2 | 5 | 2 | 2 | 4 | – | – | – | – | – | 1 | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | 3 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | 1 | – |
| Croup | 5 | 4 | – | – | 11 | 7 | 8 | 11 | – | 1 | 2 | 1 | – | – | – | 1 |
| Other Diseases of Larynx and Trachea | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | 2 | 2 | 1 | – | – | – | – | – | 1 | 1 | – |
| Bronchitis | 67 | 25 | 9 | 59 | 102 | 112 | 38 | 75 | 30 | 1 | 13 | 8 | 7 | 26 | 15 | 14 |
| Pneumonia | 25 | 8 | 8 | 17 | 66 | 70 | 18 | 25 | 14 | 2 | 3 | 5 | 11 | 9 | 4 | 2 |
| Pleurisy | 5 | – | – | 2 | 1 | 2 | 2 | 2 | – | – | – | 1 | – | – | – | – |
| Other Diseases of Respiratory System | 8 | 2 | 3 | 10 | 20 | 26 | 4 | 13 | 1 | 1 | – | – | – | 1 | 1 | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – | – | 1 | – |
| Dentition | 1 | – | – | 1 | – | 14 | 2 | 2 | 2 | – | – | – | 2 | – | – | – |
| Sore-throat, Quinsy | 3 | – | – | – | 2 | 3 | – | – | – | – | – | – | 1 | – | 1 | – |
| Dyspepsia | 1 | – | – | 2 | 5 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | 2 | – | 1 | 1 | 1 | – | 2 | 1 | – | – | – | – | 1 | – | – |
| Melæna | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 4 | 6 | – | 6 | 14 | 19 | 7 | 8 | 2 | – | 2 | 1 | 3 | 4 | – | 1 |
| Enteritis | 8 | 2 | 2 | 4 | 13 | 27 | 10 | 16 | – | 1 | 2 | – | 1 | 2 | 1 | – |
| Ulceration of Intestine | 1 | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | 1 | – | – |
| Ileus, Obstruction of Intestines | – | – | 1 | 3 | 11 | 5 | – | 1 | – | – | – | – | 1 | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | 2 | – | – | – | – | – | – | 1 | – | – |
| Hernia | – | 1 | – | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 8 | 1 | 3 | 7 | 14 | 7 | 5 | 7 | 3 | 1 | 1 | – | 1 | 2 | 1 | – |
| Ascites | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Gallstones | 1 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | 1 | – | 1 | – | 3 | 1 | 1 | 3 | – | – | – | 1 | – | – | – |
| Other Diseases of Liver | 7 | 1 | 5 | 2 | 13 | 17 | 2 | 5 | 4 | 1 | 1 | – | – | – | – | 2 |
| Other Diseases of Digestive System | 4 | 1 | – | 3 | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Lymphatics | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | 1 | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | 1 | – | – | 8 | 2 | 1 | 1 | – | – | – | – | – | 1 | 1 | |
| Bright's Disease | 2 | 3 | 2 | 7 | 13 | 5 | 2 | 1 | 2 | – | – | – | – | 4 | – | |
| Uræmia | 1 | – | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – | – | 2 | |
| Suppression of Urine | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Hæmaturia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Bladder and of Prostate | – | – | – | – | – | 1 | – | 2 | – | 1 | – | 1 | – | – | – | |
| Other Diseases of Urinary System | – | – | 1 | 1 | 3 | 4 | 1 | 1 | – | 1 | – | – | – | 1 | 1 | |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | | | | | | | | | | | | | | | |
| Diseases of Uterus and Vagina | | | | | | | | | | | | | | | |
| Disorders of Menstruation | | | | | | | | | | | | | | | |
| Pelvic Abscess | | | | | | | | | | | | | | | |
| Perineal Abscess | | | | | | | | | | | | | | | |
| Diseases of Testes, Penis, Scrotum, &c. | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 19 | – | – | 1 | – | – | – | 1 | 2 | – | – | 1 | 2 | – | 1 |
| Arthritis, Ostitis, Periostitis | 4 | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Other Diseases of Organs of Locomotio | 20 | – | – | 1 | – | – | – | 1 | – | – | – | 1 | 1 | – | 1 |
| **DISEASES OF INTEGUMENTARY SYSTEM** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 5 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ulcer, Bedsore | 4 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Eczema | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Pemphigus | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries — Coal Mines | 33 | – | – | – | – | – | – | – | – | – | – | – | 7 | – | 1 |
| Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quarries | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Railways | 41 | – | – | – | – | – | 1 | 1 | 2 | – | – | – | 3 | – | 8 |
| Vehicles other than R'wy | 13 | – | – | – | – | – | – | 2 | – | – | – | – | – | – | 1 |
| Horses | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 4 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Building Operations | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Machinery | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Weapons and Implements | 5 | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – |
| Burns and Scalds — Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Burns & Scalds | 23 | – | – | 1 | – | – | 1 | 1 | 1 | – | – | 2 | 1 | – | 1 |
| Explosions | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 14 | – | – | – | – | – | – | – | 2 | – | 1 | 1 | 1 | – | – |
| Drowning | 112 | 1 | – | 2 | 10 | 1 | – | 7 | 1 | 1 | 2 | 4 | 8 | – | 13 |
| Suffocation — In Bed | 20 | – | – | 1 | – | – | – | 2 | – | – | 3 | – | 3 | – | – |
| Otherwise | 10 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Falls | 28 | – | 1 | – | – | – | – | 2 | – | – | 1 | 1 | 2 | – | – |
| Weather Agencies | 15 | – | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | 1 |
| Otherwise, or Not Stated | 64 | – | 1 | 2 | – | – | 1 | – | 1 | – | 1 | 6 | 1 | – | 6 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 37 | – | – | 1 | 1 | – | – | 1 | – | – | 3 | 4 | 2 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 6 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 288 | 2 | – | 4 | – | 1 | 8 | 7 | 8 | – | 9 | 2 | 20 | – | 25 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hæmorrhage | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other ill-defined and not specified Causes | 56 | – | – | 1 | 1 | 1 | – | 1 | 3 | 1 | – | – | 2 | 2 | 10 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 8 | – | – | 1 | – | – | – | – | 3 | – | 2 | – | 1 | – | – |
| Diseases of Uterus and Vagina | 24 | – | – | – | 2 | – | 1 | 1 | 1 | – | 1 | 2 | – | – | 1 |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Puerperal Convulsions | 15 | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – | 2 |
| Placenta Prævia, Flooding | 13 | – | – | – | – | – | – | – | 2 | – | 1 | 1 | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 29 | – | – | – | 2 | – | – | 1 | 1 | – | 2 | – | 5 | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 13 | – | – | – | – | – | – | 2 | 1 | – | 1 | – | 3 | – | – |
| Arthritis, Ostitis, Periostitis | 7 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Other Diseases of Organs of Locomotion | 13 | – | – | – | 1 | – | – | – | 1 | – | – | 1 | 1 | – | 1 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 7 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Lupus | 4 | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Ulcer, Bedsore | 12 | – | – | 1 | – | 1 | 1 | – | – | – | – | – | 1 | – | 1 |
| Eczema | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 6 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Burns and Scalds: Conflagrations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 7 | – | – | – | 1 | – | – | 2 | – | – | 1 | 1 | – | – | 1 |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 5 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | 1 |
| Drowning | 8 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Suffocation: In Bed | 17 | – | – | 1 | – | – | – | – | – | – | 1 | – | 2 | – | 2 |
| Suffocation: Otherwise | 5 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 15 | – | – | 1 | – | 1 | – | – | 2 | – | – | – | 1 | – | 1 |
| Weather Agencies | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Otherwise, or Not Stated | 54 | – | – | 2 | – | 2 | 4 | 2 | 1 | 1 | – | 5 | 3 | – | 2 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 4 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suicide | 16 | – | – | – | 1 | – | – | 1 | – | – | – | 1 | 1 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 8 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Debility, Atrophy, Inanition | 247 | – | 1 | 9 | – | 2 | 6 | 6 | 5 | 2 | 6 | 4 | 9 | – | 3 |
| Mortification | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Tumour | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hæmorrhage | 5 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 50 | 1 | – | 1 | 1 | – | 2 | 5 | 1 | – | – | – | 4 | 1 | 5 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | 1 | 3 | 3 | – | – | – | – | 1 | – | – | 1 | – | 1 |
| Arthritis, Ostitis, Periostitis | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 4 | 1 | – | 1 | 2 | 2 | 2 | – | – | – | 1 | – | – | 1 | – | 1 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Eczema | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | |
| Mines and Quarries — Coal Mines | – | – | – | – | 2 | 17 | 2 | 3 | 1 | – | – | – | – | – | – | – |
| Mines and Quarries — Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries — Quarries | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Railways | 5 | – | – | 3 | 5 | 10 | 2 | – | 1 | – | – | – | – | – | – | – |
| Vehicles and Horses — Vehicles other than R'wys. | 2 | – | – | 1 | 2 | 1 | 1 | 2 | – | – | – | – | 1 | – | – | – |
| Vehicles and Horses — Horses | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Burns and Scalds — Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Other Burns & Scalds | 1 | 1 | – | 1 | 4 | 3 | 3 | 2 | – | – | – | – | – | – | – | – |
| Burns and Scalds — Explosions | – | – | 1 | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | 3 | – | – | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 12 | 9 | – | 5 | 11 | 13 | 2 | 1 | 3 | – | 1 | 1 | 1 | 3 | – | – |
| Suffocation — In Bed | 4 | – | – | 1 | 1 | 1 | – | 3 | – | – | – | – | 1 | – | – | – |
| Suffocation — Otherwise | – | – | 1 | – | 1 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Falls | 5 | – | – | 1 | 3 | 2 | 1 | 4 | – | – | 2 | – | 1 | 1 | – | 1 |
| Weather Agencies | – | – | – | – | 3 | 3 | 1 | 1 | 2 | – | – | – | – | – | – | 1 |
| Otherwise, or Not Stated | 5 | 2 | 1 | 3 | 7 | 7 | 9 | 3 | – | – | 3 | 2 | 1 | 2 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Suicide | 4 | 1 | – | 1 | 1 | 6 | – | 5 | 2 | – | – | 1 | – | 2 | 2 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | 3 | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Debility, Atrophy, Inanition | 20 | 6 | – | 18 | 56 | 40 | 19 | 22 | 3 | 1 | – | 3 | 2 | 11 | 2 | 1 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | – | – | [illegible] | 7 | [illegible] | [illegible] | 1 | 1 | – | – | – | 1 | 3 | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | 5 | 3 | 1 | 1 | – | – | – | 1 | 2 | 1 | – | 1 |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | 1 | 2 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | 2 | 2 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 1 | – | – | 1 | 2 | 3 | – | – | – | – | – | – | – | 1 | 1 | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 1 | – | 1 | – | 4 | 6 | 1 | 1 | – | – | – | 1 | 1 | 1 | – | 1 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | 2 | – | – | 1 | 1 | – | – | – | – | – | 1 | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | 1 | – | – | – | 3 | – | – | – | – | 1 | – | – |
| Other Diseases of Organs of Locomotion | 2 | – | – | 1 | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | 1 | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 3 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Eczema | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | – | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | 4 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 2 | 1 | – | 2 | 6 | 4 | – | 2 | 1 | 1 | – | – | 1 | – | 1 | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Drowning | 2 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 1 | 1 | – | 2 | 2 | 3 | – | 1 | – | 1 | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Falls | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | 1 |
| Weather Agencies | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 2 | – | – | 4 | 8 | 8 | 6 | 1 | 1 | 1 | – | – | – | 1 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | 1 | 2 | 3 | 3 | 1 | – | – | – | – | – | 1 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | |
| Dropsy | 1 | 1 | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | 1 |
| Debility, Atrophy, Inanition | 20 | 6 | – | 22 | 38 | 26 | 21 | 17 | 2 | 3 | 1 | 4 | 2 | 4 | 2 | 6 |
| Mortification | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 3 | 2 | – | 2 | 9 | [illegible] | [illegible] | 1 | 3 | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—MALES.

| CAUSES OF DEATH. | Total Mainland Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 8604 | 136 | 154 | 405 | 197 | 33 | 211 | 205 | 895 | 243 | 334 | 583 | 589 | 62 | 34 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1034 | 9 | 8 | 32 | 10 | – | 22 | 15 | 122 | 45 | 48 | 50 | 66 | 7 | 7 |
| II. PARASITIC DISEASES | 2 | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| III. DIETETIC ,, | 43 | – | 2 | – | – | – | 2 | 1 | 5 | – | – | 6 | 2 | 1 | – |
| IV. CONSTITUTIONAL ,, | 1205 | 13 | 34 | 75 | 19 | 6 | 29 | 39 | 113 | 27 | 45 | 67 | 80 | 6 | 3 |
| V. DEVELOPMENTAL ,, | 947 | 14 | 23 | 68 | 47 | 3 | 26 | 23 | 76 | 21 | 34 | 72 | 70 | 12 | 5 |
| VI. LOCAL ,, | 4417 | 83 | 65 | 178 | 88 | 17 | 102 | 106 | 489 | 125 | 183 | 315 | 317 | 31 | 15 |
| VII. VIOLENCE | 548 | 10 | 10 | 17 | 14 | 3 | 17 | 10 | 45 | 14 | 15 | 53 | 38 | 5 | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 408 | 7 | 11 | 35 | 19 | 4 | 13 | 11 | 45 | 11 | 8 | 20 | 16 | – | 3 |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 812 | 9 | 5 | 22 | 8 | – | 16 | 11 | 98 | 32 | 41 | 42 | 55 | 6 | 4 |
| 2. DIARRHŒAL ,, | 154 | – | 2 | 5 | 1 | – | 4 | 3 | 15 | 10 | 4 | 7 | 9 | – | 3 |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 15 | – | – | 2 | – | – | – | – | 1 | 1 | – | – | – | 1 | – |
| 6. SEPTIC ,, | 52 | – | 1 | 3 | 1 | – | 2 | 1 | 8 | 2 | 3 | 1 | 2 | – | – |
| II. PARASITIC DISEASES | 2 | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| III. DIETETIC DISEASES | 43 | – | 2 | – | – | – | 2 | 1 | 5 | – | – | 6 | 2 | 1 | – |
| IV. CONSTITUTIONAL DISEASES | 1205 | 13 | 34 | 75 | 19 | 6 | 29 | 39 | 113 | 27 | 45 | 67 | 80 | 6 | 3 |
| V. DEVELOPMENTAL DISEASES | 947 | 14 | 23 | 68 | 47 | 3 | 26 | 23 | 76 | 21 | 34 | 72 | 70 | 12 | 5 |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 935 | 16 | 13 | 32 | 13 | 6 | 25 | 28 | 107 | 27 | 41 | 67 | 65 | 12 | 7 |
| 2. ,, ORGANS OF SPECIAL SENSE | 14 | – | – | 2 | 1 | – | – | – | 1 | – | – | 1 | 2 | – | – |
| 3. ,, CIRCULATORY SYSTEM | 886 | 22 | 22 | 41 | 16 | 4 | 16 | 28 | 86 | 26 | 40 | 72 | 71 | 5 | 1 |
| 4. ,, RESPIRATORY SYSTEM | 1623 | 30 | 18 | 60 | 36 | 3 | 31 | 28 | 171 | 45 | 69 | 107 | 122 | 8 | 6 |
| 5. ,, DIGESTIVE SYSTEM | 600 | 8 | 9 | 25 | 15 | 3 | 12 | 12 | 74 | 16 | 19 | 44 | 39 | 4 | 1 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 6 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 281 | 6 | 3 | 15 | 6 | 1 | 18 | 6 | 38 | 8 | 11 | 18 | 16 | 2 | – |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 51 | 1 | – | 2 | – | – | – | 3 | 7 | 1 | 1 | 3 | 2 | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 20 | – | – | 1 | 1 | – | – | – | 4 | 2 | 2 | 2 | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES.

| CAUSES OF DEATH. | Total Mainland Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 8786 | 167 | 191 | 467 | 218 | 25 | 194 | 247 | 896 | 204 | 310 | 668 | 619 | 73 | 41 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1166 | 14 | 20 | 32 | 17 | 2 | 21 | 37 | 105 | 37 | 44 | 67 | 89 | 7 | 4 |
| II. PARASITIC DISEASES | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 19 | – | 1 | – | – | – | 2 | – | 2 | – | 3 | 1 | 1 | – | – |
| IV. CONSTITUTIONAL ,, | 1490 | 41 | 34 | 79 | 28 | 2 | 32 | 45 | 169 | 42 | 55 | 100 | 100 | 9 | 7 |
| V. DEVELOPMENTAL ,, | 1215 | 27 | 52 | 116 | 53 | 5 | 27 | 29 | 101 | 17 | 49 | 115 | 92 | 12 | 3 |
| VI. LOCAL ,, | 4375 | 73 | 65 | 200 | 96 | 14 | 99 | 120 | 467 | 99 | 148 | 344 | 311 | 41 | 23 |
| VII. VIOLENCE | 145 | 4 | 3 | 6 | 4 | – | 6 | 5 | 16 | 3 | 3 | 15 | 7 | – | 2 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 373 | 8 | 16 | 34 | 20 | 2 | 7 | 10 | 36 | 6 | 8 | 26 | 19 | 4 | 2 |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 857 | 9 | 16 | 25 | 13 | 2 | 13 | 21 | 80 | 30 | 33 | 41 | 71 | 6 | 1 |
| 2. DIARRHŒAL ,, | 174 | 1 | 2 | 4 | – | – | 1 | 10 | 15 | 3 | 7 | 12 | 13 | 1 | 3 |
| 3. MALARIAL ,, | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 7 | – | – | 1 | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – |
| 6. SEPTIC ,, | 126 | 4 | 2 | 2 | 4 | – | 7 | 6 | 9 | 3 | 3 | 14 | 4 | – | – |
| II. PARASITIC DISEASES | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 19 | – | 1 | – | – | – | 2 | – | 2 | – | 3 | 1 | 1 | – | – |
| IV. CONSTITUTIONAL DISEASES | 1490 | 41 | 34 | 79 | 28 | 2 | 32 | 45 | 169 | 42 | 55 | 100 | 100 | 9 | 7 |
| V. DEVELOPMENTAL DISEASES | 1215 | 27 | 52 | 116 | 53 | 5 | 27 | 29 | 101 | 17 | 49 | 115 | 92 | 12 | 3 |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 993 | 13 | 15 | 39 | 25 | 2 | 23 | 39 | 105 | 25 | 28 | 71 | 68 | 6 | 4 |
| 2. ,, ORGANS OF SPECIAL SENSE | 5 | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – | – |
| 3. ,, CIRCULATORY SYSTEM | 910 | 24 | 13 | 51 | 21 | 2 | 21 | 14 | 83 | 17 | 35 | 84 | 73 | 8 | 4 |
| 4. ,, RESPIRATORY SYSTEM | 1524 | 20 | 23 | 63 | 35 | 8 | 31 | 41 | 165 | 36 | 54 | 116 | 108 | 14 | 14 |
| 5. ,, DIGESTIVE SYSTEM | 599 | 9 | 10 | 34 | 9 | 2 | 15 | 13 | 73 | 16 | 21 | 45 | 45 | 10 | 1 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 10 | – | – | – | – | – | 1 | – | 3 | – | 1 | 1 | – | – | – |
| 7. ,, URINARY SYSTEM | 153 | 2 | 2 | 6 | 2 | – | 1 | 7 | 20 | 2 | 4 | 13 | 6 | 1 | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 45 | 1 | 1 | 2 | 1 | – | 1 | 1 | 3 | – | 1 | 7 | 2 | 1 | – |
| (*b*) DISEASES OF PARTURITION | 65 | 3 | 1 | 1 | 2 | – | 3 | 3 | 4 | – | 2 | 5 | 3 | 1 | – |
| 9. ,, ORGANS OF LOCOMOTION | 40 | 1 | – | 1 | 1 | – | 1 | 1 | 3 | 2 | 2 | 1 | 4 | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 31 | – | – | 3 | – | – | 2 | 1 | 6 | 1 | – | 1 | 1 | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 396 | 294 | 342 | 176 | 591 | 621 | 149 | 563 | 137 | 264 | 43 | 19 | 165 | 363 | 194 | 206 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 40 | 49 | 30 | 30 | 73 | 87 | 21 | 65 | 12 | 39 | 7 | 2 | 27 | 50 | 32 | 29 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 2 | – | 1 | 1 | 3 | 3 | – | 6 | 1 | 2 | – | – | 1 | 2 | – | 2 |
| IV. CONSTITUTIONAL ,, | 57 | 25 | 53 | 26 | 86 | 74 | 21 | 96 | 17 | 35 | 6 | 2 | 30 | 58 | 27 | 36 |
| V. DEVELOPMENTAL ,, | 35 | 17 | 60 | 14 | 55 | 46 | 16 | 65 | 11 | 27 | 3 | 5 | 13 | 41 | 19 | 26 |
| VI. LOCAL ,, | 211 | 153 | 146 | 93 | 303 | 344 | 72 | 276 | 77 | 129 | 23 | 8 | 85 | 189 | 97 | 97 |
| VII. VIOLENCE | 27 | 36 | 28 | 8 | 43 | 40 | 13 | 32 | 6 | 22 | 3 | 1 | 7 | 15 | 10 | 5 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 24 | 14 | 24 | 4 | 28 | 27 | 6 | 23 | 13 | 10 | 1 | 1 | 2 | 8 | 9 | 11 |
| **I.** | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 31 | 42 | 24 | 24 | 53 | 65 | 17 | 52 | 10 | 28 | 7 | 2 | 21 | 38 | 26 | 23 |
| 2. DIARRHŒAL ,, | 5 | 4 | 3 | 3 | 15 | 16 | 3 | 11 | 1 | 10 | – | – | 5 | 7 | 4 | 4 |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | 1 | 3 | – | – | 2 | – | – | – | – | – | 1 | 2 | 1 |
| 6. SEPTIC ,, | 4 | 3 | 2 | 2 | 2 | 6 | 1 | – | 1 | 1 | – | – | 1 | 4 | – | 1 |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 2 | – | 1 | 1 | 3 | 3 | – | 6 | 1 | 2 | – | – | 1 | 2 | – | 2 |
| **IV.** CONSTITUTIONAL DISEASES | 57 | 25 | 53 | 26 | 86 | 74 | 21 | 96 | 17 | 35 | 6 | 2 | 30 | 58 | 27 | 36 |
| **V.** DEVELOPMENTAL DISEASES | 35 | 17 | 60 | 14 | 55 | 46 | 16 | 65 | 11 | 27 | 3 | 5 | 13 | 41 | 19 | 26 |
| **VI.** | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 44 | 33 | 31 | 13 | 56 | 68 | 13 | 67 | 15 | 25 | 7 | 1 | 22 | 41 | 19 | 21 |
| 2. ,, ORGANS OF SPECIAL SENSE | 2 | – | – | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 30 | 15 | 34 | 20 | 48 | 45 | 11 | 54 | 24 | 42 | 3 | – | 23 | 47 | 26 | 14 |
| 4. ,, RESPIRATORY SYSTEM | 87 | 66 | 45 | 38 | 132 | 151 | 32 | 104 | 28 | 37 | 8 | 3 | 27 | 63 | 33 | 35 |
| 5. ,, DIGESTIVE SYSTEM | 34 | 28 | 27 | 11 | 45 | 52 | 11 | 34 | 4 | 12 | 4 | – | 8 | 25 | 10 | 14 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 10 | 8 | 8 | 7 | 17 | 22 | 3 | 9 | 4 | 10 | 1 | 4 | 3 | 9 | 7 | 11 |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 4 | 3 | 1 | 2 | 3 | 4 | 2 | 5 | 1 | 1 | – | – | 1 | 3 | – | 1 |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | 1 | – | – | – | – | 2 | – | – | 1 | 1 | 2 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES - - - - | 597 | 223 | 344 | 166 | 556 | 570 | 116 | 528 | 153 | 239 | 48 | 20 | 215 | 405 | 218 | 263 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 52 | 37 | 46 | 22 | 87 | 104 | 22 | 82 | 21 | 44 | 7 | 2 | 37 | 49 | 31 | 27 |
| II. PARASITIC DISEASES - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| III. DIETETIC ,, - | - | - | - | 1 | - | 2 | - | 3 | 1 | 1 | - | - | 1 | - | - | - |
| IV. CONSTITUTIONAL ,, - | 66 | 40 | 55 | 20 | 99 | 80 | 25 | 98 | 22 | 35 | 9 | 3 | 26 | 73 | 38 | 58 |
| V. DEVELOPMENTAL ,, - | 47 | 20 | 67 | 13 | 60 | 57 | 18 | 64 | 14 | 28 | 9 | 6 | 6 | 44 | 23 | 41 |
| VI. LOCAL ,, - | 203 | 115 | 150 | 102 | 274 | 285 | 46 | 261 | 89 | 123 | 21 | 9 | 135 | 220 | 112 | 130 |
| VII. VIOLENCE - - - - | 6 | 5 | 7 | 1 | 10 | 17 | - | 10 | 2 | 1 | - | - | 1 | 6 | 3 | 2 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 23 | 11 | 19 | 7 | 25 | 25 | 4 | 10 | 4 | 7 | 2 | - | 9 | 13 | 11 | 5 |
| **I.** | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - - | 41 | 34 | 38 | 20 | 55 | 69 | 17 | 54 | 18 | 36 | 5 | 2 | 23 | 39 | 23 | 22 |
| 2. DIARRHŒAL ,, - - - | 4 | 1 | 4 | 2 | 14 | 23 | 3 | 23 | 1 | 6 | 1 | - | 8 | 4 | 4 | 4 |
| 3. MALARIAL ,, - - - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS ,, - - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL ,, - - - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| 6. SEPTIC ,, - - - | 6 | 2 | 4 | - | 17 | 12 | 1 | 5 | 2 | 2 | 1 | - | 6 | 5 | 4 | 1 |
| **II.** | | | | | | | | | | | | | | | | |
| PARASITIC DISEASES - - - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| **III.** | | | | | | | | | | | | | | | | |
| DIETETIC DISEASES - - - | - | - | - | 1 | - | 2 | - | 3 | 1 | 1 | - | - | 1 | - | - | - |
| **IV.** | | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES - - | 66 | 40 | 55 | 20 | 99 | 80 | 25 | 98 | 22 | 35 | 9 | 3 | 26 | 73 | 38 | 58 |
| **V.** | | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES - - | 47 | 20 | 67 | 13 | 60 | 57 | 18 | 64 | 14 | 28 | 9 | 6 | 6 | 44 | 23 | 41 |
| **VI.** | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 50 | 26 | 38 | 27 | 58 | 58 | 14 | 71 | 18 | 23 | 8 | 1 | 36 | 40 | 31 | 31 |
| 2. ,, ORGANS OF SPECIAL SENSE - - - | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 3. ,, CIRCULATORY SYSTEM - | 38 | 12 | 32 | 19 | 56 | 50 | 7 | 44 | 24 | 31 | 5 | 1 | 31 | 53 | 27 | 30 |
| 4. ,, RESPIRATORY SYSTEM - | 70 | 47 | 55 | 28 | 101 | 103 | 14 | 95 | 29 | 48 | 7 | 6 | 36 | 80 | 33 | 44 |
| 5. ,, DIGESTIVE SYSTEM - | 30 | 15 | 13 | 17 | 34 | 51 | 5 | 34 | 15 | 8 | - | 1 | 20 | 29 | 12 | 12 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - - | - | 1 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - |
| 7. ,, URINARY SYSTEM- - | 3 | 4 | 5 | 5 | 11 | 13 | 3 | 5 | 2 | 5 | 1 | - | 5 | 10 | 5 | 7 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION - - | 3 | 1 | 2 | 2 | 1 | 3 | 1 | 1 | - | 2 | - | - | 2 | 2 | 2 | 2 |
| (*b*) DISEASES OF PARTURITION - - - - | 2 | 5 | 1 | 1 | 6 | 4 | - | 5 | - | 2 | - | - | 4 | 4 | - | 1 |
| 9. ,, ORGANS OF LOCOMOTION - - - | 2 | 3 | - | 2 | 5 | 2 | 1 | 3 | - | 3 | - | - | 1 | 1 | - | - |
| 10. ,, INTEGUMENTARY SYSTEM - - - | 2 | - | 3 | 1 | 2 | 1 | 1 | 2 | 1 | - | - | - | - | 1 | 1 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued*).

| CAUSES OF DEATH. | Total Mainland Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 509 | 10 | 9 | 17 | 14 | 3 | 16 | 8 | 41 | 12 | 14 | 52 | 33 | 5 | 1 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 39 | – | 1 | – | – | – | 1 | 2 | 4 | 2 | 1 | 1 | 5 | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 408 | 7 | 11 | 35 | 19 | 4 | 13 | 11 | 45 | 11 | 8 | 20 | 16 | – | 3 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 2 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Measles | 87 | 1 | – | 6 | – | – | 1 | – | 1 | – | – | 1 | 3 | – | – |
| Epidemic Rose Rash | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Scarlet Fever | 59 | 2 | – | – | – | – | – | – | 7 | 3 | 2 | 4 | 2 | – | 1 |
| Typhus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 369 | 3 | 5 | 11 | 7 | – | 4 | 6 | 42 | 19 | 14 | 22 | 28 | 5 | 1 |
| Hooping-cough | 144 | 1 | – | 5 | – | – | 3 | 1 | 21 | 8 | 15 | 4 | 14 | 1 | 2 |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 73 | – | – | – | 1 | – | 4 | 2 | 14 | 2 | 4 | 8 | 3 | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Enteric Fever | 72 | 2 | – | – | – | – | 4 | 2 | 11 | – | 6 | 3 | 3 | – | – |
| Other Miasmatic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 151 | – | 2 | 5 | 1 | – | 4 | 3 | 15 | 10 | 4 | 7 | 9 | – | 3 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 14 | – | – | 2 | – | – | – | – | 1 | 1 | – | – | – | 1 | – |
| Gonorrhœa, Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 35 | – | 1 | 1 | – | – | 2 | 1 | 7 | 2 | 2 | 1 | 1 | – | – |
| Pyæmia, Septicæmia | 17 | – | – | 2 | 1 | – | – | – | 1 | – | 1 | – | 1 | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 125 | 4 | 3 | 5 | 3 | – | 5 | 5 | 13 | 1 | 2 | 14 | 5 | – | 2 |
| 2. HOMICIDE | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 3. SUICIDE | 18 | – | – | 1 | 1 | – | 1 | – | 3 | 1 | 1 | 1 | 2 | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 373 | 8 | 16 | 34 | 20 | 2 | 7 | 10 | 36 | 6 | 8 | 26 | 19 | 4 | 2 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 96 | – | 7 | 5 | – | – | – | 2 | 3 | – | 1 | – | 6 | – | – |
| Epidemic Rose Rash | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 37 | – | – | – | 1 | – | 2 | – | 3 | 2 | – | 3 | 1 | – | 1 |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 382 | 1 | 7 | 11 | 12 | – | 6 | 13 | 33 | 12 | 13 | 26 | 29 | 5 | – |
| Hooping-cough | 170 | 5 | 1 | 3 | – | 2 | 3 | 2 | 15 | 7 | 13 | 3 | 17 | – | – |
| Mumps | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diphtheria | 93 | – | – | – | – | – | – | 2 | 16 | 5 | 3 | 6 | 12 | 1 | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 7 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Enteric Fever | 65 | 1 | 1 | 5 | – | – | 2 | 2 | 9 | 4 | 2 | 3 | 6 | – | – |
| Other Miasmatic Diseases | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 171 | 1 | 2 | 4 | – | – | 1 | 10 | 15 | 3 | 7 | 12 | 13 | 1 | 3 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 7 | – | – | 1 | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 29 | – | 1 | 1 | 1 | – | 2 | 2 | 1 | – | 1 | 6 | 1 | – | – |
| Pyæmia, Septicæmia | 17 | – | – | – | 1 | – | – | – | 2 | 1 | 1 | 4 | – | – | – |
| Puerperal Fever | 80 | 4 | 1 | 1 | 2 | – | 5 | 4 | 6 | 2 | 1 | 4 | 3 | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcud-bright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 25 | 35 | 27 | 8 | 39 | 37 | 13 | 30 | 4 | 21 | 3 | – | 6 | 13 | 9 | 4 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 2 | 1 | 1 | – | 4 | 3 | – | 2 | 2 | 1 | – | 1 | 1 | 2 | 1 | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 24 | 14 | 24 | 4 | 28 | 27 | 6 | 23 | 13 | 10 | 1 | 1 | 2 | 8 | 9 | 11 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | [illegible] | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 2 | 11 | – | 15 | 11 | 12 | 1 | 7 | 1 | 5 | – | – | – | 2 | 2 | 5 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 1 | 5 | – | 1 | 7 | 5 | – | 6 | – | 3 | – | – | – | 8 | 2 | – |
| Typhus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 13 | 11 | 19 | 2 | 9 | 25 | 9 | 27 | 7 | 12 | 7 | 2 | 16 | 19 | 16 | 8 |
| Hooping-cough | 7 | 3 | 4 | 1 | 11 | 12 | 1 | 6 | 1 | 6 | – | – | 4 | 4 | 4 | 5 |
| Mumps | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | 7 | 1 | 1 | 9 | 4 | 2 | 2 | – | – | – | – | 1 | 1 | – | 5 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 6 | 5 | – | 3 | 5 | 6 | 4 | 4 | 1 | 2 | – | – | – | 3 | 2 | – |
| Other Miasmatic Diseases | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | 2 | – | – | – | – | – | – | – | 1 | – | – |
| Diarrhœa, Dysentery | 5 | 4 | 3 | 3 | 15 | 14 | 3 | 11 | 1 | 10 | – | – | 5 | 6 | 4 | 4 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | 1 | 3 | – | – | 2 | – | – | – | – | – | – | 2 | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 2 | 2 | 2 | 1 | 5 | – | – | – | 1 | – | – | 1 | 1 | – | 1 |
| Pyæmia, Septicæmia | 3 | 1 | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | 3 | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES OF DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 6 | 5 | 7 | 1 | 10 | 14 | – | 8 | 1 | 1 | – | – | 1 | 5 | 3 | 1 |
| 2. HOMICIDE | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | 2 | – | 2 | 1 | – | – | – | – | 1 | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 23 | 11 | 19 | 7 | 25 | 25 | 4 | 10 | 4 | 7 | 2 | – | 9 | 13 | 11 | 5 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 9 | 10 | 1 | 12 | 12 | 9 | 2 | 3 | 1 | 4 | – | 1 | – | – | 2 | 6 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Scarlet Fever | 2 | 3 | 1 | 1 | 1 | 3 | – | 5 | 2 | 1 | – | – | – | 5 | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 11 | 7 | 29 | 2 | 17 | 21 | 10 | 32 | 11 | 19 | 3 | 1 | 16 | 19 | 6 | 10 |
| Hooping-cough | 12 | 8 | 4 | 2 | 10 | 18 | – | 6 | 2 | 6 | 1 | – | 6 | 11 | 11 | 2 |
| Mumps | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | 5 | 2 | 3 | 11 | 9 | 4 | 4 | 1 | 1 | 1 | – | – | 2 | 1 | 2 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | 2 | – |
| Enteric Fever | 4 | 1 | 1 | – | 2 | 8 | 1 | 4 | 1 | 5 | – | – | 1 | 1 | 1 | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 4 | 1 | 4 | 2 | 14 | 20 | 3 | 23 | 1 | 6 | 1 | – | 8 | 4 | 4 | 4 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | 1 | – | 5 | 1 | – | 2 | 2 | – | – | – | 1 | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | 3 | 1 | – | – | – | 1 | – | – | 2 | 1 | – | – |
| Puerperal Fever | 6 | 1 | 3 | – | 9 | 10 | 1 | 3 | – | 1 | 1 | – | 3 | 4 | 4 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 11 | – | 1 | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 22 | – | 1 | – | – | – | – | 1 | 4 | – | – | 3 | 2 | 1 | – |
| Intemp. Delirium Tremens | 9 | – | – | – | – | – | – | – | – | – | – | 3 | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 25 | 2 | 2 | – | 1 | – | 1 | 2 | – | 1 | 1 | 1 | 1 | – | – |
| Rheumatism | 27 | – | 1 | 4 | – | – | – | 1 | 2 | – | 1 | 2 | 2 | – | – |
| Gout | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Rickets | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 255 | 3 | 6 | 21 | 7 | 1 | 7 | 10 | 24 | 8 | 9 | 20 | 20 | 3 | – |
| Tabes Mesenterica | 56 | – | 1 | 3 | 1 | – | – | – | 5 | 1 | – | 3 | 5 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 96 | – | – | 3 | – | – | 3 | 2 | 9 | 1 | 3 | 3 | 4 | – | – |
| Phthisis | 634 | 7 | 21 | 41 | 10 | 5 | 16 | 19 | 59 | 13 | 21 | 33 | 42 | 3 | 3 |
| Other forms of Tuberculosis, Scrofula | 69 | 1 | 3 | 2 | – | – | 2 | 5 | 6 | 2 | 2 | 3 | 2 | – | – |
| Purpura, Hæmorrhagic Diathesis | 4 | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 21 | – | – | – | – | – | – | – | 3 | 1 | 4 | 2 | 3 | – | – |
| Diabetes Mellitus | 11 | – | – | 1 | – | – | – | – | 2 | – | 2 | – | 1 | – | – |
| Other Constitutional Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | 204 | 1 | – | 5 | 6 | 1 | 4 | 6 | 17 | 5 | 9 | 8 | 18 | 1 | 2 |
| Atelectasis | 11 | – | – | – | – | – | – | – | 2 | – | 1 | – | 2 | – | – |
| Cyanosis | 10 | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – | – |
| Spina Bifida | 15 | – | 1 | – | – | – | 1 | – | 1 | – | – | – | 3 | 1 | – |
| Imperforate Anus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Congenital Defects | 25 | – | – | – | – | – | – | – | 2 | 1 | 2 | 1 | 1 | – | – |
| Old Age | 679 | 13 | 22 | 63 | 41 | 2 | 21 | 17 | 52 | 15 | 22 | 62 | 45 | 10 | 3 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 131 | 2 | 1 | 2 | 1 | 2 | 3 | 2 | 14 | 3 | 7 | 6 | 10 | 2 | – |
| Apoplexy | 306 | 4 | 5 | 12 | 4 | 1 | 9 | 8 | 33 | 7 | 14 | 26 | 25 | 6 | 3 |
| Softening of the Brain | 29 | 1 | – | 1 | 1 | – | – | 1 | 3 | 1 | 1 | – | 4 | – | – |
| Hemiplegia, Brain Paralysis | 184 | 7 | 3 | 8 | 4 | 3 | 7 | 6 | 21 | 2 | 4 | 11 | 13 | – | 1 |
| Paralysis Agitans | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Insanity, General Paralysis of Insane | 20 | – | – | – | – | – | – | 1 | 1 | 1 | 9 | 2 | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 45 | 1 | 1 | 2 | 1 | – | – | 2 | 5 | 1 | 1 | 6 | 1 | 1 | 1 |
| Convulsions | 79 | 1 | 1 | 3 | 1 | – | 2 | 4 | 9 | 7 | 1 | 5 | 4 | – | 1 |
| Laryngismus Stridulus | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Idiopathic Tetanus | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 50 | – | 1 | 4 | 1 | – | 1 | 2 | 7 | 2 | – | 3 | 2 | 1 | – |
| Other Diseases of Nervous System | 79 | – | 1 | – | – | – | 3 | 2 | 12 | 3 | 4 | 8 | 5 | 2 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 14 | – | – | 2 | 1 | – | – | – | 1 | – | – | 1 | 2 | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 10 | – | 1 | – | – | – | 2 | – | 2 | – | 1 | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 8 | – | | – | – | – | – | – | – | – | 2 | 1 | 1 | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 16 | 4 | – | – | – | – | – | – | 3 | – | – | 1 | – | – | – |
| Rheumatism | 57 | 4 | 2 | 15 | 5 | – | 1 | 1 | 2 | – | 2 | 5 | 3 | – | – |
| Gout | 6 | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Rickets | 3 | – | – | – | – | | – | – | 3 | – | – | – | – | – | – |
| Cancer | 435 | 12 | 13 | 29 | 7 | 2 | 14 | 16 | 46 | 18 | 15 | 30 | 25 | 3 | 2 |
| Tabes Mesenterica | 58 | 1 | – | 3 | 1 | | – | 1 | 7 | 1 | 2 | 8 | 3 | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 87 | – | 1 | – | 4 | – | – | 6 | 12 | 1 | 5 | 6 | 11 | – | – |
| Phthisis | 689 | 18 | 16 | 25 | 9 | – | 13 | 15 | 76 | 15 | 28 | 41 | 47 | 6 | 4 |
| Other forms of Tuberculosis, Scrofula | 68 | 2 | 1 | 1 | – | – | 1 | 4 | 8 | 3 | 2 | 2 | 3 | – | – |
| Purpura, Hæmorrhagic Diathesis | 7 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 51 | – | – | 4 | 2 | – | 1 | – | 9 | 4 | – | 6 | 7 | – | – |
| Diabetes Mellitus | 12 | – | – | 1 | – | – | 1 | 1 | 2 | – | 1 | 1 | – | – | – |
| Other Constitutional Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | 115 | 1 | 1 | 3 | – | – | 3 | 6 | 11 | 5 | 8 | 6 | 9 | – | 1 |
| Atelectasis | 7 | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – |
| Cyanosis | 3 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Spina Bifida | 9 | – | – | 1 | – | – | – | 1 | 2 | – | 1 | 1 | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 10 | 1 | 1 | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – |
| Old Age | 1071 | 25 | 50 | 112 | 53 | 5 | 24 | 21 | 84 | 12 | 39 | 107 | 82 | 12 | 2 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 130 | – | 1 | 3 | 2 | – | 4 | 10 | 12 | 2 | 4 | 6 | 7 | 1 | – |
| Apoplexy | 344 | 5 | 5 | 12 | 5 | 1 | 9 | 9 | 28 | 9 | 13 | 29 | 19 | 2 | 2 |
| Softening of the Brain | 28 | – | – | – | – | – | – | 1 | 2 | – | – | 1 | 3 | – | – |
| Hemiplegia, Brain Paralysis | 240 | 7 | 5 | 15 | 9 | 1 | 6 | 12 | 31 | 3 | 3 | 18 | 21 | 1 | 2 |
| Paralysis Agitans | 9 | – | 1 | 2 | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Insanity, General Paralysis of Insane | 23 | 1 | – | 2 | 2 | – | 1 | 1 | 2 | 1 | 1 | 3 | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Epilepsy | 25 | – | – | 1 | 1 | – | 1 | 1 | 3 | – | 1 | 2 | 2 | 2 | – |
| Convulsions | 74 | – | – | 2 | 6 | – | 2 | 1 | 13 | 5 | 2 | – | 3 | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 34 | – | 3 | – | – | – | – | – | 2 | 1 | – | 3 | 6 | – | – |
| Other Diseases of Nervous System | 84 | – | – | 2 | – | – | – | 3 | 11 | 4 | 4 | 9 | 6 | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 3 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Epistaxis and Disease of Nose | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 1 | – | – | – | 2 | – | – | 2 | – | – | – | – | – | 1 | – | 1 |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Intemp. Chronic Alcoholism | 1 | – | 1 | 1 | 1 | 1 | – | 2 | 1 | 1 | – | – | – | 1 | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | 2 | – | 2 | – | 1 | – | – | – | – | – | 1 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 2 | – | – | 1 | 5 | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Rheumatism | 2 | 1 | – | 2 | – | 1 | 1 | 1 | – | – | – | – | 2 | 3 | 1 | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Cancer | 7 | 3 | 10 | 3 | 12 | 10 | 5 | 15 | 5 | 6 | 3 | 1 | 8 | 17 | 7 | 4 |
| Tabes Mesenterica | 7 | 1 | – | 2 | 3 | 7 | 3 | 7 | 1 | 1 | – | – | – | 3 | – | 2 |
| Tubercular Meningitis (Acute Hydrocephalus) | 7 | 2 | 6 | 4 | 13 | 6 | 2 | 6 | 1 | 5 | – | – | 2 | 7 | 4 | 3 |
| Phthisis | 28 | 18 | 35 | 12 | 44 | 39 | 6 | 57 | 7 | 20 | 1 | 1 | 16 | 21 | 14 | 22 |
| Other forms of Tuberculosis, Scrofula | 2 | – | 1 | 1 | 5 | 6 | 4 | 8 | 1 | 2 | – | – | 2 | 4 | 1 | 4 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | – | 1 | 1 | 2 | – | – | 1 | 1 | – | – | – | – | 1 | – | – |
| Diabetes Mellitus | – | – | – | – | 1 | 1 | – | – | – | – | 2 | – | – | 1 | – | – |
| Other Constitutional Diseases | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | |
| Premature Birth | 10 | 4 | 5 | 2 | 16 | 17 | 6 | 16 | 3 | 12 | – | 2 | 4 | 9 | 6 | 9 |
| Atelectasis | 1 | 1 | – | – | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Cyanosis | – | – | – | 1 | 2 | 2 | – | 1 | – | – | – | – | – | 1 | – | – |
| Spina Bifida | – | – | – | – | – | – | 2 | 3 | – | 2 | – | – | 1 | – | – | – |
| Imperforate Anus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | 1 | – | 3 | 5 | 4 | 1 | 2 | – | – | – | – | – | 1 | 1 | – |
| Old Age | 24 | 11 | 55 | 8 | 30 | 21 | 7 | 42 | 8 | 12 | 3 | 3 | 8 | 30 | 12 | 17 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 10 | 13 | 2 | 2 | 12 | 15 | 5 | 9 | 1 | 1 | 1 | – | – | 4 | 1 | – |
| Apoplexy | 11 | 11 | 12 | 4 | 16 | 19 | – | 23 | 3 | 6 | 4 | 1 | 10 | 9 | 9 | 11 |
| Softening of the Brain | 1 | – | – | – | 1 | – | – | 6 | 4 | 1 | – | – | – | 1 | 2 | – |
| Hemiplegia, Brain Paralysis | 6 | 3 | 8 | 1 | 14 | 14 | 2 | 13 | 3 | 9 | – | – | 2 | 14 | 2 | 3 |
| Paralysis Agitans | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – |
| Insanity, General Paralysis of Insane | – | – | 4 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Epilepsy | 3 | 1 | 1 | 2 | 3 | 1 | 1 | 1 | – | 2 | 1 | – | 3 | 2 | – | 1 |
| Convulsions | 5 | 1 | 1 | 2 | 3 | 7 | – | 7 | 4 | 2 | – | – | 3 | 2 | – | 3 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 |
| Paraplegia, Diseases of Spinal Cord | 3 | 1 | 2 | – | 2 | 2 | 2 | 4 | – | – | – | – | 2 | 5 | 2 | 1 |
| Other Diseases of Nervous System | 5 | 2 | 1 | 1 | 5 | 9 | 2 | 4 | – | 3 | – | – | 1 | 1 | 3 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 2 | – | – | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | – | – | – | – | 2 | – | 1 | – | – | – | – | 1 | – | – | – |
| Intemp. Delirium Tremens | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | 1 | 1 | 1 | 2 | – | 2 | – | – | – | – | – | – | – | 1 |
| Rheumatism | 2 | 1 | 1 | – | 1 | 1 | 1 | 4 | – | 1 | – | – | – | 4 | – | 1 |
| Gout | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 12 | 11 | 15 | 5 | 23 | 20 | 3 | 31 | 8 | 12 | 5 | 1 | 9 | 20 | 12 | 16 |
| Tabes Mesenterica | 6 | 1 | 3 | 1 | 5 | 7 | 2 | 4 | – | – | – | – | – | 1 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 3 | 2 | 2 | – | 6 | 5 | 1 | 7 | 2 | 6 | – | – | 1 | 3 | 2 | 1 |
| Phthisis | 38 | 24 | 29 | 8 | 50 | 42 | 17 | 41 | 9 | 13 | 4 | 2 | 15 | 32 | 21 | 31 |
| Other forms of Tuberculosis, Scrofula | 1 | – | 2 | 5 | 10 | 1 | – | 4 | 1 | 1 | – | – | – | 7 | 3 | 6 |
| Purpura, Hæmorrhagic Diathesis | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | 1 | 1 | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 4 | – | 2 | – | 1 | 1 | – | 4 | 1 | 1 | – | – | – | 4 | – | – |
| Diabetes Mellitus | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – | 2 |
| Other Constitutional Diseases | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | |
| Premature Birth | 3 | 2 | 1 | – | 8 | 9 | 6 | 10 | 2 | 4 | 1 | 1 | 2 | 7 | 1 | 4 |
| Atelectasis | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Old Age | 43 | 17 | 66 | 13 | 49 | 45 | 12 | 51 | 12 | 23 | 8 | 5 | 3 | 37 | 22 | 37 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 9 | 11 | 6 | 6 | 4 | 14 | 3 | 11 | – | 4 | 1 | – | 3 | 1 | 1 | 4 |
| Apoplexy | 18 | 8 | 10 | 16 | 22 | 21 | 5 | 24 | 4 | 8 | 5 | – | 13 | 14 | 13 | 15 |
| Softening of the Brain | 1 | – | 1 | – | 2 | 2 | – | – | 4 | – | 1 | – | 4 | 3 | 1 | 2 |
| Hemiplegia, Brain Paralysis | 3 | 1 | 14 | 1 | 10 | 9 | 3 | 22 | 5 | 5 | – | 1 | 10 | 9 | 8 | 5 |
| Paralysis Agitans | – | – | 1 | – | – | 1 | – | – | – | – | – | – | 2 | – | – | – |
| Insanity, General Paralysis of Insane | – | 1 | – | – | 2 | 1 | 1 | 1 | 1 | – | – | – | 1 | 1 | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | 3 | – | – | 1 | – | 3 | 1 | – | – | 2 | – | 1 |
| Convulsions | 6 | – | 3 | 3 | 4 | 7 | 1 | 5 | 1 | 3 | – | – | – | 4 | 2 | 1 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 4 | – | 1 | – | 4 | 1 | – | 3 | 1 | – | – | – | – | 3 | – | 2 |
| Other Diseases of Nervous System | 8 | 4 | 2 | 1 | 7 | 2 | 1 | 4 | 2 | – | – | – | 3 | 3 | 6 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 732 | 12 | 17 | 37 | 14 | 4 | 15 | 24 | 69 | 22 | 30 | 62 | 58 | 3 | – |
| Pericarditis | 7 | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – |
| Hypertrophy of Heart | 39 | 1 | 1 | 2 | – | – | 1 | 2 | 6 | 1 | 3 | 2 | 1 | – | – |
| Angina Pectoris | 17 | 3 | – | – | – | – | – | 1 | – | – | 1 | 1 | 2 | – | – |
| Syncope | 27 | 4 | 1 | – | 1 | – | – | – | 3 | 1 | 1 | 5 | – | 1 | 1 |
| Aneurism | 11 | 1 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – |
| Senile Gangrene | 31 | – | 3 | 2 | 1 | – | – | – | 5 | 1 | 1 | 1 | 2 | – | – |
| Embolism, Thrombosis | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Varicose Veins | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Circulatory System | 16 | – | – | – | – | – | – | 1 | 2 | 1 | 1 | – | 4 | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 18 | – | – | 3 | 1 | – | – | 1 | 3 | 1 | 1 | – | 3 | – | – |
| Croup | 80 | 4 | 1 | 2 | 4 | – | 1 | – | 11 | 2 | 4 | 2 | 5 | – | 1 |
| Other Diseases of Larynx and Trachea | 4 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 34 | – | – | 3 | 3 | – | – | – | 4 | – | 1 | 3 | 2 | – | – |
| Bronchitis | 810 | 16 | 12 | 30 | 12 | 1 | 19 | 11 | 77 | 23 | 39 | 48 | 68 | 4 | 4 |
| Pneumonia | 494 | 6 | 3 | 16 | 10 | 2 | 8 | 11 | 56 | 13 | 16 | 41 | 33 | 2 | 1 |
| Pleurisy | 41 | 1 | 1 | 2 | 3 | – | – | 2 | 8 | 1 | 2 | 2 | 2 | – | – |
| Other Diseases of Respiratory System | 142 | 1 | 1 | 4 | 3 | – | 3 | 3 | 12 | 5 | 6 | 11 | 9 | 2 | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 24 | – | 1 | – | – | – | – | – | 1 | 2 | 1 | 4 | 1 | – | – |
| Sore-throat, Quinsy | 11 | – | – | – | 1 | – | 1 | – | 2 | – | – | 2 | 1 | – | – |
| Dyspepsia | 9 | 2 | – | 2 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Hæmatemesis | 3 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Melæna | 3 | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – |
| Diseases of Stomach | 118 | 2 | 1 | 5 | 5 | – | 2 | 2 | 18 | 2 | 1 | 9 | 2 | – | – |
| Enteritis | 144 | 1 | 3 | 3 | – | – | 1 | 2 | 15 | 5 | 5 | 8 | 10 | – | – |
| Ulceration of Intestine | 7 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – | – |
| Ileus, Obstruction of Intestine | 42 | – | – | 4 | 1 | – | 1 | 1 | 5 | 2 | 3 | 7 | 1 | – | – |
| Stricture or Strangulation of Intestine | 3 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Intussusception of Intestine | 6 | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – |
| Hernia | 17 | – | – | 1 | 2 | – | – | 1 | 2 | – | 1 | 2 | – | 1 | – |
| Fistula | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Peritonitis | 79 | – | 1 | 2 | 1 | 1 | 2 | 2 | 15 | 2 | 2 | 4 | 2 | 1 | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 5 | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – |
| Cirrhosis of Liver | 22 | 1 | 1 | – | – | – | 1 | – | 1 | 1 | 2 | 4 | 1 | – | – |
| Other Diseases of Liver | 82 | 1 | 1 | 6 | 2 | 2 | 2 | 4 | 7 | 1 | 1 | 2 | 6 | – | 1 |
| Other Diseases of Digestive System | 20 | 1 | 1 | 2 | – | – | 1 | – | 2 | – | – | 1 | 1 | 1 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 33 | 1 | – | 2 | – | – | 1 | 1 | 2 | 1 | 1 | 1 | 2 | – | – |
| Bright's Disease | 85 | 1 | 2 | 1 | 2 | – | 7 | 3 | 12 | 1 | 2 | 4 | 4 | – | – |
| Uræmia | 16 | – | – | 1 | – | – | 3 | 1 | 2 | – | 1 | 1 | – | – | – |
| Suppression of Urine | 15 | – | – | 4 | – | – | 1 | – | 2 | 1 | – | – | 1 | – | – |
| Calculus | 8 | 1 | – | – | 2 | – | 1 | – | 2 | – | – | – | – | – | – |
| Hæmaturia | 6 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 2 | – |
| Diseases of Bladder and of Prostate | 85 | 2 | 1 | 5 | 1 | 1 | 2 | 1 | 14 | 3 | 5 | 9 | 5 | 1 | – |
| Other Diseases of Urinary System | 33 | 1 | – | 1 | 1 | – | 3 | – | 4 | 2 | 2 | 2 | 2 | 1 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 788 | 17 | 10 | 47 | 20 | 2 | 17 | 12 | 69 | 13 | 29 | 80 | 65 | 8 | 4 |
| Pericarditis | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hypertrophy of Heart | 16 | 1 | 2 | – | – | – | 1 | – | 1 | 1 | – | – | 1 | – | – |
| Angina Pectoris | 11 | 2 | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Syncope | 25 | 2 | – | 2 | 1 | – | 1 | – | 4 | – | 1 | 3 | 1 | – | – |
| Aneurism | 8 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Senile Gangrene | 27 | – | 1 | – | – | – | 1 | 2 | 3 | 1 | 2 | – | 2 | – | – |
| Embolism, Thrombosis | 9 | 1 | – | 1 | – | – | – | – | 1 | – | 1 | – | 1 | – | – |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Varicose Veins | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 17 | – | – | – | – | – | 1 | – | 4 | 2 | 1 | – | 1 | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 28 | 1 | – | – | 1 | – | 1 | 2 | 4 | 1 | – | 2 | 3 | – | – |
| Croup | 50 | – | – | 1 | 2 | – | – | 1 | 7 | 1 | 2 | 5 | 2 | – | 1 |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 33 | 1 | 2 | 6 | 2 | – | – | 2 | 3 | – | 1 | 1 | 3 | – | – |
| Bronchitis | 855 | 11 | 16 | 41 | 17 | 5 | 20 | 19 | 92 | 22 | 30 | 67 | 63 | 5 | 12 |
| Pneumonia | 395 | 6 | 4 | 11 | 9 | 2 | 7 | 14 | 42 | 8 | 14 | 25 | 32 | 6 | 1 |
| Pleurisy | 46 | – | – | 2 | – | – | 1 | 1 | 7 | 1 | 4 | 5 | 3 | 1 | – |
| Other Diseases of Respiratory System | 117 | 1 | 1 | 2 | 4 | 1 | 2 | 2 | 10 | 3 | 3 | 11 | 2 | 2 | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | 5 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Dentition | 30 | – | 3 | 1 | – | 1 | – | – | 3 | 3 | – | – | 1 | 1 | – |
| Sore-throat, Quinsy | 7 | – | – | 2 | – | – | – | – | 2 | – | – | 2 | – | – | – |
| Dyspepsia | 18 | 3 | – | 5 | 3 | – | – | – | 2 | – | – | 1 | 2 | 1 | – |
| Hæmatemesis | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Melæna | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Stomach | 123 | 2 | 3 | 7 | 1 | – | 5 | – | 14 | 3 | 6 | 12 | 7 | 2 | – |
| Enteritis | 101 | – | 2 | 4 | 1 | – | 2 | 3 | 11 | 5 | 5 | 4 | 12 | 2 | – |
| Ulceration of Intestine | 6 | – | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – |
| Ileus, Obstruction of Intestine | 39 | 1 | – | 2 | 1 | – | 2 | 3 | 9 | 1 | – | 4 | 4 | – | – |
| Stricture or Strangulation of Intestine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Hernia | 26 | 1 | – | 2 | – | – | 1 | 1 | 5 | – | – | 1 | 5 | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 95 | 1 | 1 | 4 | 2 | 1 | – | 2 | 11 | 3 | 6 | 8 | 3 | 1 | 1 |
| Ascites | 6 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Gallstones | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 28 | – | – | 1 | 1 | – | 1 | – | 3 | 1 | 2 | 2 | 2 | – | – |
| Other Diseases of Liver | 85 | 1 | – | 4 | – | – | 1 | 2 | 11 | – | 2 | 6 | 7 | 3 | – |
| Other Diseases of Digestive System | 15 | – | – | 2 | – | – | – | – | – | – | – | 2 | 2 | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Thyroid Body | 3 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 37 | 1 | – | 2 | – | – | 1 | 1 | 1 | – | 1 | 6 | 1 | – | – |
| Bright's Disease | 67 | – | 2 | 1 | 2 | – | – | 5 | 10 | 2 | 1 | 5 | 3 | 1 | – |
| Uræmia | 11 | – | – | – | – | – | – | 1 | 2 | – | – | 1 | – | – | – |
| Suppression of Urine | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Calculus | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hæmaturia | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 14 | – | – | – | – | – | – | – | 2 | – | 2 | 1 | 1 | – | – |
| Other Diseases of Urinary System | 19 | 1 | – | 1 | – | – | – | – | 3 | – | – | – | 1 | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 22 | 13 | 28 | 17 | 41 | 36 | 11 | 48 | 20 | 35 | 2 | – | 20 | 37 | 24 | 11 |
| Pericarditis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Hypertrophy of Heart | – | – | – | 1 | 3 | 4 | – | 4 | 1 | 2 | 1 | – | – | 2 | – | 1 |
| Angina Pectoris | 2 | – | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – | 2 | – | 1 |
| Syncope | 1 | 1 | 1 | 1 | – | 2 | – | – | 1 | 2 | – | – | – | – | – | – |
| Aneurism | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | 2 | 1 | – |
| Senile Gangrene | 1 | 1 | 1 | – | 2 | 1 | – | – | 1 | 2 | – | – | 2 | 3 | 1 | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 2 | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | 1 | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Laryngitis | – | 1 | – | – | – | – | 1 | – | – | 2 | 1 | – | – | – | – | – |
| Croup | 7 | 4 | 3 | 1 | 9 | 9 | 1 | 4 | – | 1 | 1 | – | 1 | 1 | – | 1 |
| Other Diseases of Larynx and Trachea | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Emphysema, Asthma | 2 | 1 | – | – | 7 | 3 | – | – | – | 1 | – | – | – | 3 | – | 1 |
| Bronchitis | 47 | 27 | 22 | 17 | 71 | 70 | 21 | 52 | 19 | 15 | 2 | 2 | 14 | 25 | 20 | 22 |
| Pneumonia | 23 | 23 | 15 | 15 | 37 | 38 | 5 | 37 | 8 | 16 | 3 | 1 | 9 | 31 | 7 | 7 |
| Pleurisy | 1 | 1 | 1 | 1 | 1 | 4 | – | 4 | – | 1 | – | – | – | 1 | 2 | – |
| Other Diseases of Respiratory System | 7 | 9 | 3 | 4 | 7 | 26 | 4 | 7 | 1 | 1 | 1 | – | 2 | 2 | 4 | 4 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 1 | 1 | 1 | – | – | 8 | 2 | 1 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | 2 | – | – | – | – | – | – | – | – | 1 | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 7 | 7 | 4 | – | 8 | 7 | – | 9 | – | 5 | – | – | 3 | 5 | 2 | 2 |
| Enteritis | 9 | 10 | 4 | 4 | 11 | 10 | 6 | 11 | 1 | – | – | – | – | 9 | 1 | 4 |
| Ulceration of Intestine | – | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 3 | 2 | 4 | 2 | 2 | – | – | 1 | – | – | 1 | – | – | – | 1 | 1 |
| Stricture or Strangulation of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | 1 | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | 1 | – | 1 |
| Fistula | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Peritonitis | 3 | 1 | 8 | 1 | 6 | 5 | 1 | 6 | 1 | 3 | – | – | 1 | 3 | 3 | 2 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | 1 | – | 3 | 1 | – | – | – | 1 | 1 | – | – | 1 | – | 1 |
| Other Diseases of Liver | 5 | 3 | 3 | 3 | 4 | 3 | 2 | 3 | 2 | 1 | 2 | – | 4 | 5 | 3 | 3 |
| Other Diseases of Digestive System | 2 | – | – | – | 5 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | 3 | – | 2 | 1 | 6 | 1 | – | – | 1 | – | – | 2 | – | – | 3 |
| Bright's Disease | 4 | 1 | 6 | 1 | 6 | 7 | 1 | 6 | 1 | 4 | – | – | – | 3 | 4 | 2 |
| Uræmia | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | 1 | 2 |
| Suppression of Urine | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | 1 | 1 | – | – |
| Calculus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hæmaturia | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | 2 | 1 | 2 | 6 | 4 | – | 2 | 2 | 4 | – | 2 | – | 3 | 2 | 3 |
| Other Diseases of Urinary System | 2 | 2 | 1 | – | 2 | 2 | 1 | – | – | 1 | – | 1 | – | 2 | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 32 | 12 | 29 | 15 | 52 | 41 | 5 | 38 | 20 | 25 | 4 | 1 | 28 | 46 | 22 | 25 |
| Pericarditis | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | 1 | – | – |
| Hypertrophy of Heart | 2 | – | – | – | 2 | 1 | – | 1 | – | 1 | 1 | – | 1 | – | – | – |
| Angina Pectoris | 1 | – | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | 1 | 1 | – |
| Syncope | 1 | – | – | 2 | – | – | – | 2 | 1 | – | – | – | – | 2 | – | 2 |
| Aneurism | – | – | 1 | 1 | – | – | – | 1 | 1 | 1 | – | – | – | 1 | – | – |
| Senile Gangrene | – | – | – | – | 1 | 1 | 1 | – | 2 | 2 | – | – | 2 | 1 | 2 | 3 |
| Embolism, Thrombosis | – | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | 1 | – |
| Phlebitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | 1 | – | – | 3 | – | 1 | – | – | – | – | – | 1 | 1 | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Laryngitis | – | 1 | – | – | 3 | 2 | 2 | 1 | – | – | – | – | – | 1 | 1 | 2 |
| Croup | 4 | 1 | 2 | 1 | 3 | 8 | 2 | 3 | – | 3 | – | – | – | 1 | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 2 | – | – | – | 3 | 2 | – | – | 1 | 2 | – | 1 | – | – | – | 1 |
| Bronchitis | 45 | 29 | 35 | 13 | 50 | 50 | 5 | 46 | 20 | 21 | 4 | 4 | 24 | 45 | 22 | 22 |
| Pneumonia | 12 | 14 | 11 | 9 | 24 | 25 | 2 | 34 | 6 | 19 | 2 | 1 | 10 | 27 | 7 | 11 |
| Pleurisy | – | – | 1 | – | 4 | 4 | – | 5 | – | 1 | – | – | 1 | 5 | – | – |
| Other Diseases of Respiratory System | 7 | 2 | 6 | 5 | 14 | 12 | 3 | 6 | 2 | 2 | 1 | – | 1 | 1 | 3 | 8 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | |
| Stomatitis | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Dentition | 1 | – | 2 | – | – | 6 | – | 3 | – | – | – | – | – | 3 | 2 | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Dyspepsia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | 1 | – | – |
| Melæna | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 5 | 1 | 4 | 3 | 7 | 12 | – | 10 | 3 | 1 | – | – | 5 | 5 | 2 | 3 |
| Enteritis | 6 | 7 | – | 3 | 6 | 8 | 3 | 3 | 1 | 2 | – | – | 5 | 6 | – | – |
| Ulceration of Intestine | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Ileus, Obstruction of Intestines | 3 | – | 1 | – | 1 | 3 | 1 | – | – | – | – | – | – | 1 | – | 2 |
| Stricture or Strangulation of Intestines | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Hernia | 1 | 1 | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – | 1 | 2 | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 6 | 3 | 1 | 4 | 4 | 6 | – | 6 | 5 | 1 | – | – | 2 | 5 | 4 | 4 |
| Ascites | – | – | 1 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Cirrhosis of Liver | 1 | – | 2 | – | 1 | 2 | – | 4 | 2 | – | – | – | 2 | – | 1 | – |
| Other Diseases of Liver | 4 | 1 | 2 | 4 | 9 | 9 | – | 3 | 3 | 2 | – | – | 4 | 5 | 1 | 1 |
| Other Diseases of Digestive System | – | 1 | – | – | – | 2 | – | 1 | – | 1 | – | 1 | 1 | 1 | – | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | – | 1 | 2 | 2 | 5 | – | 2 | – | – | 1 | – | 2 | 2 | 1 | 3 |
| Bright's Disease | 3 | 2 | 3 | 2 | 4 | 5 | 1 | 3 | 2 | 3 | – | – | 1 | 3 | 1 | 2 |
| Uræmia | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | 2 | 1 | – | – | – | 2 | – | – | 1 | 1 | – | – |
| Other Diseases of Urinary System | – | 2 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | 4 | 2 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 23 | – | – | – | – | – | – | 1 | 2 | – | 1 | 1 | 2 | – | – |
| Arthritis, Ostitis, Periostitis | 7 | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 21 | 1 | – | 2 | – | – | – | – | 4 | 1 | – | 2 | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 6 | – | – | – | – | – | – | – | 2 | 1 | – | 1 | – | – | – |
| Lupus | 3 | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – |
| Ulcer, Bedsore | 5 | – | – | 1 | – | – | – | – | – | 1 | 2 | – | – | – | – |
| Eczema | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 28 | – | – | – | – | – | – | – | – | – | – | – | 4 | – | – |
| Mines and Quarries: Other Mines | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | 6 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – |
| Vehicles and Horses: Railways | 53 | – | 1 | – | 3 | – | 2 | – | 4 | 2 | – | 3 | 7 | 1 | – |
| Vehicles and Horses: Vehicles other than R'wys. | 21 | – | 2 | 1 | 1 | 1 | – | 1 | 5 | 1 | 1 | 1 | – | 1 | – |
| Vehicles and Horses: Horses | 14 | – | – | 1 | 1 | – | 2 | – | 2 | – | 1 | 3 | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | | | | | | | | | | | | | | | |
| Machinery | 5 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Weapons and Implements | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 17 | – | 1 | – | 1 | – | 2 | – | 1 | – | 1 | 3 | 1 | – | – |
| Burns and Scalds: Explosions | 6 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Poisons, Poisonous Vapours | 9 | – | – | 1 | – | – | 1 | – | 1 | – | – | 1 | 1 | – | – |
| Drowning | 156 | 8 | 3 | 3 | 1 | – | 3 | 5 | 11 | 7 | 2 | 13 | 5 | 1 | – |
| Suffocation: In Bed | 17 | – | 1 | 1 | – | – | 2 | – | – | 1 | – | 1 | 1 | – | – |
| Suffocation: Otherwise | 15 | – | – | – | 3 | – | – | 1 | 3 | – | 1 | 2 | 1 | 1 | – |
| Falls | 36 | 2 | – | 3 | – | 1 | – | 1 | 2 | – | 2 | 8 | 3 | – | – |
| Weather Agencies | 34 | – | – | – | 4 | – | – | – | 2 | – | – | 5 | 2 | – | – |
| Otherwise, or Not Stated | 78 | – | 1 | 6 | – | – | 3 | – | 8 | 1 | 4 | 9 | 6 | 2 | 1 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 39 | – | 1 | – | – | – | 1 | 2 | 4 | 2 | 1 | 1 | 5 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 9 | – | – | 2 | 1 | – | – | – | – | 1 | – | 1 | – | – | 1 |
| Debility, Atrophy, Inanition | 238 | 2 | 1 | 13 | 8 | 2 | 4 | 7 | 33 | 7 | 6 | 4 | 15 | – | 2 |
| Mortification | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – |
| Other ill-defined and not specified Causes | 145 | 4 | 10 | 20 | 10 | 2 | 9 | 4 | 11 | 1 | 2 | 14 | 1 | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 13 | 1 | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Diseases of Uterus and Vagina | 17 | – | – | 1 | – | – | – | 1 | 2 | – | – | 3 | 1 | – | – |
| Disorders of Menstruation | 4 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 | – |
| Pelvic Abscess | 11 | – | 1 | – | – | – | 1 | – | 1 | – | – | 2 | 1 | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 5 | 1 | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – |
| Puerperal Mania | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Puerperal Convulsions | 11 | 1 | – | – | – | – | 1 | – | 2 | – | – | 1 | – | – | – |
| Placenta Prævia, Flooding | 18 | 1 | – | – | – | – | 1 | 2 | 1 | – | – | 3 | 1 | – | – |
| Phlegmasia Dolens | 6 | – | – | – | 1 | – | 1 | – | – | – | 1 | – | 1 | – | – |
| Other Accidents of Childbirth | 22 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | 1 | 1 | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 16 | – | – | – | – | – | 1 | – | 1 | 1 | 1 | – | 1 | – | – |
| Arthritis, Ostitis, Periostitis | 9 | 1 | – | – | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – |
| Other Diseases of Organs of Locomotion | 15 | – | – | 1 | – | – | – | – | 1 | 1 | – | 1 | 3 | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 9 | – | – | 1 | – | – | 1 | – | 2 | – | – | – | 1 | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 10 | – | – | – | – | – | 1 | 1 | 2 | – | – | 1 | – | – | – |
| Eczema | 7 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Pemphigus | 3 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 25 | – | 1 | – | 1 | – | 2 | – | 2 | – | – | 2 | 2 | – | 1 |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Drowning | 21 | – | 1 | 1 | – | – | – | 1 | 2 | – | – | 2 | – | – | – |
| Suffocation: In Bed | 10 | – | – | – | 1 | – | – | – | 3 | – | – | – | – | – | 1 |
| Suffocation: Otherwise | 5 | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – |
| Falls | 12 | 1 | – | 1 | – | – | – | 1 | 3 | – | – | 1 | 1 | – | – |
| Weather Agencies | 4 | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Otherwise, or Not Stated | 36 | 2 | 1 | 2 | 1 | – | 2 | 2 | 3 | 1 | 1 | 6 | 1 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Suicide | 18 | – | – | 1 | 1 | – | 1 | – | 3 | 1 | 1 | 1 | 2 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 17 | – | 2 | 3 | – | – | – | – | 2 | – | – | 1 | – | – | – |
| Debility, Atrophy, Inanition | 203 | 6 | 3 | 11 | 8 | 1 | 1 | 5 | 20 | 5 | 8 | 9 | 13 | 3 | 1 |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Abscess | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 141 | 2 | 11 | 20 | 12 | 1 | 6 | 5 | 13 | 1 | – | 15 | 6 | 1 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcud-bright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | 2 | – | 1 | 1 | 3 | 2 | 3 | 1 | – | – | – | 1 | – | – | – |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Organs of Locomotion | 1 | 1 | 1 | 1 | 1 | – | – | 2 | – | 1 | – | – | – | 2 | – | 1 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 2 | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Eczema | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 4 | 1 | – | – | 8 | 6 | 1 | 3 | – | – | – | – | – | 1 | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | 1 | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 | – |
| Vehicles and Horses: Railways | 4 | 3 | 1 | 1 | 2 | 9 | 1 | 4 | – | 1 | 1 | – | 1 | 2 | 1 | – |
| Vehicles and Horses: Vehicles other than R'wys. | 2 | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 | 1 | – | – |
| Vehicles and Horses: Horses | – | – | 2 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 2 | 1 | – | – | 1 | – | – | 1 | – | 1 | – | – | – | 1 | – | – |
| Burns and Scalds: Explosions | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | 6 | 18 | 14 | 7 | 9 | 4 | 4 | 9 | 2 | 15 | – | – | – | 1 | 4 | 2 |
| Suffocation: In Bed | 1 | – | – | – | 4 | 1 | – | 1 | – | – | – | – | 1 | 2 | – | – |
| Suffocation: Otherwise | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | 1 | – |
| Falls | – | – | – | – | 5 | 2 | 3 | 3 | – | – | – | – | – | – | 1 | – |
| Weather Agencies | 1 | 4 | 3 | – | 3 | 1 | 1 | 5 | 1 | – | – | – | – | 1 | 1 | – |
| Otherwise, or Not Stated | 4 | 6 | 4 | – | 2 | 7 | 2 | 2 | – | 2 | 2 | – | 3 | – | 2 | 1 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | 1 | 1 | – | 4 | 3 | – | 2 | 2 | 1 | – | 1 | 1 | 2 | 1 | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Debility, Atrophy, Inanition | 17 | 12 | 6 | 3 | 17 | 19 | 2 | 18 | 10 | 8 | 1 | 1 | 2 | 6 | 4 | 8 |
| Mortification | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Tumour | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 6 | 2 | 18 | 1 | [illegible] | 5 | 4 | 4 | 2 | 2 | – | – | – | 1 | 4 | [illegible] |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | | |
| Ovarian Disease | 1 | 1 | 1 | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | 2 |
| Diseases of Uterus and Vagina | 2 | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | 1 | – | 1 | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pelvic Abscess | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 | 2 | 1 | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Puerperal Convulsions | – | 1 | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | 3 | 2 | – | 1 |
| Phlegmasia Dolens | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Accidents of Childbirth | 1 | 2 | – | 1 | 2 | 2 | – | 5 | – | 1 | – | – | 1 | 1 | – | 1 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | 1 | 4 | 1 | – | 2 | – | 1 | – | – | – | 1 | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | 3 | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Lupus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | 1 | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Eczema | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – |
| Pemphigus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | 1 | 2 | 1 | 1 | 1 | – | 2 | 1 | – | – | – | – | 1 | 2 | 1 |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Drowning | 3 | 2 | 2 | – | 3 | 2 | – | – | – | – | – | – | – | 1 | 1 | – |
| Suffocation: In Bed | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | 1 | – | – |
| Suffocation: Otherwise | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | 1 | 2 | – | 1 | 4 | – | 3 | – | 1 | – | – | 1 | 1 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | 2 | – | 2 | 1 | – | – | – | – | 1 | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | |
| Dropsy | – | 1 | 2 | – | 1 | 1 | – | – | – | – | 1 | – | – | 1 | 2 | – |
| Debility, Atrophy, Inanition | 11 | 9 | 3 | 5 | 21 | 18 | 2 | 6 | 2 | 5 | 1 | – | 7 | 7 | 7 | 5 |
| Mortification | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | 1 | – | 1 | – | – | – | – | 1 | 1 | – | – |
| Hæmorrhage | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 12 | 1 | 14 | 2 | 1 | 4 | 2 | 2 | 2 | 1 | – | – | 4 | 2 | – | |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1891.

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| ALL CAUSES | 1046 | 188 | 184 | 137 | 278 | 147 | 112 | 1205 | 248 | 223 | 125 | 360 | 155 | 94 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 141 | 26 | 11 | 23 | 61 | 10 | 10 | 187 | 43 | 20 | 36 | 66 | 12 | 10 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 1 | 1 | – | – | – | – | – | 2 | – | – | – | – | 2 | – |
| IV. CONSTITUTIONAL „ | 152 | 34 | 35 | 21 | 23 | 19 | 20 | 173 | 36 | 40 | 19 | 38 | 25 | 15 |
| V. DEVELOPMENTAL „ | 203 | 41 | 46 | 19 | 48 | 31 | 18 | 274 | 75 | 58 | 14 | 73 | 41 | 13 |
| VI. LOCAL „ | 379 | 47 | 71 | 51 | 90 | 68 | 52 | 412 | 77 | 89 | 36 | 106 | 58 | 46 |
| VII. VIOLENCE | 68 | 23 | 6 | 7 | 10 | 13 | 9 | 16 | 1 | 3 | – | 4 | 2 | 6 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 102 | 16 | 15 | 16 | 46 | 6 | 3 | 141 | 16 | 13 | 20 | 73 | 15 | 4 |
| I. | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases | 126 | 24 | 7 | 19 | 58 | 10 | 8 | 165 | 39 | 17 | 32 | 59 | 10 | 8 |
| 2. Diarrhœal „ | 10 | – | 2 | 3 | 3 | – | 2 | 8 | – | 2 | 2 | 1 | 2 | 1 |
| 3. Malarial „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. Zoogenous „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. Venereal „ | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 6. Septic „ | 4 | 2 | 2 | – | – | – | – | 14 | 4 | 1 | 2 | 6 | – | 1 |
| II. Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Dietetic Diseases | 1 | 1 | – | – | – | – | – | 2 | – | – | – | – | 2 | – |
| IV. Constitutional Diseases | 152 | 34 | 35 | 21 | 23 | 19 | 20 | 173 | 36 | 40 | 19 | 38 | 25 | 15 |
| V. Developmental Diseases | 203 | 41 | 46 | 19 | 48 | 31 | 18 | 274 | 75 | 58 | 14 | 73 | 41 | 13 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1891. (*Continued.*)

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **VI.** | | | | | | | | | | | | | | |
| 1. Diseases of Nervous System | 74 | 10 | 13 | 9 | 17 | 16 | 9 | 69 | 15 | 16 | 5 | 12 | 10 | 11 |
| 2. „ Organs of Special Sense | 2 | – | – | – | – | 1 | 1 | 2 | – | – | – | 1 | 1 | – |
| 3. „ Circulatory System | 60 | 7 | 14 | 3 | 11 | 15 | 10 | 71 | 10 | 22 | 2 | 12 | 14 | 11 |
| 4. „ Respiratory System | 144 | 13 | 22 | 24 | 40 | 22 | 23 | 163 | 22 | 29 | 24 | 57 | 19 | 12 |
| 5. „ Digestive System | 52 | 11 | 9 | 8 | 12 | 9 | 3 | 63 | 18 | 13 | 1 | 12 | 11 | 8 |
| 6. „ Lymphatic System and Ductless Glands | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 7 „ Urinary System | 33 | 5 | 10 | 4 | 8 | 3 | 3 | 21 | 8 | 7 | – | 3 | 3 | – |
| 8. „ Reproductive System :— | | | | | | | | | | | | | | |
| (*a*) Diseases of Organs of Generation | – | – | – | – | – | – | – | 5 | 1 | 1 | 1 | 2 | – | – |
| (*b*) Diseases of Parturition | – | – | – | – | – | – | – | 9 | 2 | – | 2 | 4 | – | 1 |
| 9. „ Organs of Locomotion | 8 | 1 | 2 | 1 | 2 | – | 2 | 4 | 1 | – | 1 | 1 | – | 1 |
| 10. „ Integumentary System | 5 | – | 1 | 1 | – | 2 | 1 | 5 | – | 1 | – | 2 | – | 2 |
| **VII.** | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 65 | 23 | 4 | 7 | 9 | 13 | 9 | 13 | – | 1 | – | 4 | 2 | 6 |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 3 | – | 2 | – | 1 | – | – | 3 | 1 | 2 | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 102 | 16 | 15 | 16 | 46 | 6 | 3 | 141 | 16 | 13 | 20 | 73 | 15 | 4 |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 23 | – | 2 | – | 21 | – | – | 27 | – | 10 | – | 17 | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 4 | – | – | 3 | – | – | 1 | 9 | – | 3 | 3 | 1 | 1 | 1 |
| Typhus | 4 | – | – | – | – | 4 | – | 2 | – | – | – | 2 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intluenza | 41 | 7 | 5 | 1 | 20 | 4 | 4 | 40 | 18 | 4 | 1 | 10 | 3 | 4 |
| Hooping-cough | 44 | 15 | – | 15 | 13 | 1 | – | 71 | 15 | – | 26 | 28 | – | 2 |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 3 | – | – | – | 1 | – | 2 | 6 | 3 | – | – | 1 | 2 | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Enteric Fever | 7 | 2 | – | – | 3 | 1 | 1 | 9 | 3 | – | 1 | – | 4 | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1891. (*Continued.*)

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 10 | – | 2 | 3 | 3 | – | 2 | 8 | – | 2 | 2 | 1 | 2 | 1 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 3 | 2 | 1 | – | – | – | – | 2 | – | 1 | – | – | – | 1 |
| Pyæmia, Septicæmia | 1 | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | 11 | 3 | – | 2 | 6 | – | – |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | 2 | – | – | – | – | 2 | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 5 | – | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | – | – | 1 | – |
| Rheumatism | 10 | – | 2 | 1 | 3 | 4 | – | 6 | 2 | – | – | 4 | – | – |
| Gout | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 22 | 4 | 5 | 1 | 4 | 4 | 4 | 48 | 4 | 13 | 4 | 9 | 10 | 8 |
| Tabes Mesenterica | 4 | 2 | 2 | – | – | – | – | 3 | – | 2 | – | 1 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 8 | 3 | 1 | 2 | 1 | – | 1 | 9 | 2 | 1 | 5 | 1 | – | 2 |
| Phthisis | 89 | 24 | 30 | 16 | 13 | 7 | 9 | 99 | 27 | 20 | 12 | 22 | 14 | 4 |
| Other forms of Tuberculosis, Scrofula | 6 | – | 2 | – | 1 | – | 3 | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 4 | 1 | – | – | – | 1 | 2 | 2 | – | 1 | – | 1 | – | – |
| Diabetes Mellitus | 3 | – | 1 | – | – | 2 | – | 2 | – | 1 | – | – | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1891. (*Continued.*)

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 11 | – | 6 | – | 3 | 1 | 1 | 2 | – | 2 | – | – | – | – |
| Atelectasis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cyanosis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Ans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 189 | 40 | 40 | 18 | 45 | 30 | 16 | 272 | 75 | 56 | 14 | 73 | 41 | 13 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 10 | – | 3 | – | 3 | 2 | 2 | 9 | 2 | 2 | – | 1 | 1 | 3 |
| Apoplexy | 16 | 2 | 4 | 2 | 4 | 1 | 3 | 18 | 1 | 6 | 1 | 6 | 3 | 1 |
| Softening of the Brain | 2 | – | – | – | 1 | – | 1 | 3 | 1 | – | 1 | – | – | 1 |
| Hemiplegia, Brain Paralysis | 19 | 4 | 4 | – | 2 | 7 | 2 | 21 | 7 | 4 | 1 | 2 | 3 | 4 |
| Paralysis Agitans | 5 | – | – | – | 3 | 2 | – | 3 | – | – | 1 | 2 | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – | 1 |
| Chorea | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Epilepsy | 2 | 1 | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Convulsions | 5 | – | – | 4 | – | 1 | – | 3 | 1 | – | 1 | – | 1 | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 4 | – | – | 3 | 1 | – | – | 1 | – | – | – | 1 | – | – |
| Paraplegia, Diseases of Spinal Cord | 5 | 2 | 1 | – | 2 | – | – | 1 | – | 1 | – | – | – | – |
| Other Diseases of Nervous System | 6 | 1 | 1 | – | 1 | 2 | 1 | 6 | 2 | 2 | – | – | 1 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – |
| Epistaxis and Disease of Nose | 1 | – | – | – | – | 1 | – | 1 | – | – | – | 1 | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 53 | 5 | 12 | 2 | 11 | 15 | 8 | 56 | 9 | 17 | 2 | 10 | 11 | 7 |
| Pericarditis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 3 | 2 | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | 2 | 1 | – | – | – | 1 | – |
| Syncope | – | – | – | – | – | – | – | 6 | – | – | – | 1 | 1 | 4 |
| Aneurism | 1 | – | – | – | – | – | 1 | 4 | – | 4 | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | 1 | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 4 | – | – | – | – | 4 | – | 2 | – | – | – | – | 2 | – |
| Croup | 12 | – | 1 | 9 | 1 | 1 | – | 17 | – | 2 | 9 | 3 | 3 | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Emphysema, Asthma | 3 | 1 | – | – | 1 | – | 1 | 13 | 1 | 1 | – | 4 | 6 | 1 |
| Bronchitis | 74 | 10 | 12 | 10 | 21 | 7 | 14 | 80 | 14 | 16 | 6 | 33 | 5 | 6 |
| Pneumonia | 32 | 1 | 6 | 4 | 11 | 6 | 4 | 21 | 5 | 4 | 4 | 6 | 1 | 1 |
| Pleurisy | 7 | 1 | – | 1 | 5 | – | – | 17 | 1 | 1 | 4 | 9 | – | 2 |
| Other Diseases of Respiratory System | 12 | – | 3 | – | 1 | 4 | 4 | 12 | 1 | 4 | 1 | 2 | 2 | 2 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1891. (*Continued.*)

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 1 | – | – | – | – | 1 | – | 3 | – | – | – | – | 3 | – |
| Sore-throat, Quinsy | 1 | – | – | – | 1 | – | – | 2 | – | 1 | – | 1 | – | – |
| Dyspepsia | 2 | – | 1 | – | – | 1 | – | 3 | 1 | 1 | – | 1 | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 11 | 3 | 2 | 2 | 2 | 2 | – | 11 | 6 | 1 | – | 2 | 2 | – |
| Enteritis | 6 | 2 | – | 1 | 2 | 1 | – | 8 | 1 | 3 | – | 2 | 1 | 1 |
| Ulceration of Intestine | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 9 | 3 | 2 | – | 2 | 1 | 1 | 4 | 1 | 2 | – | – | 1 | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Intussusception of Intestine | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – |
| Hernia | 3 | – | – | 1 | 2 | – | – | 3 | 1 | 1 | – | – | – | 1 |
| Fistula | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Peritonitis | 5 | 1 | 1 | 2 | – | 2 | – | 10 | 2 | 2 | – | 5 | – | 1 |
| Ascites | – | – | – | – | – | – | – | 3 | – | – | – | 1 | 1 | 1 |
| Gallstones | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Cirrhosis of Liver | 4 | – | 1 | – | 2 | – | 1 | 2 | – | – | – | – | – | 2 |
| Other Diseases of Liver | 7 | 2 | 1 | 2 | – | 1 | 1 | 9 | 3 | 1 | 1 | – | 2 | 2 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Lymphatic System and Ductless Glands.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Thyroid Body. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Suprarenal Capsules | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | |
| Acute Nephritis | 3 | – | 1 | 1 | 1 | – | – | 3 | – | 1 | – | 2 | – | – |
| Bright's Disease | 14 | 2 | 4 | 3 | 2 | 2 | 1 | 12 | 6 | 3 | – | – | 3 | – |
| Uræmia | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Suppression of Urine | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Calculus | 3 | 1 | – | – | 2 | – | – | 1 | 1 | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 8 | – | 5 | – | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – |
| Other Diseases of Urinary System | 3 | 2 | – | – | – | – | 1 | 2 | – | 2 | – | – | – | – |
| **Diseases of Organs of Generation.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | 3 | 1 | – | 1 | 1 | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | 2 | – | 1 | – | 1 | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Parturition.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | 3 | – | – | 1 | 1 | – | 1 |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | 4 | 1 | – | 1 | 2 | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1891. (*Continued.*)

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 5 | – | 2 | – | 1 | – | 2 | 1 | – | – | – | – | – | 1 |
| Arthritis, Ostitis, Periostitis | 1 | – | – | 1 | – | – | – | 3 | 1 | – | 1 | 1 | – | – |
| Other Dis. of Organs of Locomotion | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | 1 | – | – | – | 1 | – | – | – | 1 | – | – |
| Lupus | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 2 | – | 1 | – | – | – | 1 | 3 | – | 1 | – | 1 | – | 1 |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 46 | 21 | 3 | 3 | 8 | 6 | 5 | 4 | – | 1 | – | 1 | 1 | 1 |
| Suffocation: In Bed | 2 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | 1 |
| Falls | 9 | – | – | 3 | 1 | 2 | 3 | – | – | – | – | – | – | – |
| Weather Agencies | 2 | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 4 | 1 | 1 | 1 | – | 1 | – | 8 | – | – | – | 3 | 1 | 4 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 3 | – | 2 | – | 1 | – | – | 3 | 1 | 2 | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 7 | 2 | 1 | – | 4 | – | – | 8 | 1 | 1 | 1 | 2 | – | 3 |
| Debility, Atrophy, Inanition | 15 | 3 | 7 | 1 | 2 | 1 | 1 | 16 | 1 | 3 | – | 10 | 2 | – |
| Mortification | 1 | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – |
| Tumour | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Hæmorrhage | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified causes | 77 | 11 | 6 | 15 | 40 | 5 | – | 114 | 14 | 9 | 18 | 60 | 13 | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 41122 | 4746 | 1626 | 2737 | 2862 | 1131 | 727 | 496 | 1389 | 864 | 1217 | 1353 | 1166 | 1189 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 5600 | 434 | 342 | 722 | 910 | 417 | 274 | 163 | 405 | 119 | 153 | 127 | 92 | 82 |
| II. PARASITIC DISEASES | 15 | 10 | 1 | – | 1 | 2 | – | – | – | 1 | – | – | – | – |
| III. DIETETIC ,, | 217 | 28 | 7 | 6 | – | 1 | – | – | – | 1 | 1 | 1 | 14 | 20 |
| IV. CONSTITUTIONAL ,, | 6402 | 90 | 106 | 254 | 322 | 173 | 118 | 95 | 326 | 266 | 531 | 622 | 482 | 441 |
| V. DEVELOPMENTAL ,, | 3277 | 1365 | 18 | 12 | 4 | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 21559 | 1535 | 987 | 1612 | 1509 | 472 | 299 | 203 | 569 | 362 | 373 | 410 | 407 | 479 |
| VII. VIOLENCE | 2150 | 122 | 27 | 21 | 41 | 45 | 28 | 31 | 73 | 105 | 149 | 181 | 158 | 151 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1902 | 1162 | 138 | 110 | 75 | 21 | 8 | 4 | 16 | 10 | 10 | 12 | 13 | 16 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 4356 | 145 | 171 | 544 | 781 | 389 | 266 | 156 | 388 | 101 | 140 | 112 | 80 | 66 |
| 2. DIARRHŒAL ,, | 839 | 163 | 142 | 155 | 119 | 26 | 8 | 5 | 11 | 10 | 6 | 8 | 4 | 4 |
| 3. MALARIAL ,, | 7 | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – |
| 4. ZOOGENOUS ,, | 3 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 152 | 75 | 21 | 9 | 8 | – | – | – | – | 1 | – | 2 | 1 | 1 |
| 6. SEPTIC ,, | 243 | 51 | 8 | 12 | 1 | – | – | 2 | 5 | 7 | 7 | 5 | 7 | 11 |
| II. PARASITIC DISEASES | 15 | 10 | 1 | – | 1 | 2 | – | – | – | 1 | – | – | – | – |
| III. DIETETIC DISEASES | 217 | 28 | 7 | 6 | – | 1 | – | – | – | 1 | 1 | 1 | 14 | 20 |
| IV. CONSTITUTIONAL DISEASES | 6402 | 90 | 106 | 254 | 322 | 173 | 118 | 95 | 326 | 266 | 531 | 622 | 482 | 441 |
| V. DEVELOPMENTAL DISEASES | 3277 | 1365 | 18 | 12 | 4 | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 4754 | 372 | 219 | 314 | 315 | 79 | 71 | 64 | 187 | 97 | 65 | 68 | 68 | 95 |
| 2. ,, ORGANS OF SPECIAL SENSE | 65 | 8 | 4 | 13 | 5 | 3 | 2 | 2 | 5 | 2 | 4 | 3 | 1 | – |
| 3. ,, CIRCULATORY SYSTEM | 3279 | 35 | 8 | 1 | 5 | 3 | 5 | 4 | 26 | 59 | 59 | 61 | 56 | 84 |
| 4. ,, RESPIRATORY SYSTEM | 9209 | 709 | 502 | 956 | 948 | 322 | 172 | 88 | 211 | 75 | 115 | 149 | 163 | 192 |
| 5. ,, DIGESTIVE SYSTEM | 2684 | 377 | 241 | 308 | 210 | 50 | 27 | 21 | 75 | 61 | 75 | 54 | 49 | 58 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 29 | 1 | – | 2 | – | 2 | – | – | 1 | 1 | – | 2 | 2 | 2 |
| 7. ,, URINARY SYSTEM | 1161 | 12 | 7 | 3 | 11 | 10 | 14 | 16 | 32 | 23 | 23 | 41 | 46 | 35 |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 18 | 8 | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 1 |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 258 | 1 | – | 6 | 5 | 2 | 8 | 6 | 32 | 43 | 31 | 31 | 17 | 10 |
| 10. ,, INTEGUMENTARY SYSTEM | 102 | 12 | 6 | 9 | 10 | 1 | – | 2 | – | 1 | – | – | 3 | 2 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. ALL AGES | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 42451 | 3465 | 1264 | 2272 | 2743 | 1161 | 739 | 550 | 1473 | 930 | 1222 | 1369 | 1428 | 1412 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 6429 | 337 | 289 | 673 | 1001 | 453 | 305 | 234 | 506 | 145 | 139 | 207 | 232 | 207 |
| II. PARASITIC DISEASES | 12 | 7 | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| III. DIETETIC ,, | 107 | 14 | 11 | 5 | – | – | 1 | – | – | – | – | – | 2 | 5 |
| IV. CONSTITUTIONAL ,, | 7399 | 49 | 93 | 211 | 268 | 147 | 96 | 103 | 359 | 413 | 680 | 622 | 621 | 558 |
| V. DEVELOPMENTAL ,, | 4179 | 1021 | 21 | 4 | 4 | – | – | – | 1 | – | – | – | – | – |
| VI. LOCAL ,, | 21771 | 1007 | 692 | 1279 | 1356 | 504 | 294 | 194 | 545 | 339 | 378 | 503 | 544 | 607 |
| VII. VIOLENCE | 790 | 96 | 32 | 13 | 33 | 29 | 39 | 9 | 37 | 12 | 16 | 27 | 14 | 23 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1764 | 934 | 126 | 86 | 80 | 27 | 12 | 10 | 24 | 21 | 9 | 10 | 15 | 12 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 4784 | 133 | 136 | 504 | 869 | 425 | 292 | 225 | 485 | 132 | 107 | 105 | 92 | 90 |
| 2. DIARRHŒAL ,, | 931 | 138 | 118 | 146 | 121 | 23 | 11 | 8 | 14 | 7 | 9 | 9 | 9 | 20 |
| 3. MALARIAL ,, | 7 | – | – | 1 | 1 | – | 1 | – | 3 | – | – | – | – | – |
| 4. ZOOGENOUS ,, | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 33 | 33 | 21 | 7 | 5 | 1 | – | – | – | – | 1 | 1 | 2 | 1 |
| 6. SEPTIC ,, | 622 | 33 | 13 | 14 | 5 | 4 | 1 | 1 | 4 | 6 | 22 | 92 | 129 | 96 |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 12 | 7 | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 107 | 14 | 11 | 5 | – | – | 1 | – | – | – | – | – | 2 | 5 |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 7399 | 49 | 93 | 211 | 268 | 147 | 96 | 103 | 359 | 413 | 680 | 622 | 621 | 558 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 4179 | 1021 | 21 | 4 | 4 | – | – | – | 1 | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 4728 | 244 | 162 | 241 | 287 | 121 | 73 | 59 | 175 | 98 | 67 | 77 | 66 | 81 |
| 2. ,, ORGANS OF SPECIAL SENSE | 46 | 7 | 1 | 6 | 5 | 2 | 1 | 4 | 3 | 2 | 2 | 3 | 1 | 1 |
| 3. ,, CIRCULATORY SYSTEM | 3685 | 19 | 3 | 1 | 2 | 1 | 5 | 3 | 38 | 74 | 74 | 75 | 96 | 121 |
| 4. ,, RESPIRATORY SYSTEM | 8695 | 471 | 347 | 746 | 823 | 315 | 173 | 105 | 190 | 75 | 93 | 110 | 121 | 138 |
| 5. ,, DIGESTIVE SYSTEM | 2886 | 244 | 170 | 276 | 215 | 50 | 32 | 18 | 86 | 49 | 60 | 105 | 92 | 97 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 54 | – | – | – | 2 | – | – | – | 3 | – | 3 | 2 | 6 | 6 |
| 7. ,, URINARY SYSTEM | 784 | 4 | 4 | 4 | 10 | 10 | 3 | 1 | 20 | 15 | 28 | 45 | 48 | 51 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 212 | – | – | – | 3 | – | 1 | – | – | 1 | 6 | 19 | 28 | 21 |
| (*b*) DISEASES OF PARTURITION | 340 | – | – | – | – | – | – | – | – | – | 14 | 52 | 70 | 77 |
| 9. ,, ORGANS OF LOCOMOTION | 205 | 2 | 1 | 2 | 5 | 4 | 3 | 4 | 27 | 24 | 29 | 10 | 12 | 12 |
| 10. ,, INTEGUMENTARY SYSTEM | 136 | 16 | 4 | 3 | 4 | 1 | 3 | – | 3 | 1 | 2 | 5 | 4 | 2 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 1265 | 1394 | 1687 | 1860 | 2008 | 2316 | 2328 | 2334 | 1956 | 1484 | 675 | 246 | 49 | 14 | 3 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 93 | 99 | 130 | 115 | 128 | 173 | 147 | 177 | 156 | 102 | 32 | 7 | 1 | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 21 | 22 | 23 | 26 | 23 | 13 | 5 | 3 | 2 | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 387 | 360 | 367 | 284 | 321 | 261 | 254 | 174 | 103 | 47 | 16 | 1 | 1 | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 89 | 128 | 302 | 343 | 495 | 317 | 157 | 36 | 11 | – |
| VI. LOCAL ,, | 605 | 746 | 1002 | 1239 | 1338 | 1659 | 1682 | 1592 | 1284 | 805 | 301 | 77 | 9 | 3 | – |
| VII. VIOLENCE | 146 | 138 | 140 | 156 | 134 | 90 | 74 | 58 | 34 | 32 | 8 | 4 | 1 | – | 3 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 13 | 29 | 25 | 40 | 64 | 31 | 38 | 28 | 34 | 3 | 1 | – | 1 | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 69 | 66 | 97 | 81 | 98 | 134 | 109 | 135 | 122 | 75 | 25 | 5 | 1 | – | – |
| 2. DIARRHŒAL ,, | 7 | 12 | 12 | 14 | 13 | 19 | 21 | 33 | 24 | 16 | 5 | 2 | – | – | – |
| 3. MALARIAL ,, | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 3 | 8 | 4 | 5 | 1 | 4 | 5 | 2 | 1 | – | 1 | – | – | – | – |
| 6. SEPTIC ,, | 14 | 13 | 16 | 14 | 16 | 15 | 12 | 6 | 9 | 11 | 1 | – | – | – | – |
| II. | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 21 | 22 | 23 | 26 | 23 | 13 | 5 | 3 | 2 | – | – | – | – | – | – |
| IV. | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 387 | 360 | 367 | 284 | 321 | 261 | 254 | 174 | 103 | 47 | 16 | 1 | 1 | – | – |
| V. | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | – | – | – | – | – | 89 | 128 | 302 | 343 | 495 | 317 | 157 | 36 | 11 | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 99 | 138 | 175 | 234 | 289 | 357 | 403 | 416 | 319 | 219 | 67 | 22 | 2 | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | 2 | 4 | 1 | 3 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 108 | 144 | 219 | 249 | 252 | 422 | 397 | 412 | 364 | 219 | 67 | 15 | 3 | 2 | – |
| 4. ,, RESPIRATORY SYSTEM | 263 | 316 | 417 | 528 | 567 | 595 | 602 | 531 | 398 | 243 | 116 | 28 | 3 | – | – |
| 5. ,, DIGESTIVE SYSTEM | 63 | 71 | 121 | 132 | 119 | 160 | 136 | 94 | 96 | 61 | 21 | 4 | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | 1 | 2 | 4 | 1 | 3 | 3 | – | 1 | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 59 | 60 | 55 | 74 | 89 | 110 | 121 | 123 | 99 | 62 | 27 | 7 | 1 | 1 | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | – | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 7 | 7 | 8 | 8 | 13 | 2 | 10 | 7 | 4 | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 2 | 5 | 4 | 6 | 8 | 9 | 7 | 7 | 3 | 1 | 3 | 1 | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 1421 | 1390 | 1434 | 1678 | 1955 | 2512 | 2542 | 2969 | 2646 | 2147 | 1209 | 417 | 90 | 12 | 1 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 170 | 142 | 93 | 109 | 140 | 171 | 202 | 241 | 213 | 134 | 72 | 13 | 1 | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 6 | 12 | 15 | 12 | 6 | 7 | 4 | 6 | 1 | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 507 | 408 | 396 | 342 | 347 | 374 | 291 | 237 | 155 | 80 | 33 | 8 | 1 | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 130 | 193 | 435 | 590 | 826 | 615 | 261 | 66 | 12 | – |
| VI. LOCAL ,, | 692 | 773 | 866 | 1117 | 1331 | 1743 | 1753 | 1970 | 1610 | 1062 | 466 | 128 | 18 | – | – |
| VII. VIOLENCE | 29 | 34 | 33 | 39 | 37 | 47 | 49 | 41 | 41 | 37 | 21 | 6 | 4 | – | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 17 | 21 | 31 | 59 | 94 | 40 | 50 | 39 | 36 | 8 | 2 | 1 | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 88 | 82 | 68 | 88 | 98 | 119 | 150 | 175 | 163 | 104 | 48 | 6 | – | – | – |
| 2. DIARRHŒAL ,, | 17 | 17 | 12 | 11 | 29 | 40 | 36 | 48 | 40 | 25 | 18 | 4 | 1 | – | – |
| 3. MALARIAL ,, | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 4 | 2 | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 61 | 40 | 11 | 8 | 13 | 11 | 16 | 18 | 10 | 5 | 6 | 3 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 6 | 12 | 15 | 12 | 6 | 7 | 4 | 6 | 1 | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 507 | 408 | 396 | 342 | 347 | 374 | 291 | 237 | 155 | 80 | 33 | 8 | 1 | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 130 | 193 | 435 | 590 | 826 | 615 | 261 | 66 | 12 | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 88 | 108 | 152 | 239 | 283 | 419 | 385 | 451 | 424 | 277 | 117 | 27 | 7 | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | 2 | 1 | 1 | – | – | 1 | 1 | 1 | – | 1 | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 155 | 176 | 202 | 262 | 283 | 388 | 439 | 476 | 408 | 241 | 116 | 25 | 2 | – | – |
| 4. ,, RESPIRATORY SYSTEM | 178 | 249 | 289 | 404 | 475 | 656 | 697 | 764 | 583 | 430 | 194 | 62 | 7 | – | – |
| 5. ,, DIGESTIVE SYSTEM | 97 | 105 | 132 | 126 | 177 | 179 | 144 | 191 | 126 | 78 | 27 | 8 | 2 | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 7 | 1 | 2 | 2 | 7 | 3 | 5 | 3 | 2 | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 52 | 63 | 57 | 54 | 76 | 63 | 50 | 50 | 44 | 22 | 6 | 4 | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 24 | 19 | 15 | 15 | 12 | 15 | 10 | 10 | 7 | 5 | 1 | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 74 | 46 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 10 | 4 | 2 | 8 | 9 | 10 | 10 | 9 | 3 | 3 | 2 | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 7 | 2 | 6 | 6 | 8 | 10 | 13 | 15 | 12 | 5 | 3 | 1 | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 2 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 1973 | 117 | 27 | 21 | 41 | 45 | 27 | 31 | 73 | 105 | 147 | 164 | 146 | 135 |
| 2. HOMICIDE | 9 | 5 | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| 3. SUICIDE | 168 | – | – | – | – | – | – | – | – | – | 2 | 16 | 12 | 16 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1902 | 1162 | 138 | 110 | 75 | 21 | 8 | 4 | 16 | 10 | 10 | 12 | 13 | 16 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 4 | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Measles | 904 | 10 | 18 | 206 | 305 | 146 | 62 | 42 | 100 | 3 | 5 | 3 | 2 | – |
| Epidemic Rose Rash | 5 | 1 | – | – | 1 | 3 | – | – | – | – | – | – | – | – |
| Scarlet Fever | 358 | 5 | 4 | 23 | 48 | 59 | 55 | 27 | 89 | 26 | 9 | 6 | 3 | 2 |
| Typhus | 54 | – | – | – | 2 | – | – | – | – | 3 | 11 | 1 | 4 | 7 |
| Relapsing Fever | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Influenza | 1118 | 24 | 16 | 29 | 15 | 6 | 6 | 5 | 18 | 11 | 21 | 32 | 24 | 30 |
| Hooping-cough | 1094 | 95 | 127 | 262 | 337 | 121 | 73 | 37 | 42 | – | – | – | – | – |
| Mumps | 6 | – | – | – | 3 | – | – | 1 | – | – | – | – | – | 2 |
| Diphtheria | 364 | 7 | 5 | 19 | 64 | 52 | 60 | 39 | 87 | 13 | 10 | 2 | 1 | – |
| Cerebro-spinal Fever | 4 | – | 1 | 1 | – | – | – | – | 1 | – | – | 1 | – | – |
| Simple and Ill-defined Fever | 11 | – | – | – | 1 | – | – | – | – | – | 2 | 1 | – | 1 |
| Enteric Fever | 430 | 1 | – | 2 | 5 | 2 | 10 | 5 | 50 | 45 | 81 | 66 | 46 | 24 |
| Other Miasmatic Diseases | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | |
| Simple Cholera | 36 | 2 | 6 | 10 | 11 | 1 | – | – | 1 | 1 | – | – | – | – |
| Diarrhœa, Dysentery | 803 | 161 | 136 | 145 | 108 | 25 | 8 | 5 | 10 | 9 | 6 | 8 | 4 | 4 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | |
| Remittent Fever | 3 | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – |
| Ague | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 3 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | |
| Syphilis | 131 | 75 | 21 | 9 | 8 | – | – | – | – | 1 | – | 2 | 1 | 1 |
| Gonorrhœa, Stricture of Urethra | 21 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 179 | 47 | 8 | 9 | – | – | – | – | 2 | 3 | 3 | 5 | 4 | 5 |
| Pyæmia, Septicæmia | 64 | 4 | – | 3 | 1 | – | – | 2 | 3 | 4 | 4 | – | 3 | 6 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 697 | 87 | 31 | 13 | 32 | 29 | 29 | 9 | 37 | 12 | 11 | 23 | 9 | 16 |
| 2. HOMICIDE | 18 | 9 | 1 | – | 1 | – | 1 | – | – | – | – | – | 1 | – |
| 3. SUICIDE | 75 | – | – | – | – | – | – | – | – | – | 5 | 4 | 4 | 7 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1764 | 934 | 126 | 86 | 80 | 27 | 12 | 10 | 24 | 21 | 9 | 10 | 15 | 12 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | 871 | 6 | 15 | 145 | 317 | 144 | 69 | 54 | 87 | 8 | 3 | 5 | 6 | 5 |
| Epidemic Rose Rash | 4 | – | – | – | – | 2 | – | 1 | 1 | – | – | – | – | – |
| Scarlet Fever | 378 | 3 | 1 | 20 | 42 | 55 | 54 | 34 | 105 | 32 | 10 | 7 | 5 | 5 |
| Typhus | 53 | – | – | – | – | – | 1 | – | 2 | 2 | 5 | 9 | 5 | 6 |
| Relapsing Fever | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Influenza | 1269 | 12 | 8 | 11 | 17 | 6 | 6 | 4 | 12 | 12 | 26 | 26 | 31 | 41 |
| Hooping-cough | 1343 | 106 | 107 | 293 | 414 | 150 | 91 | 65 | 107 | 4 | – | 1 | 2 | 1 |
| Mumps | 9 | – | – | 4 | 1 | – | – | – | 2 | 1 | – | – | – | – |
| Diphtheria | 466 | 3 | 4 | 29 | 73 | 62 | 66 | 62 | 118 | 18 | 7 | 6 | 2 | 7 |
| Cerebro-spinal Fever | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Simple and Ill-defined Fever | 12 | – | – | – | – | 1 | 1 | – | – | 1 | 1 | – | – | 2 |
| Enteric Fever | 369 | 1 | – | 1 | 5 | 5 | 3 | 5 | 49 | 54 | 54 | 51 | 41 | 23 |
| Other Miasmatic Diseases | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 24 | 4 | 7 | 5 | 6 | – | – | – | – | – | – | 1 | – | – |
| Diarrhœa, Dysentery | 907 | 134 | 111 | 141 | 115 | 23 | 11 | 8 | 14 | 7 | 9 | 8 | 9 | 20 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 4 | – | – | 1 | – | – | 1 | – | 2 | – | – | – | – | – |
| Ague | 3 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 83 | 33 | 21 | 7 | 5 | 1 | – | – | – | – | 1 | 1 | 2 | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 147 | 31 | 10 | 11 | 1 | 2 | – | 1 | – | 1 | 2 | 2 | 2 | 3 |
| Pyæmia, Septicæmia | 95 | 2 | 3 | 2 | 4 | 2 | 1 | – | 4 | 5 | 7 | 7 | 12 | 10 |
| Puerperal Fever | 378 | – | – | – | – | – | – | – | – | – | 13 | 83 | 115 | 83 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 130 | 116 | 125 | 136 | 113 | 79 | 68 | 55 | 31 | 27 | 7 | 3 | 1 | – | 3 |
| 2. HOMICIDE | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 15 | 22 | 14 | 20 | 21 | 11 | 6 | 3 | 3 | 5 | 1 | 1 | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 13 | 29 | 25 | 40 | 64 | 31 | 38 | 28 | 34 | 3 | 1 | – | 1 | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Typhus | 4 | 8 | 4 | 1 | 2 | 5 | – | 1 | 1 | – | – | – | – | – | – |
| Relapsing Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 38 | 38 | 73 | 70 | 86 | 118 | 106 | 129 | 118 | 74 | 25 | 5 | 1 | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | 2 | – | – | 2 | – | 1 | – | – | – | – | – |
| Enteric Fever | 24 | 17 | 17 | 8 | 7 | 11 | 3 | 3 | 3 | – | – | – | – | – | – |
| Other Miasmatic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 6 | 10 | 12 | 13 | 13 | 19 | 21 | 33 | 24 | 16 | 5 | 2 | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 3 | 2 | 2 | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | 6 | 2 | 2 | – | 3 | 4 | 2 | 1 | – | 1 | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 9 | 6 | 14 | 9 | 12 | 9 | 10 | 6 | 7 | 10 | 1 | – | – | – | – |
| Pyæmia, Septicæmia | 5 | 7 | 2 | 5 | 4 | 6 | 2 | – | 2 | 1 | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 18 | 25 | 26 | 29 | 31 | 42 | 42 | 39 | 38 | 37 | 21 | 6 | 4 | – | 1 |
| 2. Homicide | 2 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 3. Suicide | 9 | 8 | 6 | 10 | 6 | 5 | 6 | 2 | 3 | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 17 | 21 | 31 | 59 | 94 | 40 | 50 | 39 | 36 | 8 | 2 | 1 | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 3 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | 2 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Typhus | 4 | 6 | 7 | 2 | 2 | – | 1 | 1 | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Influenza | 52 | 56 | 47 | 76 | 85 | 110 | 148 | 173 | 159 | 103 | 47 | 6 | – | – | – |
| Hooping-cough | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Diphtheria | 4 | 1 | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | 2 | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| Enteric Fever | 25 | 14 | 11 | 9 | 6 | 8 | 2 | 1 | 1 | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 17 | 17 | 11 | 11 | 29 | 40 | 36 | 48 | 40 | 25 | 18 | 4 | 1 | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | 4 | 2 | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Erysipelas | 3 | 7 | 6 | 6 | 9 | 8 | 11 | 14 | 6 | 3 | 5 | 3 | – | – | – |
| Pyæmia, Septicæmia | 5 | 4 | 3 | 2 | 4 | 3 | 5 | 4 | 4 | 2 | – | – | – | – | – |
| Puerperal Fever | 53 | 29 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 13 | 10 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 2 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 45 | 28 | 7 | 6 | – | 1 | – | – | – | – | – | – | – | 1 |
| Scurvy | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Intemp. Chronic Alcoholism | 131 | – | – | – | – | – | – | – | – | – | 1 | 1 | 8 | 15 |
| Intemp. Delirium Tremens | 39 | – | – | – | – | – | – | – | – | – | – | – | 6 | 4 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 101 | – | – | – | – | – | 1 | 2 | 8 | 6 | 10 | 17 | 6 | 5 |
| Rheumatism | 91 | – | – | – | 3 | – | – | – | 4 | 1 | 4 | 8 | 3 | 2 |
| Gout | 16 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 25 | 1 | – | 5 | 9 | 6 | – | 1 | 1 | 1 | 1 | – | – | – |
| Cancer | 1010 | – | – | – | 1 | 2 | – | 1 | 1 | 1 | 7 | 11 | 12 | 15 |
| Tabes Mesenterica | 447 | 29 | 29 | 56 | 87 | 47 | 28 | 16 | 69 | 37 | 19 | 11 | 3 | 3 |
| Tubercular Meningitis (Acute Hydrocephalus) | 679 | 35 | 52 | 130 | 131 | 72 | 54 | 49 | 95 | 30 | 15 | 3 | 2 | 3 |
| Phthisis | 3501 | 4 | 11 | 28 | 47 | 24 | 21 | 15 | 95 | 141 | 424 | 531 | 427 | 396 |
| Other forms of Tuberculosis, Scrofula | 371 | 13 | 12 | 29 | 40 | 18 | 11 | 11 | 46 | 36 | 39 | 34 | 23 | 11 |
| Purpura, Hæmorrhagic Diathesis | 23 | – | – | – | – | 1 | 3 | – | 2 | 6 | 2 | – | – | 1 |
| Anæmia, Chlorosis, Leucocythæmia | 89 | 7 | 2 | 3 | 4 | 3 | – | – | 5 | 4 | 6 | 4 | 1 | 2 |
| Diabetes Mellitus | 45 | – | – | – | – | – | – | – | – | 3 | 4 | 3 | 5 | 3 |
| Other Constitutional Diseases | 4 | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 1127 | 1121 | 5 | 1 | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 79 | 77 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Cyanosis | 40 | 37 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 53 | 41 | 4 | 6 | 2 | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 10 | 6 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 82 | 75 | 3 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Old Age | 1878 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 864 | 53 | 87 | 143 | 145 | 41 | 44 | 36 | 117 | 52 | 29 | 16 | 12 | 11 |
| Apoplexy | 1309 | 7 | 3 | 5 | 4 | 4 | 1 | 1 | 7 | 12 | 5 | 12 | 10 | 24 |
| Softening of the Brain | 165 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | – |
| Hemiplegia, Brain Paralysis | 751 | 2 | 1 | 1 | 2 | 1 | 1 | – | 3 | 1 | 4 | 4 | 3 | 10 |
| Paralysis Agitans | 24 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Insanity, General Paralysis of Insane | 131 | – | – | – | – | 1 | – | – | 1 | 1 | 3 | 1 | 7 | 19 |
| Chorea | 8 | – | – | – | – | – | 1 | – | 4 | 1 | – | – | – | – |
| Epilepsy | 171 | 6 | 1 | 5 | 6 | 1 | 2 | 4 | 8 | 10 | 9 | 13 | 16 | 8 |
| Convulsions | 598 | 260 | 102 | 88 | 89 | 20 | 12 | 6 | 15 | 1 | 1 | 1 | – | – |
| Laryngismus Stridulus | 31 | 1 | 5 | 12 | 10 | 1 | – | 2 | – | – | – | – | – | – |
| Idiopathic Tetanus | 20 | 12 | – | – | – | – | – | – | – | – | 2 | – | 1 | – |
| Paraplegia, Diseases of Spinal Cord | 192 | – | 1 | – | 1 | 1 | – | 2 | 1 | 7 | 6 | 6 | 8 | 5 |
| Other Diseases of Nervous System | 490 | 31 | 19 | 50 | 58 | 9 | 10 | 13 | 31 | 12 | 5 | 13 | 11 | 17 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 54 | 3 | 3 | 12 | 5 | 3 | 2 | 2 | 5 | 2 | 4 | 3 | 1 | – |
| Epistaxis and Disease of Nose | 9 | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 11 | 7 | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 32 | 14 | 11 | 5 | – | – | 1 | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 62 | – | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| Intemp. Delirium Tremens | 13 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 125 | – | – | – | – | – | – | 1 | 15 | 19 | 13 | 16 | 13 | 2 |
| Rheumatism | 141 | – | – | – | – | – | – | – | 5 | 5 | 3 | 8 | 1 | 4 |
| Gout | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 24 | – | 1 | 6 | 6 | 7 | 1 | – | 3 | – | – | – | – | – |
| Cancer | 1693 | – | – | – | 1 | 1 | – | 1 | 2 | 1 | 2 | 4 | 11 | 29 |
| Tabes Mesenterica | 411 | 19 | 29 | 46 | 83 | 42 | 21 | 23 | 53 | 41 | 22 | 13 | 4 | 6 |
| Tubercular Meningitis (Acute Hydrocephalus) | 563 | 10 | 42 | 116 | 94 | 53 | 38 | 44 | 90 | 45 | 16 | 8 | 4 | 1 |
| Phthisis | 3860 | 8 | 9 | 22 | 45 | 25 | 27 | 22 | 145 | 257 | 576 | 527 | 543 | 484 |
| Other forms of Tuberculosis, Scrofula | 309 | 6 | 8 | 15 | 32 | 16 | 8 | 10 | 44 | 35 | 29 | 29 | 24 | 8 |
| Purpura, Hæmorrhagic Diathesis | 22 | 4 | 3 | 3 | 1 | 2 | – | 1 | 1 | – | 3 | – | 2 | 1 |
| Anæmia, Chlorosis, Leucocythæmia | 184 | 2 | 1 | 3 | 6 | 1 | 1 | 1 | – | 5 | 11 | 14 | 16 | 19 |
| Diabetes Mellitus | 51 | – | – | – | – | – | – | – | 1 | 5 | 5 | 3 | 3 | 4 |
| Other Constitutional Diseases | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 843 | 840 | 8 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 69 | 57 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 20 | 18 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 65 | 53 | 6 | 3 | 2 | – | – | – | 1 | – | – | – | – | – |
| Imperforate Anus | 4 | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 5 | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 49 | 47 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Old Age | 3128 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 820 | 39 | 62 | 118 | 133 | 69 | 48 | 44 | 114 | 65 | 25 | 26 | 9 | 12 |
| Apoplexy | 1473 | 5 | – | 5 | 7 | 1 | 2 | 2 | 6 | 2 | 9 | 13 | 16 | 28 |
| Softening of the Brain | 158 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Hemiplegia, Brain Paralysis | 943 | 1 | 1 | – | 4 | 1 | 2 | – | 2 | 3 | 2 | 3 | 7 | 5 |
| Paralysis Agitans | 27 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Insanity, General Paralysis of Insane | 111 | – | – | – | – | – | – | – | – | – | 4 | 7 | 8 | 8 |
| Chorea | 8 | – | – | – | – | – | – | – | 2 | – | – | 1 | 1 | 1 |
| Epilepsy | 139 | 2 | 2 | 1 | 6 | – | 1 | – | 8 | 10 | 12 | 11 | 12 | 10 |
| Convulsions | 479 | 167 | 72 | 77 | 89 | 26 | 12 | 10 | 14 | 1 | 3 | – | 1 | 2 |
| Laryngismus Stridulus | 27 | 4 | 4 | 6 | 9 | 3 | – | – | 1 | – | – | – | – | – |
| Idiopathic Tetanus | 15 | 7 | 1 | – | 2 | – | 1 | – | 1 | 1 | – | – | – | 1 |
| Paraplegia, Diseases of Spinal Cord | 130 | – | 1 | – | 1 | – | – | – | 4 | 1 | 6 | 5 | 4 | 3 |
| Other Diseases of Nervous System | 398 | 19 | 19 | 34 | 36 | 21 | 7 | 3 | 22 | 15 | 5 | 10 | 8 | 11 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 35 | 3 | 1 | 3 | 4 | 2 | 1 | 3 | 3 | 2 | 1 | 3 | 1 | 1 |
| Epistaxis and Disease of Nose | 6 | 1 | – | 1 | 1 | – | – | 1 | – | – | 1 | – | – | – |
| Ophthalmia and Disease of Eye | 5 | 3 | – | 2 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 18 | 16 | 15 | 26 | 10 | 10 | 3 | 2 | 2 | – | – | – | – | – | – |
| Intemp. Delirium Tremens | 8 | 6 | 8 | – | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 6 | 5 | 8 | 3 | 8 | 4 | 6 | 3 | 3 | – | – | – | – | – | – |
| Rheumatism | 4 | 5 | 7 | – | 6 | 8 | 6 | 12 | 15 | 3 | – | – | – | – | – |
| Gout | – | – | – | 1 | 2 | 3 | 6 | 3 | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 35 | 48 | 85 | 110 | 153 | 132 | 150 | 118 | 73 | 39 | 14 | 1 | 1 | – | – |
| Tabes Mesenterica | 5 | 2 | 2 | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 2 | 2 | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Phthisis | 318 | 283 | 243 | 159 | 131 | 86 | 47 | 27 | 8 | 4 | 1 | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 12 | 8 | 10 | 5 | 6 | 3 | 2 | 2 | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | 1 | 1 | – | – | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 2 | 4 | 7 | 3 | 9 | 10 | 8 | 4 | – | – | 1 | – | – | – | – |
| Diabetes Mellitus | 3 | 2 | 2 | 3 | 6 | 1 | 5 | 2 | 2 | 1 | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 89 | 128 | 302 | 343 | 495 | 317 | 157 | 46 | 11 | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 13 | 11 | 15 | 5 | 12 | 10 | 7 | 8 | 1 | 1 | – | – | – | – | – |
| Apoplexy | 20 | 35 | 52 | 120 | 137 | 152 | 208 | 181 | 164 | 98 | 33 | 13 | 1 | – | – |
| Softening of the Brain | 4 | 4 | 12 | 10 | 18 | 25 | 22 | 27 | 22 | 14 | 4 | – | – | – | – |
| Hemiplegia, Brain Paralysis | 13 | 18 | 35 | 30 | 55 | 98 | 107 | 145 | 98 | 78 | 26 | 8 | 1 | – | – |
| Paralysis Agitans | – | – | – | 1 | 2 | 2 | 2 | 8 | 3 | 4 | 1 | – | – | – | – |
| Insanity, General Paralysis of Insane | 18 | 19 | 18 | 10 | 14 | 6 | 4 | 2 | 3 | 3 | 1 | – | – | – | – |
| Chorea | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | 6 | 15 | 6 | 13 | 10 | 8 | 9 | 9 | 3 | 3 | – | – | – | – | – |
| Convulsions | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | 1 | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 7 | 19 | 14 | 16 | 19 | 24 | 20 | 15 | 15 | 5 | – | – | – | – | – |
| Other Diseases of Nervous System | 16 | 16 | 23 | 21 | 20 | 32 | 24 | 26 | 9 | 11 | 2 | 1 | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | 3 | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 3 | 10 | 12 | 9 | 6 | 6 | 4 | 6 | 1 | – | – | – | – | – | – |
| Intemp. Delirium Tremens | 3 | 1 | 3 | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 6 | 9 | 2 | 4 | 5 | 3 | 4 | 7 | 5 | 1 | – | – | – | – | – |
| Rheumatism | 5 | 5 | 4 | 6 | 12 | 15 | 13 | 18 | 22 | 11 | 2 | 1 | 1 | – | – |
| Gout | – | 1 | 1 | – | – | 1 | 1 | 3 | 1 | 3 | 1 | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 70 | 126 | 171 | 205 | 202 | 263 | 221 | 152 | 108 | 59 | 27 | 7 | – | – | – |
| Tabes Mesenterica | 4 | 3 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phthisis | 388 | 238 | 127 | 102 | 103 | 66 | 40 | 18 | 13 | 3 | 2 | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 10 | 10 | 8 | 3 | 4 | 5 | 2 | 2 | 1 | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 17 | 12 | 10 | 19 | 13 | 14 | 9 | 5 | 3 | 2 | – | – | – | – | – |
| Diabetes Mellitus | 5 | 3 | 2 | 1 | 8 | 4 | 1 | 2 | 2 | 1 | 1 | – | – | – | – |
| Other Constitutional Diseases | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 180 | 193 | 275 | 590 | 826 | 615 | 261 | 56 | 12 | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 9 | 8 | 6 | 4 | 6 | 13 | 4 | 1 | 3 | 2 | – | – | – | – | – |
| Apoplexy | 35 | 41 | 57 | 116 | 133 | 191 | 186 | 224 | 193 | 129 | 54 | 12 | 6 | – | – |
| Softening of the Brain | 1 | 4 | 3 | 8 | 20 | 27 | 18 | 18 | 31 | 17 | 7 | 2 | – | – | – |
| Hemiplegia, Brain Paralysis | 7 | 19 | 39 | 59 | 81 | 142 | 117 | 142 | 148 | 103 | 44 | 10 | 1 | – | – |
| Paralysis Agitans | – | 1 | – | 1 | 3 | 2 | 3 | 9 | 5 | 1 | – | 1 | – | – | – |
| Insanity, General Paralysis of Insane | 9 | 15 | 5 | 11 | 10 | 7 | 7 | 6 | 5 | 7 | 1 | 1 | – | – | – |
| Chorea | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 7 | 6 | 7 | 8 | 4 | – | 11 | 12 | 5 | 2 | 1 | 1 | – | – | – |
| Convulsions | – | 1 | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 8 | 5 | 7 | 10 | 11 | 14 | 17 | 13 | 15 | 4 | 1 | – | – | – | – |
| Other Diseases of Nervous System | 12 | 7 | 25 | 19 | 15 | 23 | 21 | 26 | 19 | 12 | 9 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | 2 | 1 | 1 | – | – | 1 | – | 1 | – | 1 | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2707 | 9 | – | – | 3 | 2 | 4 | 4 | 22 | 55 | 51 | 52 | 48 | 68 |
| Pericarditis | 31 | 1 | – | – | – | – | – | – | 2 | 3 | 4 | 2 | 2 | 4 |
| Hypertrophy of Heart | 108 | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 | 3 |
| Angina Pectoris | 55 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Syncope | 132 | 17 | 8 | 1 | 1 | – | 1 | – | 1 | 1 | 1 | 1 | 1 | 2 |
| Aneurism | 84 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 3 |
| Senile Gangrene | 65 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 24 | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – | 2 |
| Phlebitis | 7 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Varicose Veins | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 58 | 8 | – | – | – | 1 | – | – | 1 | – | 1 | – | 1 | 1 |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 112 | 6 | 4 | 22 | 28 | 13 | 6 | 3 | 8 | – | 1 | 1 | 2 | 1 |
| Croup | 328 | 18 | 7 | 46 | 80 | 55 | 39 | 35 | 46 | 1 | 1 | – | – | – |
| Other Diseases of Larynx and Trachea | 18 | 1 | – | 4 | 2 | 1 | 1 | – | – | 1 | – | – | 2 | – |
| Emphysema, Asthma | 126 | 3 | – | – | – | 1 | 1 | 1 | – | 1 | – | – | 2 | 4 |
| Bronchitis | 4398 | 460 | 304 | 488 | 372 | 100 | 53 | 16 | 47 | 20 | 15 | 23 | 29 | 33 |
| Pneumonia | 3243 | 144 | 139 | 311 | 379 | 125 | 59 | 24 | 83 | 39 | 74 | 97 | 104 | 129 |
| Pleurisy | 264 | 1 | 4 | 3 | 8 | 2 | 5 | 2 | 10 | 4 | 15 | 18 | 17 | 16 |
| Other Diseases of Respiratory System | 720 | 76 | 44 | 82 | 79 | 25 | 8 | 7 | 17 | 9 | 9 | 10 | 7 | 9 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 22 | 10 | 1 | 3 | 5 | 2 | 1 | – | – | – | – | – | – | – |
| Dentition | 250 | 1 | 29 | 111 | 98 | 10 | 1 | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 42 | 5 | – | 6 | 6 | 2 | 3 | 2 | 5 | 3 | 2 | – | 1 | 1 |
| Dyspepsia | 63 | 20 | 9 | 6 | 2 | – | – | – | – | – | 1 | 1 | – | 1 |
| Hæmatemesis | 24 | 1 | – | – | – | – | – | – | – | – | – | – | 2 | 2 |
| Melæna | 6 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 433 | 66 | 38 | 26 | 16 | 5 | 6 | 7 | 9 | 3 | 9 | 5 | 6 | 13 |
| Enteritis | 645 | 158 | 117 | 116 | 65 | 20 | 7 | 4 | 19 | 18 | 11 | 7 | 7 | 5 |
| Ulceration of Intestine | 32 | – | 1 | – | – | 1 | – | – | 1 | 2 | 3 | 3 | 1 | 1 |
| Ileus, Obstruction of Intestines | 166 | 11 | 5 | 6 | 1 | 1 | – | – | 3 | 5 | 6 | 6 | 5 | 2 |
| Stricture or Strangulation of Intestines | 10 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 32 | 4 | 8 | 4 | – | 2 | – | 1 | 2 | 2 | – | – | – | 2 |
| Hernia | 59 | 1 | 1 | – | 2 | – | – | – | 1 | – | 1 | 2 | 1 | 1 |
| Fistula | 11 | – | – | – | – | 2 | 2 | – | – | – | – | 1 | – | 1 |
| Peritonitis | 318 | 18 | 12 | 15 | 6 | 3 | 4 | 3 | 29 | 24 | 32 | 16 | 13 | 13 |
| Ascites | 16 | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – |
| Gallstones | 10 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Cirrhosis of Liver | 112 | – | – | – | – | – | – | – | 1 | – | – | – | 2 | 3 |
| Other Diseases of Liver | 331 | 67 | 6 | 8 | 2 | 1 | 1 | 2 | 5 | 4 | 7 | 10 | 10 | 10 |
| Other Diseases of Digestive System | 102 | 15 | 13 | 7 | 6 | – | 1 | 2 | – | – | 2 | 2 | 1 | 3 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Lymphatics | 17 | 1 | – | 2 | – | 2 | – | – | 1 | 1 | – | 1 | 1 | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 9 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 203 | 3 | 5 | – | 5 | 4 | 8 | 10 | 21 | 8 | 3 | 6 | 7 | 7 |
| Bright's Disease | 386 | – | – | 2 | 1 | 3 | 4 | 4 | 5 | 10 | 12 | 21 | 24 | 19 |
| Uræmia | 68 | 1 | – | 1 | 1 | 1 | – | – | 2 | – | 1 | 1 | 3 | 3 |
| Suppression of Urine | 39 | 6 | 1 | – | 2 | – | – | 1 | – | – | – | 1 | – | – |
| Calculus | 24 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Hæmaturia | 20 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Bladder and of Prostate | 281 | – | – | – | – | 1 | 1 | 1 | 2 | – | 3 | 1 | 2 | 1 |
| Other Diseases of Urinary System | 140 | 2 | 1 | – | 2 | 1 | 1 | – | 2 | 5 | 4 | 11 | 9 | 3 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 3128 | 2 | – | 1 | 1 | – | 4 | – | 30 | 67 | 64 | 67 | 81 | 104 |
| Pericarditis | 28 | – | – | – | – | 1 | – | 1 | 6 | 2 | 4 | 3 | 1 | – |
| Hypertrophy of Heart | 87 | – | – | – | – | – | – | – | 1 | 2 | – | – | 3 | 4 |
| Angina Pectoris | 53 | – | 1 | – | – | – | – | – | – | – | – | – | 2 | – |
| Syncope | 141 | 11 | 1 | – | 1 | – | – | 1 | – | 2 | 3 | 3 | 4 | 6 |
| Aneurism | 31 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Senile Gangrene | 98 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 34 | 1 | – | – | – | – | – | 1 | 1 | – | 2 | 1 | 3 | 3 |
| Phlebitis | 12 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Varicose Veins | 8 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Circulatory System | 65 | 5 | 1 | – | – | – | 1 | – | – | – | 1 | – | 1 | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 103 | 8 | 11 | 16 | 20 | 6 | 9 | 5 | 11 | 2 | 1 | 1 | – | 1 |
| Croup | 292 | 7 | 8 | 40 | 65 | 54 | 39 | 29 | 46 | 2 | – | – | 1 | 1 |
| Other Diseases of Larynx and Trachea | 8 | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Emphysema, Asthma | 99 | 2 | – | – | – | – | – | 1 | 2 | – | 1 | 1 | 2 | 3 |
| Bronchitis | 4911 | 299 | 204 | 362 | 303 | 100 | 40 | 19 | 42 | 20 | 18 | 24 | 33 | 46 |
| Pneumonia | 2399 | 89 | 90 | 254 | 361 | 131 | 69 | 39 | 71 | 39 | 53 | 53 | 58 | 64 |
| Pleurisy | 199 | 5 | 2 | 4 | 6 | 4 | 2 | 2 | 4 | 4 | 7 | 17 | 12 | 9 |
| Other Diseases of Respiratory System | 684 | 61 | 31 | 70 | 67 | 20 | 14 | 10 | 14 | 8 | 13 | 13 | 15 | 14 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 26 | 4 | 2 | 4 | 4 | 3 | 2 | 1 | 2 | – | – | – | – | – |
| Dentition | 217 | – | 11 | 106 | 91 | 9 | – | – | – | – | – | – | – | – |
| Sore Throat, Quinsy | 33 | 3 | 6 | – | 8 | 1 | 3 | 1 | 2 | 1 | 1 | 2 | – | – |
| Dyspepsia | 82 | 21 | 6 | 6 | 2 | 2 | 1 | – | 1 | – | – | – | 1 | 2 |
| Hæmatemesis | 36 | 1 | – | 1 | – | 1 | – | 1 | – | 1 | 1 | 3 | – | 3 |
| Melæna | 6 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 504 | 32 | 30 | 22 | 25 | 4 | 4 | 1 | 10 | 4 | 7 | 28 | 16 | 22 |
| Enteritis | 574 | 100 | 92 | 102 | 57 | 19 | 11 | 6 | 19 | 15 | 10 | 14 | 7 | 10 |
| Ulceration of Intestine | 27 | – | – | – | – | – | – | 1 | 2 | – | 3 | – | 2 | 2 |
| Ileus, Obstruction of Intestine | 171 | 7 | 5 | 3 | 1 | 2 | 3 | 3 | 5 | 3 | 2 | 7 | 8 | 5 |
| Stricture or Strangulation of Intestine | 11 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Intussusception of Intestine | 20 | 1 | 2 | 2 | 1 | – | – | – | 2 | – | 1 | – | 2 | 1 |
| Hernia | 93 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Fistula | 6 | – | – | – | – | – | – | 1 | – | – | 2 | – | 1 | – |
| Peritonitis | 412 | 11 | 8 | 10 | 7 | 6 | 4 | – | 32 | 22 | 25 | 37 | 42 | 31 |
| Ascites | 26 | – | – | – | – | – | 1 | – | – | 1 | 1 | – | 2 | 2 |
| Gallstones | 29 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Cirrhosis of Liver | 89 | – | – | – | – | 1 | – | – | – | – | 1 | 2 | 1 | 5 |
| Other Diseases of Liver | 235 | 49 | – | 4 | 4 | – | 2 | 3 | 8 | 2 | 4 | 9 | 7 | 7 |
| Other Diseases of Digestive System | 139 | 14 | 8 | 14 | 15 | 1 | 1 | – | 2 | – | 2 | 2 | 3 | 4 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 14 | – | – | – | 2 | – | – | – | 1 | – | – | 1 | – | 2 |
| Diseases of Lymphatics | 12 | – | – | – | – | – | – | – | 2 | – | 1 | 1 | 2 | – |
| Diseases of Thyroid Body | 16 | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 |
| Diseases of Suprarenal Capsules | 12 | – | – | – | – | – | – | – | – | – | | – | 2 | 2 |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 178 | 1 | 2 | 1 | 5 | 5 | 1 | 1 | 11 | 5 | 8 | 12 | 9 | 15 |
| Bright's Disease | 362 | – | – | 1 | 3 | 4 | 1 | – | 4 | 5 | 13 | 24 | 25 | 22 |
| Uræmia | 47 | 2 | 1 | 1 | – | – | – | – | 2 | 1 | 2 | 2 | 2 | 1 |
| Suppression of Urine | 8 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Calculus | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Hæmaturia | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 49 | – | – | – | – | – | – | – | – | 2 | – | – | 4 | 3 |
| Other Diseases of Urinary System | 124 | – | 1 | 1 | 2 | 1 | 1 | – | 3 | 2 | 5 | 6 | 7 | 9 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 89 | 114 | 152 | 208 | 203 | 358 | 327 | 354 | 313 | 171 | 55 | 11 | 3 | 1 | – |
| Pericarditis | 1 | 2 | 2 | 1 | 3 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | 6 | 5 | 8 | 8 | 18 | 16 | 12 | 12 | 10 | 4 | – | – | – | – |
| Angina Pectoris | 4 | 3 | 2 | 8 | 7 | 8 | 2 | 3 | 10 | 5 | 2 | – | – | – | – |
| Syncope | 4 | 4 | 10 | 9 | 7 | 14 | 15 | 14 | 8 | 8 | 2 | 2 | – | – | – |
| Aneurism | 6 | 10 | 13 | 11 | 16 | 8 | 8 | 3 | 1 | 2 | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 3 | 13 | 14 | 13 | 16 | 3 | 2 | – | 1 | – |
| Embolism, Thrombosis | 2 | – | 1 | 1 | 2 | 3 | 3 | 4 | 1 | 2 | – | – | – | – | – |
| Phlebitis | – | – | – | 1 | – | 2 | 2 | – | – | – | – | – | – | – | – |
| Varicose Veins | – | 1 | 2 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | 4 | 2 | 1 | 5 | 6 | 8 | 7 | 5 | 5 | 1 | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 3 | 1 | 2 | – | 4 | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | 1 | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Emphysema, Asthma | 4 | 8 | 7 | 13 | 16 | 15 | 21 | 8 | 12 | 6 | 3 | – | – | – | – |
| Bronchitis | 60 | 105 | 119 | 204 | 297 | 345 | 353 | 357 | 279 | 153 | 74 | 22 | – | – | – |
| Pneumonia | 156 | 162 | 191 | 205 | 194 | 175 | 170 | 112 | 94 | 52 | 20 | 4 | 1 | – | – |
| Pleurisy | 20 | 20 | 20 | 22 | 18 | 17 | 18 | 9 | 7 | 3 | 5 | – | – | – | – |
| Other Diseases of Respiratory System | 20 | 20 | 27 | 24 | 37 | 40 | 37 | 42 | 45 | 28 | 14 | 2 | 2 | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | 1 | – | 1 | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| Dyspepsia | 1 | 1 | 1 | 3 | 2 | 3 | 4 | – | 7 | 1 | – | – | – | – | – |
| Hæmatemesis | 2 | 4 | 1 | 4 | 2 | 1 | 2 | 1 | 2 | – | – | – | – | – | – |
| Melæna | – | – | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Diseases of Stomach | 13 | 10 | 24 | 18 | 27 | 36 | 21 | 19 | 27 | 16 | 11 | 2 | – | – | – |
| Enteritis | 8 | 9 | 10 | 10 | 11 | 12 | 8 | 9 | 6 | 6 | 2 | – | – | – | – |
| Ulceration of Intestine | 2 | 1 | 2 | 1 | 1 | 1 | 6 | 2 | 1 | 2 | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 8 | 8 | 11 | 13 | 10 | 22 | 14 | 9 | 13 | 5 | 1 | 1 | – | – | – |
| Stricture or Strangulation of Intestines | – | – | 3 | 1 | 2 | – | 1 | 2 | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Hernia | 2 | 2 | 6 | 7 | 6 | 3 | 8 | 6 | 4 | 4 | 1 | – | – | – | – |
| Fistula | – | 2 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Peritonitis | 9 | 7 | 17 | 20 | 13 | 17 | 22 | 8 | 9 | 6 | 2 | – | – | – | – |
| Ascites | – | – | 1 | – | 3 | 6 | 1 | – | 1 | 1 | – | – | – | – | – |
| Gallstones | – | 2 | 1 | 1 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 6 | 11 | 18 | 17 | 13 | 18 | 11 | 7 | 4 | 1 | – | – | – | – | – |
| Other Diseases of Liver | 10 | 7 | 21 | 27 | 17 | 33 | 24 | 23 | 14 | 17 | 4 | 1 | – | – | – |
| Other Diseases of Digestive System | 1 | 7 | 2 | 7 | 8 | 5 | 9 | 4 | 6 | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Lymphatics | – | 1 | – | 2 | 1 | 2 | 2 | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 14 | 9 | 8 | 18 | 18 | 13 | 15 | 9 | 6 | 4 | 1 | 1 | – | – | – |
| Bright's Disease | 17 | 30 | 27 | 33 | 29 | 41 | 41 | 27 | 24 | 9 | 3 | – | – | – | – |
| Uræmia | 6 | 3 | 4 | 4 | 1 | 9 | 7 | 10 | 5 | 4 | 1 | – | – | – | – |
| Suppression of Urine | 2 | – | 1 | 3 | 1 | 2 | 1 | 4 | 6 | 2 | 4 | 1 | – | – | – |
| Calculus | – | – | 1 | 1 | 1 | 3 | 3 | 4 | 3 | 5 | – | – | – | – | – |
| Hæmaturia | – | 2 | 1 | – | 4 | 2 | – | 4 | 2 | 1 | 3 | – | – | – | – |
| Diseases of Bladder and of Prostate | 4 | 8 | 7 | 5 | 18 | 26 | 43 | 58 | 43 | 35 | 15 | 5 | 1 | 1 | – |
| Other Diseases of Urinary System | 16 | 8 | 6 | 10 | 15 | 14 | 11 | 7 | 10 | 2 | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 131 | 153 | 181 | 224 | 252 | 332 | 384 | 395 | 344 | 203 | 89 | 17 | 2 | – | – |
| Pericarditis | 1 | 2 | 1 | 2 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Hypertrophy of Heart | 3 | 1 | 4 | 7 | 7 | 9 | 10 | 15 | 10 | 6 | 4 | 1 | – | – | – |
| Angina Pectoris | 4 | 1 | 2 | 4 | 5 | 6 | 6 | 11 | 7 | 2 | 2 | – | – | – | – |
| Syncope | 7 | 10 | 6 | 11 | 8 | 14 | 12 | 16 | 12 | 5 | 4 | 4 | – | – | – |
| Aneurism | 2 | 3 | 5 | 6 | 2 | 3 | 2 | 3 | 1 | – | 1 | – | – | – | – |
| Senile Gangrene | – | – | – | – | 1 | 6 | 12 | 25 | 23 | 20 | 9 | 2 | – | – | – |
| Embolism, Thrombosis | 2 | 1 | 1 | 2 | 4 | 2 | 4 | 1 | 3 | 1 | 1 | – | – | – | – |
| Phlebitis | 2 | 2 | 1 | 1 | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Varicose Veins | – | 2 | – | – | 1 | 1 | 1 | 1 | – | – | 1 | – | – | – | – |
| Other Diseases of Circulatory System | 3 | 1 | 1 | 5 | 2 | 14 | 6 | 8 | 7 | 3 | 5 | 1 | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | 1 | 2 | 1 | 3 | 1 | – | 3 | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 1 | – | – | – | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – |
| Emphysema, Asthma | 3 | 4 | 7 | 9 | 4 | 11 | 10 | 15 | 15 | 6 | 2 | 1 | – | – | – |
| Bronchitis | 58 | 107 | 166 | 252 | 333 | 454 | 507 | 571 | 426 | 318 | 158 | 46 | 5 | – | – |
| Pneumonia | 87 | 103 | 81 | 108 | 93 | 145 | 116 | 113 | 88 | 64 | 19 | 10 | 1 | – | – |
| Pleurisy | 11 | 14 | 15 | 10 | 13 | 10 | 20 | 13 | 8 | 7 | – | – | – | – | – |
| Other Diseases of Respiratory System | 17 | 21 | 19 | 23 | 30 | 33 | 43 | 51 | 42 | 35 | 14 | 5 | 1 | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | 1 | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Dyspepsia | 1 | 1 | 4 | 1 | 4 | 8 | 6 | 6 | 4 | 4 | 1 | – | – | – | – |
| Hæmatemesis | – | 1 | 1 | 4 | 5 | 2 | 2 | 6 | 3 | – | – | – | – | – | – |
| Melæna | 1 | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – |
| Diseases of Stomach | 16 | 26 | 25 | 28 | 27 | 41 | 25 | 43 | 51 | 27 | 7 | 3 | – | – | – |
| Enteritis | 13 | 14 | 9 | 8 | 16 | 15 | 9 | 11 | 8 | 7 | 2 | – | – | – | – |
| Ulceration of Intestine | 3 | – | – | 3 | 3 | 2 | 3 | 2 | – | – | – | 1 | – | – | – |
| Ileus, Obstruction of Intestine | 10 | 3 | 9 | 8 | 12 | 13 | 19 | 16 | 12 | 9 | 5 | 1 | – | – | – |
| Stricture or Strangulation of Intestine | – | 1 | 1 | – | 1 | 2 | – | 2 | – | – | 1 | – | – | – | – |
| Intussusception of Intestine | 1 | – | – | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Hernia | 2 | 5 | 12 | 9 | 10 | 12 | 11 | 15 | 10 | 4 | – | – | – | – | – |
| Fistula | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Peritonitis | 24 | 21 | 20 | 12 | 22 | 15 | 12 | 20 | 17 | 10 | 2 | 2 | – | – | – |
| Ascites | 1 | – | 2 | 1 | 4 | 2 | 3 | 3 | 1 | 2 | – | – | – | – | – |
| Gallstones | 2 | 2 | 6 | 2 | 6 | 2 | 1 | 5 | – | 2 | – | – | – | – | – |
| Cirrhosis of Liver | 2 | 6 | 12 | 8 | 20 | 17 | 2 | 9 | 2 | 1 | – | – | – | – | – |
| Other Diseases of Liver | 17 | 21 | 22 | 31 | 38 | 36 | 42 | 38 | 25 | 7 | 6 | 1 | 2 | – | – |
| Other Diseases of Digestive System | 3 | 3 | 9 | 9 | 5 | 9 | 7 | 12 | 9 | 4 | 3 | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | 1 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 2 | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 3 | 1 | – | – | 4 | 1 | 1 | – | 2 | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | 1 | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 13 | 15 | 11 | 9 | 15 | 12 | 7 | 8 | 6 | 4 | 1 | 1 | – | – | – |
| Bright's Disease | 30 | 26 | 36 | 27 | 39 | 24 | 29 | 21 | 20 | 7 | 1 | – | – | – | – |
| Uræmia | 3 | 5 | 2 | 2 | 5 | 1 | 4 | 3 | 5 | 2 | – | 1 | – | – | – |
| Suppression of Urine | – | – | 1 | – | – | 1 | 1 | 1 | – | 1 | 1 | – | – | – | – |
| Calculus | 1 | – | 1 | – | – | 4 | – | – | 1 | 1 | – | – | – | – | – |
| Hæmaturia | – | 1 | – | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 4 | 1 | 3 | 3 | 6 | 2 | 7 | 7 | 4 | 2 | 1 | – | – | – |
| Other Diseases of Urinary System | 5 | 12 | 5 | 12 | 13 | 15 | 6 | 9 | 4 | 3 | 1 | 1 | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 7 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 11 | 8 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 124 | – | – | 1 | 3 | 1 | 5 | 5 | 19 | 26 | 14 | 16 | 8 | 8 |
| Arthritis, Ostitis, Periostitis | 31 | – | – | – | 1 | 1 | 1 | – | 1 | 4 | 4 | 3 | 1 | 1 |
| Other Diseases of Organs of Locomotion | 103 | 1 | – | 5 | 1 | – | 2 | 1 | 12 | 13 | 13 | 12 | 8 | 1 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 28 | 4 | 1 | 2 | 1 | – | – | 1 | – | 1 | – | – | 2 | 1 |
| Lupus | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Ulcer, Bedsore | 21 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Eczema | 23 | 2 | 3 | 4 | 8 | 1 | – | 1 | – | – | – | – | – | – |
| Pemphigus | 4 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 10 | 4 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 108 | – | – | – | – | – | – | – | – | 8 | 17 | 13 | 13 | 13 |
| Mines and Quarries: Other Mines | 7 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | – |
| Mines and Quarries: Quarries | 11 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | 3 |
| Vehicles and Horses: Railways | 213 | – | – | – | 2 | 1 | 1 | 1 | 3 | 10 | 17 | 28 | 25 | 22 |
| Vehicles and Horses: Vehicles other than R'wys. | 74 | – | – | – | 1 | 5 | 1 | 7 | 9 | 6 | 3 | 7 | 4 | 2 |
| Vehicles and Horses: Horses | 20 | – | – | – | – | – | – | – | – | 3 | 4 | 2 | – | 2 |
| Ships, Boats, Docks (ex. Drowning) | 40 | – | – | – | – | – | – | – | – | 1 | 3 | 5 | 2 | 5 |
| Building Operations | 6 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Machinery | 40 | – | – | – | – | – | – | – | – | 4 | 9 | 3 | 4 | 3 |
| Weapons and Implements | 18 | – | – | – | – | – | – | 1 | 1 | 1 | 3 | 1 | 1 | – |
| Burns and Scalds: Conflagrations | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 121 | 2 | 2 | 10 | 17 | 17 | 8 | 11 | 10 | 7 | 7 | 3 | 3 | 3 |
| Burns and Scalds: Explosions | 18 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | 3 |
| Poisons, Poisonous Vapours | 53 | 2 | – | – | 4 | 5 | 1 | – | 1 | 2 | 1 | 2 | 2 | 2 |
| Drowning | 477 | – | 1 | 1 | 7 | 8 | 7 | 5 | 18 | 42 | 50 | 51 | 49 | 40 |
| Suffocation: In Bed | 117 | 87 | 20 | 7 | 1 | – | – | – | – | – | – | 2 | – | – |
| Suffocation: Otherwise | 58 | 6 | 3 | 1 | 3 | 3 | – | – | 2 | – | 2 | 4 | 3 | 3 |
| Falls | 195 | – | – | – | 3 | 4 | 4 | 1 | 10 | 7 | 8 | 16 | 11 | 12 |
| Weather Agencies | 58 | 2 | 1 | 1 | – | – | – | 1 | 1 | 1 | – | 1 | 1 | 2 |
| Otherwise, or Not Stated | 337 | 18 | – | 1 | 3 | 2 | 5 | 4 | 18 | 11 | 20 | 22 | 23 | 19 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 9 | 5 | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Suicide | 168 | – | – | – | – | – | – | – | – | – | 2 | 16 | 12 | 16 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 53 | 1 | – | 1 | 3 | 2 | 1 | 1 | 2 | – | 1 | – | 1 | 2 |
| Debility, Atrophy, Inanition | 1385 | 1009 | 111 | 91 | 61 | 12 | 5 | 2 | 7 | 5 | 3 | 3 | 2 | 2 |
| Mortification | 4 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 35 | 6 | 2 | 3 | 2 | – | – | – | 1 | 2 | 2 | 1 | – | – |
| Hæmorrhage | 15 | 6 | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Sudden (Cause unascertained) | 24 | 6 | 1 | 1 | 1 | – | – | 1 | 1 | – | – | – | 1 | – |
| Other ill-defined and not specified Causes | 379 | 132 | 23 | 14 | 8 | 6 | 2 | – | 5 | 3 | 4 | 8 | 9 | 11 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER: MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 67 | – | – | – | – | – | – | – | – | – | 1 | 4 | 6 | 3 |
| Diseases of Uterus and Vagina | 105 | – | – | – | 3 | – | 1 | – | – | – | 3 | 7 | 16 | 8 |
| Disorders of Menstruation | 7 | – | – | – | – | – | – | – | – | 1 | 1 | 3 | 1 | – |
| Pelvic Abscess | 32 | – | – | – | – | – | – | – | – | – | 1 | 5 | 5 | 10 |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 36 | – | – | – | – | – | – | – | – | – | 1 | 3 | 3 | 11 |
| Puerperal Mania | 14 | – | – | – | – | – | – | – | – | – | 1 | 3 | 4 | 3 |
| Puerperal Convulsions | 59 | – | – | – | – | – | – | – | – | – | 9 | 14 | 16 | 9 |
| Placenta Previa, Flooding | 80 | – | – | – | – | – | – | – | – | – | – | 9 | 16 | 18 |
| Phlegmasia Dolens | 12 | – | – | – | – | – | – | – | – | – | – | 2 | – | 3 |
| Other Accidents of Childbirth | 139 | – | – | – | – | – | – | – | – | – | 3 | 16 | 31 | 33 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 107 | – | – | 2 | 4 | 2 | 1 | 2 | 19 | 12 | 20 | 9 | 5 | 6 |
| Arthritis, Ostitis, Periostitis | 38 | – | 1 | – | 1 | – | 1 | – | 2 | 2 | 3 | – | 1 | 1 |
| Other Diseases of Organs of Locomotion | 60 | 2 | – | – | – | 2 | 1 | 2 | 6 | 10 | 6 | 1 | 6 | 5 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmon, Cellulitis | 34 | 3 | – | – | 1 | – | 1 | – | 3 | – | – | 4 | 3 | 2 |
| Lupus | 10 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Ulcer, Bedsore | 37 | 1 | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Eczema | 18 | 2 | 3 | 3 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Pemphigus | 9 | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 21 | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 13 | – | – | – | 1 | – | – | – | 1 | – | – | 1 | – | 1 |
| Vehicles and Horses: Vehicles other than R'wys. | 21 | – | – | – | 2 | 7 | 2 | 2 | 2 | – | 1 | – | – | – |
| Vehicles and Horses: Horses | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 3 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Weapons and Implements | 5 | – | – | – | – | – | – | – | 2 | – | – | 2 | – | – |
| Burns and Scalds: Conflagrations | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 130 | 1 | 1 | 3 | 18 | 11 | 20 | 3 | 14 | 1 | 2 | 1 | 1 | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 23 | – | – | – | 2 | 1 | – | – | – | – | – | 1 | 1 | 2 |
| Drowning | 60 | – | – | 2 | 2 | 4 | 4 | 1 | 2 | 2 | 5 | 7 | 2 | 4 |
| Suffocation: In Bed | 96 | 67 | 25 | 4 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 30 | 6 | 1 | 1 | – | – | – | 1 | – | – | – | 1 | 1 | 1 |
| Falls | 89 | – | – | 2 | 2 | 4 | 2 | – | 5 | 3 | – | 4 | 1 | 3 |
| Weather Agencies | 12 | 1 | 3 | – | – | – | – | – | 1 | – | – | 1 | 2 | – |
| Otherwise, or Not Stated | 212 | 12 | 1 | 1 | 5 | 2 | 1 | 2 | 8 | 5 | 3 | 4 | 1 | 4 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 18 | 9 | 1 | – | 1 | – | 1 | – | – | – | – | – | 1 | – |
| Suicide | 75 | – | – | – | – | – | – | – | – | – | 5 | 4 | 4 | 7 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 75 | 2 | – | – | – | 1 | – | – | 1 | 3 | 2 | 1 | 4 | 2 |
| Debility, Atrophy, Inanition | 1216 | 806 | 100 | 70 | 63 | 20 | 7 | 7 | 9 | 7 | 4 | 1 | 2 | 3 |
| Mortification | 11 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tumour | 9 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Abscess | 22 | 4 | – | 2 | 2 | – | 1 | – | 2 | 1 | 1 | – | 1 | – |
| Hæmorrhage | 14 | 5 | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Sudden (Cause unascertained) | 15 | 5 | 3 | – | – | – | – | – | 1 | – | – | 1 | – | 2 |
| Other ill-defined and not specified Causes | 402 | 111 | 23 | 14 | 15 | 4 | 4 | 2 | 11 | 10 | 2 | 6 | 8 | 5 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—MALES. *(Continued.*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | 2 | 1 | 1 | 3 | 1 | 3 | 3 | 2 | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | 3 | 1 | 3 | 2 | – | 3 | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 5 | 2 | 6 | 4 | 8 | 1 | 4 | 3 | 1 | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | 1 | 4 | 3 | 1 | 2 | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | 3 | 1 | 4 | 2 | 2 | 3 | – | – | – | – | – | – | – | – |
| Lupus | – | – | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Ulcer, Bedsore | 1 | 1 | 2 | 1 | 1 | 4 | 2 | 4 | 1 | – | 2 | 1 | – | – | – |
| Eczema | – | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 11 | 13 | 5 | 6 | 6 | 2 | 1 | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 20 | 12 | 22 | 13 | 15 | 4 | 10 | 3 | 3 | – | – | – | – | – | 1 |
| Vehicles and Horses: Vehicles other than R'wys. | 5 | 6 | 4 | 3 | 3 | 2 | 3 | 3 | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | 3 | – | – | 2 | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 4 | 5 | 1 | 5 | 6 | 2 | 1 | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Machinery | 8 | 3 | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 2 | 2 | 1 | 2 | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 2 | 2 | 2 | 2 | 1 | – | 2 | 1 | 2 | 3 | 2 | 2 | – | – | – |
| Burns and Scalds: Explosions | 1 | 2 | 2 | 2 | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 3 | 4 | 5 | 2 | 7 | 2 | 2 | 5 | – | 1 | – | – | – | – | – |
| Drowning | 30 | 28 | 32 | 46 | 23 | 16 | 9 | 8 | 2 | 2 | – | – | – | – | 2 |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 3 | 2 | 2 | 3 | 5 | 2 | 6 | 4 | 1 | – | – | – | – | – | – |
| Falls | 16 | 15 | 14 | 14 | 12 | 17 | 8 | 9 | 6 | 5 | 1 | 1 | 1 | – | – |
| Weather Agencies | 2 | 5 | 8 | 8 | 2 | 8 | 6 | 3 | 4 | 1 | – | – | – | – | – |
| Otherwise, or Not Stated | 30 | 15 | 22 | 32 | 18 | 22 | 17 | 16 | 12 | 14 | 3 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 15 | 22 | 14 | 20 | 21 | 11 | 6 | 3 | 3 | 5 | 1 | 1 | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 2 | 1 | 4 | 2 | 3 | 8 | 2 | 5 | 7 | 2 | 1 | – | 1 | – | – |
| Debility, Atrophy, Inanition | 3 | 6 | 5 | 15 | 42 | 1 | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| Abscess | 1 | 4 | 2 | – | 1 | 1 | 2 | 1 | 3 | 1 | – | – | – | – | – |
| Hæmorrhage | – | 1 | – | 1 | – | – | 3 | – | 1 | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | 1 | 1 | 4 | 3 | 2 | 1 | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 6 | 16 | 11 | 17 | 13 | 18 | 28 | 22 | 23 | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 6 | 8 | 2 | 7 | 6 | 5 | 6 | 7 | 3 | 2 | 1 | – | – | – | – |
| Diseases of Uterus and Vagina | 15 | 11 | 10 | 6 | 4 | 8 | 3 | 3 | 4 | 3 | – | – | – | – | – |
| Disorders of Menstruation | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 3 | – | 2 | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 9 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 7 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 17 | 18 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 37 | 16 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 9 | 3 | 2 | 2 | 4 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | 1 | – | 2 | 4 | 5 | 4 | 5 | 2 | 1 | 2 | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | 4 | 1 | 3 | 5 | 2 | 1 | 2 | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | 1 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 6 | 1 | 1 | 3 | 1 | 1 | 2 | 2 | – | – | – | – | – | – | – |
| Lupus | 1 | – | 1 | – | – | – | – | 4 | – | 1 | 1 | – | – | – | – |
| Ulcer, Bedsore | – | 1 | – | 2 | 2 | 4 | 6 | 4 | 10 | 2 | 2 | 1 | – | – | – |
| Eczema | – | – | – | – | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | 4 | – | 2 | 4 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | 1 | 3 | – | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 2 | 6 | 5 | 4 | 3 | 5 | 5 | 4 | 5 | 8 | 5 | 1 | 1 | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 3 | 4 | 3 | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Drowning | 4 | 3 | 2 | 2 | 3 | 4 | 2 | 3 | 2 | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 2 | – | 3 | 4 | 2 | 5 | 1 | 1 | – | – | – | – | – | – | – |
| Falls | 4 | 3 | 2 | 6 | 2 | 9 | 13 | 8 | 7 | 3 | 3 | 2 | 1 | – | – |
| Weather Agencies | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 2 | 7 | 6 | 10 | 14 | 14 | 20 | 22 | 23 | 26 | 13 | 3 | 2 | – | 1 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 2 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suicide | 9 | 8 | 6 | 10 | 6 | 5 | 6 | 2 | 3 | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 2 | 2 | 2 | 4 | 8 | 6 | 12 | 8 | 7 | 6 | 2 | – | – | – | – |
| Debility, Atrophy, Inanition | 6 | 6 | 12 | 37 | 56 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | 1 | – | 4 | 3 | 1 | – | – | 1 | – | – | – | – | – | – |
| Tumour | – | 1 | 2 | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Abscess | 1 | – | – | – | 1 | 3 | 1 | 1 | – | – | – | 1 | – | – | – |
| Hæmorrhage | 1 | 1 | 1 | – | 3 | – | – | – | – | 1 | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 7 | 10 | 13 | 14 | 22 | 27 | 36 | 30 | 28 | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 3 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 18018 | 2152 | 742 | 1415 | 1563 | 594 | 393 | 245 | 638 | 371 | 529 | 580 | 499 | 6 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 2462 | 186 | 162 | 348 | 477 | 223 | 150 | 73 | 175 | 37 | 58 | 45 | 31 | |
| II. PARASITIC DISEASES | 7 | 5 | – | – | – | 2 | – | – | – | – | – | – | – | |
| III. DIETETIC ,, | 104 | 12 | 4 | 5 | – | – | – | – | – | – | 1 | – | 4 | |
| IV. CONSTITUTIONAL ,, | 2951 | 44 | 51 | 127 | 184 | 90 | 67 | 56 | 156 | 111 | 234 | 271 | 201 | 22 |
| V. DEVELOPMENTAL ,, | 1111 | 621 | 7 | 8 | 2 | – | – | – | – | – | – | – | – | |
| VI. LOCAL ,, | 9809 | 746 | 453 | 872 | 852 | 252 | 159 | 97 | 268 | 191 | 180 | 202 | 198 | 26 |
| VII. VIOLENCE | 850 | 72 | 13 | 9 | 18 | 18 | 10 | 16 | 34 | 29 | 53 | 62 | 62 | 6 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 724 | 466 | 52 | 46 | 30 | 9 | 7 | 3 | 5 | 3 | 3 | – | 3 | |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 1912 | 48 | 75 | 265 | 419 | 212 | 147 | 69 | 167 | 30 | 54 | 41 | 29 | 3 |
| 2. DIARRHŒAL ,, | 342 | 64 | 70 | 69 | 53 | 11 | 3 | 3 | 7 | 6 | 1 | 2 | 1 | |
| 3. MALARIAL ,, | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | |
| 4. ZOOGENOUS ,, | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | |
| 5. VENEREAL ,, | 102 | 50 | 13 | 8 | 5 | – | – | – | – | – | – | – | – | |
| 6. SEPTIC ,, | 102 | 24 | 4 | 4 | – | – | – | 1 | – | 1 | 3 | 2 | 1 | |
| II. PARASITIC DISEASES | 7 | 5 | – | – | – | 2 | – | – | – | – | – | – | – | |
| III. DIETETIC DISEASES | 104 | 12 | 4 | 5 | – | – | – | – | – | – | 1 | – | 4 | 1 |
| IV. CONSTITUTIONAL DISEASES | 2951 | 44 | 51 | 127 | 184 | 90 | 67 | 56 | 156 | 111 | 234 | 271 | 201 | 225 |
| V. DEVELOPMENTAL DISEASES | 1111 | 621 | 7 | 8 | 2 | – | – | – | – | – | – | – | – | |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 2080 | 193 | 105 | 168 | 174 | 40 | 40 | 32 | 79 | 38 | 30 | 32 | 29 | 50 |
| 2. ,, ORGANS OF SPECIAL SENSE | 36 | 5 | 2 | 9 | 3 | 3 | 2 | 1 | 1 | – | 1 | 1 | 1 | |
| 3. ,, CIRCULATORY SYSTEM | 1260 | 18 | 5 | 1 | – | 2 | 4 | 2 | 18 | 33 | 36 | 30 | 26 | 48 |
| 4. ,, RESPIRATORY SYSTEM | 4635 | 341 | 233 | 532 | 551 | 181 | 86 | 42 | 98 | 46 | 57 | 79 | 94 | 118 |
| 5. ,, DIGESTIVE SYSTEM | 1117 | 172 | 104 | 153 | 112 | 21 | 15 | 5 | 30 | 30 | 27 | 23 | 20 | 29 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 13 | – | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | |
| 7. ,, URINARY SYSTEM | 478 | 5 | 1 | 1 | 5 | 2 | 8 | 10 | 17 | 12 | 11 | 24 | 20 | 19 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 9 | 4 | – | – | – | – | – | – | – | – | 1 | – | 2 | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 136 | – | – | 2 | 2 | 1 | 4 | 5 | 24 | 30 | 17 | 13 | 6 | 4 |
| 10. ,, INTEGUMENTARY SYSTEM | 45 | 8 | 3 | 5 | 5 | 1 | – | – | – | 1 | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 18580 | 1630 | 591 | 1183 | 1444 | 613 | 372 | 293 | 618 | 393 | 518 | 661 | 658 | 666 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 2783 | 146 | 128 | 337 | 501 | 230 | 162 | 128 | 211 | 58 | 56 | 90 | 85 | 83 |
| II. PARASITIC DISEASES | 5 | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 47 | 5 | 3 | 2 | – | – | – | – | – | – | – | – | – | 3 |
| IV. CONSTITUTIONAL ,, | 3317 | 20 | 48 | 123 | 140 | 70 | 51 | 59 | 152 | 171 | 273 | 281 | 285 | 267 |
| V. DEVELOPMENTAL ,, | 1398 | 514 | 7 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 9960 | 496 | 333 | 669 | 747 | 278 | 139 | 98 | 232 | 152 | 183 | 272 | 281 | 297 |
| VII. VIOLENCE | 368 | 54 | 17 | 8 | 15 | 21 | 13 | 3 | 18 | 6 | 5 | 14 | 4 | 11 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 702 | 392 | 55 | 42 | 39 | 14 | 6 | 5 | 5 | 6 | 1 | 4 | 3 | 5 |
| **I.** | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 2131 | 54 | 51 | 259 | 441 | 221 | 156 | 124 | 204 | 53 | 43 | 48 | 37 | 34 |
| 2. DIARRHŒAL ,, | 356 | 53 | 57 | 67 | 56 | 7 | 4 | 4 | 4 | 3 | 3 | 2 | 4 | 3 |
| 3. MALARIAL ,, | 3 | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| 4. ZOOGENOUS ,, | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 54 | 24 | 13 | 6 | 3 | – | – | – | – | – | – | 1 | 1 | 1 |
| 6. SEPTIC ,, | 237 | 15 | 6 | 3 | 1 | 2 | 1 | – | 2 | 2 | 10 | 39 | 43 | 45 |
| **II.** PARASITIC DISEASES | 5 | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 47 | 5 | 3 | 2 | – | – | – | – | – | – | – | – | – | 3 |
| **IV.** CONSTITUTIONAL DISEASES | 3317 | 20 | 48 | 123 | 140 | 70 | 51 | 59 | 152 | 171 | 273 | 281 | 285 | 267 |
| **V.** DEVELOPMENTAL DISEASES | 1398 | 514 | 7 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| **VI.** | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 2087 | 124 | 72 | 125 | 151 | 67 | 40 | 34 | 66 | 40 | 31 | 33 | 35 | 35 |
| 2. ,, ORGANS OF SPECIAL SENSE | 28 | 6 | 1 | 4 | 1 | 2 | 1 | – | 3 | 2 | 2 | 3 | 1 | 1 |
| 3. ,, CIRCULATORY SYSTEM | 1442 | 7 | 1 | – | 1 | – | 2 | – | 17 | 38 | 37 | 42 | 47 | 61 |
| 4. ,, RESPIRATORY SYSTEM | 4374 | 234 | 174 | 393 | 485 | 180 | 82 | 54 | 83 | 30 | 44 | 68 | 68 | 76 |
| 5. ,, DIGESTIVE SYSTEM | 1222 | 114 | 81 | 145 | 94 | 22 | 12 | 8 | 39 | 19 | 26 | 48 | 49 | 44 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 22 | – | – | – | 1 | – | – | – | 2 | – | 2 | – | 2 | 2 |
| 7. ,, URINARY SYSTEM | 358 | 2 | 2 | – | 5 | 5 | 1 | – | 9 | 9 | 16 | 22 | 20 | 30 |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 107 | – | – | – | 3 | – | – | – | – | – | 3 | 11 | 15 | 12 |
| (*b*) DISEASES OF PARTURITION | 158 | – | – | – | – | – | – | – | – | – | 6 | 34 | 34 | 27 |
| 9. ,, ORGANS OF LOCOMOTION | 109 | 1 | – | – | 4 | 2 | 1 | 2 | 13 | 13 | 15 | 6 | 7 | 9 |
| 10. ,, INTEGUMENTARY SYSTEM | 53 | 8 | 2 | 2 | 2 | – | – | – | – | 1 | 1 | 5 | 3 | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 652 | 739 | 870 | 909 | 916 | 978 | 853 | 773 | 514 | 324 | 111 | 34 | 6 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 44 | 53 | 57 | 47 | 44 | 56 | 34 | 58 | 34 | 24 | 9 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 6 | 11 | 11 | 14 | 11 | 8 | 2 | 1 | 1 | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 197 | 187 | 191 | 134 | 133 | 113 | 91 | 46 | 27 | 12 | 1 | 1 | 1 | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 47 | 59 | 114 | 94 | 96 | 43 | 18 | 2 | – | – |
| VI. LOCAL ,, | 341 | 416 | 541 | 635 | 645 | 715 | 634 | 540 | 348 | 185 | 55 | 13 | 3 | – | – |
| VII. VIOLENCE | 58 | 63 | 58 | 63 | 54 | 33 | 28 | 13 | 7 | 6 | 3 | 2 | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 6 | 9 | 12 | 16 | 29 | 6 | 5 | 1 | 3 | 1 | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 31 | 34 | 40 | 31 | 26 | 43 | 22 | 43 | 30 | 14 | 9 | – | – | – | – |
| 2. DIARRHŒAL ,, | 4 | 4 | 5 | 5 | 8 | 5 | 5 | 10 | 2 | 4 | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 2 | 8 | 4 | 4 | 1 | 2 | 3 | 1 | 1 | – | – | – | – | – | – |
| 6. SEPTIC ,, | 7 | 7 | 8 | 7 | 9 | 5 | 4 | 4 | 1 | 6 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 6 | 11 | 11 | 14 | 11 | 8 | 2 | 1 | 1 | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 197 | 187 | 191 | 134 | 133 | 113 | 91 | 46 | 27 | 12 | 1 | 1 | 1 | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 47 | 59 | 114 | 94 | 96 | 43 | 18 | 2 | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 45 | 74 | 74 | 112 | 124 | 161 | 162 | 147 | 96 | 59 | 12 | 3 | 1 | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | 1 | 3 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 63 | 69 | 114 | 116 | 116 | 166 | 133 | 111 | 93 | 43 | 11 | 1 | 1 | – | – |
| 4. ,, RESPIRATORY SYSTEM | 169 | 193 | 254 | 305 | 302 | 276 | 248 | 212 | 122 | 63 | 24 | 8 | 1 | – | – |
| 5. ,, DIGESTIVE SYSTEM | 25 | 37 | 62 | 53 | 50 | 57 | 37 | 24 | 17 | 12 | 2 | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 33 | 34 | 30 | 40 | 42 | 48 | 43 | 40 | 18 | 8 | 6 | 1 | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 2 | 3 | 4 | 4 | 5 | – | 6 | 3 | 1 | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 2 | 3 | 1 | – | 5 | 5 | 2 | 3 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 726 | 708 | 761 | 856 | 933 | 1133 | 1048 | 1035 | 795 | 595 | 268 | 75 | 7 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 68 | 52 | 34 | 50 | 49 | 71 | 62 | 62 | 61 | 39 | 17 | 2 | 1 | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 2 | 5 | 11 | 6 | 4 | 1 | 2 | 3 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 280 | 205 | 209 | 149 | 149 | 150 | 104 | 68 | 44 | 13 | 5 | 1 | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 69 | 95 | 161 | 168 | 219 | 115 | 43 | 4 | – | – |
| VI. LOCAL ,, | 356 | 424 | 475 | 600 | 666 | 815 | 757 | 718 | 507 | 309 | 126 | 28 | 2 | – | – |
| VII. VIOLENCE | 15 | 14 | 17 | 20 | 19 | 19 | 24 | 20 | 13 | 12 | 5 | 1 | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 5 | 8 | 15 | 31 | 46 | 8 | 4 | 3 | 2 | 3 | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 38 | 33 | 29 | 43 | 35 | 48 | 47 | 41 | 46 | 30 | 15 | 1 | – | – | – |
| 2. DIARRHŒAL ,, | 5 | 3 | 1 | 3 | 10 | 19 | 8 | 16 | 13 | 7 | 2 | 1 | 1 | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 23 | 14 | 3 | 4 | 4 | 4 | 7 | 5 | 2 | 2 | – | – | – | – | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 2 | 5 | 11 | 6 | 4 | 1 | 2 | 3 | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 280 | 205 | 209 | 149 | 149 | 150 | 104 | 68 | 44 | 13 | 5 | 1 | – | – | – |
| **V.** DEVELOPMENTAL DISEASES | – | – | – | – | – | 69 | 95 | 161 | 168 | 219 | 115 | 43 | 4 | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 37 | 55 | 76 | 116 | 148 | 195 | 177 | 184 | 130 | 79 | 28 | 8 | 1 | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 79 | 97 | 110 | 128 | 113 | 151 | 165 | 142 | 111 | 59 | 29 | 5 | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 116 | 156 | 179 | 248 | 267 | 368 | 346 | 308 | 206 | 139 | 61 | 14 | 1 | – | – |
| 5. ,, DIGESTIVE SYSTEM | 35 | 54 | 65 | 58 | 82 | 59 | 42 | 54 | 41 | 24 | 6 | 1 | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 5 | – | 1 | 1 | 3 | – | – | 2 | 1 | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 23 | 33 | 29 | 27 | 42 | 27 | 21 | 14 | 15 | 5 | 1 | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 15 | 10 | 9 | 8 | 5 | 8 | 2 | 4 | 1 | 1 | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 40 | 15 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 9 | 3 | 1 | 7 | 4 | 3 | 3 | 4 | 1 | 1 | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 3 | 1 | 3 | 6 | 2 | 4 | 1 | 6 | 1 | 1 | 1 | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 774 | 67 | 13 | 9 | 18 | 18 | 10 | 16 | 34 | 29 | 53 | 55 | 56 | 57 |
| 2. HOMICIDE | 7 | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 3. SUICIDE | 69 | – | – | – | – | – | – | – | – | – | – | 6 | 6 | 9 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 724 | 466 | 52 | 46 | 30 | 9 | 7 | 3 | 5 | 3 | 3 | – | 3 | 9 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | 458 | 6 | 11 | 96 | 166 | 75 | 34 | 21 | 45 | 2 | 2 | – | – | – |
| Epidemic Rose Rash | 2 | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Scarlet Fever | 186 | 1 | 2 | 13 | 24 | 34 | 32 | 12 | 45 | 11 | 3 | 4 | 2 | 2 |
| Typhus | 24 | – | – | – | 1 | – | – | – | – | 2 | 4 | 1 | 1 | 5 |
| Relapsing Fever | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Influenza | 341 | 3 | 4 | 9 | 6 | 2 | 3 | – | 6 | 2 | 9 | 8 | 8 | 12 |
| Hooping-cough | 567 | 36 | 56 | 136 | 185 | 70 | 44 | 21 | 19 | – | – | – | – | – |
| Mumps | 4 | – | – | – | 3 | – | – | – | – | – | – | – | – | 1 |
| Diphtheria | 157 | 1 | 2 | 9 | 32 | 29 | 32 | 12 | 33 | 2 | 4 | – | – | – |
| Cerebro-spinal Fever | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Simple and Ill-defined Fever | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Enteric Fever | 165 | – | – | 1 | 1 | – | 2 | 3 | 17 | 11 | 32 | 27 | 18 | 12 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 14 | 1 | 3 | 2 | 5 | 1 | – | – | – | 1 | – | – | – | – |
| Diarrhœa, Dysentery | 328 | 63 | 67 | 67 | 48 | 10 | 3 | 3 | 7 | 5 | 1 | 2 | 1 | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 85 | 50 | 13 | 8 | 5 | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | 17 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 80 | 22 | 4 | 3 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 22 | 2 | – | 1 | – | – | – | 1 | – | 1 | 1 | 2 | – | 1 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | 2 | – | 1 | 3 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 332 | 49 | 17 | 8 | 14 | 21 | 13 | 3 | 18 | 6 | 4 | 12 | 2 | 8 |
| 2. HOMICIDE | 10 | 5 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 26 | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 | 3 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 702 | 392 | 55 | 42 | 39 | 14 | 6 | 5 | 5 | 6 | 1 | 4 | 3 | 5 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 443 | 3 | 5 | 89 | 153 | 80 | 37 | 35 | 39 | 2 | – | – | – | – |
| Epidemic Rose Rash | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlet Fever | 208 | 2 | – | 8 | 23 | 30 | 38 | 19 | 55 | 16 | 6 | 4 | 2 | 3 |
| Typhus | 33 | – | – | – | – | – | 1 | – | 2 | – | 5 | 7 | 1 | 3 |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 425 | 4 | 2 | 4 | 6 | 4 | 2 | 1 | 4 | 2 | 5 | 10 | 11 | 14 |
| Hooping-cough | 651 | 42 | 41 | 143 | 225 | 74 | 48 | 35 | 42 | 1 | – | – | – | – |
| Mumps | 4 | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – |
| Diphtheria | 202 | 1 | 2 | 13 | 31 | 30 | 29 | 34 | 43 | 6 | 3 | 1 | 1 | 5 |
| Cerebro-spinal Fever | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 158 | – | – | 1 | 3 | 2 | 1 | – | 17 | 25 | 23 | 26 | 22 | 9 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 11 | 1 | 2 | 3 | 4 | – | – | – | – | – | – | 1 | – | – |
| Diarrhœa, Dysentery | 345 | 52 | 55 | 64 | 52 | 7 | 4 | 4 | 4 | 3 | 3 | 1 | 4 | 3 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 3 | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 54 | 24 | 13 | 6 | 3 | – | – | – | – | – | – | 1 | 1 | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 56 | 14 | 6 | 2 | – | – | – | – | – | – | – | 1 | 1 | 2 |
| Pyæmia, Septicæmia | 36 | 1 | – | 1 | 1 | 2 | 1 | – | 2 | 2 | 4 | 2 | 6 | 5 |
| Puerperal Fever | 145 | – | – | – | – | – | – | – | – | – | 6 | 36 | 36 | 38 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 52 | 54 | 49 | 53 | 49 | 30 | 24 | 12 | 6 | 6 | 3 | 1 | – | – | – |
| 2. HOMICIDE | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 6 | 9 | 8 | 10 | 5 | 3 | 4 | 1 | 1 | – | – | 1 | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 6 | 9 | 12 | 16 | 29 | 6 | 5 | 1 | 3 | 1 | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 3 | 4 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 16 | 21 | 32 | 26 | 21 | 38 | 22 | 41 | 29 | 14 | 9 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Enteric Fever | 12 | 9 | 6 | 4 | 4 | 4 | – | 1 | 1 | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 3 | 4 | 5 | 5 | 8 | 5 | 5 | 10 | 2 | 4 | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 2 | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | 6 | 2 | 2 | – | 2 | 3 | 1 | 1 | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 4 | 3 | 7 | 6 | 7 | 4 | 4 | 4 | 1 | 6 | – | – | – | – | – |
| Pyæmia, Septicæmia | 3 | 4 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 8 | 12 | 14 | 17 | 18 | 18 | 21 | 18 | 13 | 12 | 5 | 1 | - | - | - |
| 2. Homicide | 2 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 3. Suicide | 5 | 1 | 3 | 3 | 1 | 1 | 2 | 2 | - | - | - | - | - | - | - |
| 4. Execution | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 5 | 8 | 15 | 31 | 46 | 8 | 4 | 3 | 2 | 3 | - | - | - | - | - |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Small-pox, Unvaccinated | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Small-pox, No Statement | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Chickenpox | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Measles | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Epidemic Rose Rash | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Scarlet Fever | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Typhus | 1 | 5 | 5 | 1 | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Relapsing Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Influenza | 24 | 21 | 19 | 39 | 31 | 44 | 47 | 40 | 46 | 30 | 14 | 1 | - | - | - |
| Hooping-cough | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Mumps | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Diphtheria | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Cerebro-spinal Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Simple and Ill-defined Fever | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Enteric Fever | 12 | 5 | 4 | 2 | 2 | 4 | - | - | - | - | - | - | - | - | - |
| Other Miasmatic Diseases | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diarrhœa, Dysentery | 5 | 3 | 1 | 3 | 10 | 19 | 8 | 16 | 13 | 7 | 2 | 1 | 1 | - | - |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ague | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Glanders | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Splenic Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cowpox and other Effects of Vaccination | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | 2 | 2 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Gonorrhœa, Stricture of Urethra | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Erysipelas | 1 | 4 | 2 | 4 | 3 | 3 | 6 | 5 | 1 | 1 | - | - | - | - | - |
| Pyæmia, Septicæmia | 1 | 3 | - | - | 1 | 1 | 1 | - | 1 | 1 | - | - | - | - | - |
| Puerperal Fever | 21 | 7 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, during the YEAR 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 6 | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 21 | 12 | 4 | 5 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 65 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 10 |
| Intemp. { Delirium Tremens | 18 | – | – | – | – | – | – | – | – | – | – | – | 2 | 3 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 39 | – | – | – | – | – | 1 | 1 | 4 | 1 | 4 | 4 | 3 | 3 |
| Rheumatism | 24 | – | – | – | 1 | – | – | – | – | – | – | 4 | – | – |
| Gout | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 16 | 1 | – | 3 | 5 | 3 | – | 1 | 1 | 1 | 1 | – | – | – |
| Cancer | 423 | – | – | – | 1 | 2 | – | – | – | 1 | 1 | 8 | 8 | 9 |
| Tabes Mesenterica | 232 | 14 | 16 | 19 | 51 | 26 | 16 | 9 | 37 | 16 | 9 | 7 | 2 | 2 |
| Tubercular Meningitis (Acute Hydrocephalus) | 348 | 17 | 25 | 75 | 75 | 37 | 28 | 30 | 40 | 14 | 4 | – | – | 1 |
| Phthisis | 1649 | 3 | 4 | 12 | 27 | 14 | 17 | 7 | 47 | 53 | 202 | 233 | 177 | 202 |
| Other forms of Tuberculosis, Scrofula | 162 | 6 | 6 | 16 | 22 | 8 | 5 | 8 | 25 | 18 | 9 | 13 | 9 | 5 |
| Purpura, Hæmorrhagic Diathesis | 7 | – | – | – | – | – | – | – | 1 | 3 | 1 | – | – | 1 |
| Anæmia, Chlorosis, Leucocythæmia | 27 | 3 | – | – | 2 | – | – | – | 1 | 2 | 2 | – | 1 | 1 |
| Diabetes Mellitus | 15 | – | – | – | – | – | – | – | – | 2 | 1 | 2 | 1 | 1 |
| Other Constitutional Diseases | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 523 | 521 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 41 | 40 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cyanosis | 14 | 13 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 24 | 16 | 3 | 5 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 7 | 5 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 24 | 21 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Old Age | 473 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 432 | 27 | 43 | 77 | 84 | 23 | 26 | 17 | 49 | 19 | 16 | 8 | 7 | 5 |
| Apoplexy | 546 | 4 | 3 | 4 | 3 | 2 | 1 | 1 | 4 | 4 | 3 | 9 | 6 | 17 |
| Softening of the Brain | 62 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hemiplegia, Brain Paralysis | 295 | 2 | – | 1 | – | – | – | – | – | – | 3 | 1 | 1 | 4 |
| Paralysis Agitans | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 46 | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 | 8 |
| Chorea | 5 | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – |
| Epilepsy | 64 | 5 | – | 3 | 4 | – | 1 | 2 | 1 | 6 | 1 | 4 | 6 | 4 |
| Convulsions | 321 | 140 | 47 | 47 | 54 | 12 | 8 | 3 | 6 | 1 | – | 1 | – | – |
| Laryngismus Stridulus | 23 | – | 3 | 11 | 8 | 1 | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 7 | 2 | – | – | – | – | – | – | – | – | 2 | – | 1 | – |
| Paraplegia, Diseases of Spinal Cord | 73 | – | – | – | – | 1 | – | 2 | – | 3 | 2 | 1 | 3 | 2 |
| Other Diseases of Nervous System | 200 | 13 | 9 | 25 | 21 | 1 | 3 | 7 | 16 | 5 | 2 | 7 | 3 | 10 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 27 | 2 | 1 | 8 | 3 | 3 | 2 | 1 | 1 | – | 1 | 1 | 1 | – |
| Epistaxis and Disease of Nose | 7 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 5 | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 10 | 5 | 3 | 2 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 34 | – | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Intemp. { Delirium Tremens | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 73 | – | – | – | – | – | – | 1 | 9 | 12 | 7 | 8 | 5 | 1 |
| Rheumatism | 40 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 1 |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 16 | – | – | 5 | 4 | 4 | 1 | – | 2 | – | – | – | – | – |
| Cancer | 693 | – | – | – | 1 | – | – | 1 | 2 | – | 1 | – | 7 | 13 |
| Tabes Mesenterica | 182 | 7 | 15 | 23 | 41 | 18 | 10 | 14 | 19 | 13 | 6 | 7 | 2 | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 286 | 7 | 26 | 71 | 53 | 27 | 22 | 26 | 32 | 13 | 4 | 3 | – | 1 |
| Phthisis | 1809 | 2 | 4 | 13 | 24 | 14 | 16 | 13 | 66 | 114 | 237 | 249 | 254 | 234 |
| Other forms of Tuberculosis, Scrofula | 119 | 2 | 3 | 9 | 15 | 6 | 2 | 4 | 21 | 15 | 11 | 7 | 8 | 4 |
| Purpura, Hæmorrhagic Diathesis | 9 | 2 | – | 2 | 1 | 1 | – | – | 1 | – | – | – | 1 | – |
| Anæmia, Chlorosis, Leucocythæmia | 62 | – | – | – | 1 | – | – | – | – | 1 | 5 | 3 | 6 | 10 |
| Diabetes Mellitus | 24 | – | – | – | – | – | – | – | – | 3 | 2 | 2 | 1 | 2 |
| Other Constitutional Diseases | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 442 | 440 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 29 | 28 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 12 | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 24 | 19 | 3 | 2 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 3 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 13 | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 874 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 393 | 18 | 28 | 62 | 79 | 43 | 24 | 24 | 44 | 27 | 8 | 9 | 4 | 4 |
| Apoplexy | 612 | 2 | – | 3 | 6 | 1 | 1 | 2 | 2 | – | 6 | 5 | 13 | 14 |
| Softening of the Brain | 64 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Hemiplegia, Brain Paralysis | 421 | – | – | – | 2 | – | – | – | 1 | 1 | 1 | 1 | 6 | 3 |
| Paralysis Agitans | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Insanity, General Paralysis of Insane | 43 | – | – | – | – | – | – | – | – | – | 2 | 4 | 2 | 4 |
| Chorea | 5 | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Epilepsy | 53 | 1 | – | 1 | 1 | – | 1 | – | 3 | 4 | 7 | 5 | 5 | 2 |
| Convulsions | 247 | 87 | 34 | 42 | 44 | 11 | 9 | 7 | 4 | – | 2 | – | 1 | 2 |
| Laryngismus Stridulus | 15 | 2 | 2 | 4 | 5 | 2 | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 4 | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 61 | – | – | – | 1 | – | – | – | 1 | 1 | 2 | 4 | 1 | 1 |
| Other Diseases of Nervous System | 163 | 11 | 8 | 13 | 12 | 10 | 5 | 1 | 9 | 7 | 2 | 4 | 3 | 5 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 22 | 3 | 1 | 2 | 1 | 2 | 1 | – | 3 | 2 | 1 | 3 | 1 | 1 |
| Epistaxis and Disease of Nose | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ophthalmia and Disease of Eye | 4 | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 5 | 7 | 6 | 14 | 10 | 7 | 2 | – | 1 | – | – | – | – | – | – |
| Intemp. Delirium Tremens | 1 | 4 | 5 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 4 | 2 | 2 | 1 | 6 | 2 | 1 | – | – | – | – | – | – | – | – |
| Rheumatism | 3 | 2 | 3 | – | 2 | 3 | 2 | 3 | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | 3 | 3 | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 20 | 27 | 46 | 56 | 61 | 63 | 52 | 32 | 24 | 9 | 1 | 1 | 1 | – | – |
| Tabes Mesenterica | 2 | 1 | 2 | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 161 | 149 | 131 | 75 | 60 | 39 | 29 | 5 | 1 | 1 | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 4 | 2 | 4 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | 1 | 2 | 1 | 1 | 4 | 3 | 2 | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | 1 | 1 | 1 | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 47 | 59 | 114 | 94 | 96 | 43 | 18 | 2 | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 8 | 3 | 5 | 3 | 3 | 4 | 5 | – | – | – | – | – | – | – | – |
| Apoplexy | 10 | 26 | 27 | 34 | 62 | 89 | 84 | 54 | 52 | 27 | 7 | 2 | 1 | – | – |
| Softening of the Brain | 2 | 3 | 5 | 4 | 10 | 9 | 10 | 7 | 5 | 6 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 5 | 10 | 19 | 18 | 25 | 51 | 43 | 63 | 29 | 15 | 4 | 1 | – | – | – |
| Paralysis Agitans | – | – | – | – | 1 | – | 2 | 2 | – | 1 | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 6 | 8 | 4 | 4 | 4 | 2 | 2 | – | 2 | 1 | 1 | – | – | – | – |
| Chorea | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | 2 | 6 | 2 | 6 | 2 | 1 | 3 | 3 | – | 2 | – | – | – | – | – |
| Convulsions | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | 9 | 6 | 5 | 7 | 12 | 6 | 6 | 4 | 2 | – | – | – | – | – |
| Other Diseases of Nervous System | 8 | 8 | 6 | 8 | 9 | 13 | 7 | 12 | 3 | 4 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | 1 | 3 | 10 | 5 | 4 | 1 | 2 | 3 | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | 3 | 5 | 2 | 2 | 4 | 3 | 3 | 5 | 2 | 1 | – | – | – | – |
| Rheumatism | – | 1 | 3 | 3 | 5 | 3 | 5 | 4 | 3 | 7 | 2 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 44 | 69 | 90 | 87 | 89 | 114 | 75 | 53 | 32 | 9 | 5 | 1 | – | – |
| Tabes Mesenterica | – | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | – | 214 | 117 | 105 | 46 | 44 | 21 | 18 | 2 | 2 | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | 3 | 2 | 5 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | 5 | 5 | 2 | 7 | 3 | 6 | 4 | 3 | – | 1 | – | – | – | – |
| Diabetes Mellitus | – | 4 | 2 | 1 | – | 5 | 1 | – | – | 1 | – | – | – | – | – |
| Other Constitutional Diseases | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 89 | 95 | 161 | 168 | 219 | 115 | 43 | 4 | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 4 | 6 | 2 | – | 2 | 3 | 1 | – | 1 | – | – | – | – | – | – |
| Apoplexy | 15 | 21 | 28 | 58 | 73 | 85 | 93 | 81 | 54 | 33 | 13 | 2 | 1 | – | – |
| Softening of the Brain | – | 3 | 2 | 5 | 11 | 10 | 4 | 9 | 10 | 5 | 3 | 1 | – | – | – |
| Hemiplegia, Brain Paralysis | 1 | 10 | 23 | 32 | 42 | 75 | 57 | 57 | 45 | 36 | 9 | 4 | – | – | – |
| Paralysis Agitans | – | – | – | – | 2 | 1 | – | 2 | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 5 | 7 | 1 | 2 | 5 | 3 | 2 | 2 | 2 | – | 1 | 1 | – | – | – |
| Chorea | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | 1 | 2 | 3 | 3 | – | 2 | 5 | 2 | 1 | – | – | – | – | – |
| Convulsions | – | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 5 | 3 | 4 | 1 | 6 | 9 | 8 | 7 | 5 | 1 | 1 | – | – | – | – |
| Other Diseases of Nervous System | 3 | 3 | 12 | 12 | 4 | 8 | 9 | 11 | 7 | 3 | 1 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1011 | 4 | – | – | – | 1 | 3 | 2 | 16 | 30 | 32 | 23 | 21 | 41 |
| Pericarditis | 18 | 1 | – | – | – | – | – | – | 2 | 3 | 1 | 2 | 2 | 2 |
| Hypertrophy of Heart | 39 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Angina Pectoris | 21 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 67 | 9 | 5 | 1 | – | – | 1 | – | – | – | – | 1 | 1 | 1 |
| Aneurism | 54 | – | – | – | – | – | – | – | – | – | – | 2 | – | 2 |
| Senile Gangrene | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 13 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Phlebitis | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Varicose Veins | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 14 | 4 | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 55 | 3 | 2 | 11 | 17 | 7 | 1 | 1 | 2 | – | 1 | – | 2 | – |
| Croup | 117 | 6 | 3 | 20 | 28 | 17 | 16 | 14 | 13 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 7 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Emphysema, Asthma | 42 | – | – | – | – | 1 | 1 | – | – | – | – | – | 2 | 1 |
| Bronchitis | 2164 | 215 | 136 | 256 | 214 | 56 | 31 | 10 | 25 | 10 | 7 | 11 | 22 | 22 |
| Pneumonia | 1769 | 73 | 71 | 197 | 240 | 84 | 30 | 14 | 46 | 25 | 37 | 57 | 57 | 81 |
| Pleurisy | 130 | 1 | 2 | 1 | 4 | 2 | 2 | – | 5 | 4 | 8 | 8 | 7 | 10 |
| Other Diseases of Respiratory System | 351 | 42 | 19 | 46 | 47 | 14 | 4 | 3 | 7 | 7 | 4 | 3 | 4 | 4 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 9 | 4 | – | – | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Dentition | 146 | 1 | 12 | 59 | 68 | 5 | 1 | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 15 | – | – | 1 | 3 | 1 | 3 | 1 | 1 | 1 | 1 | – | – | 1 |
| Dyspepsia | 35 | 13 | 5 | 4 | 2 | – | – | – | – | – | – | 1 | – | – |
| Hæmatemesis | 14 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Melæna | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 145 | 26 | 13 | 15 | 7 | – | – | 1 | 5 | 1 | – | 3 | 3 | 6 |
| Enteritis | 266 | 74 | 46 | 54 | 21 | 10 | 5 | – | 4 | 10 | 4 | 5 | 1 | 3 |
| Ulceration of Intestine | 12 | – | – | – | – | – | – | – | – | 1 | 2 | 2 | – | – |
| Ileus, Obstruction of Intestine | 66 | 6 | – | 2 | – | – | – | – | 2 | 3 | 3 | 2 | 4 | 2 |
| Stricture or Strangulation of Intestine | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 11 | 1 | 6 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 24 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 |
| Fistula | 4 | – | – | – | – | 2 | – | – | – | – | – | – | – | 1 |
| Peritonitis | 133 | 8 | 5 | 9 | 2 | 1 | 3 | 2 | 15 | 12 | 11 | 9 | 5 | 7 |
| Ascites | 8 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Gallstones | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 43 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 114 | 28 | 5 | 3 | – | – | – | 1 | 3 | 2 | 4 | – | 3 | 5 |
| Other Diseases of Digestive System | 64 | 11 | 11 | 6 | 6 | – | 1 | – | – | – | 1 | 1 | 1 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 7 | – | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 100 | – | 1 | – | 3 | 1 | 6 | 5 | 12 | 3 | 2 | 2 | 3 | 3 |
| Bright's Disease | 170 | – | – | 1 | – | – | 1 | 4 | 2 | 7 | 6 | 11 | 11 | 12 |
| Uræmia | 31 | 1 | – | – | 1 | – | – | – | – | – | – | 1 | 2 | 1 |
| Suppression of Urine | 15 | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Calculus | 9 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hæmaturia | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 86 | – | – | – | – | – | – | 1 | 1 | – | 2 | 1 | 1 | – |
| Other Diseases of Urinary System | 59 | 2 | – | – | 1 | 1 | 1 | – | 2 | 2 | 1 | 8 | 3 | 2 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1224 | – | – | – | – | – | 1 | – | 15 | 35 | 34 | 37 | 39 | 54 |
| Pericarditis | 12 | – | – | – | – | – | – | – | 2 | 1 | 1 | 3 | – | – |
| Hypertrophy of Heart | 36 | – | – | – | – | – | – | – | – | 1 | – | – | 2 | 1 |
| Angina Pectoris | 18 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Syncope | 76 | 7 | 1 | – | 1 | – | – | – | – | 1 | 2 | 2 | 3 | 3 |
| Aneurism | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 29 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 15 | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 |
| Phlebitis | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Varicose Veins | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 9 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 41 | 3 | 7 | 8 | 7 | 2 | 4 | 1 | 5 | – | – | 1 | – | – |
| Croup | 87 | 1 | 2 | 10 | 29 | 19 | 8 | 6 | 11 | – | – | – | 1 | – |
| Other Diseases of Larynx and Trachea | 3 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 25 | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 | 1 |
| Bronchitis | 2498 | 144 | 96 | 179 | 182 | 65 | 27 | 14 | 19 | 12 | 9 | 15 | 18 | 26 |
| Pneumonia | 1261 | 52 | 43 | 147 | 223 | 78 | 37 | 25 | 38 | 15 | 24 | 31 | 30 | 36 |
| Pleurisy | 90 | – | – | 2 | 2 | 2 | – | 1 | – | 1 | 3 | 9 | 10 | 4 |
| Other Diseases of Respiratory System | 369 | 34 | 25 | 47 | 41 | 14 | 6 | 6 | 10 | 2 | 8 | 11 | 8 | 9 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 12 | 1 | 1 | – | 3 | 1 | 2 | 1 | 2 | – | – | – | – | – |
| Dentition | 114 | – | 6 | 59 | 45 | 4 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 6 | – | – | – | 3 | – | 1 | – | – | – | – | 1 | – | – |
| Dyspepsia | 40 | 13 | 4 | 4 | – | 1 | 1 | – | – | – | – | – | 1 | 2 |
| Hæmatemesis | 18 | 1 | – | 1 | – | 1 | – | 1 | – | 1 | – | 1 | – | 2 |
| Melæna | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 179 | 13 | 10 | 11 | 10 | 1 | 1 | 1 | 2 | – | 3 | 16 | 9 | 11 |
| Enteritis | 249 | 48 | 45 | 50 | 15 | 7 | 3 | 3 | 9 | 8 | 4 | 5 | 3 | 4 |
| Ulceration of Intestine | 12 | – | – | – | – | – | – | – | 1 | – | 2 | – | 2 | – |
| Ileus, Obstruction of Intestines | 73 | 6 | 2 | 1 | – | 2 | 2 | 1 | 4 | 2 | 1 | 2 | 3 | 2 |
| Stricture or Strangulation of Intestines | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 6 | 1 | – | – | – | – | – | – | 1 | – | – | – | 2 | – |
| Hernia | 41 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Fistula | 4 | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – |
| Peritonitis | 179 | 5 | 5 | 4 | 4 | 3 | – | – | 13 | 8 | 12 | 18 | 19 | 14 |
| Ascites | 10 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Gallstones | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 25 | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Other Diseases of Liver | 144 | 16 | – | 1 | 1 | – | – | – | 4 | – | 1 | 8 | 4 | 3 |
| Other Diseases of Digestive System | 90 | 10 | 8 | 12 | 13 | 1 | 1 | – | 2 | – | 2 | 2 | 3 | 2 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 6 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | 1 |
| Diseases of Lymphatics | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Thyroid Body | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Suprarenal Capsules | 6 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | 1 |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 82 | 1 | 2 | – | 1 | 3 | 1 | – | 4 | 4 | 5 | 8 | 6 | 5 |
| Bright's Disease | 157 | – | – | – | 2 | 2 | – | – | 3 | 2 | 4 | 8 | 7 | 17 |
| Uræmia | 19 | 1 | – | – | – | – | – | – | – | 1 | 2 | 2 | 1 | 1 |
| Suppression of Urine | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Hæmaturia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 18 | – | – | – | – | – | – | – | – | 1 | – | – | – | 3 |
| Other Diseases of Urinary System | 69 | – | – | – | 2 | – | – | – | 2 | 1 | 5 | 4 | 5 | 3 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 53 | 53 | 91 | 95 | 96 | 137 | 108 | 89 | 76 | 31 | 8 | – | 1 | – | – |
| Pericarditis | – | 1 | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Hypertrophy of Heart | – | 3 | 2 | 4 | 1 | 9 | 5 | 6 | 4 | 2 | – | – | – | – | – |
| Angina Pectoris | 2 | 1 | 1 | 4 | 3 | 2 | 1 | – | 3 | 2 | 2 | – | – | – | – |
| Syncope | 1 | 2 | 7 | 5 | 2 | 7 | 11 | 4 | 3 | 5 | – | 1 | – | – | – |
| Aneurism | 6 | 6 | 9 | 7 | 12 | 5 | 3 | 1 | – | 1 | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 2 | 2 | 5 | 4 | – | 1 | – | – | – | – |
| Embolism, Thrombosis | 1 | – | 1 | – | – | 2 | 1 | 3 | 1 | 1 | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Varicose Veins | – | 1 | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | 2 | – | 1 | – | – | – | 3 | 1 | 1 | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 1 | 1 | – | – | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 2 | 3 | 2 | 8 | 7 | 3 | 8 | 2 | 1 | 1 | – | – | – | – | – |
| Bronchitis | 46 | 76 | 106 | 157 | 156 | 163 | 154 | 150 | 78 | 39 | 17 | 7 | – | – | – |
| Pneumonia | 94 | 88 | 115 | 118 | 110 | 81 | 69 | 40 | 26 | 10 | 5 | 1 | – | – | – |
| Pleurisy | 11 | 13 | 14 | 11 | 9 | 10 | 2 | 3 | 2 | – | 1 | – | – | – | – |
| Other Diseases of Respiratory System | 15 | 12 | 16 | 11 | 16 | 17 | 14 | 16 | 15 | 13 | 1 | – | 1 | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 1 | 1 | 1 | 1 | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Hæmatemesis | 1 | 3 | 1 | 3 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 3 | 4 | 11 | 9 | 8 | 16 | 4 | 3 | 3 | 3 | 1 | – | – | – | – |
| Enteritis | 1 | 4 | 3 | 3 | 6 | 3 | 3 | 4 | – | 2 | – | – | – | – | – |
| Ulceration of Intestine | 1 | – | 1 | 1 | 1 | – | 2 | – | – | 1 | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 6 | 4 | 6 | 5 | 5 | 8 | 3 | 2 | 2 | 1 | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | 1 | 6 | 1 | 4 | 1 | 1 | 4 | 2 | – | – | – | – | – | – |
| Fistula | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 3 | 3 | 8 | 8 | 6 | 6 | 6 | 1 | 3 | – | – | – | – | – | – |
| Ascites | – | – | 1 | – | 1 | 3 | – | – | 1 | – | – | – | – | – | – |
| Gallstones | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 2 | 6 | 10 | 7 | 4 | 5 | 4 | 2 | 1 | – | – | – | – | – | – |
| Other Diseases of Liver | 5 | 4 | 10 | 7 | 7 | 11 | 5 | 4 | 2 | 4 | 1 | – | – | – | – |
| Other Diseases of Digestive System | – | 5 | – | 5 | 4 | 1 | 6 | 2 | 2 | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 9 | 6 | 7 | 10 | 11 | 6 | 6 | 3 | 1 | – | – | – | – | – | – |
| Bright's Disease | 9 | 16 | 15 | 19 | 11 | 17 | 16 | 6 | 4 | 2 | – | – | – | – | – |
| Uræmia | 4 | 2 | 1 | 1 | – | 6 | 2 | 5 | 2 | 1 | 1 | – | – | – | – |
| Suppression of Urine | 2 | – | 1 | 2 | 2 | – | – | 2 | 2 | – | 1 | – | – | – | – |
| Calculus | – | – | – | 1 | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Hæmaturia | – | 2 | 1 | – | 2 | 2 | – | – | – | – | 1 | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | 6 | 4 | 3 | 7 | 12 | 14 | 18 | 6 | 4 | 3 | 1 | – | – | – |
| Other Diseases of Urinary System | 7 | 2 | 1 | 4 | 7 | 3 | 3 | 5 | 3 | 1 | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 65 | 81 | 87 | 116 | 99 | 133 | 141 | 115 | 83 | 52 | 23 | 4 | – | – | – |
| Pericarditis | – | 1 | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 2 | – | 3 | 2 | 5 | 5 | 5 | 3 | 6 | – | 1 | – | – | – | – |
| Angina Pectoris | 1 | 1 | 2 | 1 | – | 2 | 3 | 4 | 3 | – | – | – | – | – | – |
| Syncope | 6 | 7 | 3 | 4 | 3 | 7 | 5 | 7 | 10 | 1 | 2 | 1 | – | – | – |
| Aneurism | 2 | 3 | 4 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | 1 | 1 | 4 | 9 | 7 | 5 | 2 | – | – | – | – |
| Embolism, Thrombosis | 1 | 1 | – | 1 | 3 | – | 2 | 1 | 2 | – | – | – | – | – | – |
| Phlebitis | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Varicose Veins | – | 2 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | 1 | – | 2 | 2 | 1 | – | 1 | 1 | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Emphysema, Asthma | – | 3 | 1 | 3 | 1 | 5 | 4 | 2 | 2 | – | – | – | – | – | – |
| Bronchitis | 39 | 74 | 113 | 172 | 196 | 264 | 269 | 240 | 161 | 104 | 48 | 11 | 1 | – | – |
| Pneumonia | 50 | 55 | 45 | 58 | 45 | 77 | 48 | 46 | 26 | 24 | 6 | 2 | – | – | – |
| Pleurisy | 7 | 7 | 8 | 5 | 4 | 6 | 10 | 6 | 2 | 1 | – | – | – | – | – |
| Other Diseases of Respiratory System | 13 | 17 | 12 | 9 | 21 | 16 | 15 | 14 | 13 | 10 | 7 | 1 | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Dyspepsia | 1 | – | 1 | – | 3 | 2 | 2 | 1 | 2 | 2 | – | – | – | – | – |
| Hæmatemesis | – | 1 | 1 | 1 | 3 | – | 1 | 2 | 1 | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 3 | 13 | 10 | 11 | 12 | 8 | 6 | 11 | 7 | 9 | 1 | – | – | – | – |
| Enteritis | 6 | 6 | 4 | 6 | 9 | 5 | 3 | 2 | – | 3 | 1 | – | – | – | – |
| Ulceration of Intestine | 1 | – | – | 1 | 1 | – | 2 | 1 | – | – | – | 1 | – | – | – |
| Ileus, Obstruction of Intestine | 5 | 2 | 6 | 3 | 7 | 6 | 3 | 6 | 4 | 1 | 2 | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Intussusception of Intestine | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | 3 | 9 | 5 | 6 | 6 | 1 | 3 | 3 | 2 | – | – | – | – | – |
| Fistula | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 11 | 12 | 8 | 7 | 12 | 6 | 3 | 6 | 7 | 2 | – | – | – | – | – |
| Ascites | – | – | 1 | – | 3 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Gallstones | – | 2 | 5 | 1 | 2 | 2 | – | 2 | – | 1 | – | – | – | – | – |
| Cirrhosis of Liver | 2 | 3 | 4 | 4 | 3 | 3 | – | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Liver | 5 | 12 | 13 | 15 | 15 | 12 | 14 | 12 | 12 | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | 3 | 3 | 4 | 6 | 4 | 6 | 4 | 3 | 1 | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 2 | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 5 | 6 | 8 | 5 | 7 | 4 | 1 | 2 | 2 | 2 | – | – | – | – | – |
| Bright's Disease | 13 | 18 | 14 | 12 | 17 | 10 | 13 | 7 | 7 | – | 1 | – | – | – | – |
| Uræmia | 1 | 2 | 2 | – | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Calculus | 1 | – | 1 | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Hæmaturia | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 2 | – | 2 | 2 | 3 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| Other Diseases of Urinary System | 3 | 5 | 4 | 7 | 12 | 7 | 4 | 3 | 2 | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 4 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 5 | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 69 | – | – | – | 2 | 1 | 3 | 4 | 13 | 21 | 8 | 6 | 4 | 2 |
| Arthritis, Ostitis, Periostitis | 17 | – | – | – | – | – | – | – | 1 | 2 | 3 | 2 | 1 | 1 |
| Other Diseases of Organs of Locomotion | 50 | – | – | 2 | – | – | 1 | 1 | 10 | 7 | 6 | 5 | 1 | 1 |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 10 | 3 | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 9 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Eczema | 12 | 2 | 2 | 1 | 4 | 1 | – | – | – | – | – | – | – | – |
| Pemphigus | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 7 | 3 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 17 | – | – | – | – | – | – | – | – | 1 | 2 | 4 | 2 | 3 |
| Mines and Quarries: Other Mines | 3 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Mines and Quarries: Quarries | 4 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 2 |
| Vehicles and Horses: Railways | 83 | – | – | – | 1 | – | – | – | – | 3 | 4 | 9 | 8 | 12 |
| Vehicles and Horses: Vehicles other than R'wys. | 32 | – | – | – | – | 3 | – | 5 | 7 | 3 | 1 | 3 | – | 1 |
| Vehicles and Horses: Horses | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 27 | – | – | – | – | – | – | – | – | – | 1 | 3 | 1 | 2 |
| Building Operations | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Machinery | 30 | – | – | – | – | – | – | – | – | 2 | 6 | 3 | 2 | 1 |
| Weapons and Implements | 7 | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 62 | 2 | 2 | 2 | 9 | 8 | 4 | 6 | 4 | 2 | 5 | 3 | 3 | 3 |
| Burns and Scalds: Explosions | 4 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Poisons, Poisonous Vapours | 27 | 1 | – | – | 3 | – | 1 | – | – | 1 | – | – | 2 | 2 |
| Drowning | 119 | – | – | 1 | 1 | 1 | 1 | 2 | 4 | 6 | 16 | 9 | 18 | 12 |
| Suffocation: In Bed | 70 | 51 | 10 | 6 | 1 | – | – | – | – | – | – | 2 | – | – |
| Suffocation: Otherwise | 28 | 3 | 1 | – | 1 | 2 | – | – | 1 | – | 1 | 1 | 1 | 1 |
| Falls | 100 | – | – | – | 1 | 3 | 3 | – | 6 | 4 | 4 | 7 | 7 | 8 |
| Weather Agencies | 4 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Otherwise, or Not Stated | 150 | 10 | – | – | 1 | 1 | 1 | 1 | 11 | 6 | 8 | 8 | 9 | 9 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | 7 | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Suicide | 69 | – | – | – | – | – | – | – | – | – | – | 6 | 6 | 9 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | 17 | 1 | – | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – | 2 |
| Debility, Atrophy, Inanition | 599 | 432 | 46 | 40 | 25 | 6 | 4 | 1 | 2 | 3 | 2 | – | – | 1 |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 16 | 3 | 1 | 2 | 2 | – | – | – | – | – | 1 | – | – | – |
| Hæmorrhage | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 19 | 5 | – | 1 | 1 | – | – | 1 | 1 | – | – | – | 1 | – |
| Other ill-defined and not specified Causes | 68 | 24 | 5 | 2 | – | 1 | 2 | – | 2 | – | – | – | 2 | 5 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE LIVED | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 40 | – | – | – | – | – | – | – | – | – | 1 | 4 | 5 | 3 |
| Diseases of Uterus and Vagina | 52 | – | – | – | 3 | – | – | – | – | – | 2 | 4 | 8 | 3 |
| Disorders of Menstruation | 3 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – |
| Pelvic Abscess | 12 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 6 |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 18 | – | – | – | – | – | – | – | – | – | 1 | 6 | 1 | 3 |
| Puerperal Mania | 9 | – | – | – | – | – | – | – | – | – | 1 | 2 | 3 | 2 |
| Puerperal Convulsions | 21 | – | – | – | – | – | – | – | – | – | 3 | 7 | 4 | 4 |
| Placenta Prævia, Flooding | 37 | – | – | – | – | – | – | – | – | – | – | 6 | 8 | 7 |
| Phlegmasia Dolens | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Accidents of Childbirth | 70 | – | – | – | – | – | – | – | – | – | 1 | 13 | 18 | 10 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 66 | – | – | – | 3 | 1 | – | 2 | 13 | 8 | 10 | 5 | 3 | 5 |
| Arthritis, Ostitis, Periostitis | 14 | – | – | – | 1 | – | – | – | – | – | 2 | – | – | – |
| Other Diseases of Organs of Locomotion | 29 | 1 | – | – | – | 1 | 1 | – | – | 5 | 3 | 1 | 4 | 4 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmon, Cellulitis | 15 | 1 | – | – | 1 | – | – | – | – | – | – | 4 | 2 | – |
| Lupus | 4 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Ulcer, Bedsore | 8 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Eczema | 7 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 11 | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 10 | – | – | – | – | 6 | 2 | – | 1 | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Weapons and Implements | 2 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 63 | – | 1 | 2 | 12 | 7 | 9 | 2 | 6 | – | – | 1 | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 10 | – | – | – | 1 | 1 | – | – | – | – | – | 1 | – | 1 |
| Drowning | 19 | – | – | 1 | – | 2 | – | 1 | 1 | – | 3 | 1 | 2 | – |
| Suffocation: In Bed | 59 | 40 | 16 | 3 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 14 | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Falls | 55 | – | – | 2 | 1 | 3 | 1 | – | 3 | 3 | – | 4 | – | 3 |
| Weather Agencies | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Otherwise, or Not Stated | 90 | 6 | – | – | – | 2 | 1 | | 4 | 2 | 1 | 2 | – | 3 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 10 | 5 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suicide | 26 | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 | [illegible] |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 25 | 2 | – | – | – | 1 | – | – | 1 | 2 | 1 | 1 | 2 | 2 |
| Debility, Atrophy, Inanition | 581 | 367 | 47 | 39 | 34 | 11 | 4 | 4 | 1 | 3 | – | 1 | – | 1 |
| Mortification | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 4 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Abscess | 9 | 1 | – | 1 | 2 | – | 1 | – | 2 | – | – | – | – | – |
| Hæmorrhage | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 12 | 4 | 2 | – | – | | | – | 1 | – | – | 1 | – | 1 |
| Other ill-defined and not specified Causes | 66 | 16 | 6 | 2 | 3 | 1 | 1 | 1 | – | 1 | – | 1 | 1 | 1 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | 1 | – | – | 2 | 2 | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | 1 | 1 | 2 | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 2 | 2 | 3 | 1 | 4 | – | 3 | 1 | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | 3 | 1 | – | 1 | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | 2 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | 1 | – | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 11 | 9 | 7 | 7 | 8 | 1 | 3 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 3 | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 3 | 5 | 1 | 3 | 5 | 2 | 1 | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 7 | 3 | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | 1 | 2 | 1 | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – |
| Burns and Scalds: Explosions | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | 3 | 3 | 1 | 4 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Drowning | 5 | 8 | 5 | 12 | 9 | 5 | 3 | 1 | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 2 | – | 2 | 1 | 3 | 2 | 3 | 2 | 1 | – | – | – | – | – | – |
| Falls | 12 | 10 | 9 | 8 | 5 | 5 | 1 | 4 | 2 | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 6 | 11 | 13 | 11 | 10 | 11 | 10 | 4 | 3 | 4 | 2 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 6 | 9 | 8 | 10 | 5 | 1 | 4 | 1 | 1 | – | – | 1 | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 1 | – | 2 | – | 1 | 2 | – | – | – | 1 | – | – | – | – | – |
| Debility, Atrophy, Inanition | 2 | 4 | 2 | 8 | 21 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | 1 | 1 | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | 1 | 1 | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 2 | 3 | 5 | 5 | 3 | 2 | 3 | 1 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 4 | 5 | 1 | 4 | 5 | 3 | 1 | 3 | – | 1 | – | – | – | – | – |
| Diseases of Uterus and Vagina | 10 | 5 | 7 | 4 | – | 4 | – | 1 | 1 | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 7 | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 24 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 8 | 3 | 1 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | 2 | 3 | 2 | 2 | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | 4 | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 3 | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | 2 | – | 2 | – | 2 | – | – | 1 | – | – | – | – |
| Eczema | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | 2 | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'ways. | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 2 | 1 | 2 | 4 | 2 | 4 | 1 | 1 | 3 | 2 | 1 | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Drowning | – | 2 | 1 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | 2 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Falls | 3 | 3 | 2 | 3 | 2 | 5 | 7 | 6 | 2 | 1 | – | 1 | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 1 | 5 | 3 | 5 | 10 | 5 | 11 | 9 | 7 | 9 | 4 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suicide | 5 | 1 | 3 | 3 | 1 | 1 | 2 | 2 | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | 1 | – | 2 | 4 | 1 | 2 | – | 1 | 2 | – | – | – | – | – |
| Debility, Atrophy, Inanition | 4 | 3 | 6 | 22 | 34 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | 4 | 6 | 6 | 5 | 6 | 2 | 2 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 5040 | 616 | 194 | 340 | 378 | 128 | 86 | 66 | 194 | 112 | 161 | 171 | 166 | 127 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 704 | 50 | 31 | 100 | 123 | 44 | 35 | 23 | 55 | 17 | 23 | 21 | 15 | 11 |
| II. PARASITIC DISEASES | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 32 | 5 | – | 1 | – | – | – | – | – | 1 | – | 1 | 5 | 4 |
| IV. CONSTITUTIONAL „ | 809 | 11 | 10 | 27 | 49 | 18 | 12 | 12 | 58 | 36 | 61 | 86 | 75 | 43 |
| V. DEVELOPMENTAL „ | 351 | 160 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL „ | 2583 | 189 | 135 | 191 | 183 | 56 | 37 | 25 | 70 | 42 | 57 | 44 | 48 | 53 |
| VII. VIOLENCE | 251 | 9 | 3 | 2 | 6 | 7 | 2 | 5 | 9 | 16 | 20 | 17 | 21 | 16 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 306 | 188 | 14 | 19 | 17 | 3 | – | 1 | 2 | – | – | 2 | 2 | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 544 | 14 | 12 | 74 | 104 | 39 | 34 | 22 | 52 | 15 | 20 | 20 | 14 | 6 |
| 2. DIARRHŒAL „ | 106 | 21 | 14 | 23 | 17 | 3 | 1 | – | 1 | 1 | 2 | – | – | 2 |
| 3. MALARIAL „ | 3 | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 19 | 10 | 4 | 1 | 2 | – | – | – | – | – | – | – | 1 | – |
| 6. SEPTIC „ | 32 | 5 | 1 | 2 | – | – | – | 1 | 2 | 1 | 1 | 1 | – | 3 |
| II. PARASITIC DISEASES | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 32 | 5 | – | 1 | – | – | – | – | – | 1 | – | 1 | 5 | 4 |
| IV. CONSTITUTIONAL DISEASES | 809 | 11 | 10 | 27 | 49 | 18 | 12 | 12 | 58 | 36 | 61 | 86 | 75 | 43 |
| V. DEVELOPMENTAL DISEASES | 351 | 160 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 639 | 51 | 34 | 43 | 51 | 11 | 10 | 11 | 36 | 15 | 9 | 7 | 8 | 13 |
| 2. „ ORGANS OF SPECIAL SENSE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 365 | 2 | – | – | 2 | 1 | – | 1 | 2 | 7 | 8 | 8 | 10 | 9 |
| 4. „ RESPIRATORY SYSTEM | 1102 | 92 | 62 | 110 | 97 | 37 | 25 | 7 | 20 | 9 | 17 | 17 | 21 | 21 |
| 5. „ DIGESTIVE SYSTEM | 311 | 39 | 38 | 36 | 28 | 6 | 2 | 5 | 9 | 9 | 14 | 6 | 2 | 4 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 7. „ URINARY SYSTEM | 122 | 2 | 1 | – | 2 | 1 | – | – | 2 | 1 | 5 | 1 | 5 | 3 |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 6 | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 20 | – | – | – | – | – | – | – | 1 | 1 | 4 | 5 | 2 | 1 |
| 10. „ INTEGUMENTARY SYSTEM | 14 | 1 | – | 2 | 3 | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 5175 | 461 | 174 | 275 | 404 | 144 | 106 | 66 | 245 | 114 | 170 | 148 | 196 | 170 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 838 | 40 | 43 | 81 | 138 | 59 | 47 | 31 | 72 | 17 | 15 | 21 | 36 | 23 |
| II. PARASITIC DISEASES | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 15 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | 1 |
| IV. CONSTITUTIONAL ,, | 921 | 13 | 3 | 25 | 38 | 16 | 13 | 11 | 73 | 48 | 106 | 66 | 82 | 79 |
| V. DEVELOPMENTAL ,, | 484 | 147 | 4 | – | 1 | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 2598 | 108 | 106 | 163 | 209 | 65 | 43 | 21 | 93 | 45 | 46 | 60 | 71 | 65 |
| VII. VIOLENCE | 93 | 12 | 2 | – | 6 | 2 | 2 | 2 | 3 | 1 | 3 | 1 | 4 | 1 |
| VIII. ILL DEFINED AND NOT SPECIFIED CAUSES | 230 | 139 | 14 | 6 | 12 | 2 | 1 | 1 | 4 | 3 | – | – | 3 | 1 |
| **I** | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases | 612 | 13 | 18 | 60 | 119 | 56 | 47 | 28 | 69 | 15 | 10 | 13 | 12 | 11 |
| 2. Diarrhœal ,, | 130 | 22 | 18 | 19 | 19 | 1 | – | 2 | 1 | 1 | – | 2 | 2 | 3 |
| 3. Malarial ,, | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 4. Zoogenous ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. Venereal ,, | 6 | 1 | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – |
| 6. Septic ,, | 89 | 4 | 5 | 2 | – | 1 | – | 1 | 1 | 1 | 4 | 6 | 22 | 9 |
| **II.** | | | | | | | | | | | | | | |
| Parasitic Diseases | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** | | | | | | | | | | | | | | |
| Dietetic Diseases | 15 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | 1 |
| **IV.** | | | | | | | | | | | | | | |
| Constitutional Diseases | 921 | 13 | 3 | 25 | 38 | 16 | 13 | 11 | 73 | 48 | 106 | 66 | 82 | 79 |
| **V.** | | | | | | | | | | | | | | |
| Developmental Diseases | 484 | 147 | 4 | – | 1 | – | – | – | – | – | – | – | – | – |
| **VI.** | | | | | | | | | | | | | | |
| 1. Diseases of Nervous System | 632 | 27 | 24 | 34 | 52 | 18 | 8 | 4 | 42 | 20 | 6 | 12 | 8 | 6 |
| 2. ,, Organs of Special Sense | 4 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| 3. ,, Circulatory System | 421 | 1 | 1 | – | – | – | 1 | 2 | 4 | 9 | 7 | 9 | 15 | 12 |
| 4. ,, Respiratory System | 994 | 52 | 51 | 95 | 108 | 41 | 26 | 15 | 27 | 8 | 13 | 6 | 12 | 22 |
| 5. ,, Digestive System | 333 | 24 | 29 | 32 | 45 | 4 | 7 | – | 11 | 6 | 6 | 13 | 8 | 10 |
| 6. ,, Lymphatic System and Ductless Glands | 6 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| 7. ,, Urinary System | 100 | – | – | 1 | 1 | 1 | – | – | 5 | 2 | 5 | 10 | 9 | 4 |
| 8. ,, Reproductive System :— | | | | | | | | | | | | | | |
| (*a*) Diseases of Organs of Generation | 20 | – | – | – | – | – | – | – | – | – | 2 | 2 | 3 | 2 |
| (*b*) Diseases of Parturition | 43 | – | – | – | – | – | – | – | – | – | 2 | 6 | 13 | 8 |
| 9. ,, Organs of Locomotion | 19 | 1 | 1 | – | – | 1 | – | – | 4 | – | 4 | 1 | 2 | – |
| 10. ,, Integumentary System | 14 | 3 | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 138 | 170 | 230 | 225 | 252 | 296 | 283 | 279 | 213 | 131 | 68 | 13 | 2 | – | 1 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 9 | 11 | 19 | 14 | 18 | 20 | 20 | 23 | 15 | 6 | 1 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 5 | 3 | 3 | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 48 | 51 | 38 | 37 | 39 | 37 | 30 | 14 | 12 | 4 | 1 | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 15 | 12 | 34 | 40 | 51 | 28 | 8 | 2 | – | – |
| VI. LOCAL ,, | 55 | 82 | 146 | 151 | 167 | 204 | 212 | 193 | 136 | 66 | 37 | 4 | – | – | – |
| VII. VIOLENCE | 17 | 15 | 18 | 13 | 15 | 13 | 7 | 9 | 5 | 3 | 1 | 1 | – | – | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 4 | 8 | 6 | 8 | 13 | 6 | 2 | 5 | 5 | 1 | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 8 | 9 | 11 | 12 | 15 | 14 | 16 | 17 | 10 | 5 | 1 | – | – | – | – |
| 2. DIARRHŒAL ,, | – | 2 | 3 | – | 1 | 3 | 3 | 5 | 3 | 1 | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | – | – | 5 | 1 | 2 | 3 | 1 | 1 | 2 | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 5 | 3 | 3 | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 48 | 51 | 38 | 37 | 39 | 37 | 30 | 14 | 12 | 4 | 1 | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 15 | 12 | 34 | 40 | 51 | 28 | 8 | 2 | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 7 | 14 | 34 | 30 | 34 | 47 | 55 | 56 | 43 | 16 | 6 | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 10 | 12 | 32 | 22 | 31 | 56 | 51 | 51 | 25 | 18 | 7 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 33 | 40 | 59 | 72 | 68 | 72 | 73 | 68 | 58 | 24 | 19 | 1 | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 9 | 6 | 15 | 11 | 17 | 16 | 20 | 10 | 5 | 2 | 1 | 1 | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 4 | 6 | 5 | 11 | 14 | 11 | 12 | 12 | 10 | 6 | 4 | 1 | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 1 | – | – | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | 1 | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ! |
| ALL CAUSES | 152 | 163 | 175 | 217 | 233 | 295 | 275 | 373 | 273 | 207 | 95 | 34 | 10 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 21 | 18 | 12 | 14 | 19 | 23 | 27 | 35 | 21 | 16 | 8 | 1 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 1 | 2 | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 49 | 50 | 48 | 47 | 37 | 32 | 29 | 33 | 14 | 7 | 2 | – | – | – | – |
| V. DEVELOPMENTAL „ | – | – | – | – | – | 11 | 24 | 61 | 79 | 83 | 45 | 20 | 9 | – | – |
| VI. LOCAL „ | 79 | 85 | 105 | 141 | 158 | 211 | 181 | 240 | 153 | 94 | 39 | 12 | – | – | – |
| VII. VIOLENCE | 1 | 6 | 6 | 6 | 5 | 9 | 6 | 4 | 4 | 5 | – | 1 | 1 | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | 2 | 2 | 7 | 13 | 7 | 7 | – | 2 | 2 | 1 | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 11 | 5 | 5 | 10 | 14 | 19 | 20 | 27 | 12 | 13 | 5 | – | – | – | – |
| 2. DIARRHŒAL „ | 1 | 5 | 4 | 1 | 4 | 2 | 5 | 6 | 7 | 3 | 2 | – | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 8 | 8 | 3 | 3 | 1 | 2 | 2 | 2 | 2 | – | 1 | 1 | – | – | – |
| **II.** | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 1 | 2 | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| **IV.** | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 49 | 50 | 48 | 47 | 37 | 32 | 29 | 33 | 14 | 7 | 2 | – | – | – | – |
| **V.** | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | – | – | – | – | – | 11 | 24 | 61 | 79 | 83 | 45 | 20 | 9 | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 16 | 12 | 25 | 43 | 27 | 55 | 35 | 69 | 44 | 36 | 13 | 3 | – | – | – |
| 2. „ ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 21 | 24 | 24 | 27 | 38 | 44 | 56 | 60 | 41 | 14 | 10 | 1 | – | – | – |
| 4. „ RESPIRATORY SYSTEM | 17 | 23 | 33 | 42 | 60 | 83 | 66 | 88 | 50 | 36 | 13 | 7 | – | – | – |
| 5. „ DIGESTIVE SYSTEM | 11 | 10 | 15 | 18 | 19 | 20 | 11 | 16 | 13 | 4 | 1 | – | – | – | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 6 | 7 | 7 | 10 | 9 | 4 | 8 | 3 | 2 | 4 | 2 | – | – | – | – |
| 8. „ REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 3 | 1 | – | 1 | 2 | 1 | 3 | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 5 | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | – | – | – | – | 1 | 1 | – | 2 | 1 | – | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | – | – | – | – | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 230 | 9 | 3 | 2 | 6 | 7 | 2 | 5 | 9 | 16 | 20 | 17 | 19 | 14 |
| 2. Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 20 | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 306 | 188 | 14 | 19 | 17 | 3 | – | 1 | 2 | – | – | 2 | 2 | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 114 | – | 1 | 30 | 40 | 15 | 5 | 7 | 16 | – | – | – | – | – |
| Epidemic Rose Rash | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 41 | – | – | 2 | 10 | 4 | 7 | 3 | 11 | 3 | 1 | – | – | – |
| Typhus | 9 | – | – | – | 1 | – | – | – | – | 1 | 1 | – | 1 | – |
| Relapsing Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 126 | 4 | – | 6 | – | – | 1 | 1 | 2 | 2 | 3 | 5 | 2 | 2 |
| Hooping-cough | 114 | 9 | 11 | 32 | 39 | 10 | 5 | 4 | 4 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 58 | – | – | 4 | 11 | 8 | 13 | 6 | 12 | 3 | 1 | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Enteric Fever | 78 | 1 | – | – | 2 | 2 | 3 | 1 | 7 | 6 | 13 | 14 | 11 | 4 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | |
| Simple Cholera | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 104 | 21 | 14 | 22 | 16 | 3 | 1 | – | 1 | 1 | 2 | – | – | 2 |
| **Malarial Diseases.** | | | | | | | | | | | | | | |
| Remittent Fever | 2 | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | |
| Syphilis | 19 | 10 | 4 | 1 | 2 | – | – | – | – | – | – | – | 1 | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 27 | 5 | 1 | 1 | – | – | – | – | 1 | – | 1 | 1 | – | 3 |
| Pyæmia, Septicæmia | 5 | – | – | 1 | – | – | – | 1 | 1 | 1 | | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 79 | 12 | 2 | – | 6 | 2 | 2 | 2 | 3 | 1 | 2 | 1 | 2 | – |
| 2. HOMICIDE | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 3. SUICIDE | 12 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 230 | 139 | 14 | 6 | 12 | 2 | 1 | 1 | 4 | 3 | – | – | 3 | 1 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | 129 | 1 | 1 | 12 | 57 | 20 | 10 | 6 | 20 | 1 | – | – | 1 | – |
| Epidemic Rose Rash | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlet Fever | 58 | – | – | 6 | 7 | 6 | 9 | 4 | 16 | 8 | 1 | 1 | – | – |
| Typhus | 7 | – | – | – | – | – | – | – | – | 1 | – | 2 | – | 1 |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 150 | 1 | 1 | – | 2 | – | – | – | 1 | – | 4 | 2 | 6 | 5 |
| Hooping-cough | 151 | 9 | 15 | 36 | 39 | 17 | 15 | 8 | 12 | – | – | – | – | – |
| Mumps | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 68 | 2 | 1 | 4 | 13 | 11 | 13 | 9 | 12 | 2 | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 46 | – | – | – | 1 | 1 | – | 1 | 8 | 3 | 5 | 8 | 5 | 5 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 128 | 22 | 16 | 19 | 19 | 1 | – | 2 | 1 | 1 | – | 2 | 2 | 3 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 6 | 1 | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 26 | 4 | 4 | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – |
| Pyæmia, Septicæmia | 11 | – | 1 | – | – | – | – | – | 1 | 1 | – | 1 | – | 1 |
| Puerperal Fever | 51 | – | – | – | – | – | – | – | – | – | 3 | 5 | 22 | 8 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 14 | 12 | 18 | 10 | 10 | 13 | 7 | 9 | 4 | 2 | – | 1 | – | – | 1 |
| 2. HOMICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 2 | 3 | – | 3 | 5 | – | – | – | 1 | 1 | 1 | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 4 | 8 | 6 | 8 | 13 | 6 | 2 | 5 | 5 | 1 | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 5 | 5 | 7 | 9 | 15 | 9 | 15 | 17 | 10 | 5 | 1 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | 2 | 3 | 2 | – | 3 | 1 | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | 2 | 3 | – | 1 | 3 | 3 | 5 | 3 | 1 | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 5 | – | 2 | 3 | 1 | 1 | 2 | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | 5 | 3 | 3 | 5 | 8 | 5 | 4 | 4 | 5 | – | 1 | 1 | – | – |
| 2. HOMICIDE | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | 1 | 2 | 3 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | 2 | 2 | 7 | 13 | 7 | 7 | – | 2 | 2 | 1 | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 6 | 5 | 3 | 9 | 14 | 16 | 19 | 27 | 11 | 13 | 5 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | – | 2 | 1 | – | 3 | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 1 | 5 | 4 | 1 | 4 | 2 | 5 | 6 | 7 | 3 | 2 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | 2 | 1 | 1 | 2 | 2 | 2 | 1 | – | 1 | 1 | – | – | – |
| Pyæmia, Septicæmia | 1 | 1 | 1 | 2 | – | – | – | – | 1 | – | – | – | – | – | – |
| Puerperal Fever | 6 | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 6 | 5 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Intemp. Chronic Alcoholism | 20 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 3 |
| Intemp. Delirium Tremens | 5 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 7 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – |
| Rheumatism | 14 | – | – | – | – | – | – | – | – | – | 1 | 3 | 1 | 1 |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 4 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| Cancer | 112 | – | – | – | – | – | – | 1 | – | – | 2 | 1 | – | 2 |
| Tabes Mesenterica | 57 | 5 | 2 | 5 | 11 | 6 | 5 | 3 | 10 | 5 | 3 | 1 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 90 | 5 | 4 | 12 | 23 | 8 | 4 | 5 | 18 | 4 | 1 | 2 | – | 2 |
| Phthisis | 447 | 1 | 2 | 7 | 9 | – | – | 2 | 18 | 22 | 42 | 72 | 72 | 35 |
| Other forms of Tuberculosis, Scrofula | 52 | – | 1 | 2 | 5 | 2 | 3 | 1 | 10 | 3 | 8 | 5 | 1 | 3 |
| Purpura, Hæmorrhagic Diathesis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 12 | – | 1 | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – |
| Diabetes Mellitus | 9 | – | – | – | – | – | – | – | – | 1 | 2 | – | 1 | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 139 | 139 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 12 | 11 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 190 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 134 | 10 | 14 | 19 | 23 | 6 | 6 | 6 | 20 | 9 | 5 | 3 | – | 2 |
| Apoplexy | 156 | – | – | – | – | – | – | – | 1 | 2 | – | – | 1 | – |
| Softening of the Brain | 20 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 90 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | 1 |
| Paralysis Agitans | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 22 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 4 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 18 | – | – | – | – | – | – | 1 | 3 | 1 | 1 | – | 1 | 2 |
| Convulsions | 89 | 32 | 19 | 13 | 13 | 2 | 2 | 1 | 6 | – | – | – | – | – |
| Laryngismus Stridulus | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 22 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 |
| Other Diseases of Nervous System | 81 | 7 | 1 | 11 | 13 | 3 | 2 | 3 | 5 | 2 | 2 | 1 | 3 | 3 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES, AGE UNDER | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 9 | – | – | – | – | – | – | – | 1 | 1 | 2 | 2 | 3 | – |
| Rheumatism | 10 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cancer | 201 | – | – | – | – | – | – | – | – | – | – | – | 2 | 7 |
| Tabes Mesenterica | 72 | 7 | 2 | 8 | 11 | 5 | 4 | 2 | 14 | 10 | 5 | 1 | 1 | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 68 | 3 | 1 | 11 | 13 | 7 | 3 | 6 | 21 | 2 | 1 | – | – | – |
| Phthisis | 490 | 2 | – | 2 | 4 | 2 | 3 | 2 | 29 | 31 | 92 | 58 | 71 | 68 |
| Other forms of Tuberculosis, Scrofula | 47 | 1 | – | 3 | 9 | 1 | 3 | – | 7 | 3 | 4 | 3 | 4 | 1 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 22 | – | – | 1 | 1 | – | – | 1 | – | 1 | 2 | 1 | 1 | 1 |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 117 | 114 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 11 | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 10 | 9 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 332 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 127 | 4 | 9 | 15 | 23 | 10 | 4 | 4 | 30 | 13 | 1 | 6 | – | |
| Apoplexy | 202 | – | – | – | – | – | – | – | 2 | 2 | 1 | 1 | 1 | 4 |
| Softening of the Brain | 23 | – | – | – | – | | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 88 | – | 1 | – | – | – | 2 | – | – | 1 | – | 1 | – | – |
| Paralysis Agitans | 5 | – | – | – | – | – | – | – | – | – | – | – | | – |
| Insanity, General Paralysis of Insane | 19 | – | – | – | – | – | – | – | – | – | – | | 4 | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | | | 1 | – |
| Epilepsy | 23 | – | 1 | – | 3 | – | – | – | 1 | 1 | 1 | 3 | 2 | – |
| Convulsions | 71 | 19 | 10 | 14 | 15 | 6 | 1 | – | 4 | | 1 | – | – | – |
| Laryngismus Stridulus | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 5 | 2 | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 14 | – | – | – | – | – | – | – | 1 | – | 2 | – | – | – |
| Other Diseases of Nervous System | 58 | 1 | 2 | 5 | 10 | 2 | – | – | 4 | 2 | – | 1 | – | 2 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 4 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, during the YEAR 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 3 | 3 | 3 | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | 1 | 2 | – | 2 | 1 | – | – | 2 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 4 | 7 | 11 | 13 | 17 | 16 | 18 | 8 | 8 | 4 | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 39 | 40 | 21 | 20 | 16 | 13 | 8 | 6 | 2 | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 1 | – | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | 3 | 1 | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | 2 | 2 | – | 2 | – | – | – | – | 1 | – | – | – | – |
| Diabetes Mellitus | 2 | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 15 | 12 | 34 | 40 | 51 | 28 | 8 | 2 | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | 3 | 1 | 2 | 2 | – | 1 | 1 | 1 | – | – | – | – | – |
| Apoplexy | – | 3 | 9 | 20 | 12 | 20 | 31 | 10 | 16 | 7 | 4 | – | – | – | – |
| Softening of the Brain | 1 | 1 | 3 | – | 2 | – | – | 4 | 8 | – | 1 | – | – | – | – |
| Hemiplegia, Brain Paralysis | 2 | 3 | 6 | 2 | 7 | 14 | 16 | 16 | 13 | 6 | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 2 | 3 | 3 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 3 | – | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | 1 | 4 | 2 | 3 | 3 | – | 1 | 3 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | 6 | 1 | 3 | 6 | 4 | 2 | 1 | – | 1 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | 1 | 1 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | 1 | – | – | 1 | – | 2 | 2 | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 7 | 15 | 21 | 32 | 21 | 21 | 26 | 29 | 13 | 6 | 1 | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 37 | 32 | 24 | 13 | 11 | 6 | – | 2 | 1 | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 2 | 1 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 3 | 1 | 2 | 1 | 3 | 2 | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 11 | 24 | 61 | 79 | 83 | 45 | 20 | 9 | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | 1 | – | – | – | 3 | 1 | – | 2 | – | – | – | – | – | – |
| Apoplexy | 7 | 6 | 9 | 16 | 16 | 27 | 13 | 42 | 24 | 21 | 8 | 2 | – | – | – |
| Softening of the Brain | 1 | – | – | – | 2 | 8 | 2 | 2 | 2 | 6 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 2 | 2 | 6 | 10 | 6 | 14 | 11 | 11 | 9 | 7 | 4 | 1 | – | – | – |
| Paralysis Agitans | – | – | – | 1 | – | – | – | 3 | 1 | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | 1 | 1 | 6 | – | – | 2 | 3 | 1 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | 1 | 3 | 1 | – | 2 | 2 | – | – | – | – | – | – | – |
| Convulsions | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | 1 | 2 | 2 | – | 3 | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | 1 | 6 | 5 | – | 3 | 1 | 5 | 4 | 2 | 1 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 314 | – | – | – | 1 | 1 | – | 1 | 1 | 6 | 7 | 7 | 9 | 7 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Angina Pectoris | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 13 | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | 1 |
| Aneurism | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 9 | 2 | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 9 | – | – | 1 | 3 | – | 2 | – | – | – | – | – | – | – |
| Croup | 41 | 2 | 1 | 5 | 9 | 8 | 9 | 1 | 4 | 1 | 1 | – | – | – |
| Other Diseases of Larynx and Trachea | 3 | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 15 | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Bronchitis | 550 | 58 | 37 | 58 | 37 | 12 | 3 | 2 | 4 | 2 | 2 | – | 1 | 3 |
| Pneumonia | 378 | 20 | 18 | 33 | 40 | 12 | 10 | 3 | 8 | 3 | 11 | 15 | 16 | 14 |
| Pleurisy | 32 | – | – | – | – | – | – | 1 | 1 | – | 2 | 2 | 2 | 3 |
| Other Diseases of Respiratory System | 74 | 9 | 6 | 11 | 8 | 4 | 1 | – | 3 | 2 | 1 | – | 2 | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 3 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Dentition | 30 | – | 5 | 14 | 11 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 8 | 1 | – | 1 | 1 | 1 | – | – | 1 | 1 | 1 | – | – | – |
| Dyspepsia | 7 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 50 | 9 | 8 | 3 | 1 | 1 | – | 1 | 1 | – | 2 | 1 | 1 | 1 |
| Enteritis | 78 | 13 | 18 | 10 | 12 | 3 | 1 | 3 | 2 | 5 | 2 | – | – | – |
| Ulceration of Intestine | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 14 | – | 1 | 1 | – | – | – | – | 2 | 1 | 2 | 1 | – | – |
| Stricture or Strangulation of Intestine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 4 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Hernia | 6 | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Fistula | 2 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Peritonitis | 30 | 1 | 2 | 1 | – | – | – | – | 3 | – | 7 | 1 | – | 3 |
| Ascites | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 41 | 11 | – | 3 | 1 | 1 | – | – | – | – | – | 1 | – | – |
| Other Diseases of Digestive System | 10 | 2 | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Lymphatics | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 24 | 1 | 1 | – | 1 | 1 | – | – | 1 | 1 | 1 | – | 2 | 1 |
| Bright's Disease | 37 | – | – | – | – | – | – | – | – | – | 3 | 1 | 2 | 1 |
| Uræmia | 6 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Suppression of Urine | 4 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hæmaturia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 31 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 17 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 358 | – | – | – | – | – | 1 | – | 2 | 8 | 7 | 8 | 15 | 10 |
| Pericarditis | 3 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Hypertrophy of Heart | 12 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Angina Pectoris | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 12 | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Phlebitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 13 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 14 | – | 1 | 4 | 4 | 1 | – | 2 | 1 | 1 | – | – | – | – |
| Croup | 58 | 3 | 1 | 5 | 15 | 6 | 11 | 5 | 12 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Emphysema, Asthma | 10 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 |
| Bronchitis | 551 | 28 | 33 | 43 | 43 | 15 | 5 | 3 | 4 | 2 | 4 | – | 2 | 8 |
| Pneumonia | 282 | 10 | 14 | 35 | 40 | 18 | 8 | 4 | 6 | 2 | 6 | 4 | 9 | 11 |
| Pleurisy | 16 | 1 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 |
| Other Diseases of Respiratory System | 62 | 10 | 2 | 8 | 6 | 1 | 2 | 1 | 3 | 2 | 2 | – | – | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dentition | 33 | – | 3 | 11 | 17 | 2 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 5 | – | 3 | – | 2 | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 5 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Melæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 55 | 4 | 6 | 2 | 7 | – | – | – | – | – | – | 3 | 2 | 3 |
| Enteritis | 83 | 7 | 14 | 16 | 17 | 2 | 4 | – | 5 | 3 | 1 | 2 | 1 | 2 |
| Ulceration of Intestine | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ileus, Obstruction of Intestines | 13 | – | 1 | – | – | – | – | – | 1 | – | – | – | 2 | – |
| Stricture or Strangulation of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hernia | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 37 | 2 | 1 | 1 | 1 | – | 1 | – | 5 | 3 | 3 | 6 | 2 | 2 |
| Ascites | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Gallstones | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 11 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Liver | 50 | 8 | – | 1 | – | – | 2 | – | – | – | 1 | 1 | – | – |
| Other Diseases of Digestive System | 12 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Lymphatics | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 26 | – | – | 1 | 1 | 1 | – | – | 3 | 1 | 2 | 1 | 1 | 1 |
| Bright's Disease | 51 | – | – | – | – | – | – | – | 1 | 1 | 3 | 6 | 5 | – |
| Uræmia | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Suppression of Urine | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 7 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Other Diseases of Urinary System | 11 | – | – | – | – | – | – | – | 1 | – | – | 2 | – | 3 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 7 | 11 | 28 | 18 | 26 | 51 | 42 | 46 | 23 | 15 | 7 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Syncope | 2 | 1 | 1 | – | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Aneurism | – | – | 3 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 1 | 4 | – | 1 | 3 | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | 2 | 1 | – | 1 | 2 | 4 | – | – | – | – | – | – | – | – |
| Bronchitis | 3 | 12 | 22 | 43 | 48 | 48 | 44 | 47 | 32 | 19 | 12 | 1 | – | – | – |
| Pneumonia | 14 | 23 | 31 | 25 | 14 | 16 | 18 | 11 | 15 | 3 | 5 | – | – | – | – |
| Pleurisy | 3 | 2 | 2 | 1 | 1 | 3 | 5 | 2 | 1 | – | 1 | – | – | – | – |
| Other Diseases of Respiratory System | – | 1 | 3 | 3 | 4 | 3 | 2 | 2 | 5 | 2 | 1 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 2 | 1 | 1 | 1 | 6 | 3 | 3 | 1 | 1 | – | 1 | 1 | – | – | – |
| Enteritis | 1 | 1 | 4 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 1 | – | – | – | – | 1 | 2 | – | 2 | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | 1 | 3 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Gallstones | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | 1 | 4 | 1 | 1 | 1 | 3 | 3 | – | – | – | – | – | – | – |
| Other Diseases of Liver | 2 | – | 1 | 3 | 3 | 6 | 5 | 3 | 1 | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | 2 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | 2 | – | 2 | 3 | 3 | 2 | – | 1 | 1 | – | – | – | – | – |
| Bright's Disease | – | 6 | 3 | 3 | 4 | 4 | 2 | 3 | 4 | 1 | – | – | – | – | – |
| Uræmia | – | – | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | 1 | – | 5 | 3 | 5 | 5 | 4 | 4 | 3 | 1 | – | – | – |
| Other Diseases of Urinary System | 4 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 19 | 22 | 22 | 23 | 35 | 38 | 48 | 47 | 35 | 10 | 8 | – | – | – | – |
| Pericarditis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | 1 | 1 | 3 | 3 | – | 2 | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – |
| Syncope | – | – | – | 1 | 1 | 1 | 3 | 2 | – | – | – | 1 | – | – | – |
| Aneurism | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 2 | 1 | 3 | 3 | 2 | 1 | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Phlebitis | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | 1 | 2 | – | 2 | – | 3 | 2 | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | 1 | 1 | – | 2 | – | 1 | – | – | 1 | – | – | – | – |
| Bronchitis | 5 | 7 | 17 | 25 | 44 | 59 | 49 | 68 | 42 | 28 | 11 | 6 | – | – | – |
| Pneumonia | 10 | 15 | 11 | 14 | 15 | 16 | 13 | 11 | 6 | 2 | 1 | 1 | – | – | – |
| Pleurisy | – | – | 3 | 1 | – | 3 | 1 | 2 | – | 1 | – | – | – | – | – |
| Other Diseases of Respiratory System | 1 | 1 | 1 | 1 | 1 | 3 | 3 | 6 | 2 | 5 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 2 | 5 | 4 | 4 | 1 | 6 | 1 | 2 | 3 | – | – | – | – | – | – |
| Enteritis | 2 | – | – | – | 2 | – | – | 1 | 4 | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 1 | – | 3 | – | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | 3 | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | 1 | 2 | 1 | – | – | 2 | 2 | 2 | – | – | – | – | – |
| Ascites | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 2 | 1 | 3 | 4 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 4 | 2 | 3 | 4 | 6 | 5 | 6 | 5 | 1 | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | – | 2 | 1 | 3 | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | 3 | – | 2 | 4 | 1 | – | 1 | – | – | 1 | – | – | – | – |
| Bright's Disease | 3 | – | 5 | 7 | 5 | 3 | 8 | 1 | 1 | 2 | – | – | – | – | – |
| Uræmia | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 2 | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Other Diseases of Urinary System | 1 | 1 | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c | 4 | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 8 | – | – | – | – | – | – | – | 1 | – | 2 | 2 | 1 | 1 |
| Arthritis, Ostitis, Periostitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 10 | – | – | – | – | – | – | – | – | 1 | 2 | 3 | 1 | 1 |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 6 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 6 | – | – | 2 | 2 | – | – | 1 | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 30 | – | – | – | – | – | – | – | – | 2 | 3 | 3 | 4 | 3 |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 36 | – | – | – | – | – | – | – | 2 | 4 | 4 | 4 | 7 | 1 |
| Vehicles and Horses: Vehicles other than R'ys | 8 | – | – | – | 1 | 2 | – | – | – | – | – | 2 | 1 | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 6 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Building Operations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Weapons and Implements | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scald | 18 | – | – | 2 | 1 | 4 | 1 | 3 | 2 | 3 | – | – | – | – |
| Burns and Scalds: Explosions | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Poisons, Poisonous Vapours | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Drowning | 44 | – | – | – | 2 | 1 | – | 1 | 4 | 5 | 6 | 3 | 3 | 1 |
| Suffocation: In Bed | 8 | 5 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 4 | 2 | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Falls | 22 | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 | 2 |
| Weather Agencies | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 41 | 2 | – | – | 2 | – | – | 1 | 1 | – | 5 | 2 | 3 | 5 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 20 | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | 14 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Debility, Atrophy, Inanition | 245 | 174 | 10 | 18 | 17 | 3 | – | 1 | 1 | – | – | 1 | 1 | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 33 | 12 | 2 | 1 | – | – | – | – | – | – | – | 1 | 1 | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 10 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 1 |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 7 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 11 | – | – | – | – | – | – | – | – | – | 2 | 2 | 5 | – |
| Placenta Prævia, Flooding | 11 | – | – | – | – | – | – | – | – | – | – | 1 | 4 | 4 |
| Phlegmasia Dolens | 3 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Other Accidents of Childbirth | 14 | – | – | – | – | – | – | – | – | – | – | – | 4 | 2 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 11 | – | – | – | – | 1 | – | – | 3 | – | 4 | 1 | 1 | – |
| Arthritis, Ostitis, Periostitis | 5 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Organs of Locomotion | 3 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pemphigus | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 15 | – | – | – | 2 | 2 | 1 | 1 | 2 | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 5 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Drowning | 8 | – | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – |
| Suffocation: In Bed | 10 | 9 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 2 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Otherwise, or Not Stated | 24 | 1 | – | – | 2 | – | – | 1 | – | 1 | 1 | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Suicide | 12 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 17 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Debility, Atrophy, Inanition | 169 | 122 | 11 | 5 | 12 | 1 | 1 | 1 | 2 | 1 | – | – | 1 | – |
| Mortification | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 7 | 3 | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Hæmorrhage | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Other ill-defined and not specified Causes | 31 | 12 | 2 | – | – | 1 | – | – | 2 | 1 | – | – | 1 | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Eczema | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 4 | 4 | 2 | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | 2 | 8 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Drowning | 3 | 2 | 4 | 3 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | 1 |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | 1 | 1 | 1 | 6 | 2 | 1 | 1 | 2 | – | 1 | – | – | – |
| Weather Agencies | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Otherwise, or Not Stated | 3 | 2 | 1 | 1 | 3 | 3 | – | 5 | 2 | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | 3 | – | 3 | 5 | – | – | – | 1 | 1 | 1 | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | 1 | – | 1 | 1 | 4 | 1 | 3 | 2 | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 1 | 2 | 1 | 4 | 10 | 1 | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | 2 | 1 | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 2 | 3 | 4 | 2 | 1 | – | 1 | 1 | 2 | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 9 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | | – | – |
| Diseases of Uterus and Vagina | 1 | – | – | – | 1 | 1 | 2 | – | – | – | – | – | | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | | – | – |
| Pelvic Abscess | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 3 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | 1 | 1 | – | – | 1 | 2 | – | 1 | 1 | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | 1 | – | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | 1 | 1 | – | 2 | 3 | 1 | 3 | 2 | 3 | – | 1 | 1 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | 1 | 2 | 3 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 1 | 1 | – | 1 | 2 | 4 | 4 | – | – | 2 | 1 | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | 2 | 3 | 7 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | 1 | – | 1 | 4 | 1 | 3 | – | 2 | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 8414 | 968 | 382 | 564 | 562 | 241 | 137 | 96 | 282 | 171 | 250 | 264 | 246 | 203 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1259 | 105 | 84 | 172 | 190 | 88 | 56 | 35 | 85 | 29 | 41 | 24 | 27 | 16 |
| II. PARASITIC DISEASES | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 37 | 3 | 2 | – | – | – | – | – | – | – | – | – | 1 | 3 |
| IV. CONSTITUTIONAL ,, | 1285 | 16 | 31 | 62 | 57 | 43 | 24 | 13 | 60 | 57 | 115 | 127 | 96 | 78 |
| V. DEVELOPMENTAL ,, | 665 | 312 | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 4371 | 287 | 217 | 294 | 289 | 97 | 50 | 45 | 117 | 56 | 68 | 66 | 84 | 81 |
| VII. VIOLENCE | 433 | 20 | 4 | 5 | 8 | 11 | 6 | 3 | 17 | 28 | 25 | 46 | 35 | 23 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 362 | 224 | 41 | 29 | 16 | 2 | 1 | – | 3 | 1 | 1 | 1 | 3 | 2 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 962 | 40 | 42 | 124 | 162 | 81 | 54 | 34 | 82 | 25 | 38 | 22 | 22 | 14 |
| 2. DIARRHŒAL ,, | 227 | 48 | 38 | 44 | 28 | 7 | 2 | 1 | 1 | – | 2 | 2 | 1 | 1 |
| 3. MALARIAL ,, | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 15 | 8 | 3 | – | – | – | – | – | – | – | – | – | – | 1 |
| 6. SEPTIC ,, | 53 | 9 | 1 | 4 | – | – | – | – | 2 | 4 | 1 | – | 4 | – |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 37 | 3 | 2 | – | – | – | – | – | – | – | – | – | 1 | 3 |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 1285 | 16 | 31 | 62 | 57 | 43 | 24 | 13 | 60 | 57 | 115 | 127 | 96 | 78 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 665 | 312 | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 1026 | 58 | 46 | 64 | 51 | 15 | 10 | 13 | 41 | 19 | 15 | 17 | 16 | 18 |
| 2. ,, ORGANS OF SPECIAL SENSE | 12 | 2 | 1 | 2 | 1 | – | – | – | 1 | 1 | 1 | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 708 | 9 | 3 | – | 2 | – | 1 | – | 5 | 9 | 6 | 10 | 12 | 11 |
| 4. ,, RESPIRATORY SYSTEM | 1705 | 115 | 104 | 156 | 185 | 63 | 28 | 22 | 45 | 7 | 20 | 23 | 29 | 34 |
| 5. ,, DIGESTIVE SYSTEM | 604 | 94 | 59 | 65 | 45 | 15 | 5 | 5 | 15 | 10 | 20 | 5 | 14 | 6 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 6 | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| 7. ,, URINARY SYSTEM | 247 | 2 | 2 | 1 | 1 | 4 | 5 | 5 | 7 | 6 | 3 | 5 | 9 | 8 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 43 | 1 | – | 3 | 2 | – | 1 | – | 3 | 4 | 3 | 5 | 3 | 3 |
| 10. ,, INTEGUMENTARY SYSTEM | 18 | 3 | 2 | 2 | 2 | – | – | – | – | – | – | – | 1 | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 8705 | 732 | 290 | 462 | 530 | 227 | 146 | 102 | 323 | 214 | 287 | 247 | 301 | 261 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1455 | 94 | 73 | 159 | 225 | 92 | 58 | 44 | 117 | 30 | 38 | 41 | 56 | 45 |
| II. PARASITIC DISEASES | 3 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 24 | 3 | 2 | 1 | – | – | 1 | – | – | – | – | – | 1 | 1 |
| IV. CONSTITUTIONAL ,, | 1498 | 7 | 29 | 31 | 54 | 38 | 17 | 16 | 80 | 107 | 164 | 124 | 133 | 99 |
| V. DEVELOPMENTAL ,, | 808 | 224 | 4 | – | 1 | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 4431 | 201 | 146 | 252 | 230 | 88 | 63 | 39 | 109 | 69 | 77 | 76 | 105 | 109 |
| VII. VIOLENCE | 168 | 20 | 4 | 3 | 7 | 3 | 7 | 2 | 13 | 3 | 4 | 6 | 3 | 5 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 318 | 182 | 32 | 15 | 13 | 5 | – | 1 | 4 | 5 | 4 | – | 3 | 2 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 1019 | 34 | 37 | 111 | 191 | 81 | 52 | 42 | 111 | 27 | 27 | 15 | 21 | 19 |
| 2. DIARRHŒAL ,, | 263 | 46 | 30 | 43 | 31 | 10 | 6 | 2 | 4 | 1 | 3 | 3 | 2 | 5 |
| 3. MALARIAL ,, | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 16 | 5 | 5 | – | – | – | – | – | – | – | – | – | 1 | – |
| 6. SEPTIC ,, | 156 | 9 | 1 | 5 | 3 | 1 | – | – | 1 | 2 | 8 | 23 | 32 | 21 |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 3 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 24 | 3 | 2 | 1 | – | – | 1 | – | – | – | – | – | 1 | 1 |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 1498 | 7 | 29 | 31 | 54 | 38 | 17 | 16 | 80 | 107 | 164 | 124 | 133 | 99 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 808 | 224 | 4 | – | 1 | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 940 | 44 | 39 | 50 | 44 | 21 | 17 | 12 | 33 | 16 | 14 | 19 | 14 | 18 |
| 2. ,, ORGANS OF SPECIAL SENSE | 7 | 1 | – | 1 | 1 | – | – | 2 | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 841 | 6 | 1 | 1 | 1 | – | 1 | 1 | 9 | 20 | 17 | 13 | 21 | 19 |
| 4. ,, RESPIRATORY SYSTEM | 1640 | 77 | 64 | 149 | 133 | 53 | 36 | 17 | 42 | 18 | 18 | 15 | 24 | 18 |
| 5. ,, DIGESTIVE SYSTEM | 669 | 68 | 41 | 50 | 48 | 11 | 6 | 5 | 18 | 7 | 15 | 13 | 17 | 22 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 16 | – | – | – | 1 | – | – | – | – | – | – | – | 2 | 2 |
| 7. ,, URINARY SYSTEM | 152 | 1 | 1 | – | 1 | 2 | 1 | – | 2 | 3 | 3 | 7 | 12 | 6 |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 35 | – | – | – | – | – | 1 | – | – | – | – | 1 | 6 | 3 |
| (*b*) DISEASES OF PARTURITION | 65 | – | – | – | – | – | – | – | – | – | 4 | 6 | 7 | 19 |
| 9. ,, ORGANS OF LOCOMOTION | 33 | – | – | 1 | – | 1 | – | 2 | 4 | 5 | 5 | 2 | 2 | 2 |
| 10. ,, INTEGUMENTARY SYSTEM | 33 | 4 | – | – | 1 | – | 1 | – | 1 | – | 1 | – | – | |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 248 | 248 | 278 | 356 | 410 | 488 | 498 | 511 | 472 | 340 | 137 | 49 | 7 | 5 | 1 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 22 | 18 | 23 | 24 | 22 | 45 | 49 | 41 | 37 | 21 | 4 | 1 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 7 | 1 | 5 | 3 | 5 | 4 | 2 | – | 1 | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 72 | 72 | 62 | 58 | 74 | 46 | 45 | 37 | 28 | 6 | 6 | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 10 | 29 | 55 | 69 | 97 | 56 | 25 | 3 | 3 | – |
| VI. LOCAL ,, | 119 | 129 | 163 | 241 | 269 | 363 | 356 | 360 | 321 | 203 | 68 | 23 | 3 | 2 | – |
| VII. VIOLENCE | 28 | 24 | 24 | 23 | 30 | 15 | 12 | 17 | 11 | 13 | 3 | – | 1 | – | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | 4 | 1 | 7 | 10 | 5 | 5 | 1 | 5 | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 18 | 12 | 18 | 16 | 18 | 35 | 35 | 29 | 25 | 14 | 1 | 1 | – | – | – |
| 2. DIARRHŒAL ,, | 2 | 3 | 2 | 4 | 1 | 7 | 8 | 10 | 8 | 5 | 2 | – | – | – | – |
| 3. MALARIAL ,, | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 2 | 3 | 2 | 4 | 3 | 2 | 5 | – | 4 | 2 | 1 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 7 | 1 | 5 | 3 | 5 | 4 | 2 | – | 1 | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 72 | 72 | 62 | 58 | 74 | 46 | 45 | 37 | 28 | 6 | 6 | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 10 | 29 | 55 | 69 | 97 | 56 | 25 | 3 | 3 | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 31 | 24 | 34 | 49 | 72 | 80 | 95 | 92 | 78 | 61 | 17 | 10 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 17 | 35 | 42 | 52 | 49 | 95 | 75 | 102 | 99 | 50 | 16 | 5 | 2 | 1 | – |
| 4. ,, RESPIRATORY SYSTEM | 40 | 42 | 55 | 87 | 102 | 130 | 131 | 112 | 86 | 59 | 26 | 4 | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 14 | 13 | 18 | 36 | 25 | 35 | 31 | 21 | 31 | 15 | 6 | 1 | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 15 | 10 | 11 | 13 | 18 | 21 | 23 | 29 | 25 | 17 | 2 | 3 | 1 | 1 | – |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 1 | 3 | 2 | 2 | 3 | 1 | – | 2 | 1 | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | 1 | 1 | – | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES - - - - | 252 | 263 | 252 | 307 | 377 | 474 | 521 | 648 | 622 | 481 | 270 | 100 | 16 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 36 | 38 | 26 | 17 | 26 | 23 | 40 | 60 | 57 | 37 | 17 | 6 | – | – | – |
| II. PARASITIC DISEASES - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, - | 2 | 3 | 1 | 3 | – | 3 | – | 3 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, - | 88 | 71 | 58 | 62 | 73 | 77 | 64 | 49 | 31 | 15 | 8 | 3 | – | – | – |
| V. DEVELOPMENTAL ,, - | – | – | – | – | – | 22 | 27 | 80 | 112 | 156 | 119 | 51 | 12 | – | – |
| VI. LOCAL ,, - | 119 | 139 | 156 | 208 | 259 | 333 | 379 | 440 | 414 | 264 | 117 | 37 | 2 | – | – |
| VII. VIOLENCE - - - - | 5 | 8 | 5 | 9 | 4 | 10 | 8 | 10 | 6 | 9 | 9 | 3 | 2 | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 2 | 4 | 6 | 8 | 15 | 6 | 3 | 6 | 2 | – | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - - | 17 | 22 | 19 | 13 | 17 | 16 | 25 | 43 | 42 | 23 | 10 | 4 | – | – | – |
| 2. DIARRHŒAL ,, - - - | 6 | 6 | 2 | 2 | 5 | 5 | 12 | 12 | 11 | 11 | 5 | – | – | – | – |
| 3. MALARIAL ,, - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, - - - | 1 | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, - - - | 12 | 10 | 4 | – | 4 | 1 | 3 | 5 | 4 | 3 | 2 | 2 | – | – | – |
| **II.** PARASITIC DISEASES - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES - - - | 2 | 3 | 1 | 3 | – | 3 | – | 3 | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES - - | 88 | 71 | 58 | 62 | 73 | 77 | 64 | 49 | 31 | 15 | 8 | 3 | – | – | – |
| **V.** DEVELOPMENTAL DISEASES - - | – | – | – | – | – | 22 | 27 | 80 | 112 | 156 | 119 | 51 | 12 | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 17 | 15 | 28 | 42 | 53 | 77 | 86 | 92 | 101 | 56 | 26 | 6 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE - - - | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM - | 22 | 26 | 36 | 57 | 58 | 79 | 107 | 110 | 125 | 72 | 31 | 7 | 1 | – | – |
| 4. ,, RESPIRATORY SYSTEM - | 28 | 44 | 44 | 70 | 82 | 114 | 135 | 160 | 129 | 98 | 53 | 19 | – | – | – |
| 5. ,, DIGESTIVE SYSTEM - | 22 | 23 | 34 | 26 | 38 | 44 | 33 | 54 | 41 | 25 | 4 | 3 | 1 | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - - | 1 | 1 | 1 | 1 | 4 | 1 | 2 | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM- - | 10 | 12 | 9 | 9 | 16 | 14 | 8 | 15 | 11 | 6 | 2 | 1 | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION - | 2 | 5 | 2 | 3 | 3 | – | 1 | 5 | 1 | 2 | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION - - - - | 15 | 13 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION - - - | – | – | – | – | 1 | 1 | 2 | 2 | 1 | 2 | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM - - - | 2 | – | 1 | – | 3 | 3 | 5 | 1 | 5 | 3 | 1 | 1 | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 395 | 20 | 4 | 5 | 8 | 11 | 5 | 3 | 17 | 28 | 24 | 39 | 33 | 20 |
| 2. HOMICIDE | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 3. SUICIDE | 37 | – | – | – | – | – | – | – | – | – | 1 | 7 | 2 | 3 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 362 | 224 | 41 | 29 | 16 | 2 | 1 | – | 3 | 1 | 1 | 1 | 3 | 2 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 222 | 2 | 4 | 56 | 72 | 37 | 16 | 11 | 20 | 1 | – | 1 | 1 | – |
| Epidemic Rose Rash | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 68 | 3 | 2 | 6 | 6 | 9 | 7 | 7 | 17 | 7 | 3 | – | 1 | – |
| Typhus | 15 | – | – | – | – | – | – | – | – | – | 5 | – | 1 | 2 |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 241 | 8 | 3 | 7 | 3 | – | 1 | 1 | 3 | 2 | 6 | 6 | 10 | 6 |
| Hooping-cough | 225 | 23 | 31 | 49 | 64 | 26 | 16 | 4 | 12 | – | – | – | – | – |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diphtheria | 73 | 3 | 1 | 5 | 16 | 9 | 10 | 11 | 13 | 1 | 3 | 1 | – | – |
| Cerebro-spinal Fever | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Enteric Fever | 108 | – | – | – | 1 | – | 4 | – | 17 | 14 | 20 | 14 | 9 | 5 |
| Other Miasmatic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 17 | 1 | 2 | 6 | 5 | – | – | – | 1 | – | – | – | – | – |
| Diarrhœa, Dysentery | 210 | 47 | 36 | 38 | 23 | 7 | 2 | 1 | – | – | 2 | 2 | 1 | 1 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 12 | 8 | 3 | – | – | – | – | – | – | – | – | – | – | 1 |
| Gonorrhœa, Stricture of Urethra | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 34 | 8 | 1 | 4 | – | – | – | – | 1 | 2 | – | – | 3 | – |
| Pyæmia, Septicæmia | 19 | 1 | – | – | – | – | – | – | 1 | 2 | 1 | – | 1 | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH | FEMALES | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 148 | 17 | 3 | 3 | 7 | 3 | 7 | 2 | 13 | 3 | 3 | 4 | 2 | 3 |
| 2. HOMICIDE | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 16 | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 2 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 318 | 182 | 32 | 15 | 13 | 5 | – | 1 | 4 | 5 | 4 | – | 3 | 2 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox—Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox—Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox—No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 176 | – | 7 | 26 | 72 | 22 | 17 | 6 | 21 | 2 | 1 | – | 1 | 1 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 66 | – | 1 | 5 | 8 | 13 | 6 | 7 | 17 | 5 | – | 1 | 1 | 2 |
| Typhus | 10 | – | – | – | – | – | – | – | – | – | – | – | 3 | 2 |
| Relapsing Fever | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Influenza | 272 | 3 | 2 | 3 | 4 | – | 2 | 2 | 4 | 5 | 8 | 7 | 5 | 8 |
| Hooping-cough | 300 | 30 | 26 | 67 | 86 | 32 | 13 | 13 | 27 | 1 | – | – | 2 | 1 |
| Mumps | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Diphtheria | 97 | – | 1 | 9 | 19 | 12 | 12 | 11 | 28 | – | 2 | – | – | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Enteric Fever | 91 | 1 | – | – | 1 | 2 | – | 3 | 13 | 14 | 16 | 7 | 9 | 4 |
| Other Miasmatic Diseases | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 8 | 3 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 255 | 43 | 27 | 42 | 30 | 10 | 6 | 2 | 4 | 1 | 3 | 3 | 2 | 5 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 16 | 5 | 5 | – | – | – | – | – | – | – | – | – | 1 | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 34 | 9 | – | 4 | – | 1 | – | – | – | 1 | 1 | – | – | – |
| Pyæmia, Septicæmia | 30 | – | 1 | 1 | 3 | – | – | – | 1 | 1 | 3 | 4 | 1 | 1 |
| Puerperal Fever | 91 | – | – | – | – | – | – | – | – | – | 4 | 19 | 31 | 20 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 26 | 19 | 21 | 22 | 25 | 12 | 10 | 16 | 11 | 11 | 3 | – | 1 | – | 1 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 2 | 5 | 3 | 1 | 5 | 3 | 2 | 1 | – | 2 | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | 4 | 1 | 7 | 10 | 5 | 5 | 1 | 5 | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 9 | 4 | 12 | 14 | 14 | 33 | 34 | 27 | 23 | 13 | 1 | 1 | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Enteric Fever | 5 | 5 | 4 | 2 | 2 | 2 | 1 | 1 | 2 | – | – | – | – | – | – |
| Other Miasmatic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 2 | 2 | 2 | 3 | 1 | 7 | 8 | 10 | 8 | 5 | 2 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | 1 | 2 | 1 | – | 5 | – | 2 | 1 | 1 | – | – | – | – |
| Pyæmia, Septicæmia | 1 | 2 | 1 | 2 | 2 | 2 | – | – | 2 | 1 | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 4 | 6 | 4 | 7 | 2 | 8 | 8 | 10 | 6 | 9 | 9 | 3 | 2 | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | 2 | 1 | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 4 | 6 | 8 | 15 | 6 | 3 | 6 | 2 | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 10 | 15 | 13 | 10 | 14 | 15 | 24 | 42 | 39 | 23 | 10 | 4 | – | – | – |
| Hooping-cough | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Enteric Fever | 4 | 6 | 4 | 3 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 6 | 6 | 2 | 2 | 5 | 5 | 12 | 12 | 11 | 11 | 5 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 1 | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Erysipelas | – | 3 | 2 | – | 1 | 1 | 1 | 3 | 2 | 2 | 1 | 2 | – | – | – |
| Pyæmia, Septicæmia | 2 | – | 2 | – | 3 | – | 2 | 2 | 2 | 1 | – | – | – | – | – |
| Puerperal Fever | 10 | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 7 | 3 | 2 | – | – | – | – | – | – | – | – | – | 1 | |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 23 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | |
| Intemp. { Delirium Tremens | 7 | – | – | – | – | – | – | – | – | – | – | – | – | |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 25 | – | – | – | – | – | – | 1 | – | 3 | 3 | 4 | 2 | 1 |
| Rheumatism | 16 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – |
| Gout | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Cancer | 198 | – | – | – | – | – | – | – | – | – | 2 | 1 | 2 | 1 |
| Tabes Mesenterica | 98 | 5 | 6 | 19 | 19 | 9 | 6 | 3 | 14 | 11 | 3 | 1 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 137 | 5 | 16 | 29 | 22 | 19 | 12 | 4 | 19 | 5 | 6 | – | – | – |
| Phthisis | 682 | – | 4 | 3 | 8 | 6 | 1 | 3 | 17 | 32 | 87 | 111 | 84 | 73 |
| Other forms of Tuberculosis, Scrofula | 82 | 2 | 4 | 9 | 7 | 5 | 2 | 2 | 6 | 3 | 12 | 8 | 8 | 3 |
| Purpura, Hæmorrhagic Diathesis | 7 | – | – | – | – | 1 | 3 | – | – | 2 | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 25 | 3 | 1 | 2 | – | 2 | – | – | 3 | – | 1 | 1 | – | – |
| Diabetes Mellitus | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Constitutional Diseases | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 250 | 248 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 14 | 14 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 12 | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 12 | 10 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 27 | 26 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 347 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 157 | 6 | 15 | 15 | 16 | 5 | 7 | 10 | 13 | 8 | 6 | 3 | 3 | 2 |
| Apoplexy | 285 | – | – | 1 | 1 | 1 | – | – | – | 1 | 2 | 3 | 3 | 2 |
| Softening of the Brain | 52 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Hemiplegia, Brain Paralysis | 163 | – | – | – | 1 | 1 | – | – | 1 | 1 | – | 2 | – | 3 |
| Paralysis Agitans | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 43 | – | – | – | – | 1 | – | – | – | 1 | 1 | – | 3 | 6 |
| Chorea | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Epilepsy | 42 | 1 | – | 1 | 2 | – | 1 | – | 2 | 1 | 3 | 2 | 4 | 2 |
| Convulsions | 104 | 41 | 21 | 18 | 17 | 3 | 1 | 1 | 2 | – | – | – | – | – |
| Laryngismus Stridulus | 4 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Idiopathic Tetanus | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 42 | – | – | – | 1 | – | – | – | – | 2 | 2 | 2 | 1 | 1 |
| Other Diseases of Nervous System | 124 | 6 | 5 | 18 | 13 | 4 | 1 | 1 | 7 | 4 | – | 4 | 2 | 2 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 14 | 1 | 1 | 2 | 1 | – | – | – | 1 | 1 | 1 | – | – | – |
| Epistaxis and Disease of Nose | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 7 | 3 | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 12 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Intemp. { Delirium Tremens | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 24 | – | – | – | – | – | – | – | 4 | 4 | 2 | 4 | 3 | 1 |
| Rheumatism | 28 | – | – | – | – | – | – | – | 1 | 3 | 3 | 2 | – | 1 |
| Gout | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 4 | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Cancer | 316 | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 1 | 4 |
| Tabes Mesenterica | 96 | 5 | 10 | 6 | 19 | 16 | 4 | 5 | 15 | 8 | 6 | 1 | 1 | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 113 | – | 10 | 19 | 21 | 12 | 8 | 3 | 20 | 12 | 4 | 1 | 3 | – |
| Phthisis | 773 | – | 2 | 3 | 6 | 6 | 3 | 3 | 30 | 68 | 134 | 103 | 114 | 87 |
| Other forms of Tuberculosis, Scrofula | 75 | 2 | 3 | 2 | 4 | 4 | 2 | 4 | 9 | 8 | 9 | 7 | 7 | 1 |
| Purpura, Hæmorrhagic Diathesis | 6 | – | 3 | – | – | – | – | 1 | – | – | 2 | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 47 | – | – | – | 3 | – | – | – | – | 2 | 3 | 3 | 4 | 4 |
| Diabetes Mellitus | 12 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 172 | 171 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 13 | 12 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 22 | 20 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 17 | 17 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 579 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 161 | 6 | 16 | 28 | 15 | 11 | 15 | 8 | 19 | 10 | 8 | 9 | 3 | 2 |
| Apoplexy | 297 | – | – | 1 | 1 | – | 1 | 1 | – | – | 1 | 7 | 1 | 4 |
| Softening of the Brain | 40 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 173 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 |
| Paralysis Agitans | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 24 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 4 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 37 | 1 | – | – | 2 | – | – | – | 4 | 2 | 3 | 1 | 5 | 3 |
| Convulsions | 84 | 31 | 17 | 12 | 13 | 3 | 1 | 3 | 3 | 1 | – | – | – | – |
| Laryngismus Stridulus | 9 | 1 | 1 | 2 | 3 | 1 | – | – | 1 | – | – | – | – | – |
| Idiopathic Tetanus | 4 | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 20 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Other Diseases of Nervous System | 87 | 4 | 4 | 7 | 8 | 6 | – | 1 | 5 | 3 | 1 | 1 | 2 | 3 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 5 | – | – | – | 1 | – | – | 2 | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 4 | 1 | 4 | 3 | 4 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Intemp. Delirium Tremens | 3 | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | 1 | 1 | – | 1 | 2 | 2 | 2 | 1 | – | – | – | – | – | – |
| Rheumatism | – | 2 | – | – | 1 | 2 | – | 2 | 6 | – | – | – | – | – | – |
| Gout | – | – | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 3 | 11 | 14 | 25 | 38 | 17 | 32 | 23 | 18 | 5 | 6 | – | – | – | – |
| Tabes Mesenterica | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 63 | 54 | 42 | 30 | 25 | 20 | 9 | 7 | 2 | 1 | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 2 | 2 | 1 | 1 | 2 | – | 1 | 2 | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | 1 | 2 | – | 4 | 3 | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | 1 | 1 | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 10 | 29 | 55 | 69 | 97 | 56 | 25 | 3 | 3 | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 3 | 3 | 2 | 1 | 5 | 3 | 2 | – | – | – | – | – | – | – | – |
| Apoplexy | 5 | 3 | 9 | 19 | 37 | 32 | 46 | 39 | 39 | 24 | 11 | 7 | – | – | – |
| Softening of the Brain | 1 | – | 2 | 4 | 4 | 9 | 8 | 9 | 7 | 4 | 2 | – | – | – | – |
| Hemiplegia, Brain Paralysis | 3 | 2 | 3 | 10 | 10 | 16 | 24 | 28 | 24 | 28 | 3 | 3 | – | – | – |
| Paralysis Agitans | – | – | – | 1 | – | 1 | – | 3 | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 9 | 6 | 5 | 4 | 4 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | 2 | 3 | 1 | 1 | 4 | 2 | 3 | 2 | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | 3 | 3 | 4 | 6 | 5 | 6 | 2 | 3 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 5 | 5 | 7 | 5 | 5 | 9 | 7 | 7 | 3 | 3 | 1 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | 1 | 3 | – | 2 | – | 2 | – | 3 | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | 2 | – | 2 | – | – | – | 1 | 1 | – | – | – | – | – |
| Rheumatism | – | 3 | – | – | – | 3 | 3 | 2 | 4 | 2 | – | 1 | – | – | – |
| Gout | – | – | – | 1 | – | – | – | – | 1 | – | 1 | 1 | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 4 | 21 | 26 | 35 | 44 | 51 | 40 | 35 | 22 | 12 | 5 | 3 | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | – | 73 | 39 | 26 | 21 | 20 | 18 | 8 | 5 | 2 | 1 | 1 | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | 2 | 5 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | 6 | 3 | 3 | 3 | 4 | 3 | 3 | 1 | 2 | – | – | – | – | – |
| Diabetes Mellitus | – | – | 1 | 1 | – | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | 22 | 27 | 80 | 112 | 156 | 119 | 51 | 12 | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | 1 | 2 | – | 2 | 4 | – | 1 | – | – | – | – | – | – | – |
| Apoplexy | 7 | 4 | 11 | 25 | 19 | 38 | 43 | 51 | 44 | 25 | 11 | 3 | – | – | – |
| Softening of the Brain | – | 1 | – | 1 | 5 | 4 | 6 | 5 | 11 | 5 | 1 | 1 | – | – | – |
| Hemiplegia, Brain Paralysis | 4 | 2 | 6 | 7 | 18 | 20 | 18 | 27 | 37 | 20 | 10 | 1 | – | – | – |
| Paralysis Agitans | – | 1 | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | 3 | 1 | 2 | 2 | 3 | 3 | – | 1 | 2 | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | 1 | 2 | 1 | – | – | 5 | 3 | 1 | 1 | – | 1 | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | 2 | 1 | 4 | 1 | 1 | 3 | 2 | 2 | 1 | – | – | – | – | – |
| Other Diseases of Nervous System | 3 | – | 5 | 2 | 5 | 7 | 8 | 2 | 4 | 2 | 4 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 597 | 1 | – | – | 1 | – | 1 | – | 4 | 9 | 6 | 10 | 11 | 9 |
| Pericarditis | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hypertrophy of Heart | 22 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 25 | 7 | 3 | – | – | – | – | – | 1 | – | – | – | – | – |
| Aneurism | 11 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Senile Gangrene | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 18 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 26 | 1 | 1 | 5 | 7 | 4 | 1 | 2 | 3 | – | – | – | – | 1 |
| Croup | 78 | 1 | 1 | 8 | 24 | 17 | 5 | 9 | 13 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Emphysema, Asthma | 32 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Bronchitis | 800 | 78 | 66 | 86 | 75 | 16 | 9 | 2 | 5 | 4 | 2 | 3 | 3 | 5 |
| Pneumonia | 570 | 24 | 24 | 45 | 64 | 21 | 11 | 5 | 20 | 3 | 11 | 13 | 19 | 23 |
| Pleurisy | 54 | – | 1 | 1 | 4 | – | 1 | 1 | 3 | – | 4 | 4 | 4 | 2 |
| Other Diseases of Respiratory System | 141 | 11 | 11 | 11 | 11 | 5 | 1 | 3 | 1 | – | 3 | 3 | 1 | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 9 | 5 | – | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Dentition | 49 | – | 9 | 23 | 15 | 2 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 7 | 1 | – | 2 | – | – | – | – | 2 | – | – | – | 1 | – |
| Dyspepsia | 10 | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 109 | 20 | 8 | 4 | 4 | 3 | 3 | 3 | 2 | 1 | 4 | – | 1 | – |
| Enteritis | 151 | 38 | 31 | 25 | 21 | 4 | – | 1 | 4 | 2 | 2 | 1 | 1 | 1 |
| Ulceration of Intestine | 7 | – | 1 | – | – | 1 | – | – | – | – | 1 | – | 1 | – |
| Ileus, Obstruction of Intestine | 35 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | 1 | – | – | – |
| Stricture or Strangulation of Intestine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 10 | 2 | 1 | 2 | – | 1 | – | – | 1 | 1 | – | – | – | 1 |
| Hernia | 9 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Peritonitis | 70 | 2 | 5 | 3 | 2 | 2 | 1 | – | 5 | 5 | 11 | 2 | 5 | 1 |
| Ascites | 4 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gallstones | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 28 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 |
| Other Diseases of Liver | 87 | 17 | 1 | 2 | – | – | – | – | – | 1 | 1 | 2 | 4 | 1 |
| Other Diseases of Digestive System | 8 | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 5 | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 43 | 1 | 1 | – | 1 | 1 | 2 | 4 | 3 | 2 | – | – | 1 | 2 |
| Bright's Disease | 80 | – | – | 1 | – | 2 | 3 | – | 3 | 2 | 1 | 4 | 4 | 4 |
| Uræmia | 15 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Suppression of Urine | 3 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Calculus | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 71 | – | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – |
| Other Diseases of Urinary System | 28 | – | – | – | – | – | – | – | – | 2 | 1 | 1 | 2 | 1 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 702 | – | – | 1 | 1 | – | 1 | – | 6 | 18 | 14 | 13 | 17 | 16 |
| Pericarditis | 8 | – | – | – | – | – | – | 1 | 1 | 1 | 2 | – | – | – |
| Hypertrophy of Heart | 22 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 1 |
| Angina Pectoris | 18 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Syncope | 22 | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Aneurism | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Senile Gangrene | 29 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 8 | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 25 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 18 | 1 | – | 2 | 3 | 2 | 3 | – | 3 | – | – | – | – | 1 |
| Croup | 80 | – | 2 | 18 | 11 | 19 | 13 | 8 | 7 | 1 | – | – | – | 1 |
| Other Diseases of Larynx and Trachea | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 18 | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Bronchitis | 927 | 54 | 40 | 82 | 46 | 10 | 3 | 2 | 12 | 3 | 2 | 3 | 9 | 7 |
| Pneumonia | 440 | 12 | 21 | 37 | 61 | 19 | 13 | 5 | 17 | 10 | 11 | 9 | 9 | 8 |
| Pleurisy | 30 | – | – | – | – | 1 | – | – | 2 | 1 | 4 | 3 | – | – |
| Other Diseases of Respiratory System | 124 | 8 | 1 | 10 | 12 | 2 | 4 | 2 | 1 | 3 | 1 | – | 5 | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 6 | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Dentition | 37 | – | 1 | 16 | 19 | 1 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 13 | 1 | 3 | – | 3 | – | 1 | 1 | 1 | 1 | – | – | – | – |
| Dyspepsia | 16 | 6 | 1 | 1 | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Hæmatemesis | 11 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Melæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 136 | 9 | 12 | 4 | 5 | 3 | 2 | – | 4 | – | 2 | 2 | 3 | 3 |
| Enteritis | 133 | 29 | 20 | 21 | 15 | 4 | 2 | 1 | 2 | 1 | 1 | 3 | 2 | 2 |
| Ulceration of Intestine | 6 | – | – | – | – | – | – | – | 1 | – | – | – | – | 2 |
| Ileus, Obstruction of Intestines | 42 | 1 | 1 | 1 | 1 | – | 1 | 2 | – | 1 | 1 | 2 | 3 | 2 |
| Stricture or Strangulation of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 7 | – | 1 | 2 | 1 | – | – | – | – | – | 1 | – | – | – |
| Hernia | 14 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Peritonitis | 91 | 1 | 1 | – | – | 1 | – | – | 8 | 4 | 8 | 4 | 8 | 9 |
| Ascites | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 23 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Liver | 97 | 16 | – | 1 | 2 | – | – | 1 | 1 | – | 1 | – | 1 | 2 |
| Other Diseases of Digestive System | 22 | 4 | – | 2 | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Thyroid Body | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Diseases of Suprarenal Capsules | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 30 | – | – | – | 1 | 1 | – | – | 1 | – | – | 1 | 1 | 4 |
| Bright's Disease | 75 | – | – | – | – | – | 1 | – | – | 2 | 3 | 6 | 10 | 1 |
| Uræmia | 13 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Suppression of Urine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Urinary System | 23 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 13 | 30 | 38 | 45 | 37 | 75 | 67 | 90 | 90 | 41 | 12 | 4 | 2 | 1 | – |
| Pericarditis | 1 | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | 2 | 1 | 1 | 4 | 4 | – | 2 | 2 | 3 | 2 | – | – | – | – |
| Angina Pectoris | – | 1 | 1 | 1 | 2 | 4 | 1 | 1 | 1 | – | – | – | – | – | – |
| Syncope | 1 | – | 1 | 3 | 2 | 3 | – | 1 | 1 | 1 | 1 | – | – | – | – |
| Aneurism | – | 1 | 1 | 2 | 2 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 2 | 4 | 2 | 1 | 1 | 1 | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | 1 | – | – | 1 | 4 | 2 | 3 | 2 | 3 | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | 1 | 4 | 3 | 3 | 7 | 5 | 3 | 4 | 1 | – | – | – | – | – |
| Bronchitis | 8 | 10 | 18 | 38 | 46 | 68 | 82 | 77 | 50 | 32 | 13 | 4 | – | – | – |
| Pneumonia | 27 | 26 | 25 | 33 | 37 | 41 | 34 | 23 | 21 | 16 | 4 | – | – | – | – |
| Pleurisy | 3 | 2 | 3 | 7 | 4 | 2 | 3 | 2 | 1 | 2 | – | – | – | – | – |
| Other Diseases of Respiratory System | 2 | 3 | 5 | 6 | 12 | 11 | 6 | 7 | 10 | 7 | 9 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Melæna | – | 1 | – | – | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 3 | 3 | 3 | 4 | 5 | 8 | 6 | 5 | 10 | 4 | 5 | – | – | – | – |
| Ulceration of Intestine | 3 | 2 | 2 | 1 | 2 | 3 | 2 | 3 | 1 | 1 | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | 1 | 1 | 2 | 6 | 1 | 6 | 3 | 1 | 4 | – | – | 1 | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | 3 | – | 1 | 3 | – | – | 1 | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | 2 | 1 | 2 | 4 | 3 | 3 | 4 | 2 | 4 | 1 | – | – | – | – | – |
| Gallstones | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 2 | 1 | 2 | 6 | 5 | 6 | 2 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Digestive System | 3 | 3 | 6 | 10 | 3 | 6 | 7 | 8 | 4 | 7 | 1 | – | – | – | – |
| | – | – | – | 1 | 2 | – | – | – | 3 | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 4 | 1 | 1 | 4 | 2 | 3 | 3 | 3 | 2 | 1 | – | 1 | – | – | – |
| Bright's Disease | 6 | 5 | 4 | 7 | 8 | 9 | 8 | 6 | 1 | 1 | 1 | – | – | – | – |
| Uræmia | 2 | 1 | 2 | 1 | – | 1 | 1 | 2 | 1 | 2 | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Hæmaturia | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 1 | 2 | – | 3 | 5 | 9 | 16 | 17 | 10 | 1 | 2 | 1 | 1 | – |
| Other Diseases of Urinary System | 3 | 2 | 1 | 1 | 4 | 3 | 2 | 1 | 3 | 1 | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 19 | 25 | 33 | 46 | 51 | 61 | 98 | 88 | 110 | 57 | 21 | 5 | 1 | – | – |
| Pericarditis | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Hypertrophy of Heart | – | 1 | 1 | 3 | – | 1 | – | 6 | 3 | 1 | 1 | 1 | – | – | – |
| Angina Pectoris | 2 | – | – | 2 | 3 | 1 | 1 | 1 | 2 | 2 | 2 | – | – | – | – |
| Syncope | 1 | – | 1 | 3 | – | 4 | 2 | 4 | – | 3 | – | – | – | – | – |
| Aneurism | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 2 | 3 | 6 | 7 | 7 | 4 | – | – | – | – |
| Embolism, Thrombosis | – | – | 1 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | 1 | 2 | 8 | 2 | 3 | 3 | 1 | 2 | 1 | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Emphysema, Asthma | – | – | 2 | 3 | 1 | 1 | 3 | 1 | 2 | 2 | – | – | – | – | – |
| Bronchitis | 9 | 20 | 24 | 41 | 56 | 81 | 88 | 119 | 93 | 60 | 43 | 11 | – | – | – |
| Pneumonia | 15 | 19 | 14 | 19 | 18 | 25 | 28 | 21 | 21 | 17 | 7 | 4 | – | – | – |
| Pleurisy | 2 | 5 | 2 | – | 3 | – | 3 | 1 | – | 3 | – | – | – | – | – |
| Other Diseases of Respiratory System | 1 | – | 1 | 7 | 3 | 7 | 13 | 17 | 12 | 7 | 2 | 4 | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Dyspepsia | – | – | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | 2 | 2 | 2 | – | 2 | 1 | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Stomach | 4 | 6 | 7 | 5 | 5 | 9 | 9 | 15 | 15 | 10 | 1 | 1 | – | – | – |
| Enteritis | 2 | 5 | 4 | 1 | 3 | 5 | – | 4 | 3 | 3 | – | – | – | – | – |
| Ulceration of Intestine | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 2 | 1 | – | 3 | 2 | 2 | 6 | 4 | 5 | 1 | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hernia | – | 1 | 1 | – | 1 | 3 | 2 | 2 | 2 | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 6 | 3 | 7 | 1 | 4 | 4 | 3 | 9 | 5 | 3 | 1 | 1 | – | – | – |
| Ascites | 1 | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Gallstones | – | – | – | 1 | 2 | – | – | 2 | – | 1 | – | – | – | – | – |
| Cirrhosis of Liver | – | 1 | 4 | 2 | 6 | 4 | – | 4 | 1 | – | – | – | – | – | – |
| Other Diseases of Liver | 3 | 4 | 5 | 8 | 10 | 12 | 10 | 8 | 5 | 4 | 1 | 1 | 1 | – | – |
| Other Diseases of Digestive System | 1 | 1 | 3 | 3 | – | – | 1 | 3 | 2 | – | 1 | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | 3 | 1 | – | 2 | 3 | 2 | 4 | 2 | 2 | – | – | – | – | – |
| Bright's Disease | 7 | 3 | 7 | 5 | 12 | 5 | 1 | 6 | 4 | 2 | – | – | – | – | – |
| Uræmia | 1 | 1 | – | 2 | 1 | – | 2 | – | 2 | 1 | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | 1 | 1 | 1 | 2 | 1 | – | – | 1 | – | – | – |
| Other Diseases of Urinary System | – | 5 | 1 | 2 | – | 5 | 1 | 3 | 1 | 1 | 1 | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 19 | – | – | 1 | 1 | – | – | – | 2 | 1 | 2 | 3 | 1 | 3 |
| Arthritis, Ostitis, Periostitis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 20 | 1 | – | 2 | 1 | – | 1 | – | 1 | 3 | 1 | 2 | 2 | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 5 | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 3 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Pemphigus | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 33 | – | – | – | – | – | – | – | – | 3 | 4 | 5 | 4 | 3 |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Vehicles and Horses: Railways | 41 | – | – | – | – | 1 | 1 | – | 1 | 1 | 2 | 6 | 6 | 6 |
| Vehicles and Horses: Vehicles other than R'wys. | 13 | – | – | – | – | – | – | – | 1 | 1 | 2 | 1 | – | – |
| Vehicles and Horses: Horses | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 4 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Building Operations | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 4 | – | – | – | – | – | – | – | – | 1 | 2 | – | 1 | – |
| Weapons and Implements | 5 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 23 | – | – | 3 | 1 | 4 | 2 | 1 | 3 | 2 | 2 | – | – | – |
| Burns and Scalds: Explosions | 4 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Poisons, Poisonous Vapours | 14 | 1 | – | – | 1 | 3 | – | – | – | – | – | 1 | – | – |
| Drowning | 112 | – | – | – | 3 | 1 | 1 | 1 | 5 | 13 | 8 | 15 | 11 | 4 |
| Suffocation: In Bed | 20 | 16 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 10 | – | – | – | 1 | 1 | – | – | 1 | – | 1 | 1 | 1 | 2 |
| Falls | 28 | – | – | – | 2 | – | – | – | 2 | – | – | 3 | 2 | – |
| Weather Agencies | 15 | – | – | 1 | – | – | – | – | – | 1 | – | 1 | – | – |
| Otherwise, or Not Stated | 64 | 3 | – | 1 | – | 1 | 1 | 1 | 4 | 3 | 2 | 5 | 5 | 4 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Suicide | 87 | – | – | – | – | – | – | – | – | – | 1 | 7 | 2 | 3 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | 6 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Debility, Atrophy, Inanition | 288 | 201 | 38 | 25 | 12 | 1 | 1 | – | 2 | 1 | – | – | – | 1 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 5 | 2 | – | 1 | – | – | – | – | 1 | – | – | 1 | – | – |
| Hæmorrhage | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 56 | 19 | 3 | 3 | 3 | – | – | – | – | – | 1 | – | 2 | 1 |

DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. *(Continued).*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Uterus and Vagina | 24 | – | – | – | – | – | 1 | – | – | – | – | 1 | 3 | 3 |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 6 |
| Puerperal Mania | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Puerperal Convulsions | 15 | – | – | – | – | – | – | – | – | – | 3 | 2 | 3 | 2 |
| Placenta Prævia, Flooding | 13 | – | – | – | – | – | – | – | – | – | – | 2 | – | 1 |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 29 | – | – | – | – | – | – | – | – | – | 1 | 1 | 4 | 10 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 13 | – | – | 1 | – | – | – | – | 2 | 1 | 4 | 2 | 1 | 1 |
| Arthritis, Ostitis, Periostitis | 7 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 |
| Other Diseases of Organs of Locomotion | 13 | – | – | – | – | 1 | – | 2 | 1 | 3 | 1 | – | 1 | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 7 | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Lupus | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 12 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Eczema | 3 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'ways | 6 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Burns and Scalds: Conflagrations | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 27 | – | – | 1 | 4 | 1 | 4 | – | 5 | 1 | 1 | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 8 | – | – | – | – | – | 2 | – | 1 | – | 1 | 1 | – | 1 |
| Suffocation: In Bed | 17 | 13 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 5 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Falls | 15 | – | – | – | 1 | 1 | 1 | – | 2 | – | – | – | – | – |
| Weather Agencies | 3 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Otherwise, or Not Stated | 54 | 2 | – | 1 | 1 | – | – | – | 3 | 2 | 1 | 1 | 1 | 1 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 16 | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 2 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Debility, Atrophy, Inanition | 247 | 161 | 25 | 14 | 10 | 5 | – | 1 | 4 | 3 | 3 | – | 1 | 2 |
| Mortification | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Hæmorrhage | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 50 | 19 | 7 | 1 | 3 | – | – | – | – | 2 | – | – | 1 | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | 1 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | 1 | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 4 | 5 | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 3 | – | 4 | 1 | 2 | 1 | 3 | 1 | 2 | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | 3 | 1 | – | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | 1 | – | – | – | – | – | – | 1 | 2 | 1 | – | – | – | – |
| Burns and Scalds: Explosions | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | 1 | 2 | – | 2 | – | – | 2 | – | – | – | – | – | – | – |
| Drowning | 9 | 7 | 7 | 10 | 6 | 3 | 1 | 3 | 2 | 1 | – | – | – | – | 1 |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | 2 | 1 | 2 | 1 | 3 | 4 | 1 | – | 2 | 1 | 1 | – | 1 | – | – |
| Weather Agencies | 1 | 1 | 3 | 2 | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Otherwise, or Not Stated | 3 | – | 1 | 2 | 6 | 2 | 4 | 5 | 3 | 7 | 1 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | 5 | 3 | 1 | 5 | 3 | 2 | 1 | – | 2 | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | 1 | 5 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | 3 | – | 4 | 3 | 4 | 5 | 1 | 4 | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | 1 | 2 | – | – | 1 | 3 | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 2 | 5 | 1 | 1 | 2 | – | – | 2 | 1 | 2 | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 7 | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Lupus | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | 2 | 2 | – | 4 | 2 | – | 1 | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | 1 | – | 2 | – | 1 | – | 1 | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | 2 | – | – | – | – | 2 | – | 1 | 3 | 1 | 1 | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | 1 | – | 1 | – | 1 | 1 | 1 | 2 | 1 | 1 | – | – |
| Weather Agencies | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 1 | 1 | 1 | 5 | 2 | 2 | 5 | 8 | 3 | 5 | 6 | 1 | 1 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | 2 | 1 | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | 1 | – | – | – | 1 | 4 | 1 | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 1 | 1 | 2 | 7 | 7 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Tumour | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | – | 3 | – | 5 | 3 | 2 | 2 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 8604 | 922 | 283 | 374 | 321 | 151 | 105 | 81 | 250 | 191 | 239 | 299 | 222 | 209 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1034 | 81 | 52 | 80 | 95 | 52 | 32 | 29 | 79 | 35 | 27 | 34 | 16 | 16 |
| II. PARASITIC DISEASES | 2 | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| III. DIETETIC ,, | 13 | 8 | 1 | – | – | 1 | – | – | – | – | – | – | 4 | – |
| IV. CONSTITUTIONAL ,, | 1205 | 19 | 12 | 36 | 31 | 21 | 14 | 12 | 51 | 58 | 103 | 118 | 92 | 80 |
| V. DEVELOPMENTAL ,, | 947 | 258 | 7 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 4417 | 290 | 175 | 238 | 176 | 64 | 49 | 33 | 105 | 64 | 62 | 92 | 69 | 68 |
| VII. VIOLENCE | 548 | 19 | 7 | 5 | 8 | 8 | 10 | 7 | 11 | 23 | 41 | 50 | 36 | 42 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 408 | 247 | 28 | 13 | 10 | 5 | – | – | 4 | 5 | 6 | 5 | 5 | 3 |
| **I.** | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 812 | 34 | 29 | 61 | 72 | 48 | 30 | 28 | 76 | 30 | 24 | 27 | 13 | 12 |
| 2. DIARRHŒAL ,, | 154 | 27 | 20 | 17 | 20 | 4 | 2 | 1 | 2 | 3 | 1 | 4 | 2 | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 15 | 7 | 1 | – | 1 | – | – | – | – | 1 | – | 1 | – | – |
| 6. SEPTIC ,, | 52 | 13 | 2 | 2 | 1 | – | – | – | 1 | 1 | 2 | 2 | 1 | 4 |
| **II.** | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 2 | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| **III.** | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 13 | 8 | 1 | – | – | 1 | – | – | – | – | – | – | 4 | – |
| **IV.** | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 1205 | 19 | 12 | 36 | 31 | 21 | 14 | 12 | 51 | 58 | 103 | 118 | 92 | 80 |
| **V.** | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 947 | 258 | 7 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| **VI.** | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 935 | 62 | 34 | 38 | 37 | 13 | 11 | 8 | 30 | 20 | 8 | 11 | 13 | 11 |
| 2. ,, ORGANS OF SPECIAL SENSE | 14 | – | 1 | 2 | 1 | – | – | 1 | 2 | 1 | 2 | 2 | – | – |
| 3. ,, CIRCULATORY SYSTEM | 886 | 5 | – | – | 1 | – | – | 1 | 1 | 10 | 8 | 13 | 8 | 16 |
| 4. ,, RESPIRATORY SYSTEM | 1623 | 151 | 96 | 144 | 109 | 38 | 30 | 15 | 43 | 13 | 21 | 28 | 16 | 17 |
| 5. ,, DIGESTIVE SYSTEM | 600 | 69 | 40 | 52 | 24 | 8 | 5 | 6 | 21 | 10 | 13 | 19 | 11 | 16 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 6 | – | – | – | – | 1 | – | – | – | – | – | – | 2 | – |
| 7. ,, URINARY SYSTEM | 281 | 3 | 3 | 1 | 3 | 3 | 1 | 1 | 5 | 4 | 4 | 10 | 12 | 5 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 51 | – | – | 1 | 1 | 1 | 2 | 1 | 3 | 6 | 6 | 8 | 5 | 2 |
| 10. ,, INTEGUMENTARY SYSTEM | 20 | – | 1 | – | – | – | – | – | – | – | – | – | 2 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 8786 | 577 | 193 | 318 | 321 | 157 | 104 | 78 | 246 | 182 | 225 | 280 | 242 | 274 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1166 | 48 | 40 | 78 | 110 | 62 | 31 | 24 | 85 | 30 | 28 | 48 | 47 | 48 |
| II. PARASITIC DISEASES | 3 | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| III. DIETETIC „ | 19 | 4 | 4 | 2 | – | – | – | – | – | – | – | – | 1 | – |
| IV. CONSTITUTIONAL „ | 1490 | 9 | 12 | 30 | 34 | 21 | 15 | 17 | 49 | 82 | 124 | 136 | 111 | 100 |
| V. DEVELOPMENTAL „ | 1215 | 134 | 6 | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| VI. LOCAL „ | 4375 | 185 | 99 | 185 | 160 | 67 | 46 | 32 | 100 | 66 | 66 | 87 | 78 | 118 |
| VII. VIOLENCE | 145 | 10 | 9 | 2 | 4 | 3 | 8 | 2 | 3 | 2 | 4 | 5 | 3 | 6 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 373 | 185 | 23 | 19 | 12 | 4 | 4 | 3 | 7 | 2 | 3 | 4 | 2 | 2 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 857 | 24 | 25 | 57 | 91 | 57 | 30 | 24 | 80 | 27 | 25 | 23 | 20 | 22 |
| 2. DIARRHŒAL „ | 174 | 16 | 13 | 16 | 15 | 5 | 1 | – | 5 | 2 | 3 | 1 | 1 | 8 |
| 3. MALARIAL „ | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 7 | 3 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 126 | 5 | 1 | 4 | 1 | – | – | – | – | 1 | – | 24 | 26 | 18 |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 3 | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 19 | 4 | 4 | 2 | – | – | – | – | – | – | – | – | 1 | – |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 1490 | 9 | 12 | 30 | 34 | 21 | 15 | 17 | 49 | 82 | 124 | 136 | 111 | 100 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 1215 | 134 | 6 | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 993 | 44 | 26 | 31 | 40 | 15 | 8 | 9 | 32 | 20 | 13 | 13 | 9 | 19 |
| 2. „ ORGANS OF SPECIAL SENSE | 5 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 910 | 5 | – | – | – | 1 | 1 | – | 8 | 6 | 12 | 8 | 10 | 25 |
| 4. „ RESPIRATORY SYSTEM | 1524 | 97 | 54 | 101 | 89 | 35 | 28 | 16 | 31 | 18 | 17 | 17 | 16 | 18 |
| 5. „ DIGESTIVE SYSTEM | 599 | 37 | 16 | 48 | 26 | 13 | 5 | 5 | 17 | 15 | 13 | 30 | 17 | 19 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 10 | – | – | – | – | – | – | – | 1 | – | – | 1 | 2 | 1 |
| 7. „ URINARY SYSTEM | 153 | 1 | 1 | 3 | 3 | 2 | 1 | 1 | 4 | 1 | 4 | 6 | 6 | 9 |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 45 | – | – | – | – | – | – | – | – | 1 | 1 | 5 | 4 | 4 |
| (*b*) DISEASES OF PARTURITION | 65 | – | – | – | – | – | – | – | – | – | 2 | 6 | 13 | 20 |
| 9. „ ORGANS OF LOCOMOTION | 40 | – | – | 1 | 1 | – | 2 | – | 6 | 5 | 4 | 1 | 1 | 1 |
| 10. „ INTEGUMENTARY SYSTEM | 31 | 1 | 2 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | 2 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 201 | 218 | 276 | 328 | 398 | 507 | 639 | 691 | 658 | 594 | 302 | 114 | 27 | 3 | 1 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 17 | 17 | 28 | 29 | 38 | 48 | 43 | 52 | 64 | 47 | 16 | 6 | 1 | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 2 | 7 | 4 | 7 | 7 | – | 1 | 1 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 61 | 45 | 65 | 48 | 71 | 62 | 82 | 69 | 28 | 19 | 8 | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 16 | 26 | 83 | 107 | 195 | 153 | 74 | 23 | 2 | – |
| VI. LOCAL ,, | 82 | 111 | 140 | 191 | 240 | 347 | 446 | 456 | 436 | 323 | 123 | 33 | 3 | 1 | 1 |
| VII. VIOLENCE | 37 | 32 | 35 | 47 | 32 | 27 | 23 | 19 | 11 | 10 | 1 | 1 | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 6 | 4 | 6 | 10 | 7 | 18 | 11 | 12 | – | 1 | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 12 | 11 | 25 | 21 | 34 | 38 | 35 | 43 | 53 | 38 | 13 | 4 | 1 | – | – |
| 2. DIARRHŒAL ,, | 1 | 3 | 2 | 5 | 3 | 4 | 5 | 8 | 10 | 6 | 2 | 2 | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – |
| 6. SEPTIC ,, | 4 | 3 | 1 | 2 | 1 | 5 | 2 | 1 | 1 | 3 | – | – | – | – | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 2 | 7 | 4 | 7 | 7 | – | 1 | 1 | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 61 | 45 | 65 | 48 | 71 | 62 | 82 | 69 | 28 | 19 | 8 | – | – | – | – |
| **V.** DEVELOPMENTAL DISEASES | – | – | – | – | – | 16 | 26 | 83 | 107 | 195 | 153 | 74 | 23 | 2 | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 15 | 25 | 31 | 41 | 53 | 63 | 88 | 111 | 94 | 80 | 28 | 9 | 1 | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 18 | 26 | 29 | 50 | 52 | 102 | 127 | 140 | 140 | 100 | 30 | 8 | – | 1 | – |
| 4. ,, RESPIRATORY SYSTEM | 28 | 37 | 45 | 61 | 91 | 106 | 139 | 132 | 121 | 88 | 40 | 12 | 2 | – | – |
| 5. ,, DIGESTIVE SYSTEM | 15 | 14 | 22 | 27 | 26 | 47 | 45 | 31 | 37 | 30 | 10 | 2 | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 4 | 7 | 9 | 9 | 14 | 26 | 39 | 38 | 40 | 25 | 13 | 2 | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 2 | 1 | 2 | – | 2 | 1 | 3 | 2 | 2 | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | 1 | 1 | 2 | 2 | 1 | 4 | 2 | 1 | – | 2 | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER: | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 266 | 226 | 217 | 271 | 356 | 543 | 609 | 818 | 834 | 739 | 475 | 179 | 45 | 11 | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 43 | 28 | 18 | 26 | 41 | 49 | 63 | 83 | 70 | 35 | 27 | 4 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 81 | 74 | 67 | 78 | 76 | 97 | 83 | 78 | 60 | 40 | 12 | 3 | 1 | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 25 | 36 | 106 | 189 | 288 | 263 | 122 | 31 | 11 | – |
| VI. LOCAL ,, | 127 | 115 | 120 | 154 | 217 | 352 | 396 | 530 | 485 | 363 | 166 | 49 | 12 | – | – |
| VII. VIOLENCE | 7 | 6 | 5 | 3 | 7 | 9 | 9 | 5 | 14 | 11 | 7 | – | 1 | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 7 | 2 | 6 | 9 | 14 | 10 | 21 | 16 | 15 | 2 | – | 1 | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 21 | 18 | 12 | 20 | 28 | 32 | 48 | 64 | 60 | 32 | 16 | 1 | – | – | – |
| 2. DIARRHŒAL ,, | 5 | 3 | 5 | 5 | 9 | 13 | 11 | 13 | 9 | 3 | 9 | 3 | – | – | – |
| 3. MIASMAL ,, | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 17 | 6 | 1 | 1 | 4 | 4 | 4 | 6 | 1 | – | 2 | – | – | – | – |
| II. | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 1 | 1 | 1 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| IV. | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 81 | 74 | 67 | 78 | 76 | 97 | 83 | 78 | 60 | 40 | 12 | 3 | 1 | – | – |
| V. | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | – | – | – | – | – | 25 | 36 | 106 | 189 | 288 | 263 | 122 | 31 | 11 | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 15 | 24 | 22 | 34 | 50 | 86 | 81 | 100 | 141 | 100 | 45 | 10 | 6 | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 31 | 27 | 29 | 46 | 68 | 108 | 104 | 157 | 118 | 92 | 41 | 12 | 1 | – | – |
| 4. ,, RESPIRATORY SYSTEM | 22 | 24 | 32 | 40 | 58 | 81 | 134 | 189 | 180 | 139 | 63 | 21 | 4 | – | – |
| 5. ,, DIGESTIVE SYSTEM | 28 | 17 | 16 | 22 | 29 | 53 | 51 | 57 | 25 | 22 | 14 | 3 | 1 | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 13 | 9 | 11 | 8 | 7 | 13 | 10 | 18 | 12 | 6 | 1 | 3 | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 3 | 2 | 4 | 3 | 2 | 5 | 3 | 1 | 5 | 2 | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 11 | 10 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 1 | 1 | 1 | 1 | 2 | 4 | 5 | 1 | – | – | 2 | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 2 | 1 | 1 | – | 1 | 1 | 6 | 6 | 3 | 1 | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 509 | 19 | 7 | 5 | 8 | 8 | 10 | 7 | 11 | 28 | 40 | 47 | 34 | 40 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 39 | – | – | – | – | – | – | – | – | – | 1 | 3 | 2 | 2 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 408 | 247 | 28 | 13 | 10 | 5 | – | – | 4 | 5 | 6 | 5 | 5 | 3 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | 87 | 1 | 2 | 19 | 21 | 17 | 7 | 3 | 14 | – | 1 | 1 | – | – |
| Epidemic Rose Rash | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlet Fever | 59 | 1 | – | 2 | 6 | 11 | 9 | 5 | 15 | 5 | 2 | 2 | – | – |
| Typhus | 2 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 369 | 6 | 3 | 5 | 4 | 1 | 1 | 2 | 4 | 5 | 3 | 13 | 4 | 9 |
| Hooping-cough | 144 | 22 | 22 | 32 | 36 | 12 | 7 | 6 | 7 | – | – | – | – | – |
| Mumps | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diphtheria | 73 | 3 | 2 | 1 | 4 | 6 | 5 | 10 | 28 | 7 | 1 | 1 | 1 | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 72 | – | – | 1 | 1 | – | 1 | 1 | 8 | 13 | 15 | 10 | 7 | 3 |
| Other Miasmatic Diseases | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 3 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 151 | 27 | 19 | 16 | 20 | 4 | 2 | 1 | 2 | 3 | 1 | 4 | 2 | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 14 | 7 | 1 | – | 1 | – | – | – | – | 1 | – | 1 | – | – |
| Gonorrhœa, Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 35 | 12 | 2 | 1 | – | – | – | – | – | – | 1 | 2 | 1 | 1 |
| Pyæmia, Septicæmia | 17 | 1 | – | 1 | 1 | – | – | – | 1 | 1 | 1 | – | – | 3 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 125 | 9 | 9 | 2 | 4 | 3 | 7 | 2 | 3 | 2 | 2 | 5 | 3 | 5 |
| 2. HOMICIDE | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 3. SUICIDE | 18 | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 373 | 185 | 23 | 19 | 12 | 4 | 4 | 3 | 7 | 2 | 3 | 4 | 2 | 2 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 96 | 2 | 2 | 15 | 30 | 17 | 3 | 5 | 5 | 2 | 2 | 3 | 3 | 2 |
| Epidemic Rose Rash | 2 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Scarlet Fever | 37 | 1 | – | 1 | 3 | 4 | 1 | 3 | 15 | 1 | 3 | 1 | 2 | – |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Relapsing Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 382 | 1 | 3 | 3 | 4 | 2 | 1 | 1 | 3 | 4 | 9 | 7 | 8 | 13 |
| Hooping-cough | 170 | 20 | 20 | 34 | 45 | 24 | 12 | 5 | 9 | – | – | 1 | – | – |
| Mumps | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Diphtheria | 93 | – | – | 3 | 9 | 9 | 11 | 8 | 35 | 10 | 1 | 3 | 1 | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 7 | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | 2 |
| Enteric Fever | 65 | – | – | – | – | – | 2 | 1 | 11 | 9 | 9 | 8 | 5 | 5 |
| Other Miasmatic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 3 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 171 | 16 | 13 | 15 | 14 | 5 | 1 | – | 5 | 2 | 3 | 1 | 1 | 8 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 7 | 3 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 29 | 4 | – | 4 | 1 | – | – | – | – | – | – | 1 | 1 | 1 |
| Pyæmia, Septicæmia | 17 | 1 | 1 | – | – | – | – | – | – | 1 | – | – | 4 | 3 |
| Puerperal Fever | 80 | – | – | – | – | – | – | – | – | – | – | 23 | 21 | 14 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| VII. | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 32 | 27 | 33 | 42 | 27 | 22 | 23 | 18 | 10 | 8 | 1 | 1 | – | – | 1 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 5 | 5 | 2 | 5 | 5 | 5 | – | 1 | 1 | 2 | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 6 | 4 | 6 | 10 | 7 | 18 | 11 | 12 | – | 1 | – | – | – | – |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | |
| Small-pox—Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox—Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox—No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 8 | 8 | 20 | 10 | 31 | 36 | 35 | 42 | 53 | 38 | 13 | 4 | 1 | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 4 | 1 | 3 | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | |
| Simple Cholera | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 1 | 2 | 2 | 5 | 3 | 4 | 5 | 8 | 10 | 6 | 2 | 2 | – | – | – |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 3 | 2 | 1 | 1 | 1 | 2 | – | 1 | 1 | 3 | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | 1 | – | 1 | – | 3 | 2 | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 6 | 2 | 5 | 1 | 5 | 8 | 6 | 5 | 12 | 11 | 7 | – | 1 | – | – |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 1 | 4 | – | 2 | 2 | 1 | 3 | – | 2 | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 7 | 2 | 6 | 9 | 14 | 10 | 21 | 16 | 15 | 2 | – | 1 | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Influenza | 12 | 14 | 10 | 17 | 23 | 32 | 43 | 64 | 60 | 31 | 16 | 1 | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Enteric Fever | 5 | 2 | 1 | 3 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 5 | 3 | 4 | 5 | 9 | 13 | 11 | 13 | 9 | 3 | 9 | 3 | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | 1 | 4 | 2 | 2 | 4 | 1 | – | 2 | – | – | – | – |
| Pyæmia, Septicæmia | 1 | – | – | – | – | 2 | 2 | 2 | – | – | – | – | – | – | – |
| Puerperal Fever | 15 | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 11 | 8 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 22 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Intemp. Delirium Tremens | 9 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 25 | – | – | – | – | – | – | – | 3 | 2 | 1 | 8 | 1 | 1 |
| Rheumatism | 27 | – | – | – | 2 | – | – | – | 3 | – | 2 | 1 | – | – |
| Gout | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 3 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Cancer | 255 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 2 | 3 |
| Tabes Mesenterica | 56 | 5 | 3 | 13 | 6 | 6 | 1 | 1 | 8 | 5 | 3 | 1 | 1 | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 96 | 8 | 7 | 12 | 11 | 8 | 9 | 8 | 18 | 6 | 3 | 1 | 2 | – |
| Phthisis | 634 | – | 1 | 6 | 3 | 4 | 3 | 3 | 13 | 31 | 81 | 97 | 79 | 74 |
| Other forms of Tuberculosis, Scrofula | 69 | 5 | 1 | 2 | 6 | 2 | 1 | – | 4 | 12 | 8 | 7 | 5 | – |
| Purpura, Hæmorrhagic Diathesis | 4 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 21 | 1 | – | 1 | 1 | 1 | – | – | – | 1 | 2 | 2 | – | – |
| Diabetes Mellitus | 11 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 |
| Other Constitutional Diseases | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 204 | 202 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 11 | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 10 | 8 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 15 | 13 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 25 | 22 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Old Age | 670 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 131 | 10 | 11 | 21 | 20 | 7 | 5 | 3 | 20 | 11 | 1 | 2 | 2 | 2 |
| Apoplexy | 306 | 3 | – | – | – | 1 | – | – | 2 | 5 | – | – | – | 4 |
| Softening of the Brain | 29 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 184 | – | 1 | – | 1 | – | 1 | – | 1 | – | – | – | 1 | 2 |
| Paralysis Agitans | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 20 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Chorea | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | 45 | – | 1 | 1 | – | 1 | – | 1 | 2 | 2 | 4 | 7 | 4 | – |
| Convulsions | 79 | 42 | 15 | 10 | 5 | 3 | 1 | 1 | 1 | – | 1 | – | – | – |
| Laryngismus Stridulus | 2 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Idiopathic Tetanus | 4 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 50 | – | 1 | – | – | – | – | – | 1 | 1 | 1 | 1 | 2 | 1 |
| Other Diseases of Nervous System | 79 | 5 | 4 | 6 | 11 | 1 | 4 | 2 | 2 | 1 | – | 1 | 3 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 14 | – | 1 | 2 | 1 | – | – | 1 | 2 | 1 | 2 | 2 | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 3 | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 10 | 4 | 4 | 2 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 16 | – | – | – | – | – | – | – | 1 | 2 | 1 | 2 | 2 | – |
| Rheumatism | 57 | – | – | – | – | – | – | – | 3 | 2 | – | 3 | – | 1 |
| Gout | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 3 | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Cancer | 435 | – | – | – | – | 1 | – | – | – | – | – | 2 | 1 | 5 |
| Tabes Mesenterica | 58 | – | 2 | 9 | 12 | 2 | 3 | 2 | 5 | 9 | 5 | 3 | – | 4 |
| Tubercular Meningitis (Acute Hydrocephalus) | 87 | – | 4 | 13 | 6 | 7 | 5 | 9 | 13 | 17 | 7 | 4 | 1 | – |
| Phthisis | 689 | 4 | 3 | 4 | 10 | 3 | 5 | 4 | 19 | 41 | 101 | 103 | 94 | 82 |
| Other forms of Tuberculosis, Scrofula | 68 | 1 | 2 | 1 | 4 | 5 | 1 | 2 | 7 | 9 | 5 | 12 | 5 | 2 |
| Purpura, Hæmorrhagic Diathesis | 7 | 2 | – | 1 | – | 1 | – | – | – | – | 1 | – | 1 | 1 |
| Anæmia, Chlorosis, Leucocythæmia | 51 | 2 | 1 | 2 | 1 | – | 1 | – | – | 1 | 1 | 7 | 6 | 4 |
| Diabetes Mellitus | 12 | – | – | – | – | – | – | – | 1 | 1 | 3 | – | 2 | 1 |
| Other Constitutional Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 115 | 113 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 7 | 6 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 9 | 5 | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 10 | 8 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Old Age | 1071 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 130 | 10 | 8 | 13 | 16 | 5 | 5 | 8 | 20 | 13 | 6 | 2 | 2 | 6 |
| Apoplexy | 344 | 3 | – | 1 | – | – | – | – | 2 | – | 1 | – | 1 | 5 |
| Softening of the Brain | 28 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 240 | 1 | – | – | 1 | 1 | – | – | 1 | 1 | – | 1 | – | 1 |
| Paralysis Agitans | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 23 | – | – | – | – | – | – | – | – | – | 2 | 2 | 1 | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Epilepsy | 25 | – | 1 | – | – | – | – | – | – | 3 | 1 | 2 | – | 4 |
| Convulsions | 74 | 27 | 11 | 9 | 17 | 6 | 1 | – | 3 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Paraplegia, Diseases of Spinal Cord | 34 | – | 1 | – | – | – | – | – | 2 | – | 1 | 1 | 2 | 1 |
| Other Diseases of Nervous System | 84 | 3 | 5 | 8 | 6 | 3 | 2 | 1 | 3 | 3 | 2 | 4 | 3 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | 5 | 2 | 7 | 5 | – | – | 1 | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | 2 | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | 1 | 2 | – | – | 3 | 1 | 2 | – | – | – | – | – | – |
| Rheumatism | – | – | 2 | – | 1 | 2 | 4 | 6 | 3 | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 7 | 3 | 13 | 15 | 16 | 35 | 45 | 50 | 20 | 16 | 7 | – | – | – | – |
| Tabes Mesenterica | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Phthisis | 48 | 35 | 45 | 28 | 28 | 22 | 19 | 9 | 2 | 2 | 1 | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 5 | 4 | 2 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | 2 | 1 | – | 3 | 1 | 3 | 2 | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | 1 | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 16 | 26 | 83 | 107 | 195 | 153 | 74 | 23 | 2 | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 2 | 5 | 4 | – | 2 | 1 | – | 2 | – | – | – | – | – | – | – |
| Apoplexy | 5 | 3 | 7 | 17 | 25 | 28 | 44 | 56 | 54 | 37 | 11 | 4 | – | – | – |
| Softening of the Brain | – | – | 2 | 2 | 2 | 7 | 3 | 6 | 2 | 4 | 1 | – | – | – | – |
| Hemiplegia, Brain Paralysis | 2 | 3 | 6 | 6 | 10 | 15 | 23 | 33 | 29 | 29 | 16 | 4 | 1 | – | – |
| Paralysis Agitans | – | – | – | – | – | 1 | – | 1 | 1 | 2 | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | 2 | 6 | 1 | 4 | 2 | 1 | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 4 | 1 | 4 | 4 | 2 | 3 | 3 | 1 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 3 | 6 | 1 | 4 | 3 | 4 | 8 | 5 | 5 | 3 | – | – | – | – | – |
| Other Diseases of Nervous System | 2 | 2 | 4 | 6 | 3 | 3 | 6 | 5 | 2 | 4 | – | 1 | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 1 | 1 | 1 | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 3 | 2 | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Rheumatism | 1 | 1 | 1 | 1 | 5 | 6 | 4 | 8 | 13 | 7 | – | – | 1 | – | – |
| Gout | – | 1 | – | – | – | – | 1 | 1 | 1 | 2 | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 14 | 18 | 29 | 49 | 43 | 67 | 64 | 50 | 25 | 29 | 12 | 3 | – | – | – |
| Tabes Mesenterica | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phthisis | 37 | 45 | 33 | 19 | 21 | 16 | 11 | 6 | 7 | 1 | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 3 | 2 | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 3 | 3 | 3 | 7 | 3 | 3 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 25 | 36 | 106 | 159 | 238 | 263 | 132 | 31 | 11 | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 2 | – | 1 | 4 | 2 | 3 | 2 | – | – | 2 | – | – | – | – | – |
| Apoplexy | 6 | 10 | 9 | 15 | 24 | 37 | 46 | 49 | 67 | 49 | 19 | 5 | 5 | – | – |
| Softening of the Brain | – | – | 1 | 1 | 2 | 5 | 5 | 2 | 7 | 1 | 3 | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | 4 | 4 | 9 | 14 | 31 | 29 | 33 | 50 | 35 | 19 | 4 | 1 | – | – |
| Paralysis Agitans | – | – | – | – | – | – | 1 | 3 | 3 | 1 | – | 1 | – | – | – |
| Insanity, General Paralysis of Insane | 2 | 4 | 2 | 1 | 1 | 1 | – | 1 | 1 | 5 | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 4 | 2 | 1 | – | – | 2 | 2 | 2 | – | 1 | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | 1 | 3 | 2 | 4 | 3 | 3 | 7 | 2 | – | – | – | – | – |
| Other Diseases of Nervous System | 4 | 2 | 2 | – | 5 | 5 | 3 | 7 | 4 | 5 | 3 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 732 | 3 | – | – | 1 | – | – | 1 | 1 | 10 | 5 | 12 | 7 | 11 |
| Pericarditis | 7 | – | – | – | – | – | – | – | – | – | 3 | – | – | 1 |
| Hypertrophy of Heart | 39 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Angina Pectoris | 17 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Syncope | 27 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 11 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Senile Gangrene | 31 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 16 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 18 | 2 | 1 | 3 | 1 | 2 | – | – | 3 | – | – | 1 | – | – |
| Croup | 80 | 6 | 1 | 12 | 18 | 12 | 8 | 9 | 14 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 4 | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| Emphysema, Asthma | 34 | – | – | – | – | – | – | 1 | – | – | – | – | – | 2 |
| Bronchitis | 810 | 105 | 60 | 82 | 42 | 15 | 10 | 2 | 10 | 4 | 4 | 7 | 2 | 2 |
| Pneumonia | 494 | 24 | 25 | 34 | 34 | 8 | 8 | 2 | 9 | 8 | 15 | 12 | 12 | 10 |
| Pleurisy | 41 | – | 1 | – | – | – | 2 | – | 1 | – | 1 | 4 | 2 | 1 |
| Other Diseases of Respiratory System | 142 | 14 | 8 | 12 | 13 | 1 | 2 | 1 | 6 | – | 1 | 4 | – | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 24 | – | 3 | 15 | 3 | 3 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 11 | 2 | – | 2 | 2 | – | – | 1 | 1 | 1 | – | – | – | – |
| Dyspepsia | 9 | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – | 1 |
| Hæmatemesis | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Melæna | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 118 | 10 | 9 | 3 | 4 | 1 | 3 | 2 | 1 | 1 | 3 | 1 | 1 | 5 |
| Enteritis | 144 | 33 | 22 | 26 | 11 | 3 | 1 | – | 9 | 1 | 3 | 1 | 5 | 1 |
| Ulceration of Intestine | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Ileus, Obstruction of Intestines | 42 | 3 | 2 | 1 | – | – | – | – | 1 | – | – | 1 | – | – |
| Stricture or Strangulation of Intestines | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 6 | – | 1 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | 1 |
| Hernia | 17 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | – |
| Fistula | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 79 | 7 | – | 2 | 2 | – | – | 1 | 6 | 6 | 3 | 4 | 2 | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Cirrhosis of Liver | 22 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Liver | 82 | 11 | – | – | 1 | – | 1 | 1 | 2 | 1 | 2 | 7 | 2 | 3 |
| Other Diseases of Digestive System | 20 | 2 | 1 | 1 | – | – | – | – | – | – | – | 1 | – | 2 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 2 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 33 | 1 | 2 | – | – | 1 | – | 1 | 4 | 2 | – | 4 | 1 | 1 |
| Bright's Disease | 85 | – | – | – | 1 | 1 | – | – | – | 1 | 2 | 4 | 7 | 2 |
| Uræmia | 16 | – | – | 1 | – | 1 | – | – | – | – | 1 | – | 1 | 1 |
| Suppression of Urine | 15 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Calculus | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 85 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | 1 |
| Other Diseases of Urinary System | 33 | – | 1 | – | 1 | – | – | – | – | 1 | 1 | 2 | 3 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 788 | 2 | – | – | – | – | 1 | – | 7 | 5 | 9 | 7 | 7 | 21 |
| Pericarditis | 5 | – | – | – | – | 1 | – | – | 1 | – | 1 | – | 1 | – |
| Hypertrophy of Heart | 16 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 25 | 1 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Aneurism | 8 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Senile Gangrene | 27 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 9 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Circulatory System | 17 | 2 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 28 | 4 | 3 | 1 | 6 | 1 | 2 | 2 | 1 | 1 | 1 | – | – | – |
| Croup | 50 | 1 | 2 | 5 | 8 | 5 | 7 | 7 | 14 | 1 | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 33 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Bronchitis | 855 | 69 | 33 | 57 | 30 | 9 | 5 | – | 4 | 3 | 2 | 3 | 3 | 4 |
| Pneumonia | 395 | 13 | 12 | 33 | 35 | 16 | 11 | 5 | 10 | 11 | 12 | 9 | 10 | 8 |
| Pleurisy | 46 | 2 | 1 | – | 2 | 1 | 1 | 1 | 1 | 1 | – | 3 | 1 | 3 |
| Other Diseases of Respiratory System | 117 | 8 | 3 | 5 | 8 | 3 | 2 | 1 | – | 1 | 2 | 2 | 2 | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 5 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Dentition | 30 | – | – | 20 | 8 | 2 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 7 | 2 | – | – | – | 1 | – | – | 1 | – | 1 | 1 | – | – |
| Dyspepsia | 18 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Melæna | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 123 | 6 | 2 | 5 | 3 | – | 1 | – | 3 | 4 | 2 | 6 | 2 | 4 |
| Enteritis | 101 | 15 | 12 | 14 | 10 | 6 | 1 | 2 | 3 | 3 | 4 | 4 | 1 | 2 |
| Ulceration of Intestine | 6 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 39 | – | 1 | 1 | – | – | – | – | – | – | – | 3 | – | 1 |
| Stricture or Strangulation of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Intussusception of Intestines | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hernia | 26 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 95 | 3 | 1 | 5 | 2 | 2 | 3 | – | 6 | 5 | 2 | 9 | 12 | 6 |
| Ascites | 6 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Gallstones | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 28 | – | – | – | – | 1 | – | – | – | – | 1 | 1 | – | 1 |
| Other Diseases of Liver | 85 | 9 | – | 1 | 1 | – | – | 2 | 3 | 2 | 1 | 5 | 2 | 2 |
| Other Diseases of Digestive System | 15 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Lymphatics | 4 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – |
| Diseases of Thyroid Body | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 37 | – | – | – | 2 | – | – | 1 | 3 | – | 1 | 2 | 1 | 3 |
| Bright's Disease | 67 | – | – | 1 | 1 | 2 | – | – | – | – | 3 | 4 | 2 | 4 |
| Uræmia | 11 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Suppression of Urine | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 14 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Other Diseases of Urinary System | 19 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | 2 | 2 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 16 | 18 | 14 | 41 | 42 | 93 | 100 | 122 | 117 | 77 | 15 | 6 | – | – | – |
| Pericarditis | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | 1 | 2 | 3 | 1 | 4 | 10 | 3 | 6 | 4 | 2 | – | – | – | – |
| Angina Pectoris | 1 | 1 | – | 2 | 1 | 2 | – | – | 6 | 3 | – | – | – | – | – |
| Syncope | – | 1 | 1 | 1 | 3 | 2 | 3 | 8 | 3 | 2 | 1 | 1 | – | – | – |
| Aneurism | – | 3 | – | 1 | 1 | 1 | 3 | – | – | 1 | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 5 | 5 | 6 | 12 | 1 | 1 | – | 1 | – |
| Embolism, Thrombosis | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | 1 | 2 | – | 3 | – | 4 | – | 2 | 1 | 1 | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | 2 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | 2 | – | 2 | 5 | 3 | 4 | 3 | 6 | 3 | 2 | – | – | – | – |
| Bronchitis | 2 | 5 | 21 | 25 | 45 | 60 | 67 | 77 | 69 | 58 | 29 | 7 | – | – | – |
| Pneumonia | 19 | 25 | 19 | 27 | 32 | 33 | 44 | 36 | 28 | 21 | 5 | 3 | 1 | – | – |
| Pleurisy | 3 | 2 | 1 | 3 | 4 | 2 | 8 | 2 | 2 | 1 | 1 | – | – | – | – |
| Other Diseases of Respiratory System | 3 | 3 | 2 | 4 | 4 | 5 | 15 | 13 | 15 | 5 | 3 | 2 | 1 | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Dyspepsia | – | – | – | 1 | – | 1 | – | – | 3 | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Diseases of Stomach | 5 | 2 | 8 | 4 | 8 | 9 | 8 | 7 | 11 | 8 | 3 | 1 | – | – | – |
| Enteritis | 3 | 1 | – | 5 | 2 | 3 | 3 | 1 | 5 | 3 | 2 | – | – | – | – |
| Ulceration of Intestine | 1 | – | – | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | 3 | 2 | 1 | 3 | 7 | 6 | 4 | 4 | 4 | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | 1 | – | 2 | 1 | 1 | 4 | 1 | 1 | 1 | 1 | – | – | – | – |
| Fistula | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Peritonitis | 3 | 2 | 4 | 4 | 2 | 6 | 11 | 4 | 2 | 5 | 2 | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | 3 | 1 | 2 | 3 | 5 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| Other Diseases of Liver | – | – | 4 | 6 | 4 | 9 | 6 | 6 | 7 | 6 | 2 | 1 | – | – | – |
| Other Diseases of Digestive System | 1 | – | 2 | – | 2 | 4 | 2 | 1 | 1 | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | 2 | 2 | 1 | 3 | 3 | 2 | 2 | 1 | – | – | – | – |
| Bright's Disease | 1 | 3 | 5 | 4 | 6 | 9 | 12 | 10 | 12 | 3 | 2 | – | – | – | – |
| Uræmia | – | – | 1 | – | – | 2 | 3 | 2 | 2 | 1 | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | 2 | 1 | 2 | 3 | 2 | 1 | 1 | – | – | – |
| Calculus | – | – | – | – | – | 1 | 1 | 1 | 3 | 2 | – | – | – | – | – |
| Hæmaturia | – | – | – | – | 1 | – | – | 2 | 1 | – | 2 | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | 1 | – | 2 | 2 | 5 | 15 | 18 | 14 | 15 | 7 | 1 | – | – | – |
| Other Diseases of Urinary System | 1 | 3 | 3 | 1 | 3 | 6 | 4 | – | 3 | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 8 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 26 | 23 | 27 | 36 | 63 | 97 | 91 | 138 | 105 | 80 | 34 | 8 | 1 | – | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | 2 | 1 | 2 | 2 | 3 | 1 | 3 | 2 | – | – | – | – |
| Angina Pectoris | 1 | – | – | 1 | 1 | 2 | 1 | 4 | 1 | – | – | – | – | – | – |
| Syncope | – | 3 | 1 | 3 | 3 | 1 | 2 | 3 | 1 | 1 | 1 | 2 | – | – | – |
| Aneurism | – | – | 1 | 1 | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 1 | 4 | 7 | 6 | 6 | 1 | 2 | – | – | – |
| Embolism, Thrombosis | 1 | – | – | 1 | – | 1 | 2 | – | – | 1 | – | – | – | – | – |
| Phlebitis | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Circulatory System | 2 | 1 | – | 1 | – | 2 | 1 | 1 | 2 | 1 | 2 | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | 1 | – | 3 | 1 | – | 1 | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 8 | 10 | 2 | 1 | 1 | – | – | – |
| Bronchitis | 5 | 6 | 12 | 13 | 36 | 44 | 30 | 133 | 117 | 106 | 52 | 17 | 2 | – | – |
| Pneumonia | 12 | 12 | 11 | 16 | 14 | 27 | 25 | 32 | 34 | 18 | 5 | 3 | 1 | – | – |
| Pleurisy | 2 | 2 | 1 | 4 | 4 | 1 | 5 | 3 | 6 | 1 | – | – | – | – | – |
| Other Diseases of Respiratory System | 2 | 3 | 5 | 5 | 3 | 5 | 12 | 13 | 12 | 12 | 5 | – | 1 | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Dentition | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | 1 | 1 | – | 4 | 3 | 4 | 2 | 1 | – | – | – | – | – |
| Dyspepsia | – | – | – | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Melæna | 7 | 2 | 4 | 8 | 7 | 18 | 8 | 13 | 4 | 7 | 5 | 2 | – | – | – |
| Diseases of Stomach | 2 | 3 | 1 | – | 1 | 5 | 6 | 3 | 1 | 1 | 1 | – | – | – | – |
| Enteritis | 1 | – | – | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Ulceration of Intestine | 2 | – | – | 2 | 3 | 4 | 7 | 4 | 3 | 6 | 2 | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | 1 | 2 | 1 | 2 | 2 | 7 | 8 | 2 | 1 | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 7 | 5 | 3 | 1 | 4 | 5 | 4 | 3 | 3 | 2 | 1 | 1 | – | – | – |
| Peritonitis | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Ascites | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | 2 | 2 | 1 | 6 | 6 | 2 | 4 | – | 1 | – | – | – | – | – |
| Cirrhosis of Liver | 5 | 3 | 1 | 4 | 5 | 5 | 11 | 11 | 6 | 1 | 4 | – | 1 | – | – |
| Other Diseases of Liver | 2 | – | 2 | – | – | 1 | 2 | 2 | 2 | 1 | 1 | – | – | – | – |
| Other Diseases of Digestive System | | | | | | | | | | | | | | | |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 4 | 3 | 2 | 2 | 2 | 4 | 3 | 1 | 2 | – | – | 1 | – | – | – |
| Bright's Disease | 7 | 3 | 9 | 3 | 3 | 4 | 5 | 7 | 6 | 3 | – | – | – | – | – |
| Uræmia | 1 | 1 | – | – | 1 | – | 1 | 2 | 1 | 1 | – | 1 | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | 1 | – | 2 | – | 4 | 2 | 2 | 1 | – | – | – | – |
| Other Diseases of Urinary System | 1 | 1 | – | 2 | 1 | 1 | 1 | 3 | 1 | – | – | 1 | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Pelvic Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 23 | – | – | – | – | – | 1 | 1 | 3 | 3 | 2 | 5 | 1 | 2 |
| Arthritis, Ostitis, Periostitis | 7 | – | – | – | 1 | 1 | 1 | – | – | 1 | 1 | 1 | – | – |
| Other Diseases of Organs of Locomotion | 21 | – | – | 1 | – | – | – | – | – | 2 | 3 | 2 | 4 | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Phlegmon, Cellulitis | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Lupus | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 28 | – | – | – | – | – | – | – | – | 2 | 8 | 1 | 3 | 4 |
| Mines and Quarries: Other Mines | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Mines and Quarries: Quarries | 6 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Vehicles and Horses: Railways | 53 | – | – | – | 1 | – | – | 1 | – | 2 | 7 | 9 | 4 | 3 |
| Vehicles and Horses: Vehicles other than R'wys. | 21 | – | – | – | – | – | 1 | 2 | 1 | 2 | – | 1 | 3 | 1 |
| Vehicles and Horses: Horses | 14 | – | – | – | – | – | – | – | – | 2 | 3 | 2 | – | 2 |
| Ships, Boats, Docks (ex. Drowning) | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 5 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 2 |
| Weapons and Implements | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Burns and Scalds: Conflagrations | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 17 | – | – | 3 | 5 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Burns and Scalds: Explosions | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Poisons, Poisonous Vapours | 9 | – | – | – | – | 2 | – | – | 1 | – | 1 | 1 | – | – |
| Drowning | 156 | – | 1 | – | 1 | 5 | 5 | 1 | 4 | 15 | 12 | 19 | 13 | 19 |
| Suffocation: In Bed | 17 | 13 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 15 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | 1 | – |
| Falls | 36 | – | – | – | – | – | – | 1 | 1 | 2 | 3 | 5 | 1 | 2 |
| Weather Agencies | 34 | 2 | 1 | – | – | – | – | – | 1 | – | – | – | – | 2 |
| Otherwise, or Not Stated | 78 | 3 | – | – | – | – | 3 | 1 | 2 | 1 | 4 | 7 | 6 | 1 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 39 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 2 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 9 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Debility, Atrophy, Inanition | 238 | 191 | 16 | 8 | 6 | 2 | – | – | 2 | 1 | 1 | 2 | 1 | – |
| Mortification | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 6 | – | 1 | – | – | – | – | – | – | 2 | 1 | – | – | – |
| Hæmorrhage | 6 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 145 | 51 | 11 | 5 | 4 | 3 | – | – | 2 | 2 | 3 | 3 | 4 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 17 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 1 |
| Disorders of Menstruation | 4 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – |
| Pelvic Abscess | 11 | – | – | – | – | – | – | – | – | – | – | 3 | 1 | 3 |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 5 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Puerperal Mania | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Puerperal Convulsions | 11 | – | – | – | – | – | – | – | – | – | 1 | 3 | 4 | 2 |
| Placenta Prævia, Flooding | 18 | – | – | – | – | – | – | – | – | – | – | – | 4 | 6 |
| Phlegmasia Dolens | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Other Accidents of Childbirth | 22 | – | – | – | – | – | – | – | – | – | 1 | 2 | 3 | 9 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 16 | – | – | 1 | 1 | – | 1 | – | 1 | 3 | 2 | 1 | – | – |
| Arthritis, Ostitis, Periostitis | 9 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 15 | – | – | – | – | – | – | – | 4 | 2 | 2 | – | 1 | 1 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 9 | – | – | – | – | – | – | – | 1 | – | – | – | – | 2 |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 7 | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Pemphigus | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Vehicles and Horses: Vehicles other than R'wys. | 4 | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 25 | 1 | – | – | – | 1 | 6 | – | 1 | – | 1 | – | 1 | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | 21 | – | – | 1 | 1 | 2 | 1 | – | – | 2 | 1 | 3 | – | 3 |
| Suffocation: In Bed | 10 | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 5 | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Falls | 12 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Weather Agencies | 4 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 36 | 3 | 1 | – | 1 | – | – | 1 | 1 | – | – | 1 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Suicide | 18 | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 17 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Debility, Atrophy, Inanition | 203 | 145 | 17 | 12 | 7 | 2 | 2 | 1 | 2 | – | 1 | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hæmorrhage | 5 | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 141 | 39 | 6 | 7 | 5 | 2 | 2 | 1 | 5 | 1 | 1 | 3 | 1 | 2 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | 1 | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 2 | – | 2 | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Lupus | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ulcer, Bedsore | – | 1 | – | 1 | – | – | 1 | – | 1 | – | 1 | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 2 | 3 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 6 | 1 | 3 | 5 | 4 | 1 | 3 | 1 | 1 | – | – | – | – | – | 1 |
| Vehicles and Horses: Vehicles other than R'wys. | – | 1 | 1 | 1 | 2 | 1 | 3 | 1 | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | 3 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 | 1 | – | – | – |
| Burns and Scalds: Explosions | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Drowning | 7 | 10 | 12 | 14 | 7 | 5 | 2 | 3 | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | 1 | – | 2 | 1 | – | 3 | 2 | – | – | – | – | – | – | – |
| Falls | 1 | 3 | 2 | 3 | 2 | 2 | 2 | 4 | 1 | 1 | – | – | – | – | – |
| Weather Agencies | 1 | 4 | 4 | 4 | – | 5 | 5 | 2 | 2 | 1 | – | – | – | – | – |
| Otherwise, or Not Stated | 8 | 1 | 7 | 8 | 8 | 6 | 3 | 2 | 4 | 3 | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 5 | 5 | 2 | 5 | 5 | 5 | – | 1 | 1 | 2 | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | – | – | 1 | – | 2 | 3 | – | 1 | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | 2 | 1 | 5 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Abscess | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | 5 | 2 | 4 | 5 | 6 | 13 | 11 | 9 | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | 2 | – | 1 | 1 | 2 | 2 | 1 | 3 | 1 | – | – | – | – | – |
| Diseases of Uterus and Vagina | 2 | – | 2 | 1 | 1 | 2 | 1 | – | 2 | 1 | – | – | – | – | – |
| Disorders of Menstruation | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 3 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | 1 | – | – | – | 2 | 1 | 1 | – | – | 2 | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | 2 | 3 | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | 1 | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | 1 | – | – | 1 | – | 3 | 2 | 3 | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | 2 | 2 | – | 1 | – | – | 3 | – | 2 | 3 | – | 1 | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | – | – | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | 1 | – | 2 | 4 | – | 3 | – | 1 | – | – | – | – |
| Weather Agencies | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | 1 | – | – | 4 | 2 | 1 | 8 | 9 | 3 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | 4 | – | 2 | 2 | 1 | 3 | – | 2 | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | 1 | 2 | – | 4 | 3 | 3 | 1 | – | – | – | – | – |
| Debility, Atrophy, Inanition | 1 | – | 2 | 4 | 7 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Tumour | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | 1 | 1 | – | – | – | – | – | 1 | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 4 | 2 | 3 | 4 | 4 | 9 | 16 | 13 | 11 | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 1046 | 88 | 25 | 44 | 38 | 17 | 6 | 8 | 25 | 19 | 38 | 39 | 33 | 32 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 141 | 12 | 13 | 22 | 25 | 10 | 1 | 3 | 11 | 1 | 4 | 3 | 3 | 2 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 152 | – | 2 | 2 | 1 | 1 | 1 | 2 | 1 | 4 | 18 | 20 | 18 | 15 |
| V. DEVELOPMENTAL ,, | 203 | 14 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 379 | 23 | 7 | 17 | 9 | 3 | 4 | 3 | 9 | 9 | 6 | 6 | 8 | 9 |
| VII. VIOLENCE | 68 | 2 | – | – | 1 | 1 | – | – | 2 | 4 | 10 | 6 | 4 | 4 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 102 | 37 | 3 | 3 | 2 | 2 | – | – | 2 | 1 | – | 4 | – | 2 |
| **I.** | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 126 | 9 | 13 | 20 | 24 | 9 | 1 | 3 | 11 | 1 | 4 | 2 | 2 | 1 |
| 2. DIARRHŒAL ,, | 10 | 3 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | 1 |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 6. SEPTIC ,, | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 152 | – | 2 | 2 | 1 | 1 | 1 | 2 | 1 | 4 | 18 | 20 | 18 | 15 |
| **V.** DEVELOPMENTAL DISEASES | 203 | 14 | – | – | – | – | – | – | – | – | – | – | – | – |
| **VI.** | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 74 | 8 | – | 1 | 2 | – | – | – | 1 | 5 | 3 | 1 | 2 | 3 |
| 2. ,, ORGANS OF SPECIAL SENSE | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 60 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 144 | 10 | 7 | 14 | 6 | 3 | 3 | 2 | 5 | – | – | 2 | 3 | 2 |
| 5. ,, DIGESTIVE SYSTEM | 52 | 3 | – | 2 | 1 | – | – | – | – | 2 | 1 | 1 | 2 | 3 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 7. ,, URINARY SYSTEM | 33 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 8 | – | – | – | – | – | 1 | – | 1 | 2 | 1 | – | 1 | – |
| 10. ,, INTEGUMENTARY SYSTEM | 5 | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 1205 | 65 | 16 | 34 | 44 | 20 | 11 | 11 | 41 | 27 | 22 | 33 | 31 | 41 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 187 | 9 | 5 | 18 | 27 | 10 | 7 | 7 | 21 | 10 | 2 | 7 | 8 | 8 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 173 | – | 1 | 2 | 2 | 2 | – | – | 5 | 5 | 13 | 15 | 10 | 13 |
| V. DEVELOPMENTAL „ | 274 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL „ | 412 | 17 | 8 | 10 | 10 | 6 | 3 | 4 | 11 | 7 | 6 | 8 | 9 | 18 |
| VII. VIOLENCE | 16 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 141 | 36 | 2 | 4 | 4 | 2 | 1 | – | 4 | 5 | 1 | 2 | 4 | 2 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 165 | 8 | 5 | 17 | 27 | 10 | 7 | 7 | 21 | 10 | 2 | 6 | 2 | 4 |
| 2. DIARRHŒAL „ | 8 | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 14 | – | – | – | – | – | – | – | – | – | – | – | 6 | 3 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 173 | – | 1 | 2 | 2 | 2 | – | – | 5 | 5 | 13 | 15 | 10 | 13 |
| V. DEVELOPMENTAL DISEASES | 274 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 69 | 5 | 1 | 1 | 1 | – | – | – | 2 | 2 | 3 | – | – | 3 |
| 2. „ ORGANS OF SPECIAL SENSE | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 71 | – | – | – | – | – | – | – | – | 1 | 1 | 3 | 3 | 4 |
| 4. „ RESPIRATORY SYSTEM | 163 | 11 | 4 | 8 | 8 | 6 | 1 | 3 | 7 | 1 | 1 | 4 | 1 | 4 |
| 5. „ DIGESTIVE SYSTEM | 63 | 1 | 3 | 1 | 2 | – | 2 | – | 1 | 2 | – | 1 | 1 | 2 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 21 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 9 | – | – | – | – | – | – | – | – | – | – | – | 3 | 3 |
| 9. „ ORGANS OF LOCOMOTION | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 26 | 19 | 33 | 42 | 32 | 47 | 55 | 80 | 99 | 95 | 57 | 36 | 7 | 6 | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1 | – | 3 | 1 | 6 | 4 | 1 | 3 | 6 | 4 | 2 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 9 | 5 | 11 | 7 | 4 | 3 | 6 | 8 | 8 | 6 | – | – | – | – | – |
| V. DEVELOPMENTAL „ | – | – | – | – | – | 1 | 2 | 16 | 33 | 56 | 37 | 32 | 6 | 6 | – |
| VI. LOCAL „ | 8 | 8 | 12 | 21 | 17 | 30 | 34 | 43 | 43 | 28 | 18 | 4 | – | – | – |
| VII. VIOLENCE | 6 | 4 | 5 | 10 | 3 | 2 | 4 | – | – | – | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | 2 | 2 | 3 | 2 | 7 | 8 | 10 | 9 | 1 | – | – | 1 | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | – | – | 3 | 1 | 5 | 4 | 1 | 3 | 4 | 4 | 1 | – | – | – | – |
| 2. DIARRHŒAL „ | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 9 | 5 | 11 | 7 | 4 | 3 | 6 | 8 | 8 | 6 | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 1 | 2 | 16 | 33 | 56 | 37 | 32 | 6 | 6 | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 1 | 1 | 2 | 2 | 6 | 6 | 5 | 10 | 8 | 3 | 4 | – | – | – | – |
| 2. „ ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | – | 2 | 2 | 9 | 4 | 3 | 11 | 8 | 7 | 8 | 3 | 1 | – | – | – |
| 4. „ RESPIRATORY SYSTEM | 3 | 4 | 4 | 3 | 4 | 11 | 11 | 12 | 16 | 9 | 7 | 3 | – | – | – |
| 5. „ DIGESTIVE SYSTEM | – | 1 | 4 | 5 | 1 | 5 | 3 | 3 | 6 | 2 | 2 | – | – | – | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 3 | – | – | 1 | 1 | 4 | 4 | 4 | 6 | 6 | 2 | – | – | – | – |
| 8. „ REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 25 | 30 | 29 | 27 | 56 | 67 | 89 | 95 | 122 | 125 | 101 | 29 | 12 | 1 | 1 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 2 | 6 | 3 | 2 | 5 | 5 | 10 | 1 | 4 | 7 | 3 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 9 | 8 | 14 | 6 | 12 | 18 | 11 | 9 | 6 | 5 | 6 | 1 | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 3 | 11 | 27 | 42 | 80 | 73 | 25 | 10 | 1 | – |
| VI. LOCAL ,, | 11 | 10 | 10 | 14 | 31 | 32 | 40 | 42 | 51 | 32 | 18 | 2 | 2 | – | – |
| VII. VIOLENCE | 1 | – | – | 1 | 2 | – | 2 | 2 | 4 | – | – | 1 | – | – | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 5 | 2 | 4 | 6 | 9 | 15 | 14 | 15 | 1 | 1 | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 1 | 4 | 3 | 2 | 4 | 4 | 10 | – | 3 | 6 | 2 | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 1 | 2 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 9 | 8 | 14 | 6 | 12 | 18 | 11 | 9 | 6 | 5 | 6 | 1 | – | – | – |
| **V.** DEVELOPMENTAL DISEASES | – | – | – | – | – | 3 | 11 | 27 | 42 | 80 | 73 | 25 | 10 | 1 | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 3 | 2 | 1 | 4 | 5 | 6 | 6 | 6 | 8 | 6 | 5 | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 2 | 2 | 3 | 4 | 6 | 6 | 7 | 7 | 13 | 4 | 5 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 1 | 2 | 1 | 4 | 8 | 10 | 16 | 19 | 18 | 18 | 4 | 1 | 2 | – | – |
| 5. ,, DIGESTIVE SYSTEM | 1 | 1 | 2 | 2 | 9 | 3 | 7 | 10 | 6 | 3 | 2 | 1 | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | – | 2 | 1 | – | 2 | 5 | 3 | – | 4 | 1 | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | 1 | – | – | – | – | – | 2 | – | 1 | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 65 | 2 | – | – | 1 | 1 | – | – | 2 | 4 | 10 | 6 | 4 | 4 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 102 | 37 | 3 | 3 | 2 | 2 | – | – | 2 | 1 | – | 4 | – | 2 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 23 | 1 | – | 5 | 6 | 2 | – | – | 5 | – | 2 | 1 | 1 | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 4 | – | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Typhus | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 41 | 3 | 6 | 2 | 2 | 3 | – | 1 | 3 | – | – | – | – | 1 |
| Hooping-cough | 44 | 5 | 7 | 13 | 13 | 3 | 1 | 2 | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 3 | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 7 | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | 1 | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 10 | 3 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | 1 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 13 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 141 | 36 | [illegible] | 4 | 4 | [illegible] | 1 | – | 4 | 5 | 1 | 2 | 4 | 2 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 27 | – | – | 3 | 5 | 5 | 2 | 2 | 2 | 1 | – | 2 | 1 | 2 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 9 | – | – | – | 1 | 2 | – | 1 | 2 | 2 | – | – | – | – |
| Typhus | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 40 | 3 | – | 1 | 1 | – | 1 | – | – | 1 | – | – | 1 | 1 |
| Hooping-cough | 71 | 5 | 5 | 13 | 19 | 3 | 3 | 4 | 17 | 2 | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 6 | – | – | – | 1 | – | 1 | – | – | – | 1 | 2 | – | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 9 | – | – | – | – | – | – | – | – | 3 | 1 | 2 | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 8 | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Pyæmia, Septicæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 11 | – | – | – | – | – | – | – | – | – | – | – | 5 | 3 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 6 | 4 | 4 | 9 | 2 | 2 | 4 | – | – | – | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | 2 | 2 | 3 | 2 | 7 | 8 | 10 | 9 | 1 | – | – | 1 | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 2 | 1 | 5 | 2 | – | 2 | 3 | 4 | 1 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | – | – | 1 | 1 | – | 2 | 2 | 3 | – | – | 1 | – | – | 1 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 5 | 2 | 4 | 6 | 9 | 15 | 14 | 15 | 1 | 1 | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | 1 | 2 | 1 | 3 | 3 | 10 | – | 3 | 6 | 2 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Rheumatism | 10 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 22 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Tabes Mesenterica | 4 | – | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 8 | – | – | 2 | – | – | 1 | 2 | – | 1 | 1 | – | – | – |
| Phthisis | 89 | – | – | – | – | – | – | – | – | 3 | 12 | 18 | 15 | 12 |
| Other forms of Tuberculosis, Scrofula | 6 | – | – | – | – | 1 | – | – | 1 | – | 2 | 1 | – | – |
| Purpura, Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Diabetes Mellitus | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 11 | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 189 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 10 | – | – | 1 | 2 | – | – | – | – | 5 | 1 | – | – | – |
| Apoplexy | 16 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Softening of the Brain | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 19 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Convulsions | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 4 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Other Diseases of Nervous System | 6 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epistaxis and Disease of Nose | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Rheumatism | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 48 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 3 | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 9 | – | 1 | 2 | 1 | – | – | – | 4 | 1 | – | – | – | – |
| Phthisis | 99 | – | – | – | – | – | – | – | 1 | 3 | 12 | 14 | 10 | 13 |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 272 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 9 | 1 | 1 | – | – | – | – | – | 1 | 2 | 2 | – | – | – |
| Apoplexy | 18 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Softening of the Brain | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 21 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Paralysis Agitans | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 6 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | 1 | 4 | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | – | 1 | 1 | 1 | 1 | 3 | 5 | 3 | 5 | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 7 | 5 | 4 | 6 | 2 | 2 | 2 | – | 1 | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 2 | 16 | 33 | 56 | 37 | 32 | 6 | 6 | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | – | 1 | 3 | 3 | 2 | 3 | 3 | – | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 1 | – | 1 | – | 3 | 2 | 1 | 5 | 3 | – | 3 | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | 1 | 2 | – | 1 | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | 1 | 1 | 1 | – | 1 | 1 | 1 | – | – | – |
| Gout | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | 3 | 5 | 2 | 5 | 10 | 7 | 5 | 3 | 3 | 4 | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 7 | 5 | 9 | 3 | 7 | 5 | 3 | 3 | 1 | 1 | 1 | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 3 | 11 | 27 | 42 | 80 | 73 | 25 | 10 | 1 | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | 2 | 1 | 4 | 1 | 1 | 4 | 1 | 3 | – | – | – | – |
| Softening of the Brain | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | 1 | – | 1 | 1 | 1 | 2 | 4 | 3 | 5 | 2 | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 53 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 4 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Croup | 12 | 3 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 74 | 4 | 5 | 6 | 4 | 1 | – | – | 3 | – | – | 2 | 1 | 1 |
| Pneumonia | 32 | 3 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | 1 |
| Pleurisy | 7 | – | – | 1 | – | – | – | – | – | – | – | – | 2 | – |
| Other Diseases of Respiratory System | 12 | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 11 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Enteritis | 6 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ileus, Obstruction of Intestines | 9 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 6 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Bright's Disease | 14 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 56 | – | – | – | – | – | – | – | – | 1 | – | 2 | 3 | 3 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Angina Pectoris | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Aneurism | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Croup | 17 | 2 | 1 | 2 | 2 | 5 | – | 3 | 2 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 80 | 4 | 2 | 1 | 2 | 1 | – | – | 3 | – | 1 | 3 | 1 | 1 |
| Pneumonia | 21 | 2 | – | 2 | 2 | – | – | – | – | 1 | – | – | – | 1 |
| Pleurisy | 17 | 2 | 1 | 2 | 2 | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Other Diseases of Respiratory System | 12 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 3 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Dyspepsia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 11 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 |
| Enteritis | 8 | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 10 | – | – | – | – | – | – | – | – | 2 | – | – | 1 | – |
| Ascites | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Cirrhosis of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 | |
| Bright's Disease | 12 | – | – | – | – | – | – | – | – | – | – | 1 | – | |
| Uræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Bladder and of Prostate | 2 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Urinary System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | 2 | 1 | 9 | 2 | 2 | 10 | 7 | 7 | 7 | 3 | 1 | – | – | – |
| Pericarditis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – |
| Bronchitis | 1 | 2 | 2 | 1 | 2 | 6 | 6 | 6 | 10 | 5 | 3 | 3 | – | – | – |
| Pneumonia | 2 | – | 1 | 2 | 1 | 4 | 5 | 2 | 4 | 2 | 1 | – | – | – | – |
| Pleurisy | – | 1 | – | – | – | – | – | – | 1 | – | 2 | – | – | – | – |
| Other Diseases of Respiratory System | – | 1 | 1 | – | 1 | 1 | – | 4 | – | 1 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | 1 | – | – | – | – | 3 | 2 | 1 | 1 | – | – | – | – |
| Enteritis | – | 1 | 1 | – | – | 3 | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | – | 1 | 1 | 1 | – | – | 2 | 1 | – | 1 | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | 1 | – | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Bright's Disease | 1 | – | – | – | – | 2 | 3 | 2 | 3 | 2 | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | 1 | 1 | – | 1 | 2 | 2 | 1 | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2 | 2 | 2 | 3 | 4 | 3 | 6 | 7 | 11 | 4 | 3 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Syncope | – | – | 1 | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – |
| Aneurism | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | 1 | 1 | 2 | 2 | 3 | 1 | 2 | – | – | – | – | – |
| Bronchitis | – | – | – | 1 | 1 | 6 | 11 | 11 | 13 | 11 | 4 | 1 | 2 | – | – |
| Pneumonia | – | 2 | – | 1 | 1 | – | 2 | 3 | 1 | 3 | – | – | – | – | – |
| Pleurisy | – | – | 1 | – | 2 | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | 1 | 2 | 2 | – | 1 | 3 | 1 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | 2 | – | 1 | 2 | 2 | 1 | – | – | – | – | – |
| Enteritis | 1 | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | 2 | – | – | – | 1 | 1 | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Peritonitis | – | 1 | 1 | 1 | 1 | – | 2 | – | – | 1 | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | 2 | 2 | 1 | 2 | 1 | – | 1 | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Bright's Disease | – | 2 | 1 | – | 2 | 2 | 2 | – | 2 | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 5 | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Organs of Locomotion | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ulcer, Bedsore | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 46 | – | – | – | – | – | – | – | 1 | 3 | 8 | 5 | 4 | 4 |
| Suffocation: In Bed | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 9 | – | – | – | – | 1 | – | – | 1 | – | 1 | 1 | – | – |
| Weather Agencies | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 7 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Debility, Atrophy, Inanition | 15 | 11 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 77 | 26 | 2 | 3 | 1 | 2 | – | – | 1 | 1 | – | 4 | – | 2 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Placenta Prævia, Flooding | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 3 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 8 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 16 | 11 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 114 | 25 | 2 | 4 | 4 | – | 1 | – | 4 | 5 | 1 | 2 | 4 | 2 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 6 | 1 | 4 | 7 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | 1 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | 1 | – | – | 1 | 1 | – | 1 | 1 | – | – | 1 | – | – |
| Debility, Atrophy, Inanition | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | 2 | – | 2 | 1 | 6 | 6 | 10 | 7 | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES — AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Diseases of Uterus and Vagina | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotio | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries — Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries — Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries — Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Vehicles other than R'wy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Suffocation — In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation — Otherwise | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | 1 | 1 | 3 | – | – | 1 | – | – | 1 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | 1 | – | – | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – |
| Debility, Atrophy, Inanition | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 2 | 3 | 1 | 3 | 4 | 8 | 13 | 13 | 13 | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at Different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 7161 | 792 | 279 | 584 | 689 | 274 | 174 | 102 | 257 | 145 | 235 | 243 | 222 | 254 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 946 | 68 | 53 | 149 | 209 | 103 | 67 | 32 | 66 | 13 | 23 | 23 | 13 | 15 |
| II. PARASITIC DISEASES | 3 | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 47 | 5 | 1 | 2 | – | – | – | – | – | – | – | – | – | 7 |
| IV. CONSTITUTIONAL ,, | 1124 | 8 | 14 | 50 | 78 | 36 | 29 | 23 | 71 | 38 | 103 | 106 | 83 | 94 |
| V. DEVELOPMENTAL ,, | 426 | 236 | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 3931 | 270 | 184 | 360 | 379 | 120 | 68 | 37 | 103 | 79 | 80 | 84 | 97 | 100 |
| VII. VIOLENCE | 378 | 23 | 3 | 4 | 6 | 8 | 6 | 7 | 14 | 12 | 28 | 30 | 28 | 33 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 306 | 181 | 21 | 17 | 16 | 5 | 4 | 3 | 3 | 3 | 1 | – | 1 | 5 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 748 | 18 | 19 | 120 | 181 | 102 | 65 | 28 | 64 | 10 | 22 | 21 | 12 | 14 |
| 2. DIARRHŒAL ,, | 129 | 28 | 25 | 24 | 27 | 1 | 2 | 3 | 2 | 2 | 1 | 1 | 1 | – |
| 3. MALARIAL ,, | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 27 | 12 | 6 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 40 | 10 | 3 | 2 | – | – | – | 1 | – | 1 | – | 1 | – | 1 |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 3 | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 47 | 5 | 1 | 2 | – | – | – | – | – | – | – | – | – | 7 |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 1124 | 8 | 14 | 50 | 78 | 36 | 29 | 23 | 71 | 38 | 103 | 106 | 83 | 94 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 426 | 236 | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 774 | 66 | 47 | 75 | 71 | 20 | 15 | 14 | 34 | 13 | 14 | 15 | 11 | 15 |
| 2. ,, ORGANS OF SPECIAL SENSE | 14 | 1 | 1 | 2 | 1 | 2 | 1 | 1 | – | – | 1 | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 413 | 6 | 3 | 1 | – | 1 | 1 | 1 | 4 | 14 | 13 | 13 | 12 | 13 |
| 4. ,, RESPIRATORY SYSTEM | 2040 | 138 | 92 | 215 | 248 | 87 | 37 | 14 | 44 | 18 | 26 | 34 | 53 | 55 |
| 5. ,, DIGESTIVE SYSTEM | 448 | 55 | 40 | 67 | 53 | 8 | 9 | – | 9 | 13 | 13 | 11 | 14 | 11 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 5 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 170 | 1 | – | – | 4 | 1 | 3 | 4 | 6 | 6 | 4 | 9 | 5 | 4 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 3 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 51 | – | – | – | 1 | – | 2 | 3 | 5 | 14 | 8 | 2 | 2 | 2 |
| 10. ,, INTEGUMENTARY SYSTEM | 13 | 2 | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| ALL CAUSES | 7163 | 538 | 212 | 491 | 653 | 278 | 178 | 136 | 263 | 146 | 224 | 270 | 267 | 270 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1115 | 54 | 46 | 140 | 226 | 101 | 82 | 59 | 98 | 29 | 31 | 40 | 33 | 29 |
| II. PARASITIC DISEASES | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| III. DIETETIC | 18 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | 3 |
| IV. CONSTITUTIONAL ,, | 1227 | 9 | 16 | 44 | 61 | 30 | 26 | 20 | 63 | 56 | 114 | 99 | 109 | 120 |
| V. DEVELOPMENTAL ,, | 461 | 187 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 3895 | 179 | 125 | 286 | 336 | 134 | 60 | 52 | 88 | 56 | 77 | 121 | 122 | 109 |
| VII. VIOLENCE | 156 | 17 | 2 | 3 | 7 | 9 | 8 | 2 | 10 | 3 | 1 | 6 | 1 | 5 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 290 | 141 | 20 | 16 | 21 | 4 | 2 | 3 | 4 | 2 | 1 | 4 | 2 | 4 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 865 | 20 | 20 | 106 | 207 | 96 | 80 | 57 | 94 | 27 | 24 | 21 | 12 | 8 |
| 2. DIARRHŒAL ,, | 126 | 18 | 19 | 26 | 18 | 4 | 1 | 2 | 3 | 2 | 1 | 2 | 1 | 2 |
| 3. MALARIAL ,, | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| 4. ZOOGENOUS ,, | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 17 | 4 | 4 | 3 | 1 | – | – | – | – | – | – | 1 | 1 | 1 |
| 6. SEPTIC ,, | 103 | 12 | 2 | 3 | – | 1 | 1 | – | – | – | 6 | 16 | 19 | 18 |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 18 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | 3 |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 1227 | 9 | 16 | 44 | 61 | 30 | 26 | 20 | 63 | 56 | 114 | 99 | 109 | 120 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 461 | 187 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 733 | 39 | 26 | 55 | 60 | 24 | 12 | 18 | 25 | 16 | 13 | 17 | 14 | 12 |
| 2. ,, ORGANS OF SPECIAL SENSE | 10 | 1 | 1 | 2 | – | 1 | – | – | 1 | 1 | 1 | 1 | – | 1 |
| 3. ,, CIRCULATORY SYSTEM | 474 | 3 | 1 | – | 1 | – | 1 | – | 5 | 16 | 16 | 16 | 22 | 23 |
| 4. ,, RESPIRATORY SYSTEM | 1885 | 91 | 68 | 176 | 226 | 96 | 38 | 28 | 35 | 9 | 19 | 33 | 35 | 28 |
| 5. ,, DIGESTIVE SYSTEM | 478 | 40 | 29 | 53 | 45 | 10 | 7 | 5 | 17 | 5 | 8 | 21 | 16 | 15 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 10 | – | – | – | – | – | – | – | 2 | – | 2 | – | 1 | – |
| 7. ,, URINARY SYSTEM | 140 | – | – | – | 2 | 2 | 1 | – | 1 | 4 | 8 | 10 | 8 | 12 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 43 | – | – | – | 2 | – | – | – | – | – | 1 | 3 | 6 | 3 |
| (*b*) DISEASES OF PARTURITION | 72 | – | – | – | – | – | – | – | – | – | 2 | 17 | 15 | 10 |
| 9. ,, ORGANS OF LOCOMOTION | 35 | 1 | – | – | – | 1 | 1 | 1 | 2 | 4 | 7 | – | 4 | 5 |
| 10. ,, INTEGUMENTARY SYSTEM | 15 | 4 | – | – | – | – | – | – | – | 1 | – | 3 | 1 | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 284 | 314 | 382 | 367 | 374 | 387 | 302 | 233 | 137 | 99 | 23 | 9 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 10 | 16 | 15 | 12 | 13 | 14 | 10 | 12 | 2 | 6 | 2 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 3 | 6 | 3 | 12 | 2 | 4 | – | 1 | 1 | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 82 | 67 | 76 | 40 | 44 | 42 | 23 | 11 | 4 | 2 | – | – | – | – | – |
| V. DEVELOPMENTAL „ | – | – | – | – | – | 26 | 29 | 44 | 33 | 36 | 12 | 4 | – | – | – |
| VI. LOCAL „ | 153 | 189 | 256 | 269 | 275 | 285 | 226 | 158 | 94 | 52 | 8 | 5 | – | – | – |
| VII. VIOLENCE | 34 | 31 | 26 | 25 | 23 | 12 | 13 | 6 | 2 | 3 | 1 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 5 | 6 | 9 | 17 | 4 | 1 | 1 | 1 | – | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 6 | 11 | 9 | 7 | 6 | 10 | 6 | 10 | 2 | 3 | 2 | – | – | – | – |
| 2. DIARRHŒAL „ | 1 | 1 | 3 | – | 3 | 2 | 2 | – | – | – | – | – | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 1 | 1 | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 2 | 3 | 2 | 3 | 4 | 1 | 2 | 1 | – | 3 | – | – | – | – | – |
| **II.** | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 3 | 6 | 3 | 12 | 2 | 4 | – | 1 | 1 | – | – | – | – | – | – |
| **IV.** | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 82 | 67 | 76 | 40 | 44 | 42 | 23 | 11 | 4 | 2 | – | – | – | – | – |
| **V.** | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | – | – | – | – | – | 26 | 29 | 44 | 33 | 36 | 12 | 4 | – | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 20 | 23 | 31 | 40 | 42 | 68 | 47 | 41 | 27 | 20 | 3 | 2 | – | – | – |
| 2. „ ORGANS OF SPECIAL SENSE | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 27 | 25 | 52 | 38 | 43 | 49 | 40 | 28 | 22 | 6 | 1 | – | – | – | – |
| 4. „ RESPIRATORY SYSTEM | 80 | 104 | 133 | 146 | 153 | 124 | 108 | 72 | 34 | 19 | 3 | 3 | – | – | – |
| 5. „ DIGESTIVE SYSTEM | 9 | 17 | 26 | 23 | 14 | 25 | 13 | 7 | 6 | 4 | 1 | – | – | – | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 13 | 14 | 13 | 19 | 18 | 17 | 13 | 9 | 4 | 3 | – | – | – | – | – |
| 8. „ REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| (b) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 1 | 2 | 1 | 1 | 2 | – | 3 | 1 | 1 | – | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | 2 | 2 | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 301 | 268 | 325 | 371 | 380 | 400 | 368 | 330 | 232 | 144 | 56 | 11 | 1 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 18 | 15 | 8 | 15 | 16 | 22 | 20 | 14 | 13 | 5 | 1 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | 2 | 4 | 3 | 2 | – | – | 2 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 114 | 59 | 74 | 55 | 50 | 44 | 35 | 14 | 11 | 3 | 1 | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 28 | 36 | 56 | 62 | 52 | 28 | 6 | 1 | – | – |
| VI. LOCAL ,, | 159 | 179 | 223 | 268 | 283 | 293 | 263 | 236 | 139 | 78 | 24 | 5 | – | – | – |
| VII. VIOLENCE | 8 | 6 | 9 | 11 | 8 | 7 | 12 | 8 | 7 | 4 | 2 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 7 | 7 | 19 | 21 | 6 | 2 | – | – | 2 | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 9 | 7 | 6 | 13 | 9 | 14 | 17 | 8 | 7 | 3 | – | – | – | – | – |
| 2. DIARRHŒAL ,, | 1 | – | – | 2 | 6 | 6 | 2 | 4 | 4 | 1 | 1 | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 7 | 8 | 1 | – | 1 | 2 | 1 | 2 | 2 | 1 | – | – | – | – | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | – | 2 | 4 | 3 | 2 | – | – | 2 | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 114 | 59 | 74 | 55 | 50 | 44 | 35 | 14 | 11 | 3 | 1 | – | – | – | – |
| **V.** DEVELOPMENTAL DISEASES | – | – | – | – | – | 28 | 36 | 56 | 62 | 52 | 28 | 6 | 1 | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 13 | 23 | 26 | 52 | 56 | 66 | 51 | 54 | 35 | 18 | 7 | 1 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 32 | 30 | 43 | 50 | 34 | 45 | 53 | 33 | 30 | 11 | 9 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 57 | 81 | 95 | 129 | 123 | 148 | 135 | 122 | 59 | 43 | 7 | 4 | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 14 | 23 | 28 | 24 | 49 | 23 | 16 | 16 | 11 | 3 | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 10 | 11 | 21 | 5 | 18 | 10 | 6 | 5 | 2 | 3 | 1 | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 9 | 3 | 8 | 4 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 19 | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 2 | – | – | 2 | – | – | 2 | 3 | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 2 | – | – | 1 | – | – | – | 2 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VII. | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 347 | 22 | 3 | 4 | 6 | 8 | 6 | 7 | 14 | 12 | 28 | 27 | 25 | 29 |
| 2. HOMICIDE | 3 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 3. SUICIDE | 28 | – | – | – | – | – | – | – | – | – | – | 2 | 3 | 4 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 306 | 181 | 21 | 17 | 16 | 5 | 4 | 3 | 3 | 3 | 1 | – | 1 | 5 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | 220 | 3 | 5 | 50 | 81 | 38 | 19 | 8 | 14 | – | 2 | – | – | – |
| Epidemic Rose Rash | 2 | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Scarlet Fever | 50 | 1 | 2 | 3 | 13 | 18 | 12 | 7 | 25 | 5 | 1 | 2 | – | 1 |
| Typhus | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | 3 |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 82 | 1 | – | 4 | 2 | 2 | 1 | – | 2 | 1 | 4 | 2 | 1 | 3 |
| Hooping-cough | 215 | 12 | 12 | 58 | 66 | 30 | 18 | 9 | 10 | – | – | – | – | 1 |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diphtheria | 58 | – | – | 3 | 17 | 12 | 14 | 2 | 9 | – | – | – | – | – |
| Cerebro-spinal Fever | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Simple and Ill-defined Fever | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Enteric Fever | 69 | – | – | 1 | 1 | – | 1 | 2 | 4 | 4 | 15 | 15 | 11 | 5 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | |
| Simple Cholera | 4 | – | 1 | – | 2 | – | – | – | – | 1 | – | – | – | – |
| Diarrhœa, Dysentery | 125 | 28 | 24 | 24 | 25 | 1 | 2 | 3 | 2 | 1 | 1 | 1 | 1 | – |
| MALARIAL DISEASES. | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | |
| Syphilis | 25 | 12 | 6 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 36 | 10 | 3 | 1 | – | – | – | – | – | 1 | – | 1 | – | – |
| Pyæmia, Septicæmia | 4 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | 1 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 140 | 15 | 2 | 3 | 7 | 9 | 8 | 2 | 10 | 3 | 1 | 5 | – | 3 |
| 2. Homicide | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 11 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 290 | 141 | 20 | 16 | 21 | 4 | 2 | 3 | 4 | 2 | 1 | 4 | 2 | 4 |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 219 | 1 | 2 | 46 | 74 | 36 | 17 | 23 | 19 | 1 | – | – | – | – |
| Epidemic Rose Rash | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlet Fever | 120 | – | – | 4 | 16 | 19 | 24 | 9 | 32 | 10 | 4 | 1 | – | 1 |
| Typhus | 19 | – | – | – | – | – | 1 | – | 1 | – | 2 | 3 | 1 | 3 |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 90 | 2 | – | 1 | 4 | – | – | – | 2 | – | 2 | 3 | 1 | – |
| Hooping-cough | 269 | 16 | 18 | 48 | 98 | 31 | 23 | 13 | 22 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 72 | – | – | 7 | 13 | 9 | 15 | 12 | 13 | 1 | 1 | – | – | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 74 | – | – | – | 2 | – | – | – | 5 | 15 | 15 | 14 | 10 | 3 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | |
| Simple Cholera | 5 | – | 1 | 1 | 2 | – | – | – | – | – | – | 1 | – | – |
| Diarrhœa, Dysentery | 121 | 18 | 18 | 25 | 16 | 4 | 1 | 2 | 3 | 2 | 1 | 1 | 1 | 2 |
| **Malarial Diseases.** | | | | | | | | | | | | | | |
| Remittent Fever | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 2 | – | 1 | 1 | – | – | – | – | | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | |
| Syphilis | 17 | 4 | 4 | 3 | 1 | – | – | – | – | – | – | 1 | 1 | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 29 | 12 | 2 | 2 | – | – | – | – | – | – | – | 1 | 1 | – |
| Pyæmia, Septicæmia | 14 | – | – | 1 | – | 1 | 1 | – | – | – | 3 | 1 | 2 | – |
| Puerperal Fever | 60 | – | – | – | – | – | – | – | – | – | 3 | 14 | 16 | 18 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 30 | 29 | 22 | 20 | 21 | 11 | 11 | 6 | 2 | 3 | 1 | – | – | – | – |
| 2. Homicide | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 4 | 2 | 3 | 5 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 2 | 5 | 6 | 9 | 17 | 4 | 1 | 1 | 1 | – | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 4 | 6 | 7 | 6 | 4 | 9 | 6 | 10 | 2 | 3 | 2 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | 4 | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 1 | 1 | 3 | – | 3 | 2 | 2 | – | – | – | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 3 | 2 | 3 | 3 | 1 | 2 | 1 | – | 3 | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 6 | 5 | 8 | 9 | 8 | 6 | 10 | 7 | 7 | 4 | 2 | – | – | – | – |
| 2. HOMICIDE | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | 1 | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | 7 | 7 | 19 | 21 | 6 | 2 | – | – | 2 | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 4 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | 2 | 4 | 12 | 7 | 13 | 17 | 8 | 7 | 3 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 6 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 1 | – | – | 2 | 6 | 6 | 2 | 4 | 4 | 1 | 1 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 3 | 1 | – | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | 2 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Puerperal Fever | 6 | 3 | | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 8 | 5 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 32 | – | – | – | – | – | – | – | – | – | – | – | – | 6 |
| Intemp. Delirium Tremens | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 16 | – | – | – | – | – | 1 | – | 2 | – | 2 | – | 2 | 1 |
| Rheumatism | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 4 | – | – | – | 2 | 1 | – | – | – | – | 1 | – | – | – |
| Cancer | 123 | – | – | – | – | – | – | – | – | – | 1 | 4 | 2 | 5 |
| Tabes Mesenterica | 86 | 2 | 1 | 9 | 19 | 11 | 6 | 4 | 17 | 7 | 5 | 2 | 1 | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 142 | 4 | 11 | 29 | 32 | 12 | 15 | 14 | 18 | 3 | 3 | – | – | – |
| Phthisis | 669 | 1 | 1 | 5 | 15 | 8 | 6 | 2 | 25 | 20 | 84 | 94 | 72 | 85 |
| Other forms of Tuberculosis, Scrofula | 60 | 1 | 1 | 7 | 9 | 4 | 1 | 3 | 8 | 5 | 4 | 6 | 5 | 3 |
| Purpura, Hæmorrhagic Diathesis | 3 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 5 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Diabetes Mellitus | 5 | – | – | – | – | – | – | – | – | 2 | 1 | – | 1 | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 214 | 214 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 8 | 7 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cyanosis | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 10 | 7 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 4 | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 184 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 180 | 11 | 19 | 33 | 36 | 12 | 9 | 7 | 20 | 5 | 7 | 4 | 4 | 2 |
| Apoplexy | 200 | 1 | 2 | 2 | 1 | 1 | – | 1 | 2 | 3 | 1 | 5 | 2 | 8 |
| Softening of the Brain | 19 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 107 | 1 | – | 1 | – | – | – | – | – | – | 2 | 1 | – | – |
| Paralysis Agitans | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Chorea | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | 15 | 3 | – | 1 | 3 | – | – | 1 | 1 | 1 | – | 2 | 1 | – |
| Convulsions | 117 | 41 | 20 | 24 | 20 | 6 | 3 | – | 1 | – | – | 1 | – | – |
| Laryngismus Stridulus | 9 | – | 2 | 5 | 2 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 3 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Paraplegia, Diseases of Spinal Cord | 23 | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | 1 | – |
| Other Diseases of Nervous System | 93 | 8 | 4 | 9 | 9 | 1 | 3 | 4 | 9 | 3 | 2 | 1 | 2 | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 10 | – | 1 | 2 | 1 | 2 | 1 | 1 | – | – | 1 | – | – | – |
| Epistaxis and Disease of Nose | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—FEMALES. *(Continued.*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 15 | – | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 23 | – | – | – | – | – | – | – | 7 | 1 | 1 | 1 | 3 | 1 |
| Rheumatism | 16 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 8 | – | – | 2 | 3 | 2 | – | – | 1 | – | – | – | – | – |
| Cancer | 216 | – | – | – | – | – | – | – | 1 | – | 1 | – | 3 | 4 |
| Tabes Mesenterica | 58 | 1 | 3 | 7 | 14 | 10 | 4 | 3 | 8 | 3 | 2 | 1 | 1 | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 116 | 4 | 10 | 28 | 24 | 9 | 12 | 10 | 12 | 4 | 1 | – | – | 1 |
| Phthisis | 702 | 2 | 1 | 6 | 14 | 6 | 9 | 5 | 25 | 40 | 101 | 91 | 95 | 105 |
| Other forms of Tuberculosis, Scrofula | 50 | 1 | 2 | 1 | 5 | 2 | 1 | 2 | 9 | 6 | 6 | 3 | 4 | 3 |
| Purpura, Hæmorrhagic Diathesis | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 26 | – | – | – | 1 | – | – | – | – | 1 | 1 | 1 | 3 | 5 |
| Diabetes Mellitus | 9 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 174 | 172 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 5 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 269 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 155 | 3 | 11 | 29 | 28 | 13 | 7 | 12 | 19 | 10 | 6 | 4 | 2 | 3 |
| Apoplexy | 220 | 1 | – | 2 | 4 | 1 | – | 1 | 1 | – | 3 | 4 | 6 | 5 |
| Softening of the Brain | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 142 | – | – | – | 1 | – | – | – | 1 | 1 | 1 | 1 | 3 | – |
| Paralysis Agitans | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Chorea | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | 16 | – | – | – | 1 | – | 1 | – | – | 2 | 2 | 1 | 2 | 2 |
| Convulsions | 86 | 28 | 11 | 16 | 18 | 5 | 2 | 4 | – | – | – | – | – | 1 |
| Laryngismus Stridulus | 9 | 1 | 1 | 2 | 3 | 2 | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 19 | – | – | – | 1 | – | – | – | – | – | 1 | 3 | – | – |
| Other Diseases of Nervous System | 58 | 5 | 3 | 6 | 4 | 3 | 2 | 1 | 3 | 3 | – | 3 | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 7 | – | 1 | 1 | – | 1 | – | – | 1 | 1 | – | 1 | – | 1 |
| Epistaxis and Disease of Nose | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ophthalmia and Disease of Eye | 2 | 1 | – | 1 | – | – | – | – | – | – | – | | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 2 | 4 | 2 | 12 | 2 | 3 | – | – | 1 | – | – | – | – | – | – |
| Intemp. Delirium Tremens | 1 | 2 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 2 | 1 | 1 | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | 1 | 2 | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 6 | 10 | 14 | 12 | 15 | 26 | 14 | 9 | 4 | 1 | – | – | – | – | – |
| Tabes Mesenterica | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 70 | 53 | 55 | 28 | 25 | 14 | 6 | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 26 | 29 | 44 | 33 | 36 | 12 | 4 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 2 | 2 | 1 | 2 | 1 | – | 3 | – | – | – | – | – | – | – | – |
| Apoplexy | 6 | 14 | 14 | 22 | 22 | 23 | 27 | 11 | 15 | 14 | 2 | 1 | – | – | – |
| Softening of the Brain | 2 | – | 4 | 2 | 4 | 3 | 3 | – | 1 | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 3 | 3 | 10 | 7 | 9 | 30 | 8 | 20 | 8 | 3 | – | 1 | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Chorea | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | 2 | 1 | 3 | 2 | 4 | 2 | 1 | 2 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 4 | 1 | 1 | 4 | 4 | 7 | 2 | 8 | 1 | 2 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | 2 | 4 | 2 | 2 | – | – | 2 | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 2 | 1 | – | 1 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Rheumatism | – | 2 | 2 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 17 | 17 | 33 | 34 | 28 | 35 | 24 | 8 | 8 | 2 | 1 | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 88 | 36 | 35 | 16 | 15 | 4 | 7 | 1 | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 1 | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 3 | 2 | – | 2 | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | 1 | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 28 | 36 | 56 | 62 | 52 | 28 | 6 | 1 | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 2 | 2 | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – | – |
| Apoplexy | 7 | 8 | 13 | 29 | 26 | 30 | 31 | 24 | 15 | 6 | 3 | – | – | – | – |
| Softening of the Brain | – | 1 | – | 3 | 3 | 5 | 1 | 1 | 3 | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | 7 | 4 | 15 | 19 | 27 | 15 | 23 | 11 | 9 | 4 | – | – | – | – |
| Paralysis Agitans | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | 1 | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | 2 | – | 1 | 3 | – | 1 | 1 | 4 | 1 | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | 2 | 5 | 4 | 1 | 3 | 2 | 4 | 1 | 1 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 331 | – | – | – | – | 1 | 1 | 1 | 3 | 12 | 11 | 8 | 10 | 12 |
| Pericarditis | 9 | 1 | – | – | – | – | – | – | 1 | 2 | 1 | 1 | 1 | 1 |
| Hypertrophy of Heart | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Angina Pectoris | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 22 | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 21 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Senile Gangrene | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 6 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Varicose Veins | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 18 | 3 | 1 | 3 | 3 | 4 | 1 | – | 1 | – | 1 | – | – | – |
| Croup | 34 | 3 | 1 | 9 | 7 | 5 | 3 | 3 | 3 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Bronchitis | 928 | 77 | 49 | 96 | 97 | 25 | 15 | 7 | 12 | 4 | 2 | 3 | 14 | 10 |
| Pneumonia | 793 | 33 | 29 | 79 | 108 | 42 | 17 | 1 | 24 | 8 | 17 | 26 | 30 | 39 |
| Pleurisy | 56 | – | – | – | 2 | 2 | – | – | 1 | 1 | 3 | 3 | 5 | 5 |
| Other Diseases of Respiratory System | 203 | 22 | 12 | 28 | 30 | 9 | 1 | 3 | 3 | 5 | 3 | 2 | 4 | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 4 | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Dentition | 76 | – | 6 | 32 | 36 | 2 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 9 | – | – | 1 | 3 | – | 2 | – | – | 1 | – | – | – | – |
| Dyspepsia | 10 | 5 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 59 | 10 | 7 | 4 | 3 | – | – | – | 2 | 1 | – | 1 | 2 | 3 |
| Enteritis | 93 | 22 | 15 | 20 | 7 | 4 | 3 | – | 2 | 4 | 2 | 4 | 1 | – |
| Ulceration of Intestine | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ileus, Obstruction of Intestines | 26 | 1 | – | 1 | – | – | – | – | 1 | 2 | 3 | 2 | 2 | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 14 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 |
| Fistula | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Peritonitis | 47 | 4 | 1 | 2 | – | 1 | 2 | – | 4 | 4 | 4 | 2 | 5 | 2 |
| Ascites | 4 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 15 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Liver | 54 | 9 | 4 | 3 | – | – | – | – | – | 1 | 2 | – | 3 | 3 |
| Other Diseases of Digestive System | 20 | 1 | 5 | 3 | 2 | – | – | – | – | – | 1 | 1 | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 3 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 44 | – | – | – | 3 | – | 2 | 2 | 4 | 2 | 1 | 1 | 2 | – |
| Bright's Disease | 63 | – | – | – | – | – | – | 1 | 1 | 3 | 2 | 3 | 2 | 4 |
| Uræmia | 10 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Suppression of Urine | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Calculus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 23 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Other Diseases of Urinary System | 22 | 1 | – | – | 1 | 1 | 1 | – | 1 | 1 | – | 3 | 1 | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 106 | – | – | – | – | – | 1 | – | 4 | 15 | 16 | 13 | 17 | 21 |
| Pericarditis | 6 | – | – | – | – | – | – | – | 1 | 1 | – | 2 | – | – |
| Hypertrophy of Heart | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Angina Pectoris | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 29 | 3 | 1 | – | 1 | – | – | – | – | – | – | 1 | 2 | 1 |
| Anæmism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 5 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Phlebitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 16 | 2 | 2 | 5 | 4 | – | 1 | – | 1 | – | – | 1 | – | – |
| Croup | 31 | – | – | 2 | 13 | 7 | 4 | 1 | 4 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 12 | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Bronchitis | 1043 | 49 | 36 | 73 | 71 | 38 | 14 | 5 | 5 | 5 | 3 | 7 | 13 | 12 |
| Pneumonia | 540 | 23 | 19 | 64 | 105 | 40 | 14 | 16 | 20 | 2 | 11 | 12 | 14 | 12 |
| Pleurisy | 41 | – | – | 1 | 1 | 2 | – | – | – | 1 | – | 4 | 4 | 2 |
| Other Diseases of Respiratory System | 201 | 17 | 11 | 31 | 26 | 9 | 5 | 5 | 5 | 1 | 5 | 8 | 4 | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 7 | – | 1 | – | 2 | – | 2 | 1 | 1 | – | – | – | – | – |
| Dentition | 58 | – | 3 | 28 | 26 | 1 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 3 | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Dyspepsia | 16 | 6 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | 2 |
| Hæmatemesis | 4 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Melæna | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 71 | 4 | 2 | 5 | 6 | 1 | 1 | 1 | – | – | 1 | 7 | 2 | 4 |
| Enteritis | 97 | 18 | 17 | 16 | 4 | 4 | – | 2 | 7 | 2 | 1 | 3 | 1 | 1 |
| Ulceration of Intestine | 5 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Ileus, Obstruction of Intestine | 32 | 2 | 1 | – | – | 2 | 1 | 1 | 2 | 1 | – | 2 | 1 | 1 |
| Stricture or Strangulation of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 3 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hernia | 17 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 50 | – | 1 | – | – | 1 | – | – | 4 | 1 | 5 | 6 | 5 | 2 |
| Ascites | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 60 | 6 | – | 1 | – | – | – | – | 1 | – | – | – | 2 | 3 |
| Other Diseases of Digestive System | 36 | 3 | 3 | 3 | 5 | – | 1 | – | 1 | – | – | 2 | 2 | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Lymphatics | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Thyroid Body | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Suprarenal Capsules | 3 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 40 | – | – | – | 1 | 2 | 1 | – | 1 | 2 | 3 | 4 | 2 | 4 |
| Bright's Disease | 55 | – | – | – | – | – | – | – | – | 1 | 2 | 3 | 3 | 6 |
| Uræmia | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Suppression of Urine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 8 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Other Diseases of Urinary System | 27 | – | – | – | 1 | – | – | – | – | – | 2 | 3 | 3 | 1 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 23 | 20 | 43 | 31 | 34 | 44 | 33 | 19 | 20 | 4 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | 1 | 1 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Angina Pectoris | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | 2 | 3 | 1 | 1 | – | 2 | 3 | – | 2 | – | – | – | – | – |
| Aneurism | 3 | 1 | 3 | 4 | 6 | 1 | 1 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 1 | 1 | 3 | 2 | – | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 22 | 41 | 62 | 69 | 69 | 78 | 66 | 53 | 21 | 11 | 3 | 2 | – | – | – |
| Pneumonia | 44 | 48 | 56 | 58 | 47 | 34 | 32 | 8 | 8 | 4 | – | 1 | – | – | – |
| Pleurisy | 6 | 7 | 5 | 7 | 3 | 4 | – | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 8 | 8 | 10 | 10 | 11 | 7 | 9 | 10 | 4 | 4 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Hæmatemesis | – | 1 | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 2 | – | 4 | 4 | 1 | 10 | 3 | – | 1 | 1 | – | – | – | – | – |
| Enteritis | – | 2 | 1 | 1 | 1 | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Ulceration of Intestine | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 2 | 3 | 3 | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | 5 | 1 | 3 | – | – | – | 1 | – | – | – | – | – | – |
| Fistula | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 2 | 1 | 3 | 3 | 2 | 2 | 2 | – | 1 | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Gallstones | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | 4 | 3 | 4 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Liver | 2 | 2 | 4 | 4 | 2 | 5 | 3 | 4 | 1 | 1 | 1 | – | – | – | – |
| Other Diseases of Digestive System | – | 2 | – | 1 | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 4 | 3 | 2 | 7 | 5 | 2 | 3 | 1 | – | – | – | – | – | – | – |
| Bright's Disease | 2 | 5 | 10 | 9 | 4 | 7 | 6 | 2 | 1 | 1 | – | – | – | – | – |
| Uræmia | 2 | 2 | – | – | – | 2 | – | 1 | 2 | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Hæmaturia | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | 1 | – | 1 | 3 | 5 | 4 | 3 | 1 | 2 | 1 | – | – | – | – |
| Other Diseases of Urinary System | 4 | 2 | 1 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 24 | 25 | 37 | 47 | 30 | 41 | 45 | 26 | 24 | 9 | 8 | – | – | – | – |
| Pericarditis | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | 2 | – | – | – | 2 | 2 | 2 | – | – | – | – | – | – |
| Syncope | 4 | 3 | 1 | 1 | 2 | 3 | – | 1 | 4 | – | 1 | – | – | – | – |
| Aneurism | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | 1 | – | 1 | 3 | – | 2 | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Phlebitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | 1 | – | 2 | 1 | 1 | 3 | 1 | 1 | – | – | – | – | – | – |
| Bronchitis | 29 | 37 | 59 | 38 | 89 | 111 | 107 | 92 | 53 | 32 | 6 | 4 | – | – | – |
| Pneumonia | 22 | 24 | 23 | 30 | 17 | 26 | 17 | 20 | 2 | 7 | – | – | – | – | – |
| Pleurisy | 4 | 5 | 5 | 3 | 2 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| Other Diseases of Respiratory System | 2 | 14 | 8 | 6 | 14 | 8 | 7 | 7 | 2 | 3 | 1 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 1 | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | 7 | 3 | 4 | 7 | 3 | 3 | 5 | 3 | 2 | – | – | – | – | – |
| Enteritis | 3 | 3 | 3 | 2 | 6 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Ulceration of Intestine | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 3 | 1 | 4 | – | 4 | 2 | 1 | 3 | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | 1 | 6 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 3 | 4 | 3 | 2 | 8 | 1 | – | 2 | 2 | – | – | – | – | – | – |
| Ascites | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Gallstones | – | – | 3 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | 2 | 1 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 2 | 5 | 2 | 2 | 11 | 7 | 5 | 2 | 5 | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | 1 | 3 | 3 | 4 | 2 | 2 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | 2 | 7 | 2 | 5 | 3 | – | – | 2 | – | – | – | – | – | – |
| Bright's Disease | 6 | 6 | 8 | – | 6 | 3 | 5 | 3 | 2 | – | 1 | – | – | – | – |
| Uræmia | – | – | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 2 | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| Other Diseases of Urinary System | 2 | 1 | 4 | 2 | 4 | 3 | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 23 | – | – | – | 1 | – | 1 | 3 | 1 | 9 | 4 | – | 1 | 1 |
| Arthritis, Ostitis, Periostitis | 7 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Other Diseases of Organs of Locomotion | 21 | – | – | – | – | – | 1 | – | 4 | 5 | 3 | 2 | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 4 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 13 | – | – | – | – | – | – | – | – | 1 | 2 | 3 | 2 | 2 |
| Mines and Quarries: Other Mines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Vehicles and Horses: Railways | 34 | – | – | – | – | – | – | – | – | – | 1 | 4 | 2 | 7 |
| Vehicles and Horses: Vehicles other than R'wys. | 13 | – | – | – | – | 1 | – | 3 | 2 | – | – | 1 | – | – |
| Vehicles and Horses: Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 11 | – | – | – | – | – | – | – | – | – | – | 3 | – | – |
| Building Operations | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Machinery | 19 | – | – | – | – | – | – | – | – | 1 | 3 | 2 | 1 | 1 |
| Weapons and Implements | 4 | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 31 | 1 | – | 1 | 3 | 5 | 2 | 3 | 1 | 2 | 1 | 3 | 1 | 3 |
| Burns and Scalds: Explosions | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Poisons, Poisonous Vapours | 11 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Drowning | 56 | – | – | 1 | – | – | – | – | 1 | 2 | 9 | 3 | 11 | 6 |
| Suffocation: In Bed | 17 | 13 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 19 | 3 | 1 | – | – | – | – | – | 1 | – | 1 | 1 | 1 | 1 |
| Falls | 45 | – | – | – | 1 | 2 | 3 | – | 2 | 1 | 4 | 3 | 4 | 3 |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 64 | 4 | – | – | – | – | 1 | – | 6 | 4 | 5 | 3 | 2 | 4 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | 3 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Suicide | 28 | – | – | – | – | – | – | – | – | – | – | 2 | 3 | 4 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | 8 | – | – | – | 2 | – | 1 | 1 | – | – | – | – | – | 1 |
| Debility, Atrophy, Inanition | 241 | 162 | 19 | 15 | 14 | 4 | 2 | 1 | 2 | 3 | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 6 | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 14 | 4 | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – |
| Other ill-defined and not specified Causes | 36 | 13 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | 4 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 16 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 1 |
| Diseases of Uterus and Vagina | 25 | – | – | – | 2 | – | – | – | – | – | – | 2 | 4 | 2 |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 10 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 2 |
| Puerperal Mania | 4 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | 1 |
| Puerperal Convulsions | 6 | – | – | – | – | – | – | – | – | – | – | 5 | 1 | – |
| Placenta Prævia, Flooding | 21 | – | – | – | – | – | – | – | – | – | – | 3 | 3 | 4 |
| Phlegmasia Dolens | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Accidents of Childbirth | 29 | – | – | – | – | – | – | – | – | – | 1 | 5 | 10 | 2 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 17 | – | – | – | – | – | – | 1 | 2 | 1 | 5 | – | 1 | 4 |
| Arthritis, Ostitis, Periostitis | 4 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Other Diseases of Organs of Locomotion | 14 | 1 | – | – | – | 1 | 1 | – | – | 3 | – | – | 3 | 1 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmon, Cellulitis | 6 | – | – | – | – | – | – | – | – | – | – | 3 | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 4 | – | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 2 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 30 | – | – | 1 | 6 | 3 | 4 | 2 | 4 | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 4 | – | – | – | 1 | 1 | – | – | – | – | – | 1 | – | – |
| Drowning | 8 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | 14 | 11 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 24 | – | – | 1 | – | 2 | 1 | – | – | 1 | – | 3 | – | 1 |
| Weather Agencies | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Otherwise, or Not Stated | 43 | 2 | – | – | – | 1 | 1 | – | 2 | 2 | 1 | – | – | 2 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 11 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 16 | 2 | – | – | – | – | – | – | 1 | – | 1 | 1 | 2 | 2 |
| Debility, Atrophy, Inanition | 225 | 128 | 15 | 16 | 18 | 3 | 2 | 2 | 1 | 2 | – | 1 | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 10 | 3 | 2 | – | – | – | – | – | 1 | – | – | 1 | – | 1 |
| Other ill-defined and not specified Causes | 36 | 8 | 3 | – | 2 | – | – | 1 | – | – | – | 1 | – | 1 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | 1 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 6 | 6 | 3 | 3 | 2 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 2 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 2 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 6 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | – | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Burns and Scalds: Explosions | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | 1 | 1 | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Drowning | 4 | 5 | 3 | 3 | 5 | 1 | 2 | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | 1 | 1 | 1 | 1 | 2 | 2 | 1 | – | – | – | – | – | – |
| Falls | 4 | 5 | 4 | 4 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 3 | 5 | 4 | 3 | 6 | 5 | 4 | 1 | 1 | 2 | 1 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 4 | 2 | 3 | 5 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 1 | 2 | 1 | 3 | 12 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | 1 | 2 | 4 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 3 | 1 | 1 | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 6 | 2 | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 6 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 9 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Horses | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Burns & Scalds | 1 | – | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | 1 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise | 1 | – | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Falls | 2 | 1 | 2 | 1 | 1 | 1 | 2 | 3 | 2 | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 1 | 3 | 2 | 3 | 5 | 3 | 6 | 1 | 3 | 3 | 2 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | 1 | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | 2 | 1 | 1 | 1 | – | – | 2 | – | – | – | – | – |
| Debility, Atrophy, Inanition | 2 | 3 | 1 | 14 | 17 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | 4 | 5 | 3 | 3 | 4 | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 2413 | 268 | 95 | 210 | 245 | 86 | 54 | 39 | 94 | 43 | 72 | 73 | 71 | 844 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 358 | 25 | 20 | 51 | 86 | 42 | 22 | 7 | 21 | 5 | 6 | 6 | 6 | 33 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 10 | 2 | 1 | 1 | – | – | – | – | – | – | 1 | – | – | 2 |
| IV. CONSTITUTIONAL ,, | 399 | 7 | 8 | 19 | 27 | 9 | 9 | 11 | 23 | 13 | 30 | 32 | 32 | 300 |
| V. DEVELOPMENTAL ,, | 129 | 65 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 1318 | 85 | 55 | 127 | 124 | 30 | 20 | 19 | 45 | 24 | 30 | 27 | 25 | 422 |
| VII. VIOLENCE | 66 | 2 | 1 | – | 2 | 4 | 1 | 2 | 3 | 1 | 5 | 8 | 7 | 5 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 133 | 82 | 8 | 11 | 6 | 1 | 2 | – | 2 | – | – | – | 1 | 2 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 292 | 9 | 10 | 41 | 80 | 40 | 22 | 7 | 21 | 5 | 6 | 5 | 6 | 3 |
| 2. DIARRHŒAL ,, | 44 | 8 | 9 | 8 | 5 | 2 | – | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 8 | 4 | 1 | 1 | 1 | – | – | – | – | – | – | 1 | – | – |
| 6. SEPTIC ,, | 14 | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 10 | 2 | 1 | 1 | – | – | – | – | – | – | 1 | – | – | 2 |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 399 | 7 | 8 | 19 | 27 | 9 | 9 | 11 | 23 | 13 | 30 | 32 | 32 | 30 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 129 | 65 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 315 | 23 | 13 | 37 | 26 | 7 | 4 | 7 | 13 | 7 | 3 | 6 | 5 | 11 |
| 2. ,, ORGANS OF SPECIAL SENSE | 5 | 1 | 1 | 1 | – | – | – | – | 1 | – | – | 1 | – | – |
| 3. ,, CIRCULATORY SYSTEM | 182 | 4 | – | – | – | – | 2 | – | 2 | 5 | 8 | 4 | 3 | – |
| 4. ,, RESPIRATORY SYSTEM | 619 | 34 | 30 | 73 | 84 | 22 | 11 | 8 | 18 | 9 | 15 | 8 | 13 | 11 |
| 5. ,, DIGESTIVE SYSTEM | 116 | 21 | 10 | 15 | 13 | 1 | 2 | – | 4 | 1 | – | 3 | 1 | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 59 | – | – | – | – | – | 1 | 4 | 2 | – | 1 | 4 | 3 | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 14 | – | – | – | – | – | – | – | 5 | 2 | 3 | 1 | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 7 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 2428 | 216 | 90 | 190 | 201 | 105 | 51 | 57 | 80 | 63 | 56 | 83 | 86 | 92 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 394 | 19 | 24 | 51 | 77 | 43 | 22 | 32 | 23 | 6 | 7 | 14 | 12 | 13 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 6 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 463 | 3 | 13 | 20 | 18 | 17 | 8 | 8 | 25 | 30 | 27 | 39 | 39 | 40 |
| V. DEVELOPMENTAL ,, | 191 | 58 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 1232 | 66 | 42 | 108 | 98 | 39 | 19 | 15 | 30 | 24 | 22 | 27 | 34 | 38 |
| VII. VIOLENCE | 22 | 4 | – | 1 | 2 | 1 | – | – | 1 | – | – | 3 | 1 | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 120 | 66 | 10 | 10 | 6 | 5 | 2 | 2 | 1 | 3 | – | – | – | 1 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 305 | 9 | 10 | 41 | 74 | 42 | 22 | 31 | 22 | 6 | 6 | 6 | 5 | 6 |
| 2. DIARRHŒAL ,, | 50 | 6 | 10 | 10 | 3 | 1 | – | 1 | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 6 | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 33 | 1 | 1 | – | – | – | – | – | 1 | – | 1 | 8 | 7 | 7 |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 6 | – | 1 | | – | – | – | – | – | – | – | – | – | – |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 463 | 3 | 13 | 20 | 18 | 17 | 8 | 8 | 25 | 30 | 27 | 39 | 39 | 40 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 191 | 58 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 321 | 21 | 9 | 27 | 26 | 11 | 5 | 6 | 9 | 5 | 2 | 5 | 6 | 2 |
| 2. ,, ORGANS OF SPECIAL SENSE | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 177 | – | – | – | – | – | – | – | 4 | 6 | 3 | 3 | 5 | 11 |
| 4. ,, RESPIRATORY SYSTEM | 513 | 24 | 25 | 56 | 64 | 25 | 13 | 8 | 10 | 7 | 5 | 6 | 10 | 11 |
| 5. ,, DIGESTIVE SYSTEM | 129 | 19 | 7 | 24 | 6 | 2 | 1 | – | 3 | 2 | 5 | 1 | 4 | 3 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 7. ,, URINARY SYSTEM | 33 | 1 | 1 | – | – | – | – | – | 2 | 2 | 3 | 3 | 2 | 2 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 13 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 3 |
| (*b*) DISEASES OF PARTURITION | 25 | – | – | – | – | – | – | – | – | – | 3 | 7 | 4 | 4 |
| 9. ,, ORGANS OF LOCOMOTION | 12 | – | – | – | – | 1 | – | 1 | 2 | 2 | – | 1 | 1 | 1 |
| 10. ,, INTEGUMENTARY SYSTEM | 7 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 82 | 108 | 116 | 104 | 104 | 116 | 126 | 108 | 66 | 32 | 10 | 7 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 10 | 10 | 9 | 4 | 2 | 6 | 4 | 4 | 6 | 3 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 26 | 30 | 25 | 15 | 19 | 11 | 12 | 6 | 3 | 2 | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 3 | 7 | 18 | 14 | 9 | 5 | 5 | – | – | – |
| VI. LOCAL ,, | 43 | 62 | 77 | 77 | 71 | 91 | 100 | 79 | 40 | 18 | 5 | 2 | – | – | – |
| VII. VIOLENCE | 3 | 2 | 2 | 6 | 6 | 4 | – | 1 | 1 | – | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | 4 | 2 | 2 | 5 | – | 3 | – | 2 | – | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 5 | 8 | 7 | 3 | 1 | 5 | 3 | 3 | 3 | – | – | – | – | – | – |
| 2. DIARRHŒAL ,, | 3 | 2 | – | 1 | – | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 6. SEPTIC ,, | 2 | – | 2 | – | 1 | – | – | – | – | 2 | – | – | – | – | – |
| **II.** | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **IV.** | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 26 | 30 | 25 | 15 | 19 | 11 | 12 | 6 | 3 | 2 | – | – | – | – | – |
| **V.** | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | – | – | – | – | – | 3 | 7 | 18 | 14 | 9 | 5 | 5 | – | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 6 | 16 | 12 | 13 | 16 | 23 | 25 | 24 | 11 | 5 | – | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 6 | 8 | 16 | 13 | 13 | 25 | 22 | 21 | 11 | 8 | 1 | 1 | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 23 | 29 | 40 | 38 | 28 | 30 | 37 | 29 | 15 | 5 | 3 | 1 | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 3 | 7 | 4 | 7 | 7 | 7 | 6 | 2 | – | – | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 5 | 2 | 4 | 5 | 6 | 6 | 8 | 3 | 2 | – | 1 | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 101 | 85 | 86 | 92 | 115 | 135 | 135 | 132 | 81 | 63 | 25 | 6 | 2 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 9 | 9 | 3 | 1 | 1 | 11 | – | 6 | 5 | 4 | 2 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 38 | 33 | 28 | 19 | 26 | 13 | 9 | 6 | 2 | 1 | 1 | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 10 | 21 | 34 | 27 | 29 | 10 | 1 | 1 | – | – |
| VI. LOCAL ,, | 53 | 40 | 51 | 68 | 77 | 101 | 103 | 85 | 46 | 29 | 11 | 5 | 1 | – | – |
| VII. VIOLENCE | 1 | 2 | – | 1 | 1 | – | 1 | 1 | 1 | – | 1 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | 3 | 1 | 9 | – | 1 | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 3 | 6 | 3 | 1 | – | 3 | – | 4 | 3 | 1 | 1 | – | – | – | – |
| 2. DIARRHŒAL ,, | 2 | 1 | – | – | – | 8 | – | 2 | 2 | 3 | 1 | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 4 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 38 | 33 | 28 | 19 | 26 | 13 | 9 | 6 | 2 | 1 | 1 | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 10 | 21 | 34 | 27 | 29 | 10 | 1 | 1 | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 8 | 9 | 15 | 13 | 22 | 29 | 35 | 26 | 13 | 13 | 2 | 2 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 14 | 5 | 10 | 17 | 11 | 23 | 21 | 20 | 14 | 5 | 3 | 2 | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 18 | 22 | 18 | 27 | 32 | 36 | 36 | 30 | 16 | 7 | 6 | – | 1 | – | – |
| 5. ,, DIGESTIVE SYSTEM | 5 | 1 | 6 | 5 | 8 | 7 | 7 | 7 | 3 | 2 | – | 1 | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 1 | 2 | 1 | 2 | 2 | 2 | 3 | – | 2 | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | – | – | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 60 | 1 | 1 | – | – | 4 | 1 | 2 | 3 | 1 | 5 | 8 | 6 | 5 |
| 2. HOMICIDE | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 133 | 82 | 8 | 11 | 6 | 1 | 2 | – | 2 | – | – | – | 1 | 2 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 61 | – | 1 | 12 | 32 | 9 | 1 | 2 | 4 | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 26 | – | – | 1 | 2 | 9 | 4 | 1 | 3 | 2 | – | 1 | 2 | – |
| Typhus | 3 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 35 | 1 | 1 | – | 1 | – | – | – | – | – | – | 1 | 1 | 1 |
| Hooping-cough | 115 | 8 | 8 | 25 | 39 | 17 | 13 | 2 | 3 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 28 | – | – | 3 | 6 | 5 | 3 | 2 | 8 | – | 1 | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 24 | – | – | – | – | – | 1 | – | 3 | 2 | 4 | 3 | 3 | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 4 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 40 | 8 | 8 | 7 | 4 | 2 | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 7 | 4 | 1 | 1 | 1 | | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 11 | 4 | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Pyæmia, Septicæmia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 21 | 4 | – | 1 | 2 | 1 | – | – | 1 | – | – | 3 | 1 | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 120 | 66 | 10 | 10 | 6 | 5 | 2 | 2 | 1 | 3 | – | – | – | 1 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 70 | 2 | 2 | 12 | 25 | 12 | 5 | 6 | 6 | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 23 | – | – | 1 | 3 | 3 | 5 | 5 | 3 | – | – | 1 | – | – |
| Typhus | 5 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 30 | – | – | – | – | 2 | – | – | – | 1 | 1 | 2 | 3 | 3 |
| Hooping-cough | 123 | 6 | 8 | 25 | 40 | 17 | 7 | 12 | 8 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 37 | – | – | 3 | 6 | 8 | 5 | 8 | 3 | 2 | 1 | – | – | 1 |
| Cerebro-spinal Fever | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 15 | – | – | – | – | – | – | – | 1 | 3 | 2 | 3 | 2 | 2 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 49 | 6 | 10 | 9 | 3 | 1 | – | 1 | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 6 | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 5 | – | – | – | – | – | – | – | 1 | – | – | 1 | 2 | – |
| Puerperal Fever | 25 | – | – | – | – | – | – | – | – | – | 1 | 7 | 5 | 7 |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 3 | – | 2 | 4 | 6 | 4 | – | 1 | 1 | – | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | 4 | 2 | 2 | 5 | – | 3 | – | 1 | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | 6 | 5 | 2 | 1 | 5 | 3 | 2 | 3 | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 2 | 2 | – | 1 | – | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 2 | – | 1 | – | – | – | – | 2 | – | – | – | – | – |
| Pyæmia, Septicæmia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | 2 | – | 1 | 1 | – | 1 | 1 | 1 | – | 1 | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | 3 | 1 | 9 | – | 1 | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | 2 | 2 | 1 | – | 3 | – | 3 | 3 | 1 | 1 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 2 | 1 | – | – | – | 8 | – | 2 | 2 | 3 | 1 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | 2 |
| Intemp. Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 6 | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – |
| Rheumatism | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cancer | 45 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Tabes Mesenterica | 49 | 4 | 3 | 4 | 9 | 2 | 2 | 3 | 5 | 1 | – | 1 | 1 | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 41 | 2 | 3 | 10 | 7 | 4 | 1 | 5 | 7 | 2 | – | – | – | – |
| Phthisis | 239 | 1 | 1 | 2 | 4 | 2 | 6 | 3 | 8 | 6 | 28 | 28 | 29 | 26 |
| Other forms of Tuberculosis, Scrofula | 17 | – | 1 | 3 | 6 | 1 | – | – | 2 | 1 | 1 | 1 | 1 | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 5 | – | – | – | – | – | – | – | – | 2 | – | – | 1 | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 54 | 54 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 61 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 77 | 4 | 6 | 21 | 11 | 5 | 2 | 3 | 9 | 4 | 1 | 3 | 2 | 1 |
| Apoplexy | 31 | 2 | – | – | 1 | 1 | 1 | – | 1 | – | 1 | 1 | 2 | 2 |
| Softening of the Brain | 11 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hemiplegia, Brain Paralysis | 41 | – | – | – | – | – | – | – | – | – | 1 | – | – | 3 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 16 | – | – | – | – | – | – | – | 1 | – | – | – | – | 6 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 13 | 1 | – | 1 | 1 | – | – | – | – | 1 | – | 1 | – | 1 |
| Convulsions | 40 | 13 | 5 | 6 | 10 | 1 | 1 | 2 | 1 | 1 | – | – | – | – |
| Laryngismus Stridulus | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 10 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Nervous System | 23 | 2 | 2 | 7 | 3 | – | – | 2 | 1 | – | – | – | 1 | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 3 | – | – | 1 | – | – | – | – | 1 | – | – | 1 | – | – |
| Epistaxis and Disease of Nose | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN) at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 8 | – | – | – | – | – | – | 1 | – | 3 | 1 | 1 | 1 | – |
| Rheumatism | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Cancer | 79 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | 3 |
| Tabes Mesenterica | 35 | 2 | 5 | 4 | 7 | 2 | 2 | 4 | 4 | 4 | – | 1 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 43 | – | 6 | 13 | 5 | 9 | 2 | 1 | 3 | 2 | 1 | 1 | – | – |
| Phthisis | 263 | – | 1 | 3 | 3 | 4 | 3 | 1 | 14 | 17 | 24 | 35 | 35 | 36 |
| Other forms of Tuberculosis, Scrofula | 11 | – | 1 | – | 1 | 1 | – | 1 | 4 | 3 | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 9 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| Diabetes Mellitus | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Constitutional Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 44 | 44 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 133 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 75 | 7 | 5 | 14 | 13 | 9 | 3 | 5 | 8 | 3 | – | 4 | – | – |
| Apoplexy | 79 | – | – | – | 1 | – | 1 | – | – | – | – | 1 | 2 | 1 |
| Softening of the Brain | 13 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Hemiplegia, Brain Paralysis | 69 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Paralysis Agitans | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 6 | 1 | – | – | – | – | – | – | – | 1 | – | – | 2 | – |
| Convulsions | 36 | 10 | 3 | 10 | 9 | – | 1 | 1 | – | – | – | – | – | – |
| Laryngismus Stridulus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 10 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Nervous System | 20 | 2 | 1 | 2 | 3 | 2 | – | – | – | 1 | 1 | – | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | 5 | 8 | 6 | 9 | 2 | 4 | 4 | 2 | 2 | – | – | – | – | – |
| Tabes Mesenterica | 2 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 23 | 24 | 15 | 9 | 9 | 7 | 7 | 1 | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 3 | 7 | 18 | 14 | 9 | 5 | 5 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 5 | 4 | 6 | 7 | 11 | 12 | 13 | 8 | 2 | – | – | – | – | – |
| Softening of the Brain | – | 1 | 1 | – | 1 | 1 | 1 | 1 | 1 | 3 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | 2 | 2 | 4 | 4 | 6 | 9 | 8 | 2 | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 4 | 2 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 4 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | 2 | – | 1 | 4 | – | 2 | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | 1 | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 7 | 7 | 12 | 8 | 16 | 9 | 8 | 6 | – | – | 1 | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 27 | 26 | 15 | 7 | 8 | 3 | 1 | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 2 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 10 | 21 | 34 | 27 | 29 | 10 | 1 | 1 | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | 2 | 2 | 6 | 7 | 10 | 14 | 8 | 9 | 8 | 5 | 1 | 1 | – | – | – |
| Softening of the Brain | – | – | 1 | – | 3 | 2 | 2 | 2 | – | – | 1 | 1 | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 6 | 6 | 7 | 7 | 17 | 12 | 4 | 8 | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 3 | 3 | – | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Convulsions | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | 1 | – | 1 | 2 | 3 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | 1 | – | – | 1 | – | 4 | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | [illegible] | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 146 | – | – | – | – | – | 1 | – | 2 | 5 | 7 | 3 | 2 | 8 |
| Pericarditis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 14 | 3 | – | – | – | – | 1 | – | – | – | – | 1 | 1 | 1 |
| Aneurism | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 4 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 8 | – | – | 2 | 3 | 1 | – | – | – | – | – | – | 1 | – |
| Croup | 25 | – | 1 | 3 | 9 | 2 | 4 | 4 | 2 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 7 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 239 | 14 | 12 | 29 | 16 | 6 | 1 | 1 | 4 | 3 | 4 | – | 4 | 3 |
| Pneumonia | 269 | 12 | 15 | 28 | 46 | 9 | 5 | 3 | 9 | 4 | 10 | 7 | 7 | 11 |
| Pleurisy | 15 | 1 | – | – | – | – | – | – | 1 | – | – | 1 | 1 | 1 |
| Other Diseases of Respiratory System | 54 | 7 | 2 | 11 | 10 | 3 | 1 | – | 2 | 2 | 1 | – | – | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 12 | – | 1 | 4 | 7 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Dyspepsia | 16 | 6 | 3 | 2 | 1 | – | – | – | – | – | – | 1 | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 19 | 5 | 3 | 2 | 1 | – | – | – | 2 | – | – | 1 | – | – |
| Enteritis | 24 | 5 | 2 | 6 | 2 | 1 | 2 | – | – | – | – | – | – | 1 |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 4 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 11 | – | 1 | 1 | – | – | – | – | 1 | 1 | – | 1 | – | – |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 13 | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Digestive System | 9 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 21 | – | – | – | – | – | 1 | 3 | 2 | – | 1 | – | – | – |
| Bright's Disease | 12 | – | – | – | – | – | – | 1 | – | – | – | 2 | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hæmaturia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 14 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Other Diseases of Urinary System | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 145 | – | – | – | – | – | – | – | 4 | 6 | 2 | 3 | 5 | 8 |
| Pericarditis | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Hypertrophy of Heart | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Senile Gangrene | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 3 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Croup | 18 | – | – | 4 | 8 | 2 | 1 | 2 | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 251 | 11 | 12 | 15 | 18 | 8 | 5 | 3 | 4 | 4 | 2 | 4 | 1 | – |
| Pneumonia | 176 | 9 | 5 | 27 | 28 | 12 | 6 | 3 | 4 | 3 | 2 | 1 | 4 | 5 |
| Pleurisy | 7 | – | – | – | – | – | – | – | – | – | – | – | 5 | 5 |
| Other Diseases of Respiratory System | 57 | 4 | 7 | 9 | 10 | 3 | 1 | – | 1 | – | 1 | 1 | – | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Dentition | 7 | – | – | 5 | 2 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 9 | – | 2 | 4 | – | 1 | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 20 | 4 | 2 | 1 | 2 | – | – | – | 1 | – | 1 | – | 2 | 1 |
| Enteritis | 25 | 6 | 3 | 7 | 1 | – | – | – | – | 2 | 1 | 1 | – | 1 |
| Ulceration of Intestine | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 3 | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Peritonitis | 14 | 2 | – | 2 | – | – | – | – | – | – | – | – | 1 | 1 |
| Ascites | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Gallstones | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 16 | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Digestive System | 12 | 2 | – | 3 | – | – | – | – | – | – | 1 | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 12 | 1 | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| Bright's Disease | 14 | – | – | – | – | – | – | – | 1 | 1 | – | 2 | – | 2 |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 6 | – | – | – | – | – | – | – | 1 | – | 3 | – | 1 | – |

CAUSES of DEATH in GLASGOW LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 5 | 7 | 13 | 13 | 13 | 20 | 16 | 14 | 10 | 6 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | 2 | 1 | 3 | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Syncope | – | – | 1 | – | – | 1 | 4 | – | – | – | – | 1 | – | – | – |
| Aneurism | – | – | 2 | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | 1 | 1 | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Bronchitis | 10 | 11 | 18 | 23 | 10 | 13 | 23 | 20 | 9 | 3 | 1 | 1 | – | – | – |
| Pneumonia | 12 | 12 | 17 | 13 | 15 | 11 | 10 | 8 | 4 | – | 1 | – | – | – | – |
| Pleurisy | – | 3 | 2 | – | 2 | 3 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | 2 | 2 | 1 | – | 2 | 3 | – | 2 | 1 | 1 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | 1 | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | 1 | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 2 | – | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | 3 | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | 1 | 3 | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Bright's Disease | 1 | 1 | – | 1 | 1 | 2 | 3 | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Calculus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | 1 | 1 | 3 | – | 4 | 2 | 1 | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 13 | 3 | 9 | 15 | 7 | 21 | 19 | 15 | 8 | 4 | 1 | 2 | – | – | – |
| Pericarditis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | 2 | – | – | 3 | – | – | – | – | – | – | – |
| Angina Pectoris | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | 1 | – | 1 | – | 1 | 1 | 2 | 3 | – | – | – | – | – | – |
| Aneurism | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 1 | 1 | – | 2 | 1 | 2 | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | 9 | 11 | 20 | 24 | 25 | 21 | 23 | 10 | 5 | 5 | – | 1 | – | – |
| Pneumonia | 9 | 11 | 5 | 6 | 4 | 8 | 11 | 5 | 4 | 2 | 1 | – | – | – | – |
| Pleurisy | 1 | – | 1 | 1 | – | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 6 | 2 | 1 | – | 4 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 1 | – | – | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – | – |
| Enteritis | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ileus, Obstruction of Intestine | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | 1 | 1 | – | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Ascites | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Gallstones | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Liver | 2 | – | 3 | 2 | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | 2 | 1 | 1 | – | – | – | 1 | – | 2 | – | – | – | – | – |
| Bright's Disease | 1 | – | – | 1 | 2 | 1 | 3 | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 6 | – | – | – | – | – | – | – | 2 | 1 | 2 | – | – | – |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 7 | – | – | – | – | – | – | – | 3 | 1 | 1 | 1 | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 4 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 7 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 1 |
| Vehicles and Horses: Vehicles other than R'wys. | 6 | – | – | – | – | 1 | – | 1 | 1 | – | 1 | 1 | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 3 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 3 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Drowning | 14 | – | – | – | – | – | – | – | 1 | – | 3 | 3 | 1 | 4 |
| Suffocation: In Bed | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Falls | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Weather Agencies | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Otherwise, or Not Stated | 11 | 1 | – | – | – | 1 | – | – | 1 | 1 | – | 1 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 104 | 73 | 8 | 10 | 4 | – | 2 | – | – | – | – | – | – | 1 |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 6 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 18 | 7 | – | – | – | – | – | – | 2 | – | – | – | 1 | 1 |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 5 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Pelvic Abscess | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | |
| Puerperal Mania | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – | |
| Puerperal Convulsions | 4 | – | – | – | – | – | – | – | – | 2 | – | 1 | – | |
| Placenta Previa, Flooding | 5 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Accidents of Childbirth | 10 | – | – | – | – | – | – | – | – | – | 4 | 1 | 2 | |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 10 | – | – | – | – | 1 | – | 1 | 2 | 2 | – | 1 | 1 | 1 |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries — Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries — Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries — Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds — Other Burns & Scalds | 6 | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – |
| Burns and Scalds — Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Suffocation — In Bed | 5 | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation — Otherwise | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Falls | 3 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 4 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Debility, Atrophy, Inanition | 101 | 60 | 8 | 9 | 6 | 4 | 1 | 2 | – | 1 | – | – | – | 1 |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 11 | 5 | 2 | 1 | – | – | 1 | – | – | 1 | – | – | – | – |

CAUSES OF DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Falls | 1 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | 1 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | 2 | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | 2 | 1 | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | 2 | 1 | .. | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | .. | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | .. |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | 1 | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | 2 | 1 | 6 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life. in 1891.—
MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | AGE UNDER | | | | | | | | | | | | |
| | ALL AGES. | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 2732 | 307 | 86 | 176 | 190 | 60 | 44 | 38 | 95 | 47 | 71 | 98 | 74 | 113 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 361 | 26 | 23 | 41 | 58 | 18 | 20 | 10 | 25 | 1 | 16 | 5 | 4 | 6 |
| II. PARASITIC DISEASES | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 15 | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | 2 |
| IV. CONSTITUTIONAL ,, | 515 | 13 | 7 | 17 | 31 | 12 | 11 | 9 | 25 | 13 | 31 | 49 | 30 | 35 |
| V. DEVELOPMENTAL ,, | 170 | 107 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 1483 | 102 | 53 | 110 | 98 | 29 | 13 | 19 | 41 | 28 | 17 | 31 | 29 | 58 |
| VII. VIOLENCE | 132 | 15 | 1 | 3 | 2 | – | – | – | 4 | 5 | 6 | 13 | 10 | 11 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 55 | 42 | 2 | 3 | 1 | 1 | – | – | – | – | 1 | – | – | 1 |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 294 | 9 | 18 | 32 | 49 | 16 | 20 | 10 | 25 | 1 | 14 | 5 | 4 | 6 |
| 2. DIARRHŒAL ,, | 23 | 8 | 4 | 6 | 7 | 2 | – | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 24 | 9 | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 13 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 15 | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | 2 |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 515 | 13 | 7 | 17 | 31 | 12 | 11 | 9 | 25 | 13 | 31 | 49 | 30 | 35 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 170 | 107 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 306 | 25 | 9 | 6 | 24 | 4 | 5 | 5 | 12 | 4 | 2 | 4 | 7 | 11 |
| 2. ,, ORGANS OF SPECIAL SENSE | 9 | 1 | – | 3 | 2 | 1 | – | – | – | – | – | – | 1 | – |
| 3. ,, CIRCULATORY SYSTEM | 247 | 4 | – | – | – | 1 | – | – | 3 | 6 | 4 | 3 | 5 | – |
| 4. ,, RESPIRATORY SYSTEM | 619 | 43 | 34 | 85 | 62 | 18 | 6 | 7 | 9 | 6 | 5 | 15 | 6 | 22 |
| 5. ,, DIGESTIVE SYSTEM | 155 | 22 | 10 | 14 | 9 | 3 | 1 | 4 | 7 | 5 | 2 | 3 | 2 | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 7. ,, URINARY SYSTEM | 105 | 3 | – | 1 | 1 | – | – | 2 | 3 | – | 3 | 2 | 7 | – |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| (b) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 27 | – | – | – | – | 1 | 1 | 1 | 7 | 6 | 1 | 4 | 1 | – |
| 10. ,, INTEGUMENTARY SYSTEM | 9 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |

CAUSES OF DEATH in EDINBURGH, at different Periods of Life, in 1891.—
FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 51 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 2914 | 238 | 78 | 189 | 166 | 66 | 34 | 26 | 87 | 54 | 79 | 104 | 112 | 99 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 402 | 15 | 15 | 50 | 50 | 23 | 17 | 8 | 27 | 8 | 4 | 10 | 15 | 7 |
| II. PARASITIC DISEASES | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 521 | 3 | 4 | 18 | 16 | 7 | 3 | 9 | 20 | 28 | 39 | 37 | 46 | 31 |
| V. DEVELOPMENTAL „ | 247 | 89 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL „ | 1633 | 86 | 47 | 66 | 97 | 33 | 14 | 9 | 39 | 18 | 36 | 56 | 50 | 57 |
| VII. VIOLENCE | 55 | 12 | 3 | – | 3 | 3 | – | – | 1 | – | – | 1 | – | 4 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 46 | 32 | 2 | 5 | – | – | – | – | – | – | – | – | 1 | – |
| I. | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases | 323 | 4 | 5 | 43 | 45 | 22 | 15 | 8 | 26 | 7 | 1 | 6 | 8 | 5 |
| 2. Diarrhœal „ | 40 | 8 | 7 | 7 | 3 | – | 2 | – | – | – | 2 | – | – | – |
| 3. Malarial „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. Zoogenous „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. Venereal „ | 7 | 2 | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| 6. Septic „ | 32 | 1 | – | – | 1 | 1 | – | – | 1 | 1 | 1 | 4 | 7 | 2 |
| II. | | | | | | | | | | | | | | |
| Parasitic Diseases | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| Dietetic Diseases | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | | | | | | | | | | | | | | |
| Constitutional Diseases | 521 | 3 | 4 | 18 | 16 | 7 | 3 | 9 | 20 | 28 | 39 | 37 | 46 | 31 |
| V. | | | | | | | | | | | | | | |
| Developmental Diseases | 247 | 89 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. Diseases of Nervous System | 319 | 21 | 10 | 9 | 22 | 9 | 4 | 4 | 10 | 5 | 10 | 6 | 6 | 9 |
| 2. „ Organs of Special Sense | 6 | 1 | – | – | – | – | – | – | 2 | – | 1 | 1 | 1 | – |
| 3. „ Circulatory System | 296 | 3 | – | – | – | – | – | – | 4 | 1 | 6 | 11 | 3 | 13 |
| 4. „ Respiratory System | 659 | 44 | 24 | 42 | 61 | 17 | 7 | 3 | 13 | 5 | 11 | 16 | 16 | 12 |
| 5. „ Digestive System | 196 | 14 | 11 | 15 | 11 | 5 | 3 | 2 | 6 | 2 | 2 | 11 | 13 | 7 |
| 6. „ Lymphatic System and Ductless Glands | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| 7. „ Urinary System | 67 | 1 | – | – | 1 | 2 | – | – | 2 | 2 | 2 | 3 | 2 | 7 |
| 8. „ Reproductive System :— | | | | | | | | | | | | | | |
| (*a*) Diseases of Organs of Generation | 29 | – | – | – | 1 | – | – | – | – | – | 1 | 2 | 3 | 4 |
| (*b*) Diseases of Parturition | 20 | – | – | – | – | – | – | – | – | – | 1 | 3 | 5 | 3 |
| 9. „ Organs of Locomotion | 23 | – | – | – | – | – | – | – | 2 | 3 | 2 | 2 | – | 1 |
| 10. „ Integumentary System | 13 | 2 | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 112 | 125 | 144 | 147 | 152 | 164 | 127 | 145 | 106 | 72 | 28 | 6 | 5 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 8 | 10 | 14 | 10 | 9 | 15 | 10 | 13 | 11 | 4 | 4 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | 1 | 1 | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 39 | 38 | 35 | 26 | 29 | 23 | 19 | 10 | 9 | 4 | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 5 | 2 | 13 | 12 | 18 | 9 | 1 | 2 | – | – |
| VI. LOCAL ,, | 55 | 66 | 81 | 103 | 101 | 116 | 91 | 105 | 71 | 45 | 14 | 4 | 3 | – | – |
| VII. VIOLENCE | 8 | 10 | 12 | 6 | 8 | 4 | 4 | 4 | 3 | 1 | 1 | 1 | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 8 | 3 | 9 | 8 | 7 | 11 | 8 | 12 | 11 | 4 | 4 | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | 4 | 3 | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | – | 3 | 2 | 1 | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| II. | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 1 | 1 | 1 | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| IV. | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 39 | 38 | 35 | 26 | 29 | 23 | 19 | 10 | 9 | 4 | – | – | – | – | – |
| V. | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | – | – | – | – | – | 5 | 2 | 13 | 12 | 18 | 9 | 1 | 2 | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 7 | 11 | 12 | 20 | 23 | 23 | 27 | 30 | 21 | 7 | 4 | 1 | 1 | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 13 | 13 | 16 | 25 | 21 | 36 | 28 | 24 | 22 | 12 | 1 | – | 1 | – | – |
| 4. ,, RESPIRATORY SYSTEM | 24 | 21 | 30 | 43 | 43 | 36 | 21 | 38 | 14 | 20 | 6 | 2 | 1 | – | – |
| 5. ,, DIGESTIVE SYSTEM | 6 | 6 | 16 | 8 | 8 | 6 | 6 | 4 | 5 | 2 | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 4 | 13 | 6 | 6 | 3 | 13 | 8 | 7 | 9 | 4 | 3 | 1 | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | 1 | – | – | 1 | 2 | – | 2 | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—
FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 123 | 112 | 114 | 124 | 148 | 190 | 189 | 194 | 190 | 156 | 69 | 27 | 1 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 17 | 7 | 11 | 13 | 15 | 12 | 17 | 19 | 20 | 13 | 8 | 1 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 1 | 2 | 3 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 48 | 34 | 42 | 22 | 22 | 36 | 22 | 19 | 8 | 3 | 3 | 1 | – | – | – |
| V. DEVELOPMENTAL „ | – | – | – | – | – | 10 | 10 | 12 | 24 | 60 | 24 | 15 | 1 | – | – |
| VI. LOCAL „ | 54 | 67 | 55 | 84 | 104 | 127 | 136 | 139 | 137 | 79 | 33 | 10 | – | – | – |
| VII. VIOLENCE | 2 | 2 | 3 | 4 | 3 | 3 | 3 | 5 | 1 | 1 | 1 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | – | – | 4 | 1 | – | – | – | – | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases | 12 | 6 | 9 | 12 | 13 | 11 | 15 | 13 | 17 | 11 | 8 | 1 | – | – | – |
| 2. Diarrhœal „ | – | – | – | – | 1 | – | 1 | 5 | 3 | 1 | – | – | – | – | – |
| 3. Malarial „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. Zoogenous „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. Venereal „ | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. Septic „ | 4 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| **II.** | | | | | | | | | | | | | | | |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** | | | | | | | | | | | | | | | |
| Dietetic Diseases | 1 | 2 | 3 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| **IV.** | | | | | | | | | | | | | | | |
| Constitutional Diseases | 48 | 34 | 42 | 22 | 22 | 36 | 22 | 19 | 8 | 3 | 3 | 1 | – | – | – |
| **V.** | | | | | | | | | | | | | | | |
| Developmental Diseases | – | – | – | – | – | 10 | 10 | 12 | 24 | 60 | 24 | 15 | 1 | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. Diseases of Nervous System | 4 | 6 | 8 | 15 | 23 | 21 | 23 | 32 | 37 | 14 | 9 | 2 | – | – | – |
| 2. „ Organs of Special Sense | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ Circulatory System | 15 | 21 | 17 | 25 | 26 | 30 | 37 | 34 | 27 | 18 | 5 | – | – | – | – |
| 4. „ Respiratory System | 11 | 15 | 15 | 21 | 36 | 56 | 64 | 58 | 50 | 38 | 16 | 8 | – | – | – |
| 5. „ Digestive System | 4 | 12 | 11 | 12 | 7 | 9 | 5 | 9 | 14 | 8 | 3 | – | – | – | – |
| 6. „ Lymphatic System and Ductless Glands | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| 7. „ Urinary System | 5 | 7 | 2 | 7 | 4 | 6 | 5 | 2 | 7 | – | – | – | – | – | – |
| 8. „ Reproductive System :— | | | | | | | | | | | | | | | |
| (*a*) Diseases of Organs of Generation | 3 | 5 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| (*b*) Diseases of Parturition | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ Organs of Locomotion | 3 | 1 | – | 1 | 4 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| 10. „ Integumentary System | – | – | 1 | 1 | 2 | 1 | – | 2 | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | All Ages. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 113 | 13 | 1 | 3 | 2 | – | – | – | 4 | 5 | 6 | 10 | 8 | 9 |
| 2. Homicide | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 17 | – | – | – | – | – | – | – | – | – | – | 3 | 2 | 2 |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Cause | 55 | 42 | 2 | 3 | 1 | 1 | – | – | – | – | 1 | – | – | 1 |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 36 | 1 | 2 | 9 | 12 | 3 | 2 | – | 7 | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 31 | – | – | 6 | 3 | 1 | 9 | 2 | 7 | – | 1 | 1 | – | 1 |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 96 | – | 2 | 3 | 2 | – | – | – | – | – | 1 | 2 | 3 | 3 |
| Hooping-cough | 80 | 8 | 12 | 13 | 29 | 8 | 6 | 4 | – | – | – | – | – | – |
| Mumps | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diphtheria | 25 | – | 2 | 1 | 2 | 4 | 3 | 4 | 6 | – | 3 | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 25 | – | – | – | – | – | – | – | 5 | 1 | 9 | 2 | 1 | 2 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | |
| Simple Cholera | 3 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 26 | 8 | 3 | 5 | 7 | 1 | – | – | – | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | |
| Syphilis | 15 | 9 | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 6 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 50 | 11 | 3 | – | 2 | 3 | – | – | 1 | – | – | 1 | – | 3 |
| 2. Homicide | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 46 | 32 | 2 | 5 | – | – | – | – | – | – | – | – | 1 | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 33 | – | 1 | 9 | 13 | 6 | 2 | – | 2 | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 17 | – | – | 1 | 1 | 2 | 5 | 1 | 7 | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 142 | 1 | 1 | 2 | 1 | 2 | 1 | 1 | – | – | – | 3 | 3 | 4 |
| Hooping-cough | 80 | 3 | 1 | 30 | 25 | 9 | 6 | 2 | 3 | 1 | – | – | – | – |
| Mumps | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diphtheria | 28 | – | 1 | – | 5 | 3 | 1 | 4 | 10 | 1 | – | 1 | – | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 21 | – | – | 1 | – | – | – | – | 3 | 5 | 1 | 2 | 5 | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 40 | 8 | 7 | 7 | 3 | – | [illegible] | – | – | – | [illegible] | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | |
| Syphilis | 7 | 2 | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 9 | – | – | – | 1 | 1 | – | – | 1 | 1 | 1 | – | 1 | 1 |
| Puerperal Fever | 17 | – | – | – | – | – | – | – | – | – | – | 4 | 6 | 1 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 8 | 7 | 10 | 6 | 7 | 3 | 3 | 3 | 2 | 1 | 1 | 1 | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | 3 | 2 | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 5 | 2 | 9 | 8 | 6 | 11 | 8 | 12 | 11 | 4 | 4 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | 4 | 2 | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phlegmona | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 2 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 1 | 2 | 3 | 4 | 3 | 3 | 3 | 4 | 1 | 1 | 1 | – | – | – | – |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 1 | – | – | – | 4 | 1 | – | – | – | – | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 11 | 5 | 7 | 12 | 13 | 10 | 15 | 13 | 17 | 11 | 8 | 1 | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | 1 | – | 1 | 5 | 3 | 1 | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Puerperal Fever | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Intemp. { Delirium Tremens | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 7 | – | – | – | – | – | – | 1 | – | – | – | 2 | – | 1 |
| Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 6 | 1 | – | 1 | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| Cancer | 102 | – | – | – | 1 | 1 | – | – | – | 1 | – | 4 | 8 | 1 |
| Tabes Mesenterica | 24 | 1 | 2 | 2 | 7 | 1 | 2 | – | 5 | – | 2 | 1 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 65 | 6 | 4 | 9 | 16 | 6 | 7 | 3 | 9 | 4 | – | – | – | – |
| Phthisis | 254 | – | 1 | – | 3 | 1 | – | 1 | 5 | 3 | 27 | 40 | 27 | 32 |
| Other forms of Tuberculosis, Scrofula | 31 | 3 | – | 3 | 3 | 2 | 2 | 3 | 5 | 3 | 1 | 2 | – | – |
| Purpura, Hæmorrhagic Diathesis | 3 | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 8 | 2 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Diabetes Mellitus | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 82 | 82 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 10 | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Hare-lip | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 62 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 38 | 4 | – | 2 | 11 | 1 | 2 | 3 | 6 | 3 | 1 | 1 | – | – |
| Apoplexy | 93 | 1 | – | 2 | 1 | – | – | – | 1 | – | – | 1 | 1 | 3 |
| Softening of the Brain | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 42 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Paralysis Agitans | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 16 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 17 | – | – | – | – | – | 1 | 1 | – | – | 1 | 1 | 3 | 2 |
| Convulsions | 42 | 19 | 8 | 2 | 8 | 2 | 2 | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | 3 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 17 | – | – | – | – | 1 | – | 1 | – | – | – | – | 2 | 1 |
| Other Diseases of Nervous System | 24 | 1 | – | – | 2 | – | – | – | 4 | 1 | – | 1 | – | 4 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 8 | – | – | 3 | 2 | 1 | – | – | – | – | – | – | 1 | – |
| Epistaxis and Disease of Nose | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH at different Periods of Life, in 1891.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 17 | – | – | – | – | – | – | – | 1 | 5 | 4 | 2 | – | – |
| Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cancer | 153 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Tabes Mesenterica | 17 | 1 | – | 2 | 3 | 2 | – | 1 | 3 | 1 | 1 | 1 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 58 | 2 | 4 | 10 | 10 | 3 | 3 | 7 | 11 | 5 | 2 | 1 | – | – |
| Phthisis | 243 | – | – | 1 | 1 | 2 | – | 1 | 3 | 13 | 29 | 30 | 43 | 28 |
| Other forms of Tuberculosis, Scrofula | 17 | – | – | 4 | 2 | – | – | – | 2 | 3 | 2 | 2 | 1 | 1 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diabetes Mellitus | 5 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 |
| Other Constitutional Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 73 | 73 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 5 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 156 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 45 | 2 | 4 | 3 | 11 | 6 | 3 | 3 | 5 | 4 | 1 | – | 1 | 1 |
| Apoplexy | 100 | – | – | – | 1 | – | – | 1 | – | – | 1 | – | 3 | 2 |
| Softening of the Brain | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 48 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Paralysis Agitans | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 16 | – | – | – | – | – | – | – | – | – | 2 | 2 | – | 2 |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 15 | – | – | 1 | – | – | – | – | 1 | 1 | 3 | 2 | – | – |
| Convulsions | 39 | 17 | 6 | 4 | 6 | 2 | 1 | – | 1 | – | 1 | – | 1 | – |
| Laryngismus Stridulus | 3 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 15 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Other Diseases of Nervous System | 27 | 1 | – | 1 | 1 | 1 | – | – | 3 | – | 1 | 1 | 1 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 5 | – | – | – | – | – | – | – | 2 | – | 1 | 1 | 1 | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 1 | – | 1 | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | 2 | 3 | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 7 | 4 | 13 | 14 | 15 | 12 | 11 | 5 | 8 | 2 | – | – | – | – | – |
| Tabes Mesenterica | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 28 | 30 | 20 | 12 | 9 | 9 | 4 | 1 | – | 1 | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 5 | 2 | 13 | 12 | 18 | 9 | 1 | 2 | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 2 | 3 | 12 | 12 | 15 | 12 | 10 | 10 | 3 | 2 | 1 | 1 | – | – |
| Softening of the Brain | – | – | – | – | 3 | 2 | 4 | 1 | 2 | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 1 | 1 | 3 | 2 | 3 | 3 | 6 | 13 | 5 | 2 | 2 | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | 4 | 2 | 4 | – | – | 1 | – | 2 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | 1 | 1 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | 2 | 1 | – | 2 | – | 2 | 2 | 2 | 1 | – | – | – | – | – |
| Other Diseases of Nervous System | 2 | 1 | 1 | 1 | 1 | 1 | – | 3 | – | 1 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 1 | 2 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | 2 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Rheumatism | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 11 | 21 | 15 | 15 | 13 | 28 | 18 | 17 | 6 | 3 | 3 | 1 | – | – | – |
| Tabes Mesenterica | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 35 | 11 | 23 | 5 | 9 | 6 | 2 | – | 1 | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | 1 | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 10 | 10 | 12 | 14 | 10 | 24 | 15 | 1 | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 1 | 2 | 9 | 15 | 9 | 14 | 15 | 17 | 7 | 3 | – | – | – | – |
| Softening of the Brain | – | – | – | – | 1 | 1 | – | 2 | 1 | 1 | 2 | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | 1 | 3 | – | 2 | 6 | 6 | 5 | 14 | 6 | 2 | 2 | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | 2 | – | 1 | 2 | 1 | – | 1 | – | – | 1 | – | – | – | – |
| Chorea | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | 1 | 1 | – | 1 | 3 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | 1 | 1 | – | 1 | 3 | 1 | 3 | 1 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | 2 | 3 | 1 | 1 | 1 | 2 | 4 | – | 1 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 185 | 1 | – | – | – | – | – | – | 2 | 5 | 4 | 3 | 3 | 6 |
| Pericarditis | 4 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – |
| Hypertrophy of Heart | 14 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Angina Pectoris | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 15 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 17 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Senile Gangrene | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 8 | – | 1 | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| Croup | 12 | – | 1 | 2 | 4 | 2 | – | 2 | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 315 | 34 | 22 | 52 | 35 | 6 | 2 | – | 2 | – | – | 2 | 2 | 3 |
| Pneumonia | 223 | 1 | 8 | 26 | 21 | 9 | 2 | 5 | 3 | 6 | 3 | 12 | 4 | 17 |
| Pleurisy | 27 | – | 1 | 1 | – | – | 1 | – | 2 | – | 2 | 1 | – | 2 |
| Other Diseases of Respiratory System | 28 | 8 | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Dentition | 11 | – | 2 | 1 | 7 | – | 1 | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Melæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 21 | 2 | 1 | 3 | 1 | – | – | 1 | 1 | – | – | – | – | 1 |
| Enteritis | 31 | 12 | 3 | 8 | 1 | 2 | – | – | – | 1 | – | – | – | 1 |
| Ulceration of Intestine | 2 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Ileus, Obstruction of Intestine | 13 | 2 | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 |
| Stricture or Strangulation of Intestine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 5 | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 21 | – | – | 1 | – | – | – | 2 | 3 | 3 | 2 | 2 | – | 1 |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 14 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Liver | 16 | 3 | 1 | – | – | – | – | 1 | 2 | – | – | – | – | 1 |
| Other Diseases of Digestive System | 4 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 9 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Bright's Disease | 39 | – | – | 1 | – | – | – | 2 | 1 | – | 1 | – | 5 | 4 |
| Uræmia | 15 | 1 | – | – | 1 | – | – | – | – | – | – | – | 2 | 1 |
| Suppression of Urine | 4 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 22 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Other Diseases of Urinary System | 11 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 237 | – | – | – | – | – | – | – | 4 | 1 | 6 | 10 | 2 | 12 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hypertrophy of Heart | 16 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Syncope | 16 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 3 | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – |
| Croup | 15 | – | 2 | 1 | 4 | 5 | 1 | – | 2 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 397 | 32 | 16 | 26 | 30 | 8 | 1 | 1 | 5 | 1 | 2 | 2 | 1 | 4 |
| Pneumonia | 173 | 6 | 3 | 13 | 25 | 8 | 5 | 2 | 2 | 4 | 6 | 10 | 7 | 5 |
| Pleurisy | 26 | – | – | 1 | – | – | – | – | – | – | 2 | 3 | 5 | 1 |
| Other Diseases of Respiratory System | 40 | 6 | 1 | 1 | 2 | 1 | – | – | 2 | – | 1 | 1 | 3 | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 14 | – | – | 8 | 6 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 7 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 3 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | 1 |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 32 | 1 | 1 | 3 | – | – | – | – | – | – | – | 4 | 1 | 1 |
| Enteritis | 31 | 6 | 7 | 2 | 3 | 2 | 2 | – | 1 | 1 | – | 1 | 1 | 1 |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 12 | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hernia | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Peritonitis | 36 | – | – | – | – | 1 | – | – | 2 | 1 | 2 | 6 | 7 | 2 |
| Ascites | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Gallstones | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Other Diseases of Liver | 22 | 1 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Other Diseases of Digestive System | 18 | 3 | 1 | 2 | 2 | 1 | – | – | 1 | – | – | – | 1 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 8 | – | – | – | – | – | – | – | 2 | – | 1 | 1 | – | – |
| Bright's Disease | 32 | – | – | – | 1 | 2 | – | – | – | – | – | – | 1 | 3 |
| Uræmia | 10 | 1 | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | 1 |
| Suppression of Urine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Other Diseases of Urinary System | 9 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1 | 7 | 11 | 20 | 17 | 23 | 22 | 21 | 18 | 9 | – | – | 1 | – | – |
| Pericarditis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | 1 | 1 | 2 | 1 | 3 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | 1 | – | – | 1 | 1 | 1 | – | – | – | – |
| Syncope | – | – | 2 | 2 | – | 3 | 4 | – | 1 | 1 | – | – | – | – | – |
| Aneurism | 1 | 4 | 2 | 1 | 3 | 3 | 1 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 4 | 9 | 5 | 25 | 23 | 24 | 11 | 25 | 12 | 10 | 5 | 2 | – | – | – |
| Pneumonia | 14 | 10 | 16 | 14 | 16 | 9 | 8 | 11 | 1 | 6 | 1 | – | – | – | – |
| Pleurisy | 3 | 1 | 5 | 3 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 3 | – | 3 | – | – | 1 | – | 1 | 1 | 4 | – | – | 1 | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 1 | 1 | 2 | – | 1 | 3 | – | 2 | 1 | – | – | – | – | – | – |
| Enteritis | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 2 | – | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | 1 | 1 | – | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | 2 | 2 | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | 1 | 5 | 2 | 2 | – | 2 | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | 1 | 3 | – | – | 1 | – | – | 1 | 2 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | 2 | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Bright's Disease | 1 | 6 | 2 | 4 | 1 | 3 | 3 | 2 | 3 | – | – | – | – | – | – |
| Uræmia | 2 | – | – | 1 | – | 2 | 2 | 2 | – | 1 | 1 | – | – | – | – |
| Suppression of Urine | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Calculus | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Hæmaturia | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 4 | 1 | 1 | – | 4 | 1 | 2 | 3 | 2 | 1 | 1 | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | 1 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 13 | 17 | 15 | 19 | 24 | 22 | 29 | 25 | 17 | 17 | 4 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | 1 | 1 | 1 | 5 | 3 | – | 5 | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – |
| Syncope | 1 | 1 | 1 | 2 | – | 1 | 1 | 4 | 2 | – | – | – | – | – | – |
| Aneurism | 1 | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | 2 | 2 | 1 | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | 6 | 10 | 13 | 28 | 33 | 52 | 47 | 34 | 30 | 14 | 5 | – | – | – |
| Pneumonia | 7 | 6 | 3 | 6 | 4 | 14 | 8 | 7 | 12 | 6 | 2 | 2 | – | – | – |
| Pleurisy | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 2 | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 2 | 1 | – | 1 | 2 | 4 | 1 | 2 | 4 | 2 | – | 1 | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 1 | 2 | 3 | 2 | 2 | 3 | – | 1 | 2 | 4 | 1 | – | – | – | – |
| Enteritis | – | – | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | – | – | 2 | 1 | – | 2 | 1 | 3 | – | 1 | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | 1 | – | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Fistula | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 2 | 4 | 1 | 2 | – | 1 | – | 2 | 2 | 1 | – | – | – | – | – |
| Ascites | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 1 | 5 | 2 | 3 | 1 | 1 | 1 | 2 | 3 | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | 1 | – | – | – | 1 | 1 | 2 | 1 | 1 | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Bright's Disease | 2 | 4 | 2 | 5 | 2 | 3 | 3 | 1 | 3 | – | – | – | – | – | – |
| Uræmia | 1 | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—
MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 19 | – | – | – | – | 1 | 1 | 1 | 6 | 5 | – | 3 | 1 | 1 |
| Arthritis, Ostitis, Periostitis | 4 | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – |
| Other Diseases of Organs of Locomotion | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Mines and Quarries: Other Mines | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 20 | – | – | – | – | – | – | – | – | – | 1 | 3 | 2 | 2 |
| Vehicles and Horses: Vehicles other than R'wys. | 4 | – | – | – | – | – | – | – | 1 | 2 | – | 1 | – | – |
| Vehicles and Horses: Horses | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Weapons and Implements | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 5 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 15 | 9 | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 3 | – | – | – | 1 | – | – | – | – | – | – | 2 | – | – |
| Falls | 19 | – | – | – | – | – | – | – | 2 | 3 | – | 1 | – | 2 |
| Weather Agencies | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Otherwise, or Not Stated | 30 | 4 | – | – | 1 | – | – | – | 1 | – | – | – | 5 | 2 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 17 | – | – | – | – | – | – | – | – | – | – | 3 | 2 | 2 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Debility, Atrophy, Inanition | 52 | 42 | 2 | 3 | 1 | – | – | – | – | – | 1 | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 16 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | 2 |
| Diseases of Uterus and Vagina | 11 | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Puerperal Mania | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Puerperal Convulsions | 5 | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 | – |
| Placenta Prævia, Flooding | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Phlegmasia Dolens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 12 | – | – | – | – | – | – | – | 2 | 2 | 1 | 2 | – | – |
| Arthritis, Ostitis, Periostitis | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 7 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 11 | 8 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 10 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | 1 |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 15 | 2 | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suicide | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 40 | 29 | 2 | 5 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—
MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 3 | 2 | 3 | – | 2 | – | 2 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Poisons, Poisonous Vapours | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | 2 | 2 | 1 | 2 | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 2 | 2 | 1 | 4 | 1 | 3 | – | 2 | 1 | – | 1 | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | 3 | 2 | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | 1 | 3 | – | 1 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| Diseases of Uterus and Vagina | 2 | 2 | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | 3 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | 2 | – | 1 | 2 | 2 | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | 1 | 1 | – | 1 | 1 | 1 | 2 | 1 | 1 | 1 | – | – | – | |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 1 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 31 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 1612 | 290 | 97 | 127 | 129 | 43 | 34 | 11 | 41 | 46 | 42 | 42 | 42 | 51 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 201 | 23 | 20 | 33 | 30 | 7 | 6 | 4 | 11 | 6 | 3 | 1 | 4 | 6 |
| II. PARASITIC DISEASES | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 6 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | 1 |
| IV. CONSTITUTIONAL ,, | 276 | 4 | 7 | 15 | 17 | 7 | 6 | 3 | 8 | 16 | 27 | 27 | 21 | 18 |
| V. DEVELOPMENTAL ,, | 100 | 70 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 854 | 100 | 56 | 73 | 78 | 26 | 21 | 3 | 15 | 20 | 12 | 11 | 13 | 23 |
| VII. VIOLENCE | 83 | 18 | 5 | 1 | 4 | 2 | 1 | 1 | 7 | 4 | – | 3 | 4 | 3 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 91 | 74 | 8 | 4 | – | 1 | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 127 | 4 | 6 | 19 | 24 | 5 | 6 | 4 | 9 | 4 | 3 | 1 | 3 | 5 |
| 2. DIARRHŒAL ,, | 48 | 7 | 11 | 12 | 6 | 2 | – | – | 2 | 2 | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 11 | 8 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 15 | 4 | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| II. PARASITIC DISEASES | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 6 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | 1 |
| IV. CONSTITUTIONAL DISEASES | 276 | 4 | 7 | 15 | 17 | 7 | 6 | 3 | 8 | 16 | 27 | 27 | 21 | 18 |
| V. DEVELOPMENTAL DISEASES | 100 | 70 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 177 | 21 | 15 | 10 | 12 | 1 | 7 | – | 4 | 6 | 1 | 1 | 2 | 4 |
| 2. ,, ORGANS OF SPECIAL SENSE | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 9 | – | – | – | – | – | 1 | – | 2 | 2 | 3 | 2 | 2 | 6 |
| 4. ,, RESPIRATORY SYSTEM | 115 | 51 | 26 | 46 | 56 | 22 | 11 | 1 | 5 | 2 | 1 | 6 | 5 | 5 |
| 5. ,, DIGESTIVE SYSTEM | 390 | 25 | 15 | 16 | 10 | 3 | 1 | 1 | – | 4 | 2 | 1 | 1 | 5 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 1 | – | – | – | – | – | – | – | 2 | 3 | 1 | – | – | 2 |
| 8. ,, REPRODUCTIVE SYSTEM :— | 27 | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 17 | – | – | – | – | – | – | 1 | 2 | 3 | 4 | 1 | 2 | 1 |
| 10. ,, INTEGUMENTARY SYSTEM | 5 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 1904 | 218 | 80 | 115 | 129 | 32 | 29 | 22 | 51 | 40 | 52 | 56 | 62 | 65 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 209 | 17 | 14 | 27 | 40 | 5 | 10 | 8 | 9 | 1 | 2 | 8 | 4 | 9 |
| II. PARASITIC DISEASES | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 372 | 4 | 5 | 17 | 13 | 5 | 5 | 7 | 17 | 22 | 33 | 26 | 33 | 27 |
| V. DEVELOPMENTAL ,, | 127 | 64 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 1046 | 55 | 41 | 66 | 71 | 15 | 13 | 6 | 24 | 17 | 17 | 21 | 25 | 28 |
| VII. VIOLENCE | 56 | 14 | 7 | 1 | 1 | 4 | – | 1 | 1 | – | – | 1 | – | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 91 | 63 | 11 | 4 | 4 | 3 | – | – | – | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 152 | 9 | 7 | 18 | 32 | 5 | 10 | 8 | 9 | 1 | 2 | 6 | 3 | 3 |
| 2. DIARRHŒAL ,, | 39 | 5 | 7 | 9 | 8 | – | – | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 3 | 3 | – | – | – | – | – | – | – | – | – | 2 | 1 | 6 |
| 6. SEPTIC ,, | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **II.** PARASITIC DISEASES | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 372 | 4 | 5 | 17 | 13 | 5 | 5 | 7 | 17 | 22 | 33 | 26 | 33 | 27 |
| **V.** DEVELOPMENTAL DISEASES | 127 | 64 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **VI.** | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 242 | 15 | 9 | 9 | 13 | 5 | 7 | – | 6 | 3 | 1 | 2 | 3 | 4 |
| 2. ,, ORGANS OF SPECIAL SENSE | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 145 | – | – | – | – | – | – | – | 1 | 4 | 4 | 3 | 4 | 3 |
| 4. ,, RESPIRATORY SYSTEM | 462 | 24 | 21 | 44 | 46 | 9 | 6 | 6 | 9 | 3 | 3 | 6 | 1 | 10 |
| 5. ,, DIGESTIVE SYSTEM | 120 | 13 | 11 | 13 | 12 | – | – | – | 4 | 6 | 4 | 3 | 5 | 2 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 7. ,, URINARY SYSTEM | 34 | – | – | – | – | 1 | – | – | – | – | 2 | 2 | 5 | 2 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 7 | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 |
| (*b*) DISEASES OF PARTURITION | 15 | – | – | – | – | – | – | – | – | – | – | 3 | 4 | 3 |
| 9. ,, ORGANS OF LOCOMOTION | 16 | – | – | – | – | – | – | – | 4 | 1 | 3 | 2 | – | 2 |
| 10. ,, INTEGUMENTARY SYSTEM | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—MALES. (*Continued*).

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 48 | 48 | 61 | 74 | 79 | 91 | 73 | 64 | 45 | 25 | 6 | 3 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 4 | 4 | 5 | 8 | 6 | 6 | 1 | 8 | 1 | 3 | 1 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 13 | 17 | 15 | 13 | 13 | 14 | 8 | 3 | 4 | – | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 4 | 4 | 9 | 4 | 7 | – | 2 | – | – | – |
| VI. LOCAL ,, | 27 | 24 | 33 | 46 | 55 | 64 | 55 | 43 | 36 | 14 | 5 | 1 | – | – | – |
| VII. VIOLENCE | 3 | 3 | 7 | 5 | 3 | 2 | 5 | 1 | – | 1 | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 2 | 3 | 4 | 6 | 3 | 6 | – | 6 | 1 | 2 | 1 | – | – | – | – |
| 2. DIARRHŒAL ,, | – | 1 | 1 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 2 | – | – | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 13 | 17 | 15 | 13 | 13 | 14 | 8 | 3 | 4 | – | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 4 | 4 | 9 | 4 | 7 | – | 2 | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 6 | 6 | 4 | 11 | 9 | 14 | 19 | 11 | 10 | 3 | – | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 8 | 5 | 10 | 11 | 15 | 19 | 10 | 10 | 7 | 4 | 2 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 11 | 11 | 12 | 20 | 18 | 22 | 21 | 16 | 18 | 5 | 3 | 1 | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | – | 1 | 1 | 3 | 7 | 6 | 2 | 3 | 1 | 2 | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 2 | 1 | 4 | 1 | 5 | 2 | 2 | 2 | – | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 67 | 96 | 86 | 104 | 91 | 130 | 115 | 97 | 68 | 61 | 35 | 3 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 10 | 8 | 3 | 5 | 3 | 3 | 4 | 7 | 7 | 3 | 2 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 26 | 30 | 23 | 20 | 15 | 18 | 12 | 8 | 4 | 2 | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 10 | 5 | 11 | 6 | 17 | 11 | 2 | – | – | – |
| VI. LOCAL ,, | 30 | 55 | 58 | 73 | 71 | 94 | 90 | 68 | 49 | 36 | 22 | 1 | – | – | – |
| VII. VIOLENCE | 1 | 3 | 2 | 3 | – | 5 | 4 | 2 | 2 | 3 | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 6 | 5 | 2 | 5 | 2 | 2 | 3 | 4 | 7 | 1 | 2 | – | – | – | – |
| 2. DIARRHŒAL ,, | 1 | 1 | 1 | – | 1 | 1 | 1 | 2 | – | 2 | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 3 | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 26 | 30 | 23 | 20 | 15 | 18 | 12 | 8 | 4 | 2 | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 10 | 5 | 11 | 6 | 17 | 11 | 2 | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 6 | 7 | 12 | 13 | 17 | 23 | 26 | 22 | 17 | 13 | 8 | 1 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 7 | 19 | 12 | 14 | 19 | 16 | 10 | 13 | 9 | 5 | 2 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 8 | 15 | 26 | 31 | 28 | 45 | 49 | 28 | 19 | 15 | 10 | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 2 | 5 | 5 | 10 | 4 | 6 | 3 | 4 | 3 | 3 | 2 | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 2 | 7 | 1 | 2 | 3 | 3 | 2 | 1 | 1 | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 78 | 18 | 5 | 1 | 4 | 2 | 1 | 1 | 7 | 4 | – | 2 | 4 | 2 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 91 | 74 | 8 | 4 | – | 1 | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Typhus | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 37 | – | – | – | – | – | 1 | – | 1 | 1 | 2 | – | 2 | 2 |
| Hooping-cough | 58 | 4 | 6 | 18 | 19 | 3 | 2 | 2 | 4 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 14 | – | – | 1 | 4 | 2 | 3 | 1 | 2 | 1 | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 12 | – | – | – | – | – | – | – | 1 | 2 | 1 | 1 | 1 | 2 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 48 | 7 | 11 | 12 | 6 | 2 | – | – | 2 | 2 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 11 | 8 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 10 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 51 | 12 | 7 | 1 | 1 | 4 | – | 1 | 1 | – | – | 1 | – | 1 |
| 2. HOMICIDE | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 91 | 63 | 11 | 4 | 4 | 3 | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 6 | – | – | 1 | 1 | – | – | 1 | 2 | 1 | – | – | – | – |
| Typhus | 4 | – | – | – | – | – | – | – | – | – | 1 | 3 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 42 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | 2 |
| Hooping-cough | 71 | 8 | 7 | 16 | 26 | 3 | 4 | 4 | 3 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 16 | 1 | – | 1 | 4 | – | 5 | 3 | 2 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 12 | – | – | – | – | 2 | 1 | – | 1 | – | 1 | 2 | 2 | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 38 | 5 | 7 | 8 | 8 | – | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Erysipelas | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Pyæmia, Septicæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Puerperal Fever | 10 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 4 |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 2 | 3 | 7 | 4 | 3 | 2 | 4 | 1 | – | 1 | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | 1 | 4 | 4 | 3 | 5 | – | 6 | 1 | 2 | 1 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | 1 | 1 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | 3 | 1 | 2 | – | 5 | 4 | 2 | 2 | 3 | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 4 | 5 | 2 | 5 | 2 | 2 | 3 | 4 | 7 | 1 | 2 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 1 | 1 | 1 | – | 1 | 1 | 1 | 2 | – | 2 | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Rheumatism | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Cancer | 44 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 30 | 3 | 5 | – | 7 | 3 | 2 | 1 | 1 | 4 | 2 | 2 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 29 | 1 | 2 | 11 | 5 | 1 | 2 | 2 | 3 | 1 | – | – | – | 1 |
| Phthisis | 151 | – | – | 2 | 2 | 1 | – | – | 1 | 8 | 25 | 23 | 31 | 17 |
| Other forms of Tuberculosis, Scrofula | 11 | – | – | 1 | 2 | 1 | 2 | – | 2 | 2 | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diabetes Mellitus | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 56 | 56 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 7 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 30 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 35 | 1 | 8 | 4 | 4 | 1 | 4 | – | 4 | 2 | – | – | – | 1 |
| Apoplexy | 53 | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | 3 |
| Softening of the Brain | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 19 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Paralysis Agitans | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Epilepsy | 5 | 1 | – | 1 | – | – | – | – | – | 2 | – | – | – | – |
| Convulsions | 34 | 19 | 4 | 2 | 6 | – | 2 | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 7 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Nervous System | 10 | – | 2 | 2 | 1 | – | – | – | – | 1 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Cancer | 84 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Tabes Mesenterica | 28 | 2 | 1 | 5 | 7 | 1 | 2 | 3 | 2 | 1 | 1 | 1 | 1 | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 29 | 1 | 3 | 9 | 4 | 3 | 2 | 2 | 3 | 2 | – | – | – | – |
| Phthisis | 205 | – | 1 | – | 1 | – | 1 | 1 | 8 | 17 | 32 | 25 | 30 | 23 |
| Other forms of Tuberculosis, Scrofula | 10 | 1 | – | – | 1 | 1 | – | 1 | 3 | 1 | – | – | 1 | – |
| Purpura, Hæmorrhagic Diathesis | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diabetes Mellitus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 57 | 57 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 62 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 32 | 1 | 4 | 3 | 8 | 2 | 4 | – | 4 | 3 | – | 1 | – | – |
| Apoplexy | 84 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Softening of the Brain | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 48 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 7 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Convulsions | 26 | 11 | 3 | 4 | 4 | 1 | 3 | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Nervous System | 15 | 3 | 1 | 1 | 1 | 2 | – | – | 2 | – | – | – | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 2 | 4 | 3 | 6 | 8 | 9 | 6 | 2 | 3 | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 10 | 13 | 10 | 6 | 5 | 3 | – | 1 | 1 | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 4 | 4 | 9 | 4 | 7 | – | 2 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 3 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 2 | 3 | 8 | 4 | 5 | 11 | 4 | 7 | 2 | – | – | – | – | – |
| Softening of the Brain | – | 1 | – | 1 | – | 3 | – | 2 | 1 | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 1 | 1 | – | – | 3 | 2 | 7 | 3 | 1 | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | 1 | – | 1 | – | 3 | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 4 | 10 | 10 | 13 | 8 | 12 | 11 | 8 | 4 | 1 | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 21 | 18 | 12 | 5 | 6 | 3 | 1 | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | 1 | – | 1 | – | 2 | – | – | – | 1 | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 10 | 5 | 11 | 6 | 17 | 11 | 2 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | 3 | 4 | 4 | 5 | 9 | 11 | 17 | 12 | 6 | 5 | 5 | – | – | – | – |
| Softening of the Brain | – | 1 | 1 | – | 3 | 1 | 1 | 2 | 2 | 3 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 4 | 5 | 3 | 9 | 4 | 5 | 8 | 4 | 2 | 1 | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | 1 | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | – | 1 | – | – | 1 | 2 | 2 | – | – | 1 | – | – | – | – |
| Other Diseases of Nervous System | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 26 | – | – | – | – | – | 1 | – | 2 | 2 | 3 | 2 | 2 | 5 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 4 | – | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – |
| Croup | 14 | – | – | 3 | 1 | 5 | 5 | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Emphysema, Asthma | 6 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Bronchitis | 208 | 41 | 21 | 28 | 29 | 8 | 2 | – | – | – | – | – | – | 3 |
| Pneumonia | 143 | 9 | 5 | 13 | 24 | 9 | 2 | – | 5 | 2 | 1 | 6 | 4 | 2 |
| Pleurisy | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Respiratory System | 12 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Dentition | 12 | – | 1 | 8 | 3 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Dyspepsia | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 14 | 4 | – | 2 | – | – | – | – | – | – | – | 1 | – | 2 |
| Enteritis | 36 | 13 | 7 | 4 | 4 | 2 | – | – | – | 1 | 1 | – | – | – |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ileus, Obstruction of Intestines | 9 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 8 | – | 1 | 1 | – | – | – | – | – | 1 | – | – | – | 2 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 5 | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Digestive System | 14 | 4 | 6 | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 7 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Bright's Disease | 9 | – | – | – | – | – | – | – | – | 3 | 1 | – | – | 1 |
| Uræmia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Suppression of Urine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 125 | – | – | – | – | – | – | – | – | 3 | 3 | 3 | 3 | 2 |
| Pericarditis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hypertrophy of Heart | 9 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Angina Pectoris | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 6 | 1 | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Croup | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 293 | 17 | 14 | 23 | 22 | 3 | 2 | 1 | 5 | – | 2 | 2 | – | 3 |
| Pneumonia | 129 | 3 | 4 | 20 | 22 | 4 | 3 | 3 | 2 | 3 | 1 | 4 | – | 5 |
| Pleurisy | 7 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 23 | 2 | 2 | – | – | 1 | – | – | 2 | – | – | – | 1 | 2 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 3 | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Dentition | 6 | – | 1 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 4 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 12 | 2 | 1 | 1 | – | – | – | – | 1 | – | – | 1 | 1 | 1 |
| Enteritis | 34 | 4 | 5 | 7 | 4 | – | – | – | – | 2 | 2 | – | 1 | – |
| Ulceration of Intestine | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ileus, Obstruction of Intestine | 9 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 19 | – | 2 | – | – | – | – | – | 1 | 4 | 1 | 1 | 2 | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 14 | 1 | – | – | 1 | – | – | – | 1 | – | – | 1 | – | – |
| Other Diseases of Digestive System | 10 | 1 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 8 | – | – | – | – | 1 | – | – | – | – | 1 | – | 2 | – |
| Bright's Disease | 17 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 2 |
| Uræmia | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 7 | 3 | 9 | 7 | 13 | 17 | 7 | 8 | 5 | 2 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | 1 | – | 1 | 2 | 1 | – | 1 | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Syncope | 1 | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Aneurism | – | 1 | – | 2 | – | – | – | – | – | – | 1 | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | 5 | 5 | 8 | 6 | 13 | 13 | 10 | 7 | 4 | 3 | 1 | – | – | – |
| Pneumonia | 6 | 4 | 5 | 11 | 11 | 9 | 7 | 4 | 4 | – | – | – | – | – | – |
| Pleurisy | 1 | – | 2 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 2 | – | – | – | – | – | – | 1 | 6 | 1 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | 1 | – | – | – | 2 | – | 1 | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | 1 | 3 | 1 | 1 | – | 1 | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | 1 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | 1 | – | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Bright's Disease | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Uræmia | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | 1 | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 5 | 17 | 11 | 14 | 16 | 14 | 7 | 12 | 8 | 5 | 2 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 2 | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Embolism, Thrombosis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Bronchitis | 1 | 10 | 19 | 24 | 23 | 36 | 35 | 21 | 12 | 11 | 7 | – | – | – | – |
| Pneumonia | 5 | 5 | 6 | 6 | 5 | 9 | 8 | 4 | 3 | 3 | 1 | – | – | – | – |
| Pleurisy | – | – | 1 | – | – | – | 3 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 2 | – | – | 1 | – | – | 2 | 2 | 3 | 1 | 2 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | 1 | 1 | – | – | – | 2 | – | – | – | – | – | – | – |
| Enteritis | 1 | 3 | 1 | 1 | 1 | – | – | – | – | 1 | 1 | – | – | – | – |
| Ulceration of Intestine | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 1 | 1 | 1 | – | – | 2 | – | – | – | 1 | 1 | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | 1 | – | 3 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | 2 | 2 | – | 3 | 1 | – | 2 | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 1 | 5 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | 1 | – | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 5 | – | – | – | – | – | – | – | 1 | 2 | 1 | – | 1 | – |
| Arthritis, Ostitis, Periostitis | 4 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – |
| Other Diseases of Organs of Locomotion | 8 | – | – | – | – | – | – | 1 | 1 | – | 2 | – | 1 | 1 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Vehicles other than R'wys. | 3 | – | – | – | – | – | – | – | 3 | – | – | – | – | – |
| Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Building Operations | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Machinery | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Weapons and Implements | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Burns & Scalds | 13 | 1 | 2 | – | 3 | 1 | 1 | 1 | 2 | – | – | – | – | – |
| Explosions | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Poisons, Poisonous Vapours | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 7 | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| Suffocation: In Bed | 22 | 17 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 6 | – | – | – | – | 1 | – | – | 1 | – | – | 1 | 1 | 1 |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 14 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 86 | 74 | 7 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Pelvic Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Peritoneal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Placenta Prævia, Flooding | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 8 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 11 | – | – | – | – | – | – | – | 4 | – | 3 | 1 | – | – |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 4 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 4 | – | – | – | – | 3 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 5 | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Suffocation: In Bed | 18 | 11 | 7 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 9 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 87 | 62 | 11 | 4 | 3 | 2 | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles other than R'wys. | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Explosions | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | 1 | 5 | 1 | – | – | 2 | – | – | 1 | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Child Birth | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | 1 | – | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | 1 | – | – | 2 | 2 | 2 | 1 | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | 3 | 2 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 1162 | 165 | 63 | 92 | 67 | 32 | 20 | 17 | 42 | 31 | 38 | 29 | 29 | 21 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 129 | 10 | 8 | 12 | 10 | 9 | 6 | 3 | 10 | 3 | 1 | 6 | 1 | 2 |
| II. PARASITIC DISEASES | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 174 | 4 | 3 | 6 | 6 | 5 | 3 | 6 | 6 | 12 | 15 | 10 | 12 | 8 |
| V. DEVELOPMENTAL ,, | 88 | 35 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 689 | 84 | 47 | 69 | 48 | 17 | 10 | 6 | 25 | 13 | 14 | 11 | 16 | 8 |
| VII. VIOLENCE | 43 | 4 | 1 | – | 2 | 1 | 1 | 2 | 1 | 3 | 8 | 2 | – | 3 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 36 | 25 | 3 | 4 | – | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 93 | 1 | 6 | 6 | 9 | 7 | 6 | 3 | 9 | 3 | 1 | 6 | 1 | 1 |
| 2. DIARRHŒAL ,, | 15 | 2 | 2 | 5 | – | 2 | – | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 12 | 6 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| II. PARASITIC DISEASES | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 174 | 4 | 3 | 6 | 6 | 5 | 3 | 6 | 6 | 12 | 15 | 10 | 12 | 8 |
| V. DEVELOPMENTAL DISEASES | 88 | 35 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 147 | 31 | 11 | 12 | 7 | 4 | 2 | 2 | 6 | – | 3 | 1 | 1 | – |
| 2. ,, ORGANS OF SPECIAL SENSE | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 97 | 3 | – | – | – | – | – | 1 | 4 | 3 | 3 | 2 | 1 | 2 |
| 4. ,, RESPIRATORY SYSTEM | 273 | 27 | 24 | 33 | 29 | 10 | 6 | 3 | 8 | 3 | 3 | 5 | 7 | 2 |
| 5. ,, DIGESTIVE SYSTEM | 119 | 20 | 10 | 23 | 10 | 2 | 1 | – | 4 | 5 | 3 | – | 1 | 3 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 39 | 1 | 1 | – | – | 1 | 1 | – | 3 | 1 | 1 | 2 | 4 | 1 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 4 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – |
| 10. ,, INTEGUMENTARY SYSTEM | 5 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 1260 | 128 | 50 | 54 | 63 | 23 | 10 | 11 | 28 | 26 | 39 | 52 | 44 | 38 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 155 | 11 | 6 | 6 | 14 | 8 | 2 | 2 | 11 | 5 | 6 | 6 | 8 | 7 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 217 | – | 3 | 8 | 5 | 2 | 2 | 3 | 5 | 7 | 16 | 30 | 17 | 12 |
| V. DEVELOPMENTAL „ | 131 | 40 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL „ | 676 | 43 | 32 | 36 | 38 | 11 | 5 | 6 | 12 | 12 | 16 | 16 | 19 | 19 |
| VII. VIOLENCE | 22 | 2 | 3 | 1 | 2 | 2 | 1 | – | – | 1 | 1 | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 56 | 30 | 4 | 3 | 4 | – | – | – | – | 1 | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 108 | 3 | 1 | 4 | 7 | 7 | 2 | 2 | 11 | 5 | 5 | 3 | 5 | 2 |
| 2. DIARRHŒAL „ | 17 | 1 | 2 | 2 | 7 | 1 | – | – | – | – | – | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 10 | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 20 | – | 1 | – | – | – | – | – | – | – | 1 | 3 | 3 | 5 |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 217 | – | 3 | 8 | 5 | 2 | 2 | 3 | 5 | 7 | 16 | 30 | 17 | 12 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 131 | 40 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 140 | 16 | 5 | 7 | 4 | 2 | 1 | 1 | 5 | 4 | 2 | 2 | 2 | 1 |
| 2. „ ORGANS OF SPECIAL SENSE | 2 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| 3. „ CIRCULATORY SYSTEM | 106 | – | – | – | – | – | – | – | – | 5 | 5 | 3 | 6 | 2 |
| 4. „ RESPIRATORY SYSTEM | 272 | 14 | 18 | 19 | 26 | 9 | 4 | 5 | 5 | 1 | 3 | 2 | 3 | 5 |
| 5. „ DIGESTIVE SYSTEM | 89 | 13 | 8 | 9 | 8 | – | – | – | 1 | 1 | 8 | 4 | 3 | 4 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 35 | – | 1 | – | – | – | – | – | – | – | 1 | – | – | 4 |
| 8. „ REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 9 | – | – | – | – | – | – | – | – | – | – | 3 | 1 | – |
| (*b*) DISEASES OF PARTURITION | 11 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 3 |
| 9. „ ORGANS OF LOCOMOTION | 7 | – | – | – | – | – | – | – | 1 | 1 | 2 | – | 1 | – |
| 10. „ INTEGUMENTARY SYSTEM | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 24 | 37 | 43 | 44 | 57 | 61 | 70 | 64 | 55 | 37 | 19 | 5 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 3 | 3 | 2 | 8 | 6 | 4 | 2 | 5 | 11 | 3 | 1 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 8 | 12 | 11 | 8 | 12 | 6 | 10 | 6 | 1 | 3 | – | 1 | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 6 | 4 | 11 | 7 | 12 | 7 | 3 | – | – | – |
| VI. LOCAL ,, | 13 | 20 | 28 | 23 | 36 | 42 | 51 | 42 | 36 | 19 | 10 | 1 | – | – | – |
| VII. VIOLENCE | – | 2 | 2 | 4 | 1 | 3 | 2 | – | – | – | 1 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 3 | 2 | 1 | 5 | 6 | 3 | – | 1 | 10 | 2 | 1 | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | – | – | – | – | – | 3 | – | 1 | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | 2 | – | – | 2 | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | – | 1 | 1 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 8 | 12 | 11 | 8 | 12 | 6 | 10 | 6 | 1 | 3 | – | 1 | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 6 | 4 | 11 | 7 | 12 | 7 | 3 | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 1 | 6 | 4 | 4 | 9 | 7 | 11 | 7 | 10 | 6 | 2 | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 3 | 4 | 8 | 5 | 8 | 9 | 13 | 9 | 11 | 4 | 4 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 3 | 8 | 8 | 5 | 11 | 19 | 19 | 18 | 12 | 6 | 3 | 1 | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 3 | – | 7 | 6 | 3 | 4 | 5 | 3 | 3 | 3 | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 3 | 2 | – | 2 | 5 | 3 | 2 | 5 | – | – | 1 | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 39 | 45 | 48 | 42 | 65 | 80 | 78 | 104 | 82 | 59 | 35 | 15 | 2 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 6 | 5 | 1 | 2 | 6 | 12 | 5 | 8 | 9 | 7 | 1 | – | 1 | – | – |
| II. PARASITIC DISEASES | – | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 16 | 18 | 12 | 10 | 12 | 13 | 11 | 7 | 7 | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 3 | 11 | 20 | 14 | 15 | 15 | 11 | 1 | – | – |
| VI. LOCAL ,, | 15 | 21 | 32 | 28 | 41 | 51 | 48 | 68 | 50 | 35 | 19 | 3 | – | – | – |
| VII. VIOLENCE | 1 | – | – | – | 1 | 1 | 3 | – | 1 | 1 | – | 1 | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | 1 | 3 | 2 | 5 | – | – | 1 | 1 | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 4 | 3 | 1 | 2 | 4 | 11 | 3 | 6 | 9 | 7 | 1 | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | 1 | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 2 | 1 | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 16 | 18 | 12 | 10 | 12 | 13 | 11 | 7 | 7 | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 3 | 11 | 20 | 14 | 15 | 15 | 11 | 1 | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 2 | 3 | 6 | 9 | 9 | 13 | 10 | 14 | 9 | 11 | 1 | 1 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 1 | 6 | 14 | 5 | 8 | 7 | 9 | 14 | 9 | 8 | 3 | 2 | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 5 | 6 | 6 | 6 | 12 | 20 | 22 | 27 | 27 | 13 | 14 | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 1 | 1 | 4 | 4 | 4 | 5 | 3 | 6 | 3 | 3 | 1 | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 2 | 2 | 2 | 4 | 9 | 2 | 3 | 3 | 2 | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | 1 | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 41 | 4 | 1 | – | 2 | 1 | 1 | 2 | 1 | 3 | 8 | 2 | – | 2 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 36 | 25 | 3 | 4 | – | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 20 | – | – | 2 | 3 | 4 | 3 | – | 5 | 3 | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 37 | 1 | – | – | – | – | – | – | 2 | – | 1 | 2 | – | 1 |
| Hooping-cough | 20 | – | 5 | 4 | 5 | 1 | 2 | 2 | 1 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 5 | – | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 9 | – | – | – | – | – | – | – | – | – | – | 4 | 1 | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 15 | 2 | 2 | 5 | – | 2 | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 8 | 6 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 7 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Pyæmia, Septicæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 20 | 2 | 3 | 1 | 2 | 2 | 1 | – | – | 1 | – | – | – | – |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 56 | 30 | 4 | 3 | 4 | – | – | – | – | 1 | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | |
| Small pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 19 | 1 | – | 1 | 1 | 2 | – | 1 | 4 | 3 | 2 | 2 | 2 | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 53 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 2 |
| Hooping-cough | 19 | 2 | 1 | 3 | 6 | 4 | 1 | – | 2 | – | – | – | – | – |
| Mumps | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Diphtheria | 11 | – | – | – | – | 1 | 1 | 1 | 4 | – | 1 | – | 1 | – |
| Cerebro-spinal Fever | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 4 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | |
| Simple Cholera | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 15 | 1 | 1 | 2 | 6 | 1 | – | – | – | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | |
| Syphilis | 10 | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 5 | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Pyæmia, Septicæmia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Puerperal Fever | 13 | – | – | – | – | – | – | – | – | – | 1 | 3 | 3 | 3 |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | 2 | 2 | 3 | 1 | 3 | 2 | – | – | – | 1 | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | 2 | 1 | 4 | 6 | 2 | – | 1 | 9 | 2 | 1 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | – | – | – | 3 | – | 1 | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | 2 | – | – | 2 | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | 1 | 1 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 1 | – | – | – | 1 | 1 | 2 | – | 1 | 1 | – | 1 | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | 1 | 3 | 2 | 5 | – | – | 1 | 1 | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | 3 | 1 | 1 | 4 | 11 | 3 | 6 | 9 | 7 | 1 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | 1 | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 34 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 14 | 4 | 1 | 1 | 2 | 1 | 1 | – | 2 | 2 | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 20 | – | 1 | 4 | 4 | 4 | – | 5 | 1 | 1 | – | – | – | – |
| Phthisis | 92 | – | – | 1 | – | – | 2 | – | 2 | 6 | 14 | 9 | 9 | 8 |
| Other forms of Tuberculosis, Scrofula | 10 | – | 1 | – | – | – | – | 1 | 1 | 3 | – | 1 | 2 | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 27 | 27 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 4 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Old Age | 50 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 30 | 5 | 5 | 2 | 4 | 3 | 2 | 2 | 4 | – | 2 | – | – | – |
| Apoplexy | 39 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of the Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 42 | 26 | 6 | 7 | 1 | 1 | – | – | 1 | – | – | – | 1 | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Nervous System | 9 | – | – | 3 | 2 | – | – | – | 1 | – | – | 1 | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Cancer | 58 | – | – | – | – | – | – | – | 1 | – | – | – | – | 2 |
| Tabes Mesenterica | 11 | – | 2 | 2 | 1 | – | 1 | – | – | 1 | 1 | 1 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 9 | – | 1 | 2 | 1 | 1 | – | 2 | 1 | – | – | 1 | – | – |
| Phthisis | 116 | – | – | 1 | 1 | – | 1 | 1 | 3 | 6 | 13 | 24 | 15 | 9 |
| Other forms of Tuberculosis, Scrofula | 8 | – | – | 3 | 1 | – | – | – | – | – | – | 1 | 1 | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 5 | – | – | – | – | – | – | – | – | – | 2 | 1 | – | 1 |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Constitutional Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 32 | 32 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 6 | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 90 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 16 | 3 | – | 2 | 2 | 1 | – | 1 | 3 | 3 | – | – | – | – |
| Apoplexy | 37 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Softening of the Brain | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 37 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Insanity, General Paralysis of Insane | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – |
| Convulsions | 27 | 13 | 5 | 3 | 2 | 1 | 1 | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 5 | – | – | 2 | – | – | – | – | – | 1 | – | – | 1 | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 2 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 2 | 1 | 4 | 2 | 4 | 4 | 7 | 5 | 1 | 3 | – | 1 | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 5 | 11 | 7 | 6 | 6 | 2 | 3 | 1 | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 6 | 4 | 11 | 7 | 12 | 7 | 3 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 1 | 2 | 3 | 7 | 6 | 4 | 5 | 5 | 3 | 2 | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | 2 | – | – | – | – | 5 | 2 | 5 | 1 | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 2 | 5 | 5 | 5 | 10 | 10 | 6 | 5 | 6 | 1 | – | – | – | – | – |
| Tabes Mesenterica | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 12 | 10 | 6 | 5 | 1 | 3 | 4 | 1 | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | 3 | 11 | 20 | 14 | 15 | 15 | 11 | 1 | – | – |
| Old Age | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 3 | 2 | 4 | 5 | 4 | 8 | 7 | 8 | 4 | – | – | – | – | – |
| Softening of the Brain | – | – | – | 1 | 1 | – | – | 1 | 2 | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 3 | 2 | 1 | 8 | 6 | 5 | 3 | 7 | 1 | 1 | – | – | – |
| Paralysis Agitans | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Chorea | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 85 | 2 | – | – | – | – | – | 1 | 4 | 3 | 2 | 2 | 1 | 2 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Angina Pectoris | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 10 | – | – | 2 | 3 | 1 | – | – | – | – | – | – | 1 | – |
| Croup | 10 | – | – | – | 5 | – | 1 | 1 | 3 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Bronchitis | 155 | 21 | 16 | 21 | 12 | 4 | 4 | 2 | 3 | 1 | 1 | 1 | – | – |
| Pneumonia | 69 | 2 | 5 | 7 | 6 | 5 | 1 | – | 1 | 1 | 1 | 3 | 5 | 1 |
| Pleurisy | 6 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 |
| Other Diseases of Respiratory System | 20 | 3 | 3 | 3 | 3 | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 11 | – | – | 7 | 3 | 1 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Dyspepsia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 15 | 3 | 2 | 4 | 2 | – | – | – | – | – | – | – | – | – |
| Enteritis | 28 | 4 | 6 | 7 | 3 | – | – | – | – | 2 | 1 | – | – | – |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 7 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Peritonitis | 23 | 1 | 1 | 3 | 2 | – | 1 | – | 4 | 3 | – | – | – | 2 |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 11 | 7 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Digestive System | 12 | 4 | – | 2 | – | – | – | – | – | – | – | – | 1 | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 8 | – | 1 | – | – | 1 | 1 | – | 3 | – | – | – | 1 | – |
| Bright's Disease | 13 | – | – | – | – | – | – | – | – | – | 1 | 1 | 3 | – |
| Uræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 7 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Other Diseases of Urinary System | 9 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 98 | – | – | – | – | – | – | – | – | 4 | 5 | 2 | 5 | 2 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 3 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 7 | – | 1 | 1 | 2 | – | 1 | – | 2 | – | – | – | – | – |
| Croup | 9 | – | – | 1 | 1 | 2 | 1 | 2 | 1 | – | – | – | 1 | – |
| Other Diseases of Larynx and Trachea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Bronchitis | 178 | 10 | 10 | 11 | 15 | 5 | – | 2 | – | – | – | – | – | 1 |
| Pneumonia | 53 | 2 | 3 | 3 | 6 | 2 | 2 | 1 | 2 | 1 | 2 | 2 | 2 | 2 |
| Pleurisy | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Respiratory System | 22 | 2 | 4 | 3 | 2 | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 4 | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 15 | 2 | 3 | – | 2 | – | – | – | – | – | – | 2 | 2 | – |
| Enteritis | 15 | 4 | 2 | 6 | 1 | – | – | – | – | – | – | – | – | 1 |
| Ulceration of Intestine | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ileus, Obstruction of Intestine | 7 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Stricture or Strangulation of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Peritonitis | 15 | 2 | 1 | 1 | 1 | – | – | – | 1 | – | 1 | 1 | – | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 8 | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Digestive System | 9 | 1 | 2 | 1 | 1 | – | – | – | – | – | 1 | – | – | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 6 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 15 | – | – | – | – | – | – | – | – | – | 1 | – | – | 2 |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 11 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2 | 4 | 7 | 5 | 6 | 8 | 13 | 8 | 9 | 3 | 3 | – | – | – | – |
| Pericarditis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – |
| Syncope | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Bronchitis | – | 1 | 2 | 5 | 4 | 13 | 14 | 12 | 9 | 5 | 3 | 1 | – | – | – |
| Pneumonia | 2 | 6 | 6 | – | 5 | 5 | 2 | 4 | 1 | – | – | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | 1 | – | – | 1 | – | 2 | 1 | 1 | 1 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | 2 | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Ulceration of Intestine | – | – | 1 | – | 2 | – | – | 2 | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Stricture or Strangulation of Intestine | 2 | – | 1 | – | 1 | – | – | – | 2 | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | 2 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Gallstones | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| | – | – | – | 2 | – | – | 3 | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 2 | 1 | – | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 1 | – | – | 1 | 1 | 1 | 2 | – | – | 1 | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | 2 | – | – | 2 | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1 | 5 | 12 | 5 | 7 | 7 | 8 | 14 | 9 | 8 | 2 | 2 | – | – | – |
| Pericarditis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 3 | 5 | 4 | 5 | 9 | 13 | 21 | 22 | 22 | 8 | 10 | – | – | – | – |
| Pneumonia | 1 | 1 | 2 | 1 | 2 | 6 | – | 5 | 2 | 2 | 1 | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | – | 1 | – | 1 | – | 2 | 3 | 3 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | 1 | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Enteritis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | 1 | – | 1 | – | 2 | 1 | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | 1 | 1 | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | – | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Bright's Disease | 1 | 1 | 1 | 1 | 4 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | 1 | – | 1 | 4 | 1 | – | 1 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 4 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 3 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Vehicles and Horses: Vehicles other than R'wys. | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Vehicles and Horses: Horses | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ships, Boats, Docks (ex. Drowning) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 5 | – | – | – | 1 | 1 | – | 2 | – | – | 1 | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 2 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Drowning | 9 | – | – | – | 1 | – | – | – | – | 2 | 3 | 1 | – | – |
| Suffocation: In Bed | 5 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 7 | – | – | – | – | – | – | – | 1 | – | 2 | 1 | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 28 | 22 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 5 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES OF DEATH in ABERDEEN, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Diseases of Uterus and Vagina | 5 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 7 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 5 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 7 | – | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Debility, Atrophy, Inanition | 42 | 18 | 3 | 2 | 3 | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 8 | 7 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | 1 | 1 | 4 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 702 | 96 | 33 | 70 | 53 | 21 | 12 | 7 | 16 | 11 | 17 | 22 | 19 | 18 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 73 | 13 | 5 | 15 | 12 | 6 | 4 | 2 | 3 | 1 | 3 | - | 1 | 1 |
| II. PARASITIC DISEASES | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC „ | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL „ | 154 | 4 | 7 | 13 | 11 | 7 | 4 | 3 | 5 | 5 | 6 | 13 | 8 | 7 |
| V. DEVELOPMENTAL „ | 35 | 25 | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| VI. LOCAL „ | 351 | 33 | 17 | 36 | 29 | 8 | 4 | 1 | 6 | 5 | 6 | 6 | 4 | 7 |
| VII. VIOLENCE | 53 | 4 | - | - | - | - | - | 1 | 2 | - | 1 | 3 | 6 | 3 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 33 | 17 | 3 | 5 | 1 | - | - | - | - | - | 1 | - | - | - |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 58 | 3 | 3 | 13 | 11 | 6 | 4 | 2 | 3 | 1 | 3 | - | 1 | 1 |
| 2. DIARRHŒAL „ | 9 | 4 | 2 | 2 | 1 | - | - | - | - | - | - | - | - | - |
| 3. MALARIAL „ | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS „ | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL „ | 4 | 4 | - | - | - | - | - | - | - | - | - | - | - | - |
| 6. SEPTIC „ | 2 | 2 | - | - | - | - | - | - | - | - | - | - | - | - |
| II. PARASITIC DISEASES | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC DISEASES | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL DISEASES | 154 | 4 | 7 | 13 | 11 | 7 | 4 | 3 | 5 | 5 | 6 | 13 | 8 | 7 |
| V. DEVELOPMENTAL DISEASES | 35 | 25 | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 77 | 8 | 1 | 4 | 7 | 2 | - | - | 2 | 1 | 2 | 1 | 1 | 1 |
| 2. „ ORGANS OF SPECIAL SENSE | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3. „ CIRCULATORY SYSTEM | 48 | - | 1 | - | - | - | - | - | 1 | 2 | 2 | 1 | 1 | 2 |
| 4. „ RESPIRATORY SYSTEM | 166 | 17 | 8 | 27 | 19 | 4 | 4 | 1 | 2 | 2 | 1 | - | 2 | 3 |
| 5. „ DIGESTIVE SYSTEM | 33 | 8 | 7 | 2 | 3 | 2 | - | - | - | - | 1 | - | - | 1 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7. „ URINARY SYSTEM | 18 | - | - | - | - | - | - | - | - | - | - | 3 | - | - |
| 8. „ REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| (*b*) DISEASES OF PARTURITION | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 9. „ ORGANS OF LOCOMOTION | 6 | - | - | 2 | - | - | - | - | 1 | - | - | 1 | - | - |
| 10. „ INTEGUMENTARY SYSTEM | 3 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 693 | 62 | 24 | 46 | 45 | 19 | 13 | 12 | 25 | 16 | 5 | 26 | 21 | 21 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 87 | 7 | 6 | 8 | 16 | 5 | 4 | 8 | 8 | 2 | – | 2 | 1 | 2 |
| II. PARASITIC DISEASES | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | – | – | – | – | – | – | – | – | – | – | – | | |
| IV. CONSTITUTIONAL ,, | 137 | 1 | 4 | 7 | 7 | 2 | 3 | 3 | 3 | 8 | 3 | 14 | 10 | 7 |
| V. DEVELOPMENTAL ,, | 60 | 18 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 367 | 18 | 12 | 29 | 20 | 11 | 4 | 1 | 11 | 5 | 2 | 9 | 10 | 12 |
| VII. VIOLENCE | 16 | 2 | – | – | – | – | 2 | – | 3 | 1 | – | 1 | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 24 | 15 | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 65 | 1 | 3 | 6 | 12 | 5 | 4 | 7 | 8 | 2 | – | – | 1 | 1 |
| 2. DIARRHŒAL ,, | 15 | 5 | 3 | – | 3 | – | – | 1 | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 4 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 3 | – | – | – | – | – | – | – | – | – | – | 2 | – | 1 |
| II. PARASITIC DISEASES | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 137 | 1 | 4 | 7 | 7 | 2 | 3 | 3 | 3 | 8 | 3 | 14 | 10 | 7 |
| V. DEVELOPMENTAL DISEASES | 60 | 18 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 74 | 5 | 2 | 5 | 4 | 3 | 1 | 1 | 6 | – | – | 1 | 1 | 1 |
| 2. ,, ORGANS OF SPECIAL SENSE | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 77 | – | – | – | – | – | – | – | 1 | 2 | 1 | 2 | 3 | 1 |
| 4. ,, RESPIRATORY SYSTEM | 129 | 8 | 3 | 16 | 12 | 5 | 3 | – | 1 | 1 | – | 2 | – | 5 |
| 5. ,, DIGESTIVE SYSTEM | 54 | 4 | 7 | 7 | 2 | 3 | – | – | 1 | 2 | 1 | 2 | 2 | 4 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 15 | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| (*b*) DISEASES OF PARTURITION | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| 9. ,, ORGANS OF LOCOMOTION | 4 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| 10. ,, INTEGUMENTARY SYSTEM | 4 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 28 | 25 | 38 | 45 | 38 | 36 | 34 | 26 | 22 | 10 | 5 | – | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | – | 1 | 1 | – | – | 1 | – | 1 | 2 | 1 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 9 | 9 | 13 | 9 | 6 | 3 | 7 | 3 | 1 | – | 1 | – | – | – | – |
| V. DEVELOPMENTAL „ | – | – | – | – | – | – | 3 | 1 | 2 | 1 | 1 | – | – | – | – |
| VI. LOCAL „ | 12 | 8 | 19 | 29 | 25 | 25 | 23 | 21 | 16 | 8 | 3 | – | – | – | – |
| VII. VIOLENCE | 6 | 5 | 4 | 5 | 6 | 5 | 1 | – | 1 | – | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | – | 1 | 1 | – | – | 1 | – | 1 | 2 | 1 | – | – | – | – | – |
| 2. DIARRHŒAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 9 | 9 | 13 | 9 | 6 | 3 | 7 | 3 | 1 | – | 1 | – | – | – | – |
| **V.** DEVELOPMENTAL DISEASES | – | – | – | – | – | – | 3 | 1 | 2 | 1 | 1 | – | – | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 2 | – | 3 | 9 | 6 | 7 | 5 | 7 | 4 | 3 | 1 | – | – | – | – |
| 2. „ ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 1 | 5 | 4 | 7 | 2 | 4 | 4 | 1 | 7 | 3 | – | – | – | – | – |
| 4. „ RESPIRATORY SYSTEM | 8 | 3 | 10 | 8 | 12 | 9 | 9 | 8 | 5 | 2 | 2 | – | – | – | – |
| 5. „ DIGESTIVE SYSTEM | – | – | 1 | 1 | 1 | 1 | 3 | 2 | – | – | – | – | – | – | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 1 | – | – | 4 | 3 | 3 | 1 | 3 | – | – | – | – | – | – | – |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 10 „ INTEGUMENTARY SYSTEM | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 22 | 28 | 23 | 33 | 28 | 49 | 46 | 40 | 36 | 33 | 13 | 7 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1 | 3 | 1 | 3 | 1 | 3 | 1 | 3 | – | 1 | – | 1 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 7 | 10 | 8 | 7 | 7 | 11 | 4 | 5 | 5 | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 1 | 2 | 4 | 8 | 15 | 8 | 4 | – | – | – |
| VI. LOCAL ,, | 12 | 15 | 14 | 23 | 17 | 32 | 39 | 28 | 22 | 14 | 5 | 2 | – | – | – |
| VII. VIOLENCE | – | – | – | – | 3 | 2 | – | – | 1 | 1 | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 1 | 3 | 1 | 3 | 1 | 3 | 1 | 1 | – | 1 | – | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 7 | 10 | 8 | 7 | 7 | 11 | 4 | 5 | 5 | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 1 | 2 | 4 | 8 | 15 | 8 | 4 | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | – | 3 | – | 3 | 6 | 8 | 12 | 4 | 4 | 4 | – | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 3 | 4 | 5 | 5 | 2 | 10 | 18 | 8 | 4 | 5 | 2 | 1 | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 1 | 3 | 2 | 11 | 6 | 12 | 7 | 13 | 11 | 3 | 3 | 1 | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 2 | 2 | 4 | – | 3 | 1 | 1 | 2 | 2 | 2 | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 2 | 1 | 2 | 4 | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 46 | 4 | – | – | – | – | – | 1 | 2 | – | 1 | 3 | 6 | 2 |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 33 | 17 | 3 | 5 | 1 | – | – | – | – | – | 1 | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Relapsing Fever | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Influenza | 8 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Hooping-cough | 33 | 3 | 3 | 10 | 9 | 5 | 1 | 1 | 1 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 5 | – | – | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 6 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | 1 | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | |
| Simple Cholera | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 7 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | |
| Syphilis | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 15 | 2 | – | – | – | – | 2 | – | 3 | 1 | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 24 | 15 | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 4 | – | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 30 | 1 | 3 | 5 | 11 | 2 | 2 | 4 | 2 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 11 | – | – | 1 | 1 | 3 | – | 2 | 4 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 9 | – | – | – | – | – | – | – | 2 | – | – | – | 1 | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 13 | 4 | 3 | – | 2 | – | – | 1 | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 4 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 3 | – | – | – | – | – | – | – | – | – | – | 2 | – | 1 |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 5 | 3 | 4 | 5 | 4 | 4 | 1 | – | 1 | – | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | 2 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | 1 | 1 | – | – | – | – | – | 2 | 1 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | – | – | – | 3 | 2 | – | – | 1 | 1 | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | 2 | – | 1 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | 1 | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 3 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Cancer | 20 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Tabes Mesenterica | 13 | – | 2 | 1 | 4 | – | 1 | 1 | 3 | 1 | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 28 | 1 | 1 | 11 | 4 | 6 | 1 | 1 | 1 | 1 | 1 | – | – | – |
| Phthisis | 75 | – | 1 | – | – | – | 2 | 1 | – | 2 | 5 | 12 | 6 | 6 |
| Other forms of Tuberculosis, Scrofula | 11 | 2 | 3 | – | 1 | – | – | – | 1 | 1 | – | 1 | – | 1 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 20 | 18 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 6 | – | – | 2 | – | – | – | – | 1 | – | 1 | – | 1 | – |
| Apoplexy | 18 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Softening of the Brain | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 20 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Convulsions | 17 | 8 | 1 | 1 | 4 | 2 | – | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 6 | – | – | 1 | 2 | – | – | – | – | – | – | 1 | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Rheumatism | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cancer | 34 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Tabes Mesenterica | 11 | 1 | 3 | 2 | 1 | 2 | – | 1 | – | 1 | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 11 | – | 1 | 2 | 5 | – | 2 | 1 | – | – | – | – | – | – |
| Phthisis | 61 | – | – | 1 | 1 | – | 1 | – | 2 | 6 | 1 | 12 | 10 | 6 |
| Other forms of Tuberculosis, Scrofula | 4 | – | – | 1 | – | – | – | – | – | 1 | – | 1 | – | – |
| Purpura, Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 15 | 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 42 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 10 | – | – | 2 | 3 | 2 | 1 | – | 2 | – | – | – | – | – |
| Apoplexy | 25 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| Softening of the Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 17 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Convulsions | 14 | 5 | 2 | 2 | 1 | 1 | – | 1 | 1 | – | – | 1 | – | 1 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 2 | 1 | 3 | 6 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 9 | 7 | 11 | 6 | – | 2 | 4 | 1 | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | 3 | 1 | 2 | 1 | 1 | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | 4 | 2 | 2 | 4 | 4 | 1 | – | – | – | – | – | – |
| Softening of the Brain | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 2 | 3 | 2 | 4 | 1 | 2 | 3 | 2 | 1 | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | 2 | 4 | 2 | 6 | 9 | 2 | 3 | 3 | 1 | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 6 | 4 | 3 | 4 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 2 | 4 | 8 | 15 | 8 | 4 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 1 | – | 1 | 5 | 5 | 8 | 1 | – | 2 | – | – | – | – | – |
| Softening of the Brain | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | 1 | – | 1 | 1 | 3 | 4 | 2 | 3 | 2 | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 34 | – | – | – | – | – | – | – | 1 | 2 | 2 | 1 | 1 | 2 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Croup | 5 | – | – | 2 | – | 2 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 82 | 13 | 4 | 11 | 9 | 2 | 2 | – | – | – | – | – | – | – |
| Pneumonia | 66 | 4 | 4 | 11 | 9 | – | 1 | – | 2 | 1 | 1 | – | 2 | 3 |
| Pleurisy | 5 | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – |
| Other Diseases of Respiratory System | 6 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 3 | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 17 | 7 | 6 | 2 | 1 | – | – | – | – | – | – | – | – | 1 |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Digestive System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Bright's Disease | 12 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Uræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 65 | – | – | – | – | – | – | – | 1 | 2 | 1 | 2 | 3 | 1 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Croup | 2 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 81 | 4 | – | 10 | 4 | 1 | 1 | – | – | 1 | – | – | – | 1 |
| Pneumonia | 37 | 3 | 3 | 6 | 8 | 3 | 1 | – | – | – | – | 1 | – | 2 |
| Pleurisy | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Other Diseases of Respiratory System | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 5 | – | – | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 6 | – | – | 1 | – | – | – | – | – | – | – | – | – | 2 |
| Enteritis | 15 | 3 | 7 | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 13 | – | – | – | – | 1 | – | – | – | 2 | 1 | 1 | 1 | 2 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Digestive System | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Bright's Disease | 9 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1 | 5 | 2 | 3 | 2 | 4 | 3 | 1 | 3 | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | 1 | 3 | – | – | – | – | 1 | – | – | – | – | – | – |
| Syncope | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | 3 | 5 | 6 | 4 | 4 | 7 | 5 | 4 | 1 | 1 | – | – | – | – |
| Pneumonia | 5 | – | 5 | 2 | 6 | 4 | 2 | 2 | 1 | – | 1 | – | – | – | – |
| Pleurisy | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 1 | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | – | – | – | 2 | 3 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2 | 4 | 4 | 5 | 2 | 9 | 17 | 5 | 3 | 3 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 1 | – | 1 | – | – | – | 1 | – | – | 1 | 1 | 1 | – | – | – |
| Aneurism | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 1 | 1 | 7 | 5 | 10 | 7 | 11 | 11 | 3 | 2 | 1 | – | – | – |
| Pneumonia | 1 | 1 | 1 | 2 | 1 | 2 | – | 1 | – | – | 1 | – | – | – | – |
| Pleurisy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 2 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 1 | 1 | 2 | 3 | – | – | – | – | 1 | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 4 | – | – | 2 | – | – | – | – | – | – | – | 1 | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines & Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Vehicles and Horses: Vehicles other than R'wys. & Horses | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Drowning | 8 | – | – | – | – | – | – | – | 1 | – | – | 1 | 2 | 1 |
| Suffocation: In Bed | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Falls | 8 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 8 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 29 | 16 | 3 | 5 | 1 | – | – | – | – | – | 1 | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scald | 4 | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 3 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Weather Agencies | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Otherwise, or Not Stated | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 23 | 15 | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 1 | 1 | – | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 2 | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | 2 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 899 | 75 | 32 | 72 | 103 | 46 | 24 | 16 | 48 | 18 | 18 | 24 | 17 | 30 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 206 | 6 | 14 | 30 | 49 | 28 | 15 | 11 | 25 | 3 | 2 | – | 1 | 1 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| IV. CONSTITUTIONAL ,, | 126 | 3 | 2 | 4 | 7 | 8 | – | – | 8 | 6 | 9 | 13 | 7 | 16 |
| V. DEVELOPMENTAL ,, | 69 | 27 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 448 | 21 | 15 | 37 | 45 | 7 | 9 | 4 | 13 | 8 | 7 | 11 | 5 | 12 |
| VII. VIOLENCE | 21 | 1 | – | – | 1 | 2 | – | 1 | 2 | 1 | – | – | 3 | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 24 | 17 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 171 | 2 | 5 | 27 | 46 | 28 | 15 | 11 | 25 | 2 | 1 | – | 1 | 1 |
| 2. DIARRHŒAL ,, | 23 | 3 | 7 | 2 | 3 | – | – | – | – | 1 | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 5 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 7 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| IV. CONSTITUTIONAL DISEASES | 126 | 3 | 2 | 4 | 7 | 8 | – | – | 8 | 6 | 9 | 13 | 7 | 16 |
| V. DEVELOPMENTAL DISEASES | 69 | 27 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 109 | 4 | 2 | 8 | 12 | 1 | 2 | 2 | 4 | 4 | 1 | 2 | 1 | 1 |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 66 | – | – | – | – | – | – | – | 1 | 1 | 1 | 2 | – | 3 |
| 4. ,, RESPIRATORY SYSTEM | 284 | 12 | 9 | 20 | 24 | 6 | 5 | 2 | 2 | 1 | 2 | 2 | 3 | 5 |
| 5. ,, DIGESTIVE SYSTEM | 42 | 5 | 4 | 8 | 9 | – | – | – | 4 | 1 | 3 | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 20 | – | – | – | – | – | 2 | – | 1 | – | – | 3 | 1 | 3 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 5 | – | – | – | – | – | – | – | 1 | 1 | – | 2 | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 881 | 48 | 21 | 68 | 90 | 47 | 33 | 15 | 35 | 22 | 23 | 39 | 28 | 27 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 190 | 6 | 6 | 31 | 47 | 29 | 17 | 6 | 18 | 2 | – | 5 | 2 | 5 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 156 | – | 2 | 2 | 6 | 3 | 2 | 6 | 6 | 13 | 15 | 23 | 13 | 11 |
| V. DEVELOPMENTAL ,, | 75 | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 419 | 14 | 12 | 33 | 35 | 14 | 12 | 3 | 10 | 6 | 8 | 11 | 12 | 10 |
| VII. VIOLENCE | 13 | – | – | 1 | – | 1 | 1 | – | 1 | 1 | – | – | 1 | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 27 | 18 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 161 | 2 | 2 | 29 | 43 | 29 | 16 | 6 | 18 | 1 | – | 3 | – | 2 |
| 2. DIARRHŒAL ,, | 15 | 2 | 2 | 2 | 4 | – | – | – | – | – | – | – | 1 | – |
| 3. MALARIAL ,, | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 10 | – | 1 | – | – | – | – | – | – | 1 | – | 2 | 1 | 3 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 156 | – | 2 | 2 | 6 | 3 | 2 | 6 | 6 | 13 | 15 | 23 | 13 | 11 |
| V. DEVELOPMENTAL DISEASES | 75 | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 101 | 1 | 6 | 4 | 10 | 6 | 4 | 2 | 1 | 4 | 2 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | 2 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 52 | – | – | – | – | – | 1 | – | 1 | – | 1 | 4 | 3 | 1 |
| 4. ,, RESPIRATORY SYSTEM | 174 | 9 | 5 | 18 | 19 | 6 | 5 | 1 | 4 | 1 | 2 | 1 | 2 | 2 |
| 5. ,, DIGESTIVE SYSTEM | 55 | 4 | 1 | 10 | 6 | 1 | 1 | – | 1 | – | 1 | 1 | 4 | 3 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 14 | – | – | – | – | – | – | – | 2 | 1 | – | 2 | 1 | 1 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| (*b*) DISEASES OF PARTURITION | 9 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 3 |
| 9. ,, ORGANS OF LOCOMOTION | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 6 | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 26 | 24 | 35 | 49 | 36 | 45 | 55 | 52 | 27 | 22 | 4 | 1 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 3 | 2 | 2 | 1 | 3 | 3 | 3 | 3 | – | 1 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 8 | 5 | 9 | 8 | 1 | 2 | 5 | 2 | 2 | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 2 | 8 | 11 | 11 | 7 | 2 | 1 | – | – | – |
| VI. LOCAL ,, | 12 | 17 | 21 | 36 | 31 | 37 | 38 | 35 | 14 | 11 | 2 | – | – | – | – |
| VII. VIOLENCE | 2 | – | – | 4 | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 3 | 1 | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | – | – | 2 | 2 | – | 2 | – | 1 | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | – | – | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **IV.** CONSTITUTIONAL DISEASES | 8 | 5 | 9 | 8 | 1 | 2 | 5 | 2 | 2 | 1 | – | – | – | – | – |
| **V.** DEVELOPMENTAL DISEASES | – | – | – | – | – | 2 | 8 | 11 | 11 | 7 | 2 | 1 | – | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 1 | 5 | 5 | 7 | 8 | 6 | 13 | 13 | 3 | 4 | – | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 3 | 6 | 4 | 8 | 7 | 11 | 7 | 3 | 4 | 4 | 1 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 6 | 5 | 10 | 19 | 14 | 15 | 16 | 14 | 7 | 3 | 1 | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 1 | 1 | 1 | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 1 | – | 1 | 1 | – | 1 | 2 | 4 | – | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 28 | 30 | 23 | 37 | 46 | 56 | 38 | 53 | 38 | 24 | 11 | 1 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1 | 2 | 3 | 2 | 2 | 1 | 2 | – | 1 | 2 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 14 | 9 | 7 | 7 | 6 | 4 | 2 | 2 | 3 | – | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 5 | 6 | 15 | 15 | 13 | 10 | 1 | – | – | – |
| VI. LOCAL ,, | 12 | 19 | 10 | 27 | 35 | 45 | 27 | 35 | 19 | 9 | 1 | – | – | – | – |
| VII. VIOLENCE | 1 | – | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | – | 1 | 3 | 2 | 1 | – | 1 | – | – | 2 | – | – | – | – | – |
| 2. DIARRHŒAL ,, | – | 1 | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| II. | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 14 | 9 | 7 | 7 | 6 | 4 | 2 | 2 | 3 | – | – | – | – | – | – |
| V. | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | – | – | – | – | – | 5 | 6 | 15 | 15 | 13 | 10 | 1 | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 2 | 2 | 3 | 8 | 8 | 12 | 7 | 13 | 4 | 1 | 1 | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 2 | 2 | 2 | 6 | 3 | 7 | 7 | 8 | 3 | 1 | – | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 3 | 6 | 3 | 9 | 17 | 23 | 11 | 11 | 9 | 7 | – | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 3 | 5 | 2 | – | 3 | 2 | 2 | 2 | 3 | – | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | – | 1 | – | 2 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 20 | 1 | – | – | 1 | 2 | – | 1 | 2 | 1 | – | – | 3 | 1 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 24 | 17 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 124 | 1 | 2 | 19 | 35 | 24 | 12 | 11 | 19 | 1 | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 4 | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hooping-cough | 22 | – | 3 | 6 | 9 | 2 | 2 | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 8 | 1 | – | 1 | 1 | 2 | 1 | – | 2 | – | – | – | – | – |
| Cerebro-spinal Fever | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 7 | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 23 | 3 | 7 | 2 | 3 | – | – | – | – | 1 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 4 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 3 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 9 | – | – | 1 | – | 1 | 1 | – | 1 | 1 | – | – | – | 1 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 27 | 18 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 106 | – | – | 19 | 35 | 23 | 11 | 5 | 12 | 1 | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 5 | – | – | – | 1 | – | 1 | – | 3 | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 11 | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Hooping-cough | 28 | 1 | 2 | 8 | 7 | 5 | 4 | – | 1 | – | – | – | – | – |
| Mumps | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 8 | – | – | – | – | – | – | – | 2 | – | – | 2 | – | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 15 | 2 | 2 | 2 | 4 | – | – | – | – | – | – | – | 1 | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Puerperal Fever | 6 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 2 |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 2 | – | – | 3 | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | 2 | 2 | – | 2 | – | 1 | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 1 | 2 | 1 | – | 1 | – | – | 2 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | 1 | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 17 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Tabes Mesenterica | 11 | – | 1 | 1 | 2 | 3 | – | – | 2 | – | – | 1 | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 10 | 2 | 1 | – | 3 | 4 | – | – | – | – | – | – | – | – |
| Phthisis | 72 | 1 | – | 1 | 1 | 1 | – | – | 2 | 5 | 6 | 11 | 6 | 15 |
| Other forms of Tuberculosis, Scrofula | 11 | – | – | 2 | 1 | – | – | – | 3 | 1 | 3 | 1 | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 22 | 22 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 42 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 23 | 1 | – | 3 | 10 | – | 2 | 1 | 2 | 3 | 1 | – | – | – |
| Apoplexy | 27 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 24 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Chorea | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Convulsions | 11 | 3 | 2 | 4 | 1 | – | – | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | 3 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 10 | – | – | – | – | – | – | 1 | – | – | – | 2 | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 3 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Rheumatism | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 23 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Tabes Mesenterica | 10 | – | 1 | – | 3 | – | 1 | 1 | – | 2 | – | 2 | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 8 | – | – | 2 | 1 | 1 | – | 2 | 2 | – | – | – | – | – |
| Phthisis | 37 | – | 1 | – | 1 | – | 1 | 3 | 4 | 10 | 13 | 19 | 11 | 10 |
| Other forms of Tuberculosis, Scrofula | 8 | – | – | – | 1 | 2 | – | – | – | 1 | 2 | – | – | – |
| Purpura, Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Anæmia, Chlorosis, Leucocythæmia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 65 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 22 | – | 2 | 3 | 5 | 6 | 3 | 1 | 1 | 1 | – | – | – | – |
| Apoplexy | 18 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 35 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 9 | 1 | 2 | 1 | 3 | – | – | 1 | – | – | 1 | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Nervous System | 13 | – | 2 | – | 2 | – | 1 | – | – | 2 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 2 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | – | 1 | 4 | 1 | 2 | 3 | 1 | 2 | 1 | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 7 | 4 | 8 | 3 | – | – | 1 | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 2 | 8 | 11 | 11 | 7 | 2 | 1 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 2 | 1 | 5 | 3 | 2 | 7 | 4 | 1 | 2 | – | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 1 | 1 | 3 | 3 | 4 | 8 | 2 | 2 | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 2 | 1 | 4 | 3 | 5 | 3 | – | 1 | 2 | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 12 | 6 | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 5 | 6 | 15 | 15 | 13 | 10 | 1 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 1 | – | 2 | 2 | 5 | 2 | 2 | 1 | 1 | 1 | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 1 | 1 | 2 | 3 | 5 | 6 | 4 | 10 | 3 | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 1 | 3 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 59 | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – | 3 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Croup | 7 | 1 | – | – | 2 | – | 1 | 1 | 2 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 98 | 5 | 6 | 10 | 4 | 3 | 2 | – | – | – | – | 1 | – | – |
| Pneumonia | 76 | 6 | 1 | 10 | 14 | 2 | 1 | 1 | – | 1 | 2 | – | 3 | 5 |
| Pleurisy | 4 | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Respiratory System | 8 | – | 1 | – | 3 | 1 | 1 | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 15 | – | 2 | 6 | 7 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 10 | 2 | 2 | 1 | 2 | – | – | – | 2 | 1 | – | – | – | – |
| Ulceration of Intestine | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ileus, Obstruction of Intestines | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 5 | 1 | – | – | – | – | – | – | 1 | – | 2 | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 3 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 3 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Bright's Disease | 11 | – | – | – | – | – | 1 | – | – | – | – | 3 | 1 | 3 |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 48 | – | – | – | – | – | – | – | 1 | – | 1 | 4 | 3 | 1 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Croup | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 10 | 6 | 2 | 9 | 9 | 3 | 2 | 1 | – | 1 | – | – | – | – |
| Pneumonia | 56 | 2 | 2 | 7 | 8 | 3 | 3 | – | 4 | – | 2 | 1 | 1 | 2 |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Respiratory System | 4 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 13 | – | – | 8 | 4 | 1 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 10 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Enteritis | 9 | 3 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 3 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 7 | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 6 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 4 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | 1 |
| Bright's Disease | 6 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 3 | 5 | 3 | 8 | 5 | 10 | 6 | 3 | 4 | 4 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | 1 | 3 | 1 | 1 | 3 | – | – | – | – | – | – | – | – |
| Bronchitis | 3 | 2 | 5 | 7 | 8 | 9 | 12 | 13 | 6 | 2 | – | – | – | – | – |
| Pneumonia | 3 | 3 | 4 | 9 | 3 | 5 | 1 | 1 | 1 | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Bright's Disease | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2 | 2 | 2 | 5 | 3 | 7 | 6 | 8 | 3 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Bronchitis | 1 | 4 | 2 | 7 | 12 | 15 | 10 | 9 | 9 | 7 | – | – | – | – | – |
| Pneumonia | 2 | 2 | 1 | 2 | 5 | 7 | 1 | 1 | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 1 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Enteritis | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | 2 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 4 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 3 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 2 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Falls | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 5 | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 20 | 17 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Placenta Prævia, Flooding | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ulcer, Bedsore | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Eczema | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 26 | 18 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—MALES. (*Continued.*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | AGE UNDER | | | | | | | | | | | | |
| | ALL AGES. | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 733 | 95 | 33 | 59 | 57 | 27 | 18 | 11 | 24 | 14 | 23 | 30 | 14 | 22 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 93 | 7 | 8 | 10 | 14 | 9 | 4 | 3 | 6 | 3 | 2 | 1 | 1 | 2 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 10 | 3 | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 |
| IV. CONSTITUTIONAL ,, | 96 | – | 2 | 1 | 3 | 3 | 2 | 1 | 6 | 4 | 7 | 15 | 4 | 8 |
| V. DEVELOPMENTAL ,, | 53 | 32 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 405 | 33 | 18 | 45 | 36 | 14 | 10 | 5 | 12 | 6 | 11 | 11 | 4 | 7 |
| VII. VIOLENCE | 49 | 4 | 1 | 1 | – | 1 | 1 | 2 | – | 1 | 3 | 3 | 4 | 4 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 27 | 16 | 3 | 1 | 4 | – | 1 | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 71 | 2 | 5 | 7 | 13 | 8 | 3 | 3 | 5 | 3 | 2 | 1 | 1 | 2 |
| 2. DIARRHŒAL ,, | 16 | 1 | 3 | 3 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 5 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | |
| DIETETIC DISEASES | 10 | 3 | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 |
| IV. | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 96 | – | 2 | 1 | 3 | 3 | 2 | 1 | 6 | 4 | 7 | 15 | 4 | 8 |
| V. | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 53 | 32 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 99 | 8 | 7 | 14 | 12 | 1 | 4 | 2 | 4 | 2 | 4 | – | – | 1 |
| 2. ,, ORGANS OF SPECIAL SENSE | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 38 | 1 | 1 | – | – | – | – | – | 1 | – | 2 | – | 1 | 1 |
| 4. ,, RESPIRATORY SYSTEM | 181 | 12 | 5 | 22 | 19 | 11 | 4 | 3 | 5 | 2 | 2 | 6 | 2 | 4 |
| 5. ,, DIGESTIVE SYSTEM | 61 | 12 | 5 | 7 | 4 | 2 | 1 | – | 1 | – | 2 | 3 | 1 | 1 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 17 | – | – | – | – | – | 1 | – | – | 1 | 1 | 1 | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 5 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 29 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 697 | 80 | 19 | 50 | 65 | 26 | 13 | 5 | 32 | 19 | 18 | 17 | 14 | 23 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 106 | 7 | 3 | 12 | 21 | 10 | 4 | 2 | 10 | 2 | 1 | 3 | 3 | 5 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 119 | – | 1 | 3 | 9 | 1 | 2 | – | 10 | 4 | 12 | 6 | 6 | 9 |
| V. DEVELOPMENTAL ,, | 62 | 31 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL ,, | 362 | 23 | 11 | 32 | 35 | 13 | 5 | 3 | 11 | 13 | 2 | 6 | 4 | 9 |
| VII. VIOLENCE | 20 | 2 | 2 | 1 | – | 1 | 1 | – | 1 | – | 3 | 2 | 1 | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 23 | 15 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 70 | 4 | – | 5 | 14 | 9 | 3 | 2 | 9 | 2 | 1 | 1 | – | 3 |
| 2. DIARRHŒAL ,, | 26 | 3 | 2 | 7 | 7 | 1 | 1 | – | 1 | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 9 | – | 1 | – | – | – | – | – | – | – | – | 2 | 3 | 2 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 119 | – | 1 | 3 | 9 | 1 | 2 | – | 10 | 4 | 12 | 6 | 6 | 9 |
| V. DEVELOPMENTAL DISEASES | 62 | 31 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 84 | 4 | 2 | 7 | 10 | 5 | 3 | 2 | 2 | 3 | 1 | – | 1 | 2 |
| 2. ,, ORGANS OF SPECIAL SENSE | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 45 | 1 | – | – | – | – | – | – | 1 | 3 | – | – | – | 1 |
| 4. ,, RESPIRATORY SYSTEM | 156 | 13 | 6 | 13 | 20 | 8 | 2 | – | 4 | 3 | – | – | 1 | 2 |
| 5. ,, DIGESTIVE SYSTEM | 60 | 5 | 3 | 12 | 2 | – | – | 1 | 4 | 1 | 1 | 4 | 1 | 4 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 8 | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | 5 | – | – | – | 2 | – | – | – | – | 2 | – | 1 | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES - - - - | 29 | 26 | 24 | 44 | 49 | 37 | 23 | 39 | 17 | 9 | 8 | 1 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - - | 4 | 1 | 3 | 1 | 3 | 3 | 2 | 4 | – | 2 | – | – | – | – | – |
| II. PARASITIC DISEASES - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ - | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ - | 5 | 4 | 3 | 9 | 5 | 7 | 4 | 3 | – | – | – | – | – | – | – |
| V. DEVELOPMENTAL „ - | – | – | – | – | – | – | – | 6 | 6 | 1 | 6 | 1 | – | – | – |
| VI. LOCAL „ - | 17 | 11 | 14 | 30 | 34 | 25 | 17 | 26 | 11 | 6 | 2 | – | – | – | – |
| VII. VIOLENCE - - - - | 1 | 10 | 2 | 4 | 5 | 2 | – | – | – | – | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - - | 3 | – | 3 | – | 1 | 3 | 1 | 4 | – | 1 | – | – | – | – | – |
| 2. DIARRHŒAL „ - - - | – | – | – | 1 | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| 3. MALARIAL „ - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ - - - | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES - - - | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES - - | 5 | 4 | 3 | 9 | 5 | 7 | 4 | 3 | – | – | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES - - | – | – | – | – | – | – | – | 6 | 6 | 1 | 6 | 1 | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 1 | 1 | 1 | 5 | 8 | 6 | 6 | 5 | 3 | 3 | 1 | – | – | – | – |
| 2. „ ORGANS OF SPECIAL SENSE - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM - | 2 | 1 | 1 | 3 | 5 | 4 | 3 | 12 | – | – | – | – | – | – | – |
| 4. „ RESPIRATORY SYSTEM - | 10 | 5 | 6 | 16 | 13 | 13 | 7 | 6 | 6 | 2 | – | – | – | – | – |
| 5. „ DIGESTIVE SYSTEM - | 2 | 3 | 4 | 3 | 6 | 1 | – | 1 | 1 | – | 1 | – | – | – | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM- - | 2 | 1 | 2 | – | 2 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION - - | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION - - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION - - - | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 21 | 27 | 23 | 23 | 37 | 53 | 38 | 33 | 19 | 27 | 8 | 2 | .. | .. | .. |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1 | 2 | 1 | 1 | 1 | 4 | 1 | 3 | 1 | 1 | 2 | .. | .. | .. | .. |
| II. PARASITIC DISEASES | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| III. DIETETIC ,, | .. | .. | 2 | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. |
| IV. CONSTITUTIONAL ,, | 6 | 8 | 8 | 6 | 9 | 8 | 6 | 3 | 1 | 1 | .. | .. | | | |
| V. DEVELOPMENTAL ,, | .. | .. | .. | .. | .. | 2 | 3 | 3 | 7 | 10 | 4 | 1 | .. | .. | .. |
| VI. LOCAL ,, | 13 | 17 | 13 | 14 | 25 | 39 | 24 | 23 | 9 | 15 | 2 | 1 | .. | .. | .. |
| VII. VIOLENCE | 1 | .. | 2 | .. | 2 | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | .. | .. | .. | 2 | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | .. | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 1 | 1 | 2 | .. | .. | .. | .. |
| 2. DIARRHŒAL ,, | 1 | .. | .. | .. | .. | 1 | 2 | .. | .. | .. | .. | .. | .. | .. | .. |
| 3. MALARIAL ,, | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 4. ZOOGENOUS ,, | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5. VENEREAL ,, | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 6. SEPTIC ,, | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| **II.** | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| **III.** | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | .. | .. | 2 | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. |
| **IV.** | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 6 | 8 | 8 | 6 | 9 | 8 | 6 | 3 | 1 | 1 | .. | .. | .. | .. | .. |
| **V.** | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | .. | .. | .. | .. | .. | 2 | 3 | 3 | 7 | 10 | 4 | 1 | .. | .. | .. |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | .. | 2 | 1 | .. | .. | 16 | 4 | .. | 2 | 1 | .. | .. | .. | .. | .. |
| 2. ,, ORGANS OF SPECIAL SENSE | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 3. ,, CIRCULATORY SYSTEM | 2 | 8 | 4 | 3 | 5 | 3 | 4 | 3 | 5 | 2 | .. | .. | .. | .. | .. |
| 4. ,, RESPIRATORY SYSTEM | 6 | 4 | 6 | 6 | 11 | 16 | 13 | 8 | 2 | 10 | 1 | 1 | .. | .. | .. |
| 5. ,, DIGESTIVE SYSTEM | 3 | 2 | 2 | 3 | 2 | 4 | 2 | 3 | .. | 1 | .. | .. | .. | .. | .. |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 7. ,, URINARY SYSTEM | 1 | 1 | .. | .. | 1 | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| (*b*) DISEASES OF PARTURITION | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 9. ,, ORGANS OF LOCOMOTION | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 10. ,, INTEGUMENTARY SYSTEM | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | .. | .. | .. | .. |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 48 | 3 | 1 | 1 | – | 1 | 1 | 2 | – | 1 | 3 | 3 | 4 | 4 |
| 2. HOMICIDE | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 27 | 16 | 3 | 1 | 4 | – | 1 | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 12 | 1 | – | 4 | 5 | – | – | – | 1 | 1 | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 9 | – | – | – | 1 | 2 | 2 | 1 | 3 | – | – | – | – | – |
| Typhus | 7 | – | – | – | – | – | – | – | – | 1 | 2 | – | – | 1 |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 14 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Hooping-cough | 18 | 1 | 5 | 2 | 5 | 4 | – | 1 | – | – | – | – | – | – |
| Mumps | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Diphtheria | 6 | – | – | – | – | 2 | 1 | 1 | 1 | 1 | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 15 | 1 | 3 | 3 | – | 1 | 1 | – | 1 | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 5 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 19 | 2 | 2 | 1 | – | 1 | 1 | – | 1 | – | 3 | 2 | 1 | – |
| 2. Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 23 | 15 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 6 | – | – | 1 | 3 | 1 | – | 1 | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 12 | 1 | – | – | – | 4 | 1 | – | 4 | – | – | – | – | 2 |
| Typhus | 4 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 15 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hooping-cough | 22 | 3 | – | 4 | 10 | 3 | 1 | – | 1 | – | – | – | – | – |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 8 | – | – | – | 1 | 1 | – | 1 | 3 | 1 | – | – | – | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 26 | 3 | 2 | 7 | 7 | 1 | 1 | – | 1 | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Puerperal Fever | 6 | – | – | – | – | – | – | – | – | – | – | 2 | 3 | 1 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891. -MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 1 | 10 | 2 | 4 | 5 | 2 | – | – | – | – | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | 3 | – | – | 2 | 1 | 4 | – | 1 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | 1 | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | – | 2 | – | 2 | – | – | 1 | – | – | – | – | – | – | – |
| 2. HOMICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 1 | 1 | 1 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 1 | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | 3 | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 19 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 7 | – | 1 | – | – | 3 | 1 | – | 2 | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 6 | – | 1 | 1 | 2 | – | – | – | – | 2 | – | – | – | – |
| Phthisis | 53 | – | – | – | 1 | – | 1 | – | 2 | 2 | 7 | 11 | 3 | 7 |
| Other forms of Tuberculosis, Scrofula | 6 | – | – | – | – | – | – | 1 | 2 | – | – | 1 | 1 | – |
| Purpura, Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 25 | 25 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 6 | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 20 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 36 | – | 5 | 8 | 6 | 1 | 4 | 1 | 3 | 2 | 3 | – | – | – |
| Apoplexy | 15 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Softening of the Brain | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 16 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 12 | 5 | 1 | 1 | 4 | – | – | 1 | – | – | – | – | – | – |
| Laryngismus Stridulus | 3 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 13 | 2 | 1 | 3 | 1 | – | – | – | 1 | – | – | – | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 3 | – | – | – | – | – | – | – | – | – | 2 | 1 | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 6 | – | – | – | – | – | – | – | 1 | 2 | – | – | – | – |
| Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 29 | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 |
| Tabes Mesenterica | 7 | – | – | 1 | 4 | – | – | – | 2 | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 6 | – | 1 | 2 | 2 | – | 1 | – | – | – | – | – | – | – |
| Phthisis | 63 | – | – | – | 1 | 1 | – | – | 6 | 2 | 12 | 6 | 6 | 7 |
| Other forms of Tuberculosis, Scrofula | 4 | – | – | – | 2 | – | 1 | – | 1 | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 21 | 21 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 6 | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 4 | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 30 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 34 | 2 | 2 | 6 | 8 | 4 | 2 | 2 | 1 | 3 | 1 | – | 1 | – |
| Apoplexy | 19 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Softening of the Brain | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 18 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 3 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 6 | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | 1 | 5 | 2 | 5 | 3 | 3 | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 4 | 3 | 2 | 4 | 3 | 2 | 1 | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | – | 6 | 6 | 1 | 6 | 1 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | 3 | 4 | 1 | 3 | 1 | 2 | – | – | – | – | – | – |
| Softening of the Brain | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | – | 1 | 1 | 3 | 2 | 3 | 1 | 3 | 1 | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. GEAUNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 4 | 4 | 4 | 2 | 6 | 5 | 2 | 1 | 1 | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 6 | 4 | 4 | 2 | 4 | 1 | 1 | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 2 | 3 | 3 | 7 | 10 | 4 | 1 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 1 | – | 1 | 1 | 5 | 3 | 5 | 1 | – | – | – | – | – | – |
| Softening of the Brain | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | – | – | 4 | 9 | – | 3 | 1 | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 35 | 1 | – | – | – | – | – | – | 1 | – | 2 | – | 1 | 1 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Croup | 3 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 84 | 5 | 4 | 4 | 9 | 2 | 2 | – | 3 | 2 | – | 4 | 1 | 2 |
| Pneumonia | 80 | 5 | 1 | 18 | 9 | 7 | 1 | 3 | 2 | – | 1 | 1 | 1 | 2 |
| Pleurisy | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Other Diseases of Respiratory System | 8 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dentition | 5 | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 9 | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Enteritis | 22 | 6 | 5 | 5 | 1 | 1 | – | – | – | – | – | 1 | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 8 | 1 | – | 1 | – | – | – | – | 1 | – | 2 | 2 | – | – |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Bright's Disease | 8 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Uræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 37 | – | – | – | – | – | – | – | 1 | 3 | – | – | – | 1 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Croup | 4 | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 74 | 10 | 3 | 4 | 4 | 4 | – | – | – | – | – | – | – | – |
| Pneumonia | 68 | 3 | 3 | 6 | 16 | 3 | 1 | – | 3 | 2 | – | – | 1 | 2 |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 5 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 4 | – | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Enteritis | 17 | 3 | 2 | 7 | – | – | – | 1 | – | 1 | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 19 | 1 | – | 1 | 2 | – | – | – | 3 | – | 1 | 2 | 1 | 8 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Liver | 6 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 4 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Uræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | 1 | 1 | 3 | 5 | 4 | 3 | 12 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 4 | 1 | 2 | 9 | 8 | 7 | 5 | 4 | 4 | 2 | – | – | – | – | – |
| Pneumonia | 5 | 2 | 4 | 6 | 2 | 4 | 2 | 2 | 2 | – | – | – | – | – | – |
| Pleurisy | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 1 | – | – | – | 3 | 2 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | 1 | 2 | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Enteritis | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Liver | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 2 | 1 | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at Different Periods of Life, in 1891.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2 | 6 | 4 | 3 | 5 | 3 | 2 | 2 | 3 | 2 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | 1 | 3 | 3 | 4 | 11 | 10 | 6 | 1 | 6 | 1 | 1 | – | – | – |
| Pneumonia | 2 | 2 | 1 | 2 | 7 | 4 | 3 | 2 | 1 | 4 | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 2 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | 1 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Bright's Disease | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 3 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 21 | – | – | – | – | 1 | 1 | 2 | – | – | 1 | 1 | 4 | – |
| Suffocation: In Bed | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 25 | 16 | 2 | 1 | 4 | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 5 | – | – | – | 2 | – | – | – | – | 2 | – | 1 | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 2 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 6 | – | – | – | – | – | – | – | – | – | 3 | 1 | 1 | – |
| Suffocation: In Bed | 4 | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 3 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 19 | 15 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.--MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 10 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | 2 | – | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 9 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 318 | 33 | 9 | 9 | 12 | 2 | 7 | 3 | 9 | 6 | 3 | 10 | 7 | 17 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 44 | 7 | 3 | 2 | 4 | – | 4 | 1 | 2 | – | – | 3 | – | 1 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| IV. CONSTITUTIONAL „ | 43 | – | – | – | 3 | 2 | 1 | – | 2 | 2 | – | 3 | 3 | 5 |
| V. DEVELOPMENTAL „ | 25 | 11 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL „ | 174 | 6 | 4 | 6 | 3 | – | 2 | 2 | 5 | 3 | 1 | 4 | 3 | 7 |
| VII. VIOLENCE | 14 | – | – | – | 1 | – | – | – | – | 1 | 2 | – | – | 3 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 13 | 9 | 2 | – | 1 | – | – | – | – | – | – | – | – | 1 |
| **I.** | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 24 | – | 1 | – | 3 | – | 4 | 1 | 1 | – | – | 2 | – | 1 |
| 2. DIARRHŒAL „ | 13 | 3 | 1 | 2 | 1 | – | – | – | 1 | – | – | 1 | – | – |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 6 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **II.** PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** DIETETIC DISEASES | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **IV.** CONSTITUTIONAL DISEASES | 43 | – | – | – | 3 | 2 | 1 | – | 2 | 2 | – | 3 | 3 | 5 |
| **V.** DEVELOPMENTAL DISEASES | 25 | 11 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **VI.** | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 45 | 3 | – | 2 | – | – | – | – | – | 1 | – | 1 | – | 1 |
| 2. „ ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 27 | – | – | – | – | – | – | – | – | – | – | – | – | 3 |
| 4. „ RESPIRATORY SYSTEM | 71 | 2 | 3 | 3 | 3 | – | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 2 |
| 5. „ DIGESTIVE SYSTEM | 16 | 1 | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 11 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | 2 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 307 | 24 | 11 | 10 | 7 | 7 | 8 | 3 | 7 | 2 | 8 | 3 | 9 | 13 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 52 | 6 | 4 | 5 | 2 | 1 | 3 | 2 | 3 | – | 1 | – | – | 3 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC „ | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL „ | 50 | – | – | 2 | 2 | 2 | – | 1 | 2 | 1 | 5 | 2 | 6 | 5 |
| V. DEVELOPMENTAL „ | 28 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. LOCAL „ | 155 | 3 | 5 | 2 | 3 | 4 | 5 | – | 2 | 1 | 2 | 1 | 3 | 5 |
| VII. VIOLENCE | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 14 | 6 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 30 | 1 | – | 4 | – | 1 | 3 | 2 | 3 | – | 1 | – | – | 2 |
| 2. DIARRHŒAL „ | 12 | 2 | 4 | – | 2 | – | – | – | – | – | – | – | – | 4 |
| 3. MALARIAL „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS „ | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL „ | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC „ | 7 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 50 | – | – | 2 | 2 | 2 | – | 1 | 2 | 1 | 5 | 2 | 6 | 5 |
| V. DEVELOPMENTAL DISEASES | 28 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 36 | – | 1 | – | 1 | 1 | 2 | – | 2 | – | – | – | 2 | 1 |
| 2. „ ORGANS OF SPECIAL SENSE | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. „ CIRCULATORY SYSTEM | 37 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 3 |
| 4. „ RESPIRATORY SYSTEM | 55 | – | 3 | 1 | 2 | 2 | 3 | – | – | – | 1 | – | – | – |
| 5. „ DIGESTIVE SYSTEM | 20 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | 1 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. „ URINARY SYSTEM | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. „ ORGANS OF LOCOMOTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. „ INTEGUMENTARY SYSTEM | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 10 | 17 | 14 | 19 | 13 | 24 | 26 | 28 | 26 | 10 | 3 | 1 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1 | 3 | 3 | 1 | – | 2 | 1 | 4 | 1 | 1 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 5 | 2 | 2 | 3 | 1 | 3 | 2 | 2 | 2 | – | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | 1 | 1 | 1 | 4 | 4 | 1 | 1 | – | – | – |
| VI. LOCAL ,, | 4 | 10 | 6 | 14 | 9 | 18 | 20 | 21 | 19 | 5 | 2 | – | – | – | – |
| VII. VIOLENCE | – | – | 2 | 1 | 2 | – | 2 | – | – | – | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | – | 2 | 2 | – | – | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | 1 | 1 | – | – | – | 2 | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 5 | 2 | 2 | 3 | 1 | 3 | 2 | 2 | 2 | – | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | 1 | 1 | 1 | 4 | 4 | 1 | 1 | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 1 | 3 | 2 | 3 | 3 | 5 | 6 | 11 | 6 | 2 | – | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | – | 1 | 2 | 4 | – | 6 | 3 | 2 | 4 | 2 | – | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 2 | 4 | 1 | 5 | 4 | 4 | 7 | 7 | 7 | – | 2 | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | – | 2 | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | – | – | – | 1 | – | 2 | 2 | 4 | 1 | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 9 | 8 | 17 | 15 | 10 | 21 | 24 | 35 | 29 | 16 | 8 | 2 | 1 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 3 | – | – | 4 | 1 | 2 | 6 | 2 | 3 | 1 | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 3 | 2 | 4 | 1 | 2 | 3 | 2 | 4 | 1 | – | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | – | 1 | 3 | 4 | 7 | 2 | 2 | – | – | – |
| VI. LOCAL ,, | 3 | 6 | 12 | 6 | 5 | 16 | 14 | 23 | 21 | 7 | 5 | – | 1 | – | – |
| VII. VIOLENCE | – | – | – | 1 | – | – | – | 2 | – | 1 | 1 | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | | – | – | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 1 | – | – | 2 | 1 | 1 | 4 | 2 | 1 | 1 | – | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | – | 1 | – | 1 | – | – | 2 | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | 2 | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 3 | 2 | 4 | 1 | 2 | 3 | 2 | 4 | 1 | – | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | – | 1 | 3 | 4 | 7 | 2 | 2 | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 1 | – | 3 | – | 1 | 3 | 3 | 7 | 6 | 1 | – | – | 1 | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 1 | 2 | 1 | 1 | 3 | 3 | 3 | 6 | 7 | 2 | 3 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | – | – | 6 | 4 | – | 8 | 6 | 8 | 6 | 3 | 2 | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 1 | 3 | 2 | – | – | 1 | 2 | 2 | 2 | 1 | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 12 | – | – | – | 1 | – | – | – | – | 1 | 2 | – | – | 3 |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 13 | 9 | 2 | – | 1 | – | – | – | – | – | – | – | – | 1 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 11 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Hooping-cough | 3 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 5 | – | – | – | – | – | 3 | 1 | 1 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 13 | 3 | 1 | 2 | 1 | – | – | – | 1 | – | – | 1 | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 6 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 14 | 6 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 3 | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 13 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hooping-cough | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 8 | – | – | 1 | – | 1 | 1 | 1 | 3 | – | – | – | – | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 12 | 2 | 4 | – | 2 | – | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | – | – | 1 | 2 | – | 2 | – | – | – | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | 1 | 1 | – | – | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | 1 | 1 | – | – | – | 2 | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | – | – | 1 | – | – | – | 2 | – | 1 | 1 | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | 2 | 1 | 1 | 4 | 2 | 1 | 1 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | 1 | – | 1 | – | – | 2 | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 4 | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 4 | – | – | – | 2 | – | 1 | – | 1 | – | – | – | – | – |
| Phthisis | 19 | – | – | – | – | – | – | – | – | 1 | – | 2 | 3 | 4 |
| Other forms of Tuberculosis, Scrofula | 4 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 10 | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 13 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Softening of the Brain | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 8 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 3 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 24 | – | – | 1 | 1 | 1 | – | – | – | 1 | 5 | 2 | 4 | 5 |
| Other forms of Tuberculosis, Scrofula | 3 | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diabetes Mellitus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 19 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 3 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Apoplexy | 11 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Softening of the Brain | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Convulsions | 4 | – | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 7 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | – | 3 | – | – | 2 | 2 | 2 | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 4 | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 1 | 1 | 4 | 4 | 1 | 1 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | – | – | 1 | 1 | 2 | 2 | 2 | 2 | 1 | – | – | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 1 | – | – | – | 1 | 2 | 2 | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | 1 | – | – | 1 | 2 | – | 1 | 2 | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 2 | 2 | 1 | 1 | 2 | – | 3 | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | 1 | 3 | 4 | 7 | 2 | 2 | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | – | 1 | – | – | – | 1 | 3 | 3 | – | – | – | 1 | – | – |
| Softening of the Brain | – | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 1 | – | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 1 | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 19 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hypertrophy of Heart | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Croup | 3 | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Bronchitis | 28 | 2 | 1 | 1 | – | – | 1 | – | 1 | – | – | – | 1 | 1 |
| Pneumonia | 24 | – | 2 | 2 | – | – | – | 1 | – | 1 | – | 1 | 1 | 1 |
| Pleurisy | 3 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – |
| Other Diseases of Respiratory System | 5 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 4 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 31 | – | – | – | – | – | – | – | – | 1 | – | – | – | 3 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Croup | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 36 | – | 2 | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Pneumonia | 9 | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 7 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Enteritis | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Bright's Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | 1 | 1 | 3 | – | 4 | 2 | 2 | 2 | 2 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | 1 |
| Bronchitis | – | – | – | – | 1 | 1 | 2 | 5 | 4 | – | – | – | – | – | – |
| Pneumonia | 1 | 2 | 1 | 3 | 2 | – | 3 | – | 3 | – | 2 | – | – | – | – |
| Pleurisy | 1 | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | 1 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | 1 | 1 | 3 | 1 | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1 | 2 | 1 | 1 | 2 | 3 | 2 | 5 | 5 | 2 | 3 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Aneurism | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | 2 | 3 | – | 8 | 4 | 6 | 5 | 2 | 1 | – | – | – | – |
| Pneumonia | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | 1 | – | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | 1 | 1 | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS, 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 11 | 8 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other ill-defined and not specified Causes | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 10 | 6 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH, in PERTH at different Periods of Life, in 1891.—FEMALES. (*Continued*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—MALES.

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 286 | 31 | 15 | 16 | 18 | 3 | 6 | 1 | 12 | 10 | 10 | 9 | 4 | 8 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 51 | 1 | 8 | 5 | 5 | 1 | 2 | - | 6 | 2 | 2 | - | - | - |
| II. PARASITIC DISEASES | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC ,, | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL ,, | 44 | 1 | 1 | 2 | 1 | 1 | 2 | - | 2 | 2 | 6 | 3 | 1 | 4 |
| V. DEVELOPMENTAL ,, | 16 | 13 | - | - | - | - | - | - | - | - | - | - | - | - |
| VI. LOCAL ,, | 156 | 12 | 4 | 9 | 12 | 1 | 2 | 1 | 3 | 5 | 2 | 6 | 2 | 4 |
| VII. VIOLENCE | 11 | 1 | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 6 | 3 | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| I. | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 34 | - | 2 | - | 3 | - | 2 | - | 5 | 1 | 2 | - | - | - |
| 2. DIARRHŒAL ,, | 16 | - | 6 | 5 | 2 | 1 | - | - | 1 | 1 | - | - | - | - |
| 3. MALARIAL ,, | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS ,, | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL ,, | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6. SEPTIC ,, | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| II. PARASITIC DISEASES | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC DISEASES | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL DISEASES | 44 | 1 | 1 | 2 | 1 | 1 | 2 | - | 2 | 2 | 6 | 3 | 1 | 4 |
| V. DEVELOPMENTAL DISEASES | 16 | 13 | - | - | - | - | - | - | - | - | - | - | - | - |
| VI. | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 31 | 4 | - | - | 3 | - | 1 | - | - | - | - | 1 | 1 | 2 |
| 2. ,, ORGANS OF SPECIAL SENSE | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 3. ,, CIRCULATORY SYSTEM | 23 | - | - | - | - | - | - | - | - | - | - | 3 | 1 | - |
| 4. ,, RESPIRATORY SYSTEM | 67 | 5 | 2 | 8 | 7 | 1 | - | 1 | 2 | 1 | 1 | 1 | - | 2 |
| 5. ,, DIGESTIVE SYSTEM | 17 | 3 | 2 | - | 1 | - | - | - | 1 | 1 | 1 | 1 | - | - |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7. ,, URINARY SYSTEM | 12 | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| (*b*) DISEASES OF PARTURITION | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 9. ,, ORGANS OF LOCOMOTION | 5 | - | - | - | 1 | - | 1 | - | - | 2 | - | - | - | - |
| 10. ,, INTEGUMENTARY SYSTEM | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—FEMALES.

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 333 | 28 | 11 | 20 | 25 | 10 | 3 | 6 | 10 | 5 | 14 | 11 | 15 | 18 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 73 | 4 | 4 | 7 | 8 | 5 | 1 | 1 | 4 | 3 | 4 | 2 | 7 | 3 |
| II. PARASITIC DISEASES | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC „ | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL „ | 55 | - | - | 2 | 3 | 1 | - | 2 | 1 | 2 | 9 | 5 | 6 | 5 |
| V. DEVELOPMENTAL „ | 16 | 8 | - | - | - | - | - | - | - | - | - | - | - | - |
| VI. LOCAL „ | 175 | 9 | 6 | 11 | 14 | 4 | 2 | 3 | 5 | - | 1 | 4 | 2 | 10 |
| VII. VIOLENCE | 3 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | 11 | 6 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| **I.** | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 52 | 1 | 3 | 3 | 7 | 5 | 1 | 1 | 4 | 2 | 3 | 2 | 3 | 2 |
| 2. DIARRHŒAL „ | 16 | 3 | 1 | 4 | 1 | - | - | - | - | 1 | - | - | 2 | 1 |
| 3. MALARIAL „ | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS „ | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL „ | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6. SEPTIC „ | 5 | - | - | - | - | - | - | - | - | - | 1 | - | 2 | - |
| **II.** | | | | | | | | | | | | | | |
| PARASITIC DISEASES | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **III.** | | | | | | | | | | | | | | |
| DIETETIC DISEASES | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **IV.** | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 55 | - | - | 2 | 3 | 1 | - | 2 | 1 | 2 | 9 | 5 | 6 | 5 |
| **V.** | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | 16 | 8 | - | - | - | - | - | - | - | - | - | - | - | - |
| **VI.** | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 37 | 2 | 2 | 2 | 1 | 1 | 1 | - | - | - | - | - | - | 3 |
| 2. „ ORGANS OF SPECIAL SENSE | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3. „ CIRCULATORY SYSTEM | 33 | - | - | - | - | - | - | - | - | - | - | - | 1 | 3 |
| 4. „ RESPIRATORY SYSTEM | 69 | 7 | 1 | 8 | 9 | 3 | 1 | 3 | 2 | - | - | 2 | - | 1 |
| 5. „ DIGESTIVE SYSTEM | 21 | - | 3 | 1 | 2 | - | - | - | 2 | - | 1 | 1 | 1 | 1 |
| 6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7. „ URINARY SYSTEM | 8 | - | - | - | 1 | - | - | - | - | - | - | - | - | 2 |
| 8. „ REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| (*b*) DISEASES OF PARTURITION | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 9. „ ORGANS OF LOCOMOTION | 4 | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| 10. „ INTEGUMENTARY SYSTEM | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 9 | 15 | 13 | 16 | 14 | 17 | 17 | 14 | 13 | 8 | 5 | 1 | 1 | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 1 | 3 | 3 | 2 | 2 | 2 | 1 | 4 | – | – | 1 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 2 | 3 | 2 | 3 | 3 | 2 | 1 | – | 1 | – | – | – | 1 | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| VI. LOCAL ,, | 5 | 9 | 6 | 8 | 8 | 12 | 13 | 10 | 11 | 7 | 4 | – | – | – | – |
| VII. VIOLENCE | 1 | – | 1 | 3 | – | 1 | – | – | – | – | – | 1 | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **I.** | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 1 | 3 | 3 | 2 | 2 | 2 | 1 | 4 | – | – | 1 | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **II.** | | | | | | | | | | | | | | | |
| PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **III.** | | | | | | | | | | | | | | | |
| DIETETIC DISEASES | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **IV.** | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES | 2 | 3 | 2 | 3 | 3 | 2 | 1 | – | 1 | – | – | – | 1 | – | – |
| **V.** | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| **VI.** | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | – | 3 | – | – | – | 2 | 3 | 3 | 1 | 6 | 1 | – | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | – | 1 | 1 | 2 | 2 | 3 | 3 | 1 | 5 | – | 1 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 2 | 3 | 4 | 5 | 6 | 3 | 3 | 4 | 4 | 1 | 1 | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | 1 | – | 1 | – | – | 4 | – | 1 | – | – | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | 2 | 1 | – | 1 | – | – | 4 | 1 | 1 | – | 1 | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 15 | 9 | 11 | 15 | 13 | 19 | 17 | 17 | 20 | 12 | 8 | 1 | – | – | – |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES | 2 | 1 | 1 | 4 | 3 | 1 | 3 | – | 2 | 2 | 1 | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 8 | 2 | 3 | 2 | – | – | 1 | – | 2 | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL ,, | – | – | – | – | – | – | – | 3 | 1 | 1 | 3 | – | – | – | – |
| VI. LOCAL ,, | 5 | 5 | 7 | 9 | 8 | 17 | 13 | 13 | 15 | 7 | 4 | 1 | – | – | – |
| VII. VIOLENCE | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES | 2 | 1 | 1 | 2 | 3 | 1 | 1 | – | 1 | 2 | 1 | – | – | – | – |
| 2. DIARRHŒAL ,, | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| 3. MALARIAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 8 | 2 | 3 | 2 | – | – | 1 | – | 2 | 1 | – | – | – | – | – |
| V. DEVELOPMENTAL DISEASES | – | – | – | – | – | – | – | 3 | 1 | 1 | 3 | – | – | – | – |
| VI. | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM | 1 | – | 2 | 1 | – | 4 | 6 | 4 | 3 | 3 | – | 1 | – | – | – |
| 2. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 2 | – | 2 | 2 | 3 | 7 | 3 | 3 | 3 | 2 | 2 | – | – | – | – |
| 4. ,, RESPIRATORY SYSTEM | 1 | 4 | 2 | 4 | 2 | 4 | 3 | 3 | 7 | – | 2 | – | – | – | – |
| 5. ,, DIGESTIVE SYSTEM | – | – | 1 | – | 2 | 1 | 1 | 3 | – | 1 | – | – | – | – | – |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM | – | – | – | 1 | 1 | 1 | – | – | 2 | – | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 9 | 1 | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 6 | 3 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 17 | – | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Hooping-cough | 3 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 3 | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 8 | – | – | – | – | – | – | – | 2 | 1 | 1 | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 16 | – | 6 | 5 | 2 | 1 | – | – | 1 | 1 | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **VII.** | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 11 | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | |
| Small-pox (Vaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (Unvaccinated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox (No Statement) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 4 | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 20 | – | 1 | – | 1 | – | – | – | 1 | 1 | 1 | – | 1 | 1 |
| Hooping-cough | 7 | 1 | 1 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 9 | – | 1 | – | 1 | 3 | 1 | 1 | 1 | 1 | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 11 | – | – | – | 1 | – | – | – | 2 | – | 2 | 2 | 2 | 1 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 16 | 3 | 1 | 4 | 1 | – | – | – | – | 1 | – | – | 2 | 1 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Pyæmia, Septicæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | 2 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 1 | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| 2. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. SUICIDE | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 4. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | 2 | – | 2 | 1 | 2 | 1 | 4 | – | – | 1 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **VII.** | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 2. Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. Suicide | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | 1 | 1 | 2 | 1 | 1 | 1 | – | 1 | 2 | 1 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 3 | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 3 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Phthisis | 25 | – | – | 1 | 1 | 1 | – | – | 2 | – | 6 | 3 | 1 | 2 |
| Other forms of Tuberculosis, Scrofula | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 13 | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 5 | 1 | – | – | 2 | – | 1 | – | – | – | – | – | – | 1 |
| Apoplexy | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Softening of the Brain | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Paralysis Agitans | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 3 | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 5 | – | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Phthisis | 35 | – | – | – | – | – | – | 1 | 1 | 2 | 7 | 5 | 5 | 5 |
| Other forms of Tuberculosis, Scrofula | 4 | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | |
| Premature Birth | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | 19 | – | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Softening of the Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 9 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | 1 | 1 | 1 | 1 | 2 | – | – | 1 | – | – | – | 1 | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 1 | 2 | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | – | – | 2 | 2 | – | 1 | – | 1 | – | – | – | – |
| Softening of the Brain | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | 1 | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | 1 | 2 | – | – | 1 | – | 2 | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 5 | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other forms of Tuberculosis, Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | – | 3 | 1 | 1 | 3 | – | – | – | – |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | – | – | – | – | 2 | 6 | 3 | – | 3 | – | 1 | – | – | – |
| Softening of the Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 2 | – | – | 1 | – | 1 | 2 | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Disease of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Disease of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 21 | – | – | – | – | – | – | – | – | – | – | 3 | 1 | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Croup | 4 | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 27 | 3 | 1 | 4 | 3 | – | – | – | – | – | – | – | – | – |
| Pneumonia | 26 | 1 | 1 | 3 | 3 | 1 | – | – | – | 1 | 1 | 1 | – | – |
| Pleurisy | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Respiratory System | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 4 | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 5 | – | 1 | – | – | – | – | – | 1 | – | 1 | 1 | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Bright's Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 32 | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | 4 | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 38 | 5 | 1 | 7 | 4 | – | – | 1 | – | – | – | – | – | – |
| Pneumonia | 20 | 1 | – | 1 | 4 | 2 | 1 | – | 1 | – | – | – | – | 1 |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Respiratory System | 6 | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Enteritis | 4 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 5 | – | – | – | – | – | – | – | 2 | – | 1 | – | 1 | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | | |
| Diseases of Lymphatics | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Uræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | – | 1 | 2 | 1 | 3 | 3 | 1 | 5 | – | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 1 | 1 | 2 | 3 | 1 | 1 | 3 | 2 | 1 | 1 | – | – | – | – |
| Pneumonia | 2 | 1 | 2 | 3 | 3 | – | 2 | – | 1 | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | 1 | 1 | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM** | | | | | | | | | | | | | | | |
| Acute Nephritis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Bright's Disease | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | 2 | – | – | – | 1 | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 2 | – | 2 | 2 | 3 | 6 | 3 | 3 | 3 | 2 | 2 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 4 | – | 2 | – | – | – | – |
| Pneumonia | 1 | 3 | – | 2 | – | 1 | – | – | 2 | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | – | – | 1 | 3 | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 3 | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | 3 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 8 | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **DISEASES OF ORGANS OF GENERATION.** | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF PARTURITION.** | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF ORGANS OF LOCOMOTION.** | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF INTEGUMENTARY SYSTEM.** | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ACCIDENT OR NEGLIGENCE.** | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **ILL-DEFINED AND NOT SPECIFIED CAUSES.** | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1891.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Organs of Locomotion | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Vehicles other than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Other Burns & Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined and not specified Causes | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |

## CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES BY AN ASTERISK (*).

| No. | Districts. | Component Parts (Parishes). |
|---|---|---|
| 14 | Deerness | Part of St Andrews. |
| 15 | Eday and Pharay | Part of Stronsay and Eday. |
| 22 | North Ronaldshay | Part of Cross and Burness. |
| 26 | Sanday | Lady, and part of Cross and Burness. |
| 37*b* | Keiss | Parts of Canisbay and Wick. |
| 58 | Applecross | (1) Part of Applecross; (2) Rest of Applecross and part of Gairloch. |
| 59*b* | Carnoch | Parts of Contin, Fodderty, and Urray. |
| 71*b* | Kinlochluichart | Parts of Contin, Fodderty, and Urray. |
| 86*b* | Carloway | Parts of Lochs and Uig. |
| 87 | Lochs | Parts of Lochs and Uig. |
| 112 | Kilmuir | (1) Part of Kilmuir; (2) Rest of Kilmuir and part of Snizort |
| 135 | Elgin | Elgin, and parts of New Spynie and St Andrews-Lhanbryde |
| 152 | Enzie | Parts of Bellie and Rathven. |
| 155*b* | Glenrinnes | Parts of Aberlour and Mortlach. |
| 167 | Seafield | Parts of Cullen and Rathven. |
| 210*b* | Kinninmonth | Parts of Crimond, Longside, Lonmay, Old Deer, and Strichen. |
| 217 | Logie Coldstone and Cromar | Logie Coldstone, and part of Glenmuick, Tullich, and Glengairn. |
| 222*b* | Millbrex | Parts of Fyvie and Monquhitter. |
| 227*b* | New Pitsligo | Parts of Aberdour, New Deer, Strichen, and Tyrie. |
| 237*b* | Savoch | Parts of Ellon, New Deer, Old Deer, and Tarves. |
| 240 | Strathdon | Strathdon, and part of Tarland. |
| 249*b* | Ythan Wells | Parts of Auchterless and Forgue. |
| 272 | Arbroath | Arbroath, and part of St Vigeans. |
| 282 | Dundee | Dundee, and part of Liff, Benvie, and Invergowrie. |
| 294 | Kettins | Kettins and part of Scone. |
| 297 | Kinnettles | Kinnettles and part of Caputh. |
| 324 | Aberfeldy | Parts of Dull, Fortingall, Kenmore, Logierait, and Weem. |
| 331 | Balquhidder | Balquhidder, and part of Comrie. |
| 344 | Dowally | Part of Dunkeld and Dowally. |
| 349 | Dunkeld | Parts of Caputh and of Dunkeld and Dowally. |
| 355*a* | Fortingall | (1) Parts of Fortingall and Weem; (2) Part of Fortingall. |
| 355*b* | Foss | Part of Dull. |
| 360 | Kenmore | Parts of Kenmore and Weem. |
| 361 | Killin | Parts of Kenmore, Killin, and Weem. |
| 367 | Kinloch-Rannoch | Parts of Fortingall and Logierait. |
| 375 | Logiealmond | Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton. |
| 379 | Meigle | Meigle, and part of Coupar-Angus. |
| 386*b* | Persie | Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael [Kinloch, and Rattray. |
| 387 | Perth | Perth, and parts of Kinnoull, Scone, and Tibbermore |
| 393*b* | Stanley | Parts of Auchtergaven, Kinclaven, and Redgorton. |
| 394*b* | Strathfillan | Part of Killin. |
| 394*c* | Tenandry | Parts of Blair-Athol, Dull, and Moulin. |
| 402 | Anstruther-Easter | Anstruther-Easter and part of Kilrenny. |
| 417 | Crail | Part of Crail and May Island. |
| 423 | Dunbog | Dunbog, and parts of Abdie and Flisk. |
| 424 | Dunfermline | Parts of Dunfermline and Inverkeithing |
| 425 | Dunino | Dunino and part of Crail. |
| 432 | Inverkeithing | Parts of Inverkeithing and Dunfermline. |
| 442 | Kirkcaldy and Abbotshall | Kirkcaldy, Abbotshall, and part of Kinghorn. |
| 481*b* | Grangemouth | Parts of Bothkennar, Falkirk, and Polmont. |
| 490 | Stirling | Stirling, and part of St Ninians. |
| 496 | Dumbarton | Dumbarton, and part of Cardross. |
| 506 | Ballachulish, etc. | Part of Kilmalie. |
| 509 | Cumlodden and Minard | Parts of Glassary and Glenaray. |
| 513 | Inveraray | Inveraray and part of Glenaray. |
| 515 | Kilbrandon and Kilchattan | Kilbrandon and Kilchattan, and part of Jura. |
| 517 | Kilchrenan | [of Kilchrenan and Dalavich. |
| 526 | Lochgilphead | (1) Parts of Kilchrenan and Dalavich, and of Glenorchy and Inishail; (2) Rest |
| 529 | Muckairn | Parts of Glassary and South Knapdale. |
| 535 | Tarbert | Parts of Ardchattan and Muckairn, and of Glenorchy and Inishail. |
| 536 | Bowmore (or Kilarrow) | Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South |
| 542 | Kilfinichen and Kilvickeon | Part of Kilarrow and Kilmeny. |
| 543 | Kilmeny | [Knapdale. |
| 545 | Kinlochspelvie | Parts of Kilfinichen and Kilvickeon, and of Torosay. |
| 547 | Portnahaven | Part of Kilarrow and Kilmeny. |
| 548 | Salen | Part of Torosay. |
| 549 | Tobermory | Part of Kilchoman. |
| 556 | Lochranza | Parts of Kilninian and Kilmore, and of Torosay. |
| 557 | North Bute | Part of Kilninian and Kilmore. |
| 572 | Neilston | Parts of Kilbride and of Kilmory. |
| 573 | Paisley | North Bute, and part of Rothesay. |
| 576 | Ardrossan | (1) Part of Neilston; (2) Rest of Neilston and part of Abbey. |
| 578 | Ayr | High, Middle, and Low Church Parishes, and parts of Abbey and of Renfrew. |
| 584*b* | Crosshill | (1) Parts of Ardrossan and of West Kilbride; (2) Rest of Ardrossan. |
| 595 | Irvine | Ayr, Newton-upon-Ayr and part of St Quivox. |
| 612 | St Quivox, etc. | Parts of Kirkmichael, Kirkoswald, and Maybole. |
| 628*b* | Calderhead | Irvine, and part of Dundonald. |
| 639 | Dalziel | Parts of Newton-upon-Ayr, and St Quivox. |
| 644 | Glasgow | Parts of Cambusnethan and Shotts. |
| 652 | Old Monkland | Dalziel and part of Hamilton. |
| 670 | Queensferry | City of Glasgow, including Gorbals and parts of Barony and Govan. |
| 684 | Portobello | Old Monkland and part of New Monkland. |
| 685 | Edinburgh | Queensferry, and part of Dalmeny. |
| 690 | Kirknewton & East Calder | Parts of Duddingston and South Leith. |
| 692 | Leith | [ton, and North Leith and South Leith. City of Edinburgh, Canongate, and parts of St Cuthberts, Duddingston, Liber- Kirknewton and East Calder, and part of Kirkliston. (1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith. |
| 698*b* | Stobhill | Parts of Borthwick, Cockpen, Newbattle, and Temple. |
| 774*a* | Caddonfoot | Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow. |
| 776*b* | Ladhope | Part of Melrose. |
| 787*b* | Edgerston | Parts of Jedburgh, Oxnam, and Southdean. |
| 794 | Kirktown | Kirktown and part of Cavers. |
| 813*b* | Brydekirk | Parts of Annan, Cummertrees and Hoddom. |
| 830 | Holywood | Holywood and part of Terregles. |
| 853*b* | Wanlockhead | Part of Sanquhar. |
| 857*b* | Bargrennan | Parts of Minnigaff (Kirkcudbright) and of Penninghame (Wigtown). |
| 862 | Corsockbridge | Parts of Balmaclellan, Kirkpatrick-Durham, and Parton. |
| 864 | Dalbeattie | Part of Urr. |
| 899 | Stranraer | Stranraer, and parts of |

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants, and upwards, *or parts thereof*, bearing a different name from the Districts in which they are situated.

| No. | Registration Districts. | Burghs. | Towns. |
|---|---|---|---|
| 80 | Rosemarkie | *Fortrose. | |
| 130 | Dreghorn | | *Lawlenwalk. |
| 155a[2] | Macduff | Banff. | |
| 164 | Kathven | | *Buckie. |
| 167 | Seafield | Cullen. | |
| 211 | Kinnellar | Kintore. | |
| 213 | Kintore | Inverurie. | |
| 251[1] | Banchory-Devenick | Aberdeen. | |
| 253 | Benholm | Inverbervie. | |
| 255 | Dunnottar | | Stonehaven. |
| 253[1] | Fettercsso | | Do |
| 262 | Kinneff, etc. | Inverbervie. | |
| 274 | Barry | | Carnoustie. |
| 280 | Craig | Montrose. | |
| 282[4] | St Andrews (Dundee) | | Broughty-Ferry. |
| 310 | Monifieth | | Do. |
| 316 | Panbride | | Carnoustie. |
| 371 | Lecropt | | Bridge of Allan. |
| 374 | Logie | Stirling. | Do. |
| 388 | Muckhart | | Dollar. |
| 386a | Muthill | | Crieff. |
| 389 | Rattray | | Blairgowrie. |
| 400 | Abdie | | Suburban of Newburgh |
| 405 | Auchterderran | | Lochgelly. |
| 408 | Ballingry | | Do. |
| 410 | Beath | | Cowdenbeath[1] |
| 431 | Forgan | | Newport. |
| 436 | Kilconquhar | *Earlsferry. | |
| 438 | Kilrenny | Anstruther-Easter. | |
| 456 | Scoonie | | *Leven.[1] |
| 459 | Wemyss | | Buckhaven. |
| 466 | Clackmannan | | Alloa. |
| 475 | Campsie | | *Lennoxtown. |
| 478 | Dumpace | | Denny. |
| 485 | Larbert | | Stenhousemuir. |
| 488 | St Ninians | | Bannockburn. |
| 493 | Bonhill | | *Alexandria. |
| 494 | Cardross | | *Renton. |
| 500 | New or East Kilpatrick | | *Milngavie. |
| 503 | Row | | *Helensburgh. |
| 523 | Kilmore and Kilbride | *Oban. | |
| 529[3] | Abbey | | Johnstone. |
| 560 | Cathcart | | {Busby. {Suburban of Glasgow (Crosshill) |
| 582 | Eastwood | | *Pollokshaws and Thornliebank. |
| 584 | Greenock, East | Port-Glasgow. | |
| 571 | Mearns | | Busby. |
| 576[1] | Old Aidrossan | | Saltcoats. |
| 577 | Auchinleck | | Cumnock. |
| 593 | Galston | | Newmilns. |
| 597 | Kilmarnock | | Hurlford. |
| 603 | Loudoun | | Galston and Newmilns.) |
| 611 | Riccarton | Kilmarnock. | Hurlford. |
| 613 | Sorn | | *Carrine. |
| 615 | Stevenston | | Saltcoats. |
| 621 | Avondale | | *Strathaven. [Possilpark). |
| 622[1] | Maryhill | | Suburban of Glasgow (Maryhill and |
| 622[2] | Shettleston | | {Suburban of Glasgow (Shettleston and part of Tollcross). |
| 624 | Blantyre | | Stonefield. |
| 625[1] | Bothwell | | *Bellshill, Uddingston and Mossend. |
| 628 | Cambusnethan | | *Newmains and Wishaw. |
| 639 | Dalziel | | Motherwell. |
| 643 | East Kilbride | | Busby. [Pollokshields). |
| 644[11] | Glasgow (Hutchesontown) | | Suburban of Glasgow (Govanhill and |
| 644[13] | Glasgow (Gorbals) | | {Suburban of Glasgow (Govanhill, Pollokshields, and Strathbungo). |
| 644[14] | Glasgow (Kinning Park) | | {Suburban of Glasgow (Pollokshields, Strathbungo, and Kinning Park) |
| 646[1] | Govan | | Suburban of Glasgow (Govan). [head) |
| 646[2] | Partick | | Suburban of Glasgow (Partick and Hill- |
| 647 | Hamilton | | Larkhall and Motherwell. |
| 651[2] | New Monkland (Landward) | | Suburban of Airdrie. |
| 652 | Old Monkland | | |
| | (1) Western District | | Bailliestone, and Tollcross. |
| | (2) Middle District | | Coatbridge and Rosehall. |
| | (3) Eastern District | | Do. do. |
| 654 | Rutherglen | | Cambuslang. |
| 664 | Carriden | | Borrowstounness. |
| 672 | Uphall | | Broxburn. |
| 673[2] | Fauldhouse | | *Crofthead. |
| 676 | Cockpen | | Bonnyrigg. |
| 689 | Inveresk | *Musselburgh. | |
| 691 | Lasswade | | Penicuik, Loanhead. |
| 727 | Ayton | | Eyemouth. |
| 776 b | Ladhope | Galashiels. | |
| 810 | Wilton | Hawick. | |
| 813 b | Brydekirk | Annan. | |
| 820 | Dryfesdale | | Lockerbie. |
| 863 | Crossmichael | | Castle-Douglas. |
| 868 | Kells | *New Galloway. | |
| 869 | Kelton | | Castle-Douglas. |
| 876 | Minnigaff | | Newton-Stewart. |
| 880 | Terregles | Dumfries. | |
| 882 | Troqueer | Do. | |
| 895 | Penninghame | | Newton-Stewart |

* The asterisk indicates that the *entire* Burgh or Town is embraced in the Registration District

# INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from* 1 *to* 901.*


Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen . 168
Aberdour(Aberdeen), . 169
Aberdour(Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy, 326
Abernethy and Kincardine, 90
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston, . 644
Annan, . 812
Anstruther-E., 402
Anstruther-W., 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardoch, . 328
Ardrossan, . 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727
Baldernock, 471
Balfron, . 472
Ballachulish and Corran of Ardgour, . 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, . 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bannockburn, 488
Bargrennan, 857
Barony, . 622
Barr, . . 580
Barra(Inverness) 108
Barrhead and Levern, . 572
Barrhill, . 582
Barry (Forfar), 274
Barvas, . 86
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . . 175
Blackford, . 333
Blackfriars, 644
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boddam, . 232
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, . 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore . 536
Boyndie, 149
Bracadale, . 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, . 813
Buchanan, . 474
Buckhaven, 459
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1
Busby, . 571
Cabrach, . 177
Cadder, . 626
Caddonfoot, 774
Cairney, 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Camlachie, 644
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, . 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnoch (Ross), 59
Carnock (Fife), 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, 179
Chirnside, . 730
Clackmannan, 466
Clatt, . . 180
Cleish, . 460
Closeburn, . 816
Clunie (Perth), 339
Cluny(Aberd'n), 181
Clyne, . 45
Coatbridge, 652
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy&Clova 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, . 635
Crawfordjohn, 636
Creich (Fife), 418
Crichton, . 681
Criech (Sutherland), . 46
Crieff, 342
Crimond, . 184
Cromarty, . 61
Cromdale and Advie, . 128
Crosshill, . 584


* The actual number of Districts is 1051—many Parishes and Burghs having been divided into two or more Districts for the purpose of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 14 Districts respectively. In forming the alphabetical arrangement the principle adopted has been to place *compound* names in the order in which they are pronounced.

Crosshill, . 584
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults (Fife), 419
Cults (Kincardine), 251
Cumbernauld, 495
Cumbrae, . 552
Cumlodden and Minard, . 509
Cummertrees, 817
Cupar, . 420
Currie, . 682
Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, . 864
Dalgetty, . 423
Dalkeith, . 668
Dallas, . 128
Dalmellington, 586
Dalmeny, . 669
Dalry (Ayr), 587
Dalry (Kirkcudbright), . 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 682
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Dennistoun, 644
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon, . 510
Dunrossness, 3
Duns, . 735
Dunscore, . 822
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 96
Dyce, . . 190
Dyke, . 133
Dysart, . 426

Eaglesham, 561
Earlsferry, . 436
Earlston, . 736
Eassie & Nevay, 284
East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . . 191
Eckford, . 787
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, . 787
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . . 50
Fauldhouse, 673
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberd.), 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Forth, . 632
Fortingall, . 355
Fortrose, . 80
Foss, . . 355
Fossoway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Garmouth, . 144
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glamis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencorse, . 687
Glendevon, 358
Glenelg, . 37
Glengarry, . 99
Glenholm, . 761
Glenisla, . 290
Glenlivat, . 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy, . 512
Glenrinnes, . 155
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gorbals, . 644
Gordon, . 742
Gourock, . 567
Govan, . 646
Graitney (or Gretna), . 827
Grange, . 156
Grangemouth, 481
Grantshouse, 732
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Haggs, . 476
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddom, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hurlford, . 611
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumf.) 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerleithen, 762
Innerwick (Had.) 711
Innerwick in Glenlyon, 355
Insch (Aberd'n), 203
Inverallan, . 128
Inverallochy, 235
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverkip, . 567
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone and Elderslie (Renfrew), . 559
Jura, . 539

Keig, . . 205
Keir, . . 833
Keiss, . 37
Keith, . 159
Keith-hall, . 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kelvin, . 644
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, &c., 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kilcreggan, 502
Kildalton & Oa, 541
Kildonan, . 52
Kildrummy. 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmallie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, . 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll) 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 510
Kilninian and Kilmore, 544
Kilniniver, . 524
Kilrenny, . 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kininmonth, 210
Kinlochbervie, 49
Kinlochluichart, 71
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinning Park, 644
Kinnoull, . 369

Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy and Abbotshall, 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, . 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall and St Ola, . 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 799
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie 214
Lerwick, . 5
Leslie (Aberd'n), 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy and Kinloch 372
Lethnot and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edin.) 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Linwood, . 568
Lismore, . 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochee, . 282
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone and Cromar, 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . . 54
Loudoun, . 603
Lugar, . 577
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . 499
Lyne, . 765

Macduff, . 155
Madderty, . 378
Mains, . 307
Makerston, 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, . 308
Mauchline, . 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, 841
Midmar, . 222
Mid & So. Yell, 6
Millbrex, . 222
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, . 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird and Strowan, . 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mouswald, . 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . . 7
New Abbey, 877
New Ardrossan, 576
Newbattle, . 695
Newburgh, . 450
Newburn, . 451
New Byth, . 210
New Cumnock, 608
New Deer, . 225
New Galloway, 868
Newhills, . 226
Newington, . 685
New Kilpatrick, 500
Newlands, . 767
New Luce, . 393
New Machar, 227
New Monkland, 651
New Pitsligo, 227
New Spynie, 136
Newton, . 696
Newton Mearns, 571
Newtyle, . 314
Nigg (Kincard.), 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Harris, 111
North Knapdale, 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, 22
North Uist, 113
North Yell, . 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Aberdeen, 168
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick 501
Old Luce, . 894
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, . 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Patna, . 610
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386
Perth, . 387
Peterculter, 231
Peterhead, . 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Plantation, . 646
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Port of Monteith, 388
Portlethen, . 251
Portmoak, . 464
Portnahaven, 547
Portobello, . 684
Portpatrick, 896
Portree, . 114
Portsoy, . . 153
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Raasay, . 114
Rafford, . 140
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, . 390
Renfrew, . 575
Renton, . 494
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, . 502
Rosskeen, 81
Rothes, . 141
Rothesay, . 558
Rothiemay, . 165
Rothiemurchus, 96
Rousay and Egilsay, . 24
Row, . . 503
Roxburgh, . 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clement, 282
St Cyrus, . 267
St Fergus, . 166
St George . 685
St Giles, . 685
St Kilda, . 111
St Madoes, . 392
St Martins, . 393
St Mary, . 282
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, . 488
St Peter, . 282
St Quivox, &c., 612
St Rollox, . 644
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cunningsburgh, 3
Sanquhar, . 848
Savoch, . 237
Scone, . 394
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, . 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, . 489
Sleat, . 115
Smailholm, . 805
Small Isles, . 116
Smeorst, . 117

Sorbie, 897
Sorn, 613
Sorndean, 806
Southend, 532
South Harris, 111
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, 29
South Uist, 113
Speymouth, 143
Spott, 720
Sprouston, 807
Stair, 614
Stanley, 393
Stenscholl, 112
Stenton, 721
Stevenston, 615
Stewarton, 616
Stirling, 490
Stitchell, 803
Stobhill, 698
Stobo, 770
Stoer, 44
Stonehouse, 656
Stonykirk, 893
Stornoway, 88
Stow, 699
Stracathro, 320
Strachan, 264
Strachur, 534
Straiton, 617
Stralachlan, 534
Stranraer, 899
Strath, 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394
Strathloch, 384
Strathmartin, 307
Strathmiglo, 457
Strathoykel, 71
Strathy, 50
Strichen, 241
Stromness, 30
Stronsay, 31
Sunart, 505
Swinton, 755
Symington (Ayr), 618
Symington (Lanark), 657

Tain, 82
Tannadice, 321
Tarbat, 83
Tarbert, 535
Tarbolton, 619
Tarland, 242
Tarves, 243
Tealing, 322
Temple, 700
Tenandry, 394
Terregles, 880
Teviothead, 809
Thurso, 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, 10
Tinwald, 849
Tobermory, 549
Tomintoul, 160
Tongland, 881
Tongue, 56
Torosay, 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, 244
Towie, 245
Tradeston, 644
Tranent, 722
Traquair, 771
Trinity-Gask, 396
Troon, 590
Troqueer, 882
Tullialan, 397
Tullynessle and Forbes, 246
Tundergarth, 851
Turriff, 247
Tweedsmuir, 277
Twynholm, 883
Tynron, 852
Tyree (Argyll), 551
Tyrie (Aberdeen) 248

Udny, 249
Uig, 89
Unst, 11
Uphall, 672
Urquhart (Elgin), 144
Urquhart (Inverness), 107
Urquhart and Logie-Wester, 84
Urr, 884
Urray, 85

Walkerburn, 762
Walls (Shetland), 12
Walls (Orkney), 32
Walston, 658
Wamphray, 853
Wandell and Lamington, 659
Wanlockhead, 853
Waternish, 110
Watten, 42
Weem, 398
Wemyss, 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, 43
Wigtown, 901
Wilton, 810
Wiston and Roberton, 660
Woodside, 168

Yarrow, 779
Yester (or Gifford), 729
Yetholm, 811
Ythan Wells, 249

EDINBURGH: PRINTED BY NEILL AND COMPANY
FOR HER MAJESTY'S STATIONERY OFFICE.


AUG 1968
WESBY